



**Industrial
Auctions**

**1569: Online auction machinery for the food
industry in Emmerich am Rhein (DE)**

END DATE
28 August 2024 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	28 August 2024 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	04 September 2024 from 09:00 till 16:00 hrs.
Pick up address	Dechant-Sprünken-Straße 51B 46446 Emmerich am Rhein Germany
Pick up instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	T. Perabel	T. Perabel double z-arm vacuum mixer with lifter for 200 liter meat bins, type: ZV 600, serial number: 1105, 380 V, 50 Hz, 20 A, 5,6 kW, dimensions: 2400 mm x 2400 mm x 2150 mm. Including vacuum pump, type: EU65/B, serial number: IT2217N045, year of construction: 04/2022, 69 m³ per hour. Technical condition unknown.	2000
2	Westfalia	Westfalia mixer, type: MA200D, machine number: 0197, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 3,4/1,8 A, 1,5/0,55 kW, diameter bowl: 880 mm, volume bowl: 200 L, total dimensions: 1500 mm x 1000 mm x 1450 mm.	4000
3	NN paddle mixer	Mobile paddle mixer, inside dimensions: 780 mm x 1700 mm x 950 mm, total dimensions: 2300 mm x 1250 mm x 1930 mm. Including product pump. Technical condition unknown.	750
4	Rühle	Rühle cooled vacuum tumbler with lifter for 200 liter meat bins, type: MKR 200, machine number: 432 G, year of construction: 2002, 400 V, 50 Hz, 16 A, 3/3,8 kW, volume: 200 L, dimensions: 1400 mm x 1600 mm x 2000 mm.	2000
5	Rühle	Rühle cooled vacuum tumbler, machine number: 319, dimensions: 1950 mm x 1300 mm x 2300 mm. Technical condition unknown, without lifter for meat bins.	1500
6	Glass	Glass vacuum tumbler, type: VSM 600 K, machine number: 2164, year of construction: 1997, 400 V, 50 Hz, 12.6 A, 4.05 kW, diameter tub: 930 mm, height: 820 mm, Busch vacuum pump, total dimensions: 1950 mm x 1400 mm x 2050 mm. Missing lid, defect.	2000
7	Glass	Glass tumbler, type: VSM/F 600, machine number: 2350, year of construction: 1998, 8 A, 3.2 kW, dimensions: 1700 mm x 1300 mm x 2100 mm. Defect.	2000
8	Scanio	Scanio brine mixer, type: BM500, serial number: 8670, year of construction: 1998, 415 V, 50 Hz, 9 A, 6 kW, dimensions: 2000 mm x 1400 mm x 1920 mm.	500
9	NN spiral mixer	Spiral mixer with infeed gutter, s/s bowl, diameter bowl: 900 mm, height: 500 mm, total dimensions: 1750 mm x 1500 mm x 2270 mm.	3000
10	Domino	Domino mobile inkjet printer, type: Codebox auto 2, serial number: D-12848, dimensions: 900 mm x 700 mm x 1250 mm.	100
11	Loma	Loma metal detector, type: Superscan Microisc, plastic belt, belt width: 260 mm, clearance, 260 mm x 270 mm, total dimensions: 1450 mm x 710 mm x 1650 mm.	500
12	Espera	Espera weighing and labelling machine with top labeller, type ES 006, type checkweigher: ESW 2514, serial number: 2480100709, max/min weight: 6kg/40g, plastic belt, belt width: (6x) 140 mm, total dimensions: 1460 mm x 690 mm x 1330 mm.	750



Nr	Title	Description	Start €
13	Mesutronic	Mesutronic metal detector with rejecter, type: 5.1 CI 250/200, serial number: 1131-CI, year of construction: 2011, plastic belt, belt width: 200 mm, clearance: 250 mm x 150 mm, total dimensions: 1600 mm x 1000 mm x 1200 mm.	500
14	Handtmann	Handtmann mobile linker, type: 216- 21, serial number: 1425, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 3,6 A, 2,5 kW, dimensions: 1450 mm x 750 mm x 1300 mm.	750
15	NN plastic belt	Plastic belt with dividers, plastic belt, belt width: 500 mm, dividers height: 60 mm, distance between dividers: 400 mm, total dimensions: 1200 mm x 800 mm x 600 mm.	50
16	NN elevating belt	Elevating belt, plastic belt, belt width: 500 mm, elevating height: 1430 mm, total dimensions: 2800 mm x 800 mm x 1850 mm.	400
17	Nieros	Nieros elevating belt, plastic belt, belt width: 255 mm, elevating height: 1720 mm, total dimensions: 2200 mm x 550 mm x 2100 mm.	400
18	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 280 mm, dividers height: 35 mm, distance between dividers: 160 mm, elevating height: 1870 mm, total dimensions: 1800 mm x 650 mm x 2000 mm.	500
19	Maja	Maja mobile skinning and derinding machine, type: skinny, serial number: 43732, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 2 A, 0,75 kW, dimensions: 750 mm x 900 mm x 1200 mm. Missing derinders and missing belt.	800
20	Maja	Maja mobile skinning and derinding machine, type: skinny, serial number: 41030, year of construction: 1999, plastic rollers, roller width: 385 mm, total dimensions: 1350 mm x 800 mm x 1200 mm. Missing belt.	800
21	L'unité Hermétique Sa	L'unité Hermétique Sa compressor rack with 2 condensing units, dimensions: 1300 mm x 700 mm x 1560 mm.	200
22	Schröter	Schröter smoke generator, diameter bowl: 500 mm, total dimensions: 800 mm x 700 mm x 1400 mm. Technical condition unknown.	250
23	Weber	Weber mobile skinning machine, type: ASE 400, serial number: 103, year of construction: 2005, 400 V, 50 Hz, 0,37 kW, weight: 190kg, working width: 385 mm, total dimensions: 780 mm x 620 mm x 980 mm.	500
24	Berkel	Berkel grinder, plate diameter: 98 mm, total dimensions: 900 mm x 560 mm x 1200 mm. Missing plate.	250
25	Mettler Toledo	Mettler Toledo grinder, diameter plate: 98 mm, total dimensions: 900 mm x 520 mm x 1080 mm.	250
26	Herbert Grunwald	Herbert Grunwald filling and sealing machine, type: 2400, serial number: 39/89, diameter dyes: (12x) 85 mm, total dimensions: 1900 mm x 1300 mm x 2400 mm.	500



Nr	Title	Description	Start €
27	NN filling and sealing machine	Filling and sealing machine, 12 x 2 dyes, diameter dyes: (24x) 85 mm, total dimensions: 2200 mm x 1850 mm x 2300 mm.	500
28	Grunwald	Grunwald filling and closing machine, type: Rotary 2500/1, serial number: WK-21/94, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 6 A, 2 kW, diameter dyes: (8x) 115 mm, total dimensions: 1600 mm x 1450 mm x 2250 mm.	750
29	Tetra Laval Food	Tetra Laval Food thermoformer, type: 680, machine number: 681/159, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 42-50 A, dimensions: 7100 mm x 1200 mm x 2000 mm. Including pallet box with suction device and film roll holder. Without vacuum pump.	2000
30	NN tilting device for 200 liter meat bins	S/s tilting device for 200 liter meat bins, dimensions: 1300 mm x 1750 mm x 1400 mm.	500
31	NN meat bin	S/s meat bin, volume: 200 liter.	50
32	NN tilting device for 200 liter meat bins	Mobile s/s tilting device for 200 liter meat bins, inside dimensions: 1360 mm x 500 mm x 105 mm, total dimensions: 2050 mm x 1680 mm x 1250 mm. Without meat bin.	500
33	Dixie Union	Dixie Union thermoformer, type: Evolution, number: EVO. 0157, year of construction: 1998, 3x 400 V, 50 Hz, 15 A, belt width: 420 mm, dye: (4x) 180 mm x 125 mm, total dimensions: 9000 mm x 1200 mm x 1960 mm. Including film roll holder. With vacuum pump.	2000
34	Lanico	Lanico can seamer, type: UV 245, machine number: 55343, year of construction: 1960, dimension seaming platform: 1000 mm, can dimensions: 110 mm x 80 mm, total dimensions: 1900 mm x 1000 mm x 950 mm.	500
35	NN gutter	Mobile s/s gutter, gutter width: 425 mm, total dimensions: 1450 mm x 700 mm x 1420 mm.	50
36	Schröder	Schröder injector, 60 needles, type: N61, serial number: 06143797, year of construction: 1997, 400 V, 50 Hz, 12 A, 5 kW, s/s walking beam, belt width: 420 mm, total dimensions: 2170 mm x 1200 mm x 1950 mm.	1500
37	Rühle	Rühle injector, type: PR8-E. serial number: 888, 8 needles, s/s belt, belt width: 270 mm, total dimensions: 1000 mm x 550 mm x 1400 mm. Pump is defect.	400
38	Myac	Myac injector, 39 needles, s/s walking beam, belt width: 280 mm, total dimensions: 1700 mm x 800 mm x 1800 mm.	750
39	Walter	Walter injector, 8 needles, plastic belt, belt width: 260 mm, total dimensions: 1300 mm x 450 mm x 1480 mm.	400
40	NN meat bin	S/s meat bin, volume: 200 liter.	50
41	NN meat bin	S/s meat bin, volume: 200 liter. With s/s lid	50
42	NN meat bin	S/s meat bin, volume: 200 liter. With s/s lid	50



Nr	Title	Description	Start €
43	Handtmann	Handtmann vacuum filling machine, type: VF100, serial number: 733, 400 V, 3 Ph, 50 Hz, 14,4 A, dimensions: 1700 mm x 1300 mm x 2100 mm. Without meat bin.	2500
44	Verbufa	Verbufa mobile forming machine, type: 51478-C-0011, serial number: 206880, year of construction: 2010, 230 V, 50 Hz, 16 A, weight: 580 kg, plastic belt, belt width: 400 mm, total dimensions: 1800 mm x 1100 mm x 1620 mm. Including 2 crates with parts.	4000
45	NN turning table	S/s turning table, dimensions: 1000 mm x 1000 mm x 1080 mm.	150
46	NN turning table	Turning table, dimensions: 1000 mm x 1000 mm x 900 mm.	150
47	NN turning table	Turning table, dimensions: 1000 mm x 1000 mm x 900 mm.	150
48	Frey	Frey piston filler, type: Kompakta 2, dimensions: 700 mm x 750 mm x 1200 mm.	500
49	Treif	Treif dicer, type: 1401, machine number: 140106.75051.0315, year of construction: 1993, 220/380 V, 3 Ph, 50 Hz, 13/25 A, chamber dimensions: 120 mm x 120 mm, total dimensions: 700 mm x 750 mm x 1200 mm. Including extra grids	1000
50	NN pallet with motors	Pallet with motors.	50
51	Rietschle	Rietschle vacuum pump, type: VFS 201 [01], number: 926419, year of construction: 1985, 220/380 V, 50 Hz, 21/12 A, 5.5 kW, dimensions: 980 mm x 260 mm x 460 mm.	50
52	EFA	EFA saw with balancer, type: EFA 36, machine number: 36/190, 50 Hz, 33 A, dimensions: 900 mm x 300 mm x 350 mm.	250
53	Mainca	Mainca bandsaw, type: SM-182, serial number: 2359, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 2,9 A, 0,92 kW, dimensions: 530 mm x 750 mm x 950 mm.	200
54	Edental	Edental tenderizer, type: Steaker FM 35, serial number: 80168, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 1,65 A, 0,60 kW, weight: 32 kg, working width: 170 mm, total dimensions: 500 mm x 240 mm x 520 mm. Including extra set.	100
55	Busch	Busch vacuum pump, type: 160-132, 160 m ³ per hour dimensions: 800 mm x 600 mm x 740 mm.	150
56	NN pallet with motors	Pallet with motors.	50
57	T-T Asea	T-T Asea heater, number: MT71A14-4F85, 220/380 V, 0,95/1,7 A, 0,25 kW, dimensions: 450 mm x 200 mm x 250 mm.	10
58	NN side channel vacuum pump	Side channel vacuum pump, dimensions: 600 mm x 490 mm x 550 mm.	10



Nr	Title	Description	Start €
59	NN brushing machine	Mobile s/s brushing machine, brush length: 175 mm, total dimensions: 1200 mm x 610 mm x 1000 mm.	50
60	SRD	SRD mobile labelling machine, type: E110, number: 4.2057, year of construction: 06.2003, 230/400 V, 50/60 Hz, 6 A, plastic belt, belt width: 180 mm, total dimensions: 1300 mm x 800 mm x 1350 mm.	100
61	Garvens Automation GmbH	Garvens Automation GmbH checkweigher belt, type: VS3, machine number: 51773, year of construction: 1996, 230 V, 50 Hz, weight max/min: 2 kg/1 g, focus range: 2600 mg, e=0,5 g, pack./minute: 60, plastic belt, belt width: 300 mm, total dimensions: 1350 mm x 750 mm x 1380 mm. Machine is not working.	300
62	NN stairs	Mobile stairs, total dimensions: 600 mm x 550 mm x 1720 mm.	25
64	NN agitator	S/s agitator, dimensions: 1400 mm x 600 mm x 1000 mm.	100
65	Gea maxigrind	Gea maxigrind part for motor, diameter wheel: 735 mm, total dimensions: 750 mm x 900 mm x 850 mm.	50
66	NN plastic curtain	Plastic curtain, dimensions: 1900 mm x 900 mm x 550 mm.	10
67	NN plastic barrels	Plastic barrels with Glykol, dimensions: (2x) 500 mm x 500 mm x 700 mm, (1x) 600 mm x 600 mm x 940 mm.	10
68	CW Instruments	CW Instruments fat extractor, dimensions: 610 mm x 520 mm x 1100 mm.	20
69	Boekels	Boekels checkweigher, type: EWK 438, number: 7.89.91.05.127, year of construction: 1992, 220 V, 50 Hz, plastic wire belt, belt width: 205 mm, total dimensions: 1150 mm x 1100 mm x 1850 mm.	50
70	Rietschle	Rietschle vacuum pump, type: CLFH 220 V [01], machine number: 891143, year of construction: 1985, 5,5 kW, 220 m ³ per hour, pressure: 0.5 mbar, vacuum pump dimensions: 900 mm x 500 mm x 400 mm, total dimensions: 1200 mm x 800 mm x 400 mm.	50
71	Dixie Union	Dixie Union transport belt, type: HV090.9731, year of construction: 1999, plastic wire belt, belt width: 330 mm, total dimensions: 980 mm x 620 mm x 1160 mm.	50
72	Memmert/Melag	Memmert incubator, 2 floors, dimensions floors: (2x) 1000 mm x 480 mm, total dimensions: 1100 mm x 700 mm x 1100 mm with Melag incubator, type: 80, nr: F80623, 220 V, 50 Hz, 0.55 A, 120 W, floor dimensions: 140 mm x 110 mm, inside dimensions: 140 mm x 110 mm x 310 mm, total dimensions: 270 mm x 130 mm x 420 mm.	50
73	NN frame	Mobile s/s frame with drain bunker, inside dimensions: 850 mm x 500 mm x 130 mm, total dimensions: 900 mm x 550 mm x 1070 mm.	20
74	NN slicer	Mobile slicer, dimensions: 1380 mm x 500 mm x 1040 mm.	50



Nr	Title	Description	Start €
75	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 2500 mm x 800 mm x 630 mm.	100
76	NN table	S/s table, dimensions: 1400 mm x 1100 mm x 1000 mm.	50
77	O.M.P. di Possenti & C s.r.l.	O.M.P. di Possenti & C s.r.l. mobile ham press, type: Einziehpresse, model: F-PFT5-000, serial number: 0021, year of construction: 1995, diameter dye: 75 mm, total dimensions: 2200 mm x 500 mm x 1780 mm.	250
78	Busch	2 Busch vacuum pumps on s/s rack, type: 251-512 023, vacuum: 0.5 mbar and type: CB 0220 D 1, number: 03050125, year of construction: 2003, capacity: 220 m³ per hour, dimensions: 1000 mm x 400 mm x 1630 mm.	400
79	NN depositor	Mobile depositor, plastic belt, belt width: 300 mm, total dimensions: 1650 mm x 700 mm x 1520 mm. Incomplete	50
80	Sartorius	Sartorius weighing device for 200 liter meat bins, type indicator: DX BQ 300, number: D02-09-007, dimensions: 1100 mm x 800 mm x 1150 mm.	150
81	Treif	Treif slicer, type: 1921, machine number: 192101.61305.0195, year of construction: 1995, 220/380 V, 50 Hz, 7/16 A, 2,60 kW, weight: 195 kg, dimensions: 1820 mm x 900 mm x 1430 mm.	1500
82	Busch	3 Busch vacuum pumps on steel frame, type: WV 0500 B 001 KAXX, serial number: C0016000342, year of construction: 2000, 500 m³ per hour, type: WV 2000 C 001 MCXX, serial number: C0017000222, year of construction: 2000, 2100/2540 m³ per hour, type: WV 2000 C 001 MCXX, serial number: C0017000223, year of construction: 2000, 2100/2540 m³ per hour, dimensions: 1400 mm x 1300 mm x 1550 mm.	500
83	NN table	S/s table, dimensions: 455 mm x 455 mm x 600 mm.	10
84	Prelon	Prelon pallet with various boxes with casings, dimensions: 1200 mm x 800 mm x 1000 mm.	100
85	Bastra	Bastra smoke chamber, dimensions: 2700 mm x 1160 mm x 1400 mm.	500
86	Angelopo	Angelopo part of kitchen, dimensions: 940 mm x 800 mm x 200 mm.	20
87	NN gas stove	Gas stove, stove dimensions: (4x) 360 mm x 360 mm, total dimensions: 1200 mm x 950 mm x 350 mm.	50
88	Angelopo	Angelopo gas stove, stove dimensions: (4x) 360 mm x 360 mm, total dimensions: 950 mm x 1050 mm x 770 mm.	50
89	Angelopo	Angelopo au bain-marie, inside dimensions: 300 mm x 670 mm x 160 mm, total dimensions: 800 mm x 930 mm x 300 mm.	20
90	NN refrigerated counter	Refrigerated counter, type: Nova 150, serial number: 9600008168, 230 V, 50/1 Hz, dimensions: 1500 mm x 950 mm x 1040 mm.	25



Nr	Title	Description	Start €
91	Edinoks	Edinoks refrigerated counter, glass plates dimensions: (4x) 620 mm x 400 mm, total dimensions: 1400 mm x 720 mm x 1210 mm.	50
92	NN refrigerated counter	Mobile refrigerated counter with 4 tongs, dimensions: 2220 mm x 780 mm x 1350 mm.	50
93	NN switch cabinet	Switch cabinet, dimensions: 1300 mm x 800 mm x 350 mm.	25
94	Stork	Stork switch cabinet, dimensions 2200 mm x 800 mm x 400 mm.	50
95	NN switch cabinet	Switch cabinet, dimensions: 800 mm x 200 mm x 600 mm.	25
96	NN switch cabinet	Switch cabinet, dimensions: 1100 mm x 400 mm x 1120 mm.	50
97	Yale	Yale electric pallet lifter, type: MS16 AC, serial number: C852T02141H, year of construction: 2010, 24 V, 1,2 kW, max capacity: 1600 kg, mass without battery: 900 kg, battery mass min/max: 274/302, fork length: 1170 mm, lifting height: 1900 mm, total dimensions: 2000 mm x 800 mm x 2150 mm. Including charger.	500
98	NN hood	S/s hood, dimensions: 870 mm x 2000 mm x 500 mm	50
99	NN roll container	Roll container, dimensions: 750 mm x 1650 mm x 820 mm.	10
100	NN shredder	Shredder, diameter outfeed: 150 mm, total dimensions: 360 mm x 800 mm x 480 mm. Incomplete.	50
101	NN rollies	3 plastic rollies dimensions: (2x) 605 mm x 425 mm x 165 mm, (1x) 595 mm x 395 mm x 200 mm, 1 steel rollie dimensions: 810 mm x 510 mm x 180 mm.	10
102	Hobart	Hobart combisteamer, type: CS / CSD1013G, serial number: 81-828-667, 10 floors, dimensions: 900 mm x 830 mm x 900 mm.	50
103	Tecno MCM S.L.	Tecno MCM S.L. rotisserie grill, type: 4EE, serial number: 200-159, 400 V, 50 Hz, 13,2 kW, dimensions: 1170 mm x 500 mm x 1000 mm.	25
104	NN knives for vegetable slicer	Knives for vegetable slicer, diameter knives: (1x) 600 mm and (4x) 700 mm, total dimensions: 1400 mm x 850 mm x 200 mm.	200
105	NN knives for vegetable slicer	Knives for vegetable slicer, 2 crates, dimensions: 1200 mm x 800 mm x 550 mm.	400
106	NN trolley	Mobile s/s trolley with plastic top, dimensions: 780 mm x 500 mm x 590 mm.	20
107	NN frames	2 s/s frames, dimensions: (1x) 2160 mm x 180 mm x 200 mm, (1x) 1830 mm x 550 mm x 220 mm.	10
108	Avery Dennison	Avery Dennison label printer, type: AP5.4, serial number: 1143740705-AP54, 100-240 V, 50/60 Hz, 3.2 A, dimensions: 460 mm x 260 mm x 260 mm.	25



Nr	Title	Description	Start €
109	Mettler Toledo	Mettler Toledo weighing scale, type: L2-15M-h2s, number: 2380403, year of construction: 2000, 170-240 V, 50/60 Hz, 270-100 mA, maximum weight: 3/6/15 kg, minimum weight: 20 gram, e= 1/2/5 gram, scale dimensions: 350 mm x 280 mm, total dimensions: 450 mm x 350 mm x 480 mm.	25
110	Soehnle	4 Soehnle weighing scales with 1 indicator and s/s cabinet, serial number indicator: 2881/10-0023, maximum weight: 60-150 kg, minimum weight: 400-1000 gram, e= 20-50 gram, dimension scales: 400 mm x 500 mm x 150 mm and dimensions cabinet: 300 mm x 370 mm x 210 mm.	50
111	Soehnle	4 Soehnle weighing scales and s/s cabinet, dimension scales: 400 mm x 500 mm x 150 mm and dimensions cabinet: 300 mm x 370 mm x 210 mm.	50
112	Soehnle	Soehnle indicator in s/s cabinet, serial number: 2881/13-0053, maximum weight: 60-150 kg, minimum weight: 400-1000 gram, e= 20-50 gram, dimensions cabinet: 450 mm x 210 mm x 650 mm.	25
113	NN generator	Generator, dimensions: 480 mm x 430 mm x 420 mm.	25
114	NN grease pump	Mobile grease pump, dimensions: 450 mm x 400 mm x 950 mm.	10
115	Nilfisk	Nilfisk floor scrubbing machine, type: 421 A, dimensions: 850 mm x 450 mm x 1100 mm.	20
116	GEA WTT GmbH	7 GEA WTT GmbH plate heat exchangers, type: WP 4U-24, dimensions: (7x) 300 mm x 130 mm x 100 mm.	70
117	NN knives and plates for grinder	Plastic crate with knives and plates for grinder, diameter plates: 200 mm.	50
118	Kramer+Grebe	3 plastic crates with Kramer+Grebe cutter knives for 500 litre cutter.	75
119	NN knife	Plastic crate with knife.	10
120	NN smoke sticks	S/s trolley with approximately 200 aluminium smoke sticks, length sticks: 1000 mm, total dimensions: 710 mm x 500 mm x 1100 mm.	150
121	Knapheide GmbH	Knapheide GmbH s/s pressure vessel, serial number: 1504719, volume: 50 litre, dimensions: 500 mm x 370 mm x 940 mm.	50
122	Techform GmbH	Techform GmbH kebab grill, type: 225-V, serial number: 4034, year of construction: 2011, gas heated, length stick: 1000 mm, dimensions: 800 mm x 800 mm x 1200 mm.	100
123	Nock	Nock mobile tenderizer, type: CB-434/5, machine number: 514510, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 6.3 A, 1.1 kW, working width: 320 mm, plastic belt, belt width: 435 mm, total dimensions: 750 mm x 1150 mm x 1380 mm.	400
124	NN paper dispenser	Paper dispenser on s/s frame, dimensions: 500 mm x 500 mm x 1400 mm.	10



Nr	Title	Description	Start €
125	NN paper dispenser	Paper dispenser on s/s frame, dimensions: 500 mm x 500 mm x 1400 mm.	10
126	NN paper dispenser	Paper dispenser on s/s frame, dimensions: 500 mm x 500 mm x 1400 mm.	10
127	NN paper dispenser	Paper dispenser on s/s frame, dimensions: 500 mm x 500 mm x 1400 mm.	10
128	Koppens	Koppens mobile forming machine, type: VM 200, machine number: VM 200-57, 380 V, 3 Ph, 50 Hz, 6 A, 2.39 kW, 340 kg, s/s mesh belt, belt width: 200 mm, diameter form: 100 mm, total dimensions: 2000 mm x 650 mm x 1720 mm. Including pallet with parts and forming plates.	2500
129	Techform GmbH	Techform GmbH kebab grill, type: 225-V, serial number: 4032, year of construction: 2011, gas heated, length stick: 1000 mm, dimensions: 800 mm x 800 mm x 1200 mm.	100
130	NN kebab grill	Kebab grill, gas heated, length stick: 1000 mm, dimensions: 800 mm x 800 mm x 1200 mm.	100
131	Karakas GmbH	Karakas GmbH kebab grill, fabrication number: 1433, year of construction: 10-98, gas heated, length stick: 720 mm, dimensions: 750 mm x 550 mm x 900 mm.	75
132	Karakas GmbH	Karakas GmbH kebab grill, gas heated, length stick: 720 mm, dimensions: 750 mm x 550 mm x 900 mm.	75
133	Techform GmbH	Techform GmbH kebab grill, type: TGD8, serial number: 30 1205, year of construction: 2005, gas heated, length stick: 870 mm, total dimensions: 640 mm x 600 mm x 1030 mm.	100
134	Hobart	Pallet with parts for Hobart washing machine.	50
135	NN table	S/s table with plastic top, dimensions: 630 mm x 530 mm x 1180 mm. Without content.	20
136	NN table	S/s table, dimensions: 600 mm x 600 mm x 960 mm. Without content.	20
137	Soehnle	Soehnle mobile weighing scale, total dimensions: 660 mm x 650 mm x 1550 mm. Defect, without indicator.	20
138	Datamax	Datamax marking machine, model: DMX-A4310, serial number: 80140008.	50
139	Berkel	Berkel bandsaw, type: BS 1750, number: 50521, 220/380 V, 3 Ph, 50 Hz, 5.7/3.3 A, dimensions: 600 mm x 500 mm x 900 mm.	100
140	Espera	Espera control panel, model: ESC 903, number: 70 08 3828, 24 V, 1 A, dimensions: 330 mm x 240 mm x 350 mm.	10
141	Espera	Espera control panel, model: ESC 903, number: 70 10 5395, 24 V, 1 A, dimensions: 330 mm x 240 mm x 350 mm.	10
142	Espera	Espera control panel, model: ESC 924, number: 0750200636, , 30-48 V, 2 A, dimensions: 460 mm x 370 mm x 370 mm.	10



Nr	Title	Description	Start €
143	Avery Dennison	Avery Dennison label printer, type: AP5.4, serial number: 1114311405-AP54, year of construction: 2014, 100-240 V, 50/60 Hz, 1.5- 3.0 A, dimensions: 460 mm x 260 mm x 260 mm.	25
144	Citizen Systems	Citizen Systems label printer, model: JM40-M01, serial number: JMBB056847, 220-240 V, 50/60 Hz, 1.5 A, dimensions: 270 mm x 230 mm x 270 mm.	10
145	Knick	Knick pH meter, type: 911 pH, number: 53736/1581792/0423 60510.	20
146	Espera	Espera thermal- transfer printer, model: ESD 404, serial number: 264 01 00124, 100-240 V, 50-60 Hz, 3.0 A, dimensions: 500 mm x 340 mm x 280 mm.	25
147	Orient	Orient label printer, model: BTP-R880NP, serial number: 12/05NO.028337, 24 V, 2 A, dimensions: 200 mm x 145 mm x 145 mm.	10
148	Epson	Epson label printer, dimensions: 200 mm x 145 mm x 150 mm.	10
149	Stielow	Stielow ink for label printer, RRX/SLX Flathead, dimensions: 110 mm x 540000 mm.	10
150	Ribbeck	Ribbeck traysealer, dye: (2x) 190 mm x 125 mm, total dimensions: 700 mm x 500 mm x 200 mm.	20
151	Espera	Espera label printer, type: ESD 104, serial number: 0970601446, 230 V, 1 Ph, 50-60 Hz, 1 A, dimensions: 340 mm x 550 mm x 270 mm.	50
152	Ecolab	Ecolab soap dispenser on s/s frame, dimensions: 300 mm x 300 mm x 1550 mm.	20
153	NN frame	S/s frame, dimensions: 290 mm x 150 mm x 700 mm.	10
154	Handtmann	Handtmann case spooling device, type: 78-6, number: 1154, year of construction: 2000, 230 V, 50 Hz, 0.67 A, 0.18 kW, dimensions: 450 mm x 200 mm x 150 mm.	100
155	NN knives for dicer	7 knives for dicer.	10
156	Seydelmann	6 knives for Seydelmann 90 litre cutter.	10
157	Ekomex	Ekomex separator head for grinder. New.	100
158	NN glove	S/s safety glove.	10
159	Bettcher	Bettcher trimmer, type: UN-84, 230 V, 1 Ph, 50 Hz, 2.1 A, 250 Watt, dimensions: 300 mm x 150 mm x 600 mm.	100
160	NN filling pipe	Filling pipe, diameter: 80 mm, total dimensions: 500 mm x 150 mm x 300 mm.	10
161	NN attachment for grinder	Attachment for grinder, diameter plate: 113 mm.	10
162	Adelmann	Adelmann aluminium ham mould, number: 635-PA, inside dimensions: 330 mm x 205 mm x 230 mm.	5
163	NN press	Press, dimensions: 900 mm x 200 mm x 350 mm.	25
164	NN filling pipe	Filling pipe, diameter: 80 mm, total dimensions: 500 mm x 300 mm x 500 mm.	10
165	Adelmann	Adelmann aluminium ham mould, inside dimensions: 330 mm x 205 mm x 150 mm.	5



Nr	Title	Description	Start €
166	Bettcher	Bettcher trimmer, type: UN-84, number: 01026927, dimensions: 300 mm x 150 mm x 600 mm.	100
167	NN table	S/s table with plastic worktop, dimensions: 2000 mm x 900 mm x 1000 mm. Without content.	50
168	Rhewa	Rhewa weighing scale, type: 940C, maximum weight: 4 kg, d=0.2 gram, dimensions scale: 210 mm x 190 mm, total dimensions: 270 mm x 210 mm x 90 mm.	10
169	Rhewa	Rhewa weighing scale, type: 941, maximum weight: 3 kg, d= 1 gram, T= -3 kg, dimensions: 240 mm x 300 mm x 90 mm.	10
170	AND	AND weighing scale, serial number: 5011207, 12 V, 0.3 A, diameter scale: 105 mm, total dimensions: 320 mm x 190 mm x 70 mm.	10
171	Rhewa	Rhewa weighing scale, model: 941, maximum weight: 3 kg, d= 1 gram, T= -3 kg, total dimensions: 350 mm x 230 mm x 100 mm. Without scale.	10
172	Rhewa	Rhewa weighing scale, model: 941, maximum weight: 3 kg, d= 1 gram, T= -3 kg, total dimensions: 350 mm x 230 mm x 100 mm. Without scale.	10
173	NN table	Aluminium table with plastic worktop, dimensions: 2000 mm x 900 mm x 950 mm. Without content.	50
174	Handtmann	2 filling pipes for Handtmann vacuum filling machine.	20
175	Handtmann	Box with various filling pipes for Handtmann.	50
176	Handtmann	Handtmann linking attachment for vacuum filling machine, type: 410, number: 16001828, year of construction: 2012.	150
177	Klein / Hanns. G	Klein / Hanns. G desktop, type computer: Micro-client, serial number: 4218, dimensions computer: 420 mm x 180 mm x 420 mm, Hanns.G monitor, model: HSG1033, 100-240 V, 50/60 Hz, 1.2 A, dimensions monitor: 460 mm x 160 mm x 370 mm.	10
178	Festo	Festo s/s pressure vessel, dimensions: 750 mm x 200 mm x 450 mm.	25
179	NN table	Aluminium table, dimensions: 2000 mm x 900 mm x 850 mm. Without content.	50
180	A. R. Krugmann	A. R. Krugmann traysealer, type: 826, machine number: 8909187, year of construction: 1989, 220 V, 50 Hz, 6 A, 1 kW, dye: (2x) 130 mm x 95 mm, film width: 240 mm, total dimensions: 400 mm x 700 mm x 500 mm.	50
181	Grote & Blohm GmbH & Co.KG	Grote & Blohm GmbH & Co.KG cooling unit, type: Begleitzkühlgerät BK20, E-Pumpe Grote&Blohm, serial number: 13037, 230 V 50 Hz, 1.4 A, 250 Watt, 35 bar, refrigerant: R 134a, dimensions: 440 mm x 330 mm x 320 mm.	20
182	Calibri	Colibri laminator, model: PL12A, serial number: 97812, 230-240 V, 50 Hz, 3.6 A, working width: 320 mm, total dimensions: 490 mm x 220 mm x 120 mm.	5



Nr	Title	Description	Start €
183	NN table	Aluminium table, dimensions: 2000 mm x 900 mm x 850 mm. Without content.	50
184	Espera	Espera weighing scale with display and labelling machine, type display: ESC 903, number: 70 53 02279, type weighing scale: ESW 323, number: 17 01 03499, maximum weight: 3/6/12 kg, minimum weight: 20 gram, e = 1/2/5 gram, T = -200 gram, type labelling machine: ESD 103, number: 51 12 07669.	100
185	NN grid sets	Plastic crate with grid sets for dicer, chamber dimensions: 85 mm x 85 mm.	50
186	NN knives and plates for grinder	Plastic crate with knives and plates for grinder, diameter plates: 200 mm.	10
187	Bizerba	Bizerba weighing scale with indicator, type indicator: ITE-W, number: 1239792, maximum weight: 150 kg, minimum weight: 1 kg, e = 0.05 kg, 230 V, 50/60 Hz, 0.04 A, dimensions: 500 mm x 380 mm x 100 mm.	25
188	NN parts for grid sets	Parts for grid sets.	10
189	Karl Schnell	Karl Schnell plate for micro cutter, plate diameter: 175 mm.	10
190	NN knives and plates for grinder	2 sets with knives and plates for grinder, diameter plates: 130 mm.	50
191	NN table	S/s table, dimensions: 2400 mm x 1000 mm x 840 mm. Without content.	100
192	NN table	Aluminium table, dimensions: 1010 mm x 1010 mm x 590 mm. Without content.	50
193	NN gratings	16 gratings, dimensions: 1000 mm x 250 mm.	20
194	Lutetia	Lutetia injector, type: I.M.G.B. 12076, 400 V, 50 Hz, s/s mesh belt, belt width: 750 mm, total dimensions: 2600 mm x 1750 mm x 2250 mm. Including s/s filter tub, dimensions tub: 1500 mm x 700 mm x 600 mm and 2 pallets with parts.	3000
195	Espera	Espera weighing and top and bottom labelling machine, model: ESD 213, number: 103 06 05360, type label head: ESD 243, number: 108 03 00653, type display: ESC 903, number: 70 53 02636, plastic belt, belt width: (2x) 130 mm, total dimensions: 1800 mm x 550 mm x 1700 mm.	500
196	Espera	Espera weighing and top labelling machine, model: ESD 233, number: 106 00 2132, type labeller: ESG 53, number: 138 03 3311, type display: ESC 903, number: 70 08 3832, plastic belt, belt width: (2x) 130 mm, label width: 70 mm, total dimensions: 1300 mm x 750 mm x 1600 mm.	400
197	Espera	Espera weighing and labelling machine, model: ESD 213, number: 103 04 2643, type labeller: ESG 53, number: 138 03 1461, type display: ESC 903, number: 70 11 8699, plastic belt, belt width: (2x) 130 mm, label width: 70 mm, total dimensions: 1000 mm x 500 mm x 1400 mm.	300



Nr	Title	Description	Start €
198	Tipper Tie Technopack	Tipper Tie Technopack mobile double clipper, model: DCKV 220 70, number: 3125.148.305, maximum pressure: 6 bar, dimensions: 700 mm x 650 mm x 2000 mm.	1000
199	Espera	Espera labelling machine with display on aluminium table, type labelling machine: ESD 233, number: 107 00 02139, type display: ESC 903, number: 70 53 01880, dimensions: 850 mm x 500 mm x 1450 mm.	100
200	Dito-Sama	Dito-Sama mobile mixer, type: TBS120, number: B581, year of construction: 12/96, 400 V, 3 Ph, 50 Hz, 4.2/2.4 A, 900 Watt, dimensions: 1400 mm x 650 mm x 1020 mm.	500
201	G. Mondini	G. Mondini traysealer with infeed belt, dimensions infeed belt: 8000 mm x 500 mm x 1300 mm, dimensions traysealer: 2900 mm x 800 mm x 2150 mm.	750
202	Promac GmbH	Promac GmbH washing machine for cans, s/s mesh belt, belt width: 250 mm, dimensions: 3500 mm x 800 mm x 1950 mm.	500
203	NN filling machine	Filling machine with outfeed belt, s/s belt, belt width: 120 mm, dimensions filling machine: 1000 mm x 1150 mm x 1900 mm, dimensions outfeed belt: 1030 mm x 520 mm x 940 mm.	400
204	NN dyes for traysealers	Pallet with various dyes for traysealer, dyes: (3x) 170 mm x 105 mm and (4x) 135 mm x 180 mm.	100
205	NN dyes for traysealers	Pallet with various dyes for traysealer, dyes: (2x) 120 mm x 170 mm.	100
206	Bizerba	5 Bizerba knife sharpeners.	50
207	NN cable	3 cable from vacuum filler to clipper.	10
208	NN knife sterilizer	S/s knife sterilizer, dimensions: 370 mm x 240 mm x 600 mm.	25
209	Ricoh	Ricoh printer, dimensions: 450 mm x 600 mm x 500 mm.	10
210	Mars	Mars knife sharpener.	10
211	NN paddle	Plastic paddle.	10
212	NN heater for cooking vessel	Heater for cooking vessel, dimensions: 800 mm x 570 mm.	10
213	NN saw	Saw.	10
214	Brother	Brother fax, model: FAX-2840, serial number: E71276H3J471667, dimensions: 360 mm x 370 mm x 300 mm.	10
215	Brother	Brother printer, model: HL-530, serial number: E70665C2J497928, dimensions: 360 mm x 380 mm x 250 mm.	10
216	NN cooking vessel	Mobile cooking vessel, inside dimensions: 1250 mm x 800 mm x 490 mm, total dimensions: 1600 mm x 1300 mm x 1000 mm.	500
217	Potis	Potis kebab grill, model: GD5-S, serial number: 20034.05.14, gas heated, length stick: 900 mm, total dimensions: 1000 mm x 1200 mm x 1300 mm.	500



Nr	Title	Description	Start €
218	NN shredder	Mobile shredder, dimensions: 1800 mm x 700 mm x 1850 mm.	400
219	Dixie Union	Dixie Union slicing line consisting of Dixie Union slicer, type: NOVA SLICER, number: 498 1781, year of construction: 1998, 3x 400 V, 50/60 Hz, 26 A, plastic wire belt, belt width: 265 mm, plastic belt, belt width: 405 mm, dimensions: 2230 mm x 1150 mm x 2200 mm, without cover and knife, Dixie Union transport belt, plastic wire belt, belt width: 270 mm, dimensions: 1000 mm x 610 mm x 1130 mm, Dixie union checkweigher, type: DC 2000 090.9184, number: 98336907, year of construction: 1998, fabric belt, belt width: 370 mm, dimensions: 840 mm x 800 mm x 1120 mm and Dixie Union outfeed belt, plastic belt, belt width: 400 mm, dimensions: 3000 mm x 1200 mm x 1250 mm.	1500
220	Poly-clip System	Poly-clip System clipper, type: SCD7080, number: 7083, dimensions: 160 mm x 300 mm x 920 mm.	100
221	NN glove	S/s safety glove.	10
222	Bizerba	Bizerba slicer, type: VS8 A, 220 V, 50 Hz, 2.3 A, dimensions: 700 mm x 600 mm x 500 mm.	200
223	Espera	Espera weighing and labelling machine, model weighing scale: Esm 2104, maximum weight: 3/6/15 kg, minimum weight: 20 gram, e = 1/2/5 gram, T=3000 gram, type display: ES 3015 and type labelling machine: ESD 104, dimensions display: 400 mm x 450 mm x 350 mm, dimensions weighing scale: 330 mm x 260 mm x 90 mm and dimensions label printer: 330 mm x 500 mm x 250 mm.	300
224	Espera	Espera thermal transfer printer, type: ESD 264, dimensions: 260 mm x 470 mm x 310 mm.	50
225	Espera	Espera labelling machine with display, type labelling machine: ESD 103, type display: ESC 903, dimensions labelling machine: 330 mm x 500 mm x 250 mm and dimensions display: 400 mm x 450 mm x 350 mm.	75
227	NN pallet lifter	S/s pallet lifter, fork length: 1150 mm, capacity: 2500 kg, dimensions: 1500 mm x 550 mm x 1250 mm. Technical condition unknown.	200
228	NN cabinet	S/s cabinet, dimensions: 630 mm x 430 mm x 690 mm.	25
229	Bartscher/EKU	Bartscher 2 au bin-marie with Eku fryer, type: Snack 2000.	100
231	Soehnle	Soehnle weighing scale, model: SEB4B-200-C3-HS, serial number: 189775, maximum weight: 200 kg, dimensions: 520 mm x 400 mm x 140 mm. Without indicator.	20
232	Bartscher	Bartscher vegetable slicer, type: HLC-300A, serial number: 015673 467672, 230 V, 50 Hz, 550 Watt, dimensions: 240 mm x 400 mm x 500 mm.	20
233	MKN	MKN au bain-marie, dimensions: 400 mm x 700 mm x 300 mm.	20



Nr	Title	Description	Start €
234	NN vacuum packer	Vacuum packer, type: DZQ-500, 110/240 V, 5/60 Hz, 900 Watt, weight: 105 kg, seal dimensions: (2x) 500 mm, chamber: 500 mm x 400 mm, total dimensions: 585 mm x 650 mm x 980 mm.	150
235	Holac	Holac dicer, type: VA84P, machine number: 36.008.01, 2,7 kW, chamber: 85 mm x 85 mm, total dimensions: 1450 mm x 1100 mm x 2380 mm.	500
236	Horbach	Horbach mobile tumbler, type: HUT 400, serial number: 0393002, year of construction: 1998, volume: 400L, dimensions: 950 mm x 1400 mm x 1850 mm.	1000
237	Renopower	Renopower air compressor, type: W0.36_100LP, 5,5 HP/4 kW, volume: 100L, pressure: 10 bar, rpm: 1200, dimensions: 1180 mm x 500 mm x 1030 mm. New in crate.	500
238	G. Mondini	G. Mondini traysealer with infeed belt, model: CVS/VG.1-S, serial number: 1154/95, year of construction: 1995, 380 V, 3 Ph, 50 Hz, dye: (8x) 110 mm x 70 mm, dimensions infeed belt: 8000 mm x 500 mm x 1300 mm, dimensions traysealer: 2900 mm x 800 mm x 2150 mm.	750
239	Utax	Utax mobile printer, type: 300ci, 220-240 V, 50/60 Hz, 5 A, dimensions: 550 mm x 500 mm x 1200 mm.	50
240	Maneuropo	Maneuropo reciprocating compressor, model: MT160HW4DVE, serial number: SA 10 4559975, year of construction: 2006, refrigerant: R22, dimensions: 350 mm x 350 mm x 500 mm.	25
241	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 6H.2, serial number: 65612800, capacity: 68.5-133.4 m ³ per hour, pressure: 19 / 25 bar, dimensions: 1200 mm x 700 mm x 600 mm. With switch cabinet, dimensions switch cabinet: 800 mm x 300 mm x 800 mm.	100
242	DWM Copeland	DWM Copeland cooling compressor, type: D9RC - 750 - EWM - 000, fabrication number: 245035, year of construction: 1991, 380-420 V, 3 Ph, 50 Hz, 71-78 A, 38 m ³ per hour, dimensions: 680 mm x 360 mm x 460 mm.	100
243	Rietschle	Rietschle vacuum pump, type: VFS 201, number: 702889, year of construction: 1982, 220/380 V, 50 Hz, 21/12 A, 5.5 kW, capacity: 200 m ³ per hour, dimensions: 980 mm x 440 mm x 750 mm.	100
244	DWM Copeland	Pallet with DWM Copeland cooling compressor, type: D9RS4-1500-AWM/D-000, fabrication number: 1172975, year of construction: 1994, 380-480 V, 3 Ph, 50/60 Hz, 113-129 A, capacity: 49.5 m ³ per hour, dimensions: 750 mm x 400 mm x 500 mm with DWM Copeland cooling compressor, type: D9RA3-750/EWM-000, serial number: 0725383, capacity: 32.4 m ³ per hour, dimensions: 750 mm x 400 mm x 500 mm.	200



Nr	Title	Description	Start €
245	DWM Copeland	Pallet with DWM Copeland cooling compressor, model: DLFB-301-EWL 000 SO, fabrication number: 445500, year of construction: 1988, 220-420 V, 3 Ph, 50 Hz, 11.3 A, capacity: 12.9 m ³ per hour, dimensions: 430 mm x 430 mm x 340 mm with motor and DWM Copeland condensing unit, model compressor: DKLP-15X-EWL, serial number: 10D060750 M, capacity: 7.35 m ³ per hour, dimensions 430 mm x 430 mm x 340 mm.	150
246	DWM Copeland	Pallet with DWM Copeland cooling compressor, type: DoRH1-500-EWM 89L, fabrication number: 89L 20771, year of construction: 1989, 380-420 V, 3 Ph, 250-283 A, capacity: 106.5 m ³ per hour, dimensions: 770 mm x 600 mm x 500 mm with DWM Copeland cooling compressor, model: D9RS4-1500-AWM/D, serial number: 1646169, year of construction: 1999, 380-480 V, 3 Ph, 50 Hz, 31.4 A, capacity: 49.90 m ³ per hour, dimensions: 770 mm x 600 mm x 500 mm.	200
247	MR Etikettiertechnik	Pallet with 3 MR Etikettiertechnik labelling heads, model: MR 634, serial number: 11497/94, type: MR 3414, number: 21428/02/A and type: MR 4394, number: 17534/99/A.	75
248	NN machine parts	Various s/s parts.	10
250	Mohn	Mohn apron washer, dimensions: 1500 mm x 600 mm x 2100 mm.	50
251	Magurit	Magurit frozen block cutter, working width: 700 mm, total dimensions: 1400 mm x 1500 mm x 2400 mm.	1000
252	Magurit	Magurit mobile frozen block flaker, working width: 650 mm, total dimensions: 2150 mm x 1300 mm x 1250 mm.	2000
253	Tecnodom	Tecnodom 3-doors refrigerator, model: TAVOLO TN 3 PORTE, number: 20086374A, year of construction: 2008, refrigerant: R 404A, dimensions: 1870 mm x 700 mm x 540 mm.	100
254	Viesmann	Viesmann cooling unit, type: FT 1800 E-113, serial number: 00050075010011, year of construction: 1997, refrigerant: R 404A, dimensions: 1100 mm x 1180 mm x 490 mm. Technical condition unknown.	100
255	Viesmann	Viesmann cooling unit, type: FT 1800 E-113, serial number: 00050075010018, year of construction: 1997, refrigerant: R 404A, dimensions: 1100 mm x 1180 mm x 490 mm. Technical condition unknown.	100
256	NN switch cabinets	Pallet with switch cabinets.	100
257	GEA Küba	2 GEA Küba evaporators, type: DPA 041 DECKEN-LUFTK COMFORT, manufacturer number: P209890208/2004/9890208/6 and P209890208/2004/9890208/9, 230 V, 1 Ph, 50 Hz, dimensions: 1350 mm x 1000 mm x 250 mm.	200



Nr	Title	Description	Start €
258	GEA Küba	GEA Küba evaporator, 1 fan, type: DZA081 Deckenluftkuhl, manufacturing number: 5370004, year of construction: 1997, 230/400 V, 3 Ph, 50/60 Hz, 450 W, temperature: -40°C/+100°C, pressure: 5/25 bar, dimensions: 1370 mm x 1310 mm x 550 mm.	50
259	NN shutter door	Shutter door, width door: 3200 mm, height: 3200 mm. Technical condition unknown.	50
260	NN shutter door	Shutter door, width door: 2300 mm, height: 3000 mm. Technical condition unknown.	50
261	EMS	EMS refrigerated sliding door, type: KSL 80, year of construction: 2002, thickness: 80 mm, dimensions doors: (2x) 1650 mm x 2500 mm, total dimensions: 2100 mm x 2500 mm x 650 mm. Lot already dismantled.	100
262	NN shutter door	Shutter door, width door: 2900 mm, height: 3500 mm. Technical condition unknown.	50
263	NN paddle mixer	Double shaft paddle mixer, volume: 1000 litre, dimensions: 1300 mm x 1600 mm x 2100 mm.	150
264	NN paddle mixer	Double shaft paddle mixer, volume: 1000 litre, dimensions: 1300 mm x 1600 mm x 2100 mm. Missing 1 shaft.	150
265	Boge	Boge air dryer, type: D 70 / 312, serial number: 98/2/11711/06, year of construction: 1998, 230 V 1 Ph, 50 Hz, 0.850 kW, maximum pressure: 16 bar, maximum temperature: 60° Celsius, refrigerant: R 134a, 1.150 kg, dimensions: 700 mm x 660 mm x 800 mm.	100
266	NN meat bins.	10 s/s 200 litre meat bins.	500
267	NN meat bins.	8 s/s 200 litre meat bins.	400
268	NN meat bins	16 s/s 200 litre meat bins.	800
269	NN meat bins	16 s/s 200 litre meat bins.	800
270	IDM	IDM trolley with drums for kebab grill, model: LFT-250, serial number: 290216-LFT0009, capacity: 250 kg, drum dimensions: 520 mm x 520 mm x 800 and 350 mm x 350 mm x 800 mm, total dimensions: 1500 mm x 600 mm x 1730 mm. Technical condition unknown.	150
271	NN hoses	Pallet with various hoses.	10
272	NN meat hooks	Pallet with various meat hooks.	100
273	Siegfried Frenzen	Siegfried Frenzen mobile assembly crane, type: 500 GK, fabrication number: 8008 7794, capacity: 500 kg, weight: 350 kg, dimensions: 1550 mm x 800 mm x 1700 mm.	100
274	Therma Grossküchen Produktion AG	Therma Grossküchen Produktion AG cooking vessel, type: BEN300S.S25,F981, serial number: 01500094, 230 V, 1 Ph, 50 Hz, 0.2 A, 0.25, inside dimensions: 1050 mm x 550 mm x 550 mm, total dimensions: 1400 mm x 1000 mm x 1400 mm.	150



Nr	Title	Description	Start €
275	Berto's SPA	Berto's SPA cooking vessel, type: E9BM8M, serial number: 11021/61671, 230 V, 50/60 Hz, 3 kW, inside dimensions: 690 mm x 630 mm x 170 mm, total dimensions: 900 mm x 800 mm x 950 mm. Technical condition unknown.	75
276	Haacon	Haacon lifter, type: 220-0.3, fabrication number: 9348664, year of construction: 1993, capacity: 2030 / 3000 N, fork length: 590 mm, lifting height: 1830 mm, total dimensions: 1100 mm x 500 mm x 2000 mm.	50
277	NN hood	S/s frame for hood, dimensions: 1000 mm x 1010 mm x 600 mm.	10
278	NN parts	Pallet with s/s parts, dimensions.	10
279	Cyklop	Cyklop mobile strapping machine, type: BETA 90-500, machine number: 812.542, year of construction: 1990, 380 V, 50 Hz, working width: 500 mm, total dimensions: 1160 mm x 500 mm x 1550 mm.	75
280	Audion Elektro	Audion Elektro mobile sealing machine, type: 820 MGM-2, serial number: 1006690, year of construction: 2011, 230 V, 50 Hz, 8 A, 1300 W, seal length: 865 mm, total dimensions: 1000 mm x 1000 mm x 1150 mm.	20
281	NN hook weighing scale	Hook weighing scale with indicator, type indicator: IT1000, dimensions: 550 mm x 600 mm x 600 mm. Without hook.	25
282	NN curved conveyor	45° curved conveyor, plastic belt, belt width: 80 mm, total dimensions: 1300 mm x 550 mm x 900 mm.	50
283	NN plates	Pallet with 2 s/s plates and s/s tub, dimensions plates: 1450 mm x 950 mm, dimensions tub: 600 mm x 1400 mm x 300 mm.	20
284	NN smoke trolley	S/s smoke trolley, 6 floors, floor dimensions: (6x) 950 mm x 930 mm, total dimensions: 1000 mm x 1010 mm x 1990 mm.	50
285	NN hook weighing scale	Hook weighing scale with indicator, type indicator: IT3000, dimensions: 600 mm x 650 mm x 1300 mm.	25
286	NN dye for traysealer	Dye for traysealer, dye: (2x) 250 mm x 140 mm.	10
287	Challange RMF	Challange RMF gearbox for tumbler, dimensions: 570 mm x 500 mm x 330 mm.	10
288	Cryovac	Cryovac dip tank, type: CUVE 600 FRM ELEC, serie: CF 137.00.00, number: 06, year of construction: 11/90, 380 V, 3 Ph, 50 Hz, 24 kW, clearance: 540 mm x 325 mm, total dimensions: 1550 mm x 900 mm x 2450 mm. Fan motor defect.	200
289	Wonda	2 Wonda heat exchangers, model: CR 150, fabrication number: K3865, year of construction: 1999, refrigerant: H2O, total dimensions: 1560 mm x 650 mm x 700 mm.	50
290	NN transport belt	Transport belt, steel frame, s/s belt, belt width: (2x) 110 mm, total dimensions: 2450 mm x 800 mm x 1070 mm.	100



Nr	Title	Description	Start €
291	NN lifter for pallet boxen	S/s lifter for pallet boxen, lifting height: 1750 mm, dimensions pallet boxen: 1500 mm x 1150 mm x 1000 mm, dimensions lifter: 800 mm x 1000 mm x 2020 mm.	500
292	NN tilting device	S/s tilting device, dimensions: 1550 mm x 600 mm x 2020 mm.	100
293	Bovo-Treviso	Bovo-Treviso pasteurizer, model: Cortina, 50 Hz, inside dimensions: 520 mm x 520 mm x 500 mm, total dimensions: 760 mm x 700 mm x 1150 mm.	100
294	Roller	Roller evaporator, 3 fans, type: HVU 108-S, number: 2406-4, 380 V, 3 Ph, 50 Hz, dimensions: 1800 mm x 600 mm x 620 mm.	100
295	Roller	Roller evaporator, 3 fans, type: HVU 108-S, number: 2406-4, 380 V, 3 Ph, 50 Hz, dimensions: 1800 mm x 600 mm x 620 mm.	100
296	NN infeed belt	S/s infeed belt for thermoformer, belt width: (2x) 200 mm, total dimensions: 3600 mm x 1000 mm x 1700 mm.	250
297	NN hygiene pump	Hygiene pump on steel trolley, dimensions: 400 mm x 900 mm x 950 mm.	25
298	Nagama	Nagama lifter for 200 litre meat bins, number: 36185, year of construction: 1985, weight: 296 kg, lifting height: 2100 mm, total dimensions: 1300 mm x 600 mm x 2600 mm.	250
299	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 110 mm, total dimensions: 2600 mm x 400 mm x 1400 mm.	25
300	NN platform	S/s mobile platform with 2 steps and gratings, dimensions: 1400 mm x 760 mm x 500 mm.	25
301	NN infeed gutter	S/s mobile infeed gutter for Henneken tumbler, dimensions: 1100 mm x 1050 mm x 1930 mm.	25
302	NN locker	3-doors s/s locker, dimensions: 1060 mm x 550 mm x 1960 mm.	25
303	Sanpack Lagertechnik GmbH	Sanpack Lagertechnik GmbH pallet wrapper, type: Sanpack-Mat, number: MAT21.010.147.1-V, 3x 380 V, 50 Hz, 4.57 A, 0.99 kW, film width: 500 mm, diameter platform: 1500 mm, total dimensions: 2700 mm x 1500 mm x 800 mm. Including pallet with large amount of plastic film rolls, film width: 520 mm, dimensions pallet with film: 1200 mm x 800 mm x 1700 mm.	500
304	NN film	Pallet with large amount of film, film width: 500 mm.	100
305	Hyamat	KSB vertical high pressure pumps, type: Hyamat VP 2/1805, serial number: S-W, 230/400 V, 50 Hz, 11.8 A, 5.5 kW, pressure: 16 bar, capacity: 17 m³ per hour, dimensions: 1200 mm x 1000 mm x 1400 mm.	200
306	August Sauter	August Sauter hook weighing scale, type: FN, number: 429 428, maximum weight: 200 kg, minimum weight: 5 kg, e=d= 100 gram, dimensions: 600 mm x 300 mm x 1400 mm.	25



Nr	Title	Description	Start €
307	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 4V-10.2, capacity: 33.07 m ³ per hour, dimensions: 1300 mm x 800 mm x 1300 mm.	250
308	NN elevating belt	Mobile s/s elevating belt with dip tray, s/s belt, belt width: 400 mm, working width: 450 mm, lifting height: 1100 mm, total dimensions: 1500 mm x 530 mm x 1100 mm.	50
309	NN vegetable slicer	Mobile vegetable slicer, dimensions: 1000 mm x 1300 mm x 1700 mm.	500
310	NN mixer	Mixer, dimensions: 1150 mm x 860 mm x 1450 mm. Incomplete.	100
311	Jung	Jung vegetable slicer, dimensions: 900 mm x 750 mm x 1600 mm.	500
312	NN vegetable slicer	Mobile vegetable slicer, dimensions: 900 mm x 750 mm x 1600 mm.	500
313	Stiels	Stiels double cabbage decorer, type: 41, machine number: 742-77, dimensions: 1200 mm x 600 mm x 2080 mm.	250
314	NN vegetable slicer	4-heads vegetable slicer on steel frame, dimensions: 2000 mm x 670 mm x 1070 mm.	50
315	NN lifter for meat bins	Lifter for meat bins, lifting height: 1300 mm, total dimensions: 1350 mm x 600 mm x 1900 mm.	500
316	NN lifter for meat bins	Lifter for meat bins, lifting height: 1900 mm, total dimensions: 650 mm x 1200 mm x 3000 mm.	500
317	NN lifter for meat bins	Lifter for meat bins, lifting height: 1900 mm, total dimensions: 700 mm x 700 mm x 2800 mm.	500
318	Nagama	Nagama lifter for meat bins, type: RFW 2000, number: 36185, year of construction: 1984, lifting height: 2100 mm, total dimensions: 1400 mm x 700 mm x 2600 mm.	500
319	NN lifter for meat bins	Lifter for meat bins, lifting height: 2100 mm, total dimensions: 1500 mm x 1100 mm x 3100 mm. Incomplete.	500
320	Apullma	Apullma tilting device for pallet boxen with outfeed belt, type: K-KIP-GER, fabrication number: 13894-4, year of construction: 01-1998, tilting height: 1150 mm, plastic belt, belt width: 1000 mm, total dimensions: 2500 mm x 1500 mm x 1400 mm.	500
321	Quiel	Quiel cabbage decorer, type: SBM 1, machine number: 04291, 400 V, 50 Hz, 1.8 kW, s/s belt, belt width: 100 mm, total dimensions: 2500 mm x 700 mm x 2300 mm.	1500
322	NN vegetable slicer	S/s vegetable slicer, dimensions: 1700 mm x 1500 mm x 1700 mm.	500
323	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 530 mm, elevating height: 1550 mm, total dimensions: 3200 mm x 640 mm x 1640 mm.	250
324	NN tub	S/s tub, dimensions: 1900 mm x 960 mm x 1100 mm.	100
325	NN trolley with hooks	S/s trolley with hooks, dimensions: 1800 mm x 940 mm x 1700 mm.	50



Nr	Title	Description	Start €
326	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 100 mm, total dimensions: 2600 mm x 450 mm x 1230 mm.	50
327	NN tub	Mobile s/s tub, dimensions: 2370 mm x 1380 mm x 920 mm.	100
329	Tecumseh	Tecumseh condensing unit, dimensions: 500 mm x 600 mm x 470 mm.	50
330	L'unite Hermetique	L'unite Hermetique condensing unit, dimensions: 500 mm x 600 mm x 470 mm.	50
331	Tecumseh	Tecumseh condensing unit, dimensions: 500 mm x 600 mm x 470 mm.	50
332	NN evaporator	Evaporator, 1 fan, dimensions: 950 mm x 860 mm x 700 mm.	50
333	NN evaporator	Evaporator, 3 fans, dimensions: 2600 mm x 850 mm x 400 mm.	10
334	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: II, year of construction: 1976, capacity: 2.2/4.4 m ³ per hour, dimensions: 700 mm x 460 mm x 450 mm.	50
335	Roller	Roller evaporator, 1 fan, type: HVS 705, serial number: 00 251 65 0059, year of construction: 2000, dimensions: 720 mm x 400 mm x 600 mm.	25
336	NN evaporator	Evaporator, 3 fans, dimensions: 1150 mm x 500 mm x 50 mm.	10
337	NN press	Hydraulic press, dimensions pressing device: 75 mm x 75 mm, total dimensions: 780 mm x 600 mm x 1750 mm.	50
338	Roller	Roller evaporator, 1 fan, type: HVS 705, serial number: 00 251 65 0059, year of construction: 2000, dimensions: 720 mm x 400 mm x 600 mm.	25
339	NN ramp	S/s ramp, dimensions: 4500 mm x 1050 mm x 300 mm.	50
340	NN floor weighing scale	Floor weighing scale, dimensions: 2600 mm x 1350 mm x 200 mm.	50
341	KSB	KSB vertical submersible pump, type: 20-5/100, serial number: 5-N34-503 682, 8/20/30 m ³ per hour, H: 14/10/5 m, n: 2800 1/min, diameter: 200 mm, height: 1250 mm.	50
342	Bley	Bley s/s trolley, dimensions: 1250 mm x 750 mm x 1250 mm.	50
343	NN smoke trolley	S/s smoke trolley, 7 floors, floor dimensions: 950 mm x 900 mm, total dimensions: 1020 mm x 1000 mm x 1920 mm.	50
344	NN smoke trolley	S/s smoke trolley, 7 floors, floor dimensions: 950 mm x 950 mm, total dimensions: 1020 mm x 950 mm x 1900 mm.	50
345	NN smoke trolley	S/s smoke trolley, 6 floors, floor dimensions: 1000 mm x 960 mm, total dimensions: 1040 mm x 1000 mm x 1970 mm.	50



Nr	Title	Description	Start €
346	NN smoke trolley	S/s smoke trolley, 8 floors, floor dimensions: 950 mm x 950 mm, total dimensions: 1020 mm x 960 mm x 1860 mm.	50
347	NN smoke trolley	S/s smoke trolley, 9 floors, floor dimensions: 950 mm x 1010 mm, total dimensions: 1040 mm x 1030 mm x 1850 mm.	50
348	NN smoke trolley	S/s smoke trolley, 7 floors with 4 plates, floor dimensions: 900 mm x 900 mm, total dimensions: 1000 mm x 950 mm x 1800 mm.	50
349	NN trolley	S/s trolley, dimensions: 2500 mm x 1260 mm x 2200 mm.	50
350	NN trolley	S/s trolley, dimensions: 1400 mm x 500 mm x 1450 mm.	25
351	NN counter	Counter, dimensions: 1600 mm x 900 mm x 1000 mm.	25
352	Hoegger	Hoegger ham press, type: SP280, serial number: 02-268, year of construction: 2014WR, 240 V, 50/60 Hz, 10/13 A, weight: 2000 kg, dimensions forms: 120 mm x 60 mm and 170 mm x 70 mm, dimensions: 2300 mm x 780 mm x 1670 mm.	2500
353	NN meat bins	5 s/s 120 litre meat bins.	125
354	NN plastic pallets	8x plastic EURO H1 pallets, dimensions: 1200 mm x 800 mm.	80
355	Bilancia/Pfister	Bilancia/Pfister floor weighing scale with indicator, serial number: 103942, maximum weight: 1500 kg, minimum weight: 10 kg, e=0.5 kg, 220 V, 50/60 Hz, .	250
400	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile labelling system, type: ES5000, number: 156/06, 230 V, 3 Ph, 50 Hz, 6 A, 6 bar, 2.2 kW, dimensions: 600 mm x 500 mm x 1400 mm. Lot located on other location in Germany. Viewing and pick-up in consultation with Industrial Auctions.	500
401	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: ROBOTDP10C, type: 153/250 B-1, number: 1530578, year of construction: 2006, 400/460 V, 3 Ph, 50/60 Hz, 21 A, dimensions: 2450 mm x 1400 mm x 2200 mm. Lot located on other location in Germany. Viewing and pick-up in consultation with Industrial Auctions.	4000
402	Vemag	Vemag linking machine, model: LPG 208, number: 208 0064, year of construction: 2008, 220-240 V, 400-460 V, 575 V, 3 Ph, 50-60 Hz, 25 kW, 10 A, 3.5 A, dimensions: 1200 mm x 700 mm x 1400 mm. Lot located on other location in Germany. Viewing and pick-up in consultation with Industrial Auctions.	1500
403	Vemag	Vemag hanging line, model: AH 204, number: 2040337, year of construction: 2010, 1.5 kW, 3 Ph, 50/60 Hz, dimensions: 3100 mm x 800 mm x 1250 mm. Lot located on other location in Germany. Viewing and pick-up in consultation with Industrial Auctions.	1000



Nr	Title	Description	Start €
449	Jiayue Machinery	Jiayue Machinery continuous fryer, model: JYWZ-1200/200, year of construction: 2016, 380 V, 3 Ph, 16 A, s/s mesh belt, belt width: 600 mm. Lot is located on other location in Mönchengladbach (DE). Pick up and viewing in consultation with Industrial Auctions BV.	1250
450	Atlas Copco	Atlas Copco air screw compressor, type: GA 160 MAS, serial number: APF196747, year of construction: 2014, 690 V, 50/60 Hz, 189 A, 183 kW, dimensions: 3200 mm x 800 mm x 1800 mm. Located on another location in Rheurdt (DE), viewing and pick-up in consultation with Industrial Auctions BV.	4500
451	Atlas Copco	Atlas Copco air screw compressor, type: GA 160 MAS, serial number: APF200940, year of construction: 2015, 690 V, 50/60 Hz, 189 A, 183 kW, dimensions: 3200 mm x 800 mm x 1800 mm. Located on another location in Rheurdt (DE), viewing and pick-up in consultation with Industrial Auctions BV.	4500
452	Atlas Copco	Atlas Copco air screw compressor, type: GA 160 MAS, serial number: APF200941, year of construction: 2015, 690 V, 50/60 Hz, 189 A, 185 kW, dimensions: 3200 mm x 800 mm x 1800 mm. Located on another location in Rheurdt (DE), viewing and pick-up in consultation with Industrial Auctions BV.	4500
453	Atlas Copco	Atlas Copco air screw compressor, type: GA 160 MAS, serial number: APF 196748, year of construction: 2014, 690 V, 50/60 Hz, 189 A, 183 kW, dimensions: 3200 mm x 800 mm x 1800 mm. Located on another location in Rheurdt (DE), viewing and pick-up in consultation with Industrial Auctions BV.	4500
454	Frantz	Frantz air screw compressor, type: ES 35 K 10, fabrication number: 2023723, year of construction: 1989, 500 V, 50 Hz, 22 kW, dimensions: 1200 mm x 1400 mm x 1430 mm. Located on another location in Rheurdt (DE), viewing and pick-up in consultation with Industrial Auctions BV.	450
455	Rietschle	Rietschle vacuum pump used for transport flour with filter cabinet, type: SMV 500 (03), number: 2151903, year of construction: 2000, capacity: 470 m³/h, dimensions vacuum pump: 1450 mm x 700 mm x 830 mm, dimensions filter cabinet: 800 mm x 1000 mm x 1400 mm. Located on another location in Rheurdt (DE), viewing and pick-up in consultation with Industrial Auctions BV.	1500
456	Rietschle	Rietschle vacuum pump used for transport flour with filter cabinet, type: SMV 500 (03), number: 2267237, year of construction: 2001, capacity: 470 m³/h, dimensions vacuum pump: 1450 mm x 700 mm x 830 mm, dimensions filter cabinet: 800 mm x 1000 mm x 1400 mm. Located on another location in Rheurdt (DE), viewing and pick-up in consultation with Industrial Auctions BV.	1500

Nr	Title	Description	Start €
457	Busch	Busch vacuum pump, type: RC 0160 B, number: 35704, capacity: 160 m ³ /h, dimensions: 900 mm x 500 mm x 440 mm. Located on another location in Rheurdt (DE), viewing and pick-up in consultation with Industrial Auctions BV.	750
458	Pronotto S.R.L.	Pronotto S.R.L. spiral mixer, model: IS/El-120, serial number: 261732, year of construction: 1999, 380 V, 50 Hz, 13.5 kW, 19 A, weight: 1150 kg, dimensions: 1400 mm x 1150 mm x 1500 mm. Including 2 mobile s/s tubs, inside dimensions: (2x) ø 840 mm x 450 mm, dimensions tubs: (2x) 1050 mm x 830 mm x 850 mm. Located on another location in Rheurdt (DE), viewing and pick-up in consultation with Industrial Auctions BV.	2750

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Government laws and regulations, such as the Money Laundering and Terrorist Financing Prevention Act (WWFT), may impose (additional) obligations on Industrial Auctions. The client is required to provide all information requested by Industrial Auctions including (but not limited to) information about the client's identity to establish and verify this further, to verify and record the identity of the ultimate beneficial owner, the purpose and nature of the engagement or to exercise a transaction or an ongoing control over the business relationship or the natural person who represents or is authorized to do so by the client and whether the client is acting for themselves or for a third party. If the requested information is not supplied within 5 days after the first request, Industrial Auctions may immediately terminate the agreement and, pending the information, Industrial Auctions may suspend the services. Industrial Auctions is then not obliged or liable for any compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products.

Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to

require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial

Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition

in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross

negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]



This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

