



**Industrial
Auctions**

**2183: Online auction machinery for the food
industry in Hassfurt (DE)**

END DATE
25 June 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	25 June 2026 from 14:00 hrs.
Viewing days	23 June 2026 from 09:00 till 12:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	02 July 2026 from 09:00 till 16:00 hrs.
Pick up address	Industriestraße 26 97437 Hassfurt Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Henneken	Henneken cooled vacuum-tumbler, type: B8, machine number: 17/20-2316.1, volume: 5500 litres, dimensions: 3950 mm x 2450 mm x 2450 mm. Including mobile s/s infeed trolley and cooling unit, dimensions: 1620 mm x 1050 mm x 1620 mm, 2150 mm x 1200 mm x 1720 mm.	12500
2	CFS	CFS double shaft vacuum paddle-mixer with nitrogen injection, type: UNIMIX V 2500, machine number: 5000067474, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 54 A, 27.5 kW, volume: 2500 litres, dimensions: 3100 mm x 1900 mm x 3500 mm with CFS Slagelse A/S lifter for palletboxes, type: COLUMNLOADER 1000S, machine number: 5000067473, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 5.22 A, 2.20 kW, max SWL: 1000 kg, lifting height: 2200 mm, dimensions lifter: 2250 mm x 1850 mm x 4000 mm and s/s working platform, dimensions: 2600 mm x 750 mm x 1770 mm. Plastic pallet box in lifter is not included.	9500
3	Alco	Alco double shaft paddle-mixer, dimensions mixer: 2930 mm x 1700 mm x 2200 mm with NIMO-KG TRANSPORTSYSTEM AB lifter for 200 litre meat bins, type: SKV 200 C1-VS, number: 9934, year of construction: 2003, maximum load: 250 kg, lifting height: 2200 mm, dimensions lifter: 2200 mm and s/s work platform, dimensions: 2600 mm x 750 mm x 1770 mm.	6500
4	Webomatic	Webomatic dip tank, type: STBW 60/80, machine number: 72BH1384, 380 V, 3 Ph, 50 Hz, 6.0 A, 6.0 kW, steam heated, s/s mesh belt, belt width: 545 mm, total dimensions: 1230 mm x 1100 mm x 1400 mm.	750
5	Townsend	Townsend sausage peeler, model: 2600, serial number: 707, year of construction: 1998, 380 V, 3 Ph, 50 Hz, 3.5/7,2 A, dimensions: 920 mm x 630 mm x 1450 mm, 1350 mm x 670 mm x 1030 mm.	950
6	GEA	GEA bowl cutter with lifter for meat bins and ejector, type: CMV 750 ltr. AW-rechts, machine number: 300/0102, year of construction: 1999, s/s bowl, volume: 750 liter, total dimensions: 4800 mm x 3350 mm x 2360 mm. Including Cutmaster V 750L CutControl Pro Touch panel, number: 300/0102, year of construction: 2021, 400 V, 3 Ph, 50 Hz.	50000
7	Vemag	Vemag vacuum filling machine with lifter for 200 litre meat bins, model: HP30E, number: 1660274, year of construction: 2012, 400-460 V, 3 Ph, 50/60 Hz, 50 A, 34 kW, weight: 1800 kg, working hours: 2400, dimensions: 1900 mm x 1400 mm x 2100 mm. Including s/s trolley with parts.	15000
8	Henneken	Henneken cooled vacuum-tumbler, type: B6, machine number: 15/12.5-2190.1, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 5.0 kW, 16 A, volume: 3000 litres, built-in Busch vacuum pump, type: RA 0100 F, year of construction: 2014, capacity: 100 m3 per hour, dimensions tumbler:	10000



Nr	Title	Description	Start €
		3100 mm x 2200 mm x 2200 mm. Including cooling unit, dimensions: 1200 mm x 1000 mm x 1400 mm.	
9	Henneken	Henneken vacuum-tumbler, type: B6, machine number: 15/12.5-2511.1, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 5.0 kW, 16 A, volume: 3000 litres, Rietschle vacuum pump, type: V-VC 75 (20), dimensions: 3100 mm x 2200 mm x 2200 mm.	8500
10	Hoegger	Hoegger meat press, type: SP 280, fabrication number: 02-161, year of construction: 2003, 50/60 Hz, 0.5 kW, dimensions: 2600 mm x 800 mm x 1900 mm.	2500
11	Hoegger	Pallet with large amount of parts for Hoegger meat press, dimensions pallet: 1250 mm x 830 mm x 500 mm.	500
12	Hoegger	Hoegger meat press, type: SP 280, fabrication number: 02-162, year of construction: 2003, 50/60 Hz, 0.5 kW, dimensions: 2600 mm x 800 mm x 1900 mm.	2500
13	Boom GmbH	Boom GmbH plunger pump installation, type: 2-PP1-E-70 GMS, serial number: 2542, year of construction: 2013, 400 V, 50 Hz, 21 kW, 160 l/min, 70 bar, dimensions: 1400 mm x 750 mm x 1800 mm.	950
14	Eller GmbH	Eller GmbH smoke chamber with integrated friction smoke generator, s/s smoke trolley, 4 floors, dimensions floors: (4x) 700 mm x 700 mm, inside dimensions: 700 mm x 800 mm x 1350 mm, total dimensions: 1200 mm x 1000 mm x 2000 mm.	1250
15	Busch	Busch vacuum pump, type: RA 0502 B 422 EEBJ, number: C0140000419, year of construction: 2001, capacity: 500 m³/h, dimensions: 1450 mm x 700 mm x 1100 mm.	500
16	Handtmann	Handtmann vacuum filling machine with linking and case holding device, type: VF50, number: 1668, 380 V, 50 Hz, 4 kW, 11 A, dimensions 1000 mm x 850 mm x 1700 mm.	2750
17	Laska	Laska mobile elevating screw, type: SF 2633, number: H 170, year of construction: 1996, 380/400 V, 3 Ph, 50 Hz, 5.6 A, 2.4 kW, screw width: 260 mm, tier: 220 mm, elevating height: 1300 mm, total dimensions: 3400 mm x 1400 mm x 1650 mm.	1500
18	Velati VbA	Velati VbA mixing installation consisting of: Velati VbA double shaft paddle-mixer, type: MISCELATORE LT2000, machine number: 349/88, 380 V, 50 Hz, volume: 2000 litres Double shaft paddle-mixer, inside dimensions: 1900 mm x 1050 mm x 500 mm Elevating screw, screw width: 330 mm, tier: 290 mm Outfeed conveyor, plastic belt, belt width: 500 mm Total dimensions: 5000 mm x 4800 mm x 3400 mm.	15000
19	Krämer+Grebe	Krämer+Grebe cutter with lifter for 200 litre meat bins and rejector, type: SM 325, machine number: 173/375, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 240 A, s/s bowl, volume: 325 litres, dimensions cutter: 2300 mm x 2400 mm x 1900 mm, dimensions switch cabinet: 550 mm x 1600 mm x 1600 mm and 2 pallets with parts.	8000



Nr	Title	Description	Start €
20	Nock	Nock mobile strip cutter, type: CB495/5K, number: 3927860, year of construction: 2008, 400 V, 3 Ph, 50 Hz, weight: 250 kg, working width: 400 mm, distance between knives: 20 mm, plastic belt, belt width: 400 mm, total dimensions: 2000 mm x 900 mm x 1600 mm. Including 30 extra knives, 2 belts, and spare parts.	3250
21	Key Technology	Key Technology vibrating gutter, type: MVEIC, year of construction: 2008, gutter width: 300 mm, total dimensions: 1710 mm x 600 mm x 700 mm.	350
22	Townsend	Townsend sausage peeler, model: 2600, serial number: 262, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 3.5/7.2 A, dimensions: 800 mm x 700 mm x 1500 mm, 1300 mm x 670 mm x 1000 mm.	950
23	Nemco	Nemco double-shaft vacuum mixer, dimensions: 2100 mm x 1500 mm x 2500 mm. Without switch cabinet.	4500
24	Fristam	Fristam product pump, year of construction: 1990, dimensions: 1900 mm x 1200 mm x 1100 mm.	750
25	Simo Industries A/S	Simo Industries A/S emulsifier, type: 175/115 LPFD75, serial number: 99-121450, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 55 kW, weight: 1500 kg, dimensions: 1500 mm x 600 mm x 1200 mm. Without switch cabinet.	1500
26	NN meat bin	S/s meat bin, volume: 300 litres.	100
27	Inject Star	Inject Star mobile tilting device, type: EL-E-200-II, number: ELE200-107, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 1.5 kW, tilting height: 1600 mm, total dimensions: 1300 mm x 1200 mm x 2100 mm.	1250
28	Inject Star	Inject Star vacuum-tumbler, type: ES-3700, number: ECO3700-32, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 6.0 kW, 2000 kg, volume: 3300 liter, Busch vacuum pump, type: RA 0063 F, dimensions: 3624 mm x 1500 mm x 2152 mm.	9500
29	Inject Star	Inject Star mobile tilting device, tilting height: 1400 mm, total dimensions: 1300 mm x 1200 mm x 2100 mm.	1250
30	Inject Star	Inject Star vacuum-tumbler, type: ES-3700, number: ECO3700-31, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 6.0 kW, 2000 kg, volume: 3300 liter, Busch vacuum pump, type: RA 0063 F, dimensions: 3624 mm x 1500 mm x 2152 mm.	9500
31	Holac	Holac dicer with lifter for meat bins, lifting height: 2450 mm, infeed clearance: 840 mm x 840 mm, grid: 27 mm x 27 mm, total dimensions: 2200 mm x 2200 mm x 3300 mm. Tool trolley with extra grids, grids: (2x) 5 mm, (2x) 10 mm, tool trolley dimensions: 1330 mm x 700 mm x 1040 mm.	4000
32	Baader	Baader cooking tunnel, consisting of: Baader cooking tunnel, type: (2x) OK1000, number: (1x) 99-160-025, (1x) 89-169-034, year of construction: 1999, 230/400 V, 50 Hz, 0.39 A, infeed clearance: 1000 mm x 230 mm, s/s mesh belt, belt width: 1000 mm, total dimensions: 14700 mm x	5000



Nr	Title	Description	Start €
		2100 mm x 2600 mm. Buco plate heat exchanger, serial number: P19238-1F12-1S, year of construction: 2013, volume: 73 liter, dimensions: 2270 mm x 780 mm x 2470 mm. Funke heat exchanger, model: FP14-59-1-1 G77110, dimensions: 1250 mm x 1700 mm x 2220 mm. Dofa GmbH s/s tube heat exchanger, dimensions: 2700 mm x 850 mm x 1420 mm. Pressure vessels, dimensions: 950 mm x 1400 mm x 1350 mm. S/s pallet box with pipes, dimensions: 1250 mm x 880 mm x 1600 mm. S/s pallet box with pumps and plates, dimensions: 1250 mm x 880 mm x 1600 mm. Pallet with pipes, dimensions: 3250 mm x 1000 mm x 600 mm. Pallet with motors, dimensions: 1200 mm x 800 mm x 530 mm. Pallet with s/s mesh belt and parts, belt width: 1000 mm, dimensions: 1200 mm x 800 mm x 550 mm. Pallet with switch cabinets and oil unit, dimensions: 1200 mm x 800 mm x 1360 mm. S/s switch cabinet, dimensions: 2000 mm x 1050 mm x 800 mm.	
33	TREIF Maschinenbau GmbH	TREIF Maschinenbau GmbH dicer, model: TWISTER SP+, machine number: 413107.220375.130118, year of construction: 2017, 380-480 V, 3 Ph, 50/60 Hz, 12 A, 6.0 kW, weight: 800 kg, dimensions infeed: 540 mm x 210 mm, plastic belt, belt width: 250 mm, total dimensions: 1900 mm x 1950 mm x 2050 mm, 1300 mm x 700 mm x 1750 mm.	9500
34	Baader	Baader infeed installation with lifter for 200 litres meat bins and working platform, type: 512, machine number: 12-6771-0512, 380 V, 3 Ph, 50 Hz, dimensions outfeed: 360 mm x 360 mm, total dimensions: 5900 mm x 1600 mm x 3600 mm.	1500
35	Sepamatic	Sepamatic separator, type: SEPA 2000 V, machine number: 196093, 400 V, 50 Hz, 11 kW, 22 A, diameter drum holes: 10 mm, diameter drum: 300 mm, total dimensions: 1500 mm x 1450 mm x 1550 mm.	12500
36	NN elevating belt	Elevating belt, plastic belt, belt width: 300 mm, elevating height: 1730 mm, total dimensions: 2000 mm x 400 mm x 1800 mm.	500
37	Baader	Baader separator, type: 699 S, machine number: 12-7050-0699, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 15.0 A, diameter drum holes: 10 mm, diameter drum: 280 mm, total dimensions: 1500 mm x 1450 mm x 1700 mm. Including s/s trolley with extra drum parts.	9500
38	Key Technology	Key Technology vibrating gutter, type: MVEIC, year of construction: 2012, weight: 204 kg, gutter width: 300 mm, total dimensions: 1650 mm x 650 mm x 900 mm.	350
39	Rühle	Rühle cooled vacuum tumbler, type: MKR 300, number: 0473, year of construction: 2007, 400 V, 50 Hz, 16 A, 4.2 kW, built in Busch vacuum pump, type: KC 0016 D, year of	5000



Nr	Title	Description	Start €
		construction: 2006, capacity: 16 m3 per hour, dimensions: 1900 mm x 1950 mm x 1900 mm.	
40	NN meat bin	S/s meat bins, volume: 200 litres.	100
41	Günther Maschinebau GmbH	Günther Maschinebau GmbH injector with s/s filter trolley, type: PI 54/105, machine number: 37100, year of construction: 2021, 400 V, 16 A, 6.5 kW, plastic mesh belt, belt width: 340 mm, 105 needles, diameter needles: (105x) 4 mm, type filter trolley: GRF 200 L, total dimensions: 1750 mm x 900 mm x 2600 mm, 1500 mm x 600 mm x 850 mm.	7500
42	Magurit	Magurit frozen block cutter, type: 555, machine number: 7570, year of construction: 2020, 400 V, 50 Hz, 13 A, 5.5 kW, weight: 790 kg, working width: 480 mm, total dimensions: 2600 mm x 950 mm x 1600 mm.	15000
43	NN meat bin	S/s meat bin, volume: 200 litres.	100
44	FAM n.v.	FAM n.v. dicer, type: CHD-3D, serial number: 6238, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 7.5 kW, distance between knives: 4 mm, 20 mm, total dimensions: 1350 mm x 1700 mm x 1900 mm.	4500
45	NN meat bin	S/s meat bin, volume: 200 litres.	100
46	FAM n.v.	FAM n.v. dicer, type: CHD-3D, serial number: 6351, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 11 kW, weight: 600 kg, distance between knives: 4 mm, 20 mm, total dimensions: 2000 mm x 1400 mm x 1900 mm.	4500
47	NN meat bin	S/s meat bin, volume: 200 litres.	100
48	Schröder	Schröder injector, type: IMAX420eco, number: 420.1544 07, year of construction: 2017, 400/440 V, 50/50 Hz, 22 A, 11 kW, walking beam, total belt width: 420 mm, 123 needles, diameter needles: (123x) 3 mm, total dimensions: 2600 mm x 1000 mm x 2400 mm.	5000
49	NN meat bin	S/s meat bin, volume: 200 litres.	100
50	Inotec GmbH	Inotec GmbH emulsifier, type: I175CD-75D, machine number: 101-00769, year of construction: 2009, 230/400 V, 3 Ph, 50 Hz, 142 A, 88 kW, dimensions: 2500 mm x 1200 mm x 1300 mm.	8500
51	Baader	Baader separator with infeed bunker, type: 514, machine number: 114004, 380 V, 50 Hz, 2.1 A, 0.75 kW, dimensions: 1600 mm x 900 mm x 1750 mm. Including 2 crates with parts.	6000
52	Magurit	Magurit frozen block cutter, type: 545, machine number: 4226, year of construction: 1996, 400 V, 5.5 kW, working width: 500 mm, total dimensions: 2600 mm x 850 mm x 1950 mm.	4500
53	TREIF Maschinenbau GmbH	TREIF Maschinenbau GmbH slicer, model: DIVIDER 440, machine number: 560004.61989.108725, year of construction: 2010, 380-480 V, 3 Ph, 50/60 Hz, 6.3 A, 4.8 kW, weight: 820 kg, plastic belt, belt width: 410 mm, total dimensions: 3900 mm x 1000 mm x 2250 mm.	7500
54	Krämer+Grebe		12500



Nr	Title	Description	Start €
		Krämer+Grebe cutter with lifter for 200 litre meat bins and rejector, type: SM 325, machine number: 302 0119, year of construction: 1999, 400 V, 3 Ph, 50 Hz, s/s bowl, volume: 325 litres, dimensions: 2500 mm x 4100 mm x 1600 mm.	
55	K+G Wetter	K+G Wetter grinder, machine number: 409/1176, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 9 kW, diameter plate: 114 mm, total dimensions: 1250 mm x 850 mm x 1300 mm.	6500
56	K+G Wetter	K+G Wetter cutter with rejector, machine number: 261/1096, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 34 kW, 70 A, s/s bowl, volume: 90 litres, dimensions: 1300 mm x 1900 mm x 1650 mm.	8500
57	CFS	CFS vacuum cutter with lifter for 200 litre meat bins and rejector, type: CMV200, machine number: 286/0305, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 245 A, s/s bowl, volume: 200 litres, 400 V, 3 Ph, 50 Hz, 245 A, dimensions: 2500 mm x 3500 mm x 1900 mm.	15000
58	NN meat bin	S/s meat bin, volume: 200 litres.	100
59	Rühle	Rühle dicer, type: SR 2T, serial number: 40050637, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 10.6 A, 5.1 kW, dimensions chamber: 480 mm x 100 mm x 95 mm, plastic belt, belt width: 260 mm, total dimensions: 1400 mm x 1550 mm x 1700 mm.	6500
60	DWC	DWC weighing scale, model: YES 701, serial number: 20221379, year of construction: 2021, 240 V, 5 A, weighing range: 20-3000g, e=1g, T -3000g, dimensions: 400 mm x 1000 mm x 1600 mm.	500
61	Handtmann	Handtmann vacuum filling machine with lifter for 200 litre meat bins, type: VF631, number: 33777, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 14.4 A, 10.0 kW, dimensions: 2000 mm x 1350 mm x 2350 mm.	17500
62	Handtmann	Handtmann mobile linking and hanging line, type linking machine: 242-01, number: 749, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, type hanging line: 242-16, number: 10901689, year of construction: 2014, dimensions linking machine: 2650 mm x 1000 mm x 1650 mm, dimensions hanging line: 3300 mm x 650 mm x 1500 mm.	9500
63	Handtmann	Handtmann mobile linking and hanging line, type linking machine: 242-01, number: 748, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, type hanging line: 242-16, number: 10901684, year of construction: 2014, dimensions linking machine: 2650 mm x 1000 mm x 1650 mm, dimensions hanging line: 3300 mm x 650 mm x 1500 mm.	9500
64	Handtmann	S/s trolley with Handtmann parts, dimensions trolley: 900 mm x 850 mm x 1100 mm.	750
65	NN tub	Mobile s/s tub, dimensions: 960 mm x 650 mm x 930 mm.	250
66	DWC	DWC weighing scale, model: YES 701, serial number: 20221380, year of construction: 2021, 240 V, 5 A, weighing	500



Nr	Title	Description	Start €
		range: 20-3000g, e=1g, T -3000g, dimensions: 400 mm x 1000 mm x 1600 mm.	
67	Handtmann	Handtmann vacuum filling machine with lifter for 200 litre meat bins, type: VF616, number: 24776, year of construction: 2009, 400 V, 3 Ph, 50 Hz, dimensions: 2200 mm x 1350 mm x 2100 mm.	15000
68	Loma Systems	Loma Systems pipeline metal detector, model: EPL61200, serial number: 04789D, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 1.2 A, dimensions: 400 mm x 600 mm x 550 mm.	1500
69	Handtmann	Handtmann mobile linking and hanging line, type linking machine: 241-01, number: 787, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 7.3 A, 5 kW, type hanging line: 220-16, number: 10701969, year of construction: 2012, dimensions linking machine: 1750 mm x 800 mm x 1400 mm, dimensions hanging line: 2450 mm x 600 mm x 1400 mm. Including s/s trolley with parts.	5900
70	Handtmann	Handtmann vacuum filling machine with lifter for 200 litre meat bins, type: VF612, number: 38077, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 6.5 A, 4.5 kW, dimensions: 2000 mm x 1300 mm x 2100 mm.	12500
71	Handtmann	Handtmann mobile linking and hanging line, type linking machine: 141-21, number: 370, year of construction: 2009, type hanging line: 220-16, number: 10701940, year of construction: 2011, dimensions linking machine: 1800 mm x 900 mm x 1450 mm, dimensions hanging line: 2500 mm x 600 mm x 1700 mm.	4000
72	Tipper Tie Technopack	Tipper Tie Technopack clipper, type: TC 107-F-2.0-HA-848-136, dimensions: 350 mm x 200 mm x 820 mm.	300
73	Handtmann	Handtmann vacuum filling machine with mincing head, type: VF628, number: 18341, year of construction: 2004, 400 V, 50 Hz, 18 kW, 26 A, dimensions 2100 mm x 1400 mm x 2050 mm. Including s/s trolley with parts, dimensions: 900 mm x 800 mm x 1100 mm.	17500
74	Handtmann	Handtmann mobile linking and hanging line, type linking machine: PVLH246, number: 42199, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 8.3 A, 5.5 kW, weight: 785 kg, type linking machine: AHE242-16, number: 10903673, year of construction: 2018, dimensions linking machine: 1850 mm x 950 mm x 1550 mm, dimensions hanging line: 3200 mm x 700 mm x 1550 mm.	12500
75	Handtmann	Handtmann linking attachment, type: 216-01/1737, dimensions: 550 mm x 150 mm x 500 mm.	500
76	Handtmann	Handtmann vacuum filling machine, type: VF608, number: 25461, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 4.3 A, 3.0 kW, dimensions: 900 mm x 1100 mm x 1750 mm.	7000
77	Verbufa	Verbufa mobile hamburger forming machine, type: 51764-A-0004, serial number: 222442, year of construction: 2015, 230 V, 50 Hz, 10 A, 4 kW, weight: 300 kg, plastic belt, belt	5000



Nr	Title	Description	Start €
		width: 150 mm, total dimensions: 1400 mm x 700 mm x 1650 mm.	
78	Alco	Alco mobile wet coating machine, type: AFN 250 N, serial number: 01072221, year of construction: 2010, 400 V, 1.22 kW, weight: 165 kg, s/s mesh belt, belt width: 250 mm, total dimensions: 1800 mm x 700 mm x 1400 mm.	2500
79	Alco	Alco mobile breading machine, type: AFT 250 N, serial number: 01075221, year of construction: 2010, 400 V, 1.22 kW, weight: 165 kg, s/s mesh belt, belt width: 250 mm, total dimensions: 1720 mm x 700 mm x 1850 mm.	2500
80	Handtmann	Handtmann vacuum filling machine with lifter for 200 litre meat bins and mincing head, type: VF628, number: 21647, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 26.0 A, 18.0 kW, dimensions: 2100 mm x 1300 mm x 2100 mm. Including s/s trolley with parts.	17500
81	Handtmann	Handtmann mobile forming machine, type: FS 510, number: 43345, year of construction: 2019, 400 V, 50 Hz, 9 A, 5.5 kW, weight: 800 kg, plastic belt, belt width: 600 mm, total dimensions: 3470 mm x 1400 mm x 1650 mm. Including 5 crates with parts.	22500
82	Franz	Franz mobile turning table, type: RT 1200, machine number: 2051/1, year of construction: 2011, 400 V, 0.37 kW, plastic top, dimensions: ø 1500 mm x 920 mm.	400
83	Rühle	Rühle mobile vacuum tumbler, type: MPR 220 Classic, serial number: 10060553G, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 10.7 A, 4.2 kW, built-in Busch vacuum pump, dimensions: 1000 mm x 1200 mm x 1620 mm.	10000
84	REX Technologie	REX Technologie vacuum filling machine with linking attachment, type: RVF327, machine number: 32718451118, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 5 kW, dimensions: 1250 mm x 800 mm x 1800 mm. Working hours: 643.	7500
85	Vemag	Vemag vacuum filling machine with lifter for 200 litre meat bins, model: HP 7 E, number: 160 0015, year of construction: 2006, 400-460 V, 3 Ph, 50/60 Hz, 18 A, 12 kW, dimensions: 2200 mm x 1400 mm x 2100 mm. Including pallet with parts.	12500
86	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 100/140, machine number: 107/16, plastic belt, belt width: (2x) 80 mm, total dimensions: 1500 mm x 1100 mm x 2000 mm.	22500
87	Handtmann	Handtmann vacuum filling machine with lifter for 200 litre meat bins and mincing head, type: VF616, number: 26625, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 17.3 A, 12.0 kW, dimensions: 2000 mm x 1400 mm x 2050 mm.	15000
88	Loma Systems	Loma Systems mobile pipeline metal detector, model: IQ3+ Pipeline, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 1.2	2500



Nr	Title	Description	Start €
		A, diameter clearance: 70 mm, total dimensions: 400 mm x 700 mm x 1500 mm.	
89	Handtmann	Handtmann mobile linking machine, type: PVL5125, number: 41919, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 8.3 A, 5.5 kW, weight: 680 kg, dimensions: 1900 mm x 900 mm x 1450 mm.	8500
90	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH mobile cooled vacuum tumbler, type: GPA 200K, machine number: 30992, year of construction: 2008, 400 V, 16 A, 2.0 kW, volume: 200 liter, built-in Becker vacuum pump, dimensions: 900 mm x 1800 mm x 1780 mm.	4500
91	Townsend	Townsend mobile sausage peeler, model: 2600, serial number: 528, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 3.5 A, dimensions: 850 mm x 650 mm x 1500 mm, 1300 mm x 680 mm x 1000 mm.	950
92	Talleres Cato, s.a.	Talleres Cato, s.a. sausage peeler, type: PTF, number: 289, year of construction: 2010, 380 V, 50 Hz, 3.55 kW, weight: 240 kg, dimensions: 1400 mm x 650 mm x 1350 mm.	1000
93	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: EVM 3006, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 0.75 kW, working width: 540 mm, total dimensions: 540 mm x 900 mm x 1050 mm.	750
94	Vemag	Vemag vacuum filling machine with lifter for 200 litre meat bins, model: DP 6, number: 152 0054, year of construction: 2014, 400-460 V, 3 Ph, 50/60 Hz, 12 A, 6.5 kW, dimensions: 1850 mm x 1300 mm x 1950 mm.	9500
95	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: PDC 600, number: 2669/11, 230 V, 1 Ph, 50/60 Hz, 1.0 A, 0.1 kW, weight: 118 kg, dimensions: 800 mm x 1050 mm x 1800 mm.	7500
96	Alco	Alco teflon grill belt, model: AGT 1000/4500-T, serial number: 66301, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 16 A, 6 kW, working hours: 475 hours, teflon belt, belt width: 1060 mm, plastic mesh belt, belt width: 1020 mm, clearance: 1250 mm x 120 mm, total dimensions: 6450 mm x 3000 mm x 2300 mm.	25000
97	Vemag	Vemag vacuum filling machine, model: HP 7 C, number: 146 0143, year of construction: 2006, 400-460 V, 3 Ph, 50 Hz, 22 A, dimensions: 1900 mm x 1000 mm x 1800 mm. Including pallet with extra parts.	4000
98	Vemag	Vemag vacuum filling machine with linking attachment, model: DP10E, number: 1570098, year of construction: 2016, 400-460 V, 3 Ph, 50/60 Hz, 25 A, 15 kW, dimensions: 2400 mm x 1300 mm x 2050 mm. Including plastic crate with parts.	12500
99	Turbo Systems Ltd.	Turbo Systems Ltd. mobile depositor with outfeed belt, type: D252P, machine number: D252P7001105, year of construction: 2019, 4-heads, plastic mesh belt, belt width:	5000



Nr	Title	Description	Start €
		(4x) 405 mm, total dimensions: 1500 mm x 600 mm x 1860 mm, 3200 mm x 700 mm x 900 mm. Including Bizerba weighing scale.	
100	Selo	Selo slicer with Franz slicing unit, type: AE0178665, serial number: 046, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 5.5 kW, 6 bar, 140 l/min, empty weight: 1150 kg, clearance infeed: (2x) Ø 105 mm, clearance output: (4x) 120 mm x 80 mm, Franz slicing unit type: MST 64/580 OS, machine number: 1160/1, year of construction: 2019, 400 V, 0.75 kW, 4 knife sets, 28 knives per set, distance between knives: 0,5 mm, total dimensions: 2400 mm x 1800 mm x 3000 mm. Including 2 trolleys for knives, dimensions trolley: (2x) 800 mm x 700 mm x 1000 mm.	7500
101	Ishida	Ishida traysealer, model: QX1100 FLEX, year of construction: 11-2012, 380-415 V, 3 Ph, 50-60 Hz, weight: 3000 kg, clearance: 550 mm x 120 mm, plastic belt, belt width: (2x) 200 mm, dimensions: 4500 mm x 1600 mm x 2100 mm. Including 1 pallets with dye set, dimensions dye: (6x) 170 mm x 120 mm.	2500
102	Würschum	Würschum depositor on s/s table, type: TOUCHFILL 1000-UA-MV, number: 13 03-7567, year of construction: 2013, dimensions: 1200 mm x 700 mm x 860 mm. Including pallet with parts, dimensions: 1200 mm x 800 mm x 400 mm.	2000
103	Ishida	Ishida traysealer, model: QX1100 SPLIT DUAL LANE, 380-415 V, 3 Ph, 50-60 Hz, clearance: 550 mm x 120 mm, plastic belt, belt width: (2x) 200 mm, dimensions: 4500 mm x 1600 mm x 2100 mm. Including 1 pallet with dye set, and s/s trolley for dyes.	2500
104	Ishida	Ishida infeed conveyor, type: buffer infeed conveyor, serial number: 581429, year of construction: 03-2015, 230 V, 50 Hz, 200 kg, dimensions: 2000 mm x 1000 mm x 1000 mm.	950
105	CRM s.r.l.	CRM s.r.l. automatic meat slicer, type: SECTOR MATIC 300, 380 V, plastic belt, belt width: 390 mm, distance between knives: 50 mm, dimensions slicer: 3850 mm x 1100 mm x 1550 mm. Including 1 extra set of knives, distance between knives: 50 mm, dimensions trolley: 700 mm x 650 mm x 1230 mm and 2 working tables, dimensions: (2x) 2700 mm x 550 mm x 970 mm.	4500
106	Inotec GmbH	Inotec GmbH mobile sausage cutter, type: WT99-iT, machine number: 1 000 000 425, year of construction: 2020, 200/240/400/460 V, 2 Ph, 50/60 Hz, 12/10/6/5 A, 1.6 kW, 290 kg, dimensions: 1200 mm x 600 mm x 700 mm. Only 0.11 working hours/165 cuts.	12500
107	Fuji Machinery Co. Ltd.	Fuji Machinery Co. Ltd. Flowpacker with PBI Dansensor gas mixing station, model: FW3710, serial number: 124 401, distance between dividers: 330 mm, seal width: 300 mm,	8500



Nr	Title	Description	Start €
		plastic belt, belt width: 240 mm, total dimensions: 4900 mm x 1200 mm x 2150 mm.	
108	Variovac	Variovac thermoformer, type: MULTIPOWER, serial number: 640.164.06, machine number: 164, year of construction: 2006, 230/400 V, 50 Hz, 23 kW, film width: 650 mm, dimensions dye: (6x) 195 mm x 155 mm, index: 340 mm, total dimensions: 9300 mm x 1300 mm x 2050 mm. Including 2 pallets with parts.	5000
109	Multivac	Multivac thermoformer capable for soft / hard film and vacuum gas skin packaging, type: R260, number: 1965, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 52 A, 19 kW, film width: 420 mm, plastic belt, belt width: 350 mm, index: 254 mm, cutting width: 381 mm, dimensions dye: Ø (6x) 112 mm, total dimensions: 6000 mm x 1200 mm x 2200 mm. Including Busch vacuum pump: RA 0302 D 5H3, year of construction: 2017, capacity: 300 m³ per hour and crate with dye, dimensions dye's: (6x) 112 mm x 109 mm.	12000
110	Videojet	Videojet inkjet printer, model: 1880, serial number: 21354006C61ZH, year of construction: 2022, 200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, dimensions: 600 mm x 350 mm x 1300 mm. Including plastic crate with extra parts.	3000
111	NN meat bin	S/s meat bin, volume: 200 litres.	100
112	Handtmann	Handtmann linking attachment, type: 410, number: 16005201, year of construction: 2016.	500
113	Handtmann	Handtmann linking attachment, type: 414, number: 16200251, year of construction: 2010.	500
121	Bizerba	Bizerba checkweigher with rejector, model: CWFmaxx, serial number: 11599446, year of construction: 2018, 240 V, 50/60 Hz, 3.0 A, weighing range: 20-1500g, e=0.2/0.5 g, d= 0.2/0.5 g, weight: 300 kg, plastic belt, dimensions: 1800 mm x 1300 mm x 1800 mm.	1500
122	Bizerba	Bizerba line converger, model: LCE, number: 11594847, year of construction: 2018, 220-240 V, 50/60 Hz, 3 A, weight: 100 kg, dimensions: 800 mm x 1700 mm x 900 mm.	750
123	Bizerba	Bizerba metal detector, type: MD-Tunnel 500 x 250, serial number: MD 10160813, year of construction: 2019, 230/115 VAC, 50/60 Hz, weight: 250 kg, dimensions: 1300 mm x 900 mm x 1200 mm.	1500
124	Loma Systems	Loma Systems metal detector with rejector, type: MD302, serial number: 14794D, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 0.1 A, weight: 250 kg, dimensions: 1500 mm x 1000 mm x 1200 mm.	1250
125	Kaufler	Kaufler mobile slicer, type: KR 370/120, number: 1210092, year of construction: 2008, 400 V, 6 bar, dimensions: 2000 mm x 1300 mm x 1000 mm.	800
126	Kaufler	Kaufler mobile slicer, type: KR 370/120, number: 1210023, year of construction: 2008, 400 V, 6 bar, dimensions: 2000 mm x 1300 mm x 1000 mm.	800



Nr	Title	Description	Start €
127	Koppens Machinefabriek BV	Koppens Machinefabriek BV mobile forming machine, model: VM 600, weight: 2000 kg, dimensions: 2000 mm x 1000 mm x 2000 mm.	2500
128	Koppens Machinefabriek BV	Koppens Machinefabriek BV mobile forming machine, model: VM 600, machine number: VM 600/487, 380 V, weight: 1045 kg, dimensions: 2000 mm x 1000 mm x 2000 mm.	2500
129	Koppens Machinefabriek BV	Koppens Machinefabriek BV mobile forming machine, model: VM 400 HD, machine number: VM 400 HD 634/1, 380 V, 3 Ph, 50 Hz, 7.77 kW, weight: 550 kg, dimensions: 2000 mm x 1000 mm x 2000 mm.	2500
130	CFS	CFS mobile forming machine, type: MLF 600, machine number: 821, year of construction: 2005, 380 V, 3 Ph, 50 Hz, 46.18 A, 22.84 kW, weight: 1782 kg, dimensions: 2500 mm x 1300 mm x 2000 mm.	5000
131	Bramidan	Bramidan baler, model: B20 VD, number: PVM366561, year of construction: 2016, 230/440 V, 3 Ph, 50/60 Hz, 25/16 A, 4.0 kW, weight: 1250 kg, dimensions: 1100 mm x 1600 mm x 2400 mm.	900
132	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile slicer, model: DIVIDER Orbital+, machine number: 670000.178870.123164, year of construction: 2014, 380/480 V, 3 Ph, 50/60 Hz, 24/14/32 A, 7.5 kW, weight: 850 kg, dimensions: 2700 mm x 1100 mm x 2200 mm. Including pallet with parts and knife sharpener, knife sharpener type: HS DIVIDER ORBITAL+, machine number: 024200.164491.127197, year of construction: 2015, weight: 35 kg.	9500
133	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins and grinding head, type: VF300, year of construction: 1999, Becker vacuum pump, type grinding head: 93-34, number: 693, year of construction: 2004, dimensions: 2000 mm x 1200 mm x 2000 mm.	3500
134	Rühle	Rühle cooled vacuum tumbler, type: MKR 200, number: 224 G, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 16 A, 3.8 kW, capacity: 200 liter, Busch vacuum pump, type: KC 0016 E 3Z0, capacity: 19 m ³ per hour, dimensions: 1500 mm x 1000 mm x 1500 mm.	1200
135	Maja- Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EVM 4004, serial number: M-48301, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 2.15 A, 0.75 kW, dimensions: 900 mm x 700 mm x 1100 mm.	950
136	MKN	MKN cooking vessel, model: Flexi Smart Cooking, weight: 150 kg, dimensions: 2000 mm x 1000 mm x 1000 mm.	950
137	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins and linking attachment, type: VF200B, number: 3413, year of construction: 1999, 400 V, 50 Hz, 12.6 A, 4.5 kW, weight: 1400 kg, Becker vacuum pump, dimensions: 2000 mm x 1200 mm x 2000 mm. Additional spare part,	6000



Nr	Title	Description	Start €
		conversion kit for new PCK1 R2 controller, new screen controller.	
138	Peukert GmbH	Peukert GmbH smoking/cooking chamber for cold smoke, hot smoke, cooking and baking, type: FR 150 RS DUO, number: 2960462, year of construction: 1996, 400/230 V, 50 Hz, 15.8 kW, dimensions: 1000 mm x 1600 mm x 2400 mm. With smoke generator for wood chips.	2000
139	Reich	Reich band saw, type: Profi 400, number: 400 1263, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 4 A, 2.2 kW, dimensions: 1840 mm x 800 mm x 820 mm.	750
140	NN table	S/s table with plastic tops, dimensions: 3500 mm x 1500 mm x 830 mm.	400
141	Bizerba	Bizerba mobile grinder, model: FW N32S, number: 11779745, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 5.6 A, plate diameter: 98 mm, total dimensions: 1130 mm x 960 mm x 520 mm.	1000
142	NN chopping block	Plastic chopping block, dimensions: 850 mm x 600 mm x 400 mm.	100
143	Günther	Günther mobile injector, type: PI-8, machine number: 22916, 380 V, 10 A, 8 needles, plastic mesh belt, belt width: 250 mm, clearance: 265 mm x 180 mm, total dimensions: 1280 mm x 550 mm x 1750 mm.	500
144	Edertal	Edertal strip cutter, type: Steaker FM 35, number: 83978, year of construction: 08/2019, 230 V, 1 Ph, 50 Hz, 3.0 A, 0.60 kW, dimensions: 550 mm x 300 mm x 550 mm.	250
147	DMS-Maschinensysteme	DMS-Maschinensysteme knife grinder, machine number: 3118504, 230 V, dimensions: 250 mm x 200 mm x 200 mm.	100
148	Rühle	Rühle mobile injector, type: PR 8, number: 2214, 380 V, 3 Ph, 50 Hz, 1.0 kW, 8 needles, s/s belt, belt width: 260 mm, clearance: 275 mm x 210 mm, total dimensions: 1100 mm x 500 mm x 1550 mm.	400
149	DMS	DMS knives for 80 liter cutter.	50
150	Komatsu	Komatsu gas forklift, model: FG14-14, number: 121703, maximum capacity: 1350 kg, maximum lifting height: 3500 mm, total dimensions: 3030 mm x 2200 mm x 1030 mm.	500
151	NN elevating belt	Elevating belt, s/s frame, plastic mesh belt with dividers, belt width: 350 mm, elevating height: 600 mm, total dimensions: 3300 mm x 1300 mm x 1800 mm.	250
152	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP20E, number: 1631079, 2017, 480 V, 38 A, weight: 1400 kg, vacuum pump, dimensions: 1800 mm x 1500 mm x 2000 mm.	15000
153	Vemag	Vemag mobile linking and hanging line, type linking machine, model: LPG209, number: 2090310, year of construction: 2017, 400/460 V, 8 A, 5.5 kW, 6 bar, weight: 657 kg, dimensions: 1700 mm x 1100 mm x 1600 mm, type hanging line: AH212, number: 2120577, year of	6000



Nr	Title	Description	Start €
		construction: 2017, 3 Ph, 50/60 Hz, weight: 298 kg, dimensions: 4000 mm x 800 mm x 1500 mm.	
154	Handtmann	Handtmann vacuum filling machine with linking attachment and case holding device, type: VF50, number: 591, 380 V, year of construction: 1990, 50 Hz, 10.8 A, 4 kW, weight: 450 kg, dimensions: 800 mm x 900 mm x 1600 mm.	2500
155	Nock	Nock mobile strip cutter, type: CB496K/5K, number: 4528220, year of construction: 2008, 400 V, 3 Ph, 50 Hz, weight: 250 kg, working width: 400 mm, distance between knives: 15 mm, plastic belts, belt width: 400 mm, total dimensions: 2000 mm x 900 mm x 1600 mm. Including 30 extra knives, 2 belts, and spare parts.	3250
156	Holac	Holac slicer, serial number: 403-02-66, year of construction: 2018, weight: 1400 kg, dimensions: 3200 mm x 1300 mm x 1500 mm.	10000
157	Holac	Holac dicer, number: 202-31-76, year of construction: 2013, 11 kW, weight: 1400 kg, dimensions: 2100 mm x 1200 mm x 2100 mm.	5000
158	NN elevating belt	Mobile elevating belt, year of construction: 2013, weight: 100 kg, s/s frame, plastic belt, belt width: 350 mm, dimensions: 3000 mm x 500 mm x 1800 mm.	500
159	Rühle	Rühle mobile dicer, model: MR80-W, number: 675, weight: 100 kg, dimensions: 900 mm x 500 mm x 1000 mm. Including various grids.	750
160	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 300, number: 2910-1, 1600 kg, PCK 1-R control unit with color monitor, dimensions: 1800 mm x 1400 mm x 2200 mm. Including case holding device and twisting gearbox.	3000
161	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: TWISTER, machine number: 041208.183436.124214, year of construction: 2015, 380-480 V, 3 Ph, 50/60 Hz, 4.5/6.12 kW, 670 kg, dimensions: 2000 mm x 1100 mm x 1200 mm. Including crate with various grids, dimensions cubes: 40 mm x 40 mm, 20 mm x 20 mm, 12 mm x 12 mm and 5 mm x 5mm.	7000
162	Intralox	Pallet with large amount of plastic Intralox transport belts, weight: 387 kg, dimensions: 1200 mm x 900 mm x 1200 mm.	100
163	Intralox	Pallet with large amount of plastic Intralox transport belts, weight: 387 kg, dimensions: 1200 mm x 900 mm x 1200 mm.	100
164	NN transport belts	Large amount of plastic transport belts, weight: 169 kg, dimensions: 1200 mm x 900 mm x 1200 mm.	100
165	NN transport belts	Large amount of plastic transport belts, weight: 169 kg, dimensions: 1100 mm x 800 mm x 700 mm.	100
166	NN drum motors	Pallet with large amount of drum motors, weight: 274 kg, dimensions: 1200 mm x 900 mm x 300 mm.	150
167	NN drum motors		200



Nr	Title	Description	Start €
		Large amount of s/s drum motors, weight: 367 kg, dimensions: 1200 mm x 900 mm x 400 mm.	
168	SEW Eurodrive	Pallet with 9 SEW Eurodrive electro motors, weight: 242 kg, dimensions: 1200 mm x 900 mm x 400 mm.	300
169	SEW Eurodrive	Pallet with 13 SEW Eurodrive electro motors, weight: 188 kg, dimensions: 1200 mm x 900 mm x 400 mm.	300
170	SEW Eurodrive	Pallet with 12 SEW Eurodrive electro motors, weight: 180 kg, dimensions: 1200 mm x 900 mm x 400 mm.	300
171	SEW Eurodrive / Nord	Pallet with SEW Eurodrive and Nord electro motors, weight: 279 kg, dimensions: 1200 mm x 900 mm x 400 mm.	300
172	NN motors	Large amount of electro motors, weight: 569 kg, dimensions: 1200 mm x 900 mm x 1000 mm.	200
173	NN motors	Large amount of electro motors, weight: 540 kg, dimensions: 1200 mm x 900 mm x 1000 mm.	200
174	NN parts for transport belt	4 Pallets with large amount of parts for transport belts, dimensions: (4x) 1200 mm x 800 mm x 1000 mm. Never used.	600
175	NN motors	Pallet with large amount of electro motors, weight: 320 kg, dimensions: 1200 mm x 900 mm x 400 mm.	200
176	Jungheinrich AG	Jungheinrich AG electric pallet lifter, type: EJC M10, serial number: FN926972, year of construction: 2017, capacity: 1000 kg, load centre distance: 600 mm, weight without battery: 498 kg, battery weight: 51/53 kg, 24 V, 0.6 KW, option: G 115-230ZT, dimensions: 1700 mm x 900 mm x 1600 mm.	500
177	Handtmann	Handtmann case spooling device, type: 78-7, number: 103, 0.13 kW, 5 kg, dimensions: 600 mm x 400 mm x 400 mm.	250
178	EFA	EFA knife sharpener, type: 650210000, number: 31/01, 230 V, 50 Hz, 10 kg, dimensions: 500 mm x 300 mm x 400 mm.	250
179	Rudolf Schad	Rudolf Schad binding machine, type: E85-1 N33, weight: 130 kg, dimensions: 700 mm x 800 mm x 1300 mm.	500
180	Hermann Wiegand GmbH	Hermann Wiegand GmbH mobile binding machine with s/s work table, type: Hängfix, number: B-20KT 121201, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 0.37 kW, dimensions: 700 mm x 800 mm x 1300 mm.	750
181	Handtmann	Handtmann vacuum filling machine with lifter for 200 litre meat bins, type: VF611, number: 23623, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 6.5 A, 3.5 kW, filling control in conjunction with the FVLH 242, dimensions: 1000x1200x2000.	7500
182	Handtmann	Handtmann high speed sausage stuffing, linking and hanging line, type stuffing and linking machine: 242-01, number: 785, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, weight: 1100 kg, type hanging line: 242-16, number: 10903456, year of construction: 2018, dimensions stuffing and linking machine: 2600 mm x 800 mm x 1400 mm, dimensions hanging line: 3400 mm x 500	9500



Nr	Title	Description	Start €
		mm x 1300 mm. Including 1 s/s tool trolley with extra tools and 1 pallet with extra parts.	
183	Alfa Laval	Alfa Laval product pump, type: SRU5/168/LS, serial number: 887567, year of construction: 2013, weight: 100 kg, dimensions: 1600 mm x 1700 mm x 1100 mm.	400
184	NN platform	Mobile height adjustable s/s work platform, lifting height: 300 mm, weight: 50 kg, dimensions: 2000 mm x 1000 mm x 1300 mm.	250
185	Wolf Power Systems	Wolf Power Systems combined heat and power plant, type: GTK 50E08, year of construction: 2021, 400 VAC, 3 Ph, 50 Hz, electrical output: 50 kW, thermal output: 90 kW, power input (fuel input): 146 kW, fuel: Natural Gas H, gas connection pressure range: 25–60 mbar, maximum operating pressure: 4 bar, maximum flow temperature: 90 °C. Never used.	15000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

