



**Industrial
Auctions**

**2186: Online auction machinery and inventory due
to closing production location RedStar in de Lier
(NL)**

END DATE
29 June 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	29 June 2026 from 14:00 hrs.
Viewing days	25 June 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	09 July 2026 from 09:00 till 16:00 hrs.
Pick up address	Poortkamp 10 2678 PT De Lier Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Viscon B.V.	Viscon B.V. pallet transport storage system, consisting of: (4x) Viscon B.V. pallet lifter, lifting platform: 1550 mm x 1250 mm. 4 floors with 22 lanes, each lane 22 pallet places, distance between floors: 2550 mm. (8x) lane dividing conveyor, dividing platform: 1240 mm x 1480 mm. total dimensions storage: 37250 mm x 11500 mm x 12000 mm.	5000
2	Viscon B.V.	Viscon B.V. lane dividing conveyor, platform: 1240 mm x 1430 mm, rails length: 9600 mm.	500
3	Strapex / Endra Heesch-Holland	Strapex / Endra Heesch-Holland destrapping machine, type: Wei-Con HDM, machine number: 2828, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 6 A, chain conveyor, belt width: 1220 mm, 2 knives, total dimensions: 1760 mm x 3670 mm x 3900 mm.	1500
4	Viscon B.V.	Viscon B.V. depalletizer, type: Vitrix kettingbaan, serial number: 67260-40, year of construction: 2007, W= 200 kg, rejector for crates, chain conveyor, conveyor width: 1230 mm, 770 mm, 660 mm, total dimensions: 3300 mm x 3800 mm x 3600 mm.	500
5	Viscon B.V.	Viscon B.V. lane dividing conveyor, type: Traversewagen, serial number: 67260-60, year of construction: 2008, W= 275 kg, platform: 1240 mm x 1430 mm, rails length: 9600 mm.	500
6	Viscon B.V. / CleanLight	Viscon B.V. pallet stacker with Clean Light UVC pallet sanitizer, stacker type: Stapelsyst. SSP-2, serial number: 67260-81, year of construction: 2008, W= 550 kg, maximum: 12 pallets, sanitizer model: Paller ontsmetter, serial number: CL-01, year of construction: 2021-08, 400 V, 50 Hz, 3000 W, (27x) UVC lights, chain belt conveyor, conveyor width: 1230 mm, total dimensions: 5000 mm x 2400 mm x 2550 mm.	500
7	Viscon B.V.	Viscon B.V. crate dividing system consisting of: lane dividing conveyor, type: Traversewagen, serial number: 67260-172, year of construction: 2008, W= 400 kg, 2-lanes, lanes width: (2x) 600 mm. Dividing platform, 3-lanes for crates, each lane for crates: 2600 mm x 610 mm x 2560 mm, dimensions dividing platform: 2750 mm x 4000 mm x 3000 mm. 7 unload stations, (14x) chain belt conveyor, belt width: 600 mm, conveyor length: (14x) 5450 mm. Rails width: 1720 mm, rails length: 65000 mm. Large amount of protection fencing.	500
8	Viscon B.V.	Viscon B.V. crate destacker, type: OP-Onstapelaar EV, plastic mesh belt, belt width: 650 mm, total dimensions: 1400 mm x 1200 mm x 2170 mm.	250
9	Viscon B.V.	Viscon B.V. transport system for crates and boxes, consisting of: (2x) elevating belt for crates, plastic belt, belt width: (2x) 700 mm, elevating height: 1290 mm and 3100 mm. (1x) De-elevating roller conveyor for boxes, plastic rollers, roller width: 700 mm, De-elevating height: 3400 mm, total dimensions: 6740 mm x 840 mm x 3500 mm.	250
10	Viscon B.V.		1250



Nr	Title	Description	Start €
		Viscon B.V. transport system for crates and boxes, consisting of: (1x) roller conveyor for crates, plastic rollers, roller width: 700 mm. 5 transport belts for crates and boxes, plastic belt, belt width: (1x) 500 mm, (1x) 700 mm, (1x) 300 mm, (2x) 170 mm, total dimensions: 18870 mm x 42070 mm x 3320 mm.	
11	Exair Corporation	Exair super air knife cabinet, 2 air knives, working width: 150 mm, total dimensions: 810 mm x 520 mm x 1500 mm.	100
12	Exair Corporation	Exair super air knife cabinet, 2 air knives, working width: 150 mm, total dimensions: 810 mm x 520 mm x 1500 mm.	100
13	Viscon B.V.	Viscon B.V. transport system for crates, consisting of: (5x) transport belts, plastic belt, belt width: (1x) 300 mm, (4x) 500 mm, total dimensions: (1x) 10160 mm x 640 mm, (4x) 7750 mm x 900 mm.	500
14	Viscon B.V.	Viscon B.V. lifting and stacking system for crates, consisting of: (3x) transport belts, plastic belt, belt width: (1x) 230 mm, (1x) 500 mm, (1x) 700 mm. Lifter for crates, type: Paternosterlift, serial number: 67260-830, year of construction: 2008, W= 550 kg, lifting height: 530 mm. Crate stacker, type: Stapel Systeem MRSB, serial number: 67260-900, year of construction: 2008, W= 450 kg, clearance: 430 mm x 310 mm, stacker width: 400 mm, stacker length: 600 mm. Total dimensions: 5650 mm x 2650 mm x 1710 mm.	750
15	Viscon B.V.	Viscon B.V. transport and stacking system for crates, stacker type: Stapelsysteem MRSB, serial number: 67260-690, year of construction: 2008, W=450 kg, plastic belt, belt width: (1x) 500 mm, (1x) 700 mm, clearance stacker: 420 mm x 310 mm, stacker width: 400 mm, stacker length: 600 mm, total dimensions: 4000 mm x 2050 mm x 2720 mm.	750
16	Viscon B.V.	Viscon B.V. 4 transport belts for crates, plastic belt, belt width: (4x) 500 mm, total dimensions: (4x) 7750 mm x 900 mm.	500
17	Viscon B.V.	Viscon B.V. crate destacker, type: OP-Onstapelaar EV, plastic mesh belt, belt width: 650 mm, total dimensions: 1400 mm x 1200 mm x 2170 mm.	250
18	Viscon B.V.	Viscon B.V. transport system for crates and boxes, consisting of: (2x) elevating belt for crates, plastic belt, belt width: (2x) 700 mm, elevating height: 1290 mm and 3100 mm. (1x) De-elevating roller conveyor for boxes, plastic rollers, roller width: 700 mm, De-elevating height: 3400 mm, total dimensions: 6740 mm x 840 mm x 3500 mm.	500
19	Viscon B.V.	Viscon B.V. transport system for crates and boxes, consisting of: (1x) roller conveyor for crates, plastic rollers, roller width: 700 mm. 5 transport belts for crates and boxes, plastic belt, belt width: (1x) 500 mm, (1x) 700 mm, (1x) 300 mm, (2x) 170 mm, total dimensions: 18870 mm x 42070 mm x 3320 mm.	750
20	Exair Corporation	Exair super air knife cabinet, 2 air knives, working width: 150 mm, total dimensions: 810 mm x 520 mm x 1500 mm.	100



Nr	Title	Description	Start €
21	Exair Corporation	Exair super air knife cabinet, 2 air knives, working width: 150 mm, total dimensions: 810 mm x 520 mm x 1500 mm.	100
22	Viscon B.V.	Viscon B.V. transport system for crates, consisting of: (5x) transport belts, plastic belt, belt width: (1x) 300 mm, (4x) 500 mm, total dimensions: (1x) 10160 mm x 640 mm, (4x) 7750 mm x 900 mm.	500
23	Viscon B.V.	Viscon B.V. lifting and stacking system for crates, consisting of: (2x) transport belts, plastic belt, belt width: (1x) 230 mm, (1x) 500 mm. Lifter for crates, type: Paternosterlift, serial number: 67260-1380, year of construction: 2008, W= 550 kg, lifting height: 530 mm. Crate stacker, type: Stapel Systeem MRSB, serial number: 67260-1240, year of construction: 2008, W= 450 kg, clearance: 430 mm x 310 mm, stacker width: 400 mm, stacker length: 600 mm. Total dimensions: 5650 mm x 2650 mm x 1710 mm.	750
24	Viscon B.V.	Viscon B.V. transport and stacking system for crates, stacker type: Stapelsysteem MRSB, serial number: 67260-1440, year of construction: 2008, W=450 kg, plastic belt, belt width: (1x) 500 mm, (1x) 700 mm, clearance stacker: 420 mm x 310 mm, stacker width: 400 mm, stacker length: 600 mm, total dimensions: 4000 mm x 2050 mm x 2720 mm.	750
25	Viscon B.V.	Viscon B.V. 4 transport belts for crates, plastic belt, belt width: (4x) 500 mm, total dimensions: (4x) 7750 mm x 900 mm.	500
26	Viscon B.V.	Viscon B.V. crate destacker, type: OP-Onstapelaar EV, serial number: 67260-2340, year of construction: 2008, W=370 kg, plastic mesh belt, belt width: 650 mm, total dimensions: 1400 mm x 1200 mm x 2170 mm.	250
27	Viscon B.V.	Viscon B.V. transport system for crates and boxes, consisting of: (2x) elevating belt for crates, plastic belt, belt width: (2x) 700 mm, elevating height: 1290 mm and 3100 mm, total dimensions: 6740 mm x 840 mm x 3300 mm.	500
28	Fuji Machinery Co.,LTD.	Fuji Machinery Co.,LTD. Horizontal form-, fill-, seal machine, model: FW3410/B, serial number: 04Z075, production date: 2005.3, 200 V, 3 Ph, 50/60 Hz, 30 A, plastic belt, belt width: (3x) 180 mm, (1x) 240 mm, chain belt with dividers, belt width: 180 mm, divider height: 30 mm, distance between dividers: 350 mm, brush width: 75 mm, brush length: 840 mm, knife width: 275 mm, seal length: 300 mm, Automator smart printer, total dimensions: 5700 mm x 1180 mm x 2380 mm. Including mobile switch cabinet, dimensions: 600 mm x 220 mm x 750 mm.	5000
29	Viscon B.V.	Viscon B.V. transport and stacking system, type: Stapelsysteem MRSB, serial number: 67260-1910, year of construction: 2008, W=450 kg, plastic belt, belt width: (1x) 700 mm, (1x) 500 mm, clearance stacker: 420 mm x 310 mm, stacker width: 400 mm, stacker length: 600 mm, total dimensions: 3720 mm x 3950 mm x 2800 mm.	750



Nr	Title	Description	Start €
30	Viscon B.V.	Viscon B.V. 4 transport belts for crates, plastic belt, belt width: (4x) 500 mm, total dimensions: (4x) 7750 mm x 900 mm.	500
31	Viscon B.V.	Viscon B.V. crate destacker, type: OP-Onstapelaar EV, serial number: 67260-2040, year of construction: 2008, W=370 kg, plastic mesh belt, belt width: 650 mm, total dimensions: 1400 mm x 1200 mm x 2170 mm.	250
32	Viscon B.V.	Viscon B.V. transport system for crates and boxes, consisting of: (2x) elevating belt for crates, plastic belt, belt width: (2x) 700 mm, elevating height: 1290 mm and 3100 mm, total dimensions: 6740 mm x 840 mm x 3300 mm.	500
33	Viscon B.V.	Viscon B.V. transport system for crates and boxes, consisting of: (3x) roller conveyor for crates, plastic rollers, roller width: (1x) 440 mm, (1x) 490 mm, (1x) 700 mm. 2 transport belts for crates and boxes, plastic belt, belt width: (1x) 700 mm, (1x) 190 mm, total dimensions: 19620 mm x 3650 mm x 3000 mm.	750
34	Viscon B.V.	Viscon B.V. transport belt with roller conveyor, plastic belt, belt width: 500 mm, plastic rollers, roller width: 450 mm, total dimensions: 9400 mm x 850 mm x 1800 mm.	400
35	Exair Corporation	Exair super air knife cabinet, 2 air knives, working width: 150 mm, total dimensions: 810 mm x 520 mm x 1500 mm.	100
36	Viscon B.V.	Viscon B.V. transport belt, plastic belt, belt width: 500 mm, total dimensions: 10050 mm x 750 mm x 900 mm.	400
37	Viscon B.V.	Viscon B.V. transport and stacking system, type: Stapelsysteem MRSB, serial number: 67260-2210, year of construction: 2008, W=450 kg, plastic belt, belt width: (1x) 700 mm, (1x) 500 mm, clearance stacker: 420 mm x 310 mm, stacker width: 400 mm, stacker length: 600 mm, total dimensions: 3720 mm x 3950 mm x 2800 mm.	750
38	Viscon B.V.	Viscon B.V. 4 transport belts for crates, plastic belt, belt width: (4x) 500 mm, total dimensions: (4x) 7750 mm x 900 mm.	500
39	Viscon B.V.	Viscon B.V. transport and stacking system, type: Stapelsysteem MRSB, serial number: 67260-2560, year of construction: 2008, W=450 kg, plastic belt, belt width: (1x) 700 mm, (1x) 500 mm, clearance stacker: 420 mm x 310 mm, stacker width: 400 mm, stacker length: 600 mm, total dimensions: 3750 mm x 4700 mm x 2750 mm.	750
40	Viscon B.V.	Viscon B.V. 4 transport belts for crates, plastic belt, belt width: (4x) 500 mm, total dimensions: (4x) 7750 mm x 900 mm.	500
41	Viscon B.V.	Viscon B.V. crate destacker, type: OP-Onstapelaar EV, serial number: 67260-1590, year of construction: 2008, W=370 kg, plastic mesh belt, belt width: 650 mm, total dimensions: 1400 mm x 1200 mm x 2170 mm.	250
42	Viscon B.V.	Viscon B.V. transport system for crates and boxes, consisting of: (2x) elevating belt for crates, plastic belt, belt width: (2x)	500



Nr	Title	Description	Start €
		700 mm, elevating height: 1290 mm and 3100 mm, total dimensions: 6740 mm x 840 mm x 3300 mm.	
43	Viscon B.V.	Viscon B.V. transport and stacking system for crates, stacker type: Stapelsysteem MRSB, serial number: 67260-2890, year of construction: 2008, W=450 kg, plastic belt, belt width: (1x) 500 mm, (1x) 700 mm, clearance stacker: 420 mm x 310 mm, stacker width: 400 mm, stacker length: 600 mm, total dimensions: 4000 mm x 2050 mm x 2720 mm.	750
44	Viscon B.V.	Viscon B.V. 4 transport belts for crates, plastic belt, belt width: (4x) 500 mm, total dimensions: (4x) 7750 mm x 900 mm.	500
45	Fuji Machinery Co.,LTD.	Fuji Machinery Co.,LTD. Horizontal form-, fill-, seal machine, model: FW3410/B, serial number: 076304, production date: 2008.2, 200 V, 3 Ph, 50/60 Hz, 30 A, plastic belt, belt width: (3x) 180 mm, (1x) 240 mm, chain belt with dividers, belt width: 180 mm, divider height: 30 mm, distance between dividers: 350 mm, brush width: 75 mm, brush length: 840 mm, knife width: 275 mm, seal length: 300 mm, total dimensions: 5700 mm x 1180 mm x 2380 mm. Including mobile switch cabinet, dimensions: 600 mm x 220 mm x 750 mm.	5000
46	Viscon B.V.	Viscon B.V. crate destacker, type: OP-Onstapelaar EV, serial number: 67260-2690, year of construction: 2008, W=370 kg, plastic mesh belt, belt width: 650 mm, total dimensions: 1400 mm x 1200 mm x 2170 mm.	250
47	Viscon B.V.	Viscon B.V. transport system for crates and boxes, consisting of: (2x) elevating belt for crates, plastic belt, belt width: (2x) 700 mm, elevating height: 1290 mm and 3100 mm. (1x) De-elevating roller conveyor for boxes, plastic rollers, roller width: 700 mm, De-elevating height: 3400 mm, total dimensions: 6740 mm x 840 mm x 3500 mm.	500
48	Viscon B.V.	Viscon B.V. transport system for crates and boxes, consisting of: (1x) roller conveyor for crates, plastic rollers, roller width: 700 mm. 5 transport belts for crates and boxes, plastic belt, belt width: (1x) 500 mm, (1x) 700 mm, (1x) 300 mm, (2x) 170 mm, total dimensions: 18870 mm x 42070 mm x 3320 mm.	750
49	Exair Corporation	Exair super air knife cabinet, 2 air knives, working width: 150 mm, total dimensions: 810 mm x 700 mm x 1500 mm.	100
50	Exair Corporation	Exair super air knife cabinet, 2 air knives, working width: 150 mm, total dimensions: 810 mm x 700 mm x 1500 mm.	100
51	Viscon B.V.	Viscon B.V. lifting and stacking system for crates, consisting of: (3x) transport belts, plastic belt, belt width: (1x) 230 mm, (1x) 500 mm, (1x) 700 mm. Lifter for crates, type: Paternosterlift, serial number: 67260-3030, year of construction: 2008, W= 550 kg, lifting height: 530 mm. Crate stacker, type: Stapel Systeem MRSB, serial number: 67260-3090, year of construction: 2008, W= 450 kg, clearance: 430 mm x 310 mm, stacker width: 400 mm,	750



Nr	Title	Description	Start €
		stacker length: 600 mm. Total dimensions: 5650 mm x 2650 mm x 1710 mm.	
52	Viscon B.V.	Viscon B.V. transport system for crates, consisting of: (5x) transport belts, plastic belt, belt width: (1x) 300 mm, (4x) 500 mm, total dimensions: (1x) 10160 mm x 640 mm, (4x) 7750 mm x 900 mm.	500
53	Fuji Machinery Co.,LTD.	Fuji Machinery Co.,LTD. Horizontal form-, fill-, seal machine, model: FW3410/B, serial number: 043317, production date: 2006.12, 200 V, 3 Ph, 50/60 Hz, 30 A, plastic belt, belt width: (3x) 180 mm, (1x) 240 mm, chain belt with dividers, belt width: 180 mm, divider height: 30 mm, distance between dividers: 350 mm, brush width: 75 mm, brush length: 840 mm, knife width: 275 mm, seal length: 300 mm, total dimensions: 5700 mm x 1180 mm x 2380 mm. Including mobile switch cabinet, dimensions: 600 mm x 220 mm x 750 mm. Missing knife.	5000
54	Viscon B.V.	Viscon B.V. transport and stacking system for crates, stacker type: Stapelsysteem MRSB, serial number: 67260-3440, year of construction: 2008, W=450 kg, plastic belt, belt width: (1x) 500 mm, (1x) 700 mm, clearance stacker: 420 mm x 310 mm, stacker width: 400 mm, stacker length: 600 mm, total dimensions: 4000 mm x 2050 mm x 2720 mm.	750
55	Viscon B.V.	Viscon B.V. 4 transport belts for crates, plastic belt, belt width: (4x) 500 mm, total dimensions: (4x) 7750 mm x 900 mm.	500
56	Viscon B.V.	Viscon B.V. crate destacker, type: OP-Onstapelaar EV, serial number: 67260-3240, year of construction: 2008, W=370 kg, plastic mesh belt, belt width: 650 mm, total dimensions: 1400 mm x 1200 mm x 2170 mm.	250
57	Viscon B.V.	Viscon B.V. transport system for crates and boxes, consisting of: (2x) elevating belt for crates, plastic belt, belt width: (2x) 700 mm, elevating height: 1290 mm and 3100 mm. (1x) De-elevating roller conveyor for boxes, plastic rollers, roller width: 700 mm, De-elevating height: 3400 mm, total dimensions: 6740 mm x 840 mm x 3500 mm.	500
58	Viscon B.V.	Viscon B.V. transport system for crates and boxes, consisting of: (1x) roller conveyor for crates, plastic rollers, roller width: 700 mm. 5 transport belts for crates and boxes, plastic belt, belt width: (1x) 500 mm, (1x) 700 mm, (1x) 300 mm, (2x) 170 mm, total dimensions: 18870 mm x 42070 mm x 3320 mm.	1250
59	Exair Corporation	Exair super air knife cabinet, 2 air knives, working width: 150 mm, total dimensions: 810 mm x 520 mm x 1500 mm.	100
60	Viscon B.V.	Viscon B.V. transport system for crates, consisting of: (5x) transport belts, plastic belt, belt width: (1x) 300 mm, (4x) 500 mm, total dimensions: (1x) 10160 mm x 640 mm, (4x) 7750 mm x 900 mm.	500
61	Viscon B.V.	Viscon B.V. lifting and stacking system for crates, consisting of: (3x) transport belts, plastic belt, belt width: (1x) 230 mm,	750



Nr	Title	Description	Start €
		(1x) 500 mm, (1x) 700 mm. plastic rollers, roller width: 640 mm, Lifter for crates, type: Paternosterlift, serial number: 67260-3580, year of construction: 2008, W= 550 kg, lifting height: 530 mm. Crate stacker, type: Stapel Systeem MRSB, serial number: 67260-3650, year of construction: 2008, W= 450 kg, clearance: 430 mm x 310 mm, stacker width: 400 mm, stacker length: 600 mm. Total dimensions: 5650 mm x 2650 mm x 1710 mm.	
62	Viscon B.V.	Viscon B.V. lifter for crates, type: Stapellifter, serial number: 704021-20, year of construction: 2012, W= 1800 kg, plastic belt, belt width: (1x) 460 mm, (1x) 300 mm, clearance: 420 mm x 300 mm, lifting platform: 600 mm x 400 mm, lifting height: 2000 mm, total dimensions: 2900 mm x 1300 mm x 3450 mm.	750
63	Viscon B.V.	Viscon B.V. transport belt for crates, plastic belt, belt width: 500 mm, total dimensions: 31500 mm x 800 mm x 800 mm.	500
64	Viscon B.V.	Viscon B.V. 2 transport belts for crates, plastic belt, belt width: (1x) 500 mm, (1x) 700 mm, total dimensions: 58000 mm x 900 mm x 1100 mm.	500
65	Viscon B.V.	Viscon B.V. transport belt for crates, plastic belt, belt width: 700 mm, total dimensions: 42000 mm x 1000 mm x 900 mm.	750
66	Viscon B.V.	Viscon B.V. dividing belt for crates, plastic belt, belt width: 1700 mm, total dimensions: 5600 mm x 2100 mm x 4150 mm.	500
67	NN mirror	2 mirrors.	25
68	Viscon B.V.	Viscon B.V. transport belt for boxes, plastic belt, belt width: 500 mm, total dimensions: 4200 mm x 1300 mm x 570 mm.	150
69	Viscon B.V.	Viscon B.V. transport belt for boxes with rejector, type: Vitra Bandtr., serial number: 67260-4940, year of construction: 2007, W= 185 kg, plastic belt, belt width: 500 mm, rejector type: Overduwer PO 450, serial number: 67260-4950, year of construction: 2008, W=30 kg, total dimensions: 3520 mm x 1300 mm x 880 mm.	150
70	Viscon B.V.	Viscon B.V. elevating belt for boxes, plastic belt, belt width: 500 mm, elevating height: 1100 mm, clearance: 530 mm x 290 mm, total dimensions: 2950 mm x 1200 mm x 2100 mm.	250
71	Viscon B.V.	2 Viscon B.V. transport belts for boxes, plastic belt, belt width: (2x) 500 mm, total dimensions: 5800 mm x 900 mm x 1460 mm.	250
72	Viscon B.V.	Viscon B.V. de-elevating roller conveyor for boxes, plastic rollers, roller width: 440 mm, total dimensions: 5130 mm x 550 mm x 920 mm.	100
73	Viscon B.V.	Viscon B.V. transport system for boxes, consisting of: 2 Viscon B.V. transport belts, type: Vitra Bandtr., serial number: 67260-5010, year of construction: 2008, W=105 kg, plastic belt, belt width: (2x) 700 mm, 1 Viscon B.V. roller conveyor, plastic rollers, roller width: 700 mm, total dimensions: 6000 mm x 1850 mm x 1440 mm.	250



Nr	Title	Description	Start €
74	Viscon B.V.	Viscon B.V. transport system for boxes, consisting of: 3 Viscon B.V. transport belts, type: Vitra Bandtr., serial number: 67260-5020, year of construction: 2007, W=106, plastic belt, belt width: 700 mm, total dimensions: 1600 mm x 1850 mm x 1400 mm.	200
75	Viscon B.V.	Viscon B.V. de-elevating roller conveyor with transport belt, type: Vitra Bandtr., serial number: 67260-5060, year of construction: 2007, W= 106 kg, plastic rollers, roller width: 640 mm, plastic belt, belt width: 700 mm, total dimensions: 7550 mm x 1050 mm x 930 mm.	150
76	Viscon B.V.	Viscon B.V. de-elevating roller conveyor with transport belt, type: Vitra Bandtr., serial number: 67260-5100, year of construction: 2007, W= 106 kg, plastic rollers, roller width: 640 mm, plastic belt, belt width: 700 mm, total dimensions: 7550 mm x 1050 mm x 930 mm.	150
77	Viscon B.V.	Viscon B.V. transport system for boxes, consisting of: 1 elevating belt, plastic belt, belt width: 500 mm, elevating height: 550 mm, total dimensions: 4750 mm x 750 mm x 600 mm. 1 transport belt with rejector, plastic belt, belt width: 500 mm, rejector type: Overduwer PO 450, serial number: 67260-3800, year of construction: 2008, W=30 kg, total dimensions: 10150 mm x 1200 mm x 780 mm.	400
78	Viscon B.V.	Viscon B.V. transport system for boxes, consisting of: 1 elevating belt, plastic belt, belt width: 500 mm, elevating height: 530 mm, total dimensions: 3700 mm x 660 mm x 600 mm. 1 transport belt with rejector, plastic belt, belt width: 500 mm, rejector type: Overduwer PO 450, serial number: 67260-3870, year of construction: 2008, W=30 kg, total dimensions: 6130 mm x 1250 mm x 880 mm.	400
79	Viscon B.V.	Viscon B.V. inliner for boxes, type: Inliner 3/1, serial number: 67260-3900, year of construction: 2008, W=350 kg, plastic belt, belt width: 1650 mm, clearance: 1450 mm x 210 mm, total dimensions: 4050 mm x 2210 mm x 900 mm.	250
80	Viscon B.V.	Viscon B.V. elevating belt, type: Vitra Bandtr., serial number: 67260-3910, year of construction: 2007, W= 210 kg, plastic belt, belt width: 500 mm, elevating height: 1400 mm, total dimensions: 4000 mm x 700 mm x 1480 mm.	150
81	Viscon B.V.	Viscon B.V. dividing belt for boxes, type: Overduwsysteem, serial number: 67260-5000, year of construction: 2008, weight: 250 kg, plastic belt, belt width: (2x) 500 mm, 2 rejectors, total dimensions: 2700 mm x 2700 mm x 2500 mm.	500
82	Viscon B.V.	Viscon B.V. elevating belt for boxes, type: Vitra Bandtr., serial number: 67260-5140, year of construction: 2008, W=290, plastic belt, belt width: 500 mm, elevating height: 2600 mm, total dimensions: 15000 mm x 1200 mm x 2700 mm.	400
83	Viscon B.V.	Viscon B.V. transport system for boxes, consisting of: 1 elevating belt, plastic belt, belt width: 500 mm, elevating	400



Nr	Title	Description	Start €
		height: 520 mm, total dimensions: 2800 mm x 700 mm x 600 mm. 1 transport belt with rejector, plastic belt, belt width: 500 mm, total dimensions: 6130 mm x 1250 mm x 880 mm.	
84	Viscon B.V.	Viscon B.V. transport belt for boxes, plastic belt, belt width: 500 mm, total dimensions: 2000 mm x 800 mm x 880 mm.	150
85	Viscon B.V.	Viscon B.V. transport belt for boxes, type: Vitra bandtr., serial number: 67254-170, year of construction: 2007, W=185 kg, plastic belt, belt width: 750 mm, total dimensions: 2520 mm x 940 mm x 980 mm.	100
86	Viscon B.V.	Viscon B.V. transport system for boxes, consisting of: 1 elevating belt, type: Vitra Bandtr., serial number: 67254-10, year of construction: 2007, W=220 kg, plastic belt, belt width: 700 mm, total dimensions: 3000 mm x 900 mm x 950 mm. Transport belt, type: Vitra Bandtr., serial number: 67260-4400, year of construction: 2007, W=106 kg, plastic belt, belt width: 700 mm, total dimensions: 1550 mm x 900 mm x 750 mm.	200
87	Viscon B.V.	Viscon B.V. de-elevating roller conveyor with transport belt for boxes, type: Vitra Bandtr., serial number: 67260-4440, year of construction: 2007, W= 106 kg, plastic rollers, roller width: 640 mm, plastic belt, belt width: 700 mm, total dimensions: 7550 mm x 1050 mm x 930 mm.	150
88	Viscon B.V.	Viscon B.V. de-elevating roller conveyor with transport belt for boxes, type: Vitra Bandtr., serial number: 67260-4480, year of construction: 2007, W= 106 kg, plastic rollers, roller width: 640 mm, plastic belt, belt width: 700 mm, total dimensions: 7550 mm x 1050 mm x 930 mm.	250
89	Viscon B.V.	Viscon B.V. transport belt for boxes, plastic belt, belt width: 500 mm, total dimensions: 5400 mm x 950 mm x 1260 mm.	250
90	Viscon B.V.	Viscon B.V. elevating belt for boxes, plastic belt, belt width: 500 mm, elevating height: 3400 mm, total dimensions: 13000 mm x 800 mm x 3450 mm.	250
91	Viscon B.V.	Viscon B.V. elevating belt for boxes, plastic belt, belt width: 500 mm, elevating height: 3900 mm, total dimensions: 12000 mm x 750 mm x 4000 mm.	250
92	Viscon B.V.	Viscon B.V. transport system for boxes, consisting of: (2x) transport belt, plastic belt, belt width: 500 mm, total dimensions: 61000 mm x 1200 mm x 1000 mm. (22x) roller conveyor, plastic rollers, roller width: 700 mm, total dimensions: (22x) 9000 mm x 800 mm x 250 mm. Please note: only overhead roller conveyors with overhead transport belt.	750
93	Viscon B.V.	Viscon B.V. transport system for crates, consisting of: 1 elevating belt, plastic belt with dividers, belt width: 500 mm, dividers height: 50 mm, distance between dividers: 910 mm, elevating height: 3100 mm, total dimensions: 2050 mm x 700 mm x 3150 mm. 2 transport belts, plastic belt, belt width: (2x) 500 mm, total dimensions: (1x) 66000 mm x 700 mm x	750



Nr	Title	Description	Start €
		250 mm, (1x) 33000 mm x 700 mm x 250 mm. Including lifting device.	
94	NN infeed slide	Steel infeed slide for crates with transport belt, clearance: 640 mm x 240 mm, total dimensions: 3600 mm x 1150 mm x 3300 mm. Transport belt, clearance: 610 mm x 160 mm, total dimensions: 13000 mm x 750 mm x 1900 mm.	500
95	Limex	Limex crate washer with drying tunnel, type: T1502-T1502-BL-BL, machine number: H2200436.00.1, year of construction: 2023, 400 V, 3 Ph, 50 Hz, machine weight: 5000 kg, clearance: 700 mm x 140 mm, chain belt, belt width: 620 mm, plastic belt, belt width: 600 mm, clearance dryer: 500 mm x 130 mm, blower width: 450 mm, total dimensions: 15000 mm x 1600 mm x 2570 mm.	3000
96	Limex	Limex transport belt, plastic belt, belt width: 600 mm, total dimensions: 4000 mm x 850 mm x 620 mm.	150
97	NN crate stacker	Crate stacker with chain conveyor, plastic mesh belt, belt width: 640 mm, stack platform: 1020 mm x 680 mm, total dimensions stacker: 2200 mm x 1150 mm x 1900 mm, total dimensions chain conveyor: 3500 mm x 900 mm x 700 mm.	400
98	Limex	Limex transport belt, plastic belt, belt width: 600 mm, total dimensions: 4000 mm x 850 mm x 620 mm.	150
99	NN crate stacker	Crate stacker with chain conveyor, plastic mesh belt, belt width: 640 mm, stack platform: 1020 mm x 680 mm, total dimensions stacker: 2200 mm x 1150 mm x 1900 mm, total dimensions chain conveyor: 3500 mm x 900 mm x 700 mm.	400
100	NN infeed slide	Steel infeed slide for crates with transport belt, clearance: 640 mm x 240 mm, total dimensions: 3600 mm x 1150 mm x 3300 mm. Transport belt, clearance: 610 mm x 160 mm, total dimensions: 13000 mm x 750 mm x 1900 mm.	500
101	Limex	Limex crate washer with drying tunnel, type: T1502-T1502-BL-BL, machine number: H2200436.00.2, year of construction: 2023, 400 V, 3 Ph, 50 Hz, machine weight: 5000 kg, clearance: 700 mm x 140 mm, chain belt, belt width: 620 mm, plastic belt, belt width: 600 mm, clearance dryer: 500 mm x 130 mm, blower width: 450 mm, total dimensions: 15000 mm x 1600 mm x 2570 mm.	3000
102	Limex	Limex transport belt, plastic belt, belt width: 600 mm, total dimensions: 4000 mm x 850 mm x 620 mm.	150
103	NN crate stacker	Crate stacker with chain conveyor, plastic mesh belt, belt width: 640 mm, stack platform: 1020 mm x 680 mm, total dimensions stacker: 2200 mm x 1150 mm x 1900 mm, total dimensions chain conveyor: 3500 mm x 900 mm x 700 mm.	400
104	Limex	Limex transport belt, plastic belt, belt width: 600 mm, total dimensions: 4000 mm x 850 mm x 620 mm.	150
105	NN crate stacker	Crate stacker with chain conveyor, plastic mesh belt, belt width: 640 mm, stack platform: 1020 mm x 680 mm, total dimensions stacker: 2200 mm x 1150 mm x 1900 mm, total dimensions chain conveyor: 3500 mm x 900 mm x 700 mm.	400



Nr	Title	Description	Start €
106	Viscon B.V.	Viscon B.V. pallet de-stacker, type: Palletontstapelaar, serial number: 67260-6260, year of construction: 2008, W=300 kg, de-stacker platform: 1200 mm x 1200 mm, total dimensions: 1900 mm x 1700 mm x 2570 mm.	500
107	Viscon B.V.	Viscon B.V. depalletizer, rejector for crates, chain conveyor, conveyor width: 1230 mm, s/s rollers, roller width: 750 mm, total dimensions: 3210 mm x 1870 mm x 3640 mm.	1000
108	Reisopack	Reisopack pallet binding machine, type: 2901, machine number: 2910113, 220/330 V, 3 Ph, 50/60 Hz, 1.5 kW, binding clearance: 1400 mm x 1400 mm, total dimensions: 2850 mm x 1950 mm x 3500 mm. Binding unit: 1000 mm x 600 mm x 1680 mm.	1500
109	NN inspection table	Inspection table, plastic rollers, roller width: 590 mm, total dimensions: 3370 mm x 850 mm x 2120 mm.	1000
110	Jasa packaging	Jasa packaging weighing and filling line, consisting of: elevating belt, plastic belt with dividers, belt width: 390 mm, dividers height: 20 mm, distance between dividers: 45 mm, elevating height: 2970 mm, total dimensions: 2800 mm x 600 mm x 3250 mm. Jasa packaging transport belt, plastic belt, belt width: 380 mm, total dimensions: 2000 mm x 780 mm x 540 mm. Dataweigh 14-heads multihead weigher, model number: ADW-114SD, serial number: WG010466, 220/240 V, 1 Ph, 50/60 Hz, 5 A, weight range: 3 g - 1000 g, each basket: 100 mm x 100 mm x 200 mm, total dimensions: 1100 mm x 1100 mm x 1500 mm. Jasa packaging filling belt, type: Taktbaan, machine number: JA 12428, year of construction: 2015, 400 V, 3 Ph, 25 A, 5.75 kW, machine weight: 350 kg, belt with dividers, belt width: 150 mm, distance between dividers: 170 mm, total dimensions: 5900 mm x 900 mm x 1470 mm. Jasa packaging outfeed belt, type: Uitvoerband, machine number: JA 12429, year of construction: 2015, 230 V, 3 Ph, 1 A, 0.25 kW, machine weight: 60 kg, plastic belt, belt width: 150 mm, total dimensions: 1000 mm x 400 mm x 1350 mm. S/s platform, working height: 1940 mm and 2250 mm, total dimensions: 3150 mm x 1920 mm x 3000 mm.	3500
111	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 200 mm, total dimensions: 2800 mm x 400 mm x 960 mm.	150
112	NN inspection table	Inspection table, plastic rollers, roller width: 600 mm, total dimensions: 2920 mm x 800 mm x 1060 mm.	500
113	NN switch cabinet	Switch cabinet, dimensions: 620 mm x 600 mm x 1860 mm.	75
114	Jasa packaging	Jasa packaging weighing and filling line, consisting of: BCK Holland B.V. elevating belt, type: N60 D10, serial number: 188246-188246-020, year of construction: 2018, plastic belt with dividers, belt width: 390 mm, dividers height: 30 mm, distance between dividers: 95 mm, elevating height: 3100 mm, total dimensions: 3750 mm x 670 mm x 3200 mm. Ways weighing machines 14-heads multihead weigher,	5000



Nr	Title	Description	Start €
		model: AC-6B 14-4A-15, serial number: 88180166, year of construction: 2018-3-27, 230 V, 50/60 Hz, minimum weight range: 0.05 kg, maximum weight range: 2 kg, each basket: 130 mm x 120 mm x 260 mm, total dimensions: 1160 mm x 1140 mm x 2060 mm. Jasa packaging filling belt with outfeed belt, model: 1510004-007-0000, machine number: 14089, year of construction: 2018, 400 V, 3 Ph, 1.27 A, 0.25 kW, (2x) denester, denester clearance: (2x) Ø 120 mm, belt with dividers, belt width: 320 mm, distance between dividers: 280 mm, plastic belt, belt width: 90 mm, total dimensions: 5900 mm x 950 mm x 1720 mm. S/s platform, working height: 2120 mm, total dimensions: 2250 mm x 1700 mm x 3130 mm. Jasa packaging switch cabinet, dimensions: 850 mm x 780 mm x 2560 mm.	
115	Aweta	Aweta inspection table, plastic rollers, roller width: 600 mm, total dimensions: 3400 mm x 1000 mm x 2270 mm.	1000
116	Newtec	Newtec 13-lanes linear weigher with elevating belt, type: h3013MD, number: 10729, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 9 A, lane length: (13x) 730 mm, gutter width: (13x) 95 mm, each basket: 140 mm x 95 mm x 170 mm, elevating belt, plastic belt with dividers, belt width: 390 mm, dividers height: 20 mm, distance between dividers: 50 mm, elevating height: 2450 mm, total dimensions: 4400 mm x 1800 mm x 2560 mm.	7500
117	Newtec	Newtec filling and closing machine, type: CCF120, number: 10730, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 6 A, plastic belt, belt width: 80 mm, clearance: Ø 95 mm, denester clearance: (20x) Ø 105 mm, total dimensions: 4400 mm x 970 mm x 2200 mm.	1500
118	Unitec Group	Unitec Group transport belt, plastic belt with dividers, belt width: 260 mm, dividers height: 30 mm, distance between dividers: 145 mm, total dimensions: 4100 mm x 530 mm x 1370 mm.	150
119	NN mobile elevating belt	Mobile elevating belt, plastic belt with dividers, belt width: (3x) 590 mm, dividers height: 20 mm, distance between dividers: 50 mm, elevating height: 1030 mm, total dimensions: 2680 mm x 800 mm x 1020 mm.	250
120	Jasa packaging / Schutten machines BV	Jasa packaging / Schutten machines BV mobile can closing machine, model: DS-500, projekt number: 18020, year of construction: 2008, plastic belt, belt width: (2x) 180 mm, (1x) 95 mm, clearance: 260 mm x 150 mm, denester clearance: Ø 120 mm, dye: (8x) Ø 100 mm, total dimensions: 2200 mm x 1250 mm x 1820 mm.	1000
121	NN tub	S/s tub, dimensions: 800 mm x 500 mm x 620 mm.	25
122	NN table	Steel table with wooden floors, 2 floors, dimensions: 700 mm x 700 mm x 960 mm.	10
123	NN table	S/s mobile table with wooden top, dimensions: 840 mm x 520 mm x 970 mm.	10



Nr	Title	Description	Start €
124	NN tables	Large amount of various sizes tables and frames.	500
125	Viscon B.V.	Viscon B.V. turning table, type: Draaitafel AK 2000, serial number: 68450-173, year of construction: 2008, W=90 kg, dimensions: Ø 2000 mm x 900 mm.	250
126	Viscon B.V.	Viscon B.V. turning table, type: Draaitafel AK 2000, serial number: 68450-170, year of construction: 2008, W=90 kg, dimensions: Ø 2000 mm x 900 mm.	250
127	Viscon B.V.	Viscon B.V. turning table, type: Draaitafel AK 2000, serial number: 67260-510, year of construction: 2008, W=90 kg, dimensions: Ø 2000 mm x 900 mm.	250
128	Viscon B.V.	Viscon B.V. turning table, type: Draaitafel AK 1500, serial number: 67260-1015, year of construction: 2008, W=50 kg, dimensions: Ø 1500 mm x 900 mm.	250
129	Viscon B.V.	Viscon B.V. turning table, type: Draaitafel AK 2000, serial number: 68450-172, year of construction: 2008, W=90 kg, dimensions: Ø 2000 mm x 900 mm.	250
130	Viscon B.V.	Viscon B.V. turning table, type: Draaitafel AK 2000, dimensions: Ø 2000 mm x 900 mm.	250
131	Viscon B.V.	Viscon B.V. turning table, type: Draaitafel AK 2000, serial number: 68450-110, year of construction: 2008, W=90 kg, dimensions: Ø 2000 mm x 900 mm.	250
132	Viscon B.V.	Viscon B.V. turning table, type: Draaitafel AK 2000, serial number: 67260-440, year of construction: 2008, W=90 kg, dimensions: Ø 2000 mm x 900 mm.	250
133	Viscon B.V.	Viscon B.V. turning table, type: Draaitafel AK 2000, dimensions: Ø 2000 mm x 900 mm.	250
134	Viscon B.V.	Viscon B.V. turning table, type: Draaitafel AK 2000, serial number: 68450-171, year of construction: 2008, W=90 kg, dimensions: Ø 2000 mm x 900 mm.	250
135	Exair Corporation	Exair super air knife cabinet, 2 air knives, working width: 150 mm, total dimensions: 1080 mm x 700 mm x 1570 mm.	100
136	Altrex	Large amount of various Altrex stairs.	250
137	Ekwo	Ekwo whiteboard, dimensions: 1500 mm x 1000 mm.	10
138	Metalsistem	Metalsistem aluminum pallet rack, type: Palletstelling, year of construction: 2009, consisting of: (4x) uprights, dimensions: 1060 mm x 3500 mm, (12x) beams, beam length: (8x) 2750 mm, (4x) 1850 mm.	150
139	NN table	S/s table, dimensions: 800 mm x 500 mm x 910 mm.	25
140	NN table	S/s table, dimensions: 800 mm x 500 mm x 950 mm.	25
141	NN table	Aluminum table with s/s top, dimensions: 540 mm x 430 mm x 880 mm.	10
142	Technolit	Technolit mobile welding unit, model: Profi 205 Multi-Twin, 400 V, 3 Ph, 50/60 Hz, 10 A, 21 Ip, dimensions: 1100 mm x 650 mm x 1560 mm.	150
143	NN workbench	Steel workbench, dimensions: 3980 mm x 600 mm x 1010 mm. Including content.	100
144	NN workbench		100



Nr	Title	Description	Start €
		Steel workbench, 4 drawers, dimensions: 2000 mm x 240 mm x 370 mm. Including content.	
145	Hose Reel	Hose Reel with pistol, hose length: 15000 mm, auto rewinding, total dimensions: 500 mm x 240 mm x 370 mm.	25
146	NN eye shower	Eye shower, dimensions: 400 mm x 440 mm x 200 mm, cylinder dimensions: 120 mm x 120 mm x 900 mm.	50
147	NN trolley	Steel trolley with 2 wooden floors, dimensions: 1100 mm x 610 mm x 1040 mm.	10
148	NN whiteboard	Whiteboard, dimensions: 1200 mm x 900 mm.	5
149	Overtoom	Overtoom pegs, 18 pegs, dimensions: 1250 mm x 120 mm x 120 mm.	10
150	NN workbench	Steel workbench with wooden top, dimensions: 2500 mm x 900 mm x 1000 mm. Including content.	100
151	NN trolley	Steel trolley with 2 s/s floors, dimensions: 1650 mm x 600 mm x 630 mm.	25
152	Trionyx	Trionyx steel cabinet, dimensions: 920 mm x 420 mm x 1810 mm. Including content.	150
153	NN curtains	9 plastic curtains, curtain length: (9x) 2470 mm. Width: (9x) 300 mm.	25
154	Legamaster	Legamaster whiteboard, dimensions: 900 mm x 1200 mm.	10
155	NN office inventory	Office inventory, consisting of: (2x) office desks. (2x) office cabinets. (2x) small office cabinets. (1x) office chair. Various dimensions.	75
156	NN parts	7 aluminum racks with large amount of different parts.	250
157	Holland Storage Solutions	2 Holland Storage Solutions pallet racks, consisting of: (5x) uprights, upright dimensions: (5x) 1100 mm x 3500 mm, (14x) beams, beam length: (14x) 3680 mm.	150
158	VarioFit	VarioFit steel trolley, artikel number: 5W-500.111, product number: V2312348, trolley weight: 25 kg, load capacity: 400 kg, dimensions: 950 mm x 620 mm x 970 mm.	25
159	Viscon B.V.	Viscon B.V. double lift for pallets, (4x) chain conveyor, chain belt, belt width: 1240 mm, clearance: 1530 mm x 2800 mm, lifthing height: 6500 mm, total dimensions: 13400 mm x 5000 mm.	1500
160	NN gutters	Large amount of: s/s-, steel-, and plastic gutters.	200
161	NN trolleys for traysealer	5 trolleys for traysealers, dyes: (5x) 160 mm x 120 mm, (4x) 220 mm x 175 mm, (4x) 145 mm x 145 mm, total dimensions: (5x) 1200 mm x 750 mm x 1220 mm.	250
162	Innotech	Innotech vertical bag form-, fill-, and seal machine, type: SW2500, machine number: 10500366, year of construction: 2001, 230/400 V, 50 Hz, diameter filling pipe: Ø 135 mm, vertical seal length: 150 mm, horizontal seal length: 280 mm, film width: 530 mm, Videojet inkjet printer, model: 8.4 Clarity, total dimensions: 2300 mm x 1300 mm x 1850 mm.	1500
163	Innotech	Innotech vertical bag form-, fill-, and seal machine, type: S.2500, machine number: 105 00 366, year of construction: 2000, 230/400 V, 50 Hz, filling pipe: Ø 150 mm, vertical seal	1500



Nr	Title	Description	Start €
		length: 170 mm, horizontal seal length: 280 mm, film width: 550 mm, Altech labeler, model: ALritma S, serial number: 1701051318818, year of construction: 2017, total dimensions: 2520 mm x 1300 mm x 2100 mm.	
164	Jasa Packaging Systems	Jasa Packaging Systems vertical bag form-, fill-, and seal machine, type: JASA 250, machine number: 10763, year of construction: 2001, 400 V, 3 Ph, 16 A, 2.5 kW, 6 bar, vertical seal length: 450 mm, horizontal seal length: 270 mm, film width: 570 mm, Altech labeler, model: ALritma S, serial number: 1802051320686, year of construction: 2018, total dimensions: 1800 mm x 1250 mm x 2180 mm. Without filling pipe.	1000
165	Minebea Intec	Minebea Intec elevating metal detector, type: Vistus-C 40 x 30, serial number: VISTUS_2-35137529, year of construction: 2017, 100/240 V, 50/60 Hz, clearance: 400 mm x 175 mm, plastic belt, belt width: 360 mm, elevating height: 1200 mm, total dimensions: 4400 mm x 1000 mm x 1680 mm.	1500
166	Scotraco B.V.	Scotraco B.V. s/s turning table, type: Ø1250 mm H-850 mm, number: 10/04/2026, 400 V, 0.25 kW, speeds: 3.100 1/min, machine weight: 95 kg, dimensions: Ø 1250 mm x 850 mm.	750
167	NN tool trolley	S/s tool trolley, dimensions: 1550 mm x 1100 mm x 1740 mm.	150
168	NN press	S/s mobile press, clearance: 240 mm x 150 mm, press: 250 mm x 160 mm, total dimensions: 900 mm x 720 mm x 1680 mm.	100
169	Foodeq Engineering bv	Foodeq Engineering bv vibrating gutter, type: SH-60 (VCM-DO46-135), serial number: 20047-010, production date: 25-05-2019, gutter length: 1330 mm, gutter width: 450 mm, infeed clearance: 680 mm x 700 mm, total dimensions: 1550 mm x 900 mm x 2200 mm. Including switch cabinet, dimensions: 900 mm x 350 mm x 1690 mm.	1000
170	Herbort	Herbort homogenizer, model: 159 CVM, number: 159/28179, year of construction: 2013, machine weight: 650 kg, inside dimensions: Ø 500 mm x 550 mm, total dimensions: 2000 mm x 1580 mm x 2030 mm. Last revised in 2024.	7500
171	Ishida	Ishida checkweigher with rejector, type: DACS-G-S015-35-WP-I-S, serial number: 56001597, maximum: 600 g / 1500 g, minimum: 8.2 g / 35 g, e=d= 0.2 g / 05 g, clearance: 470 mm x 290 mm, plastic belt, belt width: (2x) 320 mm, total dimensions: 1750 mm x 1200 mm x 1900 mm. (1x) Missing belt.	750
172	Scotraco B.V.	Scotraco B.V. s/s turning table, type: Ø1250 mm H-850 mm, number: 09/04/2026, 400 V, 0.25 kW, speeds: 3.100 1/min, machine weight: 95 kg, dimensions: Ø 1250 mm x 850 mm.	750
173	Grundfos	Grundfos circulation pump unit, consisting of: 2 Grundfos circulation pumps, type: (2x) GNVP DN50w.DN32 PN16/60°C, production number: (2x) 98595908, dimensions: 1750 mm x 1000 mm x 1450 mm.	400



Nr	Title	Description	Start €
174	Grundfos	Grundfos circulation pump, type: CRIE15-12 A-FGJ-A-E-HQQE, model: A96514523P31901, serial number: 0003, 50/60 Hz, 18.5 kW, dimensions: 500 mm x 450 mm x 1500 mm.	250
175	Grundfos	Grundfos circulation pump, type: CRIE15-12 A-FGJ-A-E-HQQE, model: A96514523P31901, serial number: 0001, 50/60 Hz, 18.5 kW, dimensions: 500 mm x 450 mm x 1500 mm.	250
176	Grundfos	Grundfos circulation pump, type: CRIE15-12 A-FGJ-A-E-HQQE, model: A96514523P31901, serial number: 0002, 50/60 Hz, 18.5 kW, dimensions: 500 mm x 450 mm x 1500 mm.	250
177	Grundfos	Grundfos s/s switch cabinet, dimensions: 930 mm x 430 mm x 2160 mm.	250
178	NN pallet rack	Pallet rack, consisting of: (9x) uprights, dimensions uprights: (9x) 1600 mm x 3500 mm. (10x) beams, beam length: (5x) 2750 mm, (5x) 1450 mm. (3x) rails with platform, rails length: (3x) 6300 mm, platform: (3x) 1900 mm x 1200 mm.	500
179	NN parts	Pallet with large amount of different parts.	250
180	NN parts	Pallet with large amount of different parts, among others: safety hooks, screws.	150
181	NN washing drums	2 Pallet with large amount of drums for washing machine, perforations: Ø 15 mm, Ø 20 mm.	50
182	NN parts	Pallet box with large amount of various parts, among others: electric parts, cable.	150
184	NN parts	Pallet box with large amount of various parts, among others: Danfoss frequency converters.	500
185	NN parts	Pallet box with large amount of: small belts.	150
186	NN parts	Pallet box with large amount of: cables.	150
187	NN parts	Pallet box with large amount of various parts, among others: Electric parts.	150
190	NN parts	Pallet box with large amount of parts, among others: bearings.	250
191	NN parts	Pallet box with large amount of various parts, among others: cables, aquatherm GmbH.	250
192	NN parts	Pallet box with large amount of various parts, among others: cables, bearings.	150
193	NN parts	Pallet box with large amount of various parts, among others: transport belts, rollers, electric parts, Toshiba printer.	150
194	NN parts	Pallet box with large amount of different parts.	150
195	NN parts	Pallet box with large amount of various parts, among others: bearings, motor, sensors.	150
196	NN belts	Pallet with large amount of plastic belts, belt width: 400 mm.	150
197	NN parts	Pallet with large amount various parts, among others: belts, cables	150
198	NN parts	Pallet box with large amount of various parts, among others: filter parts, UV-lights, motor.	100



Nr	Title	Description	Start €
199	Witt-Gasetechnik	Pallet box with Witt-Gasetechnik gas mixing station, type: KM 200-2 MEM, serial number: 65758, year of construction: 2005, gas: CO ₂ / N ₂ , 5 bar. Including parts.	150
200	NN parts	Pallet box with large amount of various parts, among others: plastic belts, belt width: 500, plastic belts with dividers, belt width: 280 mm, dividers height: 20 mm, distance between dividers: 200 mm, Hoses.	150
201	NN parts	Pallet box with large amount of parts, among others: cables.	150
202	NN belts	Pallet with belts and film, plastic belt width: 400 mm, film width: 300 mm.	75
203	Agrimagic	Agrimagic inox peeler, model: Strip Inox, serial number: NS11127, 230 V, 50/60 Hz, 1.5 A, 0.21 kW, dimensions: 500 mm x 380 mm x 420 mm.	75
204	NN slicer	S/s slicer, knife: Ø 100 mm, 8 parts, total dimensions: 550 mm x 420 mm x 750 mm.	50
205	Agrimagic	Agrimagic slicer, 8 knives, distance between knives: 15 mm, total dimensions: 400 mm x 360 mm x 930 mm.	50
206	Agrimagic	Agrimagic inox peeler, model: Strip Inox, serial number: NS11126, 230 V, 50/60 Hz, 1.5 A, 0.21 kW, dimensions: 500 mm x 380 mm x 420 mm.	75
207	Constructor Dexion Holland bv	Constructor Dexion Holland bv pallet rack, consisting of: (27x) uprights, upright dimensions: (27x) 880 mm x 3500 mm. (48x) beams, beam length: (48x) 1450 mm. (8x) rails with (8x) platform, rails length: (8x) 4200 mm, platform: (8x) 1050 mm x 1200 mm.	250
208	Constructor Dexion Holland bv	2 Constructor Dexion Holland bv pallet rack, consisting of: (54x) uprights, upright dimensions: (54x) 880 mm x 3500 mm. (96x) beams, beam length: (96x) 1450 mm. (16x) rails with (16x) platform, rails length: (16x) 4200 mm, platform: (16x) 1050 mm x 1200 mm.	500
209	Constructor Dexion Holland bv	Constructor Dexion Holland bv pallet rack, consisting of: (27x) uprights, upright dimensions: (27x) 880 mm x 3500 mm. (48x) beams, beam length: (48x) 1450 mm. (8x) rails with (8x) platform, rails length: (8x) 4200 mm, platform: (8x) 1050 mm x 1200 mm.	250
210	Entec Holland	Entec Holland filter unit, dimensions: 620 mm x 430 mm x 1150 mm.	100
211	Urschel Laboratories, INC.	Urschel Laboratories, INC. Mobile slicer, model number: OV, serial number: 1389, year of construction: SPT 1999, infeed clearance: 630 mm x 380 mm, plastic belt, belt width: 65 mm, knife: Ø 430 mm, chamber: 70 mm x 70 mm, total dimensions: 2100 mm x 900 mm x 1120 mm. Incomplete. Technical condition unknown.	2500
212	Urschel Laboratories, INC.	Urschel Laboratories, INC. Mobile slicer, model number: GK-A, serial number: 4725, year of construction: 09, infeed clearance: 460 mm x 300 mm, knife: Ø 320 mm, knife width: 100 mm, total dimensions: 1000 mm x 1050 mm x 1470 mm. Incomplete. Technical condition unknown.	2500



Nr	Title	Description	Start €
213	Urschel Laboratories, INC.	Urschel Laboratories, INC. Mobile slicer, model number: RA-A, serial number: 2298, year of construction: 00, infeed clearance: 330 mm x 350 mm, knife: Ø 320 mm, knife width: 100 mm, total dimensions: 1000 mm x 1050 mm x 1470 mm. Incomplete. Technical condition unknown.	2500
214	Urschel Laboratories, INC.	Urschel Laboratories, INC. Mobile slicer, model number: OV, serial number: 1484, infeed clearance: 630 mm x 380 mm, plastic belt, belt width: 65 mm, knife: Ø 430 mm, chamber: 70 mm x 70 mm, total dimensions: 2100 mm x 900 mm x 1120 mm. Incomplete. Technical condition unknown.	2500
215	Urschel Laboratories, INC.	Urschel Laboratories, INC. Mobile slicer, model number: G-A, serial number: 4806, year of construction: 12, infeed clearance: 480 mm x 390 mm, knife: Ø 350 mm, knife width: 140 mm, total dimensions: 1600 mm x 800 mm x 1170 mm. Including (2x) outfeed cover. Incomplete. Technical condition unknown.	2500
216	Urschel Laboratories, INC.	Urschel Laboratories, INC. Mobile slicer, model number: G-A, serial number: 3819, year of construction: 97, infeed clearance: 480 mm x 390 mm, knife: Ø 350 mm, knife width: 140 mm, total dimensions: 1600 mm x 800 mm x 1170 mm. Incomplete. Technical condition unknown.	2500
217	NN trolley with knife	S/s trolley with knife for slicer, knife: Ø 600 mm, total dimensions: 640 mm x 580 mm x 980 mm. Including 3 knife covers.	150
218	NN tool trolley	S/s tool trolley with (3x) knife for slicer, knife: (3x) 600 mm, total dimensions: 1850 mm x 950 mm x 1500 mm.	150
219	Kronen	Kronen belt slicer, type: GS 10, serial number: 1403, year of construction: 2007, 230 V, 1 Ph, 50/60 Hz, 1.8 kW, plastic belt, belt width: (2x) 120 mm, clearance: 260 mm x 320 mm, chamber: 120 mm x 110 mm, total dimensions: 1480 mm x 650 mm x 1320 mm. Incomplete.	750
220	Urschel Laboratories, INC.	Pallet box with large amount of: Urschel Laboratories, INC. Slicer parts, among others: knives, Ø 420 mm, Ø 600 mm, knife width: 120 mm, 180 mm.	1000
221	Stephan Alvac	Stephan Alvac mobile vacuum machine, type: Packman XL-KL, machine number: 0058-5284, year of construction: 2008, 230/400 V, 3 Ph, 50 Hz, 6.6/3.9 A, 1.5 kW, 2 Hp, seal length: (2x) 460 mm, (2x) 770 mm, chamber: 780 mm x 530 mm x 200 mm, total dimensions: 700 mm x 880 mm x 1000 mm.	400
222	Het Packhuys	Het Packhuys s/s weighing unit, model: RSC9200, serial number: TopC01-RSC9200-0, TopControl display, dimensions: 1050 mm x 900 mm x 1790 mm.	150
223	Kronen	Kronen mobile vegetable slicer, type: CAP-68, serial number: 212, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 1.7 kW, infeed: Ø 260 mm, knife: Ø 680 mm, total dimensions: 1700 mm x 1000 mm x 1680 mm.	1500
224	Kronen		750



Nr	Title	Description	Start €
		Kronen belt slicer, plastic belt, belt width: 120 mm, total dimensions: 1500 mm x 550 mm x 1300 mm. Switch cabinet incomplete.	
225	Bandall	Bandall binding machine with Novex Solutions GmbH labeler, type: BA32-20-50-ERH, machine number: 25759062, production date: 2019, 230 V, 50/60 Hz, clearance: 360 mm x 200 mm, Novex labeler, type: PEM, serial number: 125267, year of construction: 2018, 100/240 V, 60/50 Hz, 2.0/0.6 A, label width: 50 mm, total dimensions: 1150 mm x 600 mm x 1670 mm.	1500
226	Bandall	Bandall mobile binding machine, type: BA 32-102, machine number: 9142045, 230 V, 50 Hz, clearance: 400 mm x 210 mm, total dimensions: 660 mm x 810 mm x 1890 mm.	750
227	Ulma	Ulma mobile shrink tunnel, model: TR 65x100 H400, machine number: 4515117, year of construction: 2014, 400 V, 50 Hz, 31.1 A, 21.5 kW, steel belt, belt width: 645 mm, clearance: 640 mm x 430 mm, total dimensions: 1800 mm x 1400 mm x 1800 mm.	1500
228	Safeline Mettler-Toledo Garvens GmbH	Safeline Mettler-Toledo Garvens GmbH metal detector with checkweigher, type metal detector: R Series Profile, serial number: 108910, type checkweigher: XS 3 CC, fabrication number: 35002725, year of construction: 2011, 100-240 V, 50-60 Hz, maximum weight: 1000 gram, minimum weight: 7 gram, e=d= 0.5 gram, T=-900 gram, plastic belt, belt width: 250 mm, total dimensions: 2450 mm x 1300 mm x 1780 mm.	3000
229	Jasa Packaging Systems	Jasa Packaging Systems can fill and closing line, consisting of: Denester for cups, type: ONT4 Shaker, machine number: 11905, year of construction: 2010, 400 V, 3 Ph, 16 A, 0.37 kW, 6 bar, machine weight: 250 kg, 4-lanes, clearance denester: Ø (4x) 95 mm, total dimensions: 1000 mm x 1400 mm x 1810 mm. Denester for lids, type: ONT4 Deksels, machine number: 11806, year of construction: 2010, 400 V, 3 Ph, machine weight: 250 kg, 4-lanes, clearance denester: (4x) Ø 100 mm, total dimensions: 1330 mm x 1060 mm x 1800 mm. Transport belt, belt with dividers, dividers: Ø 75 mm, distance between dividers: 20 mm, total dimensions: 4400 mm x 610 mm x 1450 mm. Transport belt, type: MAB200P, machine number: 11908, 230 V, 1 Ph, 16 A, 0.25 kW, machine weight: 250 kg, plastic belt, belt width: 130 mm, total dimensions: 3950 mm x 610 mm x 920 mm. Markem-Imaje S.A.S. inkjet printer, type: 9232, serial number: FR13130324, year of construction: MARCH 2013, 100/240 V, 1 Ph, 50/60 Hz, 0.5/0.3 A, dimensions: 450 mm x 360 mm x 1520 mm.	2500
230	Jasa Packaging Systems / Multiweigh	Jasa Packaging Systems / Multiweigh weighing and filling line, consisting of: Jasa Packaging Systems elevating belt, type: TB BCK C83, machine number: 12211, year of construction: 2013, 230 V, 1 Ph, machine weight: 350 kg,	2500



Nr	Title	Description	Start €
		plastic belt with dividers, belt width: 400 mm, 500 mm, dividers height: 30 mm, distance between dividers: 100 mm, elevating height: 2800 mm, total dimensions: 4000 mm x 750 mm x 2850 mm. Multiweigh 14-heads multihead weigher, type: HDW 14 1.0 15KG, serial number: 503, year of construction: 2011, 230 V, 50 Hz, 65 lp, 6 bar, maximum: 1000 g, minimum: 22 g, each basket: 170 mm x 120 mm x 230 mm, 4 filling heads, type: Vulstation, machine number: 11903, year of construction: 2010, 6 bar, machine weight: 50 kg, total dimensions: 910 mm x 900 mm x 1100 mm.	
231	Multipond	Multipond mobile 14-heads multihead weigher, type: MP 1424-FF, serial number: M1722, year of construction: 2002, 400 V, 3 Ph, 50 Hz, maximum weight: 10 kg, minimum weight: 200 g, d=1/2 g, dimensions: 1950 mm x 1650 mm x 1650 mm. Without control panel.	2500
232	Kotas	Kotas mobile vacuum sweeper, type: 125 EH, serial number/year of construction: 134/260308, working width: 1100 mm, total dimensions: 2020 mm x 1200 mm x 1460 mm.	500
233	NN office chairs	(14x) office chairs, (4x) chairs.	150
234	NN small office cabinets	13 small office cabinets, different dimensions.	150
235	NN office equipment	Large amount of different office equipment, among others: lockers, football table, table tennis table, office cabinets, office desk, tiles, waste containers, trolleys.	500
236	Arnoudse	Arnoudse tool trolley, 4 drawers, 4 steps, total dimensions: 1950 mm x 600 mm x 1360 mm.	150
237	NN tool trolley	Tool trolley, 4 drawers, dimensions: 1120 mm x 600 mm x 1360 mm.	100
238	NN binding trolley	Trolley with binding unit, dimensions: 1120 mm x 720 mm x 2070 mm.	75
239	Altrex	2 Altrex stairs, (2x) 8 steps, dimensions: (2x) 345 mm x 70 mm x 2050 mm.	25
240	Viper	Viper walk behind scrub machine, model: LS160HD, serial number: EU010452Q, 220/240 V, 50 Hz, 1800 W, weight: 36 kg, working width: Ø 400 mm, total dimensions: 560 mm x 400 mm x 1200 mm.	25
241	Vogelsang	Vogelsang steel pallet rack, type: Palletstelling, year of construction: 2005, consisting of: (9x) uprights, uprights dimensions: (9x) 1100 mm x 4970 mm. (24x) beams, beam length: (20x) 3350 mm, (4x) 1850 mm.	150
242	Vogelsang	Vogelsang steel pallet rack, type: Palletstelling, year of construction: 2005, consisting of: (4x) uprights, uprights dimensions: (4x) 1100 mm x 4970 mm. (18x) beams, beam length: (18x) 3350 mm.	150
243	Viscon B.V.	Viscon B.V. transport belt, type: Vikon, serial number: 9000034.10.3, year of construction: 2024, machine weight: 40.4 kg, plastic belt, belt width: 300 mm, total dimensions: 1400 mm x 400 mm x 930 mm.	150



Nr	Title	Description	Start €
244	NN transport belt	Transport belt, s/s frame, belt width: 180 mm, total dimensions: 2700 mm x 250 mm x 970 mm. Without belt.	75
245	NN parts	Rack with large amount of parts, among others: motors, pumps, belts.	750
246	Fuji Machinery Co.,LTD.	Pallet box with Fuji Machinery Co.,LTD. parts, among others: plastic belts, belt width: 25 mm, 240 mm, 160 mm, Fuji electric servo drive.	1500
247	NN electrical cable reels	(3x) electrical cable reels.	50
248	NN fan	Fan, type: HCFB?4-500/H-A, number: 1003168154, year of construction: 2020, 230 V, 50 Hz, 2.90 A, 0.67 kW, 1379 Rpm, working temperature: -40/70°C, fan: Ø 520 mm, total dimensions: 630 mm x 630 mm x 200 mm.	25
249	Dantherm Sp. Z o.o.	Dantherm Sp. Z o.o. heater, model: B 5 ECA, serial number: 4615.107, year of construction: 12.2021, 400 V, 50 Hz, 7.2 A, 5 kW, dimensions: 300 mm x 260 mm x 400 mm.	25
250	Leuze Electronic	4 Leuze Electronic light grid, model: (1x) MLD300, (1x) MLD-M003, serial number: (1x) 70001952461, year of construction: (1x) NOV 2019, (1x) 2012, 24 V, 67 Ip, temperature range: -30°C - +55°C, beam distance: (1x) 500 mm, (1x) 400 mm.	50
251	Hugo Brennenstuhl GmbH & Co.KG.	2 Hugo Brennenstuhl GmbH & Co.KG. Power strips, 220/250 V, 50/60 Hz, 16 A, 55 Ip, maximum: 3500 W, (2x) 5 places, dimensions: (2x) 500 mm x 80 mm x 60 mm.	10
252	NN roller conveyor	S/s roller conveyor, plastic rollers, roller width: 440 mm, total dimensions: 2690 mm x 500 mm x 60 mm.	25
253	MiTower	MiTower mobile scaffolding, consisting of: (8x) uprights, uprights dimensions: 720 mm x 1090 mm, (5x) beams, beam length: (5x) 1200 mm x 440 mm. (4x) easy lock beams, easy lock beams length adjustable. Total dimensions: 1200 mm x 720 mm x 1300 mm.	150
254	NN parts	S/s rack with parts, 5 floors, dimensions: 1540 mm x 620 mm x 2000 mm.	100
255	NN trolley	Steel trolley, 3 floors, dimensions: 1070 mm x 420 mm x 950 mm.	25
256	Bito	Bito pallet rack, type: PT 95L-2.200 mm, consisting of: (3x) uprights, upright dimensions: (3x) 1100 mm x 5000 mm. (12x) beams, beams length: (12x) 2280 mm. Including content.	250
257	NN warning poles	8 plastic warning poles, band length: 4000 mm, pole dimensions: Ø 70 mm x 1000 mm.	25
258	NN rollers	9 s/s rollers, roller width: (8x) 500 mm, (1x) 600 mm.	50
259	NN chain belts	Pallet box with large amount of: chain belts.	150
260	NN parts	Pallet with large amount of different parts, among others: seal bars, belts,	150
261	NN parts	Pallet with large amount of different parts, among others: cogwheels.	150



Nr	Title	Description	Start €
262	Vogelsang	Vogelsang steel pallet rack, type: Palletstelling, year of construction: 2005, consisting of: (4x) uprights, uprights dimensions: (4x) 1100 mm x 4970 mm. (12x) beams, beam length: (12x) 3350 mm, (4x) 1850 mm.	150
263	Samsung	2 Samsung printers, dimensions: (1x) 550 mm x 630 mm x 1100 mm, (1x) 520 mm x 460 mm x 970 mm.	100
264	NN waste bags	Large amount of: plastic waste bags, each box: 15 rolls with 10 bags.	25
265	DEC	DEC behind walk scrub machine, model: 380, 230 V, 50 Hz, 23 Ip, 1400 W, machine weight: 36 kg, working width: 450 mm, total dimensions: 830 mm x 450 mm x 500 mm.	25
266	NN grill	S/s grill, gas heated, dimensions: 660 mm x 550 mm x 820 mm. Including gas cylinder and belt, belt width: 500 mm.	25
267	OMM Lavapavimenti srl	OMM Lavapavimenti srl mobile scrub machine, model: 1000 MAGNUM, serial number: 05_18 00514, 36 V, 3600 W, gross weight: 860 kg, net weight: 390 kg, brush motor: 1x1800 W, vacuum motor: 2x600 W, traction motor: 1x800 W, working width: 1200 mm, total dimensions: 1900 mm x 1200 mm x 1450 mm. Including charger.	75
268	NN strapping trolley	Strapping trolley, dimensions: 500 mm x 400 mm x 1100 mm.	25
269	NN trolley	Steel trolley, 3 floors, dimensions: 940 mm x 420 mm x 1320 mm.	10
270	NN tables	2 Steel mobile tables with wooden top, dimensions: (2x) 700 mm x 700 mm x 960 mm.	10
271	Wortmann Milieutechniek	Wortmann Milieutechniek tilting device, type: HKV-R240/660, machine number: 13.107, year of construction: 2005, 400 V, 2.2 kW, machine weight: 700 kg, load weight: 400 kg, width: 1300 mm, total dimensions: 2350 mm x 2000 mm x 2550 mm.	250
272	NN workbench	Aluminum workbench with wooden top and Tacna balancer, dimensions: 2020 mm x 1250 mm x 2380 mm.	25
273	NN cabinet	Wooden cabinet, 3 floors, dimensions: 1300 mm x 650 mm x 1050 mm.	10
274	Vogelsang	Vogelsang steel pallet rack, type: Palletstelling, year of construction: 2005, consisting of: (2x) uprights, uprights dimensions: (2x) 1100 mm x 4970 mm. (6x) beams, beam length: (6x) 3350 mm. Including content.	150
275	NN pallet boxen	10 plastic pallet boxen, dimensions: (10x) 1200 mm x 1000 mm x 750 mm.	250
276	Saturn	Pallet with large amount of: Saturn roller chain, total dimensions: 1100 mm x 700 mm x 700 mm.	150
277	Fuij Machinery Co.,LTD.	Fuij Machinery Co.,LTD. s/s mobile switch cabinet, dimensions: 600 mm x 230 mm x 730 mm.	75
278	NN chain belts	Pallet with large amount of: Chain belts.	150
279	Vogelsang	Vogelsang steel pallet rack, type: Palletstelling, year of construction: 2005, consisting of: (3x) uprights, uprights	250



Nr	Title	Description	Start €
		dimensions: (3x) 1100 mm x 4970 mm. (19x) beams, beam length: (19x) 3350 mm. Including content.	
280	NN welding curtains	Mobile welding curtains, dimensions: 1900 mm x 550 mm x 2050 mm.	10
281	Steenks	Steenks power hp unit with gas cylinders.	25
282	NN mesh belts	Large amount of plastic mesh belts, belt width: 650 mm, 450 mm.	50
283	NN plastic crates	Pallet with crates, dimensions: (41x) 600 mm x 400 mm x 200 mm, (20x) 600 mm x 400 mm x 150 mm.	25
284	NN stairs	Stairs, 14 steps, dimensions: 350 mm x 80 mm x 4060 mm.	50
285	Altrex	Altrex stair, (2x) 14 steps, dimensions: 2100 mm x 1180 mm x 4000 mm.	100
286	NN protection frames	Plastic protection frames, dimensions: (2x) 1150 mm x 180 mm x 1150 mm, (1x) 3100 mm x 180 mm x 1150 mm.	50
287	Ekwo	Ekwo whiteboard, dimensions: 1500 mm x 1000 mm.	5
288	Axolent	Axolent steel protection fence, model: XIT-R01-000, batch number: 477198, year of construction: 20230227, dimensions: 2860 mm x 1440 mm x 2070 mm.	50
289	NN office inventory	Office inventory, consisting of: (1x) office desk, dimensions: 1800 mm x 1000 mm x 720 mm, (1x) office chair.	50
290	NN office inventory	Office inventory, consisting of: (2x) office desks. (2x) office cabinets. (1x) small office cabinet. (2x) office chairs. (1x) table.	100
291	Perkins / Zwart Techniek Power Generation	Perkins / Zwart Techniek Power Generation generator, model: G582S, serial number: 175521, year of construction: 2007, 400/231 V, 50 Hz, 1054 A, 730 Kva, 580 kW, 1500 Rpm, machine weight: 6330 kg, total dimensions: 4300 mm x 1700 mm x 2240 mm.	17500
292	Atlas Copco	Atlas Copco screw compressor, type: GA22PLUS, number: API302439, year of construction: 2008, 2940 r/min, 22 kW, 9.8 bar, machine weight: 500 kg, dimensions: 1220 mm x 650 mm x 1420 mm.	750
293	Bora	Bora vacuum pump rack, consisting of: (3x) Gardner Denver vacuum pumps, type: (3x) SAP 450 (01), serial numbers: (1x) 2698079, (1x) 2720272, (1x) 2698080, year of construction: 07, capacity: 450/540 m³/h, dimensions: 2550 mm x 1100 mm x 1950 mm.	1000
294	Busch	Busch vacuum pump, type: RA 0063 F 4K3, serial number: DEM126030284, year of construction: 2026, capacity: 63 m³/h, dimensions: 600 mm x 320 mm x 290 mm.	400
295	Busch	Busch vacuum pump, type: RA 0063 F 4K3, serial number: DEM126030283, year of construction: 2026, capacity: 63 m³/h, dimensions: 600 mm x 320 mm x 290 mm.	400
300	Boonedam	2 Boonedam tourniquet, dimensions: (2x) 770 mm x 770 mm x 1020 mm.	150
301	Polar Refrigeration	Polar Refrigeration refrigerator, model number: CD616, serial number: CD616 335435, 230 V, 50 Hz, 3.3 A, refrigerant:	150



Nr	Title	Description	Start €
		R404A, refrigerant mass: 450 gr, (2x) 3 floors, floor dimensions: (6x) 600 mm x 500 mm, dimensions: 1330 mm x 810 mm x 1990 mm.	
302	NN snap frames	12 wall mounted snap frames, dimensions: (12x) 330 mm x 450 mm.	10
303	NN mailboxes	4 wall mounted mailboxes, dimensions: (4x) 360 mm x 115 mm x 310 mm.	25
304	NN office desk	Office desk, dimensions: (1x) 1750 mm x 900 mm x 750 mm, (1x) 1500 mm x 400 mm x 750 mm.	25
305	NN snap frames	5 wall mounted snap frames, dimensions: (5x) 330 mm x 450 mm.	10
306	NN lockers	6 steel lockers, (6x) 15 doors, inside dimensions: 480 mm x 390 mm x 340 mm, total dimensions: (6x) 1200 mm x 500 mm x 2190 mm.	250
307	NN dressing room bench	Dressing room bench, 16 pegs, dimensions: 2250 mm x 340 mm x 1710 mm.	25
308	Overtoom	2 Overtoom steel lockers, (2x) 2 doors, inside dimensions: 480 mm x 300 mm x 1430 mm, total dimensions: (2x) 500 mm x 630 mm x 1850 mm.	50
309	NN lockers	Steel locker, 15 doors, inside dimensions: 480 mm x 390 mm x 340 mm, total dimensions: 1200 mm x 500 mm x 2190 mm.	25
310	NN dressing room bench	2 dressing room bench, 16 pegs, dimensions: (2x) 2250 mm x 340 mm x 1710 mm.	50
311	NN dressing room bench	2 dressing room bench, 16 pegs, dimensions: (2x) 2250 mm x 340 mm x 1710 mm.	50
312	Implug	Implug wall mounted phone charger cabinet, 3 doors, dimensions: 180 mm x 230 mm x 670 mm.	50
313	Sony	Sony wall mounted television, dimensions: 980 mm x 120 mm x 640 mm.	50
314	NN snap frames	4 wall mounted snap frames, dimensions: (4x) 330 mm x 450 mm.	10
315	NN dressing room bench	Dressing room bench, 16 pegs, dimensions: 2250 mm x 340 mm x 1710 mm.	25
316	NN lockers	Steel locker, 15 doors, inside dimensions: 480 mm x 390 mm x 340 mm, total dimensions: 1200 mm x 500 mm x 2190 mm.	50
317	NN dressing room bench	Dressing room bench, 16 pegs, dimensions: 2250 mm x 340 mm x 1710 mm.	25
318	NN dressing room bench	2 dressing room bench, 16 pegs, dimensions: (2x) 2250 mm x 340 mm x 1710 mm.	50
319	NN coat rack	Coat rack, 20 pegs, dimensions: 670 mm x 670 mm x 1720 mm.	10
320	Evolar	Evolar air purifier, 220/110 V, 50 W, suggested application area: 35m ² , dimensions: 310 mm x 170 mm x 520 mm.	10
321	NN lockers	3 Steel locker, 15 doors, inside dimensions: 480 mm x 390 mm x 340 mm, total dimensions: (3x) 1200 mm x 500 mm x 2190 mm.	150
322	NN lockers		150



Nr	Title	Description	Start €
		3 Steel locker, 15 doors, inside dimensions: 480 mm x 390 mm x 340 mm, total dimensions: (3x) 1200 mm x 500 mm x 2190 mm.	
323	NN dressing room bench	Dressing room bench, 16 pegs, dimensions: 2250 mm x 340 mm x 1710 mm.	25
324	NN lockers	4 Steel locker, 15 doors, inside dimensions: 480 mm x 390 mm x 340 mm, total dimensions: (4x) 1200 mm x 500 mm x 2190 mm.	200
325	Combisteel	Combisteel freezer, model: 7950.3665, serial number: ST084007G60B006, 230 V, 50 Hz, 2.8 A, refrigerant: R404A, refrigerant mass: 380 gr 3 floors, floor dimensions: (3x) 600 mm x 500 mm, total dimensions: 810 mm x 680 mm x 2020 mm.	150
326	Combisteel	Combisteel freezer, model: 7950.3665, serial number: ST084007G60B008, 230 V, 50 Hz, 2.8 A, refrigerant: R404A, refrigerant mass: 380 gr, 3 floors, floor dimensions: (3x) 600 mm x 500 mm, total dimensions: 810 mm x 680 mm x 2020 mm.	150
327	Oasis	Oasis water dispenser, model: POU1ACTHSKY, serial number: 2410208880, 220/240 V, 1 Ph, 50/60 Hz, 2.5/0.75 A, 450 W, dimensions: 350 mm x 340 mm x 430 mm.	25
328	Hendi	Hendi microwave, serial number: HK039823-281444-000128, year of construction: 06/2023, 230 V, 50 Hz, input power: 1550 W, output power: 1000 W, volume: 25 liter, dimensions: 511 mm x 432 mm x 311 mm.	10
329	Rentokil	Rentokil insect killer, dimensions: 550 mm x 160 mm x 290 mm.	10
330	NN table	Steel table with wooden top, dimensions: 800 mm x 800 mm x 750 mm.	10
331	G-Line	G-Line refrigerator, model: Koelkast 600 liter, 220/240 V, 50 Hz, 2.4 A, refrigerant: R600a/55g, climate type: 4, weight: 84 kg, volume: 600 liter, 3 floors, floor dimensions: 500 mm x 630 mm, total dimensions: 750 mm x 780 mm x 1900 mm.	100
332	NN Canteen inventory	Canteen inventory, consisting of: (2x) Steel table with wooden top, (1x) Canteen bench.	150
333	NN Canteen inventory	Canteen inventory, consisting of: (6x) Canteen table, dimensions: (6x) 3200 mm x 800 mm x 760 mm. Large amount of: chairs.	300
334	NN Canteen inventory	Canteen inventory, consisting of: (2x) Steel table with wooden top, (1x) Canteen bench.	150
335	NN Canteen inventory	Canteen inventory, consisting of: (2x) Canteen table, dimensions: (2x) 3200 mm x 800 mm x 760 mm. Large amount of: chairs.	100
336	NN table	Wooden table, dimensions: 1880 mm x 940 mm x 940 mm.	50
337	NN waste bag holder	Steel waste bag holder, dimensions: Ø 640 mm x 980 mm.	10
338			150



Nr	Title	Description	Start €
	NN Canteen inventory	Canteen inventory, consisting of: (2x) Steel table with wooden top, (1x) Canteen bench.	
339	NN Canteen inventory	Canteen inventory, consisting of: (3x) Steel table with wooden top, (1x) Canteen bench.	150
340	NN waste bag holder	Steel waste bag holder, dimensions: Ø 640 mm x 980 mm.	10
341	Mobile Containing	Mobile Containing s/s trolley for serving trays, model: ORT-MS/D voor dienbladen 460 x 360 mm, serial number: 135987, year of construction: 2008, clearance: 460 mm x 360 mm, total dimensions: 540 mm x 470 mm x 900 mm.	10
342	NN Canteen counter	Canteen counter with showcases for hot and cold food, (2x) Wehako cooled showcases, (1x) Wehako heated showcase, total dimensions: 3360 mm x 5980 mm x 1650 mm.	500
343	Eijsink	Eijsink cash register, dimensions: 410 mm x 420 mm x 400 mm.	100
344	Liebherr	Liebherr refrigerator, model: UKU 1800 Index 20F / 001, serial number: 79.457.768.9, 220/240 V, 50 Hz, 1 A, 100 W, refrigerant: R600a/35 g, volume: 180 liter, dimensions: 650 mm x 600 mm x 850 mm.	25
345	Erre 2	Erre 2 kitchen, type: 700/050 A, serial number: AS00854001, 400 V, 3 Ph, 10.4 kW, consisting of: double fryer, 4-pits stove, grill, total dimensions: 3600 mm x 700 mm x 1050 mm.	500
346	NN extraction hood	S/s extraction hood, dimensions: 4800 mm x 1100 mm x 450 mm.	250
347	MKN Maschinenfabrik Kurl Neubauer GmbH & Co. KG	MKN Maschinenfabrik Kurl Neubauer GmbH & Co. KG combi steamer, type: FKCOD615T0007, serial number: 23007213, year of construction: 2023, 380/415 V, 3 Ph, 50 Hz, 10.40 kW, machine weight: 130 kg, 6 floors, plate dimensions: 570 mm x 490 mm, total dimensions: 860 mm x 1000 mm x 1700 mm.	500
348	NN cabinets	3 wall mounted cabinets, dimensions: (3x) 1000 mm x 400 mm x 610 mm.	75
349	Tecnodom	Tecnodom cooling cabinet, 3 doors, dimensions: 1880 mm x 730 mm x 910 mm.	100
350	NN double sink	S/s double sink with faucet, dimensions: 1830 mm x 700 mm x 930 mm.	75
351	Polar Refrigeration	Polar Refrigeration mobile double doors refrigerator, model number: G594-E, serial number: G594-E 5022975, 230 V, 50 Hz, 4.0 A, 600 W, refrigerant: R134a, refrigerant mass: 300 g, (2x) 3 floors, floor dimensions: (6x) 600 mm x 500 mm, total dimensions: 1340 mm x 810 mm x 2000 mm.	200
352	Polar Refrigeration	Polar Refrigeration mobile refrigerator, model number: G593-E, serial number: G593-E 5063604, 230 V, 50 Hz, 2.8 A, 600 W, refrigerant: R404A, refrigerant mass: 390 g, 3 floors, floor dimensions: 600 mm x 500 mm, total dimensions: 680 mm x 820 mm x 2000 mm.	150
353	NN racks	2 plastic racks, (2x) 4 floors, dimensions: (1x) 1770 mm x 400 mm x 1810 mm, (1x) 870 mm x 400 mm x 1810 mm.	10



Nr	Title	Description	Start €
354	Metos	Metos dishwashing line, consisting of: Wexiödisk dishwasher, type: WD-6, serial number: WD2020156, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 16 A, 0.9/10.8/9.9 kW, clearance: 500 mm x 500 mm, total dimensions: 700 mm x 680 mm x 1400 mm. 2 Dishwashing table, dimensions: (1x) 2750 mm x 1110 mm x 900 mm, (1x) 1900 mm x 750 mm x 900 mm, Nu-Air extraction hood, type: MDV/VDV, number: OR0711278, year of construction: 2-2008, dimensions: 1000 mm x 950 mm x 480 mm.	400
355	NN cabinets and trolley	2 s/s cabinets with wooden door, (2x) 4 floors, cabinet dimensions: (2x) 700 mm x 600 mm x 1800 mm. S/s trolley with plastic floors, 2 floors, dimensions: 830 mm x 500 mm x 910 mm.	75
356	NN chairs	11 chairs, dimensions: (11x) 550 mm x 500 mm x 850 mm.	50
357	Sony	Sony wall mounted television, dimensions: 980 mm x 120 mm x 640 mm.	50
358	NN trolley	Steel mobile trolley, 3 floors, dimensions: 1040 mm x 1500 mm x 1550 mm.	50
359	Denon / Panasonic	Denon / Panasonic sound system, consisting of: (x) 4 Panasonic speakers, (1x) Denon sound control panel.	150
360	NN bar counter	Bar counter with draft beer taps, dimensions: 4000 mm x 2160 mm x 1200 mm.	500
361	Exquisit	Exquisit refrigerator, model: KS 17 RV A+, 220/240 V, 50 Hz, 0.5 A, refrigerant: R600a/15g, volume: 130 liter, weight: 34 kg, dimensions: 540 mm x 540 mm x 850 mm.	25
362	Exquisit	Exquisit refrigerator, model: KS 17 RV A+, 220/240 V, 50 Hz, 0.5 A, refrigerant: R600a/15g, volume: 130 liter, weight: 34 kg, dimensions: 540 mm x 540 mm x 850 mm.	25
364	Just One	Just One paper dispenser, dimensions: 350 mm x 190 mm x 670 mm.	10
365	Palmberg	2 Palmberg office cabinets, 4 floors, dimensions: (2x) 1000 mm x 350 mm x 1920 mm. (1x) door broken.	50
366	Sony	Sony wall mounted television, dimensions: 980 mm x 120 mm x 640 mm.	50
367	Sony	Sony wall mounted television, dimensions: 980 mm x 120 mm x 640 mm.	50
368	NN world map	World map, dimensions: 2000 mm x 1400 mm.	25
369	NN trolleys	3 trolleys with 2 rollies, dimensions trolleys: (2x) 1060 mm x 700 mm x 1000 mm, (1x) 930 mm x 580 mm x 1000 mm.	25
370	NN office inventory	Office Inventory, among others: Monitors, Cabinets, Computers, Phones, Keyboards. Go Pro.	400
371	NN electrical parts	Electrical parts, among others: Scanners, Laptop, Computers, Camera, cables. Printer parts.	400
372	Samsung	Samsung television on trolley, model: UE5STU7022K, type: UESSTU7022, serial number: ODCM3SJR302987W, 220/240 V, 50/60 Hz, 145 W, dimensions: 1230 mm x 430 mm x 1750 mm.	100



Nr	Title	Description	Start €
373	Oasis	Oasis water dispenser, model: POU1ACTHSKY, serial number: 2347225367, 220/240 V, 1 Ph, 50/60 Hz, 2.5/0.75 A, 450 W, dimensions: 350 mm x 340 mm x 430 mm.	25
374	Testo	Testo sound level meter, serial number: 30825399/809, dimensions: 280 mm x 120 mm x 50 mm.	10
375	Samsung	Samsung tablet, dimensions: 175 mm x 275 mm x 20 mm.	10
376	Apple	Apple iPad with logi keyboard, model: A1822, serial number: F9JTV44EHLF9, dimensions: 250 mm x 180 mm x 10 mm.	25
377	Apple	4 Apple iPhone, model: iPhone 6 (S).	25
378	Domo	Domo heater, model: DO7324F, year of construction: 2023, 220-240 V, 50 Hz, 1800-2000 W, dimensions: 220 mm x 130 mm x 290 mm.	10
379	NN office chair	Mobile office chair, dimensions: 650 mm x 600 mm x 1100 mm.	25
380	Hendi	10 pcs. Hendi insulated portable containers, volume: 10 liter and 20 liter, diameter: 360 mm, height: 370 mm / 400 mm.	25
381	Nitea	Nitea clocking system, dimensions: 210 mm x 130 mm x 260 mm.	25
382	NN tomato statue	Tomato statue, dimensions: 450 mm x 450 mm x 1600 mm.	25
383	NN chairs	2 chairs, dimensions: (2x) 720 mm x 660 mm x 780 mm.	50
384	NN rack	Steel rack with 5 wooden floors, dimensions: 1130 mm x 420 mm x 2000 mm.	25
385	NN office inventory	Office inventory consisting of (1x) office desk with mobile chair, (1x) cabinet and (1x) drawer cabinet.	100
386	NN conference table	Conference table with 8 chairs, dimensions table: 2600 mm x 1000 mm x 770 mm.	250
387	NN bulletin board	4 bulletin boards, dimensions: (3x) 1500 mm x 800 mm and (1x) 1950 mm x 800 mm.	10
388	NN conference table	Conference table with 14 chairs, dimensions table: 6000 mm x 2500 mm x 780 mm and dimensions chairs: (14x) 590 mm x 590 mm x 910 mm.	500
389	NN cabinets	2 office cabinets, dimensions: (2x) 1840 mm x 500 mm x 960 mm.	75
390	NN standard	Standard, 6 floors, dimensions: 770 mm x 450 mm x 1200 mm.	25
391	Just One	Just One paper dispenser, dimensions: 350 mm x 190 mm x 670 mm.	10
392	NN cabinet	S/s cabinet with wooden doors, dimensions: 1180 mm x 700 mm x 900 mm.	25
393	NN cabinets	4 wall mounted s/s cabinets with wooden doors, dimensions: (4x) 1000 mm x 390 mm x 610 mm. Including content.	75
394	Hendi / Tefal	Hendi microwave, year of construction: 2023, 230 V, 50 Hz, 1000 W, volume: 25 liter, dimensions: 510 mm x 430 mm x 310 mm and Tefal grill, 220-240 V, 50-60 Hz, 2000 W, dimensions: 660 mm x 330 mm x 100 mm.	25
395			250



Nr	Title	Description	Start €
	NN kitchen counter	Kitchen counter with double s/s sink, dimensions: 4050 mm x 700 mm x 910 mm.	
396	AEG	AEG dishwasher, type: GHE621CB4, serial number: 94414100, 220-240 V, 50 Hz, 1950 W, dimensions: 700 mm x 600 mm x 840 mm.	50
397	NN trolley	S/s trolley, 7 floors, dimensions: 700 mm x 600 mm x 910 mm.	25
398	NN waste bag holder	Waste bag holder, dimensions: 300 mm x 300 mm x 450 mm.	10
399	Satino	Satino paper dispenser, dimensions: 225 mm x 220 mm x 275 mm.	10
400	Fellowes	Fellowes paper shredder, 220-240 V, 50 Hz, 6.0 A, working width: 260 mm, total dimensions: 510 mm x 440 mm x 860 mm.	10
401	NN coat rack	Coat rack, 20 pegs, dimensions: 670 mm x 670 mm x 1720 mm.	10
402	NN office inventory	Office inventory consisting of (2x) office cabinets and whiteboard.	75
403	NN office inventory	Office inventory consisting of (1x) office desk, (1x) fan and (1x) coat rack.	75
404	NN office inventory	Office inventory consisting of (1x) office desk and (1x) chair.	50
405	NN office inventory	Office inventory consisting of (3x) office cabinets, (1x) small office cabinet, (1x) coat rack, 2 heaters and fan.	150
406	Overtoom	Overtoom steel locker, 3-doors, dimensions: 930 mm x 520 mm x 1750 mm.	25
407	NN cabinet	Steel cabinet with 4-drawers, dimensions: 620 mm x 840 mm x 1330 mm.	25
408	Cieba	6 Cieba office cabinets, dimensions: (6x) 1200 mm x 450 mm x 1970 mm.	100
409	NN fire resistant cabinet	Fire resistant cabinet, dimensions: 930 mm x 550 mm x 1950 mm.	150
410	NN fire resistant cabinet	Fire resistant cabinet, dimensions: 930 mm x 550 mm x 1950 mm.	150
411	NN fire resistant cabinet	Fire resistant cabinet, dimensions: 930 mm x 550 mm x 1950 mm.	150
412	NN fire resistant cabinet	Fire resistant cabinet, dimensions: 930 mm x 550 mm x 1950 mm.	150
413	NN table with chairs	Table with 3 chairs, dimensions table: 1500 mm x 1200 mm x 735 mm.	150
414	NN cabinets	4 wooden wall mounted cabinets, total dimensions: (4x) 1400 mm x 430 mm x 365 mm.	100
415	NN office desk	Office desk, dimensions: 1800 mm x 800 mm x 760 mm.	10
416	NN dispensers	S/s paper dispenser, dimensions: 190 mm x 300 mm x 400 mm and soap dispenser: 250 mm x 100 mm x 330 mm.	10
417	Sony	Sony wall mounted television, dimensions: 660 mm x 110 mm x 460 mm.	50



Nr	Title	Description	Start €
418	NN dispensers	S/s paper dispenser, dimensions: 190 mm x 300 mm x 400 mm and soap dispenser: 250 mm x 100 mm x 330 mm.	10
419	NN whiteboards	2 whiteboards, total dimensions: (2x) 3000 mm x 1210 mm.	25
420	NN standard	Standard, 5 floors, dimensions: 770 mm x 770 mm x 1200 mm.	10
421	NN cabinet	Wooden wall mounted cabinet, dimensions: 750 mm x 480 mm x 620 mm.	10
422	NN cabinets and racks	Various cabinets and racks, dimensions cabinets: (3x) 2280 mm x 310 mm x 1280 mm, 2 aluminum racks, 5 floors, dimensions: (2x) 900 mm x 400 mm x 1820 mm.	50
430	NN trolley	S/s trolley, 8 pegs, peg length: 600 mm, total dimensions: 1700 mm x 1250 mm x 1600 mm.	75
431	NN tub	S/s tub with electro pole, pole length: 1600 mm, total dimensions: 2500 mm x 730 mm x 780 mm.	50
432	Boons	4 Boons hygiene trolley for foam vessel, dimensions: (4x) 650 mm x 450 mm x 1200 mm.	100
433	Boons	3 Boons hygiene trolley for foam vessel, type: DSW-FD-1-R, serial number: BO22/07-DSW-122, year of construction: 2022, pressure: 20 bar, air: 0-10 bar, maximum temperature: 60°C, dimensions: (3x) 650 mm x 450 mm x 1200 mm.	75
434	Boons	3 Boons hygiene trolley for foam vessel, dimensions: (3x) 650 mm x 450 mm x 1200 mm.	75
435	NN table	S/s table, dimensions: 2000 mm x 800 mm x 750 mm.	100
436	NN elevating belt	S/s mobile elevating belt, plastic belt with dividers, belt width: 310 mm, dividers height: 40 mm, distance between: 300 mm, elevating height: 1700 mm, total dimensions: 2900 mm x 1500 mm x 1800 mm.	200
437	NN trolley	S/s trolley with plastic baskets, each basket: (8x) Ø 490 mm x 430 mm, total dimensions: 1000 mm x 1220 mm x 940 mm.	50
438	Feltracon	Feltracon weighing conveyor, type: 72K, number: 3579-72K1, year of construction: 2008, plastic rollers, roller width: 400 mm, Flintec weighing cel, type: PC6-50kg C3-6ws, serial number: 14181806, year of construction: 2022, scale dimensions: 400 mm x 670 mm, total dimensions: 3280 mm x 700 mm x 1480 mm.	150
439	NN tables	2 s/s tables, dimensions: (2x) 600 mm x 400 mm x 730 mm.	50
440	NN trolley	S/s trolley for crates, clearance: 400 mm x 2900 mm, total dimensions: 2950 mm x 460 mm x 600 mm.	100
441	NN trolley	S/s trolley, dimensions: 1570 mm x 590 mm x 540 mm.	50
442	Boons	2 Boons hygiene trolley for foam vessel, dimensions: (2x) 650 mm x 450 mm x 1200 mm.	50
443	NN chairs	2 chairs, height adjustable, dimensions: (2x) 580 mm x 580 mm x 650 mm.	10
444	Paul Leibinger GmbH & Co.KG	2 Paul Leibinger GmbH & Co.KG mobile inkjet printers, type: Leibinger JET 3 and JET3up pi, serial number: LJ-302 573 and LJ-337399, year of construction: 2001 and 2018, 100/240 V,	50



Nr	Title	Description	Start €
		50/60 Hz, dimensions: (2x) 650 mm x 650 mm x 1340 mm. Missing covers.	
445	FTNON	FTNON elevating belt, machine number: 18A1685000, year of construction: 2018, plastic belt, belt width: 490 mm, elevating height: 1400 mm, total dimensions: 4400 mm x 900 mm x 1550 mm.	200
446	NN computer cabinet	S/s computer cabinet, dimensions: 600 mm x 640 mm x 1700 mm. (1x) Missing feet.	50
447	NN switch cabinet	S/s frame with switch cabinet, dimensions: 2120 mm x 450 mm x 2030 mm.	50
448	Arco Solutions	Arco Solutions s/s rejector cabinet, type: FERRO-BILL, serial number: SW. 0072219, year of construction: 2018, dimensions: 650 mm x 450 mm x 1380 mm.	20
449	NN platforms	2 s/s platforms, dimensions: (1x) 500 mm x 400 mm x 190 mm, (2x) 2500 mm x 600 mm x 210 m.	20
450	NN turning table	S/s turning table, dimensions: Ø 1250 mm x 850 mm. Missing top.	100
451	Gedorc	Gedorc tool trolley, 8 drawers, dimensions: 860 mm x 440 mm x 1020 mm. Without key.	50
452	Bavaria / Flexbimec	Bavaria / Flexbimec fire extinguisher, total dimensions: (1x) 450 mm x 450 mm x 1180 mm, (1x) 360 mm x 360 mm x 890 mm.	50
453	NN rack	S/s rack, 10 pegs, peg length: (8x) 570 mm, (2x) 350 mm, total dimensions: 3040 mm x 650 mm x 1610 mm.	100
454	NN trolley	S/s trolley, 12 pegs, peg length: 330 mm, total dimensions: 1670 mm x 700 mm x 1010 mm.	50
455	NN table	S/s mobile table with 3 crate stations, dimensions: 1750 mm x 1620 mm x 960 mm.	50
456	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 900 mm.	200
457	Siat s.p.a.	Siat s.p.a. mobile box closing machine, model: S8-S, serial number: 51954, year of construction: 2007, 380/415 V, 3 Ph, 50 Hz, 1 A, 180 W, s/s rollers, roller width: 500 mm and 600 mm, total dimensions: 2050 mm x 950 mm x 1530 mm. Including extra taper.	250
458	DWC	DWC weighing belt, model: VSM-12, number: 240 V, 5 A, plastic belt, belt width: (12x) 70 mm, total dimensions: 1340 mm x 730 mm x 1430 mm.	100
459	NN pole	S/s pole, dimensions: 1150 mm x 700 mm x 1700 mm.	10
460	NN trolleys	3 s/s trolleys for crates, clearance: (3x) 600 mm x 400 mm, total dimensions: (3x) 605 mm x 405 mm x 520 mm.	75
461	NN waste bag holders	5 s/s waste bag holders, dimensions: (5x) 400 mm x 400 mm x 850 mm.	50
462	NN turning table	S/s turning table, dimensions: Ø 1370 mm x 870 mm.	200
463	NN trolley	S/s trolley, dimensions: 900 mm x 700 mm x 740 mm.	50
464	NN roller conveyor	Steel adjustable roller conveyor, plastic rollers, roller width: 500 mm, total dimensions: 1480 mm x 650 mm x 750 mm.	50
465	NN table	S/s table, 2 floors, dimensions: 925 mm x 925 mm x 860 mm.	50



Nr	Title	Description	Start €
466	NN trolley	S/s trolley, dimensions: 850 mm x 460 mm x 960 mm.	30
467	NN tool trolleys	3 s/s tool trolleys for dyes, dimensions: (1x) 720 mm x 600 mm x 1020 mm, (1x) 650 mm x 620 mm x 1340 mm, (1x) 670 mm x 470 mm x 1310 mm.	75
468	NN trolleys	2 s/s trolleys for plates, (2x) 3 places, width: 160 mm, total dimensions: (2x) 950 mm x 550 mm x 950 mm.	50
469	Hermesen RVS en Alu	Hermesen RVS en Alu mobile crate tilting device, clearance: 430 mm x 310 mm, total dimensions: 750 mm x 650 mm x 1750 mm.	50
470	Thissen & Stecher BV	Thissen & Stecher BV trolley with 17 plastic cutting boards, 20 places, width: (20x) 50 mm, total dimensions: 1300 mm x 530 mm x 1060 mm.	75
471	NN trolley	S/s trolley for crates, clearance: (3x) 280 mm x 600 mm, total dimensions: 1160 mm x 600 mm x 380 mm.	25
472	NN trolley	S/s trolley with plastic work top, dimensions: 1000 mm x 600 mm x 950 mm.	25
473	NN trolley	S/s trolley with plastic work top, dimensions: 1000 mm x 600 mm x 950 mm.	25
474	NN tub	Plastic mobile tub with plastic waste bags, dimensions: 1300 mm x 680 mm x 710 mm.	25
475	Wagner	Wagner mobile power steamer with pistol, type: WJ518, year of construction: 2023, 220/240 V, 50 Hz, 1500 W, dimensions: 350 mm x 450 mm x 350 mm.	20
476	Logitech	2 Logitech keyboards with scanners.	10
477	NN table	S/s table, dimensions: 960 mm x 960 mm x 920 mm.	50
478	VideoJet	VideoJet smart printer, dimensions: 560 mm x 360 mm x 550 mm.	50
479	ContiMeta	ContiMeta binding trolley, type: TP-502MV, machine number: B99800, year of construction: 2024, 230 V, 3 A, dimensions: 970 mm x 590 mm x 1340 mm.	100
480	ContiMeta	ContiMeta binding trolley, type: TP-502MV, machine number: C030311, year of construction: 2024, 230 V, 3 A, dimensions: 970 mm x 590 mm x 1340 mm.	100
481	ContiMeta	ContiMeta binding trolley, type: TP-502MV, machine number: B60665, year of construction: 2022, 230 V, 3 A, dimensions: 970 mm x 590 mm x 1340 mm.	100
482	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 360 mm, dividers height: 5 mm, distance between: 280 mm, elevating height: 1460 mm, total dimensions: 2400 mm x 650 mm x 1550 mm.	200
483	NN turning table	S/s mobile turning table, dimensions: Ø 1250 mm x 900 mm.	200
484	Romonta BV. EU	Romonta BV. EU mobile elevating belt, machine number: 3, year of construction: 2014, s/s frame, plastic belt, belt width: 400 mm, elevating height: 1060 mm, total dimensions: 3030 mm x 520 mm x 1080 mm.	150
485	NN turning table	S/s mobile turning table, dimensions: Ø 1200 mm x 850 mm.	200
486			200



Nr	Title	Description	Start €
	Paul Leibinger GmbH & Co.KG	11 Paul Leibinger GmbH & Co.KG mobile inkjet printers, type: Leibinger JET 3 and JET3up pi, 100/240 V, 50/60 Hz, dimensions: (2x) 650 mm x 650 mm x 1340 mm. Technical condition unknown.	
487	NN tubs	2 s/s mobile tubs for cleaning knives, dimensions: (2x) 1050 mm x 460 mm x 1050 mm.	75
488	NN trolley	S/s trolley for crates, clearance: 400 mm x 2900 mm, total dimensions: 2950 mm x 460 mm x 600 mm.	100
489	NN trolley	S/s trolley, dimensions: 1200 mm x 610 mm x 950 mm.	50
490	FoodeQ	FoodeQ mobile elevating belt, type: BCEZ40/261, number: 20064-010, year of construction: 2020, belt width: 410 mm, elevating height: 2350 mm, total dimensions: 2850 mm x 650 mm x 2500 mm.	250
491	Superior	Superior vibrating gutter, type: TTT-3500-6-833, year of construction: 1994, gutter width: 615 mm, outfeed width: 270 mm, total dimensions: 3520 mm x 800 mm x 550 mm.	400
492	NN belt frame	S/s belt frame, belt width: 320 mm, total dimensions: 2800 mm x 380 mm x 350 mm.	50
493	Kleemann Kilkis GR	Kleemann Kilkis GR shutter door, number: G271/5, door width: 1720 mm, total dimensions: 1850 mm x 600 mm x 650 mm.	200
494	Bosgraaf	Bosgraaf s/s computer cabinet, dimensions: 660 mm x 610 mm x 2100 mm.	50
495	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 385 mm, dividers height: 40 mm, distance between dividers: 300 mm, elevating height: 1720 mm, total dimensions: 2950 mm x 1400 mm x 1800 mm.	200
496	NN parts	Plastic pallet box with parts, among others: s/s drum, drum diameter: 630 mm, perforations: Ø 5 mm, total dimensions: 1200 mm x 800 mm x 1200 mm.	50

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing. There are no margins, text, or other markings on the page.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

