



**Industrial
Auctions**

**2189: Online auction commercial kitchen and
catering equipment in Milsbeek (NL)**

END DATE
01 July 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	01 July 2026 from 14:00 hrs.
Viewing days	25 June 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	08 July 2026 from 09:00 till 16:00 hrs.
Pick up address	Sprokkelveld 5 6596 DH Milsbeek Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Icematic	Icematic blast chiller, model: ST10/32 A "G" ICEM., serial number: CMH1000525, 230 V, 1 Ph, 50 Hz, 9.7 A, 2100 Watt, refrigerant: R-452A, 2.2 kg, dimensions: 800 mm x 700 mm x 1530 mm. Never used.	1000
2	Rational	Rational combisteamer with trolley, model: SCC 201, serial number: E21SE04092004460, year of construction: 2004, 400 V, 3 Ph, 50-60 Hz, 37 kW, electric heated, 20 floors, floor dimensions: 530 mm x 320 mm, dimensions: 800 mm x 870 mm x 1800 mm.	1500
3	Rational	Rational combisteamer with trolley, model: SCC WE 202, serial number: E28SH11032248862, year of construction: 2011, 400 V, 3 Ph, 50-60 Hz, 67.3 kW, electric heated, 20 floors, floor dimensions: 530 mm x 650 mm, dimensions: 800 mm x 870 mm x 1800 mm.	1500
4	Electrolux	Electrolux combisteamer, model: air-o-steam, 6 floors, floor dimensions: 330 mm x 510 mm, total dimensions: 900 mm x 900 mm x 1500 mm.	750
5	Hobart	Hobart dishwasher, model: UX-10N, serial number: 86643541, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 24.8 A, 15.6 kW, dimensions: 780 mm x 950 mm x 1980 mm.	500
6	Rational	Rational combisteamer, type: SCC 61 G, serial number: G61SH13122382908, year of construction: 2013, gas heated, 6 floors, floor dimensions: 330 mm x 510 mm, total dimensions: 850 mm x 850 mm x 850 mm.	750
7	Lubron	Lubron part for reverse osmosis installation, type: LK 120, year of construction: 2022, 220 V, 50 Hz, 5 bar, dimensions: 130 mm x 550 mm x 460 mm.	100
8	Happy	Happy vegetable slicer, type: DRC-80, serial number: 003986, 110 V, 50/60 Hz, 125 Watt, dimensions: 430 mm x 550 mm x 530 mm.	50
9	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: GN 350 TN, serial number: 24327229, 220/240 V, 50 Hz, weight: 110 kg, refrigerant: R600a/0.095 kg, dimensions: 460 mm x 710 mm x 1890 mm. Never used, damaged.	300
10	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH s/s trolley, (2x) 18 floor, floor dimensions: 320 mm x 545 mm, total dimensions: 750 mm x 560 mm x 1730 mm. Never used.	150
11	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH dry-aging cabinet, model: DA 388 GWS, number: 446-2013, 220-240 V, 50/60 Hz, 0.17 kW, refrigerant: R600a/0.050 kg, weight: 83 kg, net volume: 352 liter, dimensions: 760 mm x 590 mm x 1720 mm.	750
12	Tecfrigo S.p.A.	Tecfrigo S.p.A. mobile refrigerated showcase, model: ISOLA 4M VT INOX, serial number: B41115, year of construction: 2013, 230 V, 50 Hz, 0.55 kW, refrigerant:	50



Nr	Title	Description	Start €
		R404, 0.38 kg, dimensions: 1510 mm x 760 mm x 1510 mm.	
13	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH mobile cold banquette trolley, model: KBW-11, serial number: 721915G1100240013, year of construction: 2024, dimensions: 450 mm x 880 mm x 1790 mm. Never used, damaged.	500
14	Rational	Rational combisteamer, model: CombiMaster, 19 kW, 10 floors, floor dimensions: 330 mm x 540 mm, total dimensions: 860 mm x 860 mm x 1020 mm.	750
15	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: ZHT 200 R, serial number: 21188530, 230 V, 50 Hz, refrigerant: R600a, 0.035 kg, dimensions: 600 mm x 600 mm x 900 mm.	150
16	NN refrigerator	Refrigerator, model: BC 138(437-1020), year of construction: 2025.02, 220-240 V, 50 Hz, 1.43 A, refrigerant: R600a, 37 gram, dimensions: 600 mm x 500 mm x 860 mm. Never used.	100
17	Kubota	Kubota rice washing machine, type: KP90KN-CE, number: 10070, 220/240 V, 50 Hz, 6 A, dimensions: 600 mm x 650 mm x 1750 mm.	500
18	Kubota	Kubota rice and vinegar mixer, type: KS726-CB, number: 10128, year of construction: 2009, 220 V, 50/60 Hz, 230/310 Watt, dimensions: 620 mm x 750 mm x 1250 mm.	500
19	Convotherm	Convotherm combisteamer, model: OES 10.10 mini, number: XSPKA0595, 400 V, 3 Ph, 50/60 Hz, 15.7 A, 10.5 kW, 20 floors, floor dimensions: 330 mm x 500 mm, total dimensions: 570 mm x 850 mm x 870 mm.	500
20	Rational	Rational combisteamer, model: SCC 61, year of construction: 2008, serial number: E61SE08072150151, 400 V, 3 Ph, 50/60 Hz, 10 kW, electric heated, 6 floors, floor dimensions: 330 mm x 530 mm, total dimensions: 850 mm x 850 mm x 780 mm.	750
21	Elettrobar	Elettrobar dishwasher, model: FAST80, serial number: 4380937, year of construction: 17/01/2022, 400 V, 3 Ph, 50 Hz, 16 A, 9.6 kW, dimensions: 730 mm x 800 mm x 1510 mm.	250
22	Zarges	Zarges trolley for plates, dimensions: 810 mm x 600 mm x 1520 mm.	50
23	Metos	Metos dishwasher, model: LUX 60 EL D, serial number: DWD1020535, year of construction: 2010, 220-240 V, 50 Hz, 15.5 A, dimensions: 640 mm x 600 mm x 830 mm.	150
24	Miele	Miele washing machine, type: WS 5426, dimensions: 600 mm x 700 mm x 860 mm.	50
25	NN proofer	Proofer, model: PR 7, serial number: 7-0005, 230 V, 50/60 Hz, 16 A, 1500 Watt, 7 floors, floor dimensions: 600 mm x 600 mm, dimensions: 860 mm x 840 mm x 830 mm.	50
26	Lubron		30



Nr	Title	Description	Start €
		Lubron water softener, serial number: 06032125, year of construction: 03/2006, dimensions: 250 mm x 420 mm x 450 mm.	
27	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH wok induction cooking plate, serial number: 2025040659, year of construction: 04-2025, 380-400 V, 3 Ph, 50/60 Hz, 5000 Watt, dimensions: 400 mm x 530 mm x 180 mm.	50
28	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH hot water boiler, serial number: SR10025040052, 220-240 V, 50/60 Hz, 10 A, volume: 10 liter, dimensions: 300 mm x 220 mm x 480 mm.	50
29	NN heated cabinet	Heated cabinet, dimensions: 1200 mm x 700 mm x 890 mm.	200
30	Hoshizaki	Hoshizaki ice dispenser, model: DCM-120KE, serial number: H11598K, 220-240 V, 50/60 Hz, 3.2 A, dimensions: 350 mm x 560 mm x 810 mm.	500
31	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee machine, model: THERMO 24 ECO, serial number: SRP38625040133, year of construction: 2025-04-05, 230 V, 50/60 Hz, 8.26 A, 1.9 kW, capacity: 2.5 liter/16 cups, dimensions: 400 mm x 210 mm x 550 mm.	50
32	Salvis AG	Salvis AG salamander grill, type: HL-C, year of construction: 2012, 400 V, 2 Ph, 50/60 Hz, 4.6 kW, dimensions heater: (2x) 295 mm x 160 mm, plate dimensions: 480 mm x 330 mm, total dimensions: 600 mm x 530 mm x 445 mm.	100
33	Metos/Wexiödisk AB	Metos/Wexiödisk AB dishwasher, type: WD-6, number: 1022357, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 25 A, 13.8 kW, dimensions: 740 mm x 690 mm x 1420 mm.	350
34	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: GTK 600 PRO, year of construction: 2024, 220-240 V, 50 Hz, net volume: 459 litres, 5 floors, dimensions floors: (5x) 610 mm x 490 mm, total dimensions: 745 mm x 710 mm x 2010 mm.	550
35	Silver King	Silver King refrigeration counter, model: SKP4812A/CUK2, serial number: BNDP240193A, 230 V, 50/60 Hz, 2.2 A, dimensions: 1220 mm x 840 mm x 1140 mm.	100
36	Novameta	Novameta drop-in heated plate, model: UWP1, serial number: 001W6021402250203, year of construction: 2016, 230 V, 50 Hz, 3.7 A, 840 W, temperature range: 30-90°C, dimensions: 535 mm x 1310 mm x 215 mm.	100
37	Zanussi	Zanussi s/s part for kitchen counter, dimensions: 800 mm x 900 mm x 260 mm.	50
38	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction plate, model: 301-1001/AT-25C, serial number: 170622005, 230 V, 50 Hz, 2500 W, dimensions: 420 mm x 330 mm x 105 mm.	40
39	Menumaster	Menumaster high speed oven, model: MRX523BL, serial number: 1809130051, year of construction: 09-2018,	500



Nr	Title	Description	Start €
		400-415 V, 3 Ph, 50 Hz, 5450 W, inside dimensions: 330 mm x 310 mm x 190 mm, total dimensions: 700 mm x 360 mm x 600 mm.	
40	Unox	Unox oven, model: XF003, serial number: 2021J0080891, 220-240 V, 1 Ph, 50/60 Hz, 2.7 kW, 3 floors, floor dimensions: 340 mm x 350 mm, total dimensions: 480 mm x 580 mm x 400 mm	40
41	ALI Group Sr	ALI Group Srl drop-in pasta cooker, model: DPCPE60, serial number: MA020379799, year of construction: 2018, 380-415 V, 3 Ph, 50-60 Hz, 9.000 kW, dimensions: 610 mm x 780 mm x 655 mm.	100
42	Primo	Primo refrigerator, model: PS106DV, type: DD1-05-4, year of construction: 18/2021, 220-240 V, 50 Hz, 0.7 A, 100 Watt, refrigerant: R600a, 18 gram, dimensions: 440 mm x 470 mm x 510 mm.	50
43	Coldline	Coldline refrigeration counter, model: TS13/4M-760, serial number: 022203330, 220-240 V, 50 Hz, 1.15 A, refrigerant: R290/110 g, temperature range: -2-8 °C, dimensions: 700 mm x 1305 mm x 885 mm.	100
44	NN table	S/s table, dimensions: 1900 mm x 800 mm x 900 mm.	50
45	NN refrigerator	Refrigerator, model: ZHT 400 R, serial number: 21188546, 230 V, 50 Hz, 185 W, refrigerant: R600a/0.075 g, 5 racks, dimensions racks: (5x) 420 mm x 500 mm, total dimensions: 610 mm x 600 mm x 1855 mm.	200
46	Metos	Metos mobile refrigerator, model: GNC740LL1, serial number: MT22-42, year of construction: 2014, 220-240 V, 50 Hz, 3.5 A, 6.0 kW, weight: 120 kg, refrigerant: R134a/340 gram, volume: 550 liter, 3 floors, floor dimensions: 620 mm x 530 mm, total dimensions: 880 mm x 750 mm x 2050 mm.	100
47	Gamko B.V.	Gamko B.V. refrigerated showcase, type: AV/MS131, serial number: 201511 491597, year of construction: 2015, 220-240 V, 50 Hz, 1.6 A, 245 W, refrigerant: R134a, inside dimensions: 945 mm x 410 mm, total dimensions: 510 mm x 1310 mm x 535 mm. Missing door rail.	100
48	NN fan for extraction hood	Fan for extraction hood, dimensions: 550 mm x 600 mm x 350 mm.	25
49	Leventi	Leventi water softener, dimensions: 230 mm x 450 mm x 500 mm.	25
50	Ascobloc	Ascobloc grill, model: MEB 440, serial number: 0004, year of construction: 2016, 400/230 V, 50/60 Hz, 3 Ph, 9.3 kW, electric heated, dimensions grill surface: 600 mm x 505 mm, total dimensions: 860 mm x 600 mm x 1000 mm.	500
51	NN Barbecue	Barbeque, dimensions: 700 mm x 750 mm x 1300 mm.	50
52	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH slicer, model: AS300, serial number: 241130002, year of construction: 20.11.2024, 230 V, 1 Ph, 50 Hz, 1.9 A, 0.4 kW, weight: 22.6 kg, dimensions: 490 mm x 610 mm x 480 mm.	200



Nr	Title	Description	Start €
53	Tecnodom	Tecnodom oven, 6 floors, floor dimensions: 530 mm x 330 mm, total dimensions: 690 mm x 670 mm x 580 mm.	50
54	Culion	Culion saladette, dimensions: 1200 mm x 400 mm x 250 mm.	50
55	Metos	Metos refrigeration counter, model: KST02TN H71 TAV, serial number: BN020202617, year of construction: 2016, 230 V, 50 Hz, 280 W, 2.1 A, dimensions: 1250 mm x 700 mm x 860 mm.	150
56	Gamko	Gamko beverage refrigeration counter, dimensions: 570 mm x 1860 mm x 850 mm.	200
57	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH double freezer, model: GN 60 DTV, serial number: 25024631, 220-240 V, 50 Hz, 1.5/2 A, 250/300 Watt, weight: 150 kg, refrigerant: R600a, 12 gram and R290, 8 gram, dimensions: 680 mm x 810 mm x 1960 mm. Never used.	250
58	Afinox	Afinox refrigerator, dimensions: 700 mm x 800 mm x 2060 mm.	200
59	NN table	S/s mobile table with plastic worktop, dimensions: 1200 mm x 600 mm x 940 mm.	100
60	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH mobile au-Bain marie, model: BT-2, serial number: 78542GN1101240007, year of construction: 05.12.2024, 220 V, 50 Hz, 9 A, 2 kW, dimensions: 900 mm x 700 mm x 850 mm. Never used.	200
61	GI	GI grill, dimensions: 800 mm x 750 mm x 920 mm.	150
62	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH s/s table, dimensions: 1800 mm x 700 mm x 860 mm.	150
63	Metos	Metos saladette, inside dimensions: 1060 mm x 555 mm, total dimensions: 660 mm x 1175 mm x 1175 mm.	100
64	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction hob, model: 301-1005/CT-35A, serial number: 190412026, 230 V, 50 Hz, 3500 W, dimensions: 490 mm x 380 mm x 200 mm.	100
65	Tecnodom Spa	Tecnodom Spa combisteamer, model: FECLDL05NEVH20, serial number: 202329943N, year of construction: 2023, 220-240 V/380-415 V, 3 Ph, 50/60 Hz, 6450 W, 5 floors, dimensions floors: (5x) 385 mm x 540 mm, total dimensions: 840 mm x 930 mm x 760 mm.	300
66	Zorro	Zorro refrigerator, model: ZK 280, year of construction: 2024, 220-240 V, 50 Hz, 180 W, refrigerant: R600a/62 g, net volume: 260 litres, 4 racks, dimensions racks: (4x) 370 mm x 420 mm, total dimensions: 560 mm x 540 mm x 1850 mm.	150
67	Indesit	Indesit freezer, dimensions: 600 mm x 600 mm x 1740 mm.	50
68	Gamko Holding B.V.	Gamko Holding B.V. refrigerator, type: FK20/2I, year of construction: 2009, 220-240 V, 50-60 Hz, 1.6 A, refrigerant: R134a/200 g, dimensions: 590 mm x 560 mm x 850 mm.	100
69	NN drawer	S/s drawer, dimensions: 400 mm x 600 mm x 300 mm.	50



Nr	Title	Description	Start €
70	NN cabinet	Wooden cabinet, dimensions: 1150 mm x 370 mm x 610 mm.	20
71	Gram Commercial A/S	Gram Commercial A/S refrigerator, type: K 200 RE H 3N, serial number: 10020127, year of construction: 2009, 230 V, 50 Hz, 109 W, 0.72 A, 7 floors, 3 racks, dimensions racks: (3x) 430 mm x 530 mm, total dimensions: 670 mm x 590 mm x 840 mm.	50
72	NN frame for oven	S/s frame for oven, dimensions: 860 mm x 650 mm x 760 mm.	50
73	Metos	Metos stove, model: 74/10 CTE, serial number: MA020254230, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 10 kW, electric heated, dimensions: 780 mm x 800 mm x 920 mm.	150
74	NN freezer	Freezer, dimensions: 910 mm x 700 mm x 880 mm.	50
75	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH warming lamp, model: TOSCA, serial number: SRHL2A25A0032, 230 V, 50/60 Hz, 500 Watt, 2.2 A, dimensions: 350 mm x 425 mm x 595 mm.	20
76	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: DK 134 PRO / 325-2250, serial number: DK134PRO24060010, year of construction: 2024, 220-240 V, 50 Hz, 0.78 A, 115 W, refrigerant: R600a/75 g, 6 racks, dimensions racks: (6x) 305 mm x 290 mm, total dimensions: 420 mm x 310 mm x 1900 mm.	100
77	Oscartielle	Oscartielle ice-cream showcase, model: Banco Dorado Gelato, serial number: 1N62663301, year of construction: 2014, 230 V, 50 Hz, refrigerant: R404A / 2.0 kg, dimensions: 1230 mm x 1260 mm x 1380 mm.	300
78	NN floor scrubbing machine	Floor scrubbing machine, model: I45B, serial number: 2310, year of construction: 1999, dimensions: 900 mm x 400 mm x 1000 mm.	100
79	NN refrigerator	Refrigerator, dimensions: 1340 mm x 500 mm x 900 mm.	100
80	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH saladette, model: VRX 1600 S/S, serial number: 23026598, 220-240 V, 50 Hz, 110 W, refrigerant: R600a/0.045g, dimensions: 395 mm x 1600 mm x 230 mm.	100
81	NN frame	S/s frame, dimensions: 1615 mm x 230 mm x 170 mm.	10
82	NN frame	Frame with glass, dimensions: 1220 mm x 220 mm x 600 mm.	10
83	Juno	Juno stove, 2 pits, electric heated, dimensions: 620 mm x 1180 mm x 950 mm.	100
84	Gamko	Gamko beverage refrigeration counter, dimensions: 570 mm x 1860 mm x 850 mm.	200
85	NN trolley	Trolley, dimensions: 1200 mm x 520 mm x 950 mm.	50
86	Wiha	Wiha heating cabinet for cups, type: Tassemwärmeschränk, year of construction: 2017, 230 V, 1	100



Nr	Title	Description	Start €
		Ph, 50 Hz, 1300 W, 4 drawer, dimensions: 670 mm x 590 mm x 805 mm.	
88	NN drawers	3 s/s drawers.	30
89	Alldos	Plastic salt tub for water softener with Alldos metering pump, dimensions: ø 410 mm x 750 mm.	10
90	NN table	S/s table, dimensions: 700 mm x 700 mm x 880 mm.	30
91	NN table	S/s table, dimensions: 700 mm x 700 mm x 880 mm.	30
92	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH hot water boiler, serial number: SR10025050029, 220-240 V, 50/60 Hz, 10 A, volume: 10 liter, dimensions: 300 mm x 220 mm x 480 mm.	50
93	NN gastronorm bins	Various gastronorm bins.	5
94	NN sink	S/s sink, dimensions: 450 mm x 340 mm x 370 mm.	10
95	Hendi	Hendi grill, model: Grill-Master Quattro, gas heated, dimensions: 590 mm x 1320 mm x 930 mm.	25
96	MBM	MBM 6-pits stove, gas heated, dimensions: 1100 mm x 700 mm x 1100 mm.	200
97	NN hood	S/s hood, dimensions: 2000 mm x 700 mm x 860 mm. Including blower.	100
98	Scholl Apparatebau	Scholl Apparatebau induction plate, type: C5110, serial number: 554325-002, 230 V, 50 Hz, 1 kW, dimensions: 600 mm x 420 mm x 100 mm.	50
99	Rational	Rational combisteamer, model: CMP 61, serial number: E61MH16012498089, year of construction: 2016, 400 V, 3 Ph, 50/60 Hz, 11 kW, electric heated, 6 floors, floor dimensions: 330 mm x 530 mm, total dimensions: 850 mm x 810 mm x 800 mm.	800
100	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerated showcase, model: Isabell, serial number: 1224907110106, year of construction: 2022.07.11, 220-240 V, 50 Hz, 1.3 A, 230 W, refrigerant: R600a/53 gram, gross volume: 108 liter, dimensions: 490 mm x 490 mm x 850 mm.	100
101	Alphatech	Alphatech electric oven, type: A05RES, number: LA020035778, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 6 floors, dimensions floors: (6x) 330 mm x 490 mm, total dimensions: 805 mm x 575 mm x 600 mm.	100
102	NN part for kitchen counter	S/s part for kitchen counter, dimensions: 750 mm x 600 mm x 210 mm.	50
103	Electrolux	Electrolux dishwasher, model: NUC1DP, serial number: 40510032, 230 V, 1 Ph, 50 Hz, clearance: 500 mm x 500 mm, total dimensions: 640 mm x 600 mm x 830 mm.	100
104	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH cup warmer, model: ATHOS, serial number: SR220N25Y0048, 230 V, 50/60 Hz, 0.7 A, 140 Watt, dimensions: 210 mm x 390 mm x 450 mm.	50
105	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee machines, model: ECO, serial number: SRB28625120118, year of construction:	100



Nr	Title	Description	Start €
		20251220, 230 V, 50/60 Hz, 9 A, 2.06 kW, weight: 6.5 kg, dimensions: 210 mm x 390 mm x 450 mm.	
106	SelectWash	SelectWash dishwasher, dimensions: 460 mm x 550 mm x 700 mm.	50
107	Brita	Brita water filter, model: purity 1200 clean.	20
108	Coreco	Coreco refrigerated showcase, dimensions: 410 mm x 1040 mm x 250 mm.	50
109	NN outfeed table	S/s outfeed table for washing machine, dimensions: 700 mm x 1025 mm x 940 mm.	50
110	Severin	Severin magnetron, type: 7803, 230 V, 50 Hz, 2500 Watt, dimensions: 520 mm x 450 mm x 320 mm.	50
111	Rational	Rational combisteamer, type: CPC 61, 6 floors, floor dimensions: 330 mm x 540 mm, total dimensions: 900 mm x 820 mm x 860 mm.	750
112	Kuba	Kuba evaporator, type: DSAE 17, year of construction: 1987, dimensions: 1000 mm x 450 mm x 450 mm.	50
113	Inoxfera	Inoxfera heating plate, model: PV6-3, serial number: 19043199200519019, 220-240 V, 1 Ph, 50-60 Hz, 1355 W, temperature range: 30-120 °C, dimensions: 610 mm x 1115 mm x 100 mm.	100
114	Rieber	Rieber refrigerated/heated tub, dimensions: 380 mm x 580 mm x 200 mm.	20
115	NN frame for oven	S/s frame for oven, dimensions: 840 mm x 705 mm x 670 mm.	50
116	Angelo Po	Angelo Po 6-pits stove with grill, gas heated, total dimensions: 2800 mm x 700 mm x 1150 mm.	500
117	NN shelve	Shelve.	10
118	Hobart	Hobart dishwasher, model: ECO+F515S-11C, serial number: 866685235, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 14.9 A, 7.5 kW, dimensions: 600 mm x 600 mm x 840 mm.	150
119	NN waste bag holder	Waste bag holder, dimensions: 380 mm x 500 mm x 900 mm.	50
120	Coldline	Coldline refrigerator, model: A70/1MV, serial number: 111815867, 220-240 V, 50 Hz, 2.6 A, refrigerant: R452a, 250 gram, dimensions: 730 mm x 810 mm x 2150 mm.	300
121	NN outfeed roller conveyor	Outfeed roller conveyor for washing machine, dimensions: 1100 mm x 620 mm x 900 mm.	50
122	Nortech	Nortech blast chiller, model: NAT 19 GN, serial number: 180000269, 400 V, 50 Hz, 3400 W, 19 floors, floor dimensions: (19x) 530 mm x 330 mm, total dimensions: 740 mm x 780 mm x 2210 mm.	1000
123	WLA	WLA freezer, model: VF-5000, 220-240 V, 50 Hz, 0.5 A, refrigerant: R600a, 35 gram, dimensions: 500 mm x 540 mm x 820 mm.	10
124	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction hob in cabinet, model: 301-1005/CT-35A, serial number: 160520027, 230	50



Nr	Title	Description	Start €
		V, 50 Hz, 3500 W, dimensions: 490 mm x 380 mm x 200 mm.	
125	CombiSteel	CombiSteel telescopic food warming lamp, model: 7455.1665, serial number: 1708113, 230 V, 50-60 Hz, 0.25 kW.	5
126	CombiSteel	CombiSteel telescopic food warming lamp, model: 7455.1665, serial number: 1708138, 230 V, 50-60 Hz, 0.25 kW.	5
127	CombiSteel	CombiSteel telescopic food warming lamp, model: 7455.1665, serial number: 1708091, 230 V, 50-60 Hz, 0.25 kW.	5
128	Angelo Po	Angelo Po 6-pits stove with fryer, gas heated, total dimensions: 2800 mm x 700 mm x 905 mm.	500
129	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH box freezer, model: BD401S, serial number: 25012380, 220-240 V, 50 Hz, 170 W, refrigerant: R600a/0.115 g, inside dimensions: 1250 mm x 500 mm x 665 mm, total dimensions: 760 mm x 435 mm x 950 mm. One wheel broken.	150
130	NN plastic crates	32 plastic crates.	10
131	NN plastic plates	2 trolleys with approximately: 300 plastic plates, plate dimensions: 530 mm x 320 mm, trolley dimensions: 720 mm x 510 mm x 840 mm.	50
132	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction cooking plate, model: Denise, serial number: 2025040422, year of construction: 04-2025, 220-240 V, 1 Ph, 50-60 Hz, 16 A, 3500 W, weight: 5.7 kg, dimensions: 580 mm x 300 mm x 60 mm.	50
133	Miele	Miele washing machine, type: PW 5065, dimensions: 600 mm x 700 mm x 860 mm.	50
134	Miele	Miele dryer, model: T5207, type: GT02, number: 00/30991003, 230/400 V, 3 Ph, 50 Hz, 16-10 A, 3400/6900 Watt, dimensions: 600 mm x 700 mm x 1170 mm.	50
135	Iarp	Iarp freezer, model: VIC 220 4 SK AT, serial number: 14GC49361, 230 V, 50 Hz, 1.3 A, 175 Watt, refrigerant: R290, 0.070 kg, volume: 253 liter, total dimensions: 1000 mm x 660 mm x 850 mm.	50
136	Rational	Rational combisteamer, model: CM 101G, serial number: G11ME05112046690, year of construction: 2005, 230 V, 1 Ph, 50-60 Hz, gas heated, 10 floors, floor dimensions: 330 mm x 540 mm, total dimensions: 850 mm x 850 mm x 1020 mm.	750
137	Novameta	Novameta drop-in au bain-marie, model: UWM2, serial number: 002W7018103090101, year of construction: 2017, 230 V, 50 Hz, 8.7 A, 2.0 kW, volume: 73 liter, weight: 55 kg, dimensions: 680 mm x 1210 mm x 290 mm.	100
138	Carimali	Carimali coffee machine, model: F 12 LM, number: CA115007, 400 V, 3 Ph, 50/60 Hz, dimensions: 360 mm x 560 mm x 800 mm.	100



Nr	Title	Description	Start €
139	NN plastic tubs	8x plastic tub.	10
140	Gamko Holding B.V.	Gamko Holding B.V. refrigerator, type: ECO222VS, year of construction: 2005, 220/240 V, 50 Hz, 60 Watt, dimensions: 1700 mm x 510 mm x 880 mm.	150
141	Casselin	Casselin raclette machine, type: CAR12, serial number: 917228, 230 V, 50/60 Hz, 600 Watt, dimensions: 520 mm x 320 mm x 310 mm.	50
142	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee machine, model: THERMO 48 ECO, serial number: SRPD25040053, year of construction: 2025-04-05, 230 V, 50/60 Hz, 13.48 A, 3.1 kW, weight: 12.8 kg, capacity: (2x) 2.5 liter, dimensions: 500 mm x 400 mm x 550 mm.	100
143	Brita	Brita water filter, model: purity C500 Steam.	20
144	Unox	Unox water filter, model: UNOX.pure XHC004.	20
145	Brita	Brita water filter, model: purity 450 Steam.	20
146	Rhima	Rhima water softener, model: RHIMA10, serial number: 118400 2817 456, 230 V.	25
147	NN waste bag holder	Mobile waste bag holder, dimensions: 810 mm x 400 mm x 960 mm.	25
148	Rational	Rational combisteamer, model: CMP 61G, serial number: G61MH11112278692, year of construction: 2011, 230 V, 1 Ph, 50/60 Hz, 13 kW, gas heated, 6 floors, floor dimensions: 330 mm x 530 mm, total dimensions: 850 mm x 780 mm x 800 mm.	500
149	NN sink	S/s sink, dimensions: 1090 mm x 700 mm x 400 mm.	50
150	NN table	S/s table with wooden drawers and door, dimensions: 1000 mm x 700 mm x 940 mm.	100
151	Rhima	Rhima dishwasher, model: NDR 50 I, serial number: DWH1019011, year of construction: 2014, 380-415 V, 3 Ph, 50 Hz, 15.1 A, dimensions: 610 mm x 590 mm x 830 mm.	100
152	Moreillon	Moreillon silver burnisher, type: GOLIATH II, dimensions: 715 mm x 560 mm x 910 mm. Including pallet with parts.	300
153	NN refrigerator	Refrigerator, dimensions: 1110 mm x 720 mm x 750 mm.	50
154	NN frame	S/s frame, dimensions: 1050 mm x 790 mm x 225 mm.	25
155	NN saladette	Saladette, model: ES 900G, serial number: 708032131, dimensions: 780 mm x 905 mm x 1295 mm.	200
156	NN refrigerator	Mobile refrigerator, model: 7455.1395, 220/240 V, 50 Hz, 2.8 A, 400 Watt, refrigerant: R290, 120 gram, dimensions: 1120 mm x 570 mm x 1960 mm.	150
157	Electrolux	Electrolux refrigerator, model: RCUR16X1, serial number: 92800004, 230 V, 1 Ph, 50 Hz, 0.7 A, refrigerant: R134a, 0.055 kg, dimensions: 600 mm x 600 mm x 850 mm.	50
158	Scaiola	Scaiola refrigerated pie showcase, dimensions: 750 mm x 750 mm x 1280 mm.	200
159	NN stove	S/s stove with 2 induction plates, grill and sink, dimensions: 2250 mm x 850 mm x 1050 mm.	500



Nr	Title	Description	Start €
160	SIQ	SIQ dryer, type: TD75.C170, model: DAMV7, serial number: 20230015, 220-240 V, 60 Hz, 16 A, 3300 Watt, dimensions: 600 mm x 700 mm x 900 mm. Never used.	300
161	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH wok induction cooking plate, serial number: 2025040731, year of construction: 04-2025, 380-400 V, 3 Ph, 50/60 Hz, 5000 Watt, dimensions: 400 mm x 530 mm x 180 mm.	50
162	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee boiler, model: CAPPONO 100, serial number: 100-202408015, year of construction: 202408, 230 V, 1 Ph, 50 Hz, 7.0 A, 1.6 kW, dimensions: 350 mm x 300 mm x 550 mm.	25
163	Keyfrost	Keyfrost cooling compressor, dimensions: 730 mm x 440 mm x 430 mm.	100
164	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH burning paste, model: START 200, 2 boxes, each box: 72 pieces, dimensions: (2x) 520 mm x 360 mm x 180 mm.	20
165	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerated showcase, model: RTW168-5C, 220-240 V, 50 Hz, 2.3 A, refrigerant: R290, dimensions: 735 mm x 665 mm x 800 mm.	100
166	SandenIntercool	SandenIntercool refrigerator, model: SRC-550SAX, serial number: SRC550117-0909-00071, 220-240 V, 50 Hz, 4 racks, dimensions racks: (4x) 540 mm x 540 mm, total dimensions: 740 mm x 640 mm x 2100 mm.	100
167	NRG	NRG dishwasher, model: TT820R, serial number: 4216781, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 10.6 kW, dimensions: 800 mm x 700 mm x 2145 mm.	200
168	NN outfeed roller conveyor	Outfeed roller conveyor for washing machine, dimensions: 2100 mm x 600 mm x 900 mm.	50
169	NN outfeed table	Outfeed table for washing machine, dimensions: 1300 mm x 570 mm x 900 mm.	50
170	Bradan	Bradan mobile au-Bain marie, dimensions: 1100 mm x 600 mm x 900 mm.	20
171	NN isolated trolley	5 isolated trolleys, dimensions: 480 mm x 700 mm x 1970 mm.	50
172	Ubert	Ubert grill, dimensions: 800 mm x 700 mm x 150 mm.	50
173	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH sous-vide, model: SALERNO GN1/1, serial number: 443-4000-2410025, year of construction: 2024.10.10, 230 V, 50 Hz, 3 A, 700 Watt, dimensions: 360 mm x 580 mm x 300 mm.	100
174	Unox	Unox oven, model: XF003, serial number: 2016G00554801, 220-240 V, 1 Ph, 50/60 Hz, 2.7 kW, 3 floors, floor dimensions: 340 mm x 350 mm, total dimensions: 480 mm x 580 mm x 400 mm	40
175	NN sauce cups	Large amount of sauce cups.	10
176	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH conveyor toaster, model: TS-2002(175-4000), year of construction: 2404290006,	150



Nr	Title	Description	Start €
		230 V, 50 Hz, 2800 W, s/s mesh belt, belt width: 245 mm, total dimensions: 600 mm x 370 mm x 390 mm.	
177	NN frame for oven	S/s frame for oven, dimensions: 850 mm x 705 mm x 890 mm.	50
178	Novameta	Novameta drop-in heated plate, model: UWP1, serial number: 001f8100311150101, year of construction: 2018, 230 V, 50 Hz, 13.0 A, 3000 W, temperature range: 30-95°C, dimensions: 700 mm x 1360 mm x 550 mm.	150
179	NN lifting platform	Lifting platform, capacity: 500 kg, dimensions: 1000 mm x 1340 mm x 170 mm.	200
180	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH salad bar, model: SB-H-130-INF HOT, serial number: 23005004, year of construction: 2023, 220-240 V, 1 Ph, 50 Hz, (2x) 1000 W, 0.3 A, dimensions: 880 mm x 1300 mm x 1350 mm.	200
181	Weisser	Weisser mobile depositor, dimensions: 800 mm x 580 mm x 1250 mm.	300
182	Goos	Goos refrigerator, model: GTP-7-225-40 SP, serial number: 15040074P, year of construction: 2015, 220/230 V, 50/60 Hz, 1.8 A, refrigerant: R-134A, 380 gram, dimensions: 2240 mm x 700 mm x 840 mm.	400
183	Intertek	Intertek coffee percolator, model: 44.222.12, serial number: 2020051029, 220-240 V, 50/60 Hz, 1650 watt, dimensions: 350 mm x 300 mm x 500 mm.	50
184	Metos	Metos dishwasher, model: MM3 EL D XP DDE DVGW, serial number: DWA1021647, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 6560 W, dimensions: 640 mm x 600 mm x 850 mm.	100
185	AEG	AEG washing machine, type: Lavatherm, dimensions: 600 mm x 600 mm x 850 mm.	50
186	ILSA S.p.A.	ILSA S.p.A. freezer, model: 1400 HARMONY BT, serial number: 1013.0039, 230 V, 50 Hz, 900 Watt, refrigerant: R 404 A, 320 gram, dimensions: 1500 mm x 830 mm x 2030 mm.	250
187	Convotherm	Convotherm combisteamer, type: OD 6, 10 C, number: P1C99112192, 380-415 V, 3 Ph, 50-60 Hz, 9-11 kW, 14-16 A, 6 floors, dimensions floors: (6x) 350 mm x 530 mm, total dimensions: 780 mm x 1100 mm x 700 mm.	150
188	Zorro	Zorro coffee maker, model: ZKM 26, serial number: SRV28625040075, year of construction: 2025, 230 V, 50/60 Hz, 8 A, 1.9 kW, capacity: 2.0 litres/13 cups, dimensions: 420 mm x 200 mm x 550 mm.	25
189	NN frame for oven	S/s frame for oven, dimensions: 550 mm x 600 mm x 610 mm.	20
190	SKF Actuation System	Large amount of SKF Actuation System actuators, type: MAX64-B050265A01M0-000, number: L05368447, year of construction: 11.11, 230 V, 50 Hz, 0.9 A, dimensions: 800 mm x 600 mm x 450 mm. Plastic crate not included.	25
191	Metos		150



Nr	Title	Description	Start €
		Metos dishwasher, type: DW124E, serial number: DWN1003896, year of construction: 2017, 380-415 V, 3 Ph, 50 Hz, 15.1 A, 5150 W, dimensions: 640 mm x 600 mm x 860 mm.	
192	NN frames	2 s/s frames.	10
193	Veromatic	Veromatic coffee machine, model: FOR4BANES011ALL, serial number: AO1002877VER3333, year of construction: 2018, 230 V, 50 Hz, 3100 Watt, dimensions: 310 mm x 460 mm x 760 mm.	50
194	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH saladette, model: VRX 1800, serial number: 170601491, 220-240 V, 50-60 Hz, refrigerant: R600a/0.045 g, dimensions: 430 mm x 1800 mm x 240 mm.	50
195	Infricoool	Infricoool refrigeration counter, 200-240 V, 1 Ph, 50 Hz, 460 W, 2.9 A, refrigerant: R290/90g, dimensions: 700 mm x 1955 mm x 810 mm. Without top.	200
196	NN cooling compressor	Cooling compressor in steel cabinet, dimensions: 800 mm x 480 mm x 550 mm.	100
197	NN cabinet for cooling compressor	Cabinet for cooling compressor, dimensions: 610 mm x 480 mm x 520 mm.	20
198	NN cooling compressor	Cooling compressor in steel cabinet, dimensions: 1010 mm x 650 mm x 710 mm.	100
199	NN cabinet	S/s cabinet, dimensions: 2000 mm x 600 mm x 890 mm.	300
200	Metro	Metro shelve, dimensions: 1000 mm x 300 mm x 80 mm.	20
201	CaterChef	CaterChef plate warmer, dimensions: 750 mm x 450 mm x 850 mm.	50
202	Gamko Holding B.V.	Gamko Holding B.V. heated showcase, type: AV/MS111N, serial number: 018.004572, year of construction: 2001, 220/240 V, 50 Hz, 380 W, 1 floor, floor dimensions: 770 mm x 190 mm, dimensions: 1110 mm x 510 mm x 550 mm.	150
203	Polar	Polar refrigerator, model: U632-E, 230 V, 50 Hz, 2 A, refrigerant: R600s, 95 gram, dimensions: 740 mm x 830 mm x 1880 mm.	200
204	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: SK 301, serial number: 25039179, 220-240 V, 1 Ph, 50 Hz, 1.0 A, 165 W, weight: 71 kg, refrigerant: R600a/0.060 kg, 4 floors, floor dimensions: 450 mm x 350 mm, total dimensions: 680 mm x 450 mm x 1890 mm.	150
205	NN basket dispenser	Basket dispenser, basket dimensions: 500 mm x 500 mm x 70 mm, total dimensions: 700 mm x 730 mm x 930 mm.	50
206	ECO Refrigerazione	ECO Refrigerazione evaporator, model: CTE023L8ED, serial number: AC200908991, year of construction: 2009, 1 fan, dimensions: 670 mm x 500 mm x 400 mm.	50
207	NN cooling compressor	Cooling compressor, dimensions: 760 mm x 640 mm x 600 mm.	100
208	Ingersoll-Rand		300



Nr	Title	Description	Start €
		Ingersoll-Rand air compressor, model: ESP7.5, serial number: 2015044, dimensions: 1500 mm x 700 mm x 1200 mm.	
209	Alfa Laval	Alfa Laval evaporator, type: LEX 20-7 230-E2, serial number: SA-1208-0400002633-10708-30897, year of construction: 2012, 3 fans, dimensions: 1650 mm x 750 mm x 560 mm.	200
210	Alfa Laval	Alfa Laval evaporator, type: LEX 20-7 230-E2, serial number: SA-1208-0400002633-10708-30896, year of construction: 2012, 3 fans, dimensions: 1650 mm x 750 mm x 560 mm.	200
211	Fogal	Fogal refrigerated showcase, model: MURALE MINI ORIENTAL VBN SLIM 120 CON GRUPPO, serial number: FV190033, refrigerant: R452A, dimensions: 1250 mm x 670 mm x 1370 mm.	200
212	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction hob, model: 301-1025/CW-35A, serial number: 190412018, 230 V, 50 Hz, 3500 W, dimensions: 490 mm x 380 mm x 200 mm.	75
213	Marco	Marco coffee machine, model: 1000880EU, serial number: 0421500720, 230-240 V, 50-60 Hz, 12.2-12.7 A, 2.8-3.0 kW, dimensions: 220 mm x 350 mm x 450 mm.	25
214	NN retarder	Steel retarder, dimensions: 1200 mm x 1100 mm x 1440 mm and 600 mm x 390 mm x 1350 mm.	100
215	Bitzer Kühlmaschinenbau GmbH	Compressor rack with 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (2x) 4TC-8.2Y-40P, capacity: 41.3/49.9 m³ per hour, dimensions: 1550 mm x 830 mm x 1730 mm.	750
216	Metos	Metos mobile refrigerator, type: S 140 BT, serial number: BN020183587, year of construction: 2015, 230 V, 50 Hz, 4,7 A, refrigerant: R404a, 405 gram, dimensions: 1400 mm x 820 mm x 2050 mm.	250
217	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH retro soup kettle, number: 175-2200, 220-240 V, 1Ph, 50-60 Hz, 6,3 A, 1,28-1,53 kW, capacity of approximately: 11 to 10.4 liters, inside dimensions: 250 mm x 220 mm, total dimensions: 360 mm x 400 mm x 370 mm.	10
218	Longlife	Longlife heating lamp, model: L598.	10
219	NN kitchen counter	Kitchen counter with 2 induction stoves, (2x) 4-pits, 2 Etna ovens and 2 sinks, dimensions: 1200 mm x 2200 mm x 905 mm.	200
221	Lubron	Lubron water softener, dimensions: 300 mm x 550 mm x 740 mm.	20
222	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH grill, model: 172-3200, serial number: 453291, 230 V, 1 Ph, 50/60 Hz, 3500 W, dimensions: 470 mm x 580 mm x 240 mm.	50
223	Ascobloc	Ascobloc drop-in deep fryer, volume: 24 litres, dimensions: 730 mm x 600 mm x 520 mm.	200
224	NN hood	S/s hood, dimensions: 1200 mm x 1600 mm x 650 mm.	250



Nr	Title	Description	Start €
225	Metro	Metro refrigerated showcase, model: GHS2150, 220-240 V, 50 Hz, 2 A, 135 W, refrigerant: R290/0.050 kg, inside dimensions: 1100 mm x 300 mm x 140 mm, total dimensions: 1500 mm x 400 mm x 260 mm.	50
226	NN refrigerator	Refrigerator, 4 drawer, 1 door, dimensions: 1730 mm x 700 mm x 850 mm.	300
227	Metos/Wexiödisk AB	Metos/Wexiödisk AB dishwasher, type: WD-7, number: WD1221183, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 25 A, 13.8 kW, dimensions: 740 mm x 800 mm x 2220 mm.	300
228	Gram	Gram freezer, type: PLUS F 660 RSG 5N, serial number: 10100197, year of construction: 2012-41, 230 V, 50 Hz, 2.9 A, refrigerant: R290, 92 gram, dimensions: 690 mm x 880 mm x 2160 mm.	200
229	Metos	Metos drop-in pasta cooker, dimensions: 820 mm x 610 mm x 610 mm. New in box.	250
230	HotAir	HotAir electric oven, 12 floors, dimensions floors: (12x) 480 mm x 590 mm, total dimensions: 750 mm x 1060 mm x 1035 mm.	100
231	NN cooling compressor	S/s frame with cooling compressor, dimensions: 940 mm x 740 mm x 330 mm.	50
232	NN induction plate	Induction plate, dimensions: 1000 mm x 900 mm x 950 mm.	100
233	Metos/Wexiödisk AB	Metos/Wexiödisk AB dishwasher, type: WD-11, number: 067309, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 35 A, 19,7 kW, dimensions: 1640 mm x 700 mm x 1700 mm.	350
234	NN cooking vessels	Counter with 2 cooking vessels, type: BPE/60, BPE/80, number: 412116, 412117, 400 V, 3 Ph, 50 Hz, 18.2 A/22.5 A, 12.0 Kw/15.00 kW, inside dimensions: ø 600 mm x 330 mm, ø 440 mm x 430 mm, total dimensions: 950 mm x 1400 mm x 900 mm.	500
235	Choco Fairy	Choco Fairy hot chocolate dispenser, model: Chocofairy-5L, serial number: KL232742307F5015, 220 V, 50 Hz, 1006 W, weight: 7.3 kg, dimensions: 450 mm x 270 mm x 500 mm.	100
236	Metos	Metos dishwasher, model: METOS PREMIUM50 PS DDE BT PAP 380/3N/50, serial number: DWD1027756, year of construction: 2010, 380-415 V, 3 Ph, 50 Hz, 12 A, 6650 W, dimensions: 600 mm x 635 mm x 1340 mm.	150
237	Gamko Holding B.V.	Gamko Holding B.V. refrigerator, dimensions: 1700 mm x 510 mm x 850 mm. Without cooling compressor.	50
238	Gamko Holding B.V.	Gamko Holding B.V. bottle cooler, type: GM/212ST, year of construction: 2007, 220-240 V, 50 Hz, 3.8 A, 585 W, refrigerant: R134A, dimensions: 1670 mm x 580 mm x 860 mm.	150
239	Roller Grill	Roller Grill heated showcase, dimensions: 600 mm x 380 mm x 290 mm.	50
240	GGM Gastro		150



Nr	Title	Description	Start €
		GGM Gastro dishwasher, type: GS340P-EK, serial number: 023009177, 400 V, 3 Ph, 50 Hz, 4900 Watt, dimensions: 580 mm x 650 mm x 850 mm.	
241	Gram	Gram refrigerator, type: K 200 RE H 3N, serial number: 10001073, year of construction: 2009, 230 V, 50 Hz, 0.72 A, 109 Watt, refrigerant: R134a, 50 gram, dimensions: 600 mm x 630 mm x 830 mm.	100
242	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH s/s sink, dimensions: 600 mm x 600 mm x 950 mm.	50
243	Remeha	Remeha boiler, model: CWH120/300, serial number: 1434006739, year of construction: 2014, 230 V, 50 Hz, 170 W, rated power: 26.0-122.1 kW, volume: 300 liter, dimensions: 910 mm x 600 mm x 1955 mm.	300
244	Hobart	Hobart high speed cooker, model: 305G, serial number: 97-0205-236, year of construction: 2012, 400 V, 3 Ph, 50/60 Hz, 38.7 A, 26.7 kW, 4 floors, floor dimensions: 540 mm x 320 mm, inside dimensions: Ø 380 mm x 620 mm, total dimensions: 830 mm x 600 mm x 1690 mm.	250
245	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: GTK 360(437-1012), year of construction: 2023.06, 220-240 V, 50 Hz, 1.30 A, 180 W, refrigerant: R600a/84 gram, weight: 72 kg, volume: 347 liter, dimensions: 620 mm x 630 mm x 1730 mm.	150
246	Gram	Gram refrigerator, type: KG 210 RG 3W, serial number: 10101017, year of construction: 2012, 230 V, 50 Hz, 1.11 A, 103 Watt, refrigerant: R600a, 33 gram, dimensions: 600 mm x 640 mm x 820 mm.	50
247	Rational	Rational combisteamer, type: 61 E, serial number: E61SH14062407186, year of construction: 2014, electric heated, 6 floors, floor dimensions: 330 mm x 530 mm, total dimensions: 850 mm x 800 mm x 580 mm.	800
248	NN hood	S/s hood, dimensions: 1600 mm x 1000 mm x 400 mm.	100
249	Afinox	Afinox saladette, dimensions: 1610 mm x 370 mm x 410 mm.	50
250	Afinox	Afinox refrigerator, 2 doors, 4 drawers, dimensions: 2170 mm x 700 mm x 820 mm. Without top.	200
251	TP	TP stove, model: PPC8FG7, machine number: 53710004, year of construction: 2015, gas heated, dimensions: 720 mm x 800 mm x 1050 mm.	100
252	NN trolley	S/s trolley, dimensions: 860 mm x 560 mm x 1780 mm.	50
253	NN cabinet	S/s cabinet, dimensions: 1500 mm x 400 mm x 2220 mm.	100
254	NN presentation board	Presentation board.	5
255	Hobart	Hobart combisteamer on s/s trolley, model: CSMUC1012LAE-KK, serial number: 81.846.201, 400 V, 50 Hz, 3 Ph, 27 A, 18 kW, 10 floors, floor dimensions: 370 mm x 530 mm, total dimensions: 950 mm x 1000 mm x 1830 mm. Technical condition unknown.	50



Nr	Title	Description	Start €
256	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH heated banquet trolley, model: BW 11, serial number: 79197018200250319, year of construction: 2025, 220-240 V, 50/60 Hz, 9 A, dimensions: 800 mm x 830 mm x 1800 mm.	500
257	Catertech	Catertech dishwasher, model: DS111ERCRC, serial number: DIA054100613, 380-400 V, 3 Ph, 50 Hz, 16.5 A, 10.0 kW, dimensions: 850 mm x 750 mm x 2290 mm.	200
259	NN trolley	S/s trolley, 10 floors, floor dimensions: 500 mm x 500 mm, dimensions: 560 mm x 520 mm x 1680 mm.	50
260	NN cabinet	Cabinet, dimensions: 1200 mm x 620 mm x 1970 mm.	50
261	NN hood	S/s hood, dimensions: 3000 mm x 1900 mm x 600 mm.	250
262	NN trolleys	3 s/s trolleys, dimensions: 400 mm x 600 mm x 1670 mm.	75
263	Rhima	Rhima presflo multi electronic pump controller, type: AB, serial number: 20150189, dimensions: 530 mm x 500 mm x 800 mm.	50
264	NN refrigerated showcase	Refrigerated showcase, dimensions: 1000 mm x 1000 mm x 1900 mm.	50
265	Rieber	Rieber mobile plate dispenser, model: RRV-H/2 220-300, number: 89010226/1/08041, year of construction: 2001, 230 V, 1 Ph, 50/60 Hz, 1.5 kW, diameter plate: 300 mm, total dimensions: 950 mm x 410 mm x 900 mm.	25
266	Gram	Gram freezer, type: PLUS F 1270 RSG C 8N, serial number: 10022483, year of construction: 2009, 230 V, 50 Hz, 4.39 A, 810 Watt, dimensions: 1400 mm x 870 mm x 2010 mm.	500
267	Jordao	Jordao refrigerated showcase, serial number: 23.63813, year of construction: 2024, 230 V, 3 Ph, 50 Hz, 7.28 A, refrigerant: R290, dimensions: 1020 mm x 620 mm x 2000 mm.	250
268	Animo	Animo trolley, dimensions: 750 mm x 450 mm x 1040 mm.	25
269	NN hood	S/s hood, dimensions: 3400 mm x 1080 mm x 660 mm.	250
270	NN frame	S/s frame, dimensions: 2000 mm x 290 mm x 700 mm.	20
271	Metos	Metos freezer, model: S 70 BT FUTURE, serial number: BN020052277, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 2.05 A, refrigerant: R404A, 245 gram, dimensions: 700 mm x 830 mm x 2030 mm.	250
272	Gazi	Gazi kitchen counter with 3 grills and 2 fryers, electric heated, dimensions: 2000 mm x 750 mm x 1000 mm.	500
273	NN cabinet	Wooden cabinet, dimensions: 1500 mm x 360 mm x 610 mm.	20
274	NN hood for oven	S/s hood for oven, dimensions: 1000 mm x 740 mm x 250 mm.	25
275	NN drawer	S/s drawer, dimensions: 600 mm x 700 mm x 275 mm.	25
276	Mile High Equipment	Mile High Equipment condenser, model: VRC2061B1, serial number: 12051280010674, 208/230 V, 1 Ph, 60 Hz, 15.0 A, refrigerant: R404A/453 gram, dimensions: 750 mm x 720 mm x 650 mm.	100
277	Nitto	Nitto s/s shelves, dimensions: 1000 mm x 300 mm.	20



Nr	Title	Description	Start €
278	NN table	S/s mobile table, dimensions: 1510 mm x 700 mm x 860 mm.	150
279	NN packaging machine	Packaging machine, dimensions: 520 mm x 650 mm x 150 mm.	25
280	NN packaging machine	Packaging machine, dimensions: 520 mm x 650 mm x 150 mm.	25
281	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH washing trolley, model: AF 264, weight: 13.5 kg, dimensions: 900 mm x 650 mm x 850 mm.	10
282	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH cold banquet trolley, model: KBW-21, serial number: 721915G2100240013, year of construction: 2024, 220-240 V, 50 Hz, 1.3 Q, dimensions: 775 mm x 1000 mm x 1755 mm.	500
283	NN condenser	Condenser, dimensions: 1600 mm x 600 mm x 150 mm.	25
284	Torin-sifan	Torin-sifan fan for extraction hoods, model: DDC381-286, serial number: 0026, 230 V, 50 Hz, 11.5 A, 1400 W, dimensions: 650 mm x 400 mm x 600 mm.	25
285	Meiko	Meiko s/s switch cabinet for washing machine, type: K 200 VAP-CSS-TOP, serial number: 10142428, year of construction: 2009, dimensions: 490 mm x 300 mm x 1730 mm.	75
286	Angel Po	Angel Po combisteamer, model: FX101E2-ZMR0, serial number: 11370929001, 400/230 V, 3 Ph, 26/43 A, 17.3 kW, electric heated, 10 floors, floor dimensions: 480 mm x 320 mm, total dimensions: 1050 mm x 850 mm x 1800 mm.	350
287	Convotherm	Convotherm combisteamer, model: OEB 20.10, serial number: EB601893000A00, number: EB6EA0731, 400 V, 3 Ph, 50/60 Hz, 52.8 A, 39.7 kW, total dimensions: 1100 mm x 1000 mm x 1200 mm. Including s/s trolley, 20 floors, floor dimensions: (20x) 330 mm x 530 mm, total dimensions: 500 mm x 700 mm x 1800 mm.	750
288	Angel Po	Angel Po combisteamer, model: BX31E-ZMR03, serial number: 30438069701, 400 V, 3 Ph, 50-60 Hz, 18 A, 12 kW, 6 floors, floor dimensions: 530 mm x 320 mm, total dimensions: 920 mm x 900 mm x 800 mm.	250
289	Rational	Rational combisteamer, model: SCC 61, electric heated, 10 floors, floor dimensions: 530 mm x 320 mm, total dimensions: 850 mm x 850 mm x 1100 mm.	500
290	Rational/Metos	Rational/Metos combisteamer, model: MSCC 61, serial number: E61SE04102014948, year of construction: 2004, 400 V, 3 Ph, 50-60 Hz, 10 kW, electric heated, 6 floors, floor dimensions: 530 mm x 320 mm, total dimensions: 850 mm x 850 mm x 800 mm.	500
291	NN frame	S/s frame, dimensions: 2700 mm x 400 mm x 280 mm.	25
292	Metos	Metos drop-in multi kook, dimensions: 600 mm x 620 mm.	100
293	NN trolley	S/s trolley, 20 floors, floor dimensions: 530 mm x 650 mm, total dimensions: 700 mm x 860 mm x 1710 mm.	100



Nr	Title	Description	Start €
294	Lubron	Lubron water softener, dimensions: 300 mm x 550 mm x 1100 mm.	25
295	Eco Coils & Cooler	Eco Coils & Cooler roof condenser, 3 fans, dimensions: 3150 mm x 850 mm x 1570 mm.	400
296	Miguel Pujadas S.A.	Miguel Pujadas S.A. banquette trolley, model: 81010 V001, serial number: 207791/001, year of construction: 2012, dimensions: 700 mm x 800 mm x 1650 mm.	250
297	Winterhalter	Winterhalter dishwasher with sink, faucet and outfeed table, type: WKTS 1200, 400 V, 42.8 kW, total dimensions: 7600 mm x 1600 mm x 1580 mm.	500
298	Meiko	2x pump for Meiko dishwasher.	50
299	Bauer	2x Bauer motor.	50
300	Meiko	Meiko pump.	25
301	Meiko	Meiko pump.	25
302	Bauer	Bauer motor.	10
303	Meiko	Meiko pump.	25
304	Van West Koeltechniek	Van West Koeltechniek cooling machine, model: WWKGD40de, serial number: B20062074, year of construction: 2006, 230 V, 50 Hz, 1.1 A, 170 W, refrigerant: R134a/0.165 kg, dimensions: 290 mm x 290 mm x 380 mm.	50
305	NN motors	3x motor.	30
306	NN motors	3x motor.	30
307	Scholl Apparatebau	Scholl Apparatebau heating plate, model: C4230, serial number: 544860-003, 230 V, 50 Hz, 0.4 kW, dimensions: 530 mm x 330 mm x 100mm.	25
308	NN plates	18 s/s plates, dimensions: 600 mm x 400 mm.	25
309	NN motor	Motor.	25
310	NN motor	Motor.	25
311	Animo	Animo coffee machine, type: B200N, number: 2D09395, 220 V, 50 Hz, 2150 Watt, dimensions: 200 mm x 400 mm x 510 mm.	25
312	Veba Meditemp	Veba Meditemp cooling unit, model: 2600, serial number: 0441-01421, 220-240 V, 50 Hz, 150 W, dimensions: 280 mm x 440 mm x 260 mm.	25
313	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH wok induction plate, model: 301-1020/CW-25A, serial number: 190814038, 230 V, 50 Hz, 2500 W, dimensions: 560 mm x 390 mm x 160 mm. Including s/s pan.	50
314	Uniwel	Uniwel cash register with receipt printer, dimensions: 450 mm x 420 mm x 340 mm. Technical condition unknown.	5
315	NN cutlery	Large amount of cutlery.	5
316	NN plastic plates	137 plastic plates, dimensions: 530 mm x 325 mm.	20
317	NN plates	10 plates, dimensions: 600 mm x 400 mm x 50 mm.	10
318	Brita	2 Brita water filters, type: C500 Quell ST.	20
319	ABB	ABB motor.	25
320	NN oven plates	Various oven plates.	25



Nr	Title	Description	Start €
321	NN motor	Motor.	10
322	Hubert	12 Hubert lids with rubber, 1/6.	10
323	NN pump.	Pump.	25
324	NN parts for jacuzzi	Various parts for jacuzzi.	50
325	Meiko	Meiko pump.	25
326	NN motor	Motor.	25
327	Saro Gastro-Products GmbH	11 Saro Gastro-Products GmbH s/s plates, GN 1/3-20.	10
328	NN plates	10 s/s plates, dimensions: 600 mm x 400 mm.	10
329	NN cutting plates	6 stone cutting plates, dimensions: (2x) 600 mm x 400 and (3x) 300 mm x 150 mm.	20
330	DeWalt	DeWalt wet/ dry vacuum cleaner, type: DC 500.	25
331	NN electric parts	Plastic crate with electric parts.	25
332	Acco UK Limited	Acco UK Limited paper shredder, 220-240 V, 50 Hz, 0.8 A, dimensions: 400 mm x 360 mm x 460 mm.	10
333	Hallde/Metos	Hallde/Metos knives for vegetable cutter.	50
334	Iwaki	Iwaki magnetic pump.	25
335	NN switch cabinets	2 switch cabinets, dimensions: 570 mm x 530 mm x 210 mm and 360 mm x 360 mm x 180 mm.	40
336	NN motor	Motor.	25
337	NN motor	Motor.	25
338	NN motor	Motor.	25
339	NN motor	Motor.	25
340	NN motor	Motor.	25
341	NN plates	12 plates, dimensions: 395 mm x 295 mm x 45 mm.	10
342	NN plates	10 plates, dimensions: 600 mm x 400 mm x 50 mm.	10
343	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH grill, model: GPK 600, serial number: XD 162457, year of construction: 2024, 50 Hz, 19.6 A, 4.5 kW, dimensions: 600 mm x 470 mm x 260 mm.	100
344	NN motor	Motor.	25
345	Saro Gastro-Products GmbH	11 Saro Gastro-Products GmbH perforated gastronorm bins, GNP 1/3-150.	25
346	NN switch cabinets	2 switch cabinets, dimensions: 540 mm x 540 mm x 190 mm.	20
347	NN heating lamps	2 heating lamps.	20
348	Saro Gastro-Products GmbH	20 Saro Gastro-Products GmbH gastronorm bins, GN 1/3-150.	50
349	Veld Koeltechniek	Veld Koeltechniek table model freezer, model: ICE 2, serial number: 2021261936, 220-240 V, 50 Hz, 184 kW, refrigerant: R600A / 0.022 kg, inside dimensions: 400 mm x 370mm x 220 mm, total dimensions: 710 mm x 460 mm x 360 mm.	100
350	NN motor	Motor.	25
351	NN motor	Motor.	25
352	Saro Gastro-Products GmbH	20 Saro Gastro-Products GmbH gastronorm bins, GN 1/3-150.	100



Nr	Title	Description	Start €
353	Saro Gastro-Products GmbH	15 Saro Gastro-Products GmbH gastronorm bins, GN 1/4-20.	25
354	Saro Gastro-Products GmbH	10 Saro Gastro-Products GmbH gastronorm bins, GN 1/2-150.	25
355	NN plates	17 plates, dimensions: 600 mm x 400 mm.	10
356	NN heat exchangers	2 heat exchangers.	40
357	Helle	2 Helle bar drip trays, dimensions: 600 mm x 500 mm.	10
358	NN motor	Motor.	25
359	NN fan for extraction hood.	Fan for extraction hood.	20
360	NN motor	Motor.	25
361	NN motor	Motor.	25
362	NN gastronorm bins	Various gastronorm bins.	50
363	NN barbecue plates	2 steel barbecue plates.	20
364	NN faucet	Faucet.	20
365	NN motor	Motor.	10
366	NN motor	Motor.	25
367	NN coolers	2 coolers.	20
368	NN motor	Motor.	25
369	Danfoss	Danfoss cooling compressor, model: SZ100S4VC, serial number: JJ2504072702, 308-400V/460 V, 50/60 Hz, 18 A, 25/31.9 bar, dimensions: 290 mm, 290 mm, 500 mm.	25
370	NN plates	20 plates, dimensions: 600 mm x 400 mm.	10
371	Rational	5 Rational grill plates, dimensions: 325 mm x 355 mm.	50
372	NN fan	Fan.	10
373	Saro Gastro-Products GmbH	9 Saro Gastro-Products GmbH gastronorm bins, GN 1/4-200.	20
374	Saro Gastro-Products GmbH	10 Saro Gastro-Products GmbH gastronorm bins, GN 2/3-65.	20
375	NN pump	Pump.	20
376	NN motor	Motor.	25
377	Saro Gastro-Products GmbH	10 Saro Gastro-Products GmbH gastronorm bins, GN 2/3-20.	20
378	NN fan for extraction hood.	Fan for extraction hood..	25
379	NN fan for extraction hood.	Fan for extraction hood.	25
380	Saro Gastro-Products GmbH	8 Saro Gastro-Products GmbH gastronorm bins, GN 1/2-40.	20
381	Saro Gastro-Products GmbH	6 Saro Gastro-Products GmbH lids with rubber, 1/2.	10
382	NN plates	13 plates, dimensions: 400 mm x 300 mm x 45 mm.	10
383	Saro Gastro-Products GmbH	10 Saro Gastro-Products GmbH gastronorm bins, GN 1/1-200.	20
384	Saro Gastro-Products GmbH	14 Saro Gastro-Products GmbH gastronorm bins, GN 1/2-65.	20



Nr	Title	Description	Start €
385	Hendi	Hendi infrared cooker, serial number: 901381-000432, year of construction: 2009, dimensions: 470 mm x 340 mm x 120 mm.	20
386	NN pump	Pump, dimensions: 750 mm x 320 mm x 330 mm.	25
387	Selbach	Selbach cool unit, type: 09R7109E0000, serial number: BL 31582, 230 V, 50 Hz, 1,4 A, 250 W, 35 bar, dimensions: 390 mm x 300 mm x 330 mm.	25
388	Himmel	Himmel motor.	25
389	NN motors	2 motors.	20
390	NN motors	2 motors.	25
391	NN electric parts	Box with electric parts.	25
392	NN oven plates	10 oven plates, dimensions: 600 mm x 400 mm.	25
393	NN fans	Various fans.	5
394	NN cooling panels	2 pallets with various cooling panels.	50
395	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 500 mm, total dimensions: 2600 mm x 700 mm x 930 mm.	100
396	NN hood	S/s hood, dimensions: 3900 mm x 1200 mm x 500 mm.	300
397	NN pallet rack	Steel pallet rack, length beam: 2700 mm, dimensions upright: 1290 mm x 3370 mm.	100
398	NN refrigerated doors	2 refrigerated doors, dimensions: 1700 mm x 2650 mm.	50
399	Roma	10 Roma isolated trolleys, dimensions: 480 mm x 700 mm x 1970 mm.	500
400	Roma	20 Roma isolated trolleys, dimensions: 480 mm x 700 mm x 1970 mm.	1000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing. There are no margins, text, or other markings on the page.

[illegible]



This image shows a single sheet of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

