



**Industrial
Auctions**

**2191: Online auction machinery for the food
industry in Kapelle (NL)**

END DATE
02 July 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	02 July 2026 from 14:00 hrs.
Viewing days	30 June 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	09 July 2026 from 09:00 till 16:00 hrs.
Pick up address	Amfoor 6 4421 SE Kapelle Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	N&N Nadratowski sp.j.	N&N Nadratowski sp.j. double shaft paddle mixer with lifter for pallet boxes, lifter type: PW-2/1000 column loader, serial number: 1661, year of construction: 2019, 400 V, 50 Hz, 2.2 kW, weight: 1150 kg, capacity: 1000 kg, lifting height: 2400 mm, total dimensions: 2200 mm x 1500 mm x 2250 mm. Mixer type: MIX-1500F, serial number: 709, year of construction: 2011, 400 V, 50 Hz, 15 kW, weight: 1950 kg, capacity: 1500 litre, dimensions: 2650 mm x 1500 mm x 2250 mm.	15000
2	NN multihead weigher	10 heads multihead weigher, model: 1A10(25), 220 V, 50/60 Hz, 10 A, 1.0 kW, single weighing range: 800 g, maximum weighing speed: 65 bags per minute, dimensions: 1100 mm x 1100 mm x 1300 mm. Never used.	4000
3	Scanvaegt	Scanvaegt 14-heads multihead weigher, type: ScanCombinator 5418-2L-AD, serial number: BMT00202, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 2.0 A, weight: 750 kg, dimensions: 1300 mm x 1100 mm x 1600 mm.	2500
4	HD. Wiegetechnik + Sondermaschinen GmbH	HD. Wiegetechnik + Sondermaschinen GmbH 16-heads multihead weigher, type: HDW 16-1.5-30 kg, machine number: 043, year of construction: 2003, dimensions: 1340 mm x 1340 mm x 1850 mm. Including s/s trolley for bins, dimensions trolley: 2420 mm x 500 mm x 1150 mm, s/s frame for gutters, dimensions frame: 1770 mm x 950 mm x 1000 mm.	3500
6	MultiWeigh	MultiWeigh 14 heads multihead weigher, year of construction: 2003, dimensions: 1350 mm x 1350 mm x 1450 mm.	7500
7	Ishida	Ishida 10 heads multihead weigher, model: CCW-RS-210W-1S/30-SS, serial number: 564718, year of construction: 03/2015, 240 V, 1 Ph, 50 Hz, 5.5 A, weight: 450 kg, dimensions: 1300 mm x 1300 mm x 1600 mm.	9500
8	Ishida	Ishida 10 heads multihead weigher, model: CCW-EM-210/30, serial number: 552790, year of construction: February 2003, 220 V, 1 Ph, 50 Hz, 5.5 A, weight: 445 kg, dimensions: 1200 mm x 1200 mm x 1550 mm.	2250
9	Weber	Weber slicer line, consisting of: Weber pre scanner for slicer, type: SCA, number: 257, year of construction: 02/2009, plastic belt, belt width: 500 mm, total dimensions: 1550 mm x 1050 mm x 2050 mm. Weber slicer, type: SLC 904, number: 7165, year of construction: 03/2009, 400 V, 50 Hz, 10 kW, 6 bar, plastic infeed belt, belt width: (2x) 450 mm, plastic wire outfeed belt, belt width: 350 mm, total	35000



Nr	Title	Description	Start €
		dimensions: 4200 mm x 1900 mm x 2550 mm. Weber checkweigher, type: CCW, number: 7165, plastic wire belt, belt width: 190 mm, total dimensions: 950 mm x 600 mm x 1200 mm. Weber rejector belt, type: CCR, number: 7165, year of construction: 02/2009, plastic wire belt, belt width: 190 mm, total dimensions: 950 mm x 500 mm x 1200 mm. Weber buffer belt, type: CCO, number: 7165, year of construction: 03/2009, plastic belt belt width: 500 mm, total dimensions: 1050 mm x 560 mm x 1420 mm. Weber buffer belt, type: CEB, number: 101-7165, year of construction: 2009, 400 V, 50 Hz, 4 kW, plastic belts, belt width: (3x) 500 mm, plastic wire belts, belt width: 300 mm, total dimensions: 3100 mm x 1000 mm x 1350 mm.	
10	Automation Systems	Automation Systems outfeed belt inliner for flowpacker, type: DNT101, year of construction: 2015, 400 V, 3 Ph, 18 A, 7 KW, plastic belt, belt width: 190 mm, 405 and 50 mm, tray dimensions: 175 mm x 125 mm, distance between dividers: 245 mm, total dimensions: 5750 mm x 2000 mm x 2150 mm.	10000
11	BG Pack SpA	BG Pack SpA flowpacker with labelling machine, model: BG2800 EWL210-Left, serial number: 99404, year of construction: 2011, 400 V, 50 Hz, 32 A, 10 kW, plastic belt, belt width: 150 mm, film width: 400 mm, total dimensions: 4600 mm x 1450 mm x 2300 mm. Including s/s trolley with parts and pallet with parts, dimensions trolley: 1100 mm x 600 mm x 1150 mm.	15000
12	Groba	Groba cheese portioning line, consisting of: Groba transport belt, s/s frame, type: TB-454, L=2000, year of construction: 2006, weight: 125 kg, plastic belt, belt width: 450 mm, total dimensions: 2120 mm x 620 mm x 1300 mm. Groba cheese defoiling machine, type: FO-400, year of construction: 2006, weight: 2400 kg, plastic belt belt width: 400 mm, total dimensions: 3580 mm x 1360 mm x 2650 mm. Groba mobile transport belt, s/s frame, type: TB-454, L=1000, year of construction: 2006, weight: 80 kg, plastic belt, belt width: 450 mm, total dimensions: 1130 mm x 720 mm x 1030 mm. Groba cheese divider, type: MHDM-520, year of construction: 2006, weight: 1200 kg, plastic belt, belt width: 540 mm, plastic rollers, roller width: 540 mm, dimensions dye: (4x) 90 mm x 90 mm, total dimensions: 2700 mm x 1330 mm x 1820 mm. Groba mobile outfeed roller conveyor, s/s frame, plastic roller, roller width: 490 mm, total dimensions: 2160 mm x 740 mm x 1000 mm. Including large amount of extra dye's, dimensions dye's: 80 mm x 80 mm / 120 mm x 100 mm / 370 mm x 370 mm / 150 mm x 50	10000



Nr	Title	Description	Start €
		mm / 100 mm x 60 mm / 100 mm x 100 mm / 75 mm x 100 mm / 100 mm x 150 mm.	
13	NN multihead weigher	10-heads multihead weigher, model: 1A10(25), year of construction: 2025, 220 V, 50/60 Hz, 10 A, 1.0 kW, single weighing range: 800 g, maximum weighing speed: 65 bags per minute, dimensions: 1000 mm x 1000 mm x 1300 mm. Never used.	4000
14	Koppens	Koppens belt fryer, s/s mesh belt, belt width: 600 mm, total dimensions: 5500 mm x 1400 mm x 2950 mm. With Buls system and s/s frame with 2 silos for oil. Transport rollies not included.	15000
16	Multipond Wägetechnik GmbH	Multipond Wägetechnik GmbH 14 heads multihead weigher, type: MP 1401-F, factory number: M 1416, year of construction: 2000, 230 V, 50 Hz, 1.0 kVa, 6 bar, dimensions: 1000 mm x 900 mm x 1100 mm.	3500
18	Ishida	Ishida 16-heads multihead weigher, model: CCW-RVE-216B1D/15-SS, serial number: 560012161, year of construction: 08/2017, 240 V, 1 Ph, 50 Hz, 11.3 A, weight: 535 kg, dimensions: 1750 mm x 1600 mm x 2850 mm.	10000
19	Multipond Wägetechnik GmbH	Multipond Wägetechnik GmbH 16 heads multihead weigher, type: 1601, factory number: 921, year of construction: 1996, dimensions: 1550 mm x 1300 mm x 1700 mm.	2000
20	Multipond Wägetechnik GmbH	Multipond Wägetechnik GmbH 14 heads multihead weigher, type: MP 1434-F, fabrication number: M 1420, year of construction: 2001, 230 V, 50 Hz, maximum weight: 2400/6000 gram, e=: 1/2 gram, dimensions: 1550 mm x 1900 mm x 1300 mm.	2500
21	M.C.R. Automazione SRL	M.C.R. Automazione SRL strawberry de-crowning and slicing machine, model: DF12, number: 210280000, year of construction: 12/2021, 400 V, 3 Ph, 50 Hz, 6 A, 3.5 kW, plastic infeed belt, belt width: 305 mm, clearance: Ø 50 mm, plastic outfeed belt, belt width: 305 mm, total dimensions: 5500 mm x 1900 mm x 2450 mm. Including pallet with parts, without rollies.	14000
22	Weber	Weber slicer, type: MCS 902, number: 2625, year of construction: 07/2006, 400 V, 50 Hz, 10 kW, 6 bar, plastic wired outfeed belt, belt width: 400 mm, total dimensions: 3150 mm x 1700 mm x 2600 mm.	15000
23	Weber	Weber checkweigher, type: CCW, number: 2623, Wipotec weighing cells, type: WEB 99 T35S, plastic wire belt, belt width: 360 mm, total dimensions: 500 mm x 900 mm x 1100 mm.	500
24	Weber	Weber rejecting belt, type: CCR 2623, year of construction: 2006, plastic wire belt, belt width: 360 mm, total dimensions: 500 mm x 900 mm x 1100 mm. Missing cover.	500



Nr	Title	Description	Start €
25	Weber	Weber outfeed belt, type: CCA, number: 2622, year of construction: 2006, 400 V, 50 Hz, 7 kW, plastic wired belt, belt width: 520 mm, total dimensions: 5370 mm x 1800 mm x 1800 mm.	1500
26	Ulma	Ulma mobile flowpacker, model: Nevada BS, number: 1300052, year of construction: 2003, 380 V, 50 Hz, 23 A, 5 kW, ELS labelling machine, infeed belt with dividers, belt width: 150 mm, distance between dividers: 300 mm, divider height: 30 mm, seal width: 300 mm, plastic outfeed belt, belt width: 200 mm, total dimensions: 4500 mm x 1300 mm x 1150 mm.	5000
27	Laska	Laska mobile elevating belt, type: FB 6030, machine number: 15130, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 1.7 A, 0.5 kW, plastic belt with dividers, belt width: 610 mm, divider height: 100 mm, distance between dividers: 815 mm, elevating height: 2150 mm, total dimensions: 3800 mm x 850 mm x 2200 mm.	2000
29	Laska	Laska mobile elevating belt, type: FB 6060, machine number: 15131, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 1.7 A, 0.5 kW, plastic belt, belt width: 610 mm, elevating height: 2300 mm, total dimensions: 5800 mm x 1400 mm x 2500 mm.	1750
30	Jasa Packaging Solutions	Jasa Packaging Solutions double transport belt on s/s frame, model: 19100060300000, machine number: 14666, year of construction: 2019, 230 V, 3 Ph, 0.37 kW, 1.7 A, weight: 110 kg, belt width: (2x) 350 mm, belt length: (2x) 1400 mm, total dimensions: 3400 mm x 1450 mm x 2000 mm.	750
31	Safeline	Safeline mobile metal detector, type: R Series Profile, serial number: 101359, 100-240 V, 50/60 Hz, 340 W, plastic mesh belt with dividers, belt width: 330 mm, divider height: 15 mm, distance between dividers: 150 mm, elevating height: 840 mm, clearance: 350 mm x 140 mm, total dimensions: 5350 mm x 1050 mm x 1000 mm.	2500
32	HSM	HSM baler, model: V-Press 860 plus, serial number: 3600000195, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 15.2 A, 7.5 kW, total dimensions: 1850 mm x 1250 mm x 3000 mm.	3500
33	Uva-Butler	Uva-Butler vertical form-, fill-, and seal machine, type: BUT.2-230, machine number: 98518, year of construction: 1998, 400 V, 50 Hz, diameter filling pipe: 120 mm, vertical seal length: 600 mm, horizontal seal length: 370 mm, film width: 380 mm, total dimensions: 1970 mm x 1500 mm x 1910 mm.	750
34	Bizerba	Bizerba checkweigher with top and bottom labeller, type: GLM-I, number: 10321410, 230 V, 50 Hz, 2.4 A,	3500



Nr	Title	Description	Start €
		maximum capacity: 6 kg, minimum capacity: 20 g, e=d= 1 g, plastic belts, belt width: (1x) 300 mm, (2x) 135 mm, (2x) 90 mm, total dimensions: 3200 mm x 900 mm x 1100 mm. Including s/s switch cabinet, dimensions: 600 mm x 350 mm x 1100 mm.	
35	MKN	MKN tiltable braising pan, type: 2021446S, serial number: 16200556, 400 V, 3 Ph, 6 kW, maximum volume: 99 litre, dimensions: 1600 mm x 860 mm x 1120 mm. Without lid.	500
36	Urschel	Urschel mobile vegetable slicer, clearance: Ø 220 mm, total dimensions: 1400 mm x 950 mm x 1100 mm.	5000
37	AK Ramon	AK Ramon mobile vacuum machine, model: VPT-800 AB, factory number: 1551, year of construction: 2026, 400 V, 3 Ph, 50 Hz, 3.9 A, 1.5 kW, 1500 rpm, chamber: 745 mm x 495 mm, seal length: (1x) 790 mm, (1x) 460 mm, Busch vacuum pump, type: RA 0063 F 4K3, capacity: 63 m ³ per hour, total dimensions: 900 mm x 720 mm x 1100 mm.	1500
38	Steen	Steen mobile turkey deboning machine, type: 850, serial number: 850/2010A, 380/480 V, 50/60 Hz, 4.67 A, 1770 W, weight: 850 kg, 8 stations, capacity: 33 pieces per minute, clearance: Ø 70 mm x 300 mm, plastic mesh belts, belt width: (1x) 200 mm, (1x) 150 mm, total dimensions: 1800 mm x 800 mm x 2200 mm. Including tub with parts, dimensions: 1200 mm x 800 mm x 500 mm.	2500
39	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 390 mm, total dimensions: 2100 mm x 800 mm x 520 mm.	500
40	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 295 mm, elevating height: 1000 mm, total dimensions: 3600 mm x 650 mm x 1050 mm.	500
41	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 390 mm, divider height: 50 mm, distance between dividers: 390 mm, elevating height: 1400 mm, total dimensions: 2300 mm x 750 mm x 1600 mm.	750
42	Townsend	Townsend mobile elevating belt, model: B-42, serial number: B42011, year of construction: 2004, 480 V, 3 Ph, 60 Hz, plastic belt with dividers, belt width: 535 mm, divider height: 50 mm, distance between dividers: 190 mm, elevating height: 2000 mm, total dimensions: 3100 mm x 960 mm x 2200 mm.	1500
43	Marvu	Marvu 90° curve conveyor, s/s mesh belt, belt width: 1000 mm, total dimensions: 2600 mm x 1350 mm x 2100 mm.	750
44	Lakidis	Lakidis double-shaft paddle mixer, type: PL-300, serial number: 770921, year of construction: 2021, 3.3/4.4	8000



Nr	Title	Description	Start €
		kW, volume: 300 litres, dimensions: 1750 mm x 880 mm x 1480 mm.	
45	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. vacuum filling machine, type: 576-SE, machine number: 21142, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 21.9 A, dimensions: 1750 mm x 1100 mm x 1950 mm.	1250
46	Ishida	Ishida multihead weigher, 14-heads, model: CCW-R-214W-S/20-SS, serial number: 557127, year of construction: 05/2007, 240 V, 1 Ph, 50 Hz, 3.6 A, machine weight: 645 kg, dimensions: 1150 mm x 1150 mm x 1700 mm.	4000
47	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 390 mm, divider height: 50 mm, distance between dividers: 390 mm, elevating height: 1400 mm, total dimensions: 2300 mm x 750 mm x 1600 mm.	1250
48	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 535 mm, divider height: 50 mm, distance between dividers: 190 mm, elevating height: 1950 mm, total dimensions: 2900 mm x 900 mm x 2200 mm.	1750
50	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, model: EVM 5006, serial number: M-56362, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 2.24 A, 0.55 kW, weight: 200 kg, working width: 540 mm, total dimensions: 950 mm x 730 mm x 1000 mm.	1750
51	Dinnissen Process Technology	Dinnissen Process Technology double shaft paddle mixer, type: 304-30-2x3, machine number: 190373, year of construction: 2020, volume: 750 litre, dimensions: 3700 mm x 1400 mm x 900 mm.	8500
52	Dinnissen Process Technology	Dinnissen Process Technology double shaft paddle mixer, type: 304-30-2x3, machine number: 181195, year of construction: 2018, volume: 750 litre, dimensions: 3700 mm x 1400 mm x 900 mm.	8500
53	Intech International a/s	Intech International a/s lifter for crates, type: IL 350, serial number: E19153, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.75 kW, weight: 350 kg, dimensions: 1200 mm x 460 mm x 2700 mm.	1250
54	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 1000 mm x 1000 mm x 1170 mm.	400
55	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 400 mm, distance between dividers: 250 mm, divider height: 100 mm, elevating height: 1800 mm, total dimensions: 3600 mm x 600 mm x 2000 mm.	400
56	Novopac s.r.l.	Novopac s.r.l. bundling machine, plastic belt, belt width: 360 mm and 100 mm, total dimensions: 3200	1000



Nr	Title	Description	Start €
		mm x 1400 mm x 1850 mm. With pallet with infeed belt.	
57	Ulma	Ulma flowpacker with CFS infeed conveyor, model: PV 550 L SHAPE, machine number: 1221960, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 14 A, 9.6 kW, film width: 740 mm, plastic belt, belt width: 430 mm, seal width: 200 mm and 540 mm, plastic outfeed belt, belt width: 425 mm, total dimensions: 3900 mm x 1780 mm x 2020 mm, 4200 mm x 750 mm x 1000 mm.	7500
58	Case Packaging Systems	Case Packaging Systems case compacting system, plastic belt, belt width: 360 mm, clearance: 290 mm x 580 mm, dimensions presser: 340 mm x 220 mm, total dimensions: 1550 mm x 1160 mm x 2210 mm.	1750
59	Blueprint Automation	Blueprint Automation tilting device for pouches, type: FBC01, serial number: V1081, year of construction: 06-2006, 400 V, 3 Ph, 50 Hz, plastic belts, belt width: 360 mm and 60 mm, working width: 320 mm, total dimensions: 3600 mm x 1200 mm x 1600 mm.	1500
60	Cryovac	Cryovac horizontal form, fill and seal machine, type: CJ55 MD-BDF, serial number: A91600205, year of construction: 2000, 400 V, 50 Hz, 8 A, 5 kW, plastic belt, belt width: (2x) 200 mm, seal width: 250 mm, clearance: 200 mm x 60 mm, total dimensions: 5000 mm x 1100 mm x 2300 mm.	1750
61	SAS DISPAC	SAS DISPAC tilting device for 200 litre meat bins with outfeed belt, type: VIDEF, serial number: 08V27, year of construction: 06/08, plastic belt, belt width: 600 mm, total dimensions: 3400 mm x 1580 mm x 1810 mm.	500
62	NN curve conveyor	S-curve conveyor, plastic mesh belt, belt width: 100 mm, total dimensions: 3500 mm x 1400 mm x 1150 mm.	400
63	SAS DISPAC	SAS DISPAC tilting device for 200 litre meat bins with outfeed belt, type: VIDEF, serial number: 08V26, year of construction: 06/08, plastic belt, belt width: 600 mm, total dimensions: 3400 mm x 1580 mm x 1810 mm.	500
64	Multipond	Multipond mobile 14-heads multihead weigher, type: MP 1401-F, year of construction: 1998, 230 V, 1 Ph, 50 Hz, weighing range: 20 - 100 gram, total dimensions: 2100 mm x 1250 mm x 3250 mm. Including s/s trolley for bins, dimensions trolley: 1450 mm x 800 mm x 1730 mm.	7000
65	Ulma	Ulma shrink tunnel, model: TRX 65x150 H-250, machine number: 4515763, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 42.4 A, 30.6 kW, plastic rollers, roller width: 660 mm, clearance: 640 mm x 280	7500



Nr	Title	Description	Start €
		mm, total dimensions: 2400 mm x 1350 mm x 1730 mm.	
66	Automotion Systems	Automotion Systems tray filling machine, type: FST204, year of construction: 2014, 400 V, 3 Ph, 16 A, 4 kW, 2.5 bar, plastic belt with dividers, belt width: 165 mm, distance between dividers: 150 mm, divider height: 150 mm, total dimensions tray filler: 1000 mm x 1400 mm x 2000 mm, including infeed belt, belt width: 265 mm, total dimensions: 1900 mm x 500 mm x 1000 mm. Including transport belt, s/s frame, plastic belt, belt width: 285 mm, total dimensions transport belt: 3850 mm x 430 mm x 1060 mm.	1500
67	Bosch	Bosch vertical bag form-, fill- and seal machine, type: SVE 2510 WR, number: 808689MS7533N, year of construction: 2006, film width: 443, diameter filling pipe: 115 mm, vertical seal length: 350 mm, horizontal seal length: 285 mm, total dimensions: 2550 mm x 1500 mm x 1800 mm. Including Garden Denver vacuum pump, type: V-VC 150 (20), capacity: 150 m ³ per hour, dimensions: 800 mm x 450 mm x 300 mm.	2500
68	Nemo	Nemo progressive cavity pump, dimensions: 3570 mm x 500 mm x 570 mm.	1500
69	NN transport belt	Transport belt on s/s rails, plastic belt, belt width: 400 mm, total dimensions: 3200 mm x 800 mm x 970 mm.	1000
70	Vemag	Vemag vacuum filling machine with lifter for 200 litre meat bins, model: ROBOT HP10, type: 140/350 B-1, number: 140 0444, year of construction: 1995, 220-460 V, 3 Ph, 50/60 Hz, 21/63 A, with Rietschle vacuum pump, type: VCE 25, number: 1569062, dimensions: 2100 mm x 1200 mm x 2350 mm.	3000
71	HD. Wiegetechnik + Sondermaschinen GmbH	HD. Wiegetechnik + Sondermaschinen GmbH 16-heads multihead weigher, type: HDW 16-1.5-30 kg, machine number: 043, year of construction: 2003, dimensions: 1340 mm x 1340 mm x 1850 mm. Including s/s trolley for bins, dimensions trolley: 2420 mm x 500 mm x 1150 mm, s/s frame for gutters, dimensions frame: 1770 mm x 950 mm x 1000 mm and pallet with parts, dimensions pallet: 1200 mm x 800 mm x 550 mm.	3500
72	NN vertical bag forming, filling and sealing machine	Vertical bag forming, filling and sealing machine, film width: 450 mm, diameter clearance: 120 mm, vertical seal length: 400 mm, horizontal seal length: 260 mm, total dimensions: 1800 mm x 1100 mm x 1980 mm.	2000
73	Meiwa	Meiwa pallet wrapper, type: WP1 EVC, serial number: E0701347, year of construction: 11/2007, 220 V, 60 Hz, 1000 W, steel platform, diameter platform: 1650 mm, total dimensions: 2650 mm x 1650 mm x 2820 mm.	400
74	NN tilting device for pallet boxes	Tilting device for pallet boxes, tilting height: 1200 mm, total dimensions: 2000 mm x 1700 mm x 1600 mm.	1500



Nr	Title	Description	Start €
75	Ishida	Ishida 10-heads multihead weigher, model: CCW-SE3-210W-1S/20-WP, serial number: 920016215 E17101101, year of construction: 11/2017, 230 V, 1 Ph, 50 Hz, 5.2 A, minimum capacity: 14 g, maximum capacity: 1000 g, total dimensions: 1100 mm x 1000 mm x 1300 mm.	5000
77	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 380 mm, elevating height: 1150 mm, total dimensions: 1940 mm x 500 mm x 1420 mm.	650
78	N&N Nadratowski sp.j.	N&N Nadratowski sp.j. double shaft paddle mixer with lifter for 200 litre meat bins, type: PADDLE BLENDER, model: MIX-900, serial number: 2332, year of construction: 2022, 400 V, 50 Hz, 10/12 kW, volume: 900 litres, weight: 1100 kg, dimensions paddle mixer: 2200 mm x 1120 mm x 1860 mm, 800 mm x 800 mm x 2650 mm.	12500
79	Youngsunpack	Youngsunpack pallet wrapper, type: MHFG2000B, serial number: E114811, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 1250 W, diameter platform: 1640 mm, total dimensions: 3000 mm x 1650 mm x 2780 mm.	600
80	Innotech Verpackungsmaschinen GmbH / Rovema	Innotech Verpackungsmaschinen GmbH / Rovema vertical bag form-, fill- and seal machine, type: 2500 REVO, serial number: 1.32.17.1252, year of construction: 2017, 230-400 V, 3 Ph, 50 Hz, 25 A, film width: 510 mm, diameter pipe: 130 mm, vertical seal length: 370 mm, horizontal seal length: 280 mm, total dimensions: 2400 mm x 1450 mm x 1970 mm. Including extra filling pipe.	7500
81	Ca.Ve.Co	Ca.Ve.Co skin packaging machine, type: STORM, serial number: 7818, 400 V, 50 Hz, 9 A, 6 kW, film width: 760 mm, Busch vacuum pump, type: RA 0100 F 5R3, dimensions chamber: 720 mm x 500 mm x 100 mm, plastic in- and outfeed rollers, roller width: 450 mm, total dimensions: 2660 mm x 1150 mm x 1440 mm. Including pallet with plastic plates, dimensions plates: (16x) 700 mm x 490 mm x 30 mm.	3500
82	FoodeQ	FoodeQ vibrating gutter, type: VCO-FD40-100-160, number: 19159-10, year of construction: 2019, 8 lanes, lane width: (8x) 115 mm, total dimensions: 1930 mm x 1070 mm x 1540 mm.	2000
83	Marcelissen	Marcelissen halving machine, plastic rollers, roller width: 1280 mm, 8 knives, distance between knives: 125 mm, total dimensions: 2000 mm x 2150 mm x 1980 mm.	6500
84	Landpack	Landpack pouch packaging machine, model: LDSP-210A, serial number: LP251018, year of construction: 2026, plastic wire belt, belt width: 47	6500



Nr	Title	Description	Start €
		mm, outfeed clearance: 240 mm x 200 mm, total dimensions: 2230 mm x 2000 mm x 1400 mm. Only used for tests.	
85	Multivac	Multivac traysealer, type: T300, serial number: 310724, year of construction: 2021, 400/230 V, 3 Ph, 50 Hz, 34.7 A, 8.8 kW, Busch vacuum pump, capacity: 100 m ³ per hour, dimensions dyes: 247 mm x 314 mm, 230 mm x 145 mm, 175 mm x 228 mm and 256 mm x 175 (for skin packing), dimensions: 3200 mm x 1100 mm x 1700 mm. Transport rollies not included.	30000
86	Van Oirschot	Van Oirschot tilting device for pallet boxes, dimensions: 2300 mm x 2210 mm x 1640 mm.	1500
87	MACS	MACS s-shaped curve conveyor, type: CURVED CONVEYOR, machine number: 21090-51000, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 1.29 A, 0.55 kW, plastic mesh belt, belt width: 450 mm, total dimensions: 3600 mm x 850 mm x 1370 mm.	650
88	NN lifter for 200 litre meat bins	Mobile lifter for 200 litre meat bins, lifting height: 1675 mm, total dimensions: 1370 mm x 1340 mm x 2810 mm.	1750
89	NN tilting device for pallet boxes	S/s tilting device for pallet boxes, dimensions: 1950 mm x 1560 mm x 2580 mm.	2500
90	KEY Technology	KEY Technology vibrating gutter on mobile s/s frame, gutter width: 500 mm, total dimensions: 2430 mm x 850 mm x 2700 mm.	1500
91	Glass	Glass tiltable frying pan with GWK oil heater, type: WOK 300, machine number: 2812, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 6.93 A, 2.62 kW, volume: 300 litre, dimensions cooking vessel: 2500 mm x 1500 mm x 1610 mm, type GWK oil heater: teco tt 140.48.000, serial number: 207304-01-01, year of construction: 2005, dimensions oil heater: 1500 mm x 440 mm x 1540 mm.	15000
92	Jansen Techniek	Jansen Techniek checkweigher with rejector, model: checkweigher, type: reject, year of construction: 2018, plastic mesh belt, belt width: 250 mm, clearance: 260 mm x 285 mm, plastic rollers, roller width: 315 mm, total dimensions: 1300 mm x 2550 mm x 1500 mm.	1500
93	Cabinplant	Cabinplant separation tumbler, type: SEPERATORTROMLE, number: 8431, diameter drum: 350 mm, length: 1200 mm, Scanvaegt weighing scale with indicator, type: 411, max: 30 Kg, min: 0.2 Kg, e= 0.01 Kg, dimensions weighing scale: 400 mm x 300 mm, total dimensions: 1750 mm x 1250 mm x 2100 mm.	1500
94	Servolift GmbH	Servolift GmbH lifter for barrels, type: mob. Fass-Hubsäule, serial number: 10905, year of construction:	1000



Nr	Title	Description	Start €
		2004, capacity: 160 kg, lifting height: 2300 mm, total dimensions: 1850 mm x 800 mm x 2300 mm.	
95	Still	Still electric pallet lifter, type number: EGV 16, serial number: 710246002240, year of construction: 1999, capacity: 1600 kg, empty weight: 865 kg, battery weight minimum / maximum: 298 kg (5%) 24 V, fork length: 1150 mm, total dimensions: 1700 mm x 840 mm x 1940 mm. Including battery charger, 24 V.	450
96	Multipond	Multipond 10-heads multihead weigher, type: MP1024, factory number: 567, year of construction: 1993, weighing capacity: 2400 g, dimensions: 1600 mm x 1400 mm x 2200 mm. Control panel shown in video is not included.	1500
97	Mettler Toledo	Mettler Toledo X-ray scanner, model: ADV3, serial number: 3360 ADV 3, year of construction: November 2013, 230 V, 1 Ph, 50 Hz, 10 A, 2.3 kW, weight: 420 kg, plastic belt, belt width: 320 mm, clearance: 290 mm x 250 mm, total dimensions: 2000 mm x 920 mm x 2020 mm.	2500
98	Matco	Matco pallet wrapper, type: A618Z PREA, serial number: MA-99111, year of construction: 01/1999, 400 V, 3 Ph, 50 Hz, 765 kg, steel platform, diameter platform: 1750 mm, total dimensions: 3000 mm x 1750 mm x 2600 mm.	400
99	FAM	FAM mobile dicer, model: Flexifam, serial number: 6028, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 1.5 kW, weight: 300 kg, distance between knives: 10 mm, total dimensions: 1660 mm x 1180 mm x 1650 mm. Including extra parts.	4500
100	Hollstein & Fuhrmann	Hollstein & Fuhrmann mobile tilting device, type: EL-M200, number: 162, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 2.2 kW, dimensions: 2000 mm x 1450 mm x 1600 mm.	2000
101	Machinefabriek Hendriks B.V.	Machinefabriek Hendriks B.V. cheese scraper, type: KAASCHRAPER II, serial number: 8900.001, year of construction: 2000, clearance: 130 mm x 180 mm, total dimensions: 3400 mm x 1500 mm x 2280 mm.	2500
102	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1050 mm, total dimensions: 3500 mm x 570 mm x 1170 mm.	500
103	Kolbe	Kolbe bandsaw, dimensions table: 770 mm x 580 mm, total dimensions: 800 mm x 730 mm x 1610 mm.	1500
104	Kolbe	Kolbe bandsaw, model: K440 RS, year of construction: 2018, dimensions table: 970 mm x 880 mm, total dimensions: 1040 mm x 1020 mm x 2050 mm. Including saws.	1250
105	Palmia		2500



Nr	Title	Description	Start €
		Palmia double shaft ribbon mixer, inside dimensions: 970 mm x 1200 mm x 680 mm, total dimensions: 2150 mm x 1550 mm x 1950 mm.	
106	CFS Bakel B.V.	CFS Bakel B.V. mobile forming machine, type: MLF 400, machine number: 2206, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 17.16 A, 7.77 kW, weight: 1186 kg, s/s mesh belt, belt width: 400 mm, dimensions dye: (6x) 180 mm x 20 mm, total dimensions: 2750 mm x 900 mm x 2150 mm. New controls installed in 2017.	17500
109	NN tilting device for pallet boxes	S/s tilting device for pallet boxes, dimensions: 2500 mm x 1850 mm x 1750 mm.	2000
110	Sartorius	Sartorius metal detector on elevating belt, plastic mesh belt, belt width: 304 mm, clearance: 350 mm x 160 mm, elevating height: 950 mm, total dimensions: 2900 mm x 1150 mm x 2220 mm. Incomplete.	750
111	NN transport belt	Transport belt, s/s frame, plastic belt with dividers, belt width: 35 mm, divider height: 35 mm, distance between dividers: 370 mm, total dimensions: 4500 mm x 600 mm x 980 mm.	400
112	ZTI smart machines	ZTI smart machines fruit cutter, type: Standaard, serial number: 931162-141831-18, year of construction: 2022, dimensions transporters: 280 mm x 260 mm, clearance: 410 mm x 120 mm, total dimensions: 5700 mm x 850 mm x 2640 mm. Without transport rollies.	6500
113	BT	BT s/s electric pallet lifter, model: SWE120I, serial number: 6149915, year of construction: 2011, fork length: 1150 mm, capacity: 1200 kg, total dimensions: 1950 mm x 800 mm x 1980 mm.	1250
114	Variovac	Variovac thermoformer, type: MULTIPOWER, serial number: 580.189.07, machine number: 189, year of construction: 2007, 230/400 V, 50 Hz, 36 A, 16 kW, 6 bar, film width: 580 mm, dimensions dye: (2x) 230 mm x 180 mm, plastic outfeed belt, belt width: (2x) 250 mm, total dimensions: 9900 mm x 1310 mm x 2050 mm. Including film unwind device, dimensions: 850 mm x 900 mm x 930 mm and rest film suction device, dimensions: Ø 480 mm x 1060 mm. Transport rollies not included.	2500
115	Landpack	Landpack powder filling machine, model: LF-PJ-OO, serial number: LP260128, year of construction: 2026, plastic belt, belt width: 85 mm, diameter outfeed: 30 mm, clearance: 485 mm x 315 mm, total dimensions: 2050 mm x 1330 mm x 2080 mm.	5000
116	Landpack	Landpack flowpacker, model: LP-450, serial number: LP260106, year of construction: 2026, plastic belt, belt width: 180 mm, film width: 240 mm, 130 mm, seal width: 200 mm, total dimensions: 3860 mm x 960 mm x 1640 mm.	7000



Nr	Title	Description	Start €
117	NN elevating belt	Elevating belt, plastic belt, belt width: 380 mm, elevating height: 1500 mm, total dimensions: 5250 mm x 540 mm x 1700 mm.	850
118	NN curve conveyor	90° curve conveyor, plastic mesh belt, belt width: 250 mm, total dimensions: 1700 mm x 1100 mm x 930 mm.	650
119	Skyjack Inc.	Skyjack Inc. scissor lift, model: SJ III-4626, serial number: 707487, year of construction: 2000, lifting height: 7.9 meters, dimensions: 2250 mm x 1250 mm x 2230 mm.	1750
120	Metaalbewerking JDK	Metaalbewerking JDK transport belt, number: 2021.9895, year of construction: 2021, plastic belt width dividers, belt width: 600 mm, divider height: 60 mm, distance between dividers: 190 mm, total dimensions: 6750 mm x 950 mm x 600 mm.	1500
121	NN transport belt	Transport belt, plastic belt, belt width: 400 mm, total dimensions: 6050 mm x 900 mm x 460 mm.	800
122	New Motion B.V.	New Motion B.V. transport belt with 2 rejectors, type: BC-S, serial number: 17289-02-000, year of construction: 2018, plastic belt, belt width: 600 mm, 5300 mm x 800 mm x 400 mm.	1000
123	Hellings Machinebouw B.V.	Hellings Machinebouw B.V. transport belt, year of construction: 2017, plastic belt with dividers, belt width: 370 mm, divider height: 10 mm, distance between dividers: 90 mm, total dimensions: 4150 mm x 700 mm x 500 mm.	750
124	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 370 mm, divider height: 100 mm, distance between dividers: 200 mm, elevating height: 6500 mm, total dimensions: 3000 mm x 700 mm x 6700 mm.	950
125	Metaalbewerking JDK	Metaalbewerking JDK transport belt, number: 2018.4605, year of construction: 2018, 1.5 kW, plastic belt, belt width: 6100 mm x 1150 mm x 300 mm.	750
126	Elmech-Services N.V.	Elmech-Services N.V. transport belt, type: Transportband Trogvorm, machine number: 00106, year of construction: 2002, plastic belt, belt width: 530 mm, total dimensions: 4000 mm x 750 mm x 200 mm.	800
127	NN transport belt	Transport belt, plastic belt, belt width: 485 mm, total dimensions: 3300 mm x 1100 mm x 400 mm.	200
128	Ingenieursbureau Schneider B.V.	Ingenieursbureau Schneider B.V. transport belt, plastic belt, belt width: 500 mm, total dimensions: 7900 mm x 700 mm x 550 mm.	1000
129	SAS DISPAC	SAS DISPAC elevating belt, type: ELEV, serial number: 08G48, year of construction: 2008, plastic belt, belt width: 600 mm, total dimensions: 6900 mm x 1150 mm x 830 mm.	1250
130	NN transport belt	Transport belt, plastic belt, belt width: 600 mm, total dimensions: 7350 mm x 900 mm x 880 mm.	1000



Nr	Title	Description	Start €
131	NN transport belt	Transport belt, plastic belt, belt width: 600 mm, total dimensions: 6500 mm x 1120 mm x 610 mm.	1000
132	Stork Townsend B.V.	Stork Townsend B.V. separator, model: DMP-45, serial number: B06E453, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 24 kW, weight: 3000 kg, diameter perforations: 8 mm, dimensions separator: 3400 mm x 1400 mm x 2050 mm. Including s/s switch cabinet and s/s cabinet with hydraulic pump, dimensions: 800 mm x 440 mm x 1850 mm, 1460 mm x 1040 mm x 2120 mm.	5000
133	Stork Townsend B.V.	Stork Townsend B.V. separator, model: DMP-45, serial number: B06036, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 24 kW, weight: 3000 kg, diameter perforations: 8 mm, dimensions separator: 3400 mm x 1400 mm x 2050 mm. Incomplete. Including s/s switch cabinet and s/s cabinet with hydraulic pump, dimensions: 800 mm x 440 mm x 1850 mm, 1460 mm x 1040 mm x 2120 mm.	1500
134	Townsend Engineering B.V.	Townsend Engineering B.V. separator, model: DMP-45, serial number: B06010, year of construction: 2004, 480 V, 3 Ph, 60 Hz, 24 kW, weight: 3000 kg, diameter perforations: 8 mm, dimensions separator: 3400 mm x 1000 mm x 1950 mm. Including s/s switch cabinet and s/s cabinet with hydraulic pump, dimensions: 800 mm x 440 mm x 1850 mm, 1460 mm x 1040 mm x 2120 mm.	5000
135	Stork Townsend B.V.	Stork Townsend B.V. separator, model: DMP 45, serial number: 10075324, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 24 kW, weight: 3000 kg, diameter perforations: 8 mm, dimensions separator: 3400 mm x 1400 mm x 2050 mm. Including s/s switch cabinet and s/s cabinet with hydraulic pump, dimensions: 800 mm x 440 mm x 1850 mm, 1460 mm x 1040 mm x 2120 mm and large amount of spare parts.	6000
136	Foodmate B.V.	Foodmate B.V. thigh deboner, model: FM 6.50, serial number: FM.00.650.017, year of construction: 2010, weight: 590 kg, capacity: 50 birds per hour, rotation: CW, 14 stations, dimensions: 1150 mm x 1100 mm x 2300 mm.	4500
137	Rühle	Rühle dicer, type: SR 3, number: 46, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 16 A, 7.0 kW, dimensions: 2000 mm x 1300 mm x 2130 mm.	6000
138	Yamato Scale/ Dataweigh	Yamato Scale/Dataweigh multihead weigher, model: ADW-514SD, serial number: WG990491, 220-240 V, 50/60 Hz, 10 A, weighing range: 20-2000g, maximum speed: 120 p/min, 14 heads, dimensions: 1300 mm x 1250 mm x 1500 mm.	1500
140	Schuy		2500



Nr	Title	Description	Start €
		Schuy cup filling and closing machine, type: SchuCup 3000, machine number: 6727, diameter cups: 95 mm, plastic outfeed belt, belt width: 120 mm, total dimensions: 2400 mm x 1440 mm x 2350 mm.	
141	NN meat bin	S/s meat bin, volume: 200 litres.	100
142	NN meat bins	2 s/s meat bins, volume: (2x) 200 litres.	200
143	Becker	Becker vacuum pump, type: VX4.25, number: C3242918, year of construction: 2018, capacity: 25 / 30 m ³ per hour, dimensions: 500 mm x 240 mm x 280 mm.	250
144	Becker	Becker vacuum pump, type: VT4.40, number: C3142583, year of construction: 2017, capacity: 40 / 48 m ³ per hour, dimensions: 500 mm x 240 mm x 280 mm.	250
145	Mesutronic	Mesutronic s/s pipeline metal detector, type: MN 5.2 PW 300, serial number: 1213-PW, year of construction: 2017, 100-240 V, 50/60 Hz, 1.25 A, clearance: Ø 300 mm, total dimensions: 600 mm x 550 mm x 650 mm.	500
146	Busch	Busch vacuum pump, type: RA 0040 F 5R3, serial number: DEM124430385, year of construction: 2024, capacity: 40 m ³ per hour, dimensions: 620 mm x 270 mm x 260 mm.	500
147	Becker	Becker vacuum pump, type: VT 4.40, number: A 2619468, year of construction: 2012, 50/60 Hz, capacity: 40/48 m ³ per hour, dimensions: 570 mm x 270 mm x 300 mm.	100
148	Becker	Becker vacuum pump, type: VT 3.40, number: F 1258056, year of construction: 2013, capacity: 40 m ³ per hour, dimensions: 500 mm x 230 mm x 360 mm.	200
149	Busch	Busch vacuum pump, type: RA 0400 B 461 DUBI, number: C9937000579, capacity: 400 m ³ per hour, dimensions: 1300 mm x 850 mm x 1400 mm.	500
150	Busch	Busch vacuum pump, type: RA 0302 D 523 DIXX, number: C1241000334, year of construction: 2012, capacity: 300 m ³ /h, dimensions: 1050 mm x 700 mm x 600 mm.	500
151	Automotion Systems BV	Automotion Systems BV box filling machine, type: ARE008, year of construction: 2018, 400 V, 3 Ph, 16 a, 3 kW, plastic belts, belt width: 280 mm and 170 mm, distance between dividers: 150 mm, divider height: 150 mm, total dimensions: 2300 mm x 2000 mm x 1850 mm.	1800
152	Nock	Nock skinning machine, type: V-460, machine number: 192810, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.75 kW, 5/9 bar, working width: 440 mm, total dimensions: 750 mm x 600 mm x 950 mm.	750
153	Zomerdam	Zomerdam metal detecting head, type: MN 5.1 CI 300/150, serial number: 910208 CI, 100-240 V, 50/60	250



Nr	Title	Description	Start €
		Hz, 50-300 mA, clearance: 300 mm x 150 mm, total dimensions: 750 mm x 260 mm x 400 mm.	
154	Handtmann	Pallet with various Multivac parts, 5x Handtmann linking attachment, type: (3x) 93-32 / (2x) 34-5, number: 313 / 374 / 844 / 10867 / 11553 and 5x part for Handtmann linking machine.	2500
155	Busch	Busch vacuum pump, type: RD 0200 A 5H1, serial number: DEM124140051, year of construction: 2024, capacity: 160 m ³ per hour, dimensions: 800 mm x 600 mm x 430 mm.	1000
156	Busch	Busch vacuum pump, type: KB 0016 E 3Z0 MMZX, serial number: CZM124250673, year of construction: 2024, capacity: 19 m ³ per hour, dimensions: 300 mm x 200 mm x 200 mm.	500
157	Busch	Busch vacuum pump, type: KB 0016 E 3Z0, serial number: CZM124130037, year of construction: 2024, capacity: 19 m ³ per hour, dimensions: 290 mm x 220 mm x 200 mm.	400
158	Busch	Busch vacuum pump, type: RA 0100 F 4R3, serial number: DEM124420871, year of construction: 2024, capacity: 100 m ³ per hour, dimensions: 700 mm x 400 mm x 290 mm.	1000
159	Yamato Scale/ Dataweigh	Yamato Scale/Dataweigh multihead weigher, model: ADW-414SD, serial number: WG020348, 220-240 V, 50/60 Hz, 5 A, weighing range: 8-1000g, maximum speed: 130 p/min, 14 heads, dimensions: 1250 mm x 1050 mm x 1750 mm, 800 mm x 400 mm x 600 mm.	1250
160	Landpack	Landpack pouch filling machine, model: LD-8200A, serial number: LP250325, year of construction: 2025-5-5, plastic belt, belt width: 260 mm, built-in Joysun single-stage rotary vane vacuum pump, model: X-40, serial number: AP251265305, year of construction: 2025, nominal displacement: 40 m ³ /h, dimensions: 2550 mm x 2000 mm x 1500 mm.	10000
162	Gardner Denver	Gardner Denver vacuum pump, type: VLR 100 (01), 2.20 kW, capacity: 100 m ³ per hour, dimensions: 700 mm x 530 mm x 610 mm.	350
163	Sondermeier	Sondermeier electromotor, type: MKG-428 S02 F6B-9, 400 V, 50 Hz, 134 A, 75 kW, dimensions: 1050 mm x 500 mm x 760 mm.	650
164	Gruppo Fabbri SA	Gruppo Fabbri SA automatic wrapping machine, model: B-241, serial number: 4-251, year of construction: 2012, 400 V, 3 Ph, 50-60 Hz, 10 A, weight: 610 kg, plastic string belt, belt width: 175 mm, dimensions dye: 300 mm x 240 mm, film width: 330 mm, total dimensions: 3830 mm x 950 mm x 1770 mm.	4000
165			10000



Nr	Title	Description	Start €
	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, model: FALCON conti, machine number: 461005.154538.110208, year of construction: 2011, 380-480 V, 3 Ph, 50/60 Hz, 32 A, 8.6 kW, weight: 750 kg, plastic belt, belt width: 220 mm, clearance: 290 mm x 180 mm, total dimensions: 4630 mm x 1300 mm x 1900 mm.	
166	Anritsu	Anritsu checkweigher and metal detector with rejectors, type checkweigher: KW5417BP5D, serial number: 4600173649, year of construction: 2012, 100-120 / 200-240 Vac, 1 Ph, 50/60 Hz, maximum weight: 1500 / 3000 gram, minimum weight: 20 gram, e=d= 0.5 / 1 gram, T = -1500 / -3000 gram, type metal detector: KD1125AW, serial number: 4600162333, plastic belt, belt width: 350 mm, clearance: 450 mm x 130 mm, total dimensions: 2250 mm x 1450 mm x 1550 mm. Curve conveyor shown in video is not included.	2500
168	Garvens Automations GmbH	Garvens Automations GmbH metal detector with checkweigher with double rejectors, type: S3 combi, serial number: 330069, year of construction: 1999, 230 V, 50 Hz, weighing range: 20-3500 gram, e=d= 0.5 gram, T= - 3500 gram, plastic belt, belt width: 290 mm, clearance: 350 mm x 210 mm, total dimensions: 1300 mm x 700 mm x 1850 mm and 1100 mm x 950 mm x 1370 mm.	2500
169	Avercon	Avercon carton erector with Robatech glue unit, machine type: AVC-CE710 L/H, number: 532, year of construction: 12-2003, 3x400 V, 18.5 A, Busch vacuum pump, type: RA0040 F 5R3, serial number: D17500393, year of construction: 2017, dimensions carton erector: 3500 mm x 1800 mm x 2400 mm, dimensions infeed unit: 1800 mm x 1400 mm x 1250 mm.	1500
170	MACS	MACS elevating belt, type: TAKE AWAY CONVEYOR, number: 21090-44000, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 1.29 A, 0.55 kW, s/s frame, plastic mesh belt, belt width: 450 mm, elevating height: 1500 mm, total dimensions: 4800 mm x 800 mm x 1600 mm.	850
171	Diessel	S/s skid with Diessel tank with agitator and scraper, inside dimensions tank: Ø 1200 mm x 1000 mm, including progressing cavity pump, total dimensions: 2000 mm x 1350 mm x 2500 mm.	2750
172	Urschel Laboratories, Inc.	Urschel Laboratories, Inc. slicer, model: RA-A, serial number: 1368, working width: 140 mm, 16 knives, distance between knives: 10 mm, total dimensions: 2540 mm x 1340 mm x 2150 mm.	6500
173	GEA/Dima	GEA mozzarella line consisting of GEA cheese curd knife, type: TRA/B+CIP, serial number: 6209, year of	45000



Nr	Title	Description	Start €
		construction: 2017, 13 kW, weight: 670 kg, screw width: 300 mm, tier: 350 mm, Dima continuous cooking-stretching tunnel and GEA moulding machine, type: HG2E/I/L, serial number: 5805, year of construction: 2017, 3 kW, weight: 510 kg, dimensions cheese curd knife: 2900 mm x 1400 mm x 3050 mm, dimensions continuous cooking-stretching tunnel: 5000 mm x 1500 mm x 2650 mm, dimensions moulding machine: 1800 mm x 1000 mm x 1950 mm, dimensions platform: 1200 mm x 2600 mm x 1510 mm, dimensions s/s trolley with parts: 900 mm x 2100 mm x 1500 mm.	
174	NN tray filling and closing machine	Tray filling and closing machine, chain conveyor with dividers, divider height: 20 mm, distance between dividers: 410 mm, dye: Ø 200 mm, total dimensions: 6200 mm x 1000 mm x 2300 mm.	2500
175	Tivadar Apparatebau	Tivadar Apparatebau tubular heat exchanger used for Palm Oil, type: NEU 900/4800 - 2 Passes, serial number: 21-151, year of construction: 2022, volume: 1680 litres, weight: 6510 kg, steam heated, dimensions: 6500 mm x 1300 mm x 1750 mm.	8000
176	Fuiji	Fuiji flowpacker, type: FW3430, plastic infeed belt, belt width: 200 mm, film width: 380 mm, seal length: 300 mm, total dimensions: 5850 mm x 1500 mm x 2500 mm.	6000
201	Technoceam	Technoceam elevating belt, type: Nastro di Uscita, serial number: 19-09, year of construction: 2008, s/s frame, plastic belt, belt width: 500 mm, elevating height: 1000 mm, total dimensions: 3000 mm x 750 mm x 1200 mm.	500
202	Metaalbewerking JDK	Metaalbewerking JDK shuttle conveyor, number: 2021.9848, year of construction: 2021, plastic belt, belt width: 500 mm, total dimensions: 2900 mm x 1050 mm x 500 mm.	1200
203	Stork Townsend B.V.	Stork Townsend B.V. mobile elevating belt, model: B44, serial number: B44E478, year of construction: 2008, 400 V, 3 Ph, 50 Hz, plastic belt with dividers, belt width: 350 mm, divider height: 50 mm, distance between dividers: 390 mm, elevating height: 1350 mm, total dimensions: 2300 mm x 800 mm x 1600 mm.	800
204	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 775 mm, total dimensions: 3300 mm x 950 mm x 1000 mm.	600
205	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 790 mm, total dimensions: 3350 mm x 950 mm x 1050 mm.	1000
206	Groba		650



Nr	Title	Description	Start €
		Groba mobile elevating belt, type: TB-504, year of construction: 2005, weight: 230 kg, plastic belt, belt width: 500 mm, elevating height: 1330 mm, total dimensions: 4000 mm x 770 mm x 1350 mm.	
207	NN transport belt	Transport belt, plastic belt, belt width: 790 mm, total dimensions: 4150 mm x 950 mm x 1150 mm.	1000
209	Murre Techniek b.v.	Murre Techniek b.v. mobile elevating belt, model: 162140757, year of construction: 2016, machine weight: 390 kg, plastic belt, belt width: (1x) 590 mm, (1x) 340 mm, elevating height: 1400 mm, total dimensions: 2700 mm x 1230 mm x 1900 mm.	1000
210	Lensink	Lensink mobile transport belt with rejector, s/s frame, plastic belt, belt width: 153 mm, total dimensions: 3400 mm x 850 mm x 2000 mm.	500
211	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: 255 mm, total dimensions: 3050 mm x 800 mm x 1600 mm.	500
212	Procon	Procon mobile elevating belt, serial: PT113X2, 250 W, plastic belt, belt width: 400 mm, elevating height: 1350 mm, total dimensions: 3300 mm x 600 mm x 1340 mm.	500
214	NN 90° curve conveyor	Mobile 90° curve conveyor, plastic mesh belt, belt width: 210 mm, total dimensions: 1550 mm x 1500 mm x 940 mm.	750
215	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 790 mm, total dimensions: 3350 mm x 950 mm x 1050 mm.	1000
216	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 200 mm, total dimensions: 3000 mm x 450 mm x 900 mm.	750
217	NN transport belt	S-shaped transport belt, plastic mesh belt, belt width: 250 mm, total dimensions: 2800 mm x 700 mm x 1140 mm.	750
218	NN roller conveyor	2 s/s roller conveyors, s/s rollers, roller width: 480 mm, dimensions: (2x) 2000 mm x 540 mm x 520 mm.	300
220	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 450 mm, elevating height: 1000 mm, total dimensions: 2900 mm x 700 mm x 1160 mm.	500
221	Viscon	Viscon mobile transport belt, type: Vitra Bandtr. Serial number: 68419-470, year of construction: 2008, aluminium frame, plastic belt, belt width: 500 mm, total dimensions: 3000 mm x 700 mm x 1000 mm.	300
222	Multivac	Multivac mobile transport belt, number: 20109631, plastic mesh belt, belt width: 515 mm, total dimensions: 2000 mm x 550 mm x 720 mm.	600
223	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 1300 mm x 650 mm x 1080 mm.	400



Nr	Title	Description	Start €
224	Marvu	Marvu S-shaped curve conveyor, type: 324 / 10010240, serial number: 1, year of construction: 02/2016, 230/400 V, 50 Hz, 1/98/1.14 A, 0.37 kW, weight: 100 kg, plastic mesh belt, belt width: 300 mm, total dimensions: 2200 mm x 1000 mm x 950 mm.	350
225	Hellings Machinebouw B.V.	Hellings Machinebouw B.V. 90° curve conveyor, year of construction: 2016, plastic mesh belt, belt width: 220 mm, total dimensions: 1600 mm x 1000 mm x 240 mm.	500
226	Stork Townsend B.V.	Stork Townsend B.V. mobile elevating belt, model: B44, serial number: B44O36, year of construction: 2008, 400 V, 3 Ph, 50 Hz, plastic belt with dividers, belt width: 350 mm, divider height: 50 mm, distance between dividers: 390 mm, elevating height: 1350	800
227	Blueprint Automation	Blueprint Automation elevating belt, plastic belt, belt width: 375 mm, elevating height: 900 mm, total dimensions: 1750 mm x 650 mm x 900 mm.	500
228	NN elevating belt	Mobile elevating belt, plastic mesh belt width dividers, belt width: 400 mm, divider height: 20 mm, distance between dividers: 310 mm, elevating height: 1300 mm, total dimensions: 2100 mm x 680 mm x 1600 mm.	750
229	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 640 mm, total dimensions: 3500 mm x 720 mm x 800 mm.	500
230	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 550 mm, total dimensions: 2500 mm x 800 mm x 550 mm.	500
231	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 400 mm, divider height: 100 mm, distance between dividers: 300 mm, elevating height: 1900 mm, total dimensions: 3200 mm x 650 mm x 2200 mm.	500
232	Hellings Machinebouw B.V.	Hellings Machinebouw B.V. elevating belt, year of construction: 2016, plastic belt, belt width: 250 mm, elevating height: 1320 mm, total dimensions: 3650 mm x 600 mm x 1650 mm.	750
233	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 440 mm, total dimensions: 5140 mm x 580 mm x 1440 mm.	650
234	NN transport belt	Transport belt, s/s frame, plastic belts, belt width: (2x) 120 mm, total dimensions: 1850 mm x 870 mm x 760 mm.	250
235	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 390 mm, elevating height: 1100 mm, total dimensions: 3850 mm x 500 mm x 1300 mm.	750
236	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 570 mm, total dimensions: 2000 mm x 1000 mm x 1000 mm.	400



Nr	Title	Description	Start €
237	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 320 mm, total dimensions: 2650 mm x 400 mm x 1060 mm.	400
238	Promatec b.v.	Promatec b.v. elevating screw, type: Opvoerschroef, number: 9719 005 01, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 1.1 kW, weight: 360 kg, diameter screw: 300 mm, tier: 270 mm, total dimensions: 5400 mm x 550 mm x 1200 mm.	1500
239	BPI	BPI eccentric screw displacement pump, type: BPI 4DNL1, serial number: 2285181, year of construction: 2022, capacity: 1-2 m ³ per hour, dimensions: 1160 mm x 230 mm x 250 mm.	1000
240	Jures / Speck	Jures / Speck high pressure unit, type: P41/58-110, number: 190405, year of construction: 11/97, 400 V, 11.50 kW, P maximum: 110 bar, T maximum: 70°C, dimensions: 1300 mm x 900 mm x 1400 mm.	400
241	Smicon	Smicon screw pump, dimensions: 2600 mm x 420 mm x 450 mm.	2500
242	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell rotary lobe pump, model: 180U2, serial number: 420827-06, dimensions: 1800 mm x 700 mm x 700 mm.	2000
244	Foodeq	Foodeq vibrating gutter, type: DTR300/1600, number: 2013-73-010, year of construction: 2013, gutter width: 300 mm, total dimensions: 1800 mm x 500 mm x 500 mm.	500
245	Seydelmann	Seydelmann mobile pump, type: FP 10-12, number: 12 054-1, year of construction: 2012, 400 V, 50 Hz, 14 A, 5.5 kW, weight: 480 kg, dimensions infeed tub: 1000 mm x 1000 mm x 700 mm, total dimensions: 1800 mm x 1050 mm x 1600 mm.	1000
246	Eptech	Eptech salad spinner, serial number: 115025-118, clearance: Ø 420 mm x 350 mm, total dimensions: 860 mm x 700 mm x 860 mm. Without baskets.	500
248	Urschel	Urschel vegetable slicer, model: CC, serial number: 3947, year of construction: 1999, infeed: Ø 220 mm, total dimensions: 1300 mm x 870 mm x 1920 mm.	7500
249	NN ice breaker	Mobile ice breaker, clearance: 400 mm x 150 mm, total dimensions: 1850 mm x 1450 mm x 1950 mm.	750
250	NN vibrating gutter	S/s vibrating gutter, gutter width: 260 mm, total dimensions: 3650 mm x 600 mm x 1650 mm.	750
251	Fabbri Group	Fabbri Group mobile packaging machine, model: Elixia XP-B.249.XS, serial number: 2-2376, year of construction: 2014, 230 V, 1 Ph, 50-60 Hz, 8.7 A, plastic string infeed belt, belt width: 330 mm, plastic outfeed belt, belt width: 340 mm, plastic outfeed rollers, roller width: 300 mm, total dimensions: 1350 mm x 1250 mm x 1300 mm.	2000
252	Multivac		500



Nr	Title	Description	Start €
		Pallet with Multivac labelling parts for thermoformer, type: MR233 & MR 4212, dimensions: 1200 mm x 1000 mm x 500 mm.	
253	Groba	Groba cheese cube distributor with infeed and outfeed belt: x000D x000D - Infeed elevating belt, type: TB-304,L=1600-29°, number: 122698, year of construction: 2014, weight: 115 kg, plastic belt with dividers, belt width: 250 mm, dividers height: 35 mm, distance between dividers: 120 mm, elevating height: 1130 mm, elevating belt dimensions: 1470 mm x 670 mm x 1250 mm.x000D x000D - Cube distributor, type: PM-625, number: 122698, year of construction: 2014, weight: 215 kg, infeed: Ø 485 mm, outfeed: Ø 400 mm, drum length: 1020 mm, cube distributor dimensions: 1620 mm x 600 mm x 1290 mm_x000D_x000D - Outfeed elevating belt, type: TB-304, L=1600-38,5°, number: 122698, year of construction: 2014, machine weight: 150 kg, plastic belt with dividers, belt width: 250 mm, dividers height: 35 mm, distance between dividers: 115 mm, elevating height: 1250 mm, elevating belt dimensions: 1600 mm x 750 mm x 1380 mm, total dimensions: 2740 mm x 2300 mm x 1850 mm.	2500
254	Technocean	Tecnocean s.r.l. centrifuge, model: 1301.001, serial number: 19 -32 A, inside dimensions: Ø 420 mm x 300 mm, total dimensions: 1120 mm x 590 mm x 950 mm. Without baskets.	500
255	NN tumbler	S/s tumbler, inside dimensions: Ø 1620 mm x 750 mm, total dimensions: 2000 mm x 1700 mm x 1900 mm.	1000
256	BPT	BPT tumbler, serial number: F 5766-2, year of construction: 11/2006, inside dimensions: Ø 1220 mm x 750 mm, total dimensions: 1250 mm x 1200 mm x 1750 mm.	1000
257	BPT	BPT tumbler, serial number: F 5765-3, year of construction: 11/2006, inside dimensions: Ø 1200 mm x 750 mm, total dimensions: 1250 mm x 1200 mm x 1750 mm.	1000
258	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 780 mm.	1000
259	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 800 mm.	800
260	TVI GmbH	TVI GmbH portioning machine, type: GMS 500, plastic mesh belt, belt width: 300 mm, total dimensions: 2400 mm x 1000 mm x 2900 mm. Including 2 trolleys with forms, dye's: 120 mm x 90 mm & 255 mm x 110 mm, trolley dimensions: (2x) 700 mm x 900 mm x 1750 mm.	8000
261	TVI GmbH	TVI GmbH portioning machine, type: GMS 500, plastic mesh belt, belt width: 300 mm, total dimensions: 2400 mm x 1000 mm x 2900 mm. Including pallet with parts, dimensions: 1200 mm x 800 mm x 500 mm and	8000



Nr	Title	Description	Start €
		2 trolleys with forms, dye's: 200 mm x 100 mm & 200 mm x 50 mm, trolley dimensions: (2x) 700 mm x 900 mm x 1750 mm.	
262	Automac S.P.A.	Automac S.P.A. mobile packaging machine, model: B.204, number: 3208, year of construction: 1998, 230 V, 2 Ph, 50 Hz, 1.95 kW, weight: 150 kg, string infeed belt, belt width: 330 mm, plastic outfeed belt, total dimensions: 1150 mm x 1050 mm x 1350 mm.	500
264	Mesutronic	Mesutronic mobile metal detector, type: MN 7.2 CI 450/350, serial number: 2310-CI, year of construction: 2024, 100-240 V, 50/60 Hz, 1.25 A, plastic mesh belt, belt width: 420 mm, clearance: 450 mm x 320 mm, total dimensions: 2150 mm x 900 mm x 1320 mm.	6500
265	Bakon Food Equipment B.V.	Bakon Food Equipment B.V. mobile depositor, model: BD3, serial number: 3-70-03-18-068, year of construction: 2018, dimensions infeed tub: Ø 540 mm x 450 mm, outfeed dimensions: Ø 20 mm, total dimensions: 1300 mm x 500 mm x 1660 mm.	900
266	Soco System	Soco System mobile box closing machine, plastic rollers, roller width: 260 mm and 70 mm, total dimensions: 1850 mm x 900 mm x 1650 mm.	750
267	Stephan alvac	Stephan alvac vacuum machine on mobile s/s frame, type: Alvac I 90, machine number: 9114-4210, 230 V, 1 Ph, 50 Hz, 4.9 A, 0.75 kW, seal length: 420 mm, dimensions chamber: 430 mm x 380 mm, Busch vacuum pump, type: 021-336, total dimensions: 500 mm x 480 mm x 1070 mm.	200
268	Ramon	Ramon mobile piston filler, model: 20, factory number: 1361, year of construction: 2012, 400 V, 50 Hz, 2.05 A, 0.75 kW, volume: 20 litre, dimensions: 550 mm x 500 mm x 1200 mm.	750
270	Omega	Omega bandsaw, model: SI 320, number: 509, year of construction: 11/2004, 400 V, 50 Hz, 2.5 A, 1.8 kW, dimensions table: 680 mm x 680 mm, total dimensions: 740 mm x 730 mm x 1820 mm.	650
271	GGM Gastro International GmbH	GGM Gastro International GmbH bandsaw, model: KSH2400N, serial number: HL25KSH2400N23080003, 380 V, 3 Ph, 50 Hz, 4.1 A, 2.2 kW, dimensions table: 770 mm x 760 mm, total dimensions: 960 mm x 840 mm x 1740 mm.	750
272	Holac Maschinenbau GmbH	Holac Maschinenbau GmbH dicer with outfeed belt, type: Cubixx 120, serial number: 240-02-61, year of construction: 2017, 400 V, 50 Hz, 20 A, 8 kW, weight: 700 kg, chamber: 120 mm x 100 mm, plastic outfeed belt, belt width: 285 mm, total dimensions: 1900 mm x 1600 mm x 1300 mm.	9000
273	Groba	Groba starch mixing tumbler, type: PM-800, order number: 110466, year of construction: 2005, weight:	2000



Nr	Title	Description	Start €
		300 kg, dimensions drum: Ø 800 mm x 1200 mm, total dimensions: 2060 mm x 1150 mm x 1530 mm. Including 2 fences, dimensions fences: (2x) 2180 mm x 440 mm x 1660 mm and s/s trolley for washing drums, dimensions trolley: 1200 mm x 820 mm x 830 mm.	
274	Maja / Josef Koch AG	Maja / Josef Koch AG mobile skinning machine, type: EVM 3006, machine number: 301721, year of construction: Rev 2013, 400 V, 3 Ph, 50 Hz, 2 A, 0.75, working width: 540 mm, total dimensions: 900 mm x 550 mm x 1030 mm.	600
275	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, model: EVM3006, number: 44956, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.2 A, working width: 540 mm, total dimensions: 1000 mm x 550 mm x 1030 mm.	600
276	Supervac	Supervac mobile vacuum machine, type: GK18311, factory number: 920128, 380 V, 50 Hz, 3.5 A, 1.1 kW, seal width: 440 mm, chamber: 540 mm x 460 mm, Rietschle vacuum pump, type: VCA 40 (01), capacity: 40 m ³ per hour, total dimensions: 700 mm x 600 mm x 950 mm.	500
277	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile hamburger forming machine, infeed dimensions: Ø 440 mm x 230 mm, dye: Ø 90 mm, plastic belt, belt width: 140 mm, total dimensions: 750 mm x 900 mm x 1550 mm.	750
278	Thompson Meat Machinery	Thompson Meat Machinery mobile mixer-grinder, type: 900, serial number: 900-M1-10-07, year of construction: 07-2010, 415 V, 50 Hz, 9/2.8 A, 4/ 1.1 kW, diameter plate: 100 mm, total dimensions: 950 mm x 1070 mm x 1370 mm.	2500
279	MACS	MACS bag equalizer for checking open bags, type: BAG EQUALIZER, machine number: 21090-64000, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 0.72 A, 0.25 kW, width: 270 mm to 440 mm, total dimensions: 1260 mm x 1150 mm x 1640 mm.	500
280	Audion Elektro	Audion Elektro bag sealing machine, type: D 555 NVT-2, serial number: 10000538, year of construction: 2015, 230 V, 1 Ph, 50/60 Hz, plastic belt, belt width: 110 mm, total dimensions: 605 mm x 350 mm x 590 mm.	250
281	NN grater	Mobile double grater, infeed clearance: (2x) 720 mm x 340 mm, plastic outfeed belt, belt width: 450 mm, elevating height: 980 mm, total dimensions: 1370 mm x 2050 mm x 2300 mm.	7500
282	Kern	Kern pallet weighing scale with indicator, type: UFN 1.5T0.5IPM, serial number: WF17007753, 12V, 500mA, maximum weight: 1500 kg, e= 0.5 kg, dimensions: 1200 mm x 840 mm x 100 mm.	450



Nr	Title	Description	Start €
283	S.C.M.	S.C.M. boot cleaner, type: IFA01, serial number: 99102151, year of construction: 23-11-1999, brush length: (2x) 350 mm and 300 mm, total dimensions: 750 mm x 650 mm x 1210 mm.	750
284	Mainca	Mainca mobile cutter, model: CM-41, number: 3285, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 19 A, 8.6 kW, s/s bowl, volume bowl: 40 litre, s/s knives, 2 speeds, dimensions: 1300 mm x 900 mm x 1100 mm. Including extra knife set.	4000
285	Myac	Myac mobile curing press, type: 650, machine number: 3002 636, year of construction: 1983, 380 V, 50 Hz, 0.75 kw, 6 bar, plastic belt, belt width: 650 mm, total dimensions: 1650 mm x 1000 mm x 1600 mm.	50
286	Maica	Maica paddle mixer, model: TC100, inside dimensions: 500 mm x 350 mm x 370 mm, total dimensions: 1000 mm x 380 mm x 1330 mm.	350
287	Treif	Treif mobile slicer, serie: PEGASUS, model: 2616, machine number: 261607.97691.0211, year of construction: 2001, 230/400 V, 50 Hz, 2.25 A, 0.90 kW, weight: 210 kg, clearance: 260 mm x 150 mm, total dimensions: 1650 mm x 730 mm x 1350 mm.	1200
288	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, type: S3, serial number: 330078, year of construction: 1999, 230 V, 50 Hz, maximum: 800 gram, minimum: 20 gram, e= 0.5 gram, plastic belt, belt width: 200 mm, total dimensions: 1200 mm x 750 mm x 1500 mm.	750
289	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher, type: XE 3 DMS, number: 35006719, year of construction: 2016, maximum capacity: 2500 g, minimum capacity: 350 g, e= 2 g, d= 2 g, plastic belts, belt width: 280 mm, total dimensions: 1350 mm x 1200 mm x 1420 mm.	1750
290	Mettler Toledo Garvens	Mettler Toledo Garvens checkweigher with rejector, type: PAS3012, number: 17000537, year of construction: 2007, 230 V, 50/60 Hz, 600 kPa, maximum: 7500 gram, plastic belt, belt width: 300 mm, total dimensions: 1750 mm x 1000 mm x 1850 mm.	2000
291	Mettler Toledo Garvens	Mettler-Toledo Garvens GmbH checkweigher with labeller, type checkweigher: PAS 3012, serial number: 17000505, year of construction: 2007, 230 V, 50 Hz, maximum: 7.5 kg, minimum: 0.020 kg, e=: 0.001 kg, d=: 0.001 kg, T=: 7.5 kg, plastic belt, belt width: (3x) 300 mm, total dimensions: 2250 mm x 850 mm x 730 mm.	1000
292	Thermo Scientific	Thermo Scientific checkweigher with rejector, model: VersaWeigh, serial number: 8500, year of construction: 2010, 230 V, 50-60 Hz, minimum weight: 350 gram,	1500



Nr	Title	Description	Start €
		maximum weight: 12000 gram, e=d= 5 gram, maximum speed: 1.2 m/s, plastic belt, belt width: 300 mm, total dimensions: 1250 mm x 1100 mm x 1550 mm. Including 2 additional screens.	
293	Thermo Scientific	Thermo Scientific checkweigher, model: VersaWeigh, serial number: A132, year of construction: 2013, 230 V, 50-60 Hz, minimum weight: 350 gram, maximum weight: 12000 gram, e=d= 5 gram, plastic belt, belt width: 300 mm, total dimensions: 1420 mm x 850 mm x 1570 mm.	1500
294	Thermo Scientific	Thermo Scientific checkweigher, model: VersaWeigh, serial number: 7820, year of construction: 2008, 230 V, 50-60 Hz, minimum weight: 350 gram, maximum weight: 12000 gram, e=d= 5 gram, plastic belt, belt width: 290 mm, total dimensions: 1230 mm x 900 mm x 1550 mm. Technical condition unknown.	500
295	Jasa Packaging Solutions	Jasa Packaging Solutions in/outfeed module, model: SIM-1000 DRAAI UNIT, 400 V, 3 Ph, 16 A, 0.47 kW, 6 bar, plastic belts, belt width: (1x) 100 mm, (1x) 150 mm, total dimensions: 600 mm x 550 mm x 1550 mm.	400
297	Ishida	Ishida checkweigher, model: DACS-W-050-SB/SS-I-N(CTS), serial number: 557294, year of construction: 06/2007, 220 V, 1 Ph, 50 Hz, 3 A, weighing range: max 5000 gram, plastic belt, belt width: 370 mm, total dimensions: 1100 mm x 600 mm x 1900 mm.	750
298	Sartorius	Sartorius checkweigher with rejector, type: EWK3010, number: BO-GC2038AP0026-001, year of construction: 2008, 230 V, 50 Hz, 700 vA, e=d= 0.2 gram, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 900 mm x 1700 mm.	500
299	Espera	Espera checkweigher with rejector, model: ES-W5300, serial number: 8530000316, year of construction: 2019, 100/240 V, 50/60 Hz, maximum capacity: 3 kg, minimum capacity: 50 g, e=d= 1 g, plastic belts, belt width: 330 mm, total dimensions: 1500 mm x 1150 mm x 1500 mm.	4500
300	Espera	Espera checkweigher with rejector, model: ES-W5300, serial number: 8530000327, year of construction: 2019, 100/240 V, 50/60 Hz, maximum capacity: 3 kg, minimum capacity: 50 g, e=d= 1 g, plastic belts, belt width: 330 mm, total dimensions: 1500 mm x 1150 mm x 1500 mm.	4500
301	Espera	Espera checkweigher with rejector, model: ES-W5300, serial number: 8530000304, year of construction: 2018, 100/240 V, 50/60 Hz, maximum capacity: 3 kg, minimum capacity: 50 g, e=d= 1 g, plastic belts, belt width: 330 mm, total dimensions: 1500 mm x 1150 mm x 1500 mm.	4500



Nr	Title	Description	Start €
302	Lock Inspection Systems	Lock Inspection Systems mobile metal detector, model: MET30+, clearance: 760 mm x 220 mm, plastic belt, belt width: 700 mm, total dimensions: 2350 mm x 1250 mm x 1200 mm.	1500
305	S+S Separation and Sorting Technology GmbH	S+S Separation and Sorting Technology GmbH mobile metal detector with rejector belt, type: Unicon+W, serial number: 11219008971-H, year of construction: 2012, 230/115 V, 50/60 Hz, 0.75/1.5 A, plastic belt, belt width: 550 mm, clearance: 600 mm x 100 mm, total dimensions: 1700 mm x 1100 mm x 1380 mm.	2000
306	Zomerdam / Mesutronic	Zomerdam / Mesutronic metal detector with rejector, type metal detector head: MN 5.1 CI 250/100, serial number: 910928-CI, 100-240 V, 50/60 Hz, plastic belt, belt width: 200 mm, clearance: 250 mm x 70 mm, total dimensions: 1680 mm x 800 mm x 1050 mm.	750
307	Zomerdam / Mesutronic	Zomerdam / Mesutronic metal detector with rejector, type: MN 5.1 CI 250/100, serial number: 910816-CI, year of construction: 2009, 100/240 V, 50/60 Hz, 50/300 mA, string belt and plastic belt, belt width: 265 mm, clearance: 500 mm x 107 mm, total dimensions: 850 mm x 1850 mm x 1100 mm.	750
308	Ishida	Ishida checkweigher with double rejector, model: DACS-G-3060-46-WP-M-H, serial number: 560016553, year of construction: 01/2022, 200/240 V, 1 Ph, 50/60 Hz, 6 A, clearance: 500 mm x 200 mm, plastic belts, belt width: 400 mm, total dimensions: 3950 mm x 1500 mm x 2100 mm.	5000
309	Cintex	Cintex metal detector, clearance: 460 mm x 110 mm, plastic belt, belt width: 380 mm, total dimensions: 1580 mm x 970 mm x 1500 mm.	500
310	Loma Systems	Loma Systems mobile metal detector, model: IQ ² , serial number: DMC60564-03795D, year of construction: 2006, 380 V, 3 Ph, 50 Hz, 1.2 A, clearance: 350 mm x 130 mm, plastic mesh belt, belt width: 300 mm, total dimensions: 2000 mm x 830 mm x 1100 mm.	750
311	Loma Systems	Loma Systems pipeline metal detector with rejector, model: DTL121135, serial number: 53537F, year of construction: 2013, 200 V, 60 Hz, 0.4 A, diameter pipe: 200 mm, total dimensions: 910 mm x 800 mm x 1950 mm.	1250
312	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 545 mm, total dimensions: 1150 mm x 700 mm x 300 mm.	100
313	Safeline	Safeline metal detector, serial number: 41262, year of construction: 4/2000, 100-240 Vac, 50/60 Hz, 330 W, plastic belt, belt width: 430 mm, clearance: 450 mm x 95 mm, total dimensions: 1750 mm x 1050 mm x 1130 mm.	1500



Nr	Title	Description	Start €
314	Safeline	Safeline metal detector, plastic belt, belt width: 250 mm, clearance: 245 mm x 65 mm, total dimensions: 2550 mm x 950 mm x 1150 mm.	500
315	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector with rejector, 100-240 V, 50/60 Hz, 330 W, plastic belt, belt width: 210 mm, clearance: 250 mm x 90 mm, total dimensions: 1100 mm x 800 mm x 1530 mm.	800
316	Safeline	Safeline metal detector with rejector, model: 50H, 100/240 V, 50/60 Hz, 330 W, clearance: 350 mm x 90 mm, plastic mesh belt, belt width: 325 mm, total dimensions: 1600 mm x 1200 mm x 1150 mm.	600
317	NN turning table	S/s turning table, s/s top, diameter top: 1200 mm, total dimensions: 1320 mm x 1200 mm x 780 mm.	1000
318	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 800 mm.	1000
319	NN turning table	S/s turning table, s/s top, diameter top: 1200 mm, total dimensions: Ø 1270 mm x 850 mm.	1000
320	FTD	FTD s/s turning table, model: Carrousel tafel, number: 02027, year of construction: 2002, diameter top: 1250 mm, total dimensions: Ø 1300 mm x 780 mm.	1000
321	GKS Packaging	GKS Packaging mobile s/s turning table, type: Rotary Table, serial number: 05492, year of construction: 09-2023, dimensions: Ø 1510 mm x 830 mm.	1000
322	NN turning table	Mobile s/s turning table, dimensions: Ø 1250 mm x 910 mm.	1000
323	NN turning table	S/s turning table, s/s top, diameter top: 1200 mm, total dimensions: 1320 mm x 1200 mm x 780 mm.	1000
324	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 550 mm, total dimensions: 3000 mm x 750 mm x 470 mm.	500
325	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 380 mm, total dimensions: 4400 mm x 550 mm x 2000 mm.	800
326	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 380 mm, total dimensions: 3650 mm x 550 mm x 2050 mm.	700
327	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 325 mm, elevating height: 1080 mm, total dimensions: 3650 mm x 550 mm x 1200 mm.	700
328	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 200 mm, total dimensions: 3500 mm x 580 mm x 950 mm.	700
329	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 380 mm, elevating height: 930 mm, total dimensions: 2000 mm x 600 mm x 1150 mm.	500
330	Jenton Ariana	Jenton Ariana inline, plastic belts, belt width: (2x) 195 mm, (2x) 100 mm, (1x) 570 mm, total dimensions: 1700 mm x 800 mm x 1300 mm.	1000
331	Sesotec		1500



Nr	Title	Description	Start €
		Sesotec metal detector, type: GLS 450/250/125/289/143, serial number: 11227009665-H, year of construction: 2012, 100-240 VAC, 50/60 Hz, 0.5-0.25 A, plastic belt, belt width: 390 mm, clearance: 450 mm x 200 mm, total dimensions: 1750 mm x 940 mm x 1200 mm.	
332	Mettler Toledo / Safeline	Mettler Toledo / Safeline metal detector, serial number: 22931, year of construction: 03-1997, plastic wire belt, 8 wires, belt width: 155 mm, clearance: 250 mm x 75 mm, total dimensions: 900 mm x 350 mm x 1100 mm.	750
333	LH Packaging	LH Packaging s/s turning table, type: Draaitafel, serial number: MP/18960/193340/02, year of construction: 2021, diameter top: 1100 mm, total dimensions: Ø 1140 mm x 710 mm.	850
334	Nordson	Nordson hot melt unit, type: Problue 4, serial number: SA21K45549, 400/230 V, 50/60 Hz, 26 A, dimensions: 1200 mm x 800 mm x 680 mm. Including parts for hot melt unit.	950
335	Nordson	Nordson hot melt unit, type: Problue 4, serial number: SA21K45666, 400/230 V, 50/60 Hz, 26 A, dimensions: 1200 mm x 800 mm x 680 mm. Including parts for hot melt unit.	950
336	GEA	Pallet with machine parts, of which among others GEA performance lube oil.	250
337	Selvex SA	Pallet with various electrical parts and a Selvex SA empty switch cabinet, dimensions: 1200 mm x 800 mm x 370 mm.	250
338	NN storage bins	Pallet with large amount of storage bins, various sizes of which among others: 350 mm x 215 mm x 150 mm / 550 mm x 360 mm x 220 mm, total dimensions: 1200 mm x 800 mm x 770 mm.	50
339	Comet	Comet generator, type: XRP-Power-2250, serial number: 437525, year of construction: 03/2014, 230 V, 50-60 Hz, dimensions: 730 mm x 370 mm x 540 mm.	500
340	Durablade	Pallet with 1 Durablade knife for slicer.	1000
341	Durablade	Pallet with 2 Durablade knives for slicer.	1000
342	Milwaukee	10 Milwaukee empty cases for electrical tools, dimensions: (10x) 480 mm x 370 mm x 125 mm.	50
343	NN machine parts	Pallet with machine parts, dimensions: 1200 mm x 800 mm x 400	250
344	NN transport belts	Pallet with 4 transport belts and electrical parts, plastic belt, belt width: (4x) 410 mm, total dimensions: 1200 mm x 900 mm x 500 mm.	500
345	NN machine parts	Pallet with various kinds of machine parts, dimensions: 1200 mm x 800 mm x 550 mm.	500
346	NN parts	Pallet with various parts.	100



Nr	Title	Description	Start €
347	NN parts	Pallet with various parts.	100
348	NN Zip unit	Zip machine, dimensions: 1200 mm x 800 mm x 1750 mm.	500
349	European Labelling System / Trapo Nederland B.V.	European Labelling System labelling unit, model: ELS-220, machine number: 5974/2006, 230 V, 1 Ph, 50/60 Hz, dimensions: 900 mm x 800 mm x 1450 mm and Trapo Nederland B.V. trolley, number: 862606, year of construction: 04/2021, dimensions: 900 mm x 520 mm x 870 mm.	150
350	NN electrical parts	pallet with various electrical parts, dimensions: 1200 mm x 800 mm x 450 mm.	500
351	SEW	Pallet with 4 SEW electro motors and 2 Nidec electro motors.	500
352	NN parts	Pallet with various parts, of which among others 2 CFS control panels.	500
353	NN switch cabinet	Switch cabinet, dimensions: 2100 mm x 1150 mm x 370 mm.	500
354	A.O. Smith W.P.C.	A.O. Smith W.P.C. boiler, model: BFC 60 N (6567), serial number: 133305118501002, 230 V, 50 Hz, 115 W, volume: 368 litre, nominal capacity: 57.0 kW, maximum working pressure: 800 kPa (8 bar), dimensions: Ø 760 mm x 2100 mm.	500
355	NN frame	S/s frame, dimensions: 800 mm x 800 mm x 1250 mm.	50
356	NN egg cutter	Mobile egg shell cutter for 16 eggs, dimensions: 950 mm x 850 mm x 1500 mm.	200
357	Bosch	Bosch checkweigher, type: KWE 6000 A, serial number: 732379, year of construction: 2017, 230 V, 50 Hz, 24 VDC, max: 800 gram, min: 100 gram, e= 0.5 gram, plastic belt, belt width: 250 mm, total dimensions: 1200 mm x 800 mm x 1700 mm.	1000
358	Durablade	Pallet with 7 Durablade knives for slicer, type: R515-A.	1500
359	Boska	2 Boska cheese slicers, dimensions pallet: 1200 mm x 800 mm x 1200 mm.	200
360	Van Der Graaf B.V.	pallet with 4 Van Der Graaf B.V. drum motors, roller width: 780 mm, total dimensions: (4x) Ø 180 mm x 1000 mm.	100
361	F.I.A.M.E.S.A.	5 F.I.A.M.E.S.A. isolators, type: KRF.	100
362	Bosch	Bosch checkweigher, type: KWE 6000 A, year of construction: 2014, 230 V, 50 Hz, maximum weight: 600 gram, minimum weight: 100 gram, e=d= 0.5 gram, plastic belt, belt width: 250 mm, total dimensions: 1350 mm x 760 mm x 1350 mm. Incomplete.	500
363	Mado	Mado mobile grinder, type: MEW 620, serial number: 9830524, 230/400 V, 3 Ph, 50 Hz, 15.2/8.8 A, 4 kW, plate diameter: 98 mm, total dimensions: 1050 mm x 800 mm x 1300 mm. Incomplete. Without screws, knives and plates.	1000



Nr	Title	Description	Start €
364	Omron	Pallet with 3 Omron control panels and a switch cabinet, dimensions: 1200 mm x 800 mm x 370 mm.	100
365	SEW	Pallet with various machine parts, of which among others 2 SEW electro motors, dimensions: 1000 mm x 1000 mm x 450 mm.	300
366	J.Affeldt	J.Affeldt net loading machine, type: AVN/610, number: 181, year of construction: 000/03, 400 V, 50 Hz, dimensions: 950 mm x 1000 mm x 2100 mm.	50
367	NN machine parts	Pallet with plastic rejector bin and part for bag form-, fill- and seal machine.	25
368	Rittal	Rittal s/s cabinet, dimensions: 1200 mm x 800 mm x 300 mm.	100
369	JIA INDUSTRY CO, L.T.D.	JIA INDUSTRY CO, L.T.D. mobile strapping machine, model: S-315bYM, machine number: 97011094, year of construction: 01/1997, 220 V, 1 Ph, 50 Hz, 3.5 A, dimensions: 1000 mm x 670 mm x 1650 mm. Including extra roll of strapping tape.	50
370	Multivac	Multivac mould for thermoformer, dimensions: 1000 mm x 750 mm x 600 mm.	750
371	SEW	Pallet with 4 SEW electro motors.	150
372	SEW	Pallet with various machine parts, of which among others 1 SEW electro motor, dimensions: 1000 mm x 1000 mm x 450 mm.	100
373	Selvex	Selvex empty switch cabinet, type: Ligne de découpe de fromages, year of construction: 2007, dimensions: 1200 mm x 1000 mm x 370 mm.	150
374	NN welding hoses	2 welding hoses.	75
375	Danfoss	2 Danfoss parts, dimensions: (2x) 770 mm x 130 mm x 90 mm.	50
376	SEW	SEW electro motor, type: KA67 DRN100LS4/BE5HR, dimensions: 680 mm x 250 mm x 230 mm.	350
377	Schneider Electric	Schneider Electric frequency convertor, model: ALTIVAR 61, dimensions: 310 mm x 290 mm x 640 mm.	750
378	Viteau	Viteau water dispenser, dimensions: 320 mm x 320 mm x 1000 mm.	20
379	Reepack	Reepack dye part, 230 V, 50-60 Hz, 5.5 A, dye: (2x) 220 mm x 170 mm, total dimensions: 400 mm x 480 mm x 220 mm.	10
380	NN part for labelling unit	Part for labelling unit, dimensions: 550 mm x 250 mm x 550 mm.	50
381	NN frame	S/s frame, height: 1530 mm.	10
382	NN soap mixing unit	Mobile s/s soap mixing unit, dimensions: 600 mm x 650 mm x 1400 mm.	100
383	van Rijn	van Rijn mobile egg shell cutter, number: 251040-1, dimensions: 950 mm x 600 mm x 1480 mm.	200
384	SEW	Pallet with 4 electro motors.	250
385	NN parts	Pallet with various parts.	100



Nr	Title	Description	Start €
386	Lock	Lock pipeline metal detector, model: MET 30+, diameter pipe: 155 mm, total dimensions: 500 mm x 350 mm x 520 mm.	250
387	MPS	MPS electric part, dimensions: 490 mm x 180 mm x 250 mm. Including various machine parts.	250
388	NN part for thermoformer	S/s part for thermoformer and covers, dimensions: 1350 mm x 900 mm x 800 mm.	200
389	Comarme	Comarme box closing machine with top taper, model: GEM-f47, serial number: AZ025815, year of construction: 2005, 400 V, 50 Hz. 1 A, 280 W, weight: 186 kg, steel rollers, roller width: 520 mm, plastic belt, belt width: 50 mm, total dimensions: 2200 mm x 980 mm x 1960 mm.	300
390	SEW	Pallet with 3x electro motor and machine parts, dimensions: 1000 mm x 1000 mm x 440 mm.	150
391	SEW / ABB	Pallet with 5 electro motors, dimensions: 1000 mm x 1000 mm x 450 mm.	250
392	NN electrical parts	8 plastic crates with various electrical parts.	400
393	NN machine parts	Pallet with various machine parts, dimensions: 1200 mm x 800 mm x 500 mm.	100
394	Markem Imaje	Markem Imaje thermal printer, type: SD5-128 Printer LH, serial number: GP14090175, roller width: 815 mm, total dimensions: 900 mm x 310 mm x 310 mm.	200
395	NN electrical parts	Pallet with 5 crates of electrical parts of various brands of which among others siemens, dimensions: 1200 mm x 800 mm x 450 mm.	200
396	Bizerba	Bizerba checkweigher, model: CWE, number: 10754551, 200/220-240 V, 50/60 Hz, 5/3 A, maximum weight: 1500/3000 gram, minimum weight: 50 gram, e=d= 0.5/1 gram, plastic belt, belt width: 300 mm, total dimensions: 1800 mm x 920 mm x 1700 mm.	1250
397	Fortress	Fortress metal detector, model: Stealth, serial number: EP-2602, year of construction: 2015, plastic belt, belt width: 265 mm, clearance: 325 mm x 535 mm, total dimensions: 1270 mm x 780 mm x 1900 mm.	750
398	Selvex SA	Selvex SA s/s switch cabinet, dimensions: 760 mm x 340 mm x 980 mm.	75
399	SEW	6 SEW motors, dimensions: 1200 mm x 800 mm x 450 mm.	50
400	Optima	Optima powder dosing machine, type: SD, fabrication number: 23159, year of construction: 1995, dimensions: 1200 mm x 800 mm x 1350 mm.	350
401	NN table	Wooden table, steel frame, height adjustable, dimensions: 2400 mm x 1200 mm.	50
402	Gruppo Fabbri S.p.A.	Gruppo Fabbri S.p.A. packaging machine, model: Elixia Plus XS-B.228.XS, serial number: 1/13420, year of construction: 2010, 230 V, 1 Ph, 50-60 Hz, 8,6 A, weight: 170 kg, wire infeed belt, belt width: 662 mm,	500



Nr	Title	Description	Start €
		plastic outfeed belt, belt width: 340 mm, total dimensions: 1500 mm x 1300 mm x 1350 mm.	
403	Atos	Atos hydraulic pump, model: ASM-300, number: 62413, dimensions: 900 mm x 900 mm x 970 mm.	500
404	NN machine parts	Pallet with electromotors, drum motors and a hydraulic pump.	300
405	NN machine parts	Pallet with electromotors and steel pneumatic cabinet.	200
406	AEW Delford	AEW Delford checkweigher with rejector, type: 8060, factory number: 81107, year of construction: 2005, 230 V, 50 Hz, maximum capacity: 1500/4000 g, minimum capacity: 20 g, e= 1/2 g, plastic belt, belt width: 200 mm, total dimensions: 1200 mm x 650 mm x 1550 mm.	500
407	Prominox	Prominox s/s computer cabinet, dimensions: 650 mm x 800 mm x 1330 mm.	75
408	Eillert	Eillert salad spinner, type: MSD-500-V, machine number: 365, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 16 A, 0.75 kW, dimensions: 950 mm x 600 mm x 940 mm. Witout bucket.	1500
409	Eillert	Eillert vegetable spinner, type: MSD-500-IV-HD, machine number: 305, year of construction: 2012-50, 400 V, 3 Ph, 50 Hz, 16 A, dimensions: 880 mm x 600 mm x 950 mm. Incomplete.	100
410	Eillert	Eillert vegetable centrifuge, model: MSD-500-VAR, number: 239, year of construction: 2011-12, 230 V, 1 Ph, 16 A, 0.75 kW, inside dimensions: Ø 400 mm x 280 mm, total dimensions: 850 mm x 600 mm x 900 mm. Technical condition unknown.	150
411	Kärcher	Kärcher mobile bin, dimensions: 430 mm x 360 mm x 820 mm.	25
412	Soco System	2 s/s frames for Soco System transport belt, dimensions: (2x) 1210 mm x 470 mm x 730 mm.	200
413	NN trolley	S/s trolley, dimensions: 950 mm x 400 mm x 900 mm.	50
414	NN hydraulic unit	Hydraulic unit, dimensions: 500 mm x 350 mm x 650 mm.	150
415	NN part for multihead weigher	S/s part for multihead weigher, dimensions: 1260 mm x 400 mm x 600 mm.	100
416	NN filling pipes	2 s/s filling pipes for vertical bag form-, fill- and seal machine, diameter pipes, 180 mm and 90 mm.	450
417	Multipond	Multipond batcher, dimensions: 1200 mm x 1200 mm x 1400 mm.	500
418	Kärcher	Kärcher mobile high pressure cleaner, dimensions: 1360 mm x 700 mm x 1060 mm.	350
419	Kärcher	Kärcher mobile high pressure cleaner, type: HDS 558C Eco, dimensions: 1040 mm x 600 mm x 740 mm.	200
420	Honda	Honda lawn mower,, type: HRH536K4 HXEH, serial number: MZBU 8383997, year of construction: 2013,	50



Nr	Title	Description	Start €
		2.7 kW, weight: 62 kg, dimensions: 1750 mm x 560 mm x 1120 mm.	
421	Ulma	Pallet with parts for dye for Ulma traysealer, dye: (4x) 230 mm x 153 mm, total dimensions: 1200 mm x 1000 mm x 400 mm.	50
422	SIAT	SIAT frame for box closing machine, model: SM2, serial number: 20267, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 1.4 A, 240 W, plastic belts, belt width: (2x) 75 mm, plastic rollers, roller width: (2x) 75 mm, total dimensions: 1080 mm x 570 mm x 790 mm.	200
423	HP	HP printer, model: BOISB-1313-02, serial number: CNB7GDD942, year of construction: 13-December-2014, 220-240 V, 50/60 Hz, 3.0 A, dimensions: 450 mm x 400 mm x 500 mm.	50
424	AEW Delford	AEW Delford labelling machine with top and bottom labeller, plastic belts, belt width: (1x) 195 mm, (2x) 90 mm, total dimensions: 1500 mm x 600 mm x 1580 mm.	400
425	NN drum motor	Drum motor, working width: 550 mm, total dimensions: Ø 230 mm x 680 mm.	50
426	NN grinder parts	Pallet with s/s parts for grinder, dimensions: 1200 mm x 800 mm x 600 mm.	500
427	NN cheese spreader	Part for cheese spreader, dimensions: 900 mm x 500 mm x 770 mm.	250
428	NN dosing unit	Pallet with parts for dosing unit, dimensions: 1200 mm x 800 mm x 900 mm.	150
429	NN batcher	Batcher, 2 heads, dimensions: 1200 mm x 1300 mm x 700 mm.	100
430	NN hydraulic cylinders	2 hydraulic cylinders.	50
431	NN trolley	S/s trolley, dimensions: 1700 mm x 1230 mm x 1640 mm.	75
432	OCS	OCS metal detector head, type: Metron 2.2 C 450/250 (NF), serial number: 010718-C, 110-230 V, 50/60 Hz, 2.0 A, clearance: 450 mm x 250 mm, total dimensions: 850 mm x 350 mm x 510 mm.	200
433	OCS	OCS metal detector head, type: Metron 2.2 C 500/200, serial number: 970410-0, 100-230 V, 50/60 Hz, 100-250 mA, clearance: 500 mm x 200 mm, total dimensions: 900 mm x 300 mm x 470 mm.	200
434	OCS	OCS metal detector head, type: Metron 2.2 C 450/250 (NF), serial number: 010717-C-C, 110-230 V, 50/60 Hz, 2.0 A, clearance: 450 mm x 250 mm, total dimensions: 850 mm x 350 mm x 510 mm.	200
435	Ramex / R+M	2 Ramex s/s hose reels, model: (2x) HR1000 HAI and R+M s/s hose reels, type: ST14/10e, total dimensions: 1200 mm x 800 mm x 650 mm.	200
436			200



Nr	Title	Description	Start €
	NN powder dosing screw	Pallet with powder dosing screw, dimensions: 1200 mm x 800 mm x 500 mm.	
437	NN frames	2 s/s frames dimensions: 570 mm x 360 mm x 940 mm and 570 mm x 360 mm x 500 mm. Including large amount of s/s 1/1 gastronorm bins.	100
438	NN part for multihead weigher	Pallet with parts for multihead weigher, dimensions: 800 mm x 600 mm x 400 mm.	100
439	Entrec	Entrec transport belt, plastic belt, belt width: 160 mm, total dimensions: 1300 mm x 600 mm x 1450 mm.	250
440	NN transport belt	Transport belt, steel frame, plastic belt, belt width: 190 mm, total dimensions: 1500 mm x 420 mm x 800 mm.	200
441	NN elevating belt	Elevating belt, steel frame, plastic belt, belt width: 340 mm, total dimensions: 2250 mm x 590 mm x 850 mm.	400
442	Nemo	Nemo progressive cavity pump on s/s mobile frame, dimensions: 1600 mm x 800 mm x 800 mm.	700
443	NN part for multihead weigher	S/s part for multihead weigher, dimensions: 1260 mm x 400 mm x 600 mm.	100
444	NN weighing scale	S/s weighing scale, dimensions: 500 mm x 400 mm x 100 mm. Without indicator.	10
445	Deserranno	Deserranno rejecting belt, model: Uitwerpband, machine number: FKM070, year of construction: 2012, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 350 mm, total dimensions: 800 mm x 600 mm x 1060 mm.	150
446	NN trolley	S/s trolley used for cheese, 2 x 7 floors, dimensions: 1000 mm x 1000 mm x 1900 mm.	100
447	NN switch cabinet	S/s switch cabinet, dimensions: 1000 mm x 800 mm x 370 mm.	200
448	NN trolley	2 s/s trolleys, (2x) 5 floors, dimensions each floor: 700 mm x 540 mm, total dimensions: (2x) 1210 mm x 700 mm x 1710 mm. Including large amount of s/s 1/1 gastronorm bins.	250
449	NN trolleys	2 s/s trolleys, 2x 5 floors, dimensions each floor: 700 mm x 540 mm, total dimensions: (2x) 1210 mm x 700 mm x 1710 mm. Including large amount of s/s 1/1 gastronorm bins.	250
450	NN trolley	S/s trolley, 2x 5 floors, dimensions each floor: 700 mm x 540 mm, total dimensions: 1210 mm x 700 mm x 1710 mm.	50
451	OCS	OCS checkweigher with rejector, type: EC, number: 1001821, year of construction: 2002, 230 V, 50 Hz, maximum capacity: 1500 g, e- 0.2 g, plastic belts, belt width: 175 mm, total dimensions: 1050 mm x 700 mm x 1650 mm.	300
452	Marco	Marco weighing scale for crates on s/s frame, model: LINEMASTER IV, serial number: 185131, 100-240 VAC, maximum weight: 20000 gram, minimum weight: 20	450



Nr	Title	Description	Start €
		gram, e= 1 gram, clearance: 500 mm x 320 mm, total dimensions: 1130 mm x 460 mm x 1930 mm.	
453	DWC	DWC weighing scale for crates, model: ASW, serial number: 202120211300-R, 240 V, 5 A, maximum capacity: 25000 g, minimum weight: 10 g, e= 2 g, dimensions: 820 mm x 900 mm x 1700 mm.	250
454	VWS Nederland B.V.	VWS Nederland B.V. mobile labeller, type: LP400, model: A4+/300, serial number: 121110643938, 100-240 V, 50-60 Hz, 2 A, dimensions: 1200 mm x 1000 mm x 1800 mm.	500
455	Rational	Rational combi steamer, model: SCC WE 201, serial number: E21SH15122492323, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, 37 kW, dimensions: 900 mm x 900 mm x 1800 mm. Including 2 trolleys, 20 floors each, floor dimensions: 540 mm x 330 mm, trolley dimensions: (2x) 750 mm x 470 mm x 1720 mm. Damaged.	3500
456	LH Packaging	LH packaging bag sealer, type: Bandseal, serial number: MP/18990/193068, year of construction: 2021, 230 V, 50 Hz, seal length: 230 mm, plastic belt, belt width: 160 mm, total dimensions: 840 mm x 400 mm x 600 mm.	850
457	NN pusher	S/s pusher, dimensions: 1550 mm x 450 mm x 470 mm.	150
458	Loma	Loma pipeline metal detector head, model: IQ ³ +, serial number: MP3+09+0196661, year of construction: 15.6.2012, clearance: 90 mm x 90 mm, total dimensions: 500 mm x 310 mm x 600 mm.	950
459	Theodor Henrichs GmbH	Theodor Henrichs GmbH hygiene unit for warm water, dimensions: 1170 mm x 650 mm x 1600 mm.	300
460	NN filling pipes	S/s trolley with 3 s/s filling pipes, clearance pipes: (2x) Ø 125 mm and 220 mm x 110 mm, dimensions trolley: 2500 mm x 750 mm x 1300 mm.	650
461	Mennens	Mennens mobile lifter for filling pipes, capacity: 100 kg, dimensions: 2350 mm x 600 mm x 2380 mm. Including 2 filling pipes, clearance pipes: Ø 135 mm and Ø 160 mm.	1500
462	Mennens	Mennens mobile lifter for filling pipes, capacity: 100 kg, dimensions: 2350 mm x 600 mm x 2380 mm. Including 1 filling pipe, clearance pipe: 200 mm x 125 mm.	1500
463	Mennens	Mennens mobile lifter for filling pipes, capacity: 100 kg, dimensions: 2350 mm x 600 mm x 2380 mm. Including 2 filling pipes, clearance pipes: (2x) Ø 145 mm.	1500
464	NN switch cabinet	S/s switch cabinet, dimensions: 820 mm x 330 mm x 1400 mm.	150
465	NN filling pipes	2 s/s trolleys with 4 filling pipes.	800



Nr	Title	Description	Start €
466	NN filling pipes	S/s trolley with 4 s/s filling pipes, clearance pipes: (3x) Ø 130 mm and Ø 150 mm, dimensions trolley: 1380 mm x 480 mm x 830 mm.	800
467	NN filling pipes	S/s trolley with 3 s/s filling pipes, clearance pipes: Ø 130 mm, Ø 170 mm and 190 mm x 140 mm, dimensions trolley: 1380 mm x 480 mm x 830 mm.	650
468	LH Packaging	LH Packaging mini weighers, type: LHMW1, serial number: MP01032018, year of construction: 2018, 230 V, 0.5 A, dimensions: 400 mm x 360 mm x 420 mm.	350
469	NN refrigeration showcase	Mobile refrigeration showcase, dimensions: 1330 mm x 900 mm x 2050 mm.	10
470	Reflex Systems	S/s floor weighing scale with Reflex Systems indicator / control panel, model: Flex 3000 XL, serial number: 220920191XL, 110 - 240 VAC, 50/60 Hz, dimensions: 1750 mm x 1500 mm x 100 mm.	650
471	Reflex Systems	S/s floor weighing scale with Reflex Systems indicator / control panel, type: DW 1500, maximum: 1500 kg, minimum: 10 kg, e: 0.5 kg, dimensions: 1500 mm x 1500 mm x 100 mm.	650
472	Astrophysics Industry CA	Astrophysics Industry CA X-ray machine, model: XIS 1080D, serial number: ASTLA180YZ023, year of construction: MAR 2012, 220 V, 50/60 Hz, 15 A, plastic belt, belt width: 970 mm, clearance: 1010 mm x 810 mm, total dimensions X-ray scanner: 1600 mm x 1300 mm x 1800 mm, including in-and outfeed roller conveyors, roller width: 970 mm, total dimensions roller conveyors: (2x) 1100 mm x 1600 mm x 1800 mm.	200
473	Marco	Marco weighing scale for crates on s/s frame, model: Checkmaster, serial number: 235690, 100-240 VAC, maximum weight: 20000 gram, e= 1 gram, clearance: 500 mm x 320 mm, total dimensions: 1130 mm x 460 mm x 1860 mm.	450
474	Marco	Marco weighing scale for crates on s/s frame, model: LINEMASTER IV, serial number: 185133, 100-240 VAC, maximum weight: 20000 gram, minimum weight: 20 gram, e= 1 gram, clearance: 500 mm x 320 mm, total dimensions: 1130 mm x 460 mm x 1960 mm.	450
500	NN trolley	S/s trolley, dimensions: 1200 mm x 1000 mm x 1000 mm.	75
501	Thyssen	2 Thyssen tanks, inside dimensions: 1100 mm x 1100 mm x 1000 mm, total dimensions: (2x) 1200 mm x 1200 mm x 1350 mm.	400
502	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 1000 mm. Without motor.	150
503	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 520 mm, total dimensions: 1600 mm x 650 mm x 1550 mm.	150



Nr	Title	Description	Start €
506	KSB	KSB centrifugal pump, year of construction: 2022, dimensions: 1100 mm x 980 mm x 1290 mm.	1250
507	KSB	KSB centrifugal pump, type: Sewatec E 150-401GH, year of construction: 2021, Q: 50.35 m³/h, dimensions: 1500 mm x 980 mm x 1290 mm.	1250
508	NN smoke trolleys	3 s/s smoke trolleys, 8 floors, dimensions: 1020 mm x 1040 mm x 1960 mm.	225
509	NN smoke sticks	Pallet with aluminium y-shaped smoke sticks, length: 1000 mm.	100
510	Colleluori Remo	Colleluori Remo tilting device for 200 litre meat bins, model: RIBALTATORE CONTENITORI, machine number: 006, year of construction: 2015, 380 V, 50 Hz, 0.37 kW, plastic belt, belt width: 500 mm, total dimensions: 2400 mm x 1440 mm x 1400 mm. Including s/s switch cabinet, dimensions: 750 mm x 750 mm x 1900 mm.	500
511	NN roller conveyor	Roller conveyor, s/s frame, s/s rollers, roller width: 600 mm, total dimensions: 6000 mm x 640 mm x 1600 mm.	600
512	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 3400 mm x 550 mm x 1330 mm.	400
513	Diessel	Diessel s/s mixing tank, inside dimensions: ø 1200 mm x 1000 mm, total dimensions: ø 1300 mm x 2000 mm. Missing motor.	150
514	NN vibrating gutter	S/s vibrating gutter, gutter width: (2x) 750 mm, total dimensions: 2400 mm x 1630 mm x 1180 mm.	1250
515	KSB	KSB centrifugal pump, type: Sewatec E 150-401GH, year of construction: 2022, capacity: 60 m³ per hour, dimensions: 1100 mm x 980 mm x 1290 mm.	1250
516	NN mixing tub	S/s mixing tub, inside dimensions: 1110 mm x 920 mm x 850 mm, total dimensions: 1230 mm x 1050 mm x 1850 mm.	400
517	NN infeed hopper	S/s infeed hopper, dimensions: 1880 mm x 750 mm x 750 mm.	150
518	NN transport belt	Mobile transport belt, plastic belt, belt width: 500 mm, total dimensions: 2600 mm x 750 mm x 1000 mm.	350
519	Feltracon	Feltracon roller conveyor, s/s frame, type: 72K, number: 3577-72K1, year of construction: 2008, plastic rollers, roller width: 400 mm, total dimensions: 3100 mm x 500 mm x 800 mm. Missing some rollers.	200
520	Burg's Machinefabriek	Burg's Machinefabriek tilting device for pallet boxes, type: H.K.D.D-S.A.+, serial number: 3822, year of construction: 2008, 230/400 V, 50 Hz, 2.3 kW, 3.3 KVA, weight: 1438 kg, clearance: 1350 mm x 800 mm, total dimensions: 2100 mm x 2070 mm x 2250 mm.	1000
521	Boldt Systems	Boldt Systems elevating screw, type: BFC6 16/12, serial number: BFO 09-019.05, year of construction: 2009, s/s screw, diameter screw: 370 mm, tier: 220 mm,	2500



Nr	Title	Description	Start €
		elevating height: 1900 mm, total dimensions: 3800 mm x 2000 mm x 3400 mm.	
522	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 800 mm, total dimensions: 2200 mm x 800 mm x 840 mm.	150
523	OptiServe	OptiServe French fries slicer, type: glide, dimensions: ø 900 mm x 950 mm.	250
524	NN mixing tub	S/s mixing tub, inside dimensions: 1110 mm x 920 mm x 850 mm, total dimensions: 1230 mm x 1050 mm x 1850 mm.	500
525	Diessel	Diessel s/s mixing tank, inside dimensions: ø 1200 mm x 1000 mm, total dimensions: ø 1300 mm x 2000 mm. Missing motor. Damaged.	500
526	Diessel	Diessel s/s mixing tank, inside dimensions: ø 1200 mm x 1000 mm, total dimensions: ø 1300 mm x 2000 mm.	400
527	Barco	Barco vibrating gutter, serie: VIBR 10, machine number: LMB002, year of construction: 2000, 400 V, 3 Ph, 50 Hz, gutter width: 880 mm, total dimensions: 2500 mm x 1250 mm x 1800 mm. Incomplete.	1750
528	Thyssen	12 Thyssen tanks, inside dimensions: 1100 mm x 1100 mm x 1000 mm, total dimensions: (12x) 1200 mm x 1200 mm x 1350 mm.	2400
529	Thyssen	6 Thyssen tanks, inside dimensions: 1100 mm x 1100 mm x 1000 mm, total dimensions: (6x) 1200 mm x 1200 mm x 1350 mm.	1200
530	NN elevating belt	Vertical elevating belt, s/s frame, plastic belt with dividers, belt width: 530 mm, divider height: 70 mm, distance between dividers: 260 mm, total dimensions: 950 mm x 1300 mm x 3800 mm.	250
531	Burg's Machinefabriek	Burg's Machinefabriek elevating belt, s/s frame, electric driven plastic rollers, roller width: 750 mm, elevating height: 1720 mm, total dimensions: 2000 mm x 1900 mm x 1800 mm.	450
532	NN roller conveyor	Roller conveyor, s/s rollers, roller width: 395 mm, total dimensions: 1450 mm x 450 mm x 100 mm.	50
533	NN stairs	S/s stairs, 7 steps, dimensions: 2800 mm x 680 mm x 900 mm.	100
534	NN stairs	S/s stairs, 12 steps, dimensions: 4150 mm x 800 mm x 1300 mm.	500
535	Tramper Technology	Tramper Technology transport belt, type: B1, serial number: 099, year of construction: 2013, 400 V, weight: 150 kg, plastic belt, belt width: 370 mm, total dimensions: 3900 mm x 600 mm x 1000 mm.	400
536	NN elevating belt	Elevating belt, plastic belt, belt width: 560 mm, elevating height: 1370 mm, total dimensions: 1950 mm x 730 mm x 1600 mm.	500
537	Loma Systems	Loma Systems metal detector with rejector, year of construction: 2009, plastic mesh belt, belt width: 580	3500



Nr	Title	Description	Start €
		mm, clearance: 570 mm x 230 mm, plastic outfeed belt, belt width: 600 mm, total dimensions: 7830 mm x 1930 mm x 2150 mm. Including s/s work platform, working height: 700 mm, total dimensions: 6750 mm x 1540 mm x 1770 mm.	
538	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1100 mm, total dimensions: 3150 mm x 500 mm x 1100 mm.	400
539	NN washing machine	Mobile washing machine, s/s screw, screw width: 35 mm, tier: 1510 mm, plastic belt, belt width: 375 mm, elevating height: 2570 mm, total dimensions: 7800 mm x 1500 mm x 3000 mm.	2000
540	Kiremko	Kiremko elevating screw, type: S-BRSE, machine number: 13-1048-AA, year of construction: 2013, 400 V, 3 Ph, 50 Hz, s/s screw, screw diameter: 600 mm, tier: 310 mm, elevating height: 3100 mm, dimensions hopper: 2000 mm x 2000 mm x 1200 mm, total dimensions: 7200 mm x 2400 mm x 2750 mm.	3500
542	NN platform	S/s platform, dimensions: 5000 mm x 2700 mm x 1450 mm. Without legs.	2000
543	NN lifter	Lifter, s/s rollers, roller width: 620 mm, lifting height: approximately 6500 mm, total dimensions: 1550 mm x 1340 mm x 7000 mm.	1500
544	NN elevating belt	Steel tub used as salt bath with steel elevating belt, belt width: 100 mm and 600 mm, total dimensions: 7100 mm x 2300 mm x 2500 mm.	2500
545	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 380 mm, total dimensions: 4700 mm x 980 mm x 1500 mm.	500
546	NN vegetable washing tub	Mobile vegetable washing tub with dryer and outfeed belt, plastic sieve belt, belt width: 380 mm, inside dimensions: 4000 mm x 1250 mm x 650 mm, total dimensions: 8000 mm x 1900 mm x 2750 mm.	2000
547	NN stairs	S/s stairs.	300
548	Altrex	Altrex mobile aluminium platform with stairs, 8 steps, working height: 1600 mm, total dimensions: 2350 mm x 1200 mm x 2700 mm.	200
549	NN platform	S/s platform with stairs, 10 steps, dimensions: 4350 mm x 1130 mm x 1800 mm.	500
550	NN stairs	S/s stairs, 9 steps, dimensions: 400 mm x 800 mm x 1600 mm.	500
551	Altrex	Altrex mobile aluminium stairs, 12 steps, working height: 2410 mm, total dimensions: 2900 mm x 1410 mm x 2410 mm.	200
552	NN stairs	S/s stairs, 6 steps, dimensions: 2350 mm x 700 mm x 900 mm.	100
553	NN stairs	S/s stairs, 4 steps, dimensions: 1700 mm x 850 mm x 750 mm.	50



Nr	Title	Description	Start €
554	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 430 mm, total dimensions: 3130 mm x 550 mm x 850 mm.	200
555	NN stairs	S/s stairs, 13 steps, dimensions: 4400 mm x 1000 mm x 1000 mm.	1000
556	NN elevating screw	S/s mobile elevating screw, diameter screw: 450 mm, tier: 300 mm, elevating height: 900 mm, total dimensions: 2600 mm x 650 mm x 1880 mm.	500
557	NN stairs	S/s stairs, 7 steps, dimensions: 2700 mm x 700 mm x 930	500
558	NN platform	S/s platform, already dismantled, dimensions: 2700 mm x 2100 mm x 600 mm.	500
559	S/s platform	S/s platform, platform height: 1750 mm, total dimensions: 3500 mm x 3250 mm x 2750 mm.	1250
560	GKS	GKS s/s platform with stairs, serial number: 05488, year of construction: 09-2023, platform height: 2020 mm, total dimensions: 3250 mm x 2530 mm x 3150 mm.	2500
561	APL Apparatebau GmbH	APL apparatebau GmbH heat exchanger, type: GFGG 100.60, year of construction: 2000, volume 2050 litre, volume jacket: 3460 mm, weight: 7000 kg, dimensions: 9350 mm x 1800 mm x 1660 mm.	5000
562	NN tank	S/s tank, inside dimensions: 1100 mm x 900 mm x 900 mm, total dimensions: 1400 mm x 1050 mm x 2150 mm.	300
565	NN platform	S/s platform, dimensions: 2800 mm x 2500 mm x 2400 mm.	1500
566	NN platform	S/s platform, dimensions: 3400 mm x 3000 mm x 300 mm.	1000
567	NN platform	S/s platform with rack for multihead weigher baskets, dimensions: 3300 mm x 2800 mm x 2500 mm. Including 2 legs. Other 2 legs missing.	2000
568	Boldt Systems	Boldt Systems lifter for pallet boxes, clearance: 1270 mm x 850 mm x 1280 mm, lifting height: 2600 mm, total dimensions: 2450 mm x 1700 mm x 4700 mm.	2000
569	NN table	S/s table with plastic top, dimensions: 2500 mm x 900 mm x 860 mm.	250
570	NN table	S/s table with plastic top, dimensions: 2400 mm x 1000 mm x 880 mm.	250
571	NN table	S/s table with plastic top, dimensions: 2000 mm x 1000 mm x 880 mm.	250
572	NN vegetable washer	Vegetable washer, 400 V, 3 Ph, 50 Hz, 8.82 A, 16 kW, inside dimensions: 350 mm x 2700 mm x 420 mm, total dimensions: 4900 mm x 1000 mm x 1540 mm.	4000
573	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 410 mm, divider height: 10 mm, distance between dividers: 285 mm, elevating height: 1620 mm, total dimensions: 3100 mm x 480 mm x 1700 mm.	500



Nr	Title	Description	Start €
574	NN vibrating gutter	S/s vibrating gutter, 2 lanes, gutter width: (2x) 770 mm, total dimensions: 2400 mm x 1630 mm x 1340 mm.	2000
575	NN vibrating gutter	Vibrating gutter, gutter width: 500 mm, total dimensions: 1600 mm x 1000 mm x 1370 mm.	400
576	Key Technology BV	Key Technology BV vibrating gutter, type: MVDID, year of construction: 2010, gutter width: 850 mm, 470 mm, total dimensions: 2040 mm x 910 mm x 1300 mm.	2500
577	Colleluori Remo	Colleluori Remo infeed bunker, model: BUNKER DI ACCUMULO PRODOTTO, machine number: 011, year of construction: 2011, 380 V, 50 Hz, 0.37 kW, plastic belt, belt width: 600 mm, total dimensions: 2050 mm x 910 mm x 1370 mm.	400
578	BVT	BVT transport belt, year of construction: 2014, s/s frame and top cover, plastic belt, belt width: 1240 mm, total dimensions: 3450 mm x 1600 mm x 1670 mm.	850
579	Numafa	Numafa crate dryer, type: P 3.02 V.CENT, serial number: 19.60.566700, year of construction: 2019, plastic mesh belt, belt width: 450 mm, total dimensions: 5000 mm x 1000 mm x 2700 mm.	2500
580	NN platform	Mobile s/s platform, dimensions: 1520 mm x 800 mm x 880 mm.	100
581	NN parts for multihead weigher	6 s/s parts for multihead weigher, dimensions: (6x) 700 mm x 400 mm x 800 mm.	120
582	Numafa	Numafa crate dryer, type: P 2.0.2.1 MB, serial number: 19.60.553.100, year of construction: 2019, plastic mesh belt, belt width: 450 mm, total dimensions: 5000 mm x 1000 mm x 2700 mm.	2500
583	NN brush	Brush.	5000
584	NN infeed bunker	S/s infeed bunker with outfeed screw, dimensions outfeed: Ø 100 mm, inside dimensions: 3000 mm x 2000 mm x 1000 mm, total dimensions: 5000 mm x 2150 mm x 2100 mm.	750
585	OptiServe	OptiServe French fries slicer, type: glide 900, number: 10992, year of construction: 2016, 400 V, 3 Ph, 50/60 Hz, 1.52 A, 0.75 kW, weight: 120 kg, dimensions: ø 900 mm x 950 mm.	250
586	OptiServe	OptiServe French fries slicer dimensions: ø 900 mm x 950 mm.	250
587	FTNON	FTNON washing drum	15000
588	NN trolley	S/s trolley, dimensions: 1500 mm x 900 mm x 1300 mm.	75
589	Fortress	Fortress metal detector, model: Fortress Stealth, plastic belt, belt width: 620 mm, clearance: 610 mm x 310 mm, total dimensions: 6300 mm x 1200 mm x 2500 mm. Incomplete, missing one leg.	1500
590	Kiremko		400



Nr	Title	Description	Start €
		Kiremko elevating belt, number: 06-1086-BA, plastic belt, belt width: 400 mm, elevating height: 1720 mm, total dimensions: 3950 mm x 700 mm x 1850 mm.	
591	NN tray filling and closing machine	Tray filling and closing machine, chain conveyor with dividers, divider height: 20 mm, distance between dividers: 410 mm, dye: Ø 220 mm, total dimensions: 6200 mm x 1000 mm x 2300 mm.	2500
594	NN tilting device	Tilting device for pallet boxes, plastic belt, belt width: 460 mm, total dimensions: 2300 mm x 2500 mm x 2550 mm.	1500
595	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 480 mm, total dimensions: 3100 mm x 530 mm x 200 mm.	200
596	NN transport belt	Transport belt, s/s frame, plastic belt with dividers, belt width: 390 mm, divider height: 40 mm, distance between dividers: 300 mm, total dimensions: 7000 mm x 800 mm x 450 mm.	700
597	BCK Holland	BCK Holland transport belt, type: BS 113, serial number: 155700-020-02, year of construction: 2016, s/s frame, plastic belt with dividers, belt width: 400 mm, divider height: 50 mm, distance between dividers: 400 mm, total dimensions: 7600 mm x 800 mm x 350 mm.	700
598	Feltracon	Feltracon transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 9150 mm x 1100 mm x 650 mm.	1250
599	Abracad	Abracad elevating belt, s/s frame, plastic belt with dividers, belt width: 600 mm, divider height: 70 mm, distance between dividers: 200 mm, total dimensions: 8300 mm x 1000 mm x 1100 mm.	1000
600	Feltracon	Feltracon elevating belt, type: 53E, number: 140064-53E2, year of construction: 2014, 230/400 V, 0.74 kW, plastic belt, belt width: 600 mm and 450 mm, elevating height: 2980 mm, total dimensions: 6700 mm x 970 mm x 2100 mm. Missing belt.	500
601	Kersting	Kersting lifter for 200 litre meat bins, type: Hebekipper, machine number: A-5773-327-7, year of construction: 09/1998, 400 V, 50 Hz, lifting height: 5900 mm, total dimensions: 900 mm x 1100 mm x 7000 mm.	250
602	Grisnich B.V.	Grisnisch B.V. transport belt, number: 958950, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 4500 mm x 1000 mm x 400 mm.	400
603	Feltracon	Feltracon elevating belt, type: 53E, number: 3845-53E2, year of construction: 2011, 230/400 V, 0.74 kW, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 5200 mm x 900 mm x 750 mm.	400
604	NN transport belt	Transport belt, plastic belt, belt width: 500 mm, total dimensions: 4900 mm x 800 mm x 400 mm.	300
605	Colleluori Remo	Colleluori Remo transport belt, model: NASTRO ALIMENTAZIONE PESATRICE, machine number: 113,	600



Nr	Title	Description	Start €
		year of construction: 2011, 380 V, 50 Hz, plastic belt, belt width: 500 mm, total dimensions: 6000 mm x 950 mm x 1500 mm.	
606	NN filter	S/s filter.	500
607	Feltracon	Feltracon roller conveyor, s/s frame, type: 72K, number: 3580-72K1, year of construction: 2008, plastic rollers, roller width: 400 mm, total dimensions: 3100 mm x 500 mm x 800 mm.	200
608	Behälter kg - Bremen	Behälter kg - Bremen s/s tank on steel frame, fabrication number: 39282, year of construction: 12.06, volume: 794 litre, dimensions frame: 1150 mm x 1150 mm x 1300 mm.	200
609	Intermas	Intermas netting machine, brush length: 250 mm, total dimensions: 1000 mm x 900 mm x 1850 mm. Incomplete.	50
610	Food Technology	Food Technology driven roller conveyor, plastic rollers, roller width: 400, total dimensions: 6350 mm x 600 mm x 350 mm.	600
611	Food Technology	Food Technology driven roller conveyor, plastic rollers, roller width: 400, total dimensions: 6350 mm x 600 mm x 350 mm.	600
612	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 430 mm, total dimensions: 2800 mm x 480 mm x 150 mm.	275
613	NN washing trolleys	2 s/s washing trolleys for 200 litre meat bins, dimensions: (2x) 1180 mm x 730 mm x 1740 mm.	150
614	NON Food Technology	NON Food Technology driven roller conveyor, year of construction: 2013, plastic rollers, roller width: 400 mm, total dimensions: 6500 mm x 600 mm x 350 mm.	650
615	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 390 mm, total dimensions: 5000 mm x 500 mm x 300 mm.	600
616	Behälter kg - Bremen	2 Behälter kg - Bremen s/s tanks on steel frames, fabrication number: 37457, year of construction: 11.04, volume: (2x) 1081 litre, tank dimensions: (2x) Ø 1100 mm x 1400 mm, dimensions frame: (2x) 1150 mm x 1150 mm x 1750.	300
617	NN tank	S/s tank, inside dimensions: Ø 680 mm x 1000 mm, total dimensions: Ø 800 mm x 1770 mm.	250
618	NN roof condenser	Roof condenser, dimensions: 1900 mm x 1900 mm x 3300 mm.	500
619	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 140064-53W1, year of construction: 2014, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1200 mm.	100
620	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 3845-53W7, year of construction:	100



Nr	Title	Description	Start €
		2011, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1200 mm.	
621	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 140064-53W3, year of construction: 2014, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1950 mm.	150
622	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 140063-53W2, year of construction: 2014, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1950 mm.	150
623	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 3844-53W2, year of construction: 2011, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1200 mm.	150
624	Feltracon	Feltracon weighing belt (bunker belt with flow belt), type: 53W, number: 3844-53W4, year of construction: 2011, 230/400 V, 0.16 kW, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2550 mm x 800 mm x 1200 mm. Including switch cabinet.	150
625	NN heat exchanger	S/s tubular heat exchanger, dimensions: 2700 mm x 1000 mm x 2130 mm.	1000
626	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 660 mm, total dimensions: 3150 mm x 740 mm x 580 mm.	300
627	Pulsar	Pulsar optical sorter, model: RX-2040, number: 96018-A, year of construction: 02/2004, 400 V, 3 Ph, 50 Hz, 8.8 A, 1800 kg, plastic belt, belt width: 1600 mm, total dimensions: 4000 mm x 2450 mm x 2400 mm.	4000
628	New Motion	New Motion levelling belt, serial number: 12010-06-000, year of construction: 2012, clearance: 360 mm x 200 mm, plastic rollers, roller width: 230 mm, total dimensions: 1000 mm x 820 mm x 1470 mm.	200
629	Proseal	Proseal transport belt, belt width: 200 mm, total dimensions: 3950 mm x 650 mm x 830 mm.	400
630	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 400, total dimensions: 6350 mm x 600 mm x 350 mm.	250
631	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 3050 mm x 700 mm x 1300 mm.	500
633	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 700 mm, total dimensions: 2800 mm x 1200 mm x 1600 mm.	500
634	Stöcklin Logistique SA		400



Nr	Title	Description	Start €
		Stöcklin Logistique SA s/s tank, fabrication number: 93187, year of construction: 1999, working pressure: +1/-015 bar, working temperature: -10/+50°C, capacity: 1000 litre, weight: 128 kg, dimensions: Ø 1000 mm x 2000 mm.	
637	Awila	Awila mobile elevating screw, type: Rohförderschnecke FS 210, serial number: 136280-01-00, year of construction: 2004, 7.5 kW, elevating height: 3900 mm, total dimensions: 6500 mm x 2400 mm x 4100 mm.	1500
638	Numafa	Numafa crate washer, type: HWR 200/1, serial number: 703008, year of construction: 1999, clearance: 750 mm x 600 mm, total dimensions: 6000 mm x 1600 mm x 2520 mm.	2000
640	NN tank	S/s tank, volume: 3000 litre, dimensions: 1500 mm x 1500 mm x 4000 mm.	1000
641	Crane Solutions	Crane Solutions s/s beam with hoist, capacity: 100 kg, dimensions: 5200 mm x 900 mm x 600 mm.	250
642	Behälter kg - Bremen	2 Behälter kg - Bremen s/s tanks on steel frame, volume: 1081 litre, dimensions frame: (2x) 1150 mm x 1150 mm x 1750.	400
700	Sealpac	Sealpac traysealer, type: Sealpac 750, serial number: TVS 04 1650 01, year of construction: 2007, 3x400/230 V, 50-60 Hz, 6.5 kW, dye: (5x) Ø 122 mm, total dimensions: 3200 mm x 800 mm x 2000 mm. Incomplete, technical condition unknown.	950
701	Wolfking	Wolfking mixer-grinder, type: SFG 1500/250, number: 57444, year of construction: 1995, 415 V, 50 Hz, 59 kW, 105.7 A, weight: 2450 kg, plate diameter: 250 mm, total dimensions: 3300 mm x 1800 mm x 2750 mm. Incomplete, without plates and knives.	3500
702	Ulma	Ulma horizontal form, fill and seal machine, model number: NEVADA-BF-BI, serial number: 1600008, year of construction: 2003, 380 V, 50 Hz, 22 A, 4.6 kW, dimensions machine: 1950 mm x 1050 mm x 1550 mm, infeed belt, dimensions: 2200 mm x 600 mm x 1000 mm. Including pallet box with parts, dimensions: 1200 mm x 1000 mm x 1000 mm and pallet with film unwinding device, dimensions: 1200 mm x 900 mm x 900 mm. Incomplete, technical condition unknown.	750
703	Schöler GmbH	Schöler GmbH plum stoner, type: KERN-EX PFV, 230 V, 0.37 kVa, capacity: 9000 per/hour, (10x) 4 stoners, total dimensions: 950 mm x 640 mm x 1050 mm.	500
704	Risco S.P.A.	Risco S.P.A. vacuum filling machine with lifter for 200 litre meat bins, model: RS 4001, serial number: Q300007, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 6.3 kW, Busch vacuum pump, dimensions: 1350 mm x 1350 mm x 2650 mm.	4000



Nr	Title	Description	Start €
705	Hassia Redatron	Hassia Redatron vertical bag forming, filling and sealing machine, type: Flexibag 55/38, machine number: 50-101-790, year of construction: 1999, 230/400 V, 50 Hz, film width: 730 mm, vertical seal length: 550 mm, horizontal seal length: 400 mm, total dimensions: 2480 mm x 1460 mm x 2530 mm. Technical condition unknown. Incomplete.	750
706	Risco S.P.A.	Risco S.P.A. vacuum filling machine with lifter for 200 litre meat bins, Busch vacuum pump, type: KB 0016 E, capacity: 16 m ³ per hour, dimensions: 1900 mm x 1200 mm x 1910 mm. Technical condition unknown, incomplete, missing screen.	2500
707	NN transport belt	Transport belt, plastic belt, belt width: 395 mm, total dimensions: 2750 mm x 650 mm x 320 mm.	500
708	Frampton International Ltd	Frampton International Ltd grill marker, model: DEMO BARR MARKER, serial number: 7702290710, 415 V, 3 Ph, s/s mesh belt, belt width: 305 mm, total dimensions: 1750 mm x 880 mm x 1370 mm.	1500
709	Rational	Rational combi steamer, model: CMP 201, serial number: E21MH12072311192, year of construction: 2012, 400 V, 3 Ph, 50/60 Hz, 37.0 kW, electric heated, inside dimensions: 450 mm x 660 mm x 1510 mm, total dimensions: 900 mm x 880 mm x 1820 mm.	500
710	NN tub	S/s rollie with s/s tub, inside dimensions: ø 310 mm x 650 mm, total dimensions: 640 mm x 450 mm x 840 mm.	20
711	Busch	Busch vacuum pump on mobile s/s frame, type: MM 1142 B V03, serial number: DEM123110924, year of construction: 2023, capacity: 170 m ³ /h, dimensions: 1180 mm x 450 mm x 670 mm.	500
712	Leonhardt	Leonhardt mobile 2-heads depositor, diameter heads: (2x) 30 mm, total dimensions: 2180 mm x 1150 mm x 1790 mm.	2000
713	Ishida Europe Ltd	Ishida Europe Ltd traysealer, model: QX775-R-DEEP, serial number: 580092, year of construction: 2009, 415 V, 3 Ph, 50 Hz, 16 A, weight: 830 kg, plastic wire belt, belt width: 230 mm, film width: 430 mm, dimensions dyes: (5x) ø 95 mm, total dimensions: 2500 mm x 800 mm x 1900 mm. Technical condition unknown. Incomplete.	750
714	Loma Systems	Loma Systems X-ray scanner, plastic belt, belt width: 480 mm, clearance: 540 mm x 95 mm, total dimensions: 1700 mm x 1110 mm x 1820 mm.	3500
715	Atlas Copco	Atlas Copco air compressor, type: GA11, number: AII288103, year of construction: 2005, 11 kW, weight: 400 kg, dimensions: 1280 mm x 670 mm x 1400 mm.	1500
716	Rational	Rational combi steamer, model: CMP 201, serial number: E21MH1509247864, year of construction:	500



Nr	Title	Description	Start €
		2015, 400 V, 3 Ph, 50/60 Hz, 37.0 kW, electric heated, inside dimensions: 450 mm x 660 mm x 1510 mm, total dimensions: 900 mm x 880 mm x 1820 mm.	
717	Sabroe	Sabroe switch cabinet, 400 V, 3 Ph, 50 Hz, 225 A, dimensions: 850 mm x 850 mm x 1970 mm.	150
718	NN floor weighing scale	Pallet with parts for floor weighing scale.	100
719	Loma Systems	Loma Systems X-ray scanner, model: Z5-VJT SPACESAVER, serial number: DEV-020553, year of construction: 2020, 230 V, 1 Ph, 50 Hz, 10 A, plastic belt, belt width: 280 mm, clearance: 270 mm x 300 mm, total dimensions: 1050 mm x 940 mm x 1800 mm.	3500
720	Alpeninox	Alpeninox freezer, refrigerant: R404a, inside dimensions: 650 mm x 600 mm x 1480 mm, 3 floors, dimensions floors: (3x) 530 mm x 645 mm, total dimensions: 740 mm x 800 mm x 2000 mm.	150
721	Suhner AG	Suhner AG injector, type: WS 80 F, number: 9680203, 400 V, 50 Hz, 3.5 A, 1.1 kW, 80 needles, s/s mesh belt, belt width: 285 mm, total dimensions: 1300 mm x 500 mm x 1820 mm. Missing needles.	500
722	Pen-Tec	Pen-Tec metal detector with checkweigher and rejecter, model metal detector: PenTec DUAL FREQUENCY, number: 09820, clearance: 300 mm x 135 mm, plastic belt, belt width: 240 mm, model checkweigher: MSR-1200, serial number: P01215, year of construction: 2015, 230 V, 50 Hz, 4 A, maximum weight: 1200 gram, minimum weight: 50 gram, T= -750 gram, e=d= 0.5 gram, total dimensions: 1800 mm x 950 mm x 1800 mm.	500
723	PND s.r.l.	PND s.r.l. fruit slicer, type: Slicing machine, code: SCM 001 NL, year of construction: 2014, height infeed belt: 1000 mm, total dimensions: 3500 mm x 900 mm x 2100 mm.	7500
724	NN pump	Mobile pump, dimensions: 1000 mm x 1000 mm x 2000 mm.	200
726	T. Giusti & Son Ltd	T. Giusti & Son Ltd tiltable vessel, serial number: J-10800B, capacity: 500 litre, dimensions: 1680 mm x 1500 mm x 2280 mm.	1250
727	ScanFoam	ScanFoam hygiene trolley, type: 3-10 Bar 2-Prod, serial number: 88602124-002, year of construction: 2024, maximum air pressure: 10 bar, maximum temperature: 55 °C, maximum water pressure: 10 bar, dimensions: 660 mm x 490 mm x 1120 mm.	150
728	NN sink	S/s sink, dimensions: 430 mm x 410 mm x 500 mm.	25
729	Proci	Proci s/s sink, dimensions: 430 mm x 410 mm x 500 mm.	25
730	Brunner	2 Brunner vegetable slicers, type: 1/77 S / GSM 4-SA, number: 28485 / 81711, 230 V, 1 Ph, 50 Hz, 1.8 A, 0.22	400



Nr	Title	Description	Start €
		kW, dimensions: 450 mm x 300 mm x 570 mm and 450 mm x 250 mm x 520 mm. Including plastic crate with knives.	
731	NN loading arms	3 s/s loading arms on pallet, total dimensions: 2300 mm x 1380 mm x 1100 mm.	150
732	NN sink	S/s double sink with faucet, dimensions: 1200 mm x 700 mm x 1940 mm.	150
733	NN doors	3 doors with 6 door frames, dimensions doors: (3x) 2340 mm x 935 mm x 190 mm, dimensions door frame: (6x) 2370 mm x 1050 mm x 70 mm.	100
734	Cochran Ltd	Cochran Ltd steam boiler installation with R.B.L. burner, serial number: 23/7545, dimensions: 3500 mm x 2050 mm x 2250 mm, condensate tank, dimensions: 1880 mm x 1360 mm x 2350 mm, pressure vessel, volume: 205 litres and pallet with parts.	5000
735	Atlas Copco	Atlas Copco air dryer, type: CD80+, serial number: API097081, year of construction: 2016, dimensions: 1100 mm x 370 mm x 1860 mm.	750
736	Busch	Busch vacuum pump, type: RA 0302 D 503, serial number: C1735000192, year of construction: 2017, capacity: 300 m³/h, dimensions: 1050 mm x 630 mm x 750 mm. Incomplete.	350
737	NN transport belt	Mobile transport belt, plastic belt, belt width: 325 mm, total dimensions: 500 mm x 500 mm x 480 mm.	500
738	NN oil tanks	4 plastic oil tanks, volume: (4x) 100 litres, dimensions: (4x) 500 mm x 500 mm x 480 mm.	50
739	Busch	Pallet with 2 Busch vacuum pumps, type: MM 1144 B V03, serial number: D16311334, D16311335, capacity: 80 m³/h, dimensions: (2x) 1000 mm x 520 mm x 900 mm.	750
741	Mark	2 Mark roof ventilators, dimensions: (2x) 900 mm x 900 mm x 500 mm.	50
742	Atlas Copco	Atlas Copco air dryer, type: FD 30, serial number: 554858, year of construction: 2000, 230 V, 1 Ph, 50 Hz, 0.47 kW, refrigerant: R134a/0.72 kg, dimensions: 850 mm x 460 mm x 620 mm.	500
743	NN transport screw	Transport screw, s/s screw, screw width: 220 mm, tier: 200 mm, total dimensions: 1620 mm x 510 mm x 340 mm.	350
744	Dutchi Motors	Dutchi Motors electromotor, dimensions: 1200 mm x 1000 mm x 930 mm.	250
745	NN electromotor	Electromotor, dimensions: 1350 mm x 800 mm x 1050 mm.	250
746	NN infeed bunker	Infeed bunker, inside dimensions: 2300 mm x 1500 mm x 1000 mm, total dimensions: 2400 mm x 2000 mm x 4000 mm.	5000
747		Seed filling line consisting of: FoodeQ infeed vibrating gutter Robbe Industries bag filling machine OK sealer	15000



Nr	Title	Description	Start €
	Robbe Industries/ FoodeQ	bag sealing machine product delivery involves unloading big bags into a dust-free tipping hopper	
748	NN air treatment	Steel platform with air treatment system. Air outlet not included.	5000
749	NN switch cabinet	Steel switch cabinet, dimensions: 4100 mm x 850 mm x 2570 mm.	1500
750	Frigoscandia/JBT	Frigoscandia/JBT GYRoCOMPACT type M10/3+1-08-30-27+9-NW-CR-SD. This in super good condition spiral freezer (maintained by Frigoscandia/JBT through a maintenance contract, 37000 operating hours) has been designed for a production capacity of approx. 3.000 kg/h based on freezing dough products from an infeed temperature of +25°C to a core temperature of -18°C. With this spiral freezer, it is possible to reach a freezing capacity of 4.000kg/h of products depending on the product data by using the 4th additional cooler that usually is in stand by (sequence defrost) for extra cooling capacity (520kW). Specifications of this used spiral freezer: Infeed / outfeed: North/West Direction of rotation of the belt: clockwise Gross/net belt width: 1070mm/1040mm Maximum product height 65mm Number of tiers: 30 (17,5m2 per tire = 525m2 total belt surface), belt length 615m 4 galvanized evaporators with a maximum operating pressure of 75 bar (suitable for CO2/ammonia) block volume 513L/each: 3 rotating evaporators and one in defrost cycle (sequence defrost) that can be used to run 48 hours of production Stainless steel switch box with all necessary frequency controllers, relays and Siemens S7 PLC / Simatic touchscreen control CIP cleaning system, brand Frigoscandia Original books, Original pressure certificate for the evaporator blocks and the drawings in AutoCad for the housing and floor Spiral freezer will be delivered without panels/housing and isolated floor Cooling capacity: 390 kW/115 tons Type of refrigerant: CO2/R717 Ammonia Voltage: 400 V Absorbed power: 99 kW Year of Manufacture: 2009 Dimensions: 14000 mm x 8000 mm x 4800 mm	95000
751	Felcon B.V.	Felcon B.V. centrifuge, type: FE500, machine number: 2511-47C1, year of construction: 2002. New Siemens PLC control system, complete overhaul of the control system, new centrifuge motor, new variable-frequency drive (VFD).	7500
752	Yamato	Yamato 14-heads multihead weigher, model: AND / ADW-514-SWH, 220-240 V, 50/60 Hz, weighing range: 20-2000g, capacity: 120p/min.	8500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]

[illegible]



This image shows a full page of white paper with horizontal black lines, resembling notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a full page of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

