



**Industrial
Auctions**

**2202: Online auction machinery for the food
industry in Dobieszowice (PL)**

END DATE
14 July 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	14 July 2026 from 14:00 hrs.
Viewing days	09 July 2026 from 09:00 till 16:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	23% over the highest bid including premium
Pick up days	22 July 2026 from 09:00 till 16:00 hrs.
Pick up address	27 Stycznia 10 42-584 Dobieszowice Poland
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Baader	Baader separator, type: 601, 400 V, 3 Ph, 50 Hz, diameter perforations: 3 mm, total dimensions: 1800 mm x 1050 mm x 1200 mm.	12500
2	Talsa	Talsa cutter, model: K 120, serial number: 272859, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 33 kW, s/s bowl, volume: 120 liter, dimensions: 2400 mm x 1400 mm 1400 mm.	12500
3	Sepamatic	Sepamatic separator, type: SEPA 410, machine number: 107982, year of construction: 08. 2006, 400 V, 50 Hz, 6 A, 2.2 kW, diameter perforations: 3 mm, total dimensions: 1200 mm x 920 mm x 1800 mm.	6000
4	Sepamatic	Sepamatic separator, type: SEPA 1200, machine number: 195495, 400 V, 50 Hz, 7.5 kW, diameter drum: 300 mm, diameter perforations: 3 mm, total dimensions: 1700 mm x 1200 mm x 1820 mm.	4000
5	Kramer+Grebe GmbH & Co. KG	Kramer+Grebe GmbH & Co. KG mixer-grinder, type: MW 160, machine number: 350/111, year of construction: 1994, 400 V, 50 Hz, 80 A, plate diameter: 160 mm, total dimensions: 2100 mm x 1500 mm x 2300 mm.	7000
6	Mado	Mado grinder with lifter for 200 liter meat bins, type: MEW 727, number: 30195, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 48,0 kW, diameter plate: 160 mm, total dimensions: 3000 mm x 1800 mm x 2050 mm. Including s/s tool trolley with spare parts, dimensions: 850 mm x 800 mm x 900 mm.	12500
7	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector, type: PI 54/105 MC2R, serial number: 32012, year of construction: 2008, 400 V, 16 A, 6,5 kW, 200 l/min, plastic mesh belt, belt width: 350 mm, 54/105 needles, total dimensions: 1750 mm x 1050 mm x 2220 mm. Including s/s mobile filter tub, type: GRF 200L, year of construction: 2008, serial number: 32012, dimensions: 1600 mm x 500 mm x 650 mm.	2500
8	Seydelmann	Seydelmann grinder, type: AE130, machine number: 94175-1, 380 V, 50 Hz, 45 A, plate diameter: 130 mm, total dimensions: 1100 mm x 1200 mm x 1300 mm.	5000
9	Alexanderwerk	Alexanderwerk grinder, type: WSL 130I, serial number: 044-04161, 400 V, 50 Hz, 30,4 A, 15 kW, diameter plate: 130 mm, total dimensions: 1050 mm x 950 mm x 1400 mm.	3500
10	Z.R.H KOKO	Z.R.H KOKO stomach cleaning machine, model: K-1000, serial number: 02062015, year of construction: 2015, 400 V, 7,5 kW, ø drum: 900 mm x 500 mm, total dimensions: 2600 mm x 1400 mm x 1600 mm.	3500
11	Kramer+Grebe GmbH & Co. KG	Kramer+Grebe GmbH & Co. KG grinder with lifter for 200 liter meat bins, type: WW200, serial number: 380 V, 50 Hz, 65 A, plate diameter: 200 mm, total dimensions grinder: 1600 mm x 1300 mm x 1750 mm, type lifter: Beschick, number: 226/319/1, dimensions lifter: 1000 mm x 800 mm x 2750 mm.	5000



Nr	Title	Description	Start €
12	Spomasz	Spomasz grinder with lifter for 200 liter meat bins, model: W-160, 400 V, 3 Ph, 50 Hz, 18,5 kW, diameter plate: Ø 160 mm, total dimensions: 2350 mm x 1230 mm x 1920 mm.	5000
13	Asgo	Asgo grinder with lifter for 200 liter meat bins, type: PCE130.I-M, number: 41058, year of construction: 2009-04, machine weight: 750 kg, 400 V, 3 Ph, 50 Hz, 38 A, 17,55 kW, plate diameter: Ø 130 mm, total dimensions grinder: 1350 mm x 1400 mm x 1800 mm, dimensions lifter: 1000 mm x 900 mm x 3000 mm.	6000
14	Nowicki	Nowicki tilting device for 200 liter meat bins, model tilting device: WP-2, machine number: 80202066, year of construction: 2002, 400 V, 3 Ph, 1,1 kW, loading capacity: 250 kg, weight: 240 kg, tilting height: 1050 mm, total dimensions: 1200 mm x 1500 mm x 1700 mm.	1250
15	Rühle GmbH	Rühle GmbH frozen block cutter, type: GR 50, number: 60040104, year of construction: 2019, 400 V, 50 Hz, 3 Ph, 13.6 A, 7 kW, working width: 450 mm, plastic outfeed belt, belt width: 260 mm, total dimensions: 2000 mm x 1500 mm x 1480 mm.	7500
16	Magurit	Magurit mobile frozen block cutter, working width: 500 mm, total dimensions: 1970 mm x 900 mm x 1750 mm.	3500
17	ZFM	ZFM dough mixer, type: MS-150, serial number: 01/2014, year of construction: 08/2014, 400 V, 3 PH, 50 Hz, 0,5 KW, volume: 150 litres, dimensions: 1300 mm x 1200 mm x 1500 mm.	750
18	Vakona GmbH	Vakona GmbH mobile vacuum tumbler, 380 V, 3 Ph, volume: 200 litres, Busch vacuum pump, type: 021-336, serial number: 474701, capacity: 2 m3 per hour, dimensions: 1400 mm x 800 mm x 1500 mm.	1000
19	Mlynkol	Mlynkol colloid mill, type: KM-300, 400 V, 3 Ph, 11 kW, dimensions: 800 mm x 700 mm x 1300 mm.	1500
20	A&J	A&J injector, type: AN-31, serial number: 0919, year of construction: 2010, 0,7 KW, plastic mesh belt, belt width: 340 mm, clearance: 340 mm x 80 mm, 31 needles, dimensions: 1500 mm x 600 mm x 1900 mm. Including s/s tub.	2000
21	Nowicki	Nowicki injector, model: MH-280, machine number: 00508067, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 23 A, 11 kW, weight: 1300 kg, (2x) 138 needles, s/s walking beam, beam width: 600 mm, dimensions injector: 2700 mm x 1100 mm x 2200 mm. With filter tub, dimensions: 1900 mm x 800 mm x 900 mm and tilting device, dimensions: 1200 mm x 1500 mm x 1700 mm.	9500
22	ZTP TEPRO S.A.	ZTP TEPRO S.A. thermoformer, type: LPP 420-30H, number: 026, year of construction: 2011, 400 V, 50 Hz, 10 kW, weight: 1150 kg, dye: (2x) 285 mm x 175 mm, ZTP TEPRO S.A. vacuum pump, type: AT 100 B, number: 1891, year of	3500



Nr	Title	Description	Start €
		construction: 2011, capacity: 92 m ³ /h, total dimensions: 4000 mm x 1030 mm x 1900 mm.	
23	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH piston filler, type: Kompakta-2, machine number: K230210698, 400 V, 50 Hz, inside dimensions: Ø 320 mm x 480 mm, total dimensions: 850 mm x 750 mm x 1250 mm.	950
24	Inwestpol consulting Sp.z.o.o.	Inwestpol consulting Sp.z.o.o. mixer, type: MA 150, machine number: 0520, year of construction: 2008, 400 V, 3 Ph, 2 kW, volume: 150 liter, weight: 300 kg, total dimensions: 1250 mm x 1200 mm x 1600 mm.	1750
25	Havantec	Havantec mobile skinning and derinding machine, plastic belt, belt width: 375 mm, working width: 420 mm, total dimensions: 1950 mm x 900 mm x 1250 mm.	1250
26	Melior-Ganda	Melior-Ganda tenderizer on mobile s/s frame, model: E41, machine number: 1307268, year of construction: 2002, 400 V, 50 Hz, 3.20 A, 0.75 kW, total dimensions: 500 mm x 600 mm x 1800 mm.	350
27	Tepro	Tepro mobile vacuum machine, type: PP12, seal length: (2x) 650 mm, dimensions chamber: 680 mm x 500 mm, with ZTP TEPRO S.A. vacuum pump, type: AT 100 B, number: 1497, year of construction: 2007, capacity: 92 m ³ per hour, total dimensions: 800 mm x 710 mm x 1000 mm.	2000
28	Rewi Pök	Rewi Pök mobile injector, 14 needles, plastic belt, belt width: 285 mm, dimensions: 1300 mm x 510 mm x 1800 mm.	350
29	Rühle GmbH	Rühle GmbH mobile cooled vacuum tumbler, type: MKR 150, 400 V, 3 Ph, 50 Hz, 16 A, 3.0 kW, volume: 150 liter, Busch vacuum pump, type: KC 0010 D, number: 05012119, year of construction: 2005, dimensions: 1250 mm x 1050 mm x 1650 mm.	3000
30	Rühle GmbH	Rühle GmbH mobile dicer, model: SR1, dimensions chamber: 100 mm x 100 mm x 330 mm, total dimensions: 1000 mm x 700 mm x 1100 mm.	2250
31	Fawag	Fawag weighing scale, type: TP-15/1, maximum: 150 kg, minimum: 1 kg, e=d= 50 grams, dimensions: 700 mm x 700 mm x 1700 mm.	150
32	T&S	T&S cooking vessel, model: TSV 400, year of construction: 2009, 230 V, 50 Hz, 125 W, inside dimensions: 1050 mm x 900 mm x 550 mm, dimensions: 1600 mm x 1300 mm x 1100 mm.	1250
33	Townsend	Townsend mobile skinning and derinding machine, 9000 series, plastic mesh belts, belt width: (2x) 500 mm, working width: 505 mm, total dimensions: 1750 mm x 800 mm x 1350 mm.	2500
34	Rex-Maschinen	Rex-Maschinen piston filler, type: FN 20, number: 2144, 380 V, 50 Hz, 0.7 A, 1.5 kW, dimensions: 800 mm x 600 mm x 1200 mm. Technical condition unknown.	500
35	Hollstein & Fuhrmann GmbH	Hollstein & Fuhrmann GmbH tumbler, type: HS-3/1, number: 808, year of construction: 1996, 380/240 V, 3 Ph, 3,5 kW,	750



Nr	Title	Description	Start €
		inside dimensions: Ø 1000 mm x 1200 mm, total dimensions: 2000 mm x 1100 mm x 1750 mm.	
36	Pökelmaschinen G.m.b.H.	Pökelmaschinen G.m.b.H. separator, type: P-20, number: 314, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 8.2 kW, dimensions: 2200 mm x 1000 mm x 1800 mm.	1750
37	Rühle GmbH	Rühle GmbH dicer with lifter for crates, chamber dimensions: 120 mm x 120 mm x 500 mm, plastic belt, belt width: 260 mm, total dimensions: 1600 mm x 1200 mm x 1700 mm.	5000
38	Kilia	Kilia grinder, type: D 114 2000 S, machine number: 119212635, year of construction: 1992, 380 V, 10/13 A, 5.0/6.2 kW, plate diameter: 114 mm, total dimensions: 1100 mm x 650 mm x 1100 mm.	750
39	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning and derinding machine, type: ASB 800/1, number: 297, 380 V, 50 Hz, 0.85 kW, working width: 345 mm, plastic belts, belt width: 340 mm, total dimensions: 1850 mm x 770 mm x 1200 mm.	1000
40	Ma-Ga	Ma-Ga slicer, model: 612p, machine number: 32935, year of construction: 1997, 220 V, 1 Ph, 50 Hz, 250 W, weight: 39 kg, dimensions: 600 mm x 550 mm x 600 mm.	50
41	Ma-Ga	Ma-Ga slicer, model: S712aT, machine number: 5866, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 250 W, weight: 52 kg, dimensions: 700 mm x 550 mm x 600 mm.	100
42	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning and derinding machine, type: ASB 600, number: 2088, year of construction: 2003, 400 V, 50 Hz, 0.85 kW, weight: 230 kg, plastic belts, belt width: (2x) 320 mm, working width: 390 mm, roll width: 305 mm, total dimensions: 1800 mm x 750 mm x 1180 mm.	1500
43	KT	KT mobile grinder, type: LM-98 A, number: 126793, year of construction: 02.10, 380-420 V, 3 Ph, 50 Hz, 6.7+3,1 A, 3.0+1.1 kW, weight: 250 kg, diameter plate: 98 mm, total dimensions: 1000 mm x 750 mm x 1150 mm.	1750
44	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: Piccolo CE L, 400 V, 3 Ph, 50 Hz, chamber: 80 mm x 80 mm x 600 mm, total dimensions: 1700 mm x 625 mm x 1000 mm.	2500
45	Frascold	Frascold cooling compressor, type: LBTQ-728.1-0Y-2M, number: 0N001031, year of construction: 2014, dimensions cooling compressor: 1600 mm x 850 mm x 850 mm, with Luvata Italy S.R.L evaporator type: ICE42B06ED, serial number: AI201200605, year of construction: 14/02/2012, 400 V, 3 Ph, 50-60 Hz, dimensions evaporator: 2100 mm x 800 mm x 950 mm.	1500
46	NN boot dryer	S/s boot dryer for 18 pairs, dimensions: 1000 mm x 350 mm x 1800 mm. New, never used.	350
47	Medesa	Medesa weighing scales with label printer, maximum: 15 kg, minimum: 100 g, e= 5 g, T= -995 g, dt= 5 g, dimensions: 350 mm x 400 mm x 550 mm.	50
48			950



Nr	Title	Description	Start €
	Maja Maschinenfabrik GmbH	Maja Maschinenfabrik GmbH mobile skinning machine, type: EVM 4006, serial number: M-50089, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 1.97 A, 0.75 kW, weight: 215 kg, working width: 545 mm, total dimensions: 900 mm x 700 mm x 1000 mm.	
49	Karpowicz	Karpowicz vacuum tumbler, 400 v, 3 Ph, 50 hz, volume: 250 litre, dimensions: 1250 mm x 1100 mm x 1600 mm.	1250
50	Maja Maschinenfabrik GmbH	Maja Maschinenfabrik GmbH mobile skinning and derinding machine, type: BXA plus 554, number: 50795, 400 V, 3 Ph, 50 Hz, 2.77 A, 1.1 kW, working width: 554 mm, plastic mesh belt, belt width: 500 mm, dimensions: 1400 mm x 1100 mm x 1250 mm.	3000
51	Mado	Mado grinder, model: MEW 717, number: 20034805, year of construction: 2016, 230/400 V, 3 Ph, 50 Hz, 11,4/6.6 A, 2.95 kW, diameter plate: 100 mm, total dimensions: 900 mm x 500 mm x 1360 mm.	1250
52	Scharfen	Scharfen mobile grinder, type: XT 132, number: 902008-1, 220/380 V, 9/5.2 A, 2200 W, maximum plate diameter: 98 mm, dimensions: 1050 mm x 540 mm x 1320 mm.	500
53	Handtmann	Handtmann vacuum filling machine, type: VF50, number: 2625, 380 V, 50 Hz, 11 A, 4 kW, dimensions: 830 mm x 690 mm x 1800 mm. Including linking attachment.	2500
54	Talsa	Talsa cutter, s/s bowl, type: C40P, 380 v, 3 Ph, 50 Hz, dimensions: 1150 mm x 780 mm x 1350 mm.	1750
55	Mado	Mado grinder, type: MEW 619, serial number: 30415, year of construction: 2004, 230/400 V, 3 Ph, 50 Hz, 11.1/6.4 A, 3 kW, diameter plate: 98 mm, dimensions: 740 mm x 550 mm x 1200 mm.	1500
56	Talsa	Talsa mobile mixer, model: MIX150P, serial number: 273262, year of construction: 2007, 230/400 V, 3 Ph, 50 Hz, 5/8.7 A, 1.80 kW, s/s bowl, inside dimensions: ø 710 mm x 400 mm, dimensions: 1050 mm x 750 mm x 1300 mm.	1750
57	Meissner GmbH. & CO. KG.	Meissner GmbH. & CO. KG.mixer-grinder, type: AM-114/2, machine number: 319285, 380 V, 50 Hz, 20.5 A, 9 kW, plate diameter: 114 mm, total dimensions: 1220 mm x 710 mm x 1350 mm.	2500
58	Valko	Valko mobile traysealer, model: P-SG 420 GF, serial number: 00011, year of construction: 2015, 230 V, 50 Hz, 1.25 kW, film width: 420 mm, dimensions dye: 315 mm x 250 mm, total dimensions: 780 mm x 580 mm x 1300 mm.	1000
59	Kromet	Kromet double deep fryer, model: 700.Fe-2x15f, number: 005/20, 400 V, 50 Hz, 3 Ph, dimensions: 800 mm x 700 mm x 900 mm.	750
60	Ma-Ga	Ma-Ga mobile double clipper, dimensions: 1100 mm x 750 mm x 1650 mm.	1750
61	Kolbe	Kolbe mobile elevating belt, type: M0 1500-k, machine number: 60 0227, year of construction: 2012, 400 V, 50 Hz,	500



Nr	Title	Description	Start €
		0.7 A, 0.37 kW, plastic belt, belt width: 200 mm, dimensions: 1500 mm x 370 mm x 850 mm.	
62	Rühle GmbH	Rühle GmbH mobile traysealer with weighing and labelling function, type: VR1, number: 0592, year of construction: 2010, 230 V, 50 Hz, 1.5 kW, dye dimensions: (2x) 210 mm x 160 mm, dimensions: 600 mm x 750 mm x 1730 mm. With spare dye, diameter: (1x) 300 mm x 240.	1000
63	Dadaux	Dadaux cutter, type: CUT80L, year of construction: 07/2019, 400 V, 50 Hz, volume bowl: 80 litres, dimensions: 1200 mm x 1300 mm x 1200 mm.	7500
64	Nilma	Nilma vegetable dryer, type: IDROVER 50, serial number: 0311631, year of construction: 2003, capacity: 8 kg, weight: 100 kg, 400 V, 3 Ph, 50 Hz, 1.1 kW, 750 Rpm, dimensions: 700 mm x 850 mm x 1000 mm.	500
65	Maja Maschinenfabrik GmbH	Maja Maschinenfabrik GmbH mobile skinning and derinding machine, type: Skinny II, serial number: M-54149, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 1.84 A, 0.55 kW, plastic belt, belt width: 385 mm, working width: 420 mm, dimensions: 1100 mm x 800 mm x 1200 mm.	2000
66	Fuerpla	Fuerpla mixer, model: A-85, serial number: 1889, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 0.75 kW, volume: 85 liter, dimensions: 1050 mm x 600 mm x 1150 mm.	1250
67	Cretel	Cretel mobile washing machine, type: AWM 235 B, serial number: 23.03.083.12, year of construction: 2007, 380 V, 3 Ph, 50 Hz, 7,5 kW, clearance: 600 mm x 120 mm, dimensions: 3700 mm x 1000 mm x 1500 mm.	2500
68	Pökomat	Pökomat injector, model: P 16/320, serial number: 4059, year of construction: 1997, 400 V, 3.5 A, 1500 Watt, 210 kg, 16 needles, plastic mesh belt, belt width: 300 mm, dimensions: 1440 mm x 620 mm x 2000 mm.	750
69	Rudolf Schad	Rudolf Schad mobile binding machine, type: E85-1, number: 75, year of construction: 09.2007, dimensions: 940 mm x 850 mm x 1160 mm.	500
70	NN slicer	Mobile slicer, 400 V, 3 Ph, 50 Hz, chamber dimensions: 200 mm x 180 mm, total dimensions: 1720mm x 800 mm x 1300 mm.	250
71	Henkelman	Henkelman mobile double chamber vacuum machine, type: POLAR 2-50, dimensions chamber: (2x) 615 mm x 490 mm, seal length: (4x) 620 mm, Busch vacuum pump, type: RA 0100 F 5R3, serial number: D15331178, capacity: 100 m³/h, total dimensions: 1480 mm x 900 mm x 1100 mm.	3000
72	Mlynkol	Mlynkol colloid mill, type: KM1500, number: 1593, year of construction: 2016, 54 A, 30 kW, weight: 320 kg, capacity: 1500 kg/h, dimensions: 850 mm x 600 mm x 1440 mm.	3000
73	Kolbe	Kolbe mobile portioning machine, dimensions: 640 mm x 380 mm x 750 mm.	500
74	Kolbe	Kolbe mobile portioning machine, type: P100, year of construction: 2002, 230 V, 50 Hz, 7.6 A, 0.2 kW, working	750



Nr	Title	Description	Start €
		width: 120 mm, pipe diameter: 80 mm, dimensions: 640 mm x 380 mm x 750 mm.	
75	Dadaux	Dadaux mobile slicer, type: ICONÉ 1100, number: UICONE110-12056, year of construction: 05/20, 400 V, 50 Hz, dimensions chamber: 200 mm x 200 mm x 1100 mm, total dimensions: 2400 mm x 800 mm x 1650 mm.	3000
76	Mado	Mado mobile grinder, type: MEW 620, number: 9930656, 230/400 V, 3 Ph, 50 Hz, 15.2/8.8 A, 4.0 kW, 1435 rpm, double plastic screw, plate diameter: 98 mm, total dimensions: 1060 mm x 900 mm x 1550 mm.	2000
77	Baader	Baader piston filler, type: 763, machine number: 13 6594 0763, year of construction: 1986, 380 V, 3 Ph, 50 Hz, 8.0 A, 3.0 kW, dimensions: 750 mm x 650 mm x 1260 mm.	750
78	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH mobile injector, type: PI 8, number: 22791, 380 V, 10 A, 8 needles, plastic mesh belt, belt width: 250 mm, dimensions: 550 mm x 1300 mm x 1850 mm.	950
79	Talleres Cato, s.a.	Talleres Cato, s.a. piston filler, type: 30l, machine number: 489, 220/380 V, 3 Ph, total dimensions: 600 mm x 400 mm x 1100 mm.	750
80	Maja Maschinenfabrik GmbH	Maja Maschinenfabrik GmbH mobile skinning and derinding machine, type: ESB 4434/1, serial number: 45114, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, 6 bar, working width: 434 mm, dimensions: 1650 mm x 900 mm x 1250 mm.	1500
81	Dixie-Union Verpackungen GmbH	Dixie-Union Verpackungen GmbH slicer, type: SL 483, fabric number: 483.1036, year of construction: 1989, 380 V, 3 Ph, 50 Hz, 6 A, dimensions: 2200 mm x 900 mm x 1700 mm.	500
82	Karl Schnell GmbH & co.	Karl Schnell GmbH & co. microcutter, type: FD 175 FD, 380 V, 3 Ph, 50 Hz, diameter plate: 175 mm, dimensions hopper: 800 x 900 mm, total dimensions: 1300 x 950 mm x 1000 mm.	2000
83	Warma Grudziadz	Warma Grudziadz cooking kettle, type: KWE-150, serial number: 920, 380 V, 3 Ph, 50 Hz, 20 A, 13,5 kW, volume: 150, weight: 170 kg, dimensions: 1100 mm x 1000 mm x 1100 mm.	250
84	Dadaux	Dadaux cutter, type: CUT40-2, machine number: 03.84.85.51.71, year of construction: 01/18, 380 V, 50 Hz, s/s bowl, volume: 40 litres, dimensions: 1050 mm x 900 mm x 1150 mm.	3500
85	Koneteollisuus Oy	Koneteollisuus Oy mobile bandsaw, type: KT-360, number: 120855, year of construction: 1998, 400 V, 3 Ph, 50 Hz, dimensions saw table: 670 mm x 480 mm, total dimensions: 830 mm x 750 mm x 1680 mm.	950
86	Kolbe	Kolbe mobile grinder, type: SW100, serial number: 68 2411, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 6.9 A, 2.9 kW, plate diameter: 100 mm, total dimensions: 900 mm x 550 mm x 1100 mm.	1000
87	Inject Star		1950



Nr	Title	Description	Start €
		Inject Star mobile vacuum tumbler, type: MC-500, number: 063, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2 KW, volume: 500 liter, Busch vacuum pump, type: KC 0016 D, serial number: 04033339, year of construction: 2004, capacity: 19 m³/h, dimensions: 1800 mm x 1500 mm x 1800 mm.	
88	Jugema PPUH	Jugema PPUH autoclave, type: 500G, number: 641/211/20, year of construction: 2020, 230 V, 1 Ph, 30 kW, 3 bar, dimensions: 1400 mm x 1400 mm x 2200 mm.	7500
89	Busch	Busch vacuum pump, type: RA 0760 A 00H, serial number: C1922000038, year of construction: 2019, capacity: 760 m³/h, 1050 kg, dimensions: 1850 mm x 1050 mm x 1500 mm.	5000
90	Mado	Mado bowl cutter, type: MSK 760 HI, number: 30353, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 14,0/16.0 A, 6.8/8.0 kW, s/s bowl, volume bowl: 35 liter, s/s knives, total dimensions: 1250 mm x 900 mm x 1150 mm.	4000
91	Krumbein	Krumbein mobile pit remover, type: KERN-EX, serial number: N 07 H, year of construction: 2006, 280 V, 1 Ph, 50 Hz, 1.5 A, dimensions: 730 mm x 700 mm x 1160 mm.	1500
92	NN grinder	S/s grinder, 220/380 V, 3 Ph, 50 Hz, 2,2 kW, diameter plate: 100 mm, total dimensions: 800 mm x 550 mm x 1250 mm.	950
93	Inject Star	Inject Star vacuum tumbler, type: ES-3300, number: 317, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 6.4 kW, volume: 3300 liter, dimensions: 3300 mm x 1700 mm x 1975 mm.	4000
94	Seydelmann	Seydelmann grinder, type: ME130L, number: 86057-1, 380 V, 3 Ph, 50 Hz, plate diameter: 130 mm, total dimensions: 1200 mm x 850 mm x 1400 mm.	2500
95	Henkovac	Henkovac mobile vacuum machine, 400 V, 3 Ph, 50 Hz, seal length: (2x) 580 mm, dimensions chamber: 580 mm x 720 mm, Busch vacuum pump, type: RA 0100 E 5Z1, serial number: 99030400, capacity: 100 m³/h, total dimensions: 950 mm x 770 mm x 1100 mm.	950
96	K+G Wetter	K+G Wetter grinder, 380 V, 3 Ph, 50 Hz, 18 kW, diameter plate: 130 mm, total dimensions: 1400 mm x 900 mm x 1350 mm.	4000
97	Wolfking	Wolfking ribbon/paddle mixer, type: 250L-BL, number: 22698, 380 V, 3 Ph, 50 Hz, volume: 1000 liter, dimensions: 1400 mm x 750 mm x 1550 mm.	2500
98	Maja Maschinenfabrik GmbH	Maja Maschinenfabrik GmbH ice machine, type: SA 165 L, serial number: 11597, year of construction: 1984, 380 V, 3 Ph, 50 Hz, refrigerant: Frigen 22, 1.5 kg, dimensions: 810 mm x 820 mm x 1400 mm.	500
99	Kilia	Kilia grinder, type: Winkel-Automatenwolf E130mm 2000s, machine number: 12371, year of construction: 1994, 400 V, 3 Ph, 50 Hz, 40 A. 17 kW, plate diameter: 130 mm, total dimensions: 1200 mm x 1200 mm x 1300 mm.	4500
100	Nowicki		7500



Nr	Title	Description	Start €
		Nowicki cooled vacuum-tumbler, type: MA-G 100PSCH, 400 V, 3 Ph, 50 Hz, volume: 1000 litres, dimensions tumbler: 2500 mm x 1100 mm x 1600 mm. Including cooling unit, dimensions: 1200 mm x 1000 mm x 1400 mm.	
101	Gruppo Fabbri Vignola S.p.A.	Gruppo Fabbri Vignola S.p.A. packaging machine, model: B-241, serial number: 5-282, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 10 A, weight: 610 kg, dimensions dye: (2x) 220 mm x 175 mm belt width: 175 mm, dimensions: 2400 mm x 950 mm x 1720 mm. Including 2 pallets with dye set.	1500
102	Cryovac	Cryovac dip tank, model: CUVE F R M, serial number: COV ,CF104, 380 V, 3 Ph, 50 Hz, 24,51 A, 16,09 kW, dimensions: 900 mm x 800 mm x 1900 mm.	100
103	Rühle GmbH	Rühle GmbH mobile cooled vacuum tumbler, type: MKR 220, 400 V, 3 Ph, 50 Hz, volume: 220 liter, dimensions: 1500 mm x 1400 mm x 1650 mm.	1500
104	T&S	T&S cooking vessel, model: TSR 400 V, year of construction: 2009, 230 V, 50 Hz, 125 W, inside dimensions: 1050 mm x 500 mm, total dimensions: 1600 mm x 1300 mm x 1100 mm.	1500
105	Kolbe	Kolbe mobile paddle mixer-grinder, type: MWE 52, number: 126 0173, year of construction: 2003, 400 V, 3 Ph, 50 Hz, diameter plate: 130 mm, total dimensions: 1300 mm x 800 mm x 1670 mm. With Kolbe mobile portioning machine, type: PM 150, machine number: 75 0357, year of construction: 2012, 400 V, 50 Hz, 0.25 kW, 0.87 A, weight: 139-141 kg, plastic belt, belt width: 200 mm, working width: 160 mm, total dimensions: 1550 mm x 700 mm x 1250 mm. Including 2 crates with knives, plates and parts.	5000
106	NN grinder	S/s grinder, 380 V, 3 Ph, 50 Hz, diameter plate: 130 mm, total dimensions: 1400 mm x 1000 mm x 1350 mm.	1500
107	Lozamet	Lozamet cooking vessel, type: BKG.200.1.1 number: 039, year of construction: 2017, volume: 200 liter, gas heated, dimensions: 950 mm x 1050 mm x 1200 mm.	1000
108	NN cooking vessel	S/s 3 cooking vessels, volume: 3 x 30 liter, dimensions: 1600 mm x 550 mm x 1300 mm.	500
109	Ramon	Ramon cutter, type: PS 30, machine number: 2820, 380/400 V, 50 Hz, s/s bowl, dimensions: 900 mm x 750 mm x 1050 mm.	2500
110	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH piston filler, type: Kompakta-2, machine number: K2 30 C 00530468, 400 V, 50 Hz, 3,60 kW, inside dimensions: Ø 320 mm x 480 mm, total dimensions: 800 mm x 650 mm x 1300 mm.	3500
111	Rühle GmbH	Rühle GmbH mobile cooled vacuum tumbler, type: MKR 130, volume: 130 liter, dimensions: 1250 mm x 800 mm x 1250 mm.	1750
112	Rex	Rex mobile piston filler model: RKF-130, serial number: 1300340411, 400 V, 3 Ph, 50 Hz, 3,3 kW, capacity: 30 liter, dimensions: 850 mm x 650 mm x 1200 mm. Including linking and case holding device.	4000

Nr	Title	Description	Start €
113	ZTP TEPRO S.A.	ZTP TEPRO S.A. mobile traysealer, type: SPP 4.3, serial number: 36, year of construction: 2014, 400 V, 50 Hz, 4 kW, weight: 350 kg, dye: (5x) 320 mm x 75 mm, total dimensions: 1500 mm x 1200 mm x 1450 mm.	2000
114	Dadaux	Dadaux mixer, 400 V, 3 Ph, 50 Hz, dimensions bowl: Ø 550 mm x 350 mm, total dimensions: 900 mm x 600 mm x 1100 mm.	750
115	Kramer+Grebe GmbH & Co. KG	Kramer+Grebe GmbH & Co. KG mobile vacuum machine, type: 390, serial number: 285, 380 V, 3 Ph, 50 Hz, 5.5 A, seal length: 420 mm, dimensions chamber: 420 mm x 500 mm, Busch vacuum pump, type: 100-132, serial number: 311113, capacity: 100 m³/h, total dimensions: 800 mm x 550 mm x 1000 mm.	750
116	DIHR ALI SPA	DIHR ALI SPA washing machine, model: LP1800 DDE, type: 381.ECNBASNETNP11, serial number: DWE1022608, year of construction: 2015, 380-400 V, 3 Ph, 50 Hz, 12,4 A,, dimensions: 800 mm x 650 mm x 1720 mm.	1000
117	Dadaux	Dadaux grinder, type: TX98COMPACT, machine number: 6669, year of construction: 01/16, 400 V, 50 Hz, diameter plate: 98 mm, total dimensions: 900 mm x 600 mm x 1150 mm.	1250
118	Altrad Spomasz	Altrad Spomasz cooking vessel, type: KE300, factory number: 256, year of construction: 2012, 400 V, 50 Hz, 24 kW, weight: 280 kg, volume: 300 liter, dimensions: 1300 mm x 1200 mm x 1000 mm.	1250
119	KROMET Sp.z.o.o.	KROMET Sp.z.o.o. cooking vessel, type: 900.BEK-200, factory number: 028, year of construction: 2013, 230/400 V, 3 Ph, 50 Hz, 24,5 kW, weight: 172 kg, volume: 200 liter, dimensions: 900 mm x 900 mm x 900 mm.	950
120	Spomasz	Spomasz grinder, type: W-160, 400 V, 3 Ph, 50 Hz, 18 kW, diameter plate: 160 mm, total dimensions: 1550 mm x 1100 mm x 1500 mm.	2500
121	Rex Technologie	Rex Technologie piston filler, type: RKF-130, serial number: 13003180818, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 3,3 kW, capacity: 30 liter, dimensions: 850 mm x 650 mm x 1200 mm.	4000
122	Freund	Freund trimmer, type: EEN2, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 1.4 A, dimensions : 750 mm x 350 mm x 300 mm.	950
123	Firex	Firex tiltable braising pan, type: DBRG110, serial number: 03418QG28, year of construction: 2012, 230 V, 1 Ph, maximum volume: 110 litres, dimensions: 1100 mm x 1500 mm x 1200 mm.	2500
124	LEFA GmbH	LEFA GmbH smoke chamber for 1 trolley, type: TSFR 80, serial number: 135, year of construction: 1997, 220/380 V, 3 Ph, 50 Hz, 16 kW, inside dimensions: 900 mm x 1000 mm x 1550 mm, total dimensions: 1100 mm x 1450 mm x 2350 mm.	1750



Nr	Title	Description	Start €
125	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH piston filler, model: OSCAR 20, serial number: 0-200198824, year of construction: 2004, 400 V, 3 Ph, 50 Hz, capacity: 20 liter, dimensions: 700 mm x 500 mm x 1100 mm.	950
126	NN saw	S/s saw, 380 V, 3 Ph, 50 Hz, dimensions: 600 mm x 250 mm x 300 mm.	100
127	Mado	Mado mixer-grinder, type: MEW 623, number: 30161, year of construction: 2002, 230-400 V, 3 Ph, 50-60 Hz, 19.5 A, 9.0 kW, 1500-3000 rpm, double plastic screw, plate diameter: 114 mm, total dimensions: 1300 mm x 900 mm x 1850 mm.	1250
128	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine, type: KONTI-C50, machine number: KC 50 35 11 94, 380 V, 3 Ph, 50 Hz, dimensions: 850 mm x 700 mm x 1600 mm. Including linking attachment.	1500
129	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine, type: KE80-3,2, machine number: KE120020011, 400 V, 3 Ph, 50 Hz, dimensions: 700 mm x 1050 mm x 1700 mm. Including linking attachment.	2250
130	Busch	Busch vacuum pump, type: RA 0010 C 343, serial number: 090058599, year of construction: 2009, capacity: 10 m³/h, dimensions: 450 mm x 250 mm x 300 mm.	500
131	Busch	Busch vacuum pump, type: RA 00163 E 521, serial number: 070032703, year of construction: 2007, dimensions: 650 mm x 600 mm x 500 mm.	750
132	Rex-Maschinen	Rex-Maschinen piston filler, type: FAN, serial number: 930733, year of construction: 2018, 380 V, 3 Ph, 50 Hz, capacity: 30 liter, dimensions: 600 mm x 800 mm x 1300 mm.	1000
133	Busch	Busch vacuum pump, type: RA 0010 B 501, serial number: 080067108, year of construction: 2008, capacity: 10 m³/h, dimensions: 470 mm x 225 mm x 320 mm.	500
134	Busch	Busch vacuum pump, type: RA 0010 C 343, serial number: 140021645, year of construction: 2014, capacity: 12 m³/h, dimensions: 450 mm x 250 mm x 300 mm.	500
135	Busch	Busch vacuum pump, type: RA 0063 F 5R3, serial number: 080052852, year of construction: 2008, capacity: 63 m³/h, dimensions: 650 mm x 420 mm x 300 mm.	750
136	Becker	Becker vacuum pump, type: U.4.40/09, serial number: A 2904655, year of construction: 2015, capacity: 41/48 m³/h, dimensions: 500 mm x 350 mm x 400 mm.	500
137	Busch	Busch vacuum pump, type: RA 0100 F 503, serial number: 090064356, year of construction: 2009, capacity: 100 m³/h, dimensions: 710 mm x 410 mm x 300 mm.	750
138	Rietschle	Rietschle vacuum pump, type: VCH 100 (05), serial number: 1940932, year of construction: 1998, capacity: 100 m³/h, dimensions: 800 mm x 500 mm x 500 mm.	750
139	Busch		750



Nr	Title	Description	Start €
		Busch vacuum pump, type: RA 0100 F 503, serial number: 110023986, year of construction: 2011, capacity: 100 m ³ /h, dimensions: 710 mm x 410 mm x 300 mm.	
140	Seea Stulz	Seea Stulz separator, type: Seea 150, 400 V, 3 Ph, 50 Hz, dimensions: 1200 mm x 600 mm x 800 mm.	1750
141	Investpol	Investpol cooled vacuum tumbler, 400 V, 3 Ph, 50 Hz, Busch vacuum pump, type: KB 0020 D 100, serial number: 100073805, year of construction: 2010, capacity: 20 m ³ /h, dimensions: 175 0mm mm x 1150 mm x 1750 mm.	3500
142	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: FOX-CE/F 341, machine number: 342106.61569.0382, year of construction: 2000, 230/400 V, 3 Ph, 50 Hz, 6,2 A, 2,60 kW, weight: 204 kg, dimensions chamber: 170 mm x 190 mm x 650 mm, total dimensions: 2000 mm x 850 mm x 1300 mm.	2500
143	Laska	Laska grinder, type: WW130, 400 V, 3Ph, 50 Hz, plate diameter: 130 mm, total dimensions: 1350 mm x 1350 mm x 1700 mm.	4000
144	Scaniro	Scaniro lifter for 200 liter meat bins, type: L7, serial number: 2053, year of construction: 1985, 415 V, 3 Ph, 3.6 A, 1.5 kW, lifting height: 2300 mm, total dimensions: 1100 mm x 700 mm x 2850 mm.	1000
145	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200 B, number: 891, 380 V, 50 Hz, dimensions: 1850 mm x 1450 mm x 2800 mm. Including linking attachment and crate with parts.	2000
146	Lutetia	Lutetia vacuum tumbler, type: T4, 400 V, 50 Hz, 3.5 kW, capacity: 3000 liter, with Busch vacuum pump, type: RA 0040 F 5R3, number: 070040263, year of construction: 2007, capacity: 40 m ³ /h, dimensions: 3280 mm x 1550 mm x 2100 mm.	4000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal black lines, resembling notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

