



**Industrial
Auctions**

**2205: Online auction bakery machinery and
inventory due to bankruptcy Sinuhe bakery in Lahti
(FI)**

END DATE
15 July 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	15 July 2026 from 14:00 hrs.
Viewing days	09 July 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	25.5% over the highest bid including premium
Pick up days	29 July 2026 from 09:00 till 16:00 hrs. 30 July 2026 from 09:00 till 16:00 hrs. For more information regarding dismantling / transport of the lots, you can contact Martijn van Overbeek, martijn@industrial-auctions.com .
Pick up address	Vuoripojankatu 9 15210 Lahti Finland
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	NN infeed funnel	Infeed funnel with elevating screw, screw diameter: 110 mm, screw length: 4200 mm, dimensions funnel: Ø 900 mm x 2700 mm.	300
2	NN mixing installation	Mixing installation, consisting of: (3x) S/s double jacketed mixing tank, inside dimensions: (3x) Ø 1500 mm x 1500 mm, (4x) circulation pump. (2x) IBC tank, dimensions: 1200 mm x 1000 mm x 1150 mm. (1x) steel platform, 5 steps, working height: 960 mm, total dimensions: 2200 mm x 1200 mm x 1960 mm.	1200
3	Vesinieminen	Vesinieminen weighing and dosing unit for flower, type: EVA, 230 V, 50 Hz, 6 A, dimensions: Ø 1000 mm x 2800 mm.	250
4	Sancassiano S.p.A.	Sancassiano S.p.A. spiral mixer dimensions: 1550 mm x 1000 mm x 1900 mm. Including s/s mixing bowl, inside dimensions: Ø 950 mm x 520 mm, total dimensions: 1120 mm x 990 mm x 930 mm.	2500
5	Sancassiano S.p.A.	Sancassiano S.p.A. spiral mixer, type: Automatic spiral mixer SE 250, serial number: 14242, dimensions: 1600 mm x 1300 mm x 1900 mm. Including s/s mixing bowl, inside dimensions: Ø 950 mm x 520 mm, total dimensions: 1120 mm x 990 mm x 930 mm.	2500
6	Sancassiano S.p.A.	Sancassiano S.p.A. spiral mixer, type: S.E., serial number: 12883, year of construction: 30.11.2000, 380 V, 50 Hz, 30 A, 14 kW, machine weight: 1330 kg, capacity: 250 kg dough, dimensions: 1670 mm x 1300 mm x 2100 mm. Including s/s mixing bowl, inside dimensions: Ø 950 mm x 520 mm, total dimensions: 1120 mm x 990 mm x 930 mm.	2500
7	Sancassiano S.p.A.	Sancassiano S.p.A. spiral mixer, type: S.E., serial number: 13306, year of construction: 24-12-2004, 400 V, 50 Hz, 30 A, 14.1 kW, machine weight: 1355 kg, capacity: 250 kg dough, dimensions: 1670 mm x 1300 mm x 1900 mm. Including s/s mixing bowl, inside dimensions: Ø 950 mm x 520 mm, total dimensions: 1120 mm x 990 mm x 930 mm.	2500
8	NN mixing bowl	S/s mobile mixing bowl, inside dimensions: Ø 950 mm x 520 mm, total dimensions: 1120 mm x 990 mm x 930 mm.	100
9	NN mixing bowls	2 s/s mobile mixing bowls, inside dimensions: (2x) Ø 950 mm x 520 mm, total dimensions: (2x) 1120 mm x 990 mm x 930 mm.	200
10	NN mixing bowls	3 s/s mobile mixing bowls, inside dimensions: (3x) Ø 950 mm x 520 mm, total dimensions: (3x) 1120 mm x 990 mm x 930 mm.	300
11	NN mixing bowls	4 s/s mobile mixing bowls, inside dimensions: (4x) Ø 950 mm x 520 mm, total dimensions: (4x) 1120 mm x 990 mm x 930 mm.	400
12	NN tilting device	Steel tilting device for mixing bowls, width: 570 mm, tilting height: 360 mm, total dimensions: 2020 mm x 930 mm x 700 mm.	300
13	NN tilting device		300



Nr	Title	Description	Start €
		Steel tilting device for mixing bowls, width: 570 mm, tilting height: 360 mm, total dimensions: 2020 mm x 930 mm x 700 mm.	
14	NN tilting device	Steel tilting device for mixing bowls, width: 570 mm, tilting height: 360 mm, total dimensions: 2020 mm x 930 mm x 700 mm.	300
15	NN tilting device	Steel tilting device for mixing bowls, width: 570 mm, tilting height: 360 mm, total dimensions: 2020 mm x 930 mm x 700 mm.	300
16	NN tilting device	Steel tilting device for mixing bowls, width: 570 mm, tilting height: 360 mm, total dimensions: 2020 mm x 930 mm x 700 mm.	300
17	NN tilting device	Steel tilting device for mixing bowls, width: 570 mm, tilting height: 360 mm, total dimensions: 2020 mm x 930 mm x 700 mm.	300
18	Tuotetekno	2 Tuotetekno chain hoist for big bags, model: EME50/2NF/4NA, serial number: 47646, year of construction: 2003, 380/400 V, 3 Ph, 50 Hz, 3.5/1.7 A, 0.82/0.14 kW, maximum: 1000 kg, lifting platform: 1400 mm x 1400 mm, rails length: 3560 mm.	250
19	Tuotetekno	2 Tuotetekno chain hoist for big bags, model: EME50/2NF/4NA, serial number: 47652 and 47653, year of construction: 2003, 380/400 V, 3 Ph, 50 Hz, 3.5/1.7 A, 0.82/0.14 kW, maximum: 1000 kg, lifting platform: 1400 mm x 1400 mm, rails length: 3560 mm.	250
20	Tuotetekno	2 Tuotetekno chain hoist for big bags, model: EME50/2NF/4NA, serial number: 47647 and 47644, year of construction: 2003, 380/400 V, 3 Ph, 50 Hz, 3.5/1.7 A, 0.82/0.14 kW, maximum: 1000 kg, lifting platform: 1400 mm x 1400 mm, rails length: 3560 mm.	250
21	Jauhetechniikka oy	3 Jauhetechniikka oy infeed bunkers for big bags, 230 V, 4.6 A, 1.1 kW, infeed clearance: Ø 550 mm, outfeed screw, diameter screw: 100 mm, tier: 90 mm, total dimensions: (3x) 1200 mm x 700 mm x 810 mm.	300
22	Jauhetechniikka oy	3 Jauhetechniikka oy infeed bunkers for big bags, 230 V, 4.6 A, 1.1 kW, infeed clearance: Ø 550 mm, outfeed screw, diameter screw: 100 mm, tier: 90 mm, total dimensions: (3x) 1200 mm x 700 mm x 810 mm.	300
23	Jauhetechniikka oy	Jauhetechniikka oy ingredient feeding station for dough production, 230 V, 4.6 A, 1.1 kW, 14 stations, inside dimensions bunkers: (14x) 570 mm x 350 mm x 850 mm, diameter screw: 80 mm, tier: 40 mm, weighing cels, total dimensions: 6000 mm x 1350 mm x 1120 mm.	1000
24	Jauhetechniikka oy	Jauhetechniikka oy circulation pump sieve, type: DN65, serial number: 423010-2, year of construction: 09/2007, dimensions: 1100 mm x 480 mm x 780 mm.	200
25	Jauhetechniikka oy		300



Nr	Title	Description	Start €
		Jauhetekniikka oy infeed funnel, funnel dimensions: Ø 950 mm x 2600 mm, total dimensions: 1200 mm x 1200 mm x 3100 mm.	
26	Benier	Benier dough divider, infeed: 720 mm x 400 mm, plastic belt, belt width: 300 mm, total dimensions: 1700 mm x 1300 mm x 1650 mm.	2000
27	Maho Machinefabriek Holtkamp B.V.	Maho Machinefabriek Holtkamp B.V. conical rounder, machine number: 900343, 380 V, dimensions: 1200 mm x 1200 mm x 1550 mm.	250
28	Werner & Pfleiderer Haton BV	Werner & Pfleiderer Haton BV pre-proofer, type: BIP E, machine number: H 421133, year of construction: 2004, 230/400 V, 3 Ph, 16 A, 8 baskets per row, dimensions each basket: Ø 180 mm x 80 mm, plastic belt, belt width: 230 mm, total dimensions: 2700 mm x 3850 mm x 2800 mm.	750
29	Glimek AB	Glimek AB mobile long moulder, type: LR-88, number: 104-09, 380 V, 2.85 A, 1.1 kW, infeed clearance: 280 mm x 280 mm, plastic rollers, roller width: 250 mm and 400 mm, plastic belt, belt width: 650 mm, total dimensions: 3000 mm x 1050 mm x 1750 mm.	500
30	NN depositor	Mobile depositor used for flower, dimensions: 1050 mm x 300 mm x 1500 mm.	100
31	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 380 mm, total dimensions: 1070 mm x 520 mm x 1170 mm.	100
32	Max Dörr Förderanlagen	Max Dörr Förderanlagen 90° curve conveyor with depositor for flower, type: ST22 90°/450/525R, serial number: 155729, year of construction: 2016, plastic belt, belt width: 450 mm, total dimensions: 1100 mm x 1140 mm x 1600 mm.	150
33	Kujanen oy / Jostec	Kujanen oy proofer with Jostec shutter conveyor, shutter conveyor type: VE-PAN, model: 400 x 2500, machine number: 1183, 230/400 V, 3 Ph, 50 Hz, 16 A, 2 W, plastic belt, belt width: 380 mm, proofer cloth belt, belt width: 2600 mm, floor width: 2500 mm, total dimensions: 16500 mm x 4100 mm x 3000 mm.	1500
34	Winkler	Winkler tunnel oven, steam heated, clearance: 2700 mm x 180 mm, s/s mesh belt, belt width: 2450 mm, Pannpartner AB steam boiler, type: PP150, serial number: 9413 / A1990, year of construction: 2000, 400 V, 3 Ph, boiler volume: 2100 liter, total dimensions: 18500 mm x 4020 mm x 2000 mm.	1500
35	Kujanen oy	Kujanen oy bread resting and cooling conveyor, 63 pegs per row, peg length: 130 mm, cloth belt, belt width: 2460 mm, plastic belt, belt width: 350 mm, total dimensions: 22100 mm x 3000 mm x 2900 mm.	500
36	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 370 mm, elevating height: 1100 mm, dimensions: 2470 mm x 620 mm x 1100 mm.	150
37	Hoba b.v.	Hoba b.v. holly bread slicer with 90° curve conveyor, plastic belt, belt width: 305 mm, cloth belt, belt width: 190 mm, clearance: 360 mm x 150 mm, 20 knives, distance between	500



Nr	Title	Description	Start €
		knives: 17 mm, total dimensions: 3230 mm x 950 mm x 2040 mm.	
38	NN table	S/s mobile table, dimensions: 1210 mm x 700 mm x 850 mm.	100
39	Ipeka Automation oy	Ipeka Automation oy packaging machine, belt width: 300 mm, divider height: 30 mm, distance between dividers: 350 mm, s/s rollers, roller width: 460 mm, total dimensions: 3850 mm x 800 mm x 1230 mm.	700
40	NN table	S/s table, dimensions: 900 mm x 700 mm x 800 mm.	150
41	Hoba b.v.	Hoba b.v. holly bread slicer, type: HSA 04-95, number: 568-0295, year of construction: 06-1995, 380 V, 50 Hz, 22 knives, distance between knives: 17 mm, cloth belt, belt width: 190 mm, plastic belt, belt width: 300 mm, clearance: 360 mm x 150 mm, total dimensions: 3230 mm x 950 mm x 2040 mm.	500
42	Ipeka Automation oy	Ipeka Automation oy bagging and clip band closure machine for bread packaging, type: CL-35, serial number: 1023-010, year of construction: Nov 2020, 400 V, 3 Ph, 50/60 Hz, 16 A, 1.0 kW, clearance: 220 mm x 120 mm, total dimensions: 1800 mm x 820 mm x 1000 mm.	500
43	Crizaf	Crizaf mobile elevating belt, model: LTC/1, serial number: 20507, year of construction: 03/2001, aluminium frame, plastic belt with dividers, belt width: 260 mm, dividers height: 5 mm, distance between dividers: 490 mm, elevating height: 980 mm, total dimensions: 2350 mm x 420 mm x 1050 mm.	150
44	NN turning table	S/s mobile turning table, dimensions: Ø 1000 mm x 870 mm.	80
45	König Maschinen	König Maschinen dividing and rounding machine, model: Basic Rex, type: T5/4/3 S(1-SK 63), serial number: 03.0.6053, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 3 A, 1.2 kW, infeed funnel, model: Trichter, type: Trö 160, number: 03.2.1010, year of construction: 2013, infeed clearance: 240 mm x 260 mm, 5-lanes, cloth belt, belt width: (5x) 60 mm, roll width: 450 mm and 630 mm, brush width: 570 mm, total dimensions: 2450 mm x 1050 mm x 2570 mm.	3500
46	NN depositor	Mobile depositor used for flower, infeed clearance: 550 mm x 180 mm, brush length: 470 mm, dimensions: 1400 mm x 450 mm x 1500 mm.	100
47	NN flattener	Flattener with shutter conveyor, plastic belt, belt width: (2x) 600 mm, cloth belt, belt width: (1x) 600 mm, total dimensions: 2680 mm x 2130 mm x 1480 mm.	250
48	Ipeka Automation oy / Jostec	Ipeka Automation oy / Jostec metal sheet mover, type: RASVARI, serial number: 620, year of construction: May 2019, 400 V, 3 Ph, 50/60 Hz, 16 A, 1.0 kW, chain belt, belt width: 330 mm, total dimensions: 3100 mm x 1300 mm x 2045 mm. Unit dimensions: 1100 mm x 310 mm x 1570 mm.	300
49	NN shutter conveyor	Mobile shutter conveyor, s/s frame, plastic belt, belt width: 490 mm, clearance: 620 mm x 50 mm, total dimensions: 3250 mm x 850 mm x 1200 mm.	300



Nr	Title	Description	Start €
50	NN shutter conveyor	Mobile shutter conveyor, s/s frame, plastic belt, belt width: 490 mm, clearance: 620 mm x 50 mm, total dimensions: 3250 mm x 850 mm x 1200 mm.	300
51	Hyorovoima oy	Hyorovoima oy mobile dough sheeting and stamping machine, plastic belt, belt width: 430 mm, cloth belt, belt width: 400 mm, plastic roller, roller width: 380 mm, s/s roller, roller width: 350 mm, total dimensions: 3670 mm x 1050 mm x 1570 mm. Tool trolley, dimensions: 650 mm x 450 mm x 940 mm.	300
52	NN transport belt	Transport belt, steel frame, plastic belt, belt width: 350 mm, cloth belt roller, roller width: 400 mm, total dimensions: 7000 mm x 550 mm x 1100 mm.	300
53	Max Dörr Förderanlagen	Max Dörr Förderanlagen 90° curve conveyor, type: ST22 90°/450/525R, serial number: 155728, year of construction: 2016, plastic belt, belt width: 450 mm, total dimensions: 1100 mm x 1100 mm x 1040 mm.	150
54	Valmistaja	Valmistaja proofer with shutter infeed conveyor, type: YAL SV-2500/2H, serial number: 4402, year of construction: 2000, plastic belt, belt width: 380 mm and 2560 mm, floor width: 2560 mm, total dimensions: 7600 mm x 4250 mm x 3600 mm.	300
55	Werner & Pfleiderer Haton BV	Werner & Pfleiderer Haton BV tunnel oven, steam heated, s/s mesh belt, belt width: 2470 mm, clearance: 2690 mm x 130 mm, total dimensions: 20000 mm x 4200 mm x 2700 mm.	5000
56	NN curve conveyor	90° curve conveyor, s/s frame, plastic mesh belt, belt width: 450 mm, total dimensions: 6900 mm x 700 mm x 650 mm.	200
57	Ammeraal Beltech	Ammeraal Beltech elevating belt, model: SBFL573572, year of construction: 04.03.22, plastic belt, belt width: 380 mm, elevating height: 2500 mm, total dimensions: 6200 mm x 850 mm x 2550 mm.	200
58	NN curve conveyor	2 180° curve conveyors, plastic mesh belt, belt width: (2x) 400 mm, total dimensions: (2x) 3200 mm x 2300 mm x 700 mm.	200
59	NN elevating belt	2 elevating belts, plastic belt, belt width: 380 mm and 360 mm, total dimensions: 3500 mm x 1300 mm x 1000 mm.	200
60	NN spiral cooler	S/s spiral cooler, s/s mesh belt, belt width: 750 mm, 14 floors, distance between floors, 160 mm, total dimensions: Ø 5600 mm x 3280 mm.	2500
61	NN spiral cooler	S/s spiral cooler, s/s mesh belt, belt width: 660 mm, 16 floors, distance between floors, 150 mm, total dimensions: Ø 4600 mm x 3730 mm.	2500
62	NN transport belts	3 transport belts, plastic mesh belt, belt width: 380 mm, total dimensions: (1x) 5600 mm x 800 mm x 710 mm, (1x) 4570 mm x 800 mm x 500 mm, (1x) 2100 mm x 1020 mm x 500 mm.	500
63	NN infeed slide	S/s spiral infeed slide, s/s belt, belt width: 340 mm, total dimensions: 1100 mm x 900 mm x 2250 mm.	200
64	NN infeed slide		300



Nr	Title	Description	Start €
		S/s spiral infeed slide, s/s belt, belt width: 360 mm, total dimensions: 1200 mm x 1200 mm x 3160 mm.	
65	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 380 mm, total dimensions: 2500 mm x 560 mm x 500 mm.	200
66	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 400 mm, total dimensions: 4750 mm x 560 mm x 500 mm.	200
67	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 380 mm, total dimensions: 11500 mm x 800 mm x 250 mm.	300
68	Ipeka Automation oy	Ipeka Automation oy splitter, wire belt, belt width: 350 mm, clearance: 490 mm x 45 mm, working width: 420 mm, total dimensions: 1350 mm x 960 mm x 1410 mm.	600
69	NN transport belt	Transport belt with roller, s/s frame, plastic belt, belt width: 400 mm, plastic roller, roller width: 350 mm, total dimensions: 4000 mm x 800 mm x 300 mm.	200
70	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 380 mm, total dimensions: 6300 mm x 770 mm x 250 mm.	200
71	NN infeed slide	S/s spiral infeed slide, s/s belt, belt width: 380 mm, total dimensions: 900 mm x 900 mm x 2150 mm.	200
72	NN infeed belt	Infeed belt with rejectors, plastic belt, belt width: 380 mm, total dimensions: 3350 mm x 700 mm x 1250 mm.	400
73	Winkler Den Boer B.V.	Winkler Den Boer B.V. tunnel oven, electric heated, s/s mesh belt, belt width: 2500 mm, clearance: 2660 mm x 260 mm, total dimensions: 19400 mm x 4200 mm x 2700 mm.	1500
74	NN curve conveyor	Transport 90° curve conveyor, s/s frame, plastic mesh belt, belt width: 450 mm, total dimensions: 5450 mm x 500 mm x 650 mm.	200
75	Ammeraal Beltech	Ammeraal Beltech elevating belt, model: SBF1573572, year of construction: 04.03.22, plastic belt, belt width: 380 mm, elevating height: 2800 mm, total dimensions: 6500 mm x 600 mm x 250 mm.	200
76	NN infeed slide	S/s spiral infeed slide, s/s belt, belt width: 360 mm, total dimensions: 1200 mm x 1200 mm x 4250 mm.	300
77	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 3000 mm x 800 mm x 1100 mm.	300
78	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 330 mm, dividers height: 70 mm, distance between: 110 mm, elevating height: 3500 mm, total dimensions: 3250 mm x 850 mm x 4040 mm.	700
79	NN multihead weigher	S/s 10-heads multihead weigher, model: AC-6B 10-3A-18, serial number: 88150262, year of construction: 2015-4-23, 220 V, 50 Hz, 1.5 kW, weighing range: 25 g / 500 g, maximum speed: 70 bags/min, each basket: 120 mm x 125 mm x 250 mm, total dimensions: 1070 mm x 1070 mm x 1950 mm. Including s/s platform, 9 steps, working height: 2150 mm, total dimensions platform: 2200 mm x 2200 mm x 3200 mm.	2500
80		Hollolan Hihnateknikka Oy packaging machine with Motoman robot arm, type: 2M5UO-UZ HPPN61CC, serial number: GOOZ RST, year of construction: 20,11,2020, 2-lane	3000



Nr	Title	Description	Start €
	Hollolan Hihnitekniikka Oy	denester for boxes, clearance: (2x) 180 mm x 280 mm, Motoman robot arm, type: YR-HP3L-BOO, serial number: S7M040-1-3, year of construction: 2007.06, payload: 3 kg, weight: 49 kg, vacuum gripper: 400 mm x 200 mm, plastic belt, belt width: 170 mm, total dimensions: 3330 mm x 1950 mm x 2250 mm.	
81	NN curve conveyor	180° curve conveyor, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 2290 mm x 1050 mm x 900 mm.	300
82	Ipeka Automation oy	Ipeka Automation oy labelling machine, clearance: 130 mm x 180 mm, plastic belt, belt width: 110 mm, label width: 60 mm, total dimensions: 1950 mm x 1230 mm x 1700 mm.	600
83	NN turning table	S/s turning table, dimensions: Ø 1500 mm x 760 mm.	100
84	NN table	S/s table with weighing scale-, printer-, computer cabinet, table dimensions: 1800 mm x 620 mm x 870 mm, computer cabinet dimensions: 550 mm x 350 mm x 1630 mm.	400
85	NN table	S/s mobile table, dimensions: 620 mm x 700 mm x 760 mm.	300
86	NN elevating belt	Elevating belt, s/s frame, plastic mesh belt, belt width: 380 mm, total dimensions: 5200 mm x 800 mm x 1150 mm.	200
87	Luomatec Oy	Luomatec Oy splitter, model: TECTR-340 HD, serial number: 5337, year of construction: 12.2019, 400 V, 10 A, 54 lp, plastic belt, belt width: (2x) 345 mm, clearance: 370 mm x 40 mm, total dimensions: 1940 mm x 1300 mm x 1150 mm.	600
88	NN turning table	S/s turning table with transport belt, plastic belt, belt width: 250 mm, turning table: Ø 1600 mm x 950 mm, total dimensions: 2820 mm x 1600 mm x 1050 mm.	200
89	Georg Hartmann Maschinenbau GmbH	Georg Hartmann Maschinenbau GmbH packaging machine, type: VS/320, serial number: 309.3459E, year of construction: 1995/5/, 220/380 V, 50 Hz, 13 A, 5 kW, machine weight: 1500 kg, clearance: 370 mm x 160 mm, chain belt with dividers, belt width: 140 mm, dividers height: 70 mm, distance between dividers: 450 mm, total dimensions: 3800 mm x 1800 mm x 1400 mm.	1500
90	NN turning table	S/s turning table, dimensions: Ø 1500 mm x 760 mm.	150
91	Kern	Kern weighing scale, model: FFN 25K51PN, serial number: WF2130407, 12 V, 500 mA, maximum weight: 25 kg, d- 0.005 kg, scale dimensions: 230 mm x 190 mm, total dimensions: 300 mm x 240 mm x 130 mm.	20
92	NN transport belt	Transport belt with 2 s/s working tables, s/s frame, plastic belt, belt width: 380 mm, transport belt dimensions: 1650 mm x 500 mm x 900 mm, work table dimensions: (2x) 840 mm x 670 mm x 840 mm.	300
93	NN transport dividing system	Transport dividing system, consisting of: 90° curve conveyor, plastic belt, belt width: 300 mm, total dimensions: 9400 mm x 400 mm x 250 mm.	500
94	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 380 mm, dividers height: 50 mm, distance between dividers: 200 mm, elevating height: 2350 mm, total dimensions: 2750 mm x 700 mm x 2600 mm.	300



Nr	Title	Description	Start €
95	Ipeka Automation Oy	Ipeka Automation Oy packaging machine, model: Countpack, type: IP-CP, serial number: 640-100504, 5-lanes, lane length: 700 mm, width: 110 mm, 4 baskets, basket dimensions: Ø 360 mm, total dimensions: 2500 mm x 1750 mm x 2350 mm.	3500
96	Ipeka Automation Oy	Ipeka Automation Oy elevating belt, plastic belt with dividers, belt width: 330 mm, dividers height: 30 mm, distance between dividers: 260 mm, elevating height: 1020 mm, total dimensions: 1900 mm x 600 mm x 1070 mm.	200
97	NN turning table	S/s turning table, dimensions: Ø 1600 mm x 840 mm.	150
98	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 380 mm, dividers height: 50 mm, distance between dividers: 200 mm, elevating height: 2350 mm, total dimensions: 2750 mm x 700 mm x 2600 mm.	300
99	Ipeka Automation Oy	Ipeka Automation Oy packaging machine, model: Countpack, type: IP-CP, serial number: 640-280104, 5-lanes, lane length: 700 mm, width: 110 mm, 4 baskets, basket dimensions: Ø 360 mm, total dimensions: 2500 mm x 1750 mm x 2350 mm.	3500
100	Ipeka Automation Oy	Ipeka Automation Oy elevating belt, plastic belt with dividers, belt width: 330 mm, dividers height: 30 mm, distance between dividers: 260 mm, elevating height: 1020 mm, total dimensions: 1900 mm x 600 mm x 1070 mm.	200
101	NN platform	Steel platform, 8 steps, working height: 1770 mm, total dimensions: 1600 mm x 570 mm x 2650 mm.	50
102	NN platform	aluminium platform, 6 steps, working height: 1460 mm, total dimensions: 1200 mm x 870 mm x 2120 mm.	50
103	König Maschinen	König Maschinen dividing and rounding machine, model: Classic II, type: T 6/5/4 S-MKB 1-SK58, serial number: 03.0.5016, year of construction: 2007, 400 V, 50 Hz, 5 A, infeed funnel, model: Trö, type: Trö 160, number: 03.2.0563, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 1 A, 0.5 kW, infeed clearance: 850 mm x 400 mm, cloth belt, belt width: (5x) 60 mm, plastic roller, roller width: 390 mm, plastic belt, belt width: 580 mm, total dimensions: 4600 mm x 1900 mm x 2660 mm.	2500
104	Pohjaranta Oy	Pohjaranta Oy metal plate denester, type: PM500, number: 22-0, clearance: 580 mm x 450 mm, total dimensions: 920 mm x 1150 mm x 2800 mm.	600
105	NN dough sheeter	S/s mobile dough sheeter, infeed clearance: 550 mm x 350 mm, s/s roller width: 550 mm, total dimensions: 1100 mm x 800 mm x 1820 mm.	1500
106	M.A. Rademaker BV.	M.A. Rademaker BV. laminator with roll press and reduction station with satellite head, plastic belt, belt width: (3x) 650 mm, roller width: 700 mm, total dimensions: 5170 mm x 1130 mm x 1790 mm.	4000
107	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 590 mm, total dimensions: 2130 mm x 850 mm x 1100 mm.	200
108	Jostec	Jostec laminating and cutting line, type: YLP, model: 800x650, machine number: 1462, year of construction: 12, 230/400 V,	2500



Nr	Title	Description	Start €
		3 Ph, 50 Hz, 25 A, 6 kW, clearance: 800 mm x 50 mm, plastic belt, belt width: 650 mm, plastic rollers, roller width: 580 mm, brush width: 720 mm, knife width: 650 mm, total dimensions: 8900 mm x 1350 mm x 1800 mm.	
109	Fritsch	Fritsch 6-heads depositor for jelly, type: FG-60-S-6, serial number: 05451-000998, year of construction: 2004, 24 V, 3 A, compressor air: 400 L/min, 6 bar, infeed clearance: 470 mm x 260 mm, total dimensions: 950 mm x 650 mm x 1520 mm.	1500
110	Form & Frys	Form & Frys transport belt with 6-heads water sprayer, type: Telescope conveyor, machine number: 139984, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 16 A, plastic belt, belt width: 590 mm, total dimensions: 3550 mm x 1000 mm x 1500 mm.	700
111	NN sprayer belt	Mobile 5-heads sprayer belt, wire belt, belt width: 500 mm, total dimensions: 500 mm x 1020 mm x 1150 mm.	250
112	Hydrovoima Oy	Hydrovoima Oy shutter conveyor, plastic belt, belt width: 650 mm, total dimensions: 1780 mm x 1150 mm x 930 mm.	400
113	NN dividing and cutting line	Dividing and cutting line, clearance: 800 mm x 50 mm, plastic belt, belt width: 600 mm, plastic rollers, roller width: 560 mm, brush width: 650 mm, knife width: 590 mm, total dimensions: 10800 mm x 900 mm x 1560 mm.	2000
114	Seewer Rondo	Seewer Rondo dough sheeter, model: SFS 611, machine number: COA232105, year of construction: 2000, plastic belt, belt width: (2x) 600 mm, s/s rollers: 620 mm, total dimensions: 3300 mm x 1150 mm x 1350 mm. Including 2 handmatic rollers, roller width: 620 mm.	1000
115	NN transport belt	Transport belt, s/s frame, cloth belt, belt width: 600 mm, total dimensions: 800 mm x 800 mm x 720 mm.	150
116	Rondo Doge	Rondo Doge dough sheeter, plastic belt, belt width: (2x) 600 mm, s/s rollers: 650 mm, total dimensions: 3360 mm x 1100 mm x 1320 mm.	1000
117	Merand	Merand mobile moulding machine, infeed clearance: 500 mm x 160 mm, plastic belt, belt width: 750 mm, roller width: 600 mm, total dimensions: 1600 mm x 1000 mm x 1350 mm.	1500
118	Glimek AB	Glimek AB dough divider, infeed funnel: Ø 680 mm, plastic belt, belt width: 280 mm, total dimensions: 1500 mm x 650 mm x 1630 mm.	500
119	NN table	S/s table, 5 floors, dimensions: 840 mm x 680 mm x 870 mm.	100
120	NN sink	S/s sink with faucet, soap and paper dispenser, dimensions: 480 mm x 500 mm x 1500 mm.	100
121	NN table	S/s table, dimensions: 1160 mm x 850 mm x 820 mm.	100
122	Lahden Vaaka	Lahden Vaaka weighing scale, model: H-7, number: 3588, scale dimensions: 500 mm x 430 mm, total dimensions: 720 mm x 550 mm x 1300 mm.	100
123	NN table	Steel table with wooden top, dimensions: 5150 mm x 1600 mm x 860 mm. Including bakery parts.	500



Nr	Title	Description	Start €
124	NN dough sheeter	S/s mobile dough sheeter, infeed clearance: 310 mm x 280 mm, plastic rollers, roller width: 400 mm, total dimensions: 850 mm x 1250 mm x 1950 mm.	1500
125	NN cabinet	Steel cabinet, dimensions: 800 mm x 550 mm x 1820 mm.	50
127	NN depositor	Mobile depositor used for flower, infeed clearance: 550 mm x 180 mm, brush length: 470 mm, dimensions: 1400 mm x 450 mm x 1500 mm.	100
128	NN crates	Approximately 38 plastic crates, each crate dimensions: (7x) 670 mm x 450 mm x 110 mm, (31x) 600 mm x 400 mm x 120 mm.	100
129	NN crates	Approximately 32 crates, each crate dimensions: (32x) 600 mm x 400 mm x 150 mm.	100
130	NN trolley	S/s trolley with large amount of metal baking sheets, each plate: 590 mm x 450 mm, trolley dimensions: 500 mm x 710 mm x 900 mm.	20
131	NN table	Steel mobile table with s/s top, dimensions: 650 mm x 500 mm x 710 mm.	30
132	Comarme	Comarme mobile box closing machine, model: Junior, serial number: A0029105, year of construction: 2007, 400 V, 50 Hz, 1 A, 220 W, s/s rollers, roller width: 500 mm, tape width: 50 mm, total dimensions: 1300 mm x 650 mm x 730 mm.	250
133	NN roller conveyor	Mobile roller conveyor, steel rollers, roller width: 500 mm, length: adjustable, total dimensions: 1300 mm x 650 mm x 730 mm.	100
134	NN vessels	2 s/s pressure vessels on trolley, dimensions: 380 mm x 380 mm x 750 mm.	50
135	Lu-Ko Oy	Lu-Ko Oy double chamber rotary oven, type: 2EP2PGN, number: 604, year of construction: 2004, 400 V, 3 Ph, 50 Hz, machine weight: 2200 kg, gas heated, inside dimensions: Ø 810 mm x 2050 mm, total dimensions: 1600 mm x 3300 mm x 2400 mm.	1000
136	NN sink	S/s double sink with faucet, dimensions: 1500 mm x 620 mm x 1250 mm.	100
137	NN table	S/s table, 3 floors, dimensions: 1570 mm x 450 mm x 930 mm. Including bakery equipment and weighing scales.	200
138	Maint Partner	Maint Partner proofer cabinet, type: 700227-1120, serial number: 05062013-1, 400 V, 50 Hz, 63 A, 20/40 kA, 54 lp, inside dimensions: 3600 mm x 3470 mm x 2120 mm, total dimensions: 3920 mm x 4310 mm x 2630 mm.	500
139	Lu-Ko Oy	Lu-Ko Oy rotary oven, type: 4P, number: 704, year of construction: 2004, 400 V, 3 Ph, 50 Hz, machine weight: 3800 kg, oil heated, for 4 trolleys, dimensions: 2900 mm x 2900 mm x 2430 mm.	1000
140	Lu-Ko Oy	Lu-Ko Oy rotary oven, type: 4-P, number: 2102, year of construction: 2002, 380 V, machine weight: 3800 kg, oil heated, for 4 trolleys, dimensions: 2900 mm x 2900 mm x 2430 mm.	1000



Nr	Title	Description	Start €
141	Lu-Ko Oy	Lu-Ko Oy rotary oven, type: 4-P, number: 803, year of construction: 2003, 400 V, 3 Ph, 50 Hz, machine weight: 3800 kg, oil heated, for 4 trolleys, dimensions: 2900 mm x 2900 mm x 2430 mm.	1000
142	Lillnord	Lillnord proofer cabinet, inside dimensions: 3600 mm x 3470 mm x 2120 mm, total dimensions: 3920 mm x 4310 mm x 2630 mm.	500
143	NN trolley	S/s trolley with bakery equipment, dimensions: 1250 mm x 550 mm x 1130 mm.	50
144	Edhard	Edhard MKH bakery filling and depositing machine, model: MKH, serial number: 12117, 220 V, 50 Hz, 44 A, 50 W, dimensions: 370 mm x 330 mm x 440 mm. Including plastic trolley, dimensions: 370 mm x 330 mm x 440 mm.	50
145	NN fryer	S/s fryer, plastic belt, belt width: 580 mm, clearance: 820 mm x 120 mm, total dimensions: 6600 mm x 1300 mm x 1760 mm.	1500
146	NN transport belt	Transport belt with depositor, 6-heads, plastic belt, belt width: 620 mm, total dimensions: 1100 mm x 860 mm x 1800 mm.	400
147	NN transport belt	Transport belt, plastic belt, belt width: 200 mm, total dimensions: 2200 mm x 350 mm x 960 mm.	100
148	Jostec	Jostec fryer, type: MK-PIN, model: 4500, machine number: 1122, 230/400 V, 3 Ph, 50 Hz, 55 A, 38 kW, belt width: 600 mm, clearance: 820 mm x 140 mm, total dimensions: 5000 mm x 1350 mm x 1750 mm.	1500
149	NN transport belt	Transport belt, steel frame, plastic belt, belt width: 620 mm, total dimensions: 1270 mm x 800 mm x 1820 mm.	400
150	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 1800 mm x 470 mm x 900 mm.	100
151	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 200 mm, elevating height: 1040 mm, total dimensions: 2600 mm x 400 mm x 1100 mm.	150
152	NN blower belt	S/s belt with blower unit for sugar, clearance: 200 mm x 130 mm, s/s mesh belt, belt width: 200 mm, total dimensions: 1600 mm x 700 mm x 2500 mm.	300
153	NN turning table	S/s turning table, dimensions: Ø 1000 mm x 780 mm.	100
154	NN infeed belt	Infeed belt for fryer, plastic belt, belt width: 600 mm, total dimensions: 1800 mm x 950 mm x 1230 mm.	100
155	NN trolley	Steel trolley, dimensions: 770 mm x 450 mm x 670 mm.	20
156	NN trolley	S/s trolley, dimensions: 770 mm x 450 mm x 670 mm. Including content.	20
157	Delta Bäckerei-maschinen	Delta Bäckerei-maschinen mobile bread slicer, type: DBAG45/11, machine number: 8080, 380 V, 1.1 kW, plastic belt, belt width: 480 mm, 33 knives, distance between knives: 5 mm, total dimensions: 1750 mm x 700 mm x 1260 mm.	400
158	E. Gabarro		400



Nr	Title	Description	Start €
		E. Gabarro mobile bread slicer, model: TPC-EBS, number: 00117340, year of construction: 29-1-01, 380 V, 3 Ph, 50 Hz, 1.1/0.05 kW, plastic belt, belt width: 490 mm, 34 knives, distance between knives: 100 mm, total dimensions: 2100 mm x 700 mm x 1400 mm.	
159	NN rollies	7 s/s rollies, dimensions: (4x) 600 mm x 400 mm x 150 mm, (3x) 680 mm x 440 mm x 160 mm.	20
160	NN trolleys	3 trolleys, dimensions: (3x) 1000 mm x 700 mm x 900 mm.	50
161	NN waste containers	5 plastic waste containers, dimensions: (5x) 700 mm x 580 mm x 1050 mm.	20
162	NN cleaning products	Pallet with cleaning products, dimensions: 1200 mm x 800 mm x 650 mm.	10
163	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 850 mm.	50
164	NN trolley	Trolley, dimensions: (3x) 1000 mm x 700 mm x 900 mm.	20
165	NN table	S/s mobile table, dimensions: 900 mm x 600 mm x 760 mm.	50
166	NN table	S/s mobile table, 2 floors, dimensions: 760 mm x 580 mm x 1040 mm.	50
167	Ipeka Automation Oy	Ipeka Automation Oy packaging machine, type: IP-C, number: 640-310105, 4 baskets, basket dimensions: (4x) Ø 360 mm, total dimensions: Ø 1700 mm x 2000 mm.	2500
168	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 330 mm, distance between dividers: 220 mm, divider height: 25 mm, elevating height: 900 mm, total dimensions: 1970 mm x 600 mm x 1000 mm.	100
169	NN turning table	S/s turning table, dimensions: Ø 1600 mm x 720 mm.	100
170	NN trolley	S/s trolley, dimensions: 1300 mm x 650 mm x 1070 mm.	20
171	Aristel Hooldus & Seadmed	3 Aristel Hooldus & Seadmed mobile lifting device for crates, serial number: 1508.46.1, year of construction: 2015, weight: 47 kg, max loaded weight: 80 kg, width: 410 mm, length: 600 mm, dimensions: (3x) 850 mm x 510 mm x 1260 mm.	100
173	NN cabinet	Steel cabinet, dimensions: 1000 mm x 450 mm x 2000 mm.	50
175	NN rollies	7 rollies, dimensions: (3x) 600 mm x 400 mm x 160 mm, (4x) 610 mm x 410 mm x 180 mm.	20
177	NN trolley	Trolley, dimensions: (3x) 1000 mm x 700 mm x 900 mm.	20
178	NN trolleys	2 s/s trolleys, dimensions: 760 mm x 560 mm x 1300 mm.	20
179	NN cabinet	Steel cabinet, dimensions: 800 mm x 550 mm x 1820 mm.	50
180	NN oven trolleys	Large amount of oven trolleys in various sizes, including the following sizes: 510 mm x 520 mm x 1840 mm and 540 mm x 620 mm x 2020 mm.	400
181	NN oven trolleys	18 oven trolleys, 24 floors, distance between floors: 70 mm, dimensions trolley: (18x) 460 mm x 620 mm x 2020 mm.	360
182	NN oven trolleys	Large amount of oven trolleys in various sizes, including the following sizes: 510 mm x 520 mm x 1840 mm and 540 mm x 620 mm x 2020 mm.	400
183	NN trolley	Steel trolleys for baking sheets, dimensions: 760 mm x 530 mm x 900 mm.	20
184	NN crates		500



Nr	Title	Description	Start €
		Pallet with 64 plastic crates, dimensions each crate: 595 mm x 400 mm x 140 mm.	
186	NN table	S/s mobile table, dimensions: 1020 mm x 620 mm x 860 mm.	150
187	NN table	S/s mobile table, dimensions: 3000 mm x 1100 mm x 830 mm.	300
188	Dojat.E.U	Dojat.E.U cleaning belt for crates, 5 heads, wire belt, belt width: 610 mm, total dimensions: 2460 mm x 1100 mm x 1570 mm.	300
189	NN serving trolleys	3 plastic serving trolleys, dimensions: (3x) 800 mm x 430 mm x 940 mm.	50
190	NN oven trolleys	4 oven trolleys, 24 floors, distance between floors: 70 mm, dimensions trolley: (4x) 460 mm x 620 mm x 2020 mm.	80
191	NN oven trolleys	6 oven trolleys, 30 floors, distance between floors: 55 mm, total dimensions: (6x) 500 mm x 450 mm x 1840 mm.	120
192	NN oven trolleys	10 oven trolleys, 24 floors, distance between floors: 70 mm, dimensions trolley: (10x) 460 mm x 620 mm x 2020 mm.	200
193	NN oven trolleys	5 oven trolleys, 24 floors, distance between floors: 60 mm, total dimensions: (5x) 510 mm x 510 mm x 1840 mm.	100
195	NN oven trolleys	9 oven trolleys, 24 floors, distance between floors: 70 mm, dimensions trolley: (9x) 460 mm x 620 mm x 2020 mm.	180
196	NN oven trolleys	15 oven trolleys, 30 floors, distance between floors: 55 mm, total dimensions: (15x) 500 mm x 450 mm x 1840 mm.	300
197	NN tubs	6 mobile plastic tubs with 2 s/s scoops, dimensions: (6x) 600 mm x 300 mm x 750 mm.	20
198	NN oven trolleys	9 oven trolleys, 24 floors, distance between floors: 70 mm, dimensions trolley: (9x) 460 mm x 620 mm x 2020 mm.	180
199	NN oven trolleys	6 oven trolleys, 24 floors, distance between floors: 60 mm, total dimensions: (6x) 510 mm x 510 mm x 1840 mm.	120
200	NN oven trolleys	18 oven trolleys, 30 floors, distance between floors: 55 mm, total dimensions: (18x) 500 mm x 450 mm x 1840 mm.	360
201	NN oven trolleys	3 oven trolleys, 24 floors, distance between floors: 60 mm, total dimensions: (3x) 510 mm x 510 mm x 1840 mm.	60
202	NN baking sheets	4 steel trolleys with large amount of baking sheets, dimensions baking sheet: 600 mm x 450 mm, dimensions trolley: (4x) 750 mm x 500 mm x 1050 mm.	80
203	NN cabinet	Steel cabinet, dimensions: 560 mm x 400 mm x 1950 mm.	30
204	NN table	S/s table, dimensions: 570 mm x 500 mm x 890 mm.	50
205	NN oven trolleys	31 oven trolleys, 24 floors, distance between floors: 70 mm, dimensions trolley: (31x) 460 mm x 620 mm x 2020 mm.	600
206	NN oven trolleys	Large amount of oven trolleys in various sizes, including the following sizes: 510 mm x 520 mm x 1840 mm and 540 mm x 620 mm x 2020 mm.	400
207	NN cabinet	Steel cabinet, dimensions: 800 mm x 530 mm x 1810 mm.	50
208	NN safety cage	Steel safety cage, dimensions: 1000 mm x 1000 mm x 1170 mm.	150
209	NN oven trolleys		600



Nr	Title	Description	Start €
		31 oven trolleys in various sizes, including the following sizes: 510 mm x 520 mm x 1840 mm and 540 mm x 620 mm x 2020 mm.	
210	NN baking sheets	8 steel trolleys with large amount of baking sheets, dimensions baking sheet: 600 mm x 450 mm, dimensions trolley: (8x) 570 mm x 620 mm x 570 mm.	160
211	NN tubs	2 mobile plastic tubs, dimensions: (2x) 700 mm x 340 mm x 720 mm.	10
212	Metos	Metos s/s trolley, 4 drawers, dimensions: 600 mm x 400 mm x 850 mm.	20
213	NN oven trolleys	17 oven trolleys, 24 floors, distance between floors: 70 mm, dimensions trolley: (17x) 460 mm x 620 mm x 2020 mm.	340
214	NN cabinet	2 steel cabinets, dimensions: (2x) 800 mm x 450 mm x 1830 mm.	100
215	NN serving trolley	Plastic serving trolley, dimensions: 800 mm x 430 mm x 940 mm.	10
216	NN baking sheets	8 steel trolleys with large amount of baking sheets, dimensions baking sheet: 600 mm x 450 mm, dimensions trolley: (8x) 570 mm x 620 mm x 570 mm.	120
217	NN baking sheets	3 steel trolleys with large amount of baking sheets, dimensions baking sheet: 600 mm x 450 mm, dimensions trolley: (3x) 570 mm x 620 mm x 570 mm.	50
218	NN table	S/s table, dimensions: 900 mm x 620 mm x 880 mm.	50
220	NN trolley	S/s trolley, dimensions: 800 mm x 560 mm x 800 mm.	20
221	NN serving trolley	S/s serving trolley, dimensions: 650 mm x 450 mm x 950 mm.	50
222	NN trolley	S/s trolley, dimensions: 840 mm x 590 mm x 810 mm.	30
223	NN cabinets	2 Steel cabinets, dimensions: (2x) 800 mm x 450 mm x 1830 mm.	50
224	NN depositor	Mobile depositor used for flower, infeed clearance: 550 mm x 180 mm, brush length: 470 mm, dimensions: 1400 mm x 450 mm x 1500 mm.	100
226	NN frame	Steel mobile frame, dimensions: 900 mm x 610 mm x 1500 mm.	50
227	NN depositor	Mobile depositor used for flower, working width: 600 mm, total dimensions: 1130 mm x 550 mm x 1280 mm.	200
228	NN baking sheets	Steel trolley with large amount of baking sheets, dimensions baking sheets: 580 mm x 450 mm, dimensions trolley: 750 mm x 500 mm x 980 mm.	20
230	NN tubs	3 mobile plastic tubs with 2 s/s scoops, inside dimensions: (1x) 740 mm x 390 mm x 570 mm, (2x) 520 mm x 390 mm x 570 mm, total dimensions: (1x) 800 mm x 460 mm x 700 mm, (2x) 590 mm x 460 mm x 700 mm.	20
231	NN transport belts	3 transport belts, s/s frames, plastic belts, belt width: (1x) 600 mm, (1x) 380 mm, (1x) 400 mm, total dimensions: (1x) 1200 mm x 920 mm x 360 mm, (1x) 1900 mm x 680 mm x 400 mm, (1x) 5900 mm x 700 mm x 350 mm.	300



Nr	Title	Description	Start €
233	NN mops	2 mops, dimensions: (2x) 1560 mm x 710 mm.	10
234	NN roll container	S/s roll container, dimensions: 800 mm x 670 mm x 1570 mm.	10
235	NN trolley	S/s trolley, dimensions: 750 mm x 1050 mm x 850 mm.	50
236	NN table	S/s mobile table, dimensions: 1500 mm x 710 mm x 810 mm.	300
237	NN dough extruder	Mobile dough extruder, cloth belt, belt width: 675 mm, dimensions hopper, 540 mm x 530 mm x 440 mm, total dimensions: 2400 mm x 1700 mm x 1770 mm.	500
238	Mastercraft	Mastercraft tool trolley, dimensions: 1050 mm x 600 mm x 960 mm.	100
239	NN table	Mobile steel table with s/s work top, dimensions: 1550 mm x 840 mm x 880 mm.	200
240	NN computer	Computer with cabinet, dimensions: 650 mm x 500 mm x 1620 mm.	50
241	Kern / Vaakakoskinen	Kern and Vaakakoskinen weighing scales on s/s trolley, model Kern weighing scale: FCE 15K5N, serial number: WD180056992, 9 V, 300 mA, max weight: 15 kg, dimensions trolley: 500 mm x 560 mm x 1000 mm.	50
242	NN meat bin	S/s meat bin, volume: 200 liter.	150
243	NN depositors	5 depositor containers used for flower in different sizes.	50
244	NN depositor	Mobile depositor used for flower, working width: 545 mm, total dimensions: 1300 mm x 600 mm x 1340 mm.	100
245	NN tubs	5 mobile plastic tubs and 6 plastic crates, inside dimensions bins: (1x) 740 mm x 390 mm x 570 mm, (4x) 520 mm x 390 mm x 570 mm, total dimensions: (1x) 800 mm x 460 mm x 700 mm, (4x) 590 mm x 460 mm x 700 mm, dimensions plastic crates: (6x) 590 mm x 400 mm x 140 mm.	50
246	NN trolleys	2 steel trolleys for baking sheets with 10 plastic crates, dimensions trolleys: (1x) 760 mm x 510 mm x 1000 mm, (1x) 760 mm x 530 mm x 1110 mm, dimensions plastic crates: (10x) 510 mm x 440 mm x 110 mm.	30
247	NN cabinet	Steel cabinet, dimensions: 1000 mm x 550 mm x 1900 mm.	50
248	NN press	Steel press on s/s trolley, dimensions press: 510 mm x 550 mm x 870 mm, dimensions trolley: 550 mm x 900 mm x 990 mm.	50
249	NN table	Mobile s/s table, dimensions: 1170 mm x 1120 mm x 970 mm.	100
250	NN table	Mobile s/s table, steel frame, dimensions: 900 mm x 1110 mm x 1080 mm.	100
251	NN table	Mobile s/s table, steel frame, dimensions: 950 mm x 1110 mm x 1080 mm.	100
252	KanttiExpert	KanttiExpert mobile dough sheeting and stamping machine, plastic belt, belt width: 430 mm, cloth belt, belt width: 395 mm, total dimensions: 3900 mm x 860 mm x 1550 mm. Incomplete.	1500
253	NN dough sheeter		2500



Nr	Title	Description	Start €
		Mobile dough sheeting and stamping machine, plastic belt, belt width: 430 mm, cloth belt, belt width: 395 mm, total dimensions: 4150 mm x 1250 mm x 1700 mm.	
254	NN blow-off belt	Mobile blow-off belt, 6 nozzles, plastic belt, belt width: 580 mm, total dimensions: 3100 mm x 860 mm x 1000 mm.	300
255	NN trolleys	16 oven trolleys, (3x) 24 floors, total dimensions: (3x) 540 mm x 520 mm x 1840 mm, distance between floors: 65 mm, (12x) 30 floors, (12x) 540 mm x 540 mm x 1840 mm, distance between floors: 50 mm, (1x) 24 floors, (1x) 620 mm x 530 mm x 1840 mm, distance between floors: 75 mm, 10 trolleys for baking sheets in different sizes.	320
256	NN trolley	S/s trolley, dimensions: 810 mm x 560 mm x 800 mm.	20
257	HygroMatik	HygroMatik steam generator, dimensions: 520 mm x 320 mm x 690 mm.	100
259	NN baking sheets	16 different size steel trolleys with large amount of baking sheets, dimensions baking sheet: 600 mm x 450 mm.	180
260	Jeros	Jeros mobile baking sheet cleaner, type: 9020, model: 90201200041521, machine number: 017257, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 6 A, 2 kW, working width: 600 mm, total dimensions: 1500 mm x 1140 mm x 980 mm.	300
261	NN trolleys	2 steel trolleys for baking sheets, dimensions: (2x) 620 mm x 580 mm x 750 mm.	20
262	NN sink	S/s sink with various kitchen equipment, dimensions: 2100 mm x 700 mm x 1100 mm.	100
263	NN meat bin	S/s meat bin, volume: 200 liter.	150
264	NN oven trolleys	21 oven trolleys with baking forms, 24 floors, distance between floors: 70 mm, dimensions trolley: (21x) 540 mm x 620 mm x 2020 mm, dimensions baking form: 450 mm x 200 mm x 80 mm.	450
265	NN oven trolleys	47 oven trolleys with baking forms, 24 floors, distance between floors: 70 mm, dimensions trolley: (47x) 620 mm x 550 mm x 2020 mm.	1000
266	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 4800 mm x 1060 mm x 1820 mm.	400
267	NN fryer	Mobile fryer, inside dimensions: 760 mm x 480 mm x 130 mm, total dimensions: 1570 mm x 620 mm x 880 mm.	50
268	Sewer Rondo	Sewer Rondo mobile dough sheeter, model: SS0637, machine number: A1187001, cloth belt, belt width: 570 mm, total dimensions: 3300 mm x 1060 mm x 1280 mm.	1000
269	NN locker	Steel locker, 5 doors, inside dimensions: (5x) 375 mm x 415 mm x 320 mm, total dimensions: 380 mm x 470 mm x 1950 mm. Keys included.	20
270	NN cabinet	Steel cabinet, dimensions: 800 mm x 410 mm x 1820 mm.	50
271	NN rollies	2 rollies, dimensions: (2x) 600 mm x 400 mm x 160 mm.	20
272	NN trolley	Trolley, dimensions: 800 mm x 1200 mm x 900 mm.	50
273	NN crates		300



Nr	Title	Description	Start €
		Large amount of plastic crates, dimensions each crate: 595 mm x 400 mm x 140 mm.	
274	NN oven trolleys	7 oven trolleys with baking sheets, 24 floors, distance between floors: 65 mm, total dimensions trolley: (7x) 500 mm x 520 mm x 1830 mm, dimensions baking sheets: 600 mm x 450 mm.	140
275	NN crates	Large amount of plastic crates, dimensions each crate: 595 mm x 400 mm x 140 mm.	400
276	NN oven trolley	Oven trolley, 24 floors, distance between floors: 75 mm, total dimensions: (24x) 550 mm x 620 mm x 2010 mm.	50
277	NN rack	S/s rack with wooden floors, dimensions: 2460 mm x 400 mm x 970 mm.	50
278	NN trolley	Trolley, dimensions: 640 mm x 1200 mm x 1000 mm.	50
279	NN trolley	Trolley, dimensions: 640 mm x 1260 mm x 1060 mm.	50
280	NN trolley	Trolley, dimensions: 640 mm x 1260 mm x 1060 mm.	50
282	NN tool board	Mobile wooden tool board, dimensions: 1890 mm x 600 mm x 1780 mm. Missing hooks.	50
283	NN roll container	Roll container, dimensions: 800 mm x 700 mm x 1760 mm.	20
284	NN cabinet	Steel cabinet, dimensions: 1000 mm x 430 mm x 2000 mm.	50
285	Master slicer	Master slicer, type: 2R, number: 605-301204, 400 V, 3 Ph, 16 A, 38 knives, distance between knives: 10 mm, plastic belt, belt width: 400 mm and 500 mm, total dimensions: 2700 mm x 1180 mm x 2320 mm.	2000
286	Ipeka Automation Oy	Ipeka Automation Oy bread packaging machine, dimensions: 1900 mm x 800 mm x 1070 mm.	700
287	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 330 mm, distance between dividers: 250 mm, divider height: 20 mm, total dimensions: 1900 mm x 680 mm x 950 mm.	100
288	NN turning table	S/s turning table, dimensions: Ø 1600 mm x 780 mm.	100
289	NN tray	S/s tray, dimensions: 1000 mm x 750 mm x 70 mm.	10
291	NN oven trolleys	3 oven trolleys, 24 floors, distance between floors: 65 mm, total dimensions: (3x) 520 mm x 530 mm x 1840 mm.	60
292	NN crates	2 pallets with 128 plastic crates, dimensions each crate: 595 mm x 400 mm x 140 mm.	20
293	NN oven trolleys	6 oven trolleys with baking forms, (2x) 24 floors, distance between floors: 65 mm, total dimensions: (2x) 510 mm x 520 mm x 1840 mm, (4x) 24 floors, distance between floors: 70 mm, total dimensions: (4x) 540 mm x 620 mm x 2020 mm.	120
294	NN coating machine	Coating machine, 4 nozzles, dimensions: 1400 mm x 480 mm x 1200 mm.	200
295	NN oven trolleys	5 oven trolleys with baking forms, (2x) 24 floors, distance between floors: 65 mm, total dimensions: 510 mm x 520 mm x 1840 mm, (3x) 16 floors, distance between floors: 90 mm, total dimensions: 510 mm x 520 mm x 1640 mm.	100
296	NN baking sheets	2 steel trolleys with large amount of baking sheets, dimensions baking sheet: 600 mm x 450 mm, dimensions trolley: 510 mm x 710 mm x 910 mm.	50



Nr	Title	Description	Start €
297	Hobart	Hobart tool washer, model: UXTL-11, serial number: 86502035, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 32.1 A, 21 kW, model: inside dimensions: 1220 mm x 690 mm, total dimensions: 1380 mm x 980 mm x 1980 mm.	800
298	NN pans	3 s/s pans with lid, dimensions: (3x) Ø 375 mm x 550 mm.	20
301	Ipeka Automation Oy	Ipeka Automation Oy Industrial dosing machine, type: PO-35-2-2, number: 110-011204, 400 V, 3 Ph, 16 A, 2 bowls, inside dimensions: (2x) Ø 390 mm x 250 mm, total dimensions: 1110 mm x 720 mm x 1360 mm.	400
302	NN table	S/s table for dishwasher, dimensions: 1160 mm x 620 mm x 880 mm.	100
303	NN au bain-marie	Au bain-marie, inside dimensions: 500 mm x 400 mm x 150 mm, total dimensions: 550 mm x 450 mm x 210 mm.	50
304	POINTO OY	POINTO OY s/s mobile pressure vessel with agitator, type: 7922-37, year of construction: 1987, max pressure: 6 bar, max temperature: 50°C, dimensions: 900 mm x 700 mm x 1250 mm.	300
305	Etra	2 Etra steel cabinets, dimensions: (2x) 1020 mm x 560 mm x 2000 mm.	100
306	Ipeka Automation Oy	Ipeka Automation Oy semi-automatic bread packaging machine, plastic belt, belt width: 400 mm, distance between dividers: 440 mm, divider height: 25 mm, total dimensions: 2580 mm x 1480 mm x 1400 mm.	600
307	NN turning table	S/s turning table, dimensions: Ø 1500 mm x 710 mm.	100
308	Record	Record flow packer, model: Scorpion MD SP, serial number: 09-05-473, year of construction: 2005, speed: 20/100 rpm, power: 6 kW, weight: 780 kg, foil width: 340 mm, seal length: 350 mm, clearance: 120 mm x 70 mm, belt width outfeed belt: 220 mm, total dimensions: 3950 mm x 1320 mm x 1870 mm.	1800
309	Weber Marking Systems GmbH	Weber Marking Systems GmbH labeller, type: Legi-Air 4020-TB, serial number: 13050034, year of construction: 14/06/13, 230 V, 50/60 Hz, 567 W, plastic belt, belt width: 235 mm, dimensions: 1260 mm x 760 mm x 1580 mm.	200
310	NN serving trolley	Plastic serving trolley, dimensions: 810 mm x 430 mm x 930 mm.	20
311	NN serving trolley	S/s serving trolley, dimensions: 1090 mm x 550 mm x 900 mm.	50
312	NN table	Mobile s/s table, dimensions: 3440 mm x 940 mm x 890 mm.	200
313	NN crates	10 pallets with large amount of plastic crates, dimensions each crate: 595 mm x 400 mm x 140 mm.	600
314	NN crates	45 pallets with large amount of plastic crates, dimensions each crate: 595 mm x 400 mm x 140 mm.	1500
315	Pohjaranta OY	Pohjaranta OY transport belt, plastic belt, belt width: 590 mm, total dimensions: 4570 mm x 1060 mm x 2650 mm.	400
316	NN packaging trays	Pallet with plastic packaging trays, dimensions each tray: 190 mm x 100 mm x 80 mm.	20



Nr	Title	Description	Start €
317	NN pallet rack	S/s pallet rack, dimensions: 2940 mm x 1050 mm x 2500 mm.	200
318	NN table	Mobile s/s table, dimensions: 1520 mmx 820 mm x 870 mm.	150
319	NN rack	S/s rack, 4 floors, dimensions:1030 mm x 400 mm x 1980 mm.	50
320	NN rack	Steel rack, 3 floors, dimensions: 3760 mm x 820 mm x 2160 mm. Excluding contents.	100
321	NN trolley	S/s trolley containing various items, including: serving trays, coffee machine and rolls of film, dimensions trolley: 620 mm x 700 mm x 750 mm.	50
322	NN locker	Steel locker, dimensions: 380 mm x 450 mm x 1910 mm.	50
323	NN various equipment	Various items, including: crates, roll containers, oven trolleys and rollies.	20
325	NN locker	Steel locker, dimensions: 530 mm x 400 mm x 1930 mm.	20
326	NN computer	Computer with cabinet, dimensions: 650 mm x 500 mm x 1620 mm.	100
327	OKI	OKI printer, model: N22301B, 220-240 V, 50/60 Hz, 5 A, dimensions: 440 mm x 500 mm x 820 mm.	50
328	NN conveyor system	Conveyor system, roller length: 650 mm and 430 mm, total dimensions: (1x) 7600 mm x 750 mm x 290 mm, (1x) 4500 mm x 750 mm x 290 mm, (1x)2450 mm x 750 mm x 290 mm, (1x) 3550 mm x 750 mm x 290 mm, (1x) 2900 mm x 690 mm x 290 mm, (12x) 11000 mm x 480 mm x 370 mm, (1x) curve conveyor, dimensions: 1700 mm x 1700 mm x 320 mm.	1000
329	Pohjaranta OY	Pohjaranta OY stacker, type: PU800, number: 131-05, year of construction: 2005, dimensions: 870 mm x 2020 mm x 2980 mm.	600
330	NN transport belt	Transport belt for crates, s/s frame, approximate length: 20 metres.	100
331	Pohjaranta OY	Pohjaranta OY crate washer and dryer, type: K800, number: 131-05, year of construction: 2005, clearance: 410 mm x 250 mm, dimensions: 10000 mm x 1600 mm x 2950 mm.	3000
332	NN transport belt	Transport belt for crates, s/s frame, approximate length: 15 metres.	100
333	Pohjaranta OY	Pohjaranta OY de-stacker, dimensions: 870 mm x 2020 mm x 2980 mm.	600
334	NN trolley	Steel trolley for baking sheets, dimensions: 770 mm x 530 mm x 1010 mm.	20
339	Raasm S.p.A.	Raasm S.p.A. hose reel, model: 434, serial number: 20111028BF7-0001, dimensions: 460 mm x 180 mm x 430 mm.	80
340	NN crates	Pallet with 64 plastic crates, dimensions each crate: 595 mm x 400 mm x 140 mm.	120
341	NN crates	Large amount of plastic crates, dimensions each crate: 595 mm x 400 mm x 140 mm.	400
342	NN rollies	6 steel rollies in various sizes	20
343	NN roller conveyors		100



Nr	Title	Description	Start €
		2 expandable roller conveyors, roller length: 520 mm, total dimensions: (1x) 1000 mm x 640 mm x 880 mm, (1x) 480 mm x 640 mm x 620 mm.	
344	NN trolley	Trolley, dimensions: 700 mm x 1150 mm x 920 mm.	20
345	larp	2 mobile larp refrigerators, model: MINIGLOBO N, serial number: 06GB74315, 230 V, 50 Hz, 1.9 A, 240 W, refrigerant: R404A/0.120 kg, volume: 105 liter, inside dimensions: (2x) 430 mm x 510 mm x 445 mm, total dimensions: (2x) 560 mm x 700 mm x 1200 mm.	100
346	NN table	Mobile table, with various items such as: trays, telephones and clipboards, dimensions desk: 1500 mm x 600 mm x 990 mm.	100
347	NN baking sheets	6 steel trolleys with large amount of baking sheets, dimensions baking sheet: 600 mm x 450 mm, dimensions trolley: 510 mm x 710 mm x 910 mm.	120
348	NN oven trolleys	Large amount of oven trolleys in various sizes, including the following sizes: 510 mm x 520 mm x 1840 mm and 540 mm x 620 mm x 2020 mm.	300
349	NN trolley	Steel trolley, dimensions: 700 mm x 1000 mm x 900 mm.	50
350	NN trolley	S/s trolley, dimensions: 560 mm x 1090 mm x 800 mm.	50
351	NN trolley	S/s trolley, dimensions: 560 mm x 810 mm x 800 mm.	20
352	Mastercraft	Mastercraft tool trolley, dimensions: 1020 mm x 560 mm x 960 mm.	100
353	COMIZ s.r.l. clipping machine	COMIZ s.r.l. clipping machine, type: MINI SM40 PF, serial number: 3217, year of construction: 2002, dimensions: 630 mm x 800 mm x 1060 mm.	200
354	NN chairs	2 chairs, dimensions: (1x) Ø 550 mm x 620 mm, (1x) Ø 450 mm x 800 mm.	20
355	NN tool board	Wooden tool board, dimensions: 1600 mm x 610 mm x 2040 mm. Including boxes containing bags of various sizes.	100
356	NN cabinet	Steel cabinet, dimensions: 990 mm x 460 mm x 1760 mm.	50
357	NN platform	Steel platform, (2x) 3 steps, dimensions: 2600 mm x 800 mm x 1850 mm.	100
358	NN crates	19 pallets with plastic crates, dimensions each crate: 595 mm x 400 mm x 140 mm.	500
359	NN crates	11 pallets with plastic crates, dimensions each crate: 595 mm x 400 mm x 140 mm.	400
360	NN crates	Large number of pallets with plastic crates, dimensions each crate: 595 mm x 400 mm x 140 mm.	800
361	NN crates	2 pallet with (2x) 64 plastic crates, dimensions each crate: 595 mm x 400 mm x 140 mm.	100
362	NN protection frame	2 steel protection frames, dimensions: (2x) 2160 mm x 500 mm x 1000 mm.	50
363	Resta-Mesta oy	Resta-Mesta oy trolley, dimensions: 810 mm x 560 mm x 700 mm.	20
364	NN pallet rack	3 s/s pallet racks, dimensions: (3x) 2480 mm x 1070 mm x 2000 mm.	400



Nr	Title	Description	Start €
365	NN boxes	Pallet with 42 boxes, dimensions box: 590 mm x 380 mm x 110 mm.	10
366	NN crates	32 pallets with plastic crates, dimensions each crate: 595 mm x 400 mm x 140 mm.	600
367	NN boxes	Pallet with 42 boxes, dimensions box: 590 mm x 380 mm x 110 mm.	10
369	A&D Instruments LTD.	A&D Instruments LTD. weighing scale, serial number: 1920054, dimensions: 400 mm x 710 mm x 740 mm.	20
370	NN table	S/s table, dimensions: 2700 mm x 790 mm x 910 mm.	100
371	Vaakakoskinen	Vaakakoskinen floor weighing scale, dimensions: 1200 mm x 1600 mm x 110 mm.	150
372	NN table	S/s table, dimensions: 1610 mm x 700 mm x 870 mm.	100
373	NN cabinet	Steel cabinet, dimensions: 800 mm x 410 mm x 1820 mm.	50
374	NN agitators	2 agitators, dimensions: (2x) 410 mm x 360 mm x 900 mm.	50
375	NN computer	Computer with cabinet, dimensions: 650 mm x 500 mm x 1620 mm.	100
376	NN table	S/s table, dimensions: 2800 mm x 660 mm x 1050 mm.	200
377	NN table	S/s table, dimensions: 1150 mm x 630 mm x 1050 mm.	50
378	NN mixing blades	4 mixing blades, length: (4x) 745 mm.	20
380	Busch	Busch side channel blower, type motor: SR 1100 0 OH0 UL XX, number: 8N 10336107 002 0218, 220-275/380-480 V, 50/29 A, dimensions: Ø 450 mm x 500 mm.	200
381	NN television	Television, dimensions: 970 mm x 560 mm x 110 mm.	50
382	NN meat bins	4 s/s meat bins, volume: 200 liter.	400
383	Tecnomac	Tecnomac chiller, model: AO1000, serial number: 002 401 00003, 380-400 V, 3 Ph, 50 Hz, dimensions: 1160 mm x 1220 mm x 2470 mm.	800
384	NN pallet rack	S/s pallet rack, dimensions: 8300 mm x 1100 mm x 2500 mm.	400
385	Etra	Etra steel cabinet, dimensions: 1070 mm x 620 mm x 2140 mm.	100
386	NN various equipment	Various items, including: plastic tubs, buckets and roll container.	100
387	NN sink	S/s sink , dimensions: 500 mm x 510 mm x 650 mm.	50
388	NN sink	S/s sink, dimensions: 1850 mm x 620 mm x 1000 mm.	100
389	NN high pressure cleaner	High pressure cleaner, dimensions: 800 mm x 580 mm x 1020 mm.	100
390	Atlas Copco	Atlas Copco air compressor, type: GA22VSD, number: AP1422569, year of construction: 2007, 12.8 bar, 6012 rpm, 3.84 m³/min, dimensions: 1700 mm x 650 mm x 1400 mm.	1000
391	Atlas Copco	Atlas Copco air compressor with oil unit, type: GA22VSD+FF, serial number: AP1839586, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 30 Hp, 22 kW, 12.75 bar, 4.5m³/min, 5700 r/min, working hours: 55952, dimensions: 1350 mm x 800 mm x 1600 mm. Oil unit dimensions: 1050 mm x 650 mm x 880 mm.	1500
392	Pannpartner AB	Pannpartner AB electric steam boiler, type: Pp200, number: A2886-955, year of construction: 2018, 400 V, 3 Ph, 50 Hz,	20000

Nr	Title	Description	Start €
		200 kW, design pressure: 12/-1 bar, test pressure: 18.5 bar, maximum temperature: 1924°C, boiler volume: 375 liter, machine weight empty: 300 kg, machine weight operational: 675 kg, dimensions: 2800 mm x 800 mm x 1900 mm.	

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

[illegible]



This image shows a full page of white paper with horizontal black lines, resembling notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

