



**Industrial
Auctions**

**2213: Online auction meat processing machinery in
Estación de Blanca, Murcia (ES)**

END DATE
22 July 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	22 July 2026 from 14:00 hrs.
Viewing days	16 July 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	29 July 2026 from 09:00 till 16:00 hrs.
Pick up address	C. del Niño, 45 30540 Estación de Blanca, Murcia Spain
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Talleres Cato S.A.	Talleres Cato S.A. vacuum mixer with lifter for 200 liter meat bins, type: AV500E, number: 202, year of construction: 2004, 380 V, 6 kW, weight: 1530 kg, volume: 500 liter, elevating height: 1750 mm, Busch vacuum pump, type: RA 0040 E, capacity: 40 m ³ per hour, total dimensions: 2750 mm x 1100 mm x 1900 mm.	2500
2	Laska	Laska mixer-grinder, type: WMW 1330, machine number: 14099, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 48 A, 24 kW, dimensions: 1250 mm x 1500 mm x 2000 mm. Incomplete, missing outfeed worm, plate and knives.	8000
3	Castell Vall	Castell Vall mixer-grinder with lifter for 200 liter meat bins, capacity: 4000 kg per hour, infeed capacity: 300 liter, lifting height: 1900 mm, total dimensions: 2150 mm x 1300 mm x 1900 mm. Incomplete, missing plate and knives.	3500
4	Laska	Laska grinder, type: WW 130 2, number: 10139, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 29 A, 16 kW, dimensions: 1150 mm x 1200 mm x 1650 mm. Incomplete, missing plate and knives.	3500
5	Juan Alabart	Juan Alabart mobile forming and portioning machine, type: CP50D2, number: 1004441, year of construction: 2005, 220 V, 50 Hz, 25 kW, diameter infeed funnel: 700 mm, diameter output: (2x) 25 mm, s/s mesh belt, belt width: 250 mm, total dimensions: 1300 mm x 1800 mm x 2050 mm.	2500
6	Ramon S.L.	Ramon S.L. cutter, diameter bowl: 520 mm, total dimensions: 750 mm x 650 mm x 1050 mm.	950
7	NN slicer for onion	Slicer for onion, diameter infeed: 120 mm, total dimensions: 600 mm x 500 mm x 1100 mm.	500
8	Talleres Cato S.A.	Talleres Cato S.A. grinder, type: PA200, number: 152, year of construction: 1996, 380/220 V, 50 Hz, dimensions: 1300 mm x 1030 mm x 1650 mm. Incomplete, missing plate and knives.	3000
9	Velati	Velati mixer-grinder with lifter for 200 liter meat bins, type: TM180/180, infeed capacity: 1000 liter, dimensions grinder: 2450 mm x 1300 mm x 1900 mm, dimensions lift: 2500 mm x 600 mm x 850 mm.	3000
10	Roser	Roser s/s cooking kettle, steam heated, capacity: 2400 liter, inside dimensions: 2090 mm x 1050 mm x 1120 mm, total dimensions: 2500 mm x 1700 mm x 1350 mm.	2500
11	Risco	Risco mobile sausage cutter, type: TC 8/30, serial number: E003002, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 0.55 kW, plastic outfeed belt with dividers, belt width: 350 mm, divider height: 15 mm, distance between dividers: 200 mm, elevating height: 1120 mm, total dimensions: 1100 mm x 1750 mm x 1150 mm.	1000
12	Grasselli	Grasselli slicer, type: NSL400, number: W23003/525, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 8.2 A, 4.2 kW, working width: 396 mm, capacity: 2000 kg per hour, plastic	4500



Nr	Title	Description	Start €
		mesh belt, belt width: 350 mm, total dimensions: 1000 mm x 1350 mm x 1500 mm. Missing knives.	
13	Grasselli	Grasselli mobile slicer, model: XLS, serial number: U11011/026, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.55 A, 1.1 kW, maximum product size: 330 mm x 300 mm x 80 mm, total dimensions: 700 mm x 750 mm x 1260 mm.	2000
14	Grasselli	Grasselli mobile slicer, model: XLS, number: 17/004, 380 V, 50 Hz, 1.1 kW, maximum product size: 330 mm x 160 mm x 80 mm, distance between knives: 7 mm, total dimensions: 1400 mm x 700 mm x 1100 mm.	2000
15	CRM	CRM mobile strip cutter, maximum product size: 350 mm x 150 mm x 120 mm, distance between knives: 9 mm, total dimensions: 870 mm x 560 mm x 1300 mm.	1250
16	Industries Fac S.L.	Industries Fac S.L. manual ham press, model: FORMA-VL, year of construction: 2002, dimensions: 1400 mm x 500 mm x 1500 mm. Missing cover.	1500
17	Geba	Geba horizontal slicer for salmon, WSM100E, number: 99219, year of construction: 1992, 220 V, 0.6 kW, capacity: 100 slices per minute, slicing thickness: 0 to 5 mm, total dimensions: 1600 mm x 735 mm x 1220 mm.	1000
18	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, chamber dimensions: 95 mm x 95 mm x 300 mm, total dimensions: 900 mm x 580 mm x 1050 mm. Missing knife.	1250
19	Manconi & C S.R.L.	Manconi & C S.R.L. slicer, type: KOLOSSAL DUAL, model: 350 IK DUAL, 220-230 V, 50 Hz, 290 W, dimensions: 700 mm x 450 mm x 450 mm.	150
20	Gaser	Gaser mobile automatic hamburger forming machine, dimensions form: 120 mm x 100 mm, plastic outfeed belt, belt width: 150 mm, total dimensions: 1500 mm x 500 mm x 1200 mm.	750
21	Tecnotrop	Tecnotrop dip tank, clearance: 460 mm x 380 mm, belt width: 400 mm, total dimensions: 1050 mm x 770 mm x 1650 mm.	1000
22	Zermat	Zermat mobile vacuum machine, seal length: (2x) 1000 mm x 400 mm, chamber dimensions: 1050 mm x 640 mm, P.V.R. vacuum pump, type: RVL, capacity: 107 m³ per hour, total dimensions: 1180 mm x 850 mm x 1020 mm.	750
23	Rühle	Rühle mobile dicer, type: SR1, number: 983, 400 V, 3 Ph, 50 Hz, 16 A, 1.5 kW, chamber dimensions: 100 mm x 100 mm x 350 mm, total dimensions: 1000 mm x 700 mm x 1050 mm.	1250
24	Gaser	Gaser mobile skewer machine, type: SK5000, number: 5324-6055, year of construction: 2019, 230 V, 50 Hz, capacity: 1500 pieces per hour, dimensions: 1400 mm x 1000 mm x 1330 mm.	2000
25	Ergo Mecánica	Ergo Mecánica mobile skewer machine, model: AK1400, 220 V, 50 Hz, 0.55 kW, capacity: 1200-1400 pieces per hour, diameter plate: 600 mm, total dimensions: 1480 mm x 680 mm x 1300 mm.	1250



Nr	Title	Description	Start €
26	Mainca	Mainca mobile grinder, model: PC-114 L, number: 1108, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 9 A, diameter plate: 114 mm, total dimensions: 925 mm x 542 mm x 1055 mm.	500
27	Pycmo	Pycmo cheese slicer, model: T-150, serial number: 37-072, year of construction: 1997, maximum product dimensions: Ø 190 mm x 200 mm, total dimensions: 680 mm x 880 mm x 1570 mm.	750
28	Sammic S.L.	Sammic S.L. mixer, model: BE-20, number: 15002202110167, year of construction: 03-2021, 230 V, 50-60 Hz, 7 A, volume: 20 liter, dimensions: 850 mm x 500 mm x 1150 mm. Including 2 kneading attachments.	500
29	Xucla	Xucla crate washing machine, 220/380 V, 50 Hz, clearance: 300 mm x 440 mm, total dimensions: 1000 mm x 2480 mm x 1800 mm.	750
30	Pujolàs	Pujolàs ham press, model: PEA 680, belt width: 300 mm, total dimensions: 1800 mm x 1440 mm x 1860 mm.	1000
31	Pujolàs	Pujolàs ham press, model: PF 4000, number: 0809152, year of construction: 2009, chamber dimensions: 492 mm x 180 mm x 140 mm, total dimensions: 2010 mm x 630 mm x 2200 mm.	3500
32	Industries Fac S.L.	Industries Fac S.L. heated tank, model: DM-70, year of construction: 1999, 230 V, 85 kg, capacity: 70 liter, dimensions: 800 mm x 700 mm x 900 mm.	300
33	Industries Fac S.L.	Industries Fac S.L. heated tank, model: DM-70, number: 27070-003, year of construction: 2007, 240 V, 50 Hz, 4 kW, 150 kg, capacity: 70 liter, dimensions: 800 mm x 700 mm x 900 mm. Missing lid.	300
34	NN demoulding machine	Demoulding machine used for bacon, dimensions: 850 mm x 540 mm x 1500 mm.	200
35	Tecmaq	Tecmaq grinder, 380 V, 50 Hz, 25 kW, dimensions: 1500 mm x 1150 mm x 1420 mm. Incomplete, missing plate and knives.	2500
36	Industries Fac S.L.	Industries Fac S.L. grader with sorting belt, model: C5, 380 V, 50 Hz, plastic belt, belt width: 400 mm, total dimensions: 6260 mm x 900 mm x 1700 mm.	1750
37	Industries Fac S.L.	Industries Fac S.L. mobile elevating belt, model: CT-SB-3TR, number: 23001-021, year of construction: 2002, 400 V, 50 Hz, 0.25 kW, plastic belt, belt width: 400 mm, elevating height: 1050 mm, total dimensions: 2900 mm x 1000 mm x 1100 mm.	400
38	Industries Fac S.L.	Industries Fac S.L. mobile transport belt, plastic belt, belt width: 350 mm, total dimensions: 3250 mm x 600 mm x 750 mm.	400
39	Industries Fac S.L.	Industries Fac S.L. continuous curing agent drum, model: NB 600, plastic infeed belt, belt width: 400 mm, diameter drum: 670 mm, total dimensions: 2610 mm x 1130 mm x 1850 mm.	2000



Nr	Title	Description	Start €
40	Industries Fac S.L.	Industries Fac S.L. mobile transport belt, plastic belt, belt width: 400 mm, total dimensions: 5500 mm x 1000 mm x 1040 mm.	750
41	Came S.L.	Came S.L. automatic binding machine for sausage, dimensions: 820 mm x 410 mm x 1220 mm.	500
42	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH rotisserie grill, 400 V, 50 Hz, 12 kW, electric heated, inside dimensions: 750 mm x 740 mm x 630 mm, total dimensions: 1000 mm x 900 mm x 1050 mm.	400
43	Industries Fac S.L.	Industries Fac S.L. grader with sorting belt, model: C3, number: 21030-009, year of construction: 2004, 400 V, 0.55 kW, plastic belt, belt width: 400 mm, total dimensions: 3400 mm x 850 mm x 1800 mm.	1500
44	Industries Fac S.L.	Industries Fac S.L. ham press, model: P2-MI, year of construction: 1997, 400 V, weight: 1500 kg, dimensions forms: 200 mm x 450 mm, total dimensions: 1300 mm x 1200 mm x 1950 mm.	3500
45	Meiko	Meiko crate washing machine, type: B 190 V, machine number: CC 109116, year of construction: 09.1997, 400 V, 3 Ph, 50 Hz, 40 kW, 64 A, clearance: 390 mm x 600 mm, total dimensions: 3300 mm x 1000 mm x 2200 mm.	2000
46	Sottoriva	Sottoriva dough portioning machine, model: AAPP400, 380 V, 50 Hz, plastic belt, belt width: 200 mm, total dimensions: 5000 mm x 1700 mm x 2200 mm.	1750
47	Metalquimia	Metalquimia tilting device for pallet boxes, tilting height: 1850 mm, total dimensions: 1700 mm x 1500 mm x 2100 mm.	1000
48	NN defrosting belt	Defrosting belt, plastic mesh belt, belt width: 500 mm, elevating height: 1200 mm, total dimensions: 3345 mm x 1100 mm x 1730 mm.	2000
49	Talleres Josmar S.L.	Talleres Josmar S.L. separator used for fish, type: JM-301, number: 951141, year of construction: 2013, 380 V, 1.5 kW, diameter perforations: 3.5 mm, total dimensions: 1322 mm x 715 mm x 1442 mm.	3000
50	NN glazing bath	Glazing bath with elevating belt, plastic mesh belt, belt width: 440 mm, elevating height: 1000 mm, total dimensions: 3100 mm x 1300 mm x 2130 mm.	2000
51	NN battering drum	Battering drum used for octopus, infeed width: 860 mm, outfeed width: 540 mm, total dimensions: 2680 mm x 940 mm x 1500 mm.	2000
52	NN transport belt	Transport belt, plastic belt, belt width: 350 mm, total dimensions: 2300 mm x 400 mm x 1100 mm.	300
53	NN transport belt	Transport belt, dimensions: 2300 mm x 550 mm x 1010 mm.	300
54	NN trolley	S/s trolley, dimensions: 570 mm x 420 mm x 800 mm.	50
55	Ozone Technology	Ozone Technology knife sterilizer, model: G5-CUT, serial number: 03-2016, year of construction: 2016, 230 V, 100 W, dimensions: 750 mm x 100 mm x 720 mm.	100



Nr	Title	Description	Start €
56	NN transport belt	Transport belt, dimensions: 2800 mm x 600 mm x 850 mm.	195
57	NN sink	S/s sink, dimensions: 450 mm x 500 mm x 300 mm.	15
58	Tecnical	Tecnical mobile draining drum, model: Saltec, inside dimensions: Ø 780 mm x 4000 mm, diameter perforations: 8 mm, total dimensions: 4100 mm x 1370 mm x 1700 mm.	1250
59	Inject Star	Inject Star injector, model: BI 18, s/s belt, belt width: 300 mm, clearance: 300 mm x 150 mm, total dimensions: 640 mm x 1350 mm x 2000 mm.	650
60	Dorit	Dorit injector, type: M-58, serial number: 14870-363, 380 V, 3 Ph, 50 Hz, 1.5 A, 0.55 kW, plastic mesh belt, belt width: 250 mm, clearance: 260 mm x 150 mm, total dimensions: 1170 mm x 570 mm x 1700 mm.	1250
61	Hobart	Hobart mobile mixer, dimensions: 1500 mm x 400 mm x 2030 mm.	700
62	NN pig leg and snout dehairing machine	Pig leg and snout dehairing machine, inside dimensions: Ø 750 mm x 400 mm, total dimensions: 1700 mm x 800 mm x 1150 mm. Technical condition unknown.	500
63	Inject Star	Inject star injector, model: BI, s/s belt, belt width: 500 mm, clearance: 500 mm x 210 mm, total dimensions: 1970 mm x 850 mm x 2300 mm.	2000
64	Talleres Cato S.A.	Talleres Cato S.A. mixer, type: F-500, number: 113, year of construction: 1991, 2.5 kW, volume: 500 liter, dimensions: 2550 mm x 800 mm x 1800 mm.	1750
65	Pycmo	Pycmo double jacketed mixer, capacity: 800 liter, inside dimensions: Ø 795 mm x 1670 mm, total dimensions: 3300 mm x 1050 mm x 1490 mm.	1000
66	Inject Star	Inject Star vacuum tumbler, type: ES-2200, number: 282, year of construction: 2002, 380-400 V, 3 Ph, 50 Hz, 3.7 kW, capacity: 2200 liter, dimensions: 2400 mm x 1620 mm x 2000 mm.	3500
67	Fibosa	Fibosa vacuum tumbler, model: Luteria, year of construction: 2006, 380 V, weight: 1220 kg, capacity: 2000 liter, dimensions: 2700 mm x 1720 mm x 1900 mm. Without vacuum pump.	900
68	Rühle	Rühle cooled vacuum tumbler with lifter for (2x) 200 liter meat bins, model: MPR600, 380 V, 3 Ph, 50 Hz, 32 A, 3.3 kW, capacity: 600 liter, dimensions: 2000 mm x 2200 mm x 2400 mm. Without vacuum pump.	3500
69	Grupo Epelsa S.L.	Grupo Epelsa S.L. slicer, dimensions: 700 mm x 400 mm x 500 mm.	150
70	Mimasa	Mimasa crate washing and drying machine, model: LPC-140, serial number: 530, year of construction: 2010, 380 V, 50 Hz, 17.5 kW, s/s mesh belt, belt width: 450 mm, total dimensions: 4200 mm x 1000 mm x 2400 mm.	2500
71	Asbury	Asbury combi steamer, type: SACP 20, serial number: E21CC000091032632, 400 V, 3 Ph, 50 Hz, 38 kW, electric heated, 20 floors, dimensions each floor: 330 mm x 500 mm, total dimensions: 1010 mm x 840 mm x 1870 mm.	1000



Nr	Title	Description	Start €
72	Mobba	Mobba slicer, model: F 250, number: 187846, year of construction: 1991, 220 V, 50 Hz, 0.13 kW, dimensions: 550 mm x 400 mm x 400 mm.	150
73	Macanicas Campillo	Macanicas Campillo cooking chamber, 380 V, 50 Hz, electric heated, inside dimensions: 740 mm x 700 mm x 1500 mm, total dimensions: 1340 mm x 900 mm x 2200 mm.	1250
74	Renkin	Renkin refrigerator, 16 floors, inside dimensions: 665 mm x 885 mm x 1800 mm, total dimensions: 1020 mm x 1020 mm x 2210 mm.	500
75	Jose Lizondo	Jose Lizondo cooking kettle used for cream, number: 267, year of construction: 2001, heated by steam or thermic oil, capacity: 500 liter, inside dimensions: Ø 970 mm x 820 mm, total dimensions: 1800 mm x 1200 mm x 2300 mm.	2000
76	Repagas	Repagas tiltable cooking kettle, model: SB-940, type: A, number: 1674/04125-06, capacity: 77 liter, gas heated, inside dimensions: 700 mm x 580 mm x 190 mm, total dimensions: 1000 mm x 870 mm x 930 mm.	500
77	Lainox	Lainox tiltable cooking kettle, model: SG94IRMABESLXAA, number: 19KH6606/2001, type: A, 19.5 kW, inside dimensions: 760 mm x 540 mm x 220 mm, total dimensions: 900 mm x 970 mm x 1110 mm.	500
78	Fagor	Fagor tiltable cooking kettle, model: 100L, capacity: 100 liter, inside dimensions: 1170 mm x 550 mm x 190 mm, total dimensions: 1300 mm x 1050 mm x 1420 mm. Technical condition unknown.	400
79	Abad Maquinaria Industrial S.L.	Abad Maquinaria Industrial S.L. mobile automatic binding machine, type: ALM, number: 200412988, year of construction: 2005, 380 V, 2.8 kW, weight: 160 kg, diameter maximum product: 50 mm, dimensions: 650 mm x 550 mm x 1150 mm.	1000
80	NN pig leg and snout dehairing machine	Pig leg and snout dehairing machine, 380 V, 50 Hz, inside dimensions: Ø 830 mm x 380 mm, total dimensions: 840 mm x 1200 mm x 1280 mm.	700
81	NN stomach cleaner	Stomach cleaner, 380 V, 50 Hz, 9 kW, inside dimensions: Ø 715 mm x 370 mm, total dimensions: 1500 mm x 1150 mm x 940 mm.	700
82	NN stomach grinder	Stomach grinder, model: P155, serial number: 1774, 380 V, 50 Hz, inside dimensions: Ø 710 mm x 365 mm, total dimensions: 1000 mm x 800 mm x 1630 mm.	500
83	NN pig leg and snout dehairing machine	Pig leg and snout dehairing machine, 380 V, 50 Hz, inside dimensions: Ø 760 mm x 430 mm, total dimensions: 1900 mm x 1000 mm x 1320 mm.	500
84	Maquinaria Torras	Maquinaria Torras pig leg and snout dehairing machine, model: P-110, 380 V, 50 Hz, 7 A, capacity: 160 liter, inside dimensions: Ø 710 mm x 400 mm, total dimensions: 1200 mm x 1500 mm x 1730 mm.	700
85	MCM		1000



Nr	Title	Description	Start €
		MCM stomach cleaner, type: FENUEUSE, number: 24 0004, year of construction: 04/2000, dimensions: 2500 mm x 900 mm x 2300 mm.	
86	Lizondo	Lizondo cooking and smoking chamber with cooling compressor for cold smoke, inside dimensions: 900 mm x 900 mm x 1610 mm, total dimensions: 2020 mm x 1210 mm x 2300 mm.	750
87	Lizondo	Lizondo cooking and smoking chamber, 380 V, 50 Hz, 32 A, inside dimensions: 900 mm x 810 mm x 1600 mm, total dimensions: 1190 mm x 1240 mm x 2300 mm.	750
88	Hobart	Hobart autoclave, dimensions: 600 mm 725 mm x 920 mm.	500
89	Inject Star	Inject Star advanced meat recovery separator with lifter for 200 liter meat bins, model: P-60-S, machine number: 60-171, 380 V, 50 Hz, 18 kW, bone processing capacity: 800 kg per hour, dimensions: 4465 mm x 1750 mm x 2900 mm.	4500
90	Rex	Rex piston filler, model: FAN 30-2, serial number: 40001131297, 400 V, 3 Ph, 50 Hz, 3x16 A, 2.2 kW, capacity: 30 liter, dimensions: 700 mm x 910 mm x 1300 mm.	1500
91	Roser	Roser knife sterilizer, capacity: 250 liter, inside dimensions: 1250 mm x 350 mm x 720 mm, total dimensions: 1440 mm x 470 mm x 970 mm,	350
93	Mobba	Mobba piston filler, volume: 15 liter, dimensions: 400 mm x 400 mm x 1150 mm.	350
94	Pycmo	Pycmo ham forming machine with 2 outfeed lanes, form width: (2x) 165 mm, total dimensions: 2400 mm x 1600 mm x 2040 mm.	1250
95	SIA	SIA vacuum filling machine, model: 4000N, machine number: 1085172, capacity: 250 liter, dimensions: 1000 mm x 670 mm x 1890 mm. Incomplete.	1000
96	SIA	SIA vacuum filling machine, model: EMB-2002P, 380 V, 3 Ph, 50 Hz, 16 A, 4.8 kW, capacity: 2500 kg per hour, Busch vacuum pump, dimensions: 1100 mm x 850 mm x 1850 mm.	1000
97	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF100B, number: 16345, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 4.4 A, 5.5 kW, dimensions: 1600 mm x 1300 mm x 1900 mm. Including diaphragm.	2000
98	Roser	Roser crate washing machine, type: 23710, number: 43488, year of construction: 2006, 380 V, 50 Hz, 4/509 kW, clearance: 550 mm x 400 mm, s/s mesh belt, belt width: 600 mm, total dimensions: 2600 mm x 1000 mm x 1600 mm.	2500
99	Risco	Risco mobile binding machine, type: RS 16, number: L494031, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 5 A, diameter clearance: 50 mm, total dimensions: 900 mm x 430 mm x 1100 mm.	950
100	Lorenzo Barroso		350



Nr	Title	Description	Start €
		Lorenzo Barroso vertical clipper, model: HELVAC, dimensions: 600 mm x 700 mm x 1700 mm.	
101	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile clipper, type: SFG 8034, number: 88319, diameter clearance: 30 mm, total dimensions: 1300 mm x 900 mm x 2000 mm.	650
102	Tipper Tie	Tipper Tie mobile automatic double clipper, model: RS 4202, 380 V, 3 Ph, 50 Hz, 16 A, diameter clearance: 50-200 mm, plastic outfeed belt, belt width: 350 mm, total dimensions: 3300 mm x 1115 mm x 1800 mm.	2500
103	Came S.L.	Came S.L. binding machine, model: P2000H, serial number: 192, year of construction: 2001, 220/380 V, 0.7 kW, 1500 RPM, dimensions: 675 mm x 600 mm x 1025 mm. Incomplete.	750
104	Laint	Laint semi automatic binding machine, model: Tripa 40, dimensions: 570 mm x 570 mm x 1200 mm. Incomplete.	400
105	Came S.L.	Came S.L. binding machine, model: P2000H, serial number: 195, year of construction: 2002, 220/380 V, 0.7 kW, 1500 RPM, dimensions: 675 mm x 600 mm x 1025 mm.	750
106	Came S.L.	Came S.L. mobile sausage cutter, model: C.40, serial number: 12, year of construction: 2006, 180/230 V, 0.8 kW, 3500 RPM, diameter clearance: 40 mm, total dimensions: 700 mm x 930 mm x 1180 mm.	1500
107	Gaser	Gaser hamburger forming machine, model: A2000, serial number: 1472, year of construction: 2008, diameter infeed: 370 mm, volume: 25 liter, capacity: 2500 hamburgers per hour, total dimensions: 570 mm x 590 mm x 600 mm. Missing outfeed belt. Table not included.	950
108	NN clipper	Mobile single clipper, dimensions: 950 mm x 650 mm x 1750 mm.	1000
109	Gaser	Gaser mobile automatic hamburger forming machine, type: V3000L-CP, serial number: 4887-5618, year of construction: 2017, 400 V, 3 Ph, 50 Hz, working width: 120 mm, plastic outfeed belt, belt width: 150 mm, total dimensions: 2150 mm x 650 mm x 1500 mm. Incomplete, missing cover and form.	750
110	Gaser	Gaser mobile automatic hamburger forming machine, model: R 2000, 380 V, 50 Hz, dimensions form: 120 mm x 90 mm, capacity: 2000 hamburgers per hour, dimensions: 1600 mm x 600 mm x 1270 mm. Without outfeed belt.	650
111	Gaser	Gaser mobile automatic hamburger forming machine, model: R 2000, 380 V, 50 Hz, dimensions form: 120 mm x 90 mm, capacity: 2000 hamburgers per hour, plastic outfeed belt, belt width: 150 mm, total dimensions: 2500 mm x 600 mm x 1270 mm.	750
112	Gaser	Gaser mobile portioning machine for making meat balls and croquettes, model: S-1500-N, serial number: 2599-3243, year of construction: 2008, working width: 90	1000



Nr	Title	Description	Start €
		mm, s/s mesh outfeed belt, belt width: 130 mm, total dimensions: 950 mm x 500 mm x 1400 mm.	
113	Gaser	Gaser mobile automatic hamburger forming machine, model: R 2000, 380 V, 50 Hz, dimensions form: Ø 105 mm, capacity: 2000 hamburgers per hour, plastic outfeed belt, belt width: 150 mm, total dimensions: 2500 mm x 600 mm x 1270 mm.	750
114	Gaser	Gaser mobile automatic hamburger forming machine, model: R 2000, 380 V, 50 Hz, dimensions form: 120 mm x 90 mm, capacity: 2000 hamburgers per hour, plastic outfeed belt, belt width: 150 mm, total dimensions: 2500 mm x 600 mm x 1270 mm.	750
115	Koppens	Koppens mobile automatic hamburger forming machine, capacity: 100 liter, production capacity: 6000 hamburger per hour, inside dimensions infeed bunker: Ø 570 mm x 390 mm, s/s mesh outfeed belt, belt width: 350 mm, with various forms, dimensions: Ø 100 mm, 110 mm, 120 mm, 63 mm and 120 mm, total dimensions: 1430 mm x 700 mm x 1400 mm.	1000
116	Koppens	Koppens mobile forming machine, type: VM400/30, machine number: VM400/30-1588, 380 V, 3 Ph, 50 Hz, 11.61 A, 4.94 kW, s/s mesh outfeed belt, belt width: 425 mm, with various forms for hamburgers, meat balls and nuggets, dimensions hamburger forms: Ø 90 mm and 100 mm x 75 mm, total dimensions: 2900 mm x 750 mm x 2300 mm.	6500
117	NN skewering machine	Mobile skewering machine, maximum diameter skewer: 3.5 mm, 10 sticks per cycle, total dimensions: 1160 mm x 600 mm x 1400 mm.	750
118	NN coating and breading line	Mobile coating and breading line, 380/220 V, 50 Hz, 1 kW, s/s mesh belt, belt width: 400 mm, dimensions coating machine: 1400 mm x 780 mm x 1170 mm, dimensions breading machine: 2000 mm x 700 mm x 2150 mm.	2500
119	Maja Maschinenfabrik GmbH	Maja Maschinenfabrik GmbH skinning and derinding machine with infeed and outfeed belt, 380 V, 50 Hz, working width: 500 mm, plastic belt, belt width: 480 mm, total dimensions: 2100 mm x 1050 mm x 1400 mm. Incomplete.	650
121	Weber Maschinenbau GmbH & Co. KG	Weber Maschinenbau GmbH & Co. KG mobile skinning machine, type: ASE 453, number: 523, 400 V, 50 Hz, 0.4 kW, working width: 390 mm, total dimensions: 670 mm x 700 mm x 1050 mm.	500
122	Weber Maschinenbau GmbH & Co. KG	Weber Maschinenbau GmbH & Co. KG mobile skinning machine, type: ASE 453, number: 478, 400 V, 50 Hz, 0.4 kW, working width: 390 mm, total dimensions: 670 mm x 700 mm x 1050 mm.	500
123	Gaser		650



Nr	Title	Description	Start €
		Gaser semi automatic hamburger forming machine, model: S-1.100, dimensions form: 122 mm x 90 mm, total dimensions: 450 mm x 200 mm x 600 mm.	
124	Grasselli	Grasselli mobile skinning and derinding machine, model: AB520, serial number: V10016/1377, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 4.05 A, working width: 870 mm, plastic belt, belt width: 870 mm, total dimensions: 1000 mm x 2500 mm x 1370 mm. Missing knife.	1500
125	Grasselli	Grasselli mobile skinning and derinding machine with infeed and outfeed belt, plastic belt, belt width: 450 mm, working width: 500 mm, total dimensions: 1850 mm x 800 mm x 1100 mm.	1500
126	Weber Maschinenbau GmbH & Co. KG	Weber Maschinenbau GmbH & Co. KG mobile skinning machine, type: AS 450, number: 3534, 380 V, 50 Hz, 0.4 kW, working width: 390 mm, total dimensions: 670 mm x 960 mm x 980 mm.	500
127	Townsend	Townsend mobile skinning and derinding machine with infeed and outfeed belt, plastic belt, belt width: 380 mm, working width: 410 mm, total dimensions: 2150 mm x 900 mm x 1200 mm.	500
128	Weber Maschinenbau GmbH & Co. KG	Weber Maschinenbau GmbH & Co. KG slicer with outfeed belt, type slicer: CCS 7000, number: 144, 380 V, 50 Hz, 8 kW, type outfeed belt: UB2501, number: 574, diameter knife: 430 mm, dimensions slicer: 2300 mm x 1100 mm x 1900 mm, plastic outfeed belt, belt width: 380 mm, dimensions outfeed belt: 3300 mm x 850 mm x 1050 mm.	2500
129	Laint	Laint mobile skinning and derinding machine with infeed and outfeed belt, type: MSK 600, number: 200203815, year of construction: 2002, 220-380 V, 1.1 kW, plastic belt, belt width: 520 mm / 540 mm, working width: 570 mm, total dimensions: 2300 mm x 970 mm x 1200 mm.	750
130	Cretel	Cretel skinning machine, type: 362FK, serial number: 14801104, year of construction: 2004, 220/400 V, 3 Ph, 50 Hz, 3.8/2.2 A, 0.75 kW, capacity: 20-40 pieces per minute, working width: 315 mm, total dimensions: 570 mm x 480 mm x 330 mm.	500
131	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, type: 1910, machine number: 191002.61247.0270, year of construction: 1993, 220/380 V, 3 Ph, 50 Hz, 7/16 A, maximum product size: 1270 mm x 210 mm x 230 mm, total dimensions: 2520 mm x 1270 mm x 1430 mm.	1250
132	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Puma CE 1100 EB, machine number: 195309.61827.100243, year of construction: 2005, 230/400 V, 3 Ph, 50 Hz, 8.2/16 A, 3.4 kW, weight: 325 kg, maximum product size: 1100 mm x 220 mm x 240 mm, total dimensions: 3170 mm x 900 mm x 1440 mm. Missing knife.	3000
133			1250



Nr	Title	Description	Start €
	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, type: 1830, machine number: 183001.61319.0110, year of construction: 1995, 380/220 V, 50 Hz, 10/4 A, 1.5 kW, weight: 212 kg, maximum product size: 950 mm x 170 mm x 130 mm, total dimensions: 1970 mm x 760 mm x 1280 mm.	
134	MHS Schneidetechnik	MHS Schneidetechnik slicer, type: PCI 100K, serial number: 120202, year of construction: 2002, 400 V, 6 A, 2.4 kW, maximum product dimensions: 220 mm x 220 mm, total dimensions: 2420 mm x 800 mm x 1200 mm.	1500
135	CAPI	CAPI oven, 10 floors, dimensions each floor: 800 mm x 600 mm, total dimensions: 1450 mm x 800 mm x 1650 mm. Technical condition unknown.	200
136	Dobra	Dobra cabinet, 9 floors, dimensions each floor: 800 mm x 600 mm, total dimensions: 850 mm x 800 mm x 1000 mm.	75
137	Fagor	Fagor combi steamer, inside dimensions: 600 mm x 750 mm x 1250 mm, total dimensions: 1050 mm x 1150 mm x 1650 mm. Technical condition unknown.	250
138	Quick	Quick splitting saw, number: 175, 220/380 V, 3.3/2.5 A, 1500 RPM, dimensions: 1900 mm x 400 mm x 400 mm.	500
139	Angelo Po Grandi Cucine SPA	Angelo Po Grandi Cucine SPA combi steamer, type: G20, serial number: 51661800701, 230 V, 1 Ph, 50 Hz, 800 W, 5 floors, dimensions each floor: 500 mm x 330 mm, total dimensions: 900 mm x 800 mm x 750 mm. Technical condition unknown.	150
140	Formex	Formex oven, type: 6-C, number: 2524, 380 V, 7000 W, 5 floors, dimensions each floor: 600 mm x 430 mm, total dimensions: 1170 mm x 700 mm x 1050 mm. Technical condition unknown.	200
141	NN oven	Oven, dimensions: 1000 mm x 750 mm x 520 mm. Technical condition unknown.	50
142	Reisopack	Reisopack mobile strapping machine, type: 24, machine number: 24301105, 220 V, 1 Ph, 50/60 Hz, 0.75 KVA, dimensions: 1000 mm x 650 mm x 1800 mm.	150
143	NN traysealer	Traysealer, model: ET-Q8, dimensions dye: 190 mm x 140 mm, total dimensions: 400 mm x 410 mm x 590 mm.	200
144	NN traysealer	Traysealer, model: ET-Q8, dimensions dye: 180 mm x 160 mm, total dimensions: 460 mm x 420 mm x 570 mm.	200
145	HFE Vacuum Systems	HFE Vacuum Systems mobile vacuum machine, type: FIBOSA 2000 KL, number: 299049842, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 6 A, 2.6 kW, seal length: 800 mm x 500 mm, Busch vacuum pump, type: RB 0021 B 323 APXX, capacity: 21 m ³ per hour, total dimensions: 900 mm x 600 mm x 1250 mm.	500
146	Inelvi	Inelvi vacuum machine, type: V/400, number: 44, 220 V, seal length: 400 mm, chamber dimensions: 400 mm x 500 mm, total dimensions: 750 mm x 480 mm x 980 mm.	300
155		Heinrich Frey Maschinenbau GmbH vacuum filler with linking attachment, type: JOBBER-50, machine number: JA	1500



Nr	Title	Description	Start €
	Heinrich Frey Maschinenbau GmbH	50 12 08 92, 380 V, 50 Hz, dimensions: 750 mm x 680 mm x 1600 mm.	
156	Gaser	Gaser mobile coating machine, model: MINI, serial number: 1711-2355, year of construction: 2005, s/s mesh belt, belt width: 200 mm, working width: 150 mm, production capacity: 2000-3000 pieces per hour, total dimensions: 1450 mm x 700 mm x 800 mm.	1000
157	Sammic S.L.	Sammic S.L. vegetable slicer on s/s trolley, type: CA-31, number: 10507002156532, year of construction: 09-2021, 230 V, 1 Ph, 50 Hz, 5.2 A, production capacity: 150-450 kg per hour, dimensions: 450 mm x 450 mm x 1420 mm.	350
158	Tecnovac	Tecnovac traysealer, type: EASY, serial number: 000507, year of construction: 2000, 400 V, 50 Hz, 5200 W, plastic outfeed belt, belt width: 500 mm, total dimensions: 3300 mm x 970 mm x 1710 mm.	1500
159	Elton	Elton traysealer, 380 V, 50 Hz, dimensions dye: 350 mm x 240 mm, plastic outfeed rollers, roller width: 450 mm, total dimensions: 3800 mm x 840 mm x 1950 mm. Without vacuum pump.	1250
160	Belca	Belca mobile sleeve wrapping machine with infeed roller conveyor, serial number: 118B, 220 V, 660 W, maximum product size: 420 mm x 570 mm x 200 mm, total dimensions: 1300 mm x 650 mm x 1100 mm.	500
161	Belca	Belca mobile shrink tunnel with outfeed roller conveyor, serial number: 3115, 220/380 V, 8 kW, clearance: 490 mm x 200 mm, total dimensions: 1300 mm x 650 mm x 1100 mm.	500
162	Ulma	Ulma stretch wrap packaging machine, model: COMPACT, machine number: 2200172, year of construction: 1999, 400 V, 3 Ph, 50-60 Hz, 5 A, 1.2 kW, dimensions: 1000 mm x 750 mm x 1200 mm.	500
163	Supervac	Supervac belt vacuum machine, type: GK 169B, fabrication number: 204074, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 16 A, 6.4 kW, plastic belt, belt width: 610 mm, seal length: (2x) 660 mm, Busch vacuum pump, capacity: 250 m ³ per hour, total dimensions: 2000 mm x 1250 mm x 1650 mm.	1500
164	Ulma	Ulma traysealer, model: SMART 300, machine number: 7110283, year of construction: 2017, 400 V, 50 Hz, 19 A, 6 kW, Busch vacuum pump, type: RA 0063 F 503, capacity: 76 m ³ per hour, total dimensions: 1050 mm x 1070 mm x 1520 mm. Missing dye.	3500
165	Ulma	Ulma traysealer, model: SMART 300, machine number: 7110284, year of construction: 2017, 400 V, 50 Hz, 19 A, 6 kW, dimensions dye: 370 mm x 280 mm, Busch vacuum pump, type: RA 0063 F 503, capacity: 76 m ³ per hour, total dimensions: 1050 mm x 1070 mm x 1520 mm.	3500
166			1500



Nr	Title	Description	Start €
	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999/07 DK, machine number: 0787771, 220 V, 3 Ph, 50 Hz, 40 A, 9 kW, seal length: 900 mm x (2x) 440 mm, chamber dimensions: 900 mm x 450 mm, Rietschle vacuum pump, capacity: 220 m ³ per hour, total dimensions: 1200 mm x 900 mm x 1050 mm.	
167	Inauen Maschinen AG	Inauen Maschinen AG dip tank, type: VC999/Tank 85.47-E, machine number: 95T89517, 220 V, 3 Ph, 50 Hz, 60 A, 10 kW, plastic infeed belt, belt width: 500 mm, clearance: 500 mm x 280 mm, total dimensions: 2220 mm x 1000 mm x 1500 mm.	1250
168	Tecselor	Tecselor mobile dip tank, serial number: 0052005, year of construction: 2005, 380 V, 50 Hz, 12 A, 11 kW, capacity: 220 liter, inside dimensions: 940 mm x 440 mm x 540 mm, total dimensions: 1200 mm x 720 mm x 1210 mm.	1000
169	Frimaq	Frimaq mobile traysealer, model: V-3, serial number: 01162005, year of construction: 2005, 380 V, 3 Ph, 50 Hz, 5 A, dimensions dye: (2x) 320 mm x 260 mm, total dimensions: 900 mm x 650 mm x 1000 mm.	750
170	Orved	Orved mobile traysealer, model: VGP25N, 230 V, 50 Hz, 1400 W, dimensions dye: (2x) 150 mm x 250 mm and (1x) 300 mm x 250 mm, total dimensions: 500 mm x 700 mm x 1400 mm.	1000
171	Günther	Günther vacuum tumbler, type: GPA 300, machine number: 33795, year of construction: 2013, 400 V, 16 A, 1.7 kW, capacity: 300 liter, Becker vacuum pump, type: U 4.20/09, capacity: 18/21 m ³ per hour, dimensions: 1700 mm x 1870 mm x 2000 mm.	4500
172	NN smoke generator	S/s smoke generator for wood chips, dimensions: 1115 mm x 560 mm x 1370 mm.	500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

