



**Industrial
Auctions**

2239: Online auction deboning lines, machinery and inventory due to cessation of activities Vion Food Group on behalf of Progressu GmbH in Hilden (DE)

END DATE

13 August 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	13 August 2026 from 14:00 hrs.
Viewing days	11 August 2026 from 09:00 till 16:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	20 August 2026 from 09:00 till 16:00 hrs. For more information regarding dismantling / transport of the lots, you can contact Bas Schellekens, bas@industrial-auctions.com .
Pick up address	Westring 21 40721 Hilden Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	NN tube hanging line	Tube hanging line consisting of 2 tube weighing scales and approximately 850 meters of tube rails.	7500
2	NN deboning belt	Deboning belt, s/s belt, belt width: 600 mm, 10 working stations, plastic top: (10x) dimensions work stations: (10x) 720 mm x 1800 mm x 1100 mm, dimensions deboning belt: (2x) 9650 mm x 750 mm x 1270 mm.	3000
3	NN table	Mobile s/s table, dimensions: 700 mm x 1150 mm x 1050 mm.	50
4	NN table	Mobile s/s table, dimensions: 700 mm x 1150 mm x 1050 mm.	50
5	NN table	Mobile s/s table, dimensions: 700 mm x 1150 mm x 1050 mm.	50
6	NN tables	3 mobile s/s tables, dimensions: (3x) 700 mm x 1150 mm x 1050 mm. 1 missing wheel.	150
7	NN tables	2 mobile s/s tables, dimensions: (2x) 700 mm x 1150 mm x 1050 mm.	100
8	NN platform	S/s platform, dimensions: 1000 mm x 1000 mm x 150 mm.	25
9	Townsend	Townsend mobile skinning machine, type: SK11-312, serial number: 10089, year of construction: 2008, 380 V, 3 Ph, 50 Hz, 0.75 kW, 3.0 A, working width: 530 mm, total dimensions: 800 mm x 850 mm x 1100 mm. Incomplete.	250
10	NN table	S/s table, dimensions: 2550 mm x 800 mm x 1130 mm.	100
11	NN frame	S/s mobile frame, dimensions: 500 mm x 300 mm x 1780 mm.	25
12	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, working width: 535 mm, total dimensions: 600 mm x 900 mm x 1100 mm. Incomplete.	250
13	NN table	S/s table, dimensions: 1670 mm x 1010 mm x 760 mm.	100
14	Townsend	Townsend mobile skinning machine, type: SK11-312, serial number: 10206, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 0.75 kW, 3.0 A, working width: 470 mm, total dimensions: 700 mm x 800 mm x 1060 mm.	400
15	NN table	S/s table, dimensions: 700 mm x 2000 mm x 1040 mm.	75
16	Weber	Weber mobile skinning machine, type: A-VI 520, number: 583, year of construction: 2003, 400 V, 50 Hz, 0.37 kW, weight: 210 kg, working width: 520 mm, total dimensions: 600 mm x 840 mm x 1020 mm.	250
17	Townsend	Townsend mobile skinning machine, type: 7620, serial number: 7319, year of construction: 2005, 380 V, 3 Ph, 50 Hz, 0,75 kW, 2.3 A, working width: 540 mm, total dimensions: 700 mm x 920 mm x 1870 mm.	250
18	NN deboning belt	Deboning belt, plastic belt, belt width: 810 mm, 6 work stations, 4 plastic tops, total dimensions: 4700 mm x 1750 mm x 2320 mm.	1000
19	NN deboning belt		2500



Nr	Title	Description	Start €
		Deboning belt, 9 plastic belt, belt width: 810 mm, plastic rollers, roller width: 660 mm, work stations, plastic top, dimensions work stations: (9x) 700 mm x 1300 mm x 1100 mm, total dimensions: 19800 mm x 1400 mm x 1100 mm.	
20	Weber	Weber mobile skinning machine, type: ASE 530, number: 134, year of construction: 2006, 400 V, 50 Hz, 0.37 kW, weight: 200 kg, working width: 520 mm, total dimensions: 650 mm x 900 mm x 1000 mm.	250
21	Townsend	Townsend mobile skinning machine, type: SK11-320, serial number: 10032, year of construction: 2008, 380 V, 3 Ph, 50 Hz, 0.75 kW, 3.0 A, working width: 510 mm, total dimensions: 800 mm x 800 mm x 1000 mm.	250
22	NN bandsaw	S/s bandsaw, dimensions: 820 mm x 800 mm x 1870 mm.	500
23	Weber	Weber mobile skinning machine, type: ASE 530/2, number: 138, year of construction: 2009, 400 V, 50 Hz, 0.55 kW, weight: 200 kg, working width: 515 mm, total dimensions: 600 mm x 900 mm x 1020 mm.	250
24	NN tables	4 mobile s/s tables, dimensions: (4x) 700 mm x 1150 mm x 1050 mm.	200
25	NN tables	5 mobile s/s tables, dimensions: (5x) 700 mm x 1150 mm x 1050 mm.	250
26	Magurit	Magurit mobile elevating belt, type: 861, machine number: 7361, year of construction: 2019, 400 V, 50 Hz, 0.37 kW, 1.2 A, plastic belt with dividers, belt width: 380 mm, elevating height: 900 mm, total dimensions: 2000 mm x 700 mm x 1550 mm.	250
27	NN elevating belt	Mobile elevating belt, plastic belt with dividers, belt width: 585 mm, divider height: 20 mm, distance between dividers: 760 mm, elevating height: 1130 mm, total dimensions: 3900 mm x 1000 mm x 1200 mm.	500
28	NN roller conveyor	De-elevating roller conveyor, s/s rollers, roller width: 800 mm - 540 mm, de-elevating height: 930 mm, total dimensions: 1100 mm x 900 mm x 930 mm.	75
29	NN table	S/s table, dimensions: 800 mm x 1000 mm x 1200 mm.	50
30	NN table	S/s table, dimensions: 800 mm x 1000 mm x 1200 mm.	50
31	NN platform	S/s platform, dimensions: 670 mm x 520 mm x 300 mm.	10
32	Nieros/Mohn	Nieros s/s sink, Mohn s/s paper dispenser and 2 s/s soap dispensers.	75
33	NN table	Mobile s/s table, dimensions: 700 mm x 1150 mm x 1050 mm.	50
34	Weber	Weber mobile skinning machine, type: A-VI 520, number: 628, year of construction: 2004, 400 V, 50 Hz, 0.37 kW, weight: 210 kg, working width: 520 mm, total dimensions: 600 mm x 850 mm x 1020 mm.	250
35	Nieros/Mohn		75

Nr	Title	Description	Start €
		Nieros s/s sink, Mohn s/s paper dispenser and 2 s/s soap dispensers.	
36	NN table	Mobile s/s table, dimensions: 650 mm x 2050 mm x 960 mm.	100
37	NN deboning belt	Deboning belt, plastic belt, belt width: 810 mm, 20 work stations, total dimensions: 12450 mm x 2150 mm x 1100 mm.	2500
38	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning and derinding machine, type: ESB 4434/1, serial number: 45284, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 0.75 kW, 2.2 A, working width: 430 mm, total dimensions: 1300 mm x 800 mm x 1250 mm. Missing belt.	500
39	NN tables	6 mobile s/s tables, dimensions: (6x) 700 mm x 1150 mm x 1050 mm.	300
40	Weber	Weber mobile skinning machine, type: AMS 533, number: AM1305331-10173, year of construction: 2018, 400 V, 50 Hz, 0.75 kW, 5 bar, weight: 230 kg, working width: 530 mm, total dimensions: 660 mm x 900 mm x 1000 mm.	500
41	NN tables	4 mobile s/s tables, dimensions: (4x) 700 mm x 1150 mm x 1050 mm.	200
42	Weber	Weber mobile skinning machine, type: ASE570, number: 1516, 400 V, 50 Hz, 0.37 kW, working width: 520 mm, total dimensions: 620 mm x 870 mm x 1000 mm. Including some additional knives.	250
43	NN table	S/s table, dimensions: 400 mm x 300 mm x 660 mm.	10
44	Townsend	Townsend mobile skinning machine, working width: 530 mm, total dimensions: 660 mm x 950 mm x 1000 mm. Missing cover.	150
45	NN crate storage system	Crate storage system, plastic rollers, 5 lanes, roller width: 650 mm, plastic mesh belt, belt width: 430 mm, total dimensions: 8400 mm x 7200 mm x 2800 mm.	1000
46	NN transport belt	Transport belt, plastic mesh belt, belt width: 455 mm, total dimensions: 4550 mm x 700 mm x 930 mm.	400
47	NN roller conveyor	Electric driven roller conveyor, plastic rollers, roller width: 650 mm, total dimensions: 1850 mm x 1000 mm x 1000 mm.	100
48	NN packaging table	S/s packaging table, plastic belt, belt width: 350 mm, total dimensions: 6000 mm x 1200 mm x 1100 mm.	500
49	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 400 mm, total dimensions: 1020 mm x 520 mm x 1040 mm.	25
50	NN press	Mobile transport belt with top press, plastic mesh belt, belt width: 380 mm, press surface: 540 mm x 350 mm, total dimensions: 3050 mm x 650 mm x 1500 mm.	400
51	NN platform	Steel galvanized platform, dimensions: 1000 mm x 460 mm x 80 mm.	5
52	WVG Kainz		500



Nr	Title	Description	Start €
		WVG Kainz deboning belt, year of construction: 2010, plastic belt, belt width: 610 mm, 16 work stations, total dimensions: 6500 mm x 1550 mm x 1000 mm. Missing work tops.	
53	NN table	Mobile s/s table, dimensions: 700 mm x 1150 mm x 1050 mm.	50
54	NN tables	2 mobile s/s tables, dimensions: (2x) 700 mm x 1150 mm x 1050 mm.	100
55	NN tables	6 mobile s/s tables, dimensions: (6x) 700 mm x 1150 mm x 1050 mm.	300
56	Cool-It	Cool-It s/s refrigerated sliding door, type: CE-8, fabrication number: 14 034593 002 01, year of construction: 2014, dimensions door: 2300 mm x 90 mm x 2500 mm, length rail: 4800 mm.	400
57	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning and derinding machine, type: ESB 4434/1, serial number: 47734, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 0.75 kW, 2.15 A, weight: 250 kg, plastic belt, belt width: 385 mm, working width: 435 mm, total dimensions: 1750 mm x 900 mm x 1250 mm.	1000
58	NN table	Mobile s/s table, dimensions: 700 mm x 1150 mm x 1050 mm.	50
59	NN frame	Mobile s/s frame, dimensions: 700 mm x 430 mm x 960 mm.	10
60	NN table	S/s frame for table, dimensions: 850 mm x 2200 mm x 1000 mm.	50
61	NN table	Mobile s/s table, dimensions: 700 mm x 1150 mm x 1050 mm.	50
62	Townsend	Townsend mobile skinning machine, working width: 530 mm, total dimensions: 800 mm x 800 mm x 1000 mm.	250
63	NN tables	3 mobile s/s tables, dimensions: (3x) 700 mm x 1150 mm x 1050 mm.	150
64	NN table	Mobile s/s table, dimensions: 700 mm x 1150 mm x 1050 mm.	50
65	NN table	Mobile s/s table, dimensions: 700 mm x 1150 mm x 1050 mm.	50
66	NN tables	4 mobile s/s tables, dimensions: (4x) 700 mm x 1150 mm x 1050 mm.	200
67	Townsend	Townsend mobile skinning machine, working width: 465 mm, total dimensions: 950 mm x 800 mm x 1100 mm.	250
68	NN tables	4 mobile s/s tables, dimensions: (4x) 700 mm x 1150 mm x 1050 mm.	200
69	NN trolley for work tops	S/s trolley with 10 plastic work tops, dimensions trolley: 1400 mm x 1050 mm x 1300 mm, dimensions work tops: (10x) 500 mm x 1000 mm.	150
70	NN trolley for work tops		100



Nr	Title	Description	Start €
		S/s trolley with 2 plastic work tops, dimensions trolley: 1400 mm x 1050 mm x 1300 mm, dimensions work tops: (2x) 500 mm x 1000 mm.	
71	NN trolley for work tops	S/s trolley with plastic work top, dimensions trolley: 1750 mm x 750 mm x 1620 mm, dimensions work top: 700 mm x 1300 mm.	100
72	NN trolley for work tops	S/s trolley with 10 plastic work tops, dimensions trolley: 1750 mm x 750 mm x 1620 mm, dimensions work tops: (10x) 700 mm x 1300 mm.	150
73	NN trolley for work tops	S/s trolley for plastic work tops, dimensions trolley: 1750 mm x 750 mm x 1620 mm.	100
74	NN wall frame	S/s wall frame, dimensions: 430 mm x 1000 mm x 500 mm.	25
75	Hematec	Hematec control touch screen, dimensions: 400 mm x 330 mm.	50
76	NN wall frame for film	S/s wall frame for film, dimensions: 160 mm x 1200 mm x 300 mm.	10
77	NN wall frame	S/s wall frame, dimensions: 360 mm x 1300 mm x 420 mm.	25
78	NN noteboard	Noteboard, dimensions: 1220 mm x 740 mm.	10
79	NN cabinet	S/s wall mounted cabinet, dimensions: 230 mm x 300 mm x 380 mm.	25
80	CSB-System	CSB-System computer cabinet with Zebra label printer and HP printer, model label printer: ZD421, serial number: D8J220202930, dimensions: 700 mm x 650 mm x 1840 mm.	250
81	ELA	ELA lifter with transport belt, plastic mesh belt, belt width: 610 mm, plastic rollers, roller width: 450 mm, total dimensions: 2200 mm x 1900 mm x 3200 mm. Missing control panel.	500
82	ELA	ELA lifter with transport belt, plastic mesh belt, belt width: 610 mm, plastic rollers, roller width: 450 mm, total dimensions: 2200 mm x 1900 mm x 3200 mm. Missing control panel.	500
83	ELA	ELA lifter with transport belt, plastic mesh belt, belt width: 375 mm, total dimensions: 2900 mm x 1150 mm x 3200 mm. Missing control panel.	500
84	WVG Kainz	WVG Kainz conveyor for crates, total transport width: 450 mm, total dimensions: 16800 mm x 600 mm x 1600 mm.	300
85	NN transport belt	Transport belt, plastic mesh belt, belt width: (2x) 75 mm, total dimensions: 24200 mm x 800 mm x 800 mm.	500
86	NN transport belt	Transport belt, plastic mesh belt, belt width: 380 mm, total dimensions: 17900 mm x 800 mm x 600 mm.	500
87	NN refrigerated sliding door	S/s refrigerated sliding door, dimensions door: 2100 mm x 80 mm x 2450 mm, length rail: 5000 mm.	400
88	NN cabinets		25



Nr	Title	Description	Start €
		2 s/s wall mounted cabinets, dimensions: 500 mm x 500 mm x 500 mm, 600 mm x 380 mm x 440 mm.	
89	NN curtains	Plastic curtains.	50
90	NN table	S/s wall mounted table, dimensions: 360 mm x 1530 mm x 440 mm.	25
91	NN noteboards	2 noteboards, dimensions: (2x) 1830 mm x 100 mm.	10
92	NN cabinet	S/s wall mounted cabinet, dimensions: 320 mm x 1030 mm x 1280 mm.	75
93	NN control box	S/s wall mounted control panel, dimensions: 280 mm x 600 mm x 600 mm.	75
94	NN table	S/s wall mounted table, dimensions: 360 mm x 1000 mm x 460 mm.	25
95	NN noteboard	Noteboard, dimensions: 1000 mm x 750 mm.	5
96	NN frame for film	S/s wall mounted frame for film, dimensions: 100 mm x 1200 mm x 380 mm.	25
97	NN transport belt	Transport belt, plastic belt, belt width: 505 mm, total dimensions: 9000 mm x 650 mm x 350 mm.	250
98	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 500 mm, divider height: 25 mm, distance between dividers: 660 mm, total dimensions: 6500 mm x 850 mm x 350 mm.	400
99	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 450 mm, total dimensions: 7000 mm x 550 mm x 200 mm.	200
100	NN curve conveyor	Elevating 90° curve conveyor, plastic mesh belt, belt width: 460 mm, total dimensions: 9200 mm x 4700 mm x 2000 mm.	500
101	NN platform	S/s platform, dimensions: 7700 mm x 1600 mm x 2500 mm.	500
102	NN elevating belt	Elevating belt, plastic mesh belt, belt width: 380 mm, total dimensions: 5300 mm x 600 mm x 300 mm.	250
103	NN elevating belt	Elevating belt, plastic mesh belt, belt width: 380 mm, total dimensions: 17800 mm x 600 mm x 300 mm.	500
104	NN elevating belt	Elevating belt, plastic mesh belt, belt width: 380 mm, total dimensions: 13750 mm x 600 mm x 300 mm.	400
105	NN transport belt	Transport belt, plastic mesh belt, belt width: 375 mm, total dimensions: 1600 mm x 600 mm x 170 mm.	150
106	NN curve conveyor	Elevating 90° curve conveyor, plastic mesh belt, belt width: 460 mm, total dimensions: 9200 mm x 4700 mm x 2000 mm.	500
107	NN frame for checkweigher	S/s frame for checkweigher, dimensions: 700 mm x 420 mm x 1500 mm.	50
108	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 450 mm, total dimensions: 7000 mm x 550 mm x 200 mm.	300
109	NN transport belt	Transport belt, plastic mesh belt, belt width: (2x) 70 mm, total dimensions: 10500 mm x 400 mm x 200 mm.	500
110	NN curve roller conveyor		25



Nr	Title	Description	Start €
		S-curve roller conveyor, plastic rollers, roller width: (2x) 160 mm, total dimensions: 1900 mm x 1000 mm x 200 mm.	
111	NN roller conveyor	Roller conveyor with infeed slide, plastic rollers, roller width: 450 mm, total dimensions: 6200 mm x 600 mm x 1500 mm.	150
112	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 300 mm, divider height: 150 mm, distance between dividers: 410 mm, elevating height: 2400 mm, total dimensions: 3700 mm x 900 mm x 2800 mm.	400
113	NN transport belt	Transport belt, plastic belt, belt width: 300 mm, total dimensions: 4000 mm x 700 mm x 400 mm.	400
114	NN transport belt	Transport belt, plastic belt, belt width: 505 mm, total dimensions: 9000 mm x 650 mm x 350 mm.	500
115	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 500 mm, divider height: 25 mm, distance between dividers: 660 mm, total dimensions: 6500 mm x 850 mm x 350 mm.	400
116	NN transport belt	Transport belt, plastic belt, belt width: 450 mm, total dimensions: 4600 mm x 700 mm x 250 mm.	250
117	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 500 mm, divider height: 5 mm, distance between dividers: 600 mm, total dimensions: 4000 mm x 800 mm x 600 mm.	250
118	NN elevating belt	Elevating belt, plastic belt, belt width: 650 mm, total dimensions: 2300 mm x 950 mm x 1000 mm.	150
119	NN transport belt	Transport belt, plastic belt, belt width: 400 mm, total dimensions: 6500 mm x 500 mm x 700 mm.	400
120	NN transport belt	Transport belt, plastic belt, belt width: 645 mm, total dimensions: 17700 mm x 900 mm x 900 mm.	500
121	NN transport belt	Transport belt, plastic belt, belt width: 645 mm, total dimensions: 12000 mm x 900 mm x 900 mm.	500
122	NN transport belt	Transport belt with 4 outfeed stations, plastic belt, belt width: 780 mm, total dimensions: 15700 mm x 2200 mm x 1400 mm.	1000
123	NN roller conveyor	Electric driven roller conveyor, plastic rollers, roller width: 450 mm, total dimensions: 1600 mm x 500 mm x 400 mm, 3400 mm x 500 mm x 400 mm, 2400 mm x 500 mm x 400 mm.	350
124	NN transport belt	Transport belt, plastic mesh belt, belt width: 450 mm, total dimensions: 16500 mm x 500 mm x 400 mm.	500
125	NN transport belt	Transport belt, plastic mesh belt, belt width: 450 mm, total dimensions: 1300 mm x 700 mm x 300 mm.	100
126	WVG Kainz	WVG Kainz crate slide with top conveyor, plastic belt with dividers, belt width: 150 mm, divider height: 120 mm, distance between dividers: 910 mm, total dimensions: 2300 mm x 600 mm x 1500 mm.	50



Nr	Title	Description	Start €
127	NN double transport belt	Double transport belt, plastic mesh belt, belt width: (2x) 450 mm, total dimensions: 14850 mm x 750 mm x 1600 mm.	750
128	NN double transport belt	Double transport belt, plastic mesh belt, belt width: (2x) 450 mm, total dimensions: 8500 mm x 750 mm x 1600 mm.	750
129	NN curve conveyor	90° curve conveyor, plastic belt, belt width: 300 mm, total dimensions: 1700 mm x 1300 mm x 1500 mm.	150
130	NN transport belt	Transport belt, plastic mesh belt, belt width: 450 mm, total dimensions: 10500 mm x 4200 mm x 500 mm.	400
131	WVG Kainz	WVG Kainz transport belt, dimensions: 9800 mm x 500 mm x 700 mm.	250
132	NN frame for roller conveyor	S/s frame for roller conveyor, dimensions: 2350 mm x 750 mm x 600 mm.	50
133	WVG Kainz	WVG Kainz crate slide with top conveyor, plastic belt with dividers, belt width: 150 mm, divider height: 120 mm, distance between dividers: 910 mm, total dimensions: 2900 mm x 600 mm x 900 mm.	50
134	NN transport belt	Transport belt, plastic mesh belt, belt width: 450 mm, total length: 80000 mm.	1000
135	NN transport belt	Transport belt for crates, total belt width: 400 mm, total dimensions: 10500 mm x 5800 mm x 600 mm.	400
136	NN roller conveyor	Electric driven roller conveyor, plastic rollers, roller width: 450 mm, total dimensions: 11000 mm x 600 mm x 300 mm.	250
137	WVG Kainz	WVG Kainz transport belt for crates, total belt width: 400 mm, total dimensions: 23500 mm x 500 mm x 400 mm.	250
138	NN roller conveyor	Electric driven roller conveyor, plastic rollers, roller width: 450 mm, total length: 23500 mm.	250
139	NN roller conveyor	Electric driven roller conveyor, plastic rollers, roller width: 450 mm, total dimensions: 7800 mm x 600 mm x 700 mm.	250
140	WVG Kainz	WVG Kainz transport belt with slide for crates with top conveyor, plastic mesh belt, belt width: 450 mm, plastic belt with dividers, belt width: 150 mm, divider height: 120 mm, distance between dividers: 910 mm, total dimensions: 7400 mm x 700 mm x 400 mm, 2600 mm x 600 mm x 1400 mm.	250
141	Multivac	Multivac skinpack thermoformer with Gardner Denver suction device for rest film, type: R 570CD, machine number: 2744, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 44 A, 13 kW, film width: 440 mm, built-in Gardner Denver vacuum pump, type: V-VC 150 (20), year of construction: 2022, capacity: 150 m3 per hour, total dimensions: 9100 mm x 1200 mm x 1900 mm.	3500
142	NN table	S/s table, dimensions: 810 mm x 610 mm x 650 mm.	25



Nr	Title	Description	Start €
143	Multivac	Multivac skinpack thermoformer, type: R275, serial number: 170941, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 64 A, 21 kW, film width: 500 mm, dimensions dye: (3x) 240 mm x 145 mm, total dimensions: 9000 mm x 1200 mm x 2070 mm. Incomplete. Missing covers and control panel. Without vacuum pump.	5000
144	Loma Systems	Loma Systems metal detector with rejector, model: IQ ² , serial number: MDOIEU-36479, year of construction: Sept 2004, plastic belt, belt width: 300 mm, clearance: 350 mm x 120 mm, total dimensions: 1700 mm x 1100 mm x 1200 mm.	500
145	Cryovac	Cryovac robotic bag filling machine, 6 stations, plastic belt, belt width: 400 mm, ABB AB robot arm, type: IRB 140, robot variant: IRB 140-6/0.8, serial number: 140-108132, year of construction: 2022, payload: 6 kg, total dimensions: 4300 mm x 3200 mm x 2500 mm. Including protection rail.	5000
146	NN transport belt	Transport belt, plastic mesh belt, belt width: 380 mm, total dimensions: 2550 mm x 700 mm x 1000 mm.	250
147	Cryovac	Cryovac automatic vacuum machine with suction device for rest film, model: VS 95, serial number: A03800808, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 40 A, 17.5 kW, plastic belt, belt width: 730 mm, dimensions chamber: 1600 mm x 970 mm, seal length: (4x) 1500 mm, Busch vacuum pump, total dimensions: 3700 mm x 1300 mm x 2300 mm, 1100 mm x 800 mm x 1470 mm, 900 mm x 450 mm x 600 mm.	3500
148	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 650 mm, total dimensions: 6000 mm x 750 mm x 800 mm.	150
149	Multivac	Multivac thermoformer, type: R530, machine number: 3829, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 37 A, 13.5 kW, film width: 420 mm, dimensions dye: (2x) 395 mm x 355 mm, total dimensions: 8500 mm x 1100 mm x 2000 mm. Vacuum centrally regulated.	2500
150	NN roller conveyor	Roller conveyor with s/s frame, plastic rollers, roller width: 500 mm, total dimensions: 3200 mm x 1050 mm x 1260 mm.	100
151	Multivac	Multivac thermoformer, type: R530, machine number: 3544, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 44 A, 14 kW, film width: 420 mm, dimensions dye: (4x) 200 mm x 320 mm, total dimensions: 8500 mm x 1100 mm x 2000 mm. Vacuum centrally regulated.	2500
152	NN roller conveyor	Roller conveyor with s/s frame, plastic rollers, roller width: 500 mm, total dimensions: 3550 mm x 1050 mm x 1260 mm.	100
153	Multivac	Multivac thermoformer, type: R530, machine number: 1775, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 32 A, 14.0 kW, film width: 420 mm, dimensions dye: (4x)	2500



Nr	Title	Description	Start €
		200 mm x 320 mm, total dimensions: 7500 mm x 1100 mm x 2000 mm. Vacuum centrally regulated.	
154	NN roller conveyor	Roller conveyor with s/s frame, plastic rollers, roller width: 500 mm, total dimensions: 3550 mm x 1050 mm x 1260 mm.	100
155	Multivac	Multivac skinpack thermoformer with double labeller and Multivac inliner, type: R275, serial number: 267919, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 51 A, 15.5 kW, film width: 470 mm, (2x) Multivac labeller, type: (2x) MR 6388, serial numbers: 250214/A and 267920/A, total dimensions: 11200 mm x 2400 mm x 2040 mm. Without vacuum pump.	10000
156	NN roller conveyor	Roller conveyor with s/s frame, plastic rollers, roller width: 500 mm, total dimensions: 3550 mm x 1050 mm x 1260 mm.	100
157	Multivac	Multivac thermoformer, type: R085, serial number: 218321, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 25 A, 8.5 kW, film width: 420 mm, dimensions dye: (2x) 300 mm x 200 mm, Multivac vacuum pump, type: MRP150, capacity: 106 / 127 m ³ per hour, total dimensions: 3150 mm x 1150 mm x 1600 mm. Including pallet with additional dye.	5000
158	NN transport belt	Transport belt, plastic mesh belt, belt width: 450 mm, total dimensions: 1350 mm x 750 mm x 850 mm.	100
159	NN roller conveyor	Roller conveyor with s/s frame, plastic rollers, roller width: 500 mm, total dimensions: 3550 mm x 1050 mm x 1260 mm.	100
160	Multivac	Multivac thermoformer, type: R535, serial number: 124827, film width: 420 mm, Busch vacuum roots pump, type: WV 0500 B, number: C0908000643, year of construction: 2009, total dimensions: 6300 mm x 1100 mm x 2100 mm. Vacuum centrally regulated.	5000
161	NN transport belt	Transport belt, plastic belt, belt width: 455 mm, total dimensions: 1500 mm x 550 mm x 800 mm.	100
162	NN roller conveyor	Roller conveyor, s/s frame, aluminium rollers, roller width: 440 mm, total dimensions: 280 mm x 460 mm x 750 mm.	10
163	NN table	S/s table, dimensions: 610 mm x 810 mm x 650 mm.	25
164	NN table	S/s table, dimensions: 610 mm x 810 mm x 650 mm.	25
165	NN table	S/s table, dimensions: 610 mm x 810 mm x 650 mm.	25
166	Multivac	Multivac thermoformer, type: R530, serial number: 118194, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 32 A, 10 kW, film width: 420 mm, total dimensions: 7400 mm x 1050 mm x 2300 mm. Vacuum centrally regulated.	2500
167	NN roller conveyor	Roller conveyor, aluminium rollers, roller width: 440 mm, total dimensions: 900 mm x 500 mm x 730 mm.	75
168	NN table	S/s table, dimensions: 970 mm x 600 mm x 800 mm.	75



Nr	Title	Description	Start €
169	Multivac	Multivac thermoformer, type: R530, machine number: 396, year of construction: 1996, 380 V, 3 Ph, 50 Hz, 37 A, 15 kW, film width: 420 mm, total dimensions: 6300 mm x 1100 mm x 1900 mm. Incomplete. Missing control panel. Vacuum centrally regulated.	1500
170	NN transport belt	Transport belt, plastic mesh belt, belt width: 380 mm, total dimensions: 1530 mm x 650 mm x 800 mm.	100
171	NN table	S/s table, dimensions: 610 mm x 810 mm x 650 mm.	75
172	Multivac	Multivac thermoformer with suction device for rest film, type: R126, serial number: 249059, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 30 A, 11 kW, film width: 340 mm, dimensions dye: (3x) 270 mm x 105 mm, Busch vacuum pump, type: RA 0160 D 5Z1, serial number: C1709000332, year of construction: 2017, capacity: 160 m ³ per hour, total dimensions: 4550 mm x 1000 mm x 2020 mm, 600 mm x 700 mm x 1550 mm. Including pallet with film.	12500
173	Weber Marking Systems GmbH	Weber Marking Systems GmbH mobile labelling machine, model: 4050S CC V2, type: 30-LH-ZE543-LN250, serial number: 50022140, year of construction: 2017, dimensions: 1100 mm x 1100 mm x 1750 mm.	500
174	AMI Förder-und Lagertechnik GmbH	AMI Förder-und Lagertechnik GmbH transport belt, type: KGF 65-52-52, year of construction: 2017, plastic belt, belt width: 345 mm, total dimensions: 1050 mm x 700 mm x 900 mm.	100
175	NN table	S/s table, dimensions: 610 mm x 400 mm x 800 mm.	25
176	Multivac	Multivac thermoformer, type: R530, machine number: 2504, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 32 A, 14 kW, film width: 420 mm, total dimensions: 6900 mm x 1100 mm x 1950 mm. Vacuum centrally regulated.	2500
177	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 500 mm, total dimensions: 830 mm x 550 mm x 700 mm.	25
178	NN table	S/s table, dimensions: 800 mm x 605 mm x 530 mm.	50
179	NN table	S/s table, dimensions: 810 mm x 610 mm x 650 mm.	50
180	NN table	S/s table, dimensions: 950 mm x 600 mm x 710 mm.	50
181	NN table	S/s table, dimensions: 950 mm x 600 mm x 650 mm.	50
182	NN wall cabinet	S/s wall mounted cabinet, dimensions: 390 mm x 300 mm x 300 mm. Door broken.	10
183	NN wall frame	S/s wall frame, dimensions: 350 mm x 710 mm x 600 mm.	10
184	NN control screen	S/s trolley with control panel with barcode reader, dimensions: 1050 mm x 600 mm x 1830 mm.	100
185	NN wall cabinet	S/s wall mounted cabinet, dimensions: 600 mm x 400 mm x 450 mm.	25
186	NN tables	2 mobile s/s tables, dimensions: (2x) 700 mm x 1150 mm x 1050 mm.	100



Nr	Title	Description	Start €
187	NN tables	2 mobile s/s tables, dimensions: (2x) 700 mm x 1150 mm x 1050 mm.	100
188	NN tables	2 mobile s/s tables, dimensions: (2x) 700 mm x 1150 mm x 1050 mm.	100
189	NN tables	3 mobile s/s tables, dimensions: (3x) 700 mm x 1150 mm x 1050 mm.	150
190	NN tables	4 mobile s/s tables, dimensions: (4x) 700 mm x 1150 mm x 1050 mm.	200
191	NN table	S/s table, dimensions: 960 mm x 600 mm x 650 mm.	75
192	NN table	S/s table, dimensions: 960 mm x 600 mm x 650 mm.	75
193	NN table	S/s table, dimensions: 960 mm x 600 mm x 650 mm.	75
194	NN table	S/s table, dimensions: 960 mm x 600 mm x 650 mm.	75
195	NN table	S/s table, dimensions: 960 mm x 600 mm x 650 mm.	75
196	NN table	S/s table, dimensions: 960 mm x 600 mm x 650 mm.	75
197	NN table	S/s table, dimensions: 960 mm x 600 mm x 650 mm.	75
198	Rheinhold & Mahla	Rheinhold & Mahla s/s refrigerated sliding door, dimensions door: 2050 mm x 80 mm x 2500 mm, length rail: 4200 mm.	400
199	NN wall cabinet	S/s wall mounted cabinet, dimensions: 500 mm x 1200 mm x 1520 mm.	50
200	NN refrigerated sliding door	S/s refrigerated sliding door, dimensions door: 2100 mm x 80 mm x 2470 mm, length rail: 5000 mm.	400
201	NN table	5 mobile s/s tables, dimensions: (5x) 700 mm x 1150 mm x 1050 mm.	250
202	NN refrigerated sliding door	S/s refrigerated sliding door, dimensions door: 2110 mm x 90 mm x 2480 mm, length rail: 5000 mm.	400
203	NN frame	S/s mobile rack, dimensions: 700 mm x 700 mm x 1400 mm.	25
204	NN trolley	S/s trolley, dimensions: 800 mm x 500 mm x 800 mm.	25
205	NN frame	S/s mobile rack, dimensions: 800 mm x 500 mm x 1160 mm.	25
206	NN frame	S/s mobile rack, dimensions: 1050 mm x 600 mm x 1200 mm.	25
207	NN refrigerated sliding door	S/s refrigerated sliding door, dimensions door: 2100 mm x 80 mm x 2470 mm, length rail: 5000 mm.	400
208	WVG Kainz	WVG Kainz s/s table with roller conveyors, type: Ablegeförderer, year of construction: 2008, s/s rollers, roller width: 350 mm, total dimensions: 1100 mm x 1150 mm x 970 mm.	100
209	WVG Kainz	WVG Kainz s/s mobile table with roller conveyor, type: SKRB, year of construction: 2008, plastic rollers, roller width: 650 mm, total dimensions: 1700 mm x 950 mm x 900 mm.	100
210	NN frames	2 s/s wall frames, s/s protection frame and s/s wall mounted cabinet, dimensions: 960 mm x 1800 mm x 1220 mm, 620 mm x 700 mm x 670 mm.	75
211	NN rack		50



Nr	Title	Description	Start €
		Mobile s/s rack, dimensions: 1400 mm x 700 mm x 1080 mm.	
212	NN roller conveyors	2 roller conveyors, plastic rollers, roller width: 390 mm, total dimensions: 1500 mm x 500 mm x 980 mm, 1800 mm x 500 mm x 980 mm.	100
213	NN refrigerated sliding door	S/s refrigerated sliding door, dimensions door: 2100 mm x 80 mm x 2450 mm, length rail: 5000 mm.	400
214	NN roller conveyor	De-elevating roller conveyor, plastic rollers, roller width: 400 mm, total dimensions: 1970 mm x 500 mm x 1100 mm.	50
215	Cryovac	Cryovac transport belt, model: TB12, 400 V, 50 Hz, plastic belt, belt width: 470 mm, total dimensions: 1260 mm x 600 mm x 1000 mm.	100
216	NN elevating belt	Elevating belt, plastic belt, belt width: 670 mm, elevating height: 1150 mm, total dimensions: 2600 mm x 900 mm x 1150 mm.	150
217	NN transport belt	Transport belt, plastic mesh belt, belt width: 350 mm, total dimensions: 1000 mm x 650 mm x 900 mm.	75
218	NN transport belt	Transport belt, plastic mesh belt, belt width: 350 mm, total dimensions: 1000 mm x 650 mm x 900 mm.	75
219	NN tables	2 mobile s/s tables, dimensions: (2x) 700 mm x 1150 mm x 1050 mm.	100
220	NN whiteboard	Whiteboard, dimensions: 1200 mm x 900 mm.	10
221	NN tables	3 mobile s/s tables, dimensions: (3x) 700 mm x 1150 mm x 1050 mm.	150
222	NN wall cabinets	2 s/s wall mounted cabinets, dimensions: (2x) 320 mm x 1400 mm x 1000 mm.	100
223	Multivac	Pallet with Multivac labelling unit, type: MR635, model: MR635 UP6388LO520K15, machine number: 250214, year of construction: 2017, 230 V, 50 Hz, 1000 VA.	750
224	Multivac	4 pallets, 1 s/s rack and 3 s/s shelves with large amount of Multivac parts, dimensions rack: 2450 mm x 400 mm x 670 mm, 2450 mm x 400 mm x 670 mm.	750
225	NN sink	S/s sink with s/s paper dispenser and 2 s/s soap dispensers, sink knee control, dimensions: 450 mm x 430 mm x 700 mm.	75
226	Siemens	S/s switch cabinet with Siemens Simatic HMI control panel, dimensions: 200 mm x 400 mm x 300 mm.	50
227	NN rack	Mobile s/s rack, dimensions: 800 mm x 1450 mm x 1750 mm.	75
228	NN frames	3 s/s wall frames, dimensions: (2x) 1200 mm x 180 mm x 100 mm, 900 mm x 3000 mm x 2070 mm.	25
229	Multivac	Multivac labelling machine, type: L330, machine number: 265851, year of construction: 2018, 400 V, 3 Ph, 2000 VA, plastic belt, belt width: 290 mm, s/s rollers, roller width: 390 mm, total dimensions: 1850 mm x 3000 mm x 2070 mm.	2500



Nr	Title	Description	Start €
230	Sartorius / Minebea Intec	Sartorius / Minebea Intec metal detector with checkweigher with double rejector, model metal detector: MDP Plus - S 37.5 x 15, year of construction: 2009, clearance: 376 mm x 113 mm, Sartorius checkweigher, type: SYNUS 10, number: SYNUS 2_0-24036502, year of construction: 2009, 230 V, 50 Hz, maximum: 5000 gram, minimum: 10 gram, e = 0.5 gram, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 1050 mm x 2000 mm.	500
231	Sartorius / Minebea Intec	Sartorius / Minebea Intec metal detector with checkweigher with double rejector, model metal detector: MDP Plus - S 37.5 x 15, year of construction: 2009, clearance: 376 mm x 113 mm, Sartorius checkweigher, type: SYNUS 10, number: SYNUS 2_0-24036500, year of construction: 2009, 230 V, 50 Hz, maximum: 5000 gram, minimum: 10 gram, e = 0.5 gram, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 1050 mm x 2000 mm.	500
232	Sartorius / Minebea Intec	Sartorius / Minebea Intec metal detector with checkweigher with double rejector, model metal detector: MDP Plus - S 37.5 x 15, year of construction: 2009, clearance: 376 mm x 113 mm, Sartorius checkweigher, type: SYNUS 10, number: SYNUS 2_0-24036504, year of construction: 2009, 230 V, 50 Hz, maximum: 5000 gram, minimum: 10 gram, e = 0.5 gram, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 1050 mm x 2000 mm.	500
233	Carsoe	Carsoe tray denester, type: ANYTRAY DENESTER, serial number: SO-12729, year of construction: 2016, plastic belt, belt width: 340 mm, tray dimensions: 230 mm x 175 mm, total dimensions: 3450 mm x 650 mm x 1650 mm.	1500
234	NN transport belt	Transport belt, plastic belt, belt width: 300 mm, total dimensions: 2700 mm x 500 mm x 1270 mm.	500
235	NN transport belt	Transport belt with rejector, plastic mesh belt, belt width: 300 mm, total dimensions: 2200 mm x 850 mm x 1520 mm.	500
236	NN curve conveyor	90° curve conveyor, plastic mesh belt, belt width: 400 mm, total dimensions: 2200 mm x 2600 mm x 1000 mm.	500
237	NN curve conveyor	S-curve conveyor, plastic mesh belt, belt width: 300 mm, total dimensions: 3600 mm x 1800 mm x 1150 mm.	500
238	NN table	S/s table with plastic top, dimensions: 3250 mm x 2000 mm x 870 mm.	400
239	Supervac	Supervac mobile vacuum machine, type: GK193, serial number: 20178034, year of construction: 2017, 380-415 V, 3 Ph, 50 Hz, 10 A, dimensions chamber: 700 mm x	1500



Nr	Title	Description	Start €
		1050 mm, seal length: (2x) 620 mm, built-in Busch vacuum pump, total dimensions: 750 mm x 1150 mm x 1400 mm.	
240	NN frame	S/s mobile frame, dimensions: 1200 mm x 900 mm x 900 mm.	50
241	NN rack	Mobile s/s rack, dimensions: 1000 mm x 800 mm x 1580 mm.	50
242	NN paper dispenser	S/s paper dispenser, dimensions: 260 mm x 280 mm x 380 mm.	25
243	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile strip cutter, type: ESB 4434, machine number: ab 44587, plastic belt, belt width: 705 mm, distance between knives: 20 mm, total dimensions: 2100 mm x 1200 mm x 1320 mm.	1500
244	Komet	Komet mobile double chamber vacuum machine, dimensions chamber: (2x) 600 mm x 750 mm, seal length: (4x) 475 mm, built-in Busch vacuum pump, total dimensions: 1300 mm x 950 mm x 1200 mm.	1500
245	Attec	Attec fully automatic pig cutting line consisting of: steel hanging line, dimensions: 6500 mm x 400 mm x 1700; Attec automatic primal cutting line, type: AGOL-850, order number: ON17163, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 45 kW, capacity: 800 pigs/hr, product: pork carcasses, left & right, s/s outfeed belt for waste pork legs, belt width: 290 mm, automatic measuring system for precise and individual cuts of individual pork carcass, plastic belt, belt width: 800 mm, 1300 mm, 500 mm, 300 mm, 100 mm and s/s protection fence, total dimensions: 9800 mm x 4200 mm x 2200 mm. Line is never used.	25000
246	Treif	Treif mobile slicer, model: Zebra, distance between knives: 10 mm, total dimensions: 1300 mm x 1080 mm x 1700 mm.	1500
247	Treif	Treif mobile slicer, model: Zebra-CE, machine number: 4500S6.125556 5755, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 8.8 A, 4.4 kW, weight: 780 kg, distance between knives: 10 mm, total dimensions: 1300 mm x 1080 mm x 1700 mm. Including trolley with E2-crate with some additional parts. Missing some knives.	1500
248	Reich	Reich bandsaw, type: INDUSTRIE 500, number: 500.1182, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 4.0 kW, size of blade: 3800 mm x 16 mm, total dimensions: 1000 mm x 900 mm x 2050 mm.	750
249	Kolbe	Kolbe bandsaw, type: K 430, machine number: 96 1211, year of construction: 2005, 400 V, 50 Hz, 2.5 kW, size of blade: 3370 mm x 16 mm, total dimensions: 840 mm x 860 mm x 1850 mm.	750
250	Reich	Reich bandsaw, type: INDUSTRIE 500, number: 500.1181, year of construction: 2018, 400 V, 3 Ph, 50	750



Nr	Title	Description	Start €
		Hz, 4.0 kW, size of blade: 3800 mm x 16 mm, total dimensions: 1000 mm x 900 mm x 2050 mm.	
251	Best Pack / Tien Heng Machinery Co. LTD.	Best Pack / Tien Heng Machinery Co. LTD. double box closing machine with bottom and top closing machine, model: MSD22-28, year of construction: 2008, 400 V, 3 Ph, 50 Hz, dimensions: 1000 mm x 1000 mm x 1450 mm and 1500 mm x 900 mm x 1000 mm.	250
252	Best Pack / Tien Heng Machinery Co. LTD.	Best Pack / Tien Heng Machinery Co. LTD. box closing machine with bottom closer, 400 V, 3 Ph, 50 Hz, s/s rollers, roll width: 650 mm / 500 mm, total dimensions: 1500 mm x 900 mm x 1500 mm.	250
253	NN wall rack	S/s wall rack, dimensions: 470 mm x 3850 mm x 1300 mm.	150
254	NN curtains	Plastic curtains.	25
255	NN table	S/s table with plastic top, dimensions: 1600 mm x 1000 mm x 770 mm.	100
256	NN platform	Steel platform, dimensions: 610 mm x 610 mm x 230 mm.	10
257	Grasselli	Grasselli slicer, model: NSL400, serial number: X12013/815, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 8.2 A, 4 kW, plastic belt, belt width: 335 mm, distance between knives: 5 mm, total dimensions: 1600 mm x 1000 mm x 1500 mm.	3500
258	Grasselli	Grasselli slicer, model: NSL600, serial number: X03008/772, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 8.2 A, 4 kW, plastic belt, belt width: 545 mm, distance between knives: 15 mm, total dimensions: 1600 mm x 1200 mm x 1550 mm.	3500
259	Treif	Treif dicer, model: Argon, machine number: 410002.70041.103272, year of construction: 2007, 380-480 V, 3 Ph, 50/60 Hz, 5.5 A, 2.0 kW, weight: 415 kg, dimensions chamber: 550 mm x 100 mm x 100 mm, plastic belt, belt width: 230 mm, total dimensions: 2450 mm x 1950 mm x 1370 mm. Outfeed belt incomplete.	2500
260	Treif	Treif dicer, model: Twister SP, machine number: 413102.77571.106126, year of construction: 2009, 380-480 V, 3 Ph, 50/60 Hz, 13-11 A, 6.0 kW, weight: 800 kg, dimensions chamber: 550 mm x 120 mm x 100 mm, plastic belt, belt width: 230 mm, total dimensions: 2450 mm x 1950 mm x 1370 mm. Including s/s trolley with parts, dimensions: 1000 mm x 800 mm x 2120 mm.	3500
261	Alco food-machines	Alco food-machines mobile flattener, type: ASP 600HDI, serial number: 21401214, year of construction: 2003, 400 V, 2.2 kW, weight: 590 kg, plastic belt, belt width: 600 mm, s/s mesh belt, belt width: 600 mm, total dimensions: 2500 mm x 810 mm x 1600 mm.	1500
262		VC999 Verpackungssysteme AG automatic belt vacuum machine, type: VC999 K9A, machine number: 9016025,	7500



Nr	Title	Description	Start €
	VC999 Verpackungssysteme AG	year of construction: 2017, 400 V, 3 Ph, 50 Hz, 9 kW, plastic belt, belt width: 860 mm, dimensions chamber: 1630 mm x 1100 mm, seal length: (4x) 1530 mm, total dimensions: 4400 mm x 1500 mm x 1750 mm. Including pallet with 2 Rietschle vacuum pumps, type: VTS 220.80 (01), capacity: 220 / 80 m3 per hour.	
263	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG shrink tunnel, type: VC999 ST2E, machine number: 88T16056, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 52.3 kW, s/s mesh belt, belt width: 850 mm, clearance: 970 mm x 350 mm, total dimensions: 1350 mm x 1400 mm x 1500 mm.	2500
264	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG drying tunnel, type: VC999 TR2, machine number: 8717034, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 9 kW, s/s mesh belt, belt width: 900 mm, clearance: 980 mm x 350 mm, total dimensions: 1500 mm x 1400 mm x 1750 mm.	2500
265	Marel	Marel mobile portioning machine, type: Portio 4003 S, serial number: 080S-0276, year of construction: 2012, 400 V, 3 Ph, 50/60 Hz, 1.2/2.2 A, 0.5 kW, weight: 500 kg, plastic mesh belt, belt width: 250 mm, total dimensions: 3000 mm x 700 mm x 3000 mm. Including s/s trolley with parts, dimensions: 850 mm x 650 mm x 1020 mm.	1500
266	Treif	Treif slicer, model: Puma 1100 E/EB (HS), machine number: 195314.172711.118233, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 8.2 A, weight: 325 kg, dimensions chamber: 1100 mm x 220 mm x 220 mm, plastic belt, belt width: 235 mm, total dimensions: 3300 mm x 900 mm x 1500 mm.	2500
267	Townsend	Townsend mobile skinning and derinding machine, model: 9000, serial number: 119, year of construction: 1995, 380 V, 3 Ph, 50 Hz, plastic belt, belt width: 485 mm, working width: 520 mm, total dimensions: 2100 mm x 850 mm x 1400 mm.	1500
268	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning and derinding machine, type: ESB 4434/1, serial number: MN-48471, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 0.75 kW, 2.15 A, weight: 250 kg, plastic belt, belt width: 390 mm, working width: 420 mm, total dimensions: 1700 mm x 650 mm x 1300 mm.	1500
269	Townsend	Townsend mobile skinning and derinding machine, model: 9000EURO, serial number: 6785, year of construction: 2004, 380 V, 3 Ph, 50 Hz, 3.7 A, plastic mesh belt, belt width: 505 mm, working width: 505 mm, total dimensions: 2200 mm x 1050 mm x 1400 mm.	1500
270	Townsend	Townsend mobile skinning and derinding machine, model: 9000EURO, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 3.7 A, plastic mesh belt, belt width: 505 mm,	1500



Nr	Title	Description	Start €
		working width: 505 mm, total dimensions: 2200 mm x 1050 mm x 1400 mm.	
271	NN refrigerated sliding door	S/s refrigerated sliding door, dimensions door: 2120 mm x 80 mm x 2460 mm, length rail: 5000 mm.	400
272	Treif	Treif dicer, model: Argon, machine number: 410003.70071.103761, year of construction: 2007, 380-480 V, 3 Ph, 50/60 Hz, 5.5 A, 2.0 kW, weight: 415 kg, dimensions chamber: 550 mm x 100 mm x 100 mm, plastic belt, belt width: 245 mm, total dimensions: 1860 mm x 1450 mm x 1800 mm.	3500
273	Selo	Selo slicer/applicator, machine type: SL Slicer, number: 017, year of construction: 2004, 400 V, 50 Hz, 4 kW, dye: (4x) Ø 80 mm, capacity: max 200 strokes/min, cutting thickness: maximum 20 mm, belt width: 565 mm, weight: 750 kg, total dimensions: 1700 mm x 1200 mm x 2150 mm, including pallet with extra forms, dye: (3x) 95 mm x 45 mm.	5000
274	Grasselli	Grasselli mobile slicer, type: SL600, plastic belt, belt width: 550 mm, total dimensions: 1500 mm x 1200 mm x 1900 mm. Missing knives.	3500
275	Mohn	Mohn s/s wall mounted cabinet, dimensions: 550 mm x 600 mm x 250 mm.	25
276	NN peg with squeegee	S/s peg with squeegee.	10
277	Mohn	Mohn washing tunnel, type: Clean-King, machine number: 10-62189, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 15.2 kW, plastic belt, belt width: 115 mm, total dimensions: 3550 mm x 550 mm x 1700 mm. Missing cover.	500
278	NN roller conveyors	3 roller conveyors, plastic rollers, roller width: 450 mm, total dimensions: 830 mm x 1120 mm x 1000 mm, 1600 mm x 800 mm x 1000 mm.	50
279	Fernsing	Fernsing telephone.	10
280	Carsoe	Carsoe tray buffer belt, type: BUFFER LIGHT 3000, serial number: SO-10400, year of construction: 2013, 230 V, 3 Ph, 0.12 kW, plastic belt, belt width: 340 mm, total dimensions: 3400 mm x 700 mm x 1300 mm.	250
281	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 450 mm, total dimensions: 2850 mm x 500 mm x 1050 mm.	50
282	NN transport belt	Mobile transport belt, plastic belt, belt width: 180 mm, total dimensions: 2500 mm x 500 mm x 1050 mm.	100
283	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 500 mm, divider height: 20 mm, distance between dividers: 405 mm, elevating height: 900 mm, total dimensions: 2700 mm x 700 mm x 1050 mm.	150
284	NN transport belt	Transport belt, plastic mesh belt, belt width: 450 mm, total dimensions: 3050 mm x 750 mm x 980 mm. Missing motor.	150
285	Lu-Ve		150



Nr	Title	Description	Start €
		Lu-Ve evaporator, model: S3HC 215 E 50, serial: 03.00, 230/400 V, 50/60 Hz, 2 fans, dimensions: 1200 mm x 400 mm x 500 mm.	
286	Lu-Ve	Lu-Ve evaporator, model: S3HC215 E 50, serial: 03.00, 230/400 V, 50/60 Hz, 2 fans, dimensions: 1200 mm x 400 mm x 500 mm.	150
287	Hildebrand Industry AG	Hildebrand Industry AG washing and drying installation for crates consisting of: Hildebrand Industry AG crate washing machine, type: JUMBOFLEX 1400R/HE, machine number: HIS-101 271, year of construction: 2025, 400 V, 3 Ph, 50 Hz, configuration: single belt, self-cleaning, hot water heated, dimensions: 8400 mm x 2800 mm x 3200 mm 45° curve conveyor, plastic belt, belt width: 1400 mm, dimensions conveyor: 2300 mm x 2200 mm x 1600 mm S-curve conveyor, plastic mesh belt, belt width: 610 mm, dimensions S-curve conveyor: 4000 mm x 2400 mm x 1650 mm Transport belt, plastic mesh belt, belt width: 610 mm, dimensions transport belt: 3750 mm x 1100 mm x 1650 mm 2 Hildebrand Industry AG spin-drying machines for crates, type: SPINFLEX 1000, machine number: HIS-107 703-1, year of construction: 2025, 400 V, 3 Ph, 50 Hz, configuration: single-track, clearance: 440 mm x 230 mm, dimensions spin-drying machines: (2x) 3500 mm x 1300 mm x 1750 mm 2 de-elevating roller conveyors, plastic rollers, roller width: 450 mm, dimensions roller conveyors: 2600 mm x 560 mm x 1360 mm	50000
288	NN transport belt	Transport belt, plastic mesh belt, belt width: 450 mm, total dimensions: 3010 mm x 670 mm x 990 mm.	150
289	NN roller conveyor	Roller conveyor, s/s rollers, roller width: (2x) 390 mm, total dimensions: 1400 mm x 880 mm x 900 mm.	150
290	NN transport belt	Transport belt, plastic mesh belt, belt width: 450 mm, total dimensions: 3010 mm x 670 mm x 990 mm.	150
291	NN roller conveyor	Roller conveyor, plastic rollers, roller width: (2x) 420 mm, total dimensions: 1500 mm x 890 mm x 970 mm.	150
292	Ecolab	IBC tank with Ecolab Aquanta OXI, dimensions: 1200 mm x 1000 mm x 1170 mm.	150
293	NN drip tray	Plastic drip tray, dimensions: 1700 mm x 1700 mm x 700 mm.	100
294	NN washing table	S/s washing table, 1 sink, dimensions: 1620 mm x 740 mm x 1930 mm, 1010 mm x 740 mm x 1020 mm.	150
295	NN sink	S/s sink with s/s paper dispenser and 2 s/s soap dispensers, sink knee control, dimensions: 450 mm x 430 mm x 700 mm.	50
296	Kohlhoff	Kohlhoff boot cleaning station, length brush: 270 mm, total dimensions: 800 mm x 540 mm x 1100 mm.	150
297	NN insect killers	2 insect killers.	50
299	Ecolab		50



Nr	Title	Description	Start €
		Ecolab soap mixing station, dimensions: 150 mm x 300 mm x 300 mm.	
300	LHS/Foamico	Pallet with LHS s/s hose reel, type: ST 40/12/2ep-eco, year of construction: 2005, maximum working pressure: 200 bar, plastic hose, Foamico soap mixing station and 2 jerrycans with chemicals.	100
301	LHS / Ecolab	Pallet with parts for hygiene station consisting of LHS s/s hose reel with hose, type: ST40/12/2ep-eco, serial number: 049657, year of construction: 2005, pressure: 200 bar, dimensions hose reel: 550 mm x 400 mm x 500, Ecolab soap mixing station, dimensions: 400 mm x 150 mm x 330 mm, s/s wall mounted frame for jerry cans and s/s hose reel with plastic hose.	100
302	LHS / Foamico	Pallet with parts for hygiene station consisting of LHS s/s hose reel with hose and pistol, dimensions hose reel: 550 mm x 400 mm x 500, Foamico soap mixing station, dimensions: 260 mm x 200 mm x 350 mm, s/s wall mounted frame for jerry cans and s/s wall mounted peg for spraying pistols.	100
303	Kohlhoff	Kohlhoff apron washer, infeed width: 1160 mm, total dimensions: 1800 mm x 400 mm x 880 mm.	150
304	Kohlhoff	Kohlhoff glove washer, type: KHR1, machine number: 804050, year of construction: 2013, 400 V, 3 Ph, 4.4 kW, dimensions: 700 mm x 650 mm x 1530 mm.	150
305	Itec	Itec s/s sink, 230 V, 50 Hz, 0.1 kW, year of construction: 2008, 3 faucets, sensor control, dimensions: 440 mm x 1460 mm x 600 mm. Missing 1 sensor.	50
306	NN sink	S/s sink, dimensions: 410 mm x 1200 mm x 600 mm.	50
307	Kaesar	Pallet with Kaesar oil/water separator and different kinds of lubricants.	25
308	Güntner	Güntner evaporator, 2 fans, dimensions: 1800 mm x 600 mm x 500 mm.	250
309	Güntner	Güntner evaporator, 2 fans, dimensions: 1800 mm x 600 mm x 500 mm.	250
310	Güntner	Güntner evaporator, 2 fans, dimensions: 1800 mm x 600 mm x 500 mm.	250
311	Freund	Pallet with Freund saw blades for primal cutting saw, type: KM 750 SS-1F, diameter blades: 730 mm.	50
312	Freund	Pallet with Freund primal cutting saw, dimensions: 1200 mm x 750 mm x 280 mm.	50
313	KSB	Pallet with KSB centrifugal pump, type: ETABLOC GN 050 125/552 and several electromotors.	150
314	Interrol	Pallet with 7 Interrol drum motors.	150
315	KSB	KSB high pressure centrifugal pump, type: Movitec VSF 4/7 B, serial number: 1853927-1, year of construction: 2023, capacity: 3.94 m³/h, dimensions: 300 mm x 200 mm x 700 mm.	50



Nr	Title	Description	Start €
316	NN electromotors	Pallet with 6 electromotors.	75
317	NN electromotors/ circulation pump	Pallet with 6 electromotors and circulation pump.	100
318	SEW	Pallet with 6 SEW electromotors	100
319	NN electromotors	3 pallets with 13 electromotors.	450
320	Demag	Pallet with 2 Demag electric chain hoists, type: DKUN 5-500 K V1, DKUN 1-125 K V1, capacity: 1.00, 0.25 t, dimensions: 500 mm x 260 mm x 600 mm, 400 mm x 260 mm x 600 mm.	100
321	Demag	Pallet with 2 Demag electric chain hoists, type: (2x) DKUN 1-125 K V1, capacity: 0.25 t, dimensions: (2x) 400 mm x 260 mm x 600 mm.	100
322	NN hydraulic cylinders	Pallet with hydraulic cylinders.	100
323	Eloma	Eloma rotisserie grill, type: ELG 5, serial number: 103001 1594, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 8.5 kW, dimensions: 980 mm x 630 mm x 970 mm.	50
324	Dorin	Dorin compressor rack with 2 compressors, model: K750CC-02, capacity: 32.54 m ³ per hour and model: H751CC, capacity: 31.88 m ³ per hour, refrigerant: R449A / 83 kg, total dimensions: 1200 mm x 1000 mm x 1400 mm.	100
325	NN tub for ice water	S/s tub for ice water with Dovac ring compressor, type: ZDI40-1-0,18-3H, total dimensions: 1400 mm x 1050 mm x 800 mm.	250
326	M.T.A. S.p.A.	M.T.A. S.p.A. air dryer, model: DE 032, serial number: 2200207619, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 3.7 A, 0.72 kW, refrigerant: R134a (0.600 kg), dimensions: 700 mm x 700 mm x 950 mm.	50
327	M.T.A. SRL	M.T.A. SRL air dryer, model: DE025, serial number: 2200042941, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 3.7 A, 0.7 kW, refrigerant: R134a/0.446 kg, dimensions: 500 mm x 650 mm x 910 mm.	50
328	Worthington Creyssensac	2 Worthington Creyssensac filters, maximum: 16 bar, dimensions: (2x) 150 mm x 150 mm x 800 mm.	50
329	Lubron	Lubron water softening installation consisting of Lubron composite tank, model: JR400 ECO-DV, serial number: 15110203, 230 V, 50 Hz, 75 W, volume: 120 litre, dimensions composite tank: 370 mm x 370 mm x 1850 mm, plastic barrels for salt tablets, dimensions: 700 mm x 700 mm x 950 mm. Including 2 air filters.	150
330	Dorin	Dorin compressor rack with 2 compressors, model: (2x) K3000CS-01, capacity: 110.60 m ³ per hour, Kelvion heat exchanger, type: GWH500H-AE-60, serial number: 5102210473-0001, year of construction: 2025, total dimensions: 1800 mm x 900 mm x 1200 mm.	250
331	Grassair	Grassair air compressor, type: RLR75V, serial number: API172339, year of construction: 2014, 400 V, 3 Ph, 50	500



Nr	Title	Description	Start €
		Hz, 55 kW, capacity: 10.1 m ³ / minute, weight: 1200 kg, total dimensions: 1700 mm x 1100 mm x 1650 mm.	
332	Grassair	Grassair air dryer, type: DW 72 (A12), serial number: CA1778968, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 2.93 kW, maximum working pressure: 13 bar, refrigerant: R410A (1.6 kg), dimensions: 750 mm x 850 mm x 980 mm.	250
333	Kaeser Kompressoren GmbH	Kaeser Kompressoren GmbH active carbon adsorber, model: ACT 108, serial number: 9.5497.0 - 1139, year of construction: 2013, minimum / maximum working pressure: 4 / 16 bar, maximum working temperature: 55/ 131F, desiccant: Activated carbon (68 kg), dimensions: 800 mm x 600 mm x 2000 mm. Including Kaeser filter.	100
334	Donaldson	Donaldson activated carbon adsorber, plant installation: AKC 0650, serial number: 86411544, year of construction: 2014, minimum: 4 bar, maximum: 16 bar, dimensions: 600 mm x 600 mm x 1850 mm.	100
335	SIAP	SIAP pressure vessel, volume: 900 litre, working pressure: 11 bar, diameter vessel: 800 mm, height vessel: 2500 mm.	150
336	F.W. Heider GmbH	F.W. Heider GmbH steel pressure vessel, type: DIN 4810, number: 11066, year of construction: 07-03-2005, volume: 1000 litre, maximum working pressure: 6.0 bar, dimensions: 900 mm x 900 mm x 2450 mm.	150
337	OKS Otto Klein GmbH	OKS Otto Klein GmbH pressure vessel, serial number: 512883, year of construction: 2005, maximum working pressure: 11 bar, minimum / maximum working temperature: -10 / +50C, volume: 1000 litre, diameter vessel: 800 mm, height vessel: 2400 mm.	150
338	Labex	Labex high speed electric shutter door, type: LV955SE, year of construction: 2008, clearance: 2000 mm x 2470 mm, total dimensions: 2550 mm x 2900 mm.	250
339	Güntner	Güntner evaporator, 1 fan, dimensions: 1200 mm x 600 mm x 500 mm.	150
340	Güntner	Güntner evaporator, 1 fan, dimensions: 1200 mm x 600 mm x 500 mm.	150
341	Güntner	Güntner evaporator, 1 fan, dimensions: 1200 mm x 600 mm x 500 mm.	150
342	Cryovac	Cryovac rotary vacuum machine, type: 8610-14, 400 V, 50 Hz, 11 A, 4 stations, dimensions chamber: (4x) 550 mm x 320 mm, seal length: 430 mm, total dimensions: 2500 mm x 2100 mm x 1850 mm.	2500
343	NN transport belt	Mobile transport belt, plastic belt, belt width: 600 mm, total dimensions: 2780 mm x 800 mm x 950 mm.	250
344	Cryovac	Cryovac shrink tunnel, type: ST98 STEAM, serial number: A54300814, year of construction: 2003, 400 V, 50 Hz, s/s mesh belt, belt width: 560 mm, clearance:	1500



Nr	Title	Description	Start €
		580 mm x 300 mm, total dimensions: 1460 mm x 1000 mm x 1850 mm.	
345	NN rack	S/s mobile rack, dimensions: 1060 mm x 700 mm x 1800 mm.	50
346	NN rack	S/s mobile rack, dimensions: 1300 mm x 700 mm x 1570 mm.	50
347	NN rack	S/s mobile rack, dimensions: 1000 mm x 550 mm x 1400 mm.	50
348	NN tub	S/s mobile tub, dimensions: 900 mm x 1300 mm x 1230 mm.	75
349	NN table	S/s mobile table, dimensions: 3000 mm x 1000 mm x 1230 mm.	150
350	NN screen	S/s mobile screen, dimensions: 900 mm x 1550 mm x 2340 mm.	150
351	NN screen	S/s mobile screen, dimensions: 800 mm x 3000 mm x 1630 mm.	150
352	NN table	S/s table, dimensions: 720 mm x 2010 mm x 820 mm.	50
353	NN table	S/s table with plastic top, dimensions: 900 mm x 2010 mm x 1050 mm.	150
354	NN screen	S/s mobile screen, dimensions: 850 mm x 3000 mm x 1670 mm.	150
355	NN screen	S/s mobile screen, dimensions: 850 mm x 3000 mm x 1670 mm.	150
356	NN screen	S/s mobile screen, dimensions: 850 mm x 3000 mm x 1670 mm.	150
357	NN screen	S/s mobile screen, dimensions: 850 mm x 3000 mm x 1670 mm.	150
358	Ophardt	Ophardt s/s paper dispenser, type: CEU-1E, dimensions: 220 mm x 270 mm x 400 mm.	10
359	NN cabinets	Plastic wall mounted cabinet, dimensions: 240 mm x 300 mm x 400 mm, 2 s/s wall mounted cabinets, dimensions: 630 mm x 600 mm x 500 mm, 550 mm x 500 mm x 600 mm and s/s wall frame, dimensions: 800 mm x 770 mm x 900 mm.	75
360	NN table	S/s table, dimensions: 410 mm x 1200 mm x 900 mm.	75
361	NN waste containers	3 plastic waste containers, dimensions: (3x) 500 mm x 450 mm x 1000 mm.	30
362	NN sink	S/s sink with s/s paper dispenser, hose reel and 2 s/s soap dispensers, sink knee control, dimensions: 450 mm x 430 mm x 700 mm.	150
363	Günther	Günther injector with filter tub, type: PI76/172, machine number: 24767/97, 400 V, 32 A, plastic mesh belt, belt width: 430 mm, 172 needles, diameter needles: 3 mm, dimensions injector: 2300 mm x 1100 mm x 2700 mm, 1500 mm x 500 mm x 800 mm.	3500
364	NN table	S/s table, dimensions: 960 mm x 600 mm x 750 mm.	75
365	NN hose reel	Steel hose reel with plastic hose and s/s peg.	25



Nr	Title	Description	Start €
366	NN table	Mobile s/s table with plastic top, dimensions: 1100 mm x 2520 mm x 1360 mm.	250
367	NN table	S/s table with 2 plastic tops, dimensions: 600 mm x 500 mm x 820 mm.	50
368	NN table	S/s table, dimensions: 600 mm x 410 mm x 800 mm.	25
369	NN shutter door	Electric high speed shutter door, clearance: 1360 mm x 2000 mm, total dimensions: 1850 mm x 2600 mm.	150
370	HQ Hygiene Supplies	HQ Hygiene Supplies insect killer, model: WE-SB-60S, 230 V, 1 Ph, 50 Hz, 85 W, dimensions: 470 mm x 130 mm x 330 mm.	10
371	Telewig	Telewig s/s refrigerated sliding door, dimensions door: 2120 mm x 120 mm x 2750 mm, length rail: 4500 mm.	400
372	Güntner	Güntner evaporator, year of construction: 2022, volume: 7.5 liter, 1 fan, test pressure: 77.3 bar, dimensions: 1200 mm x 600 mm x 500 mm.	150
373	Güntner	Güntner evaporator, year of construction: 2022, volume: 7.5 liter, 1 fan, test pressure: 77.3 bar, dimensions: 1200 mm x 600 mm x 500 mm.	150
374	Nieros	Nieros s/s sink with s/s paper dispenser and 2 s/s soap dispensers, sink knee control, dimensions: 320 mm x 410 mm x 600 mm.	50
375	HQ Hygiene Supplies	HQ Hygiene Supplies insect killer, model: WE-SB-60S, 230 V, 1 Ph, 50 Hz, 85 W, dimensions: 470 mm x 130 mm x 330 mm.	10
376	Telewig	Telewig s/s refrigerated sliding door, dimensions door: 2120 mm x 120 mm x 2750 mm, length rail: 4500 mm.	400
377	NN office inventory	Office inventory consisting of 4 tables, dimensions: 1200 mm x 800 mm x 750 mm, 1500 mm x 800 mm x 750 mm, (2x) 1950 mm x 1000 mm x 750 mm, 6 cabinets, dimensions: 470 mm x 900 mm x 1420 mm, (2x) 420 mm x 1200 mm x 1950 mm, (2x) 450 mm x 1200 mm x 770 mm, 440 mm x 1200 mm x 820 mm, 5 desk cabinet with drawers, 3 s/s wall shelves and 2 office chairs.	100
378	NN shelves	2 s/s wall shelves, dimensions: 480 mm x 1230 mm, 1300 mm x 400 mm x 900 mm, plastic wall cabinet, dimensions: 210 mm x 300 mm x 400 mm.	25
379	NN cabinets	Plastic wall mounted cabinet, dimensions: 205 mm x 300 mm x 400 mm, s/s wall mounted cabinet, dimensions: 500 mm x 600 mm x 600 mm and s/s frame, dimensions: 260 mm x 470 mm x 200 mm.	50
380	NN soap dispenser	S/s soap dispenser, dimensions: 100 mm x 100 mm x 270 mm.	5
381	NN peg with shovel	S/s peg with shovel.	10
382	NN wall frame	S/s wall frame, dimensions: 1300 mm x 400 mm x 900 mm.	5
383	NN racks		350



Nr	Title	Description	Start €
		7 steel racks, 6 floors, dimensions floors: (6x) 1250 mm x 1000 mm, total dimensions: (7x) 1300 mm x 1100 mm x 1950 mm.	
384	NN racks	6 steel racks, 4 floors, dimensions floors: (4x) 1250 mm x 1000 mm, total dimensions: (6x) 1300 mm x 1100 mm x 1950 mm.	300
385	NN racks	8 steel racks, 4 floors, dimensions floors: (4x) 1250 mm x 1000 mm, total dimensions: (8x) 1270 mm x 1000 mm x 1830 mm.	400
386	NN racks	8 steel racks, 4 floors, dimensions floors: (4x) 1250 mm x 1000 mm, total dimensions: (8x) 1270 mm x 1000 mm x 1830 mm.	400
387	NN racks	3 steel racks, 4 floors, dimensions floors: (4x) 1250 mm x 1000 mm, total dimensions: (3x) 1270 mm x 1000 mm x 1830 mm.	150
388	NN racks	3 steel racks, 4 floors, dimensions floors: (4x) 1300 mm x 830 mm, total dimensions: (3x) 1470 mm x 880 mm x 1880 mm.	150
389	NN tub	Mobile s/s tub, inside dimensions: 1870 mm x 880 mm x 450 mm, total dimensions: 1970 mm x 1000 mm x 780 mm.	100
390	NN tub	Mobile s/s tub, inside dimensions: 1720 mm x 900 mm x 430 mm, total dimensions: 1720 mm x 950 mm x 770 mm.	100
391	NN tub	Mobile s/s tub, inside dimensions: 1720 mm x 900 mm x 430 mm, total dimensions: 1720 mm x 950 mm x 770 mm.	100
392	NN tub	Mobile s/s tub, inside dimensions: 1720 mm x 900 mm x 430 mm, total dimensions: 1720 mm x 950 mm x 770 mm.	100
393	NN tub	Mobile s/s tub, inside dimensions: 1870 mm x 880 mm x 450 mm, total dimensions: 1970 mm x 1000 mm x 780 mm.	100
394	NN tub	Mobile s/s tub, inside dimensions: 1870 mm x 880 mm x 450 mm, total dimensions: 1970 mm x 1000 mm x 780 mm.	100
395	NN meat bins	7 s/s meat bins, volume: (7x) 300 litres.	350
396	NN meat bins	7 s/s meat bins, volume: (7x) 300 litres.	350
397	NN meat bins	14 s/s meat bins, volume: (14x) 300 litres.	700
398	NN meat bins	14 s/s meat bins, volume: (14x) 300 litres.	700
399	NN meat bins	14 s/s meat bins, volume: (14x) 300 litres.	700
400	NN meat bins	15 s/s meat bins, volume: (15x) 300 litres.	750
401	NN meat bin	S/s meat bin with drain, volume: 200 litres.	50
402	NN meat bins	10 s/s meat bins, volume: (10x) 200 litres.	500
403	NN rack	S/s mobile rack, dimensions: 1450 mm x 600 mm x 1300 mm.	25
404	NN rollies		50



Nr	Title	Description	Start €
		5 s/s rollies, dimensions: (5x) 600 mm x 400 mm x 250 mm.	
406	NN rollies	10 s/s rollies for E2-crates, dimensions: (10x) 600 mm x 400 mm x 170 mm.	75
407	NN rollies	19 s/s rollies for 2 pcs. E2-crates, dimensions: (19x) 880 mm x 620 mm x 170 mm.	150
408	Güntner	Güntner evaporator, 2 fans, dimensions: 2600 mm x 500 mm x 600 mm.	250
409	Güntner	Güntner evaporator, 2 fans, dimensions: 2600 mm x 500 mm x 600 mm.	250
410	Güntner	Güntner evaporator, 2 fans, dimensions: 2600 mm x 500 mm x 600 mm.	250
411	Güntner	Güntner evaporator, 2 fans, dimensions: 2600 mm x 500 mm x 600 mm.	250
412	Güntner	Güntner evaporator, 2 fans, dimensions: 2600 mm x 500 mm x 600 mm.	250
413	Güntner	Güntner evaporator, 2 fans, dimensions: 2600 mm x 500 mm x 600 mm.	250
414	Güntner	Güntner evaporator, 2 fans, dimensions: 2600 mm x 500 mm x 600 mm.	250
415	Güntner	Güntner evaporator, 2 fans, dimensions: 2600 mm x 500 mm x 600 mm.	250
416	Güntner	Güntner evaporator, 2 fans, dimensions: 2600 mm x 500 mm x 600 mm.	250
417	Güntner	Güntner evaporator, 2 fans, dimensions: 2600 mm x 500 mm x 600 mm.	250
418	TKT	4 TKT isolated trolleys, dimensions: (3x) 950 mm x 750 mm x 1730 mm, 1250 mm x 800 mm x 1750 mm.	100
419	Ohiro	6 pallets with 75 styrofoam thermal boxes, dimensions boxes: (450x) 210 mm x 220 mm x 320 mm.	450
420	Ohiro	5 pallets with 150 styrofoam thermal boxes, dimensions boxes: (750x) 210 mm x 220 mm x 320 mm.	750
421	Ohiro	5 pallets with 75 styrofoam thermal boxes, dimensions boxes: (375x) 210 mm x 220 mm x 320 mm.	375
422	Ohiro	5 pallets with 75 styrofoam thermal boxes, dimensions boxes: (375x) 210 mm x 220 mm x 320 mm.	375
423	Ohiro	5 pallets with 150 styrofoam thermal boxes, dimensions boxes: (750x) 210 mm x 220 mm x 320 mm.	750
424	Ohiro	5 pallets with 75 styrofoam thermal boxes, dimensions boxes: (375x) 210 mm x 220 mm x 320 mm.	375
425	Ohiro	5 pallets with 75 styrofoam thermal boxes, dimensions boxes: (375x) 210 mm x 220 mm x 320 mm.	375
426	Ohiro	5 pallets with 75 styrofoam thermal boxes, dimensions boxes: (375x) 210 mm x 220 mm x 320 mm.	375
427	Südpack	Pallet with 8 Südpack rolls of film, film width: 466 mm.	25
428	Südpack	Pallet with 8 Südpack rolls of film, type: Econyl N/Puv 110a B, film width: 404 mm.	25



Nr	Title	Description	Start €
429	Südpack	Pallet with 8 Südpack rolls of film, type: Ecopet VP SKIN 350 B, film width: 466 mm.	25
430	Südpack	Pallet with 13 Südpack rolls of film, type: Ecopet VP SKIN 350 B, film width: 466 mm / Multifol G Plus 350 with 423 mm.	50
431	Südpack	Pallet with 13 Südpack rolls of film, film width: 466 mm.	50
432	Südpack	2 pallets with approximately 39 Südpack rolls of film, type: Multi S V 150, film width: 466 mm.	150
433	NN rope	Pallet with ropes, model: Polykordel 320/3 blau, length: 0.90 meter.	25
434	NN labels	Pallet with labels.	25
435	NN labels	Pallet with labels.	25
436	NN labels	3 pallets with Butcher's Cut labels.	25
437	NN labels	2 pallets with large amount of labels, year of construction: 2022, quantity: 1000 per roll.	50
438	NN labels	2 pallets with large amount of labels, material: Thermo TOP weiss, dimensions per label: 80 mm x 60 mm, 1.000 pieces per roll.	50
439	NN labels	Pallet with large amount of labels, material: Thermo TOP weiss, dimensions per label: 90 mm x 110 mm.	50
440	HygoStar	2 pallets with HygoStar PP trousers, color: white, size: XXL.	50
441	Sealed Air	2 pallets with Sealed Air vacuum bags, dimensions bags: 300 mm x 850 mm, 600 mm x 1000 mm.	400
442	NN garbage bags	2 pallets with plastic garbage bags.	100
443	NN absorbant tray pads	Pallet with absorbant tray pads, year of construction: 2025, dimensions pads: 112 mm x 167 mm, color: white.	25
444	NN absorbant tray pads	2 pallets with absorbant tray pads, year of construction: 2025, dimensions pads: 112 mm x 167 mm, color: white.	150
445	NN labels	Pallet with large amount of "Jungbule Premium Qualitat" labels.	25
446	Sealed Air	4 pallets with Sealed Air vacuum plastic bags, dimensions bags: 250 mm x 600 mm / 250 mm x 400 mm / 600 mm x 1000 mm.	500
447	NN labels	2 pallets with various labels.	50
448	NN thermal transfer ribbons	2 pallets with food-safe thermal transfer ribbons, 110 mm x 600 m.	50
449	NN labels	4 pallets with various labels.	100
450	NN tools	3 pallets with different kinds of tools of which among others hygiene equipment, knives for skinning machine and seals.	150
451	Munkfors	Pallet with large amount of Munkfors sawblades, 5 pieces per box, dimensions saw blades: (5x) 3150 mm x 16 mm x 0.56.	250
452	NN rat traps		50



Nr	Title	Description	Start €
		Pallet with rat traps and plastic bags, dimensions bags: 1250 mm x 1000 mm.	
453	NN refrigerated sliding door	S/s refrigerated sliding door, dimensions door: 2310 mm x 80 mm x 2230 mm, length rail: 2900 mm, 1000 mm.	400
454	Seuster	Seuster electric high speed shutter door, clearance: 1950 mm x 2310 mm, total dimensions: 2300 mm x 2900 mm.	250
455	NN sink	S/s sink with s/s paper dispenser and 2 s/s soap dispensers, sink knee control, dimensions: 450 mm x 430 mm x 700 mm.	50
456	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG bag blower, type: VC999 BL421, machine number: BL421-286, year of construction: 2016, 208-240 V, 50/60 Hz, 0.5 kW, dimensions: 950 mm x 500 mm x 900 mm.	150
457	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG bag blower, type: VC999 BL421, machine number: BL421-285, year of construction: 2016, 208-240 V, 50/60 Hz, 0.5 kW, dimensions: 950 mm x 500 mm x 900 mm.	150
458	Inject Star	Inject Star brine preparation unit, type: LBS-400, serial number: LB400-233, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 5.1 kW, inside dimensions tank: ø 780 mm x 900 mm, total dimensions: 1200 mm x 500 mm x 2200 mm.	750
459	Vakona GmbH	Vakona GmbH mobile tumbler, type: IPV 220 STL, 400 V, 3 Ph, 50 Hz, 1.5 kW, weight: 200 kg, volume: 220 litres, dimensions: 900 mm x 1300 mm x 1600 mm.	500
460	Seuster KG	Seuster KG electric high speed shutter door, type: S1500FOODLG, serial number: 0410-01016010010101, year of construction: 2016, clearance: 1500 mm x 2500 mm, total dimensions: 2000 mm x 2900 mm.	250
461	Mohn	Mohn s/s sink with s/s paper dispenser and 2 s/s soap dispensers, sink knee control, dimensions: 450 mm x 430 mm x 700 mm.	50
462	Güntner	Güntner evaporator, unit name: GHF 040.2F / 14 ENW50.E, serial number: 404356213/10 01844, year of construction: 2016, volume: 5.8 liter, 1 fan, dimensions: 1100 mm x 400 mm x 500 mm.	150
463	Rudolf Schad	Rudolf Schad mobile binding machine, type: E 85-2, number: 23, year of construction: 2012, dimensions: 900 mm x 800 mm x 1250 mm.	400
464	Rudolf Schad	Rudolf Schad mobile binding machine, dimensions: 900 mm x 800 mm x 1250 mm.	400
465	Bizerba	Bizerba slicer, type: A 404, number: 1613716, year of construction: 1998, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, dimensions: 800 mm x 1000 mm x 730 mm.	250
466	Graef	Graef slicer, type: EURO 2500, number: 9640588, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 1.3 A, 300 W, dimensions: 500 mm x 400 mm x 400 mm.	75



Nr	Title	Description	Start €
467	NN table	Mobile s/s table, dimensions; 750 mm x 2050 mm x 1050 mm.	250
468	NN curtains	Plastic curtains, height: 2500 mm.	25
469	NN curtains	Plastic curtains, height: 2100 mm.	10
470	NN screen	S/s screen and protection frames, dimensions screen: 2520 mm x 1270 mm.	50
471	ITEC	ITEC washing machine for knife baskets, type: 22570-El, series: 0018, year of construction: 06/04, 400 V, 3 Ph, 50 Hz, 27.0 kW, 2 lanes, s/s belt, belt width: (2x) 85 mm, total dimensions: 4900 mm x 1000 mm x 2100 mm.	1500
472	Stiebel-Eltron	Stiebel-Eltron boiler in s/s wall mounted cabinet, dimensions: 500 mm x 620 mm x 1050 mm.	50
473	NN gate	S/s gate, dimensions: 1050 mm x 1800 mm.	50
474	NN curtains	Plastic curtains, height: 2000 mm.	25
475	GS-Schleiftechnik	GS-Schleiftechnik knife sharpener on s/s wall mounted frame, type: T25, serial number: T2521205, 400 V, 50/60 Hz, 4.6 A, 2200 W, dimensions: 350 mm x 450 mm x 300 mm.	150
476	GS-Schleiftechnik	GS-Schleiftechnik knife sharpener on s/s wall mounted frame, type: T25, serial number: T25252397, 400 V, 50/60 Hz, 4.6 A, 2200 W, dimensions: 350 mm x 450 mm x 300 mm.	150
477	NN frame for knife sharpener	S/s frame for knife sharpener, dimensions: 460 mm x 530 mm x 510 mm.	25
478	GS-Schleiftechnik	GS-Schleiftechnik knife sharpener on s/s wall mounted frame, type: T25, serial number: T252242336, 400 V, 50/60 Hz, 2200 W, 4.6 A, dimensions: 350 mm x 450 mm x 300 mm.	150
479	NN frame for knife sharpener	S/s frame for knife sharpener, dimensions: 460 mm x 530 mm x 510 mm, s/s bin, soap dispenser and Secubox safety goggles.	25
480	NN hose reel	Steel hose reel with plastic hose, dimensions: 160 mm x 350 mm x 300 mm.	10
481	NN sink	S/s sink with 3 spray pistols used for cleaning aprons, dimensions: 330 mm x 3020 mm x 1500 mm.	150
482	Mohn	Mohn s/s sink, 5 faucets, knee control, 4 s/s soap dispensers and s/s paper dispenser, dimensions sink: 450 mm x 2560 mm x 700 mm.	250
483	Mohn	Mohn s/s sink, 5 faucets, knee control, 3 s/s soap dispensers and s/s paper dispenser, dimensions sink: 450 mm x 2560 mm x 700 mm.	250
484	NN sink	S/s sink, 2 faucets, knee control, 3 s/s soap dispensers, dimensions sink: 1150 mm x 550 mm x 700 mm.	250
485	NN paper dispenser	S/s paper dispenser, dimensions: 250 mm x 280 mm x 400 mm.	10
486	NN sink	S/s sink, 2 faucets, knee control, 3 s/s soap dispensers, dimensions sink: 1150 mm x 550 mm x 700 mm.	250



Nr	Title	Description	Start €
487	NN boot rack	S/s mobile boot rack, 44 boots, dimensions: 900 mm x 1500 mm x 1440 mm.	100
488	NN boot rack	S/s mobile boot rack, 43 boots, dimensions: 900 mm x 1500 mm x 1440 mm.	100
489	NN peg	S/s peg, (4x) 1500 mm.	50
490	NN pegs	Large amount of pegs and s/s frame with pegs.	100
491	NN sink	S/s sink, 3 faucets, knee control, s/s paper dispenser, 2 s/s soap dispenser, dimensions sink: 450 mm x 1600 mm x 750 mm.	250
492	NN pegs	2 s/s pegs, dimensions: (2x) 1700 mm.	10
493	Mohn	Mohn s/s sink, 3 faucets, knee control, 4 s/s soap dispensers and s/s paper dispenser, dimensions sink: 450 mm x 1600 mm x 700 mm.	250
494	Mohn	Mohn s/s sink, 3 faucets, knee control, 4 s/s soap dispensers and s/s paper dispenser, dimensions sink: 450 mm x 1600 mm x 700 mm.	250
495	NN hair net dispensers	4 s/s hair net dispensers, dimensions: (4x) 300 mm x 300 mm x 460 mm.	50
496	NN boot racks	8 s/s wall mounted boot racks, (8x) 21 boots, dimensions: (8x) 400 mm x 2900 mm.	200
497	NN rack	Mobile s/s rack for boots and hygiene equipment, dimensions: 500 mm x 1700 mm x 1480 mm.	75
498	NN table	S/s table, dimensions: 410 mm x 610 mm x 790 mm.	25
499	NN hair net dispensers	5 s/s hair net dispensers, dimensions: (5x) 300 mm x 300 mm x 460 mm.	50
500	NN hair net dispenser	S/s hair net dispenser, dimensions: 300 mm x 300 mm x 460 mm.	10
501	Ehlert	Steel roll container with 7 boxes of Ehlert hair nets, dimensions container: 800 mm x 730 mm x 1530 mm.	25
502	NN communication boars	2 communication boards, dimensions: 1320 mm x 970 mm, 680 mm x 800 mm.	50
503	NN locker	Steel locker, 6 doors, dimensions: 500 mm x 300 mm x 2200 mm.	10
504	Mohn	Mohn s/s sink, 3 faucets, sensor control, 4 s/s soap dispensers and s/s paper dispenser, dimensions sink: 460 mm x 1550 mm x 700 mm.	250
505	NN bench	Steel bench, dimensions: 400 mm x 1000 mm x 1740 mm.	10
506	Güntner	Güntner evaporator, 2 fans, dimensions: 2600 mm x 500 mm x 600 mm.	250
507	Güntner	Güntner evaporator, 2 fans, dimensions: 2600 mm x 500 mm x 600 mm.	250
508	NN curtains	Plastic curtains, length: 2550 mm.	50
509	Multivac	Multivac mobile outfeed belt, type: MCS900, serial number: 265461, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 2.1 A, 0.8 kW, total belt width: 330 mm, total	500



Nr	Title	Description	Start €
		dimensions: 4000 mm x 1200 mm x 1400 mm. Missing belt.	
510	Eberhardt	Eberhardt s/s mobile spindle-type boiling press with 42 moulds, dimensions moulds: (42x) 950 mm x 280 mm x 60 mm, dimensions press: 1050 mm x 1020 mm x 1970 mm.	1500
511	Eberhardt	Eberhardt s/s mobile spindle-type boiling press with 42 moulds, dimensions moulds: (42x) 950 mm x 280 mm x 60 mm, dimensions press: 1050 mm x 1020 mm x 1970 mm.	1500
512	Eberhardt	Eberhardt s/s mobile spindle-type boiling press with 42 moulds, dimensions moulds: (42x) 950 mm x 280 mm x 60 mm, dimensions press: 1050 mm x 1020 mm x 1970 mm.	1500
513	Eberhardt	Eberhardt s/s mobile spindle-type boiling press with 42 moulds, dimensions moulds: (42x) 950 mm x 280 mm x 60 mm, dimensions press: 1050 mm x 1020 mm x 1970 mm.	1500
514	Eberhardt	Eberhardt s/s mobile spindle-type boiling press with 42 moulds, dimensions moulds: (42x) 950 mm x 280 mm x 60 mm, dimensions press: 1050 mm x 1020 mm x 1970 mm.	1500
515	Steril Systems	Steril Systems UV-C air sterilizer.	250
516	Steril Systems	Steril Systems UV-C air sterilizer.	250
517	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH blast freezer, type: Froster CBF 1000, serial number: 51, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 10.5 kW, 16 A, weight: 2500 kg, dimensions: 2500 mm x 2200 mm x 3000 mm. Including Schliessl cooling compressor rack with 1 cooling compressor, type: EV1B-S6J-16.2Y-LG/ CBF1000, refrigerant: R449a, dimensions: 900 mm x 2100 mm x 1700 mm. New control panel is ordered and will be installed before delivery.	5000
518	Linde	Linde freezing tunnel, type: Cryoline LM, number: 145, year of construction: 2004, s/s mesh belt, belt width: 550 mm, clearance: 550 mm x 130 mm, total dimensions: 4100 mm x 1150 mm x 2000 mm.	3500
519	Linde	Linde cabinet freezer, type: CF/Twin, serial number: 341, year of construction: 2014, 400 V, 50 Hz, 5.2 kW, 32 A, weight: 1210 kg, inside dimensions: 1400 mm x 1100 mm x 2100 mm, total dimensions: 1900 mm x 2300 mm x 2400 mm.	3000
520	Güntner	Güntner evaporator, 1 fan, dimensions: 1000 mm x 400 mm x 500 mm.	150
521	Güntner	Güntner evaporator, 2 fans, dimensions: 1200 mm x 400 mm x 500 mm.	250
522	Güntner	Güntner evaporator, 1 fan, dimensions: 1000 mm x 400 mm x 500 mm.	150



Nr	Title	Description	Start €
523	NN frame	S/s wall mounted frame, dimensions: 400 mm x 460 mm x 750 mm.	10
524	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet rack consisting of 5 uprights, dimensions uprights: (5x) 1100 mm x 5000 mm, 24 beams, length beams: (24x) 3600 mm.	150
525	Güntner	Güntner evaporator, 2 fans, dimensions: 2000 mm x 600 mm x 500 mm.	400
526	Jungheinrich	Jungheinrich steel pallet rack consisting of 10 uprights, year of construction: 2005, dimensions uprights: (10x) 1100 mm x 5000 mm, 30 beams, length beams: (30x) 3600 mm.	300
527	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet rack consisting of 3 uprights, dimensions uprights: (3x) 1100 mm x 4000 mm, 14 beams, length beams: (14x) 3600 mm.	150
528	Güntner	Güntner evaporator, 2 fans, dimensions: 2000 mm x 600 mm x 500 mm.	400
529	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet rack consisting of 6 uprights, dimensions uprights: (6x) 1050 mm x 3750 mm, 16 beams, length beams: (16x) 2700 mm.	200
530	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet racks consisting of 10 uprights, dimensions uprights: (10x) 1050 mm x 3750 mm, 32 beams, length beams: (32x) 3600 mm.	300
531	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet racks consisting of 10 uprights, dimensions uprights: (10x) 1050 mm x 3750 mm, 32 beams, length beams: (32x) 3600 mm.	300
532	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet racks consisting of 10 uprights, dimensions uprights: (10x) 1050 mm x 3750 mm, 32 beams, length beams: (32x) 3600 mm.	300
533	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet rack consisting of 5 uprights, dimensions uprights: (5x) 1050 mm x 3750 mm, 16 beams, length beams: (16x) 3600 mm.	150
534	Güntner	Güntner evaporator, 2 fans, dimensions: 2000 mm x 600 mm x 500 mm.	400
535	Güntner	Güntner evaporator, 2 fans, dimensions: 2000 mm x 600 mm x 500 mm.	400
536	Güntner	Güntner evaporator, 2 fans, dimensions: 2000 mm x 600 mm x 500 mm.	400
537	Güntner	Güntner evaporator, 2 fans, dimensions: 2000 mm x 600 mm x 500 mm.	400
538	Güntner	Güntner evaporator, 2 fans, dimensions: 1600 mm x 400 mm x 400 mm.	400
539	NN evaporator	Evaporator, 3 fans, dimensions: 2200 mm x 500 mm x 400 mm.	300
540	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet racks consisting of 9 uprights, dimensions uprights: (9x) 1100 mm x 5000 mm, 26 beams, length beams: (26x) 3600 mm.	250
541	Jungheinrich		500



Nr	Title	Description	Start €
		Jungheinrich steel pallet rack, year of construction: 2001 / 2005, consisting of 24 uprights, dimensions uprights: (16x) 1100 mm x 6000 mm, (8x) 1100 mm x 5000 mm, 108 beams, length beams: (32x) 1800 mm, (32x) 2700 mm, (64x) 3600 mm.	
542	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet racks consisting of 6 uprights, dimensions uprights: (6x) 1100 mm x 5000 mm, 18 beams, length beams: (12x) 3600 mm, (6x) 2700 mm.	150
543	NN evaporators	2 evaporators, 3 fans, dimensions: (2x) 2200 mm x 500 mm x 400 mm.	600
544	Güntner	Güntner evaporator, 3 fans, dimensions: (3x) 5000 mm x 800 mm x 1000 mm.	1000
545	NN drive-in pallet rack	Drive-in pallet rack, year of construction: 2013, maximum pallet weight: 800 kg, compartment width: 1990 mm, (2x) 4 lanes, length lanes: (8x) 30000 mm, total dimensions: 30000 mm x 5270 mm x 4000 mm.	2500
546	Güntner	Güntner evaporator, 2 fans, dimensions: 3400 mm x 800 mm x 1000 mm.	750
547	NN cabinet	Plastic wall mounted cabinet, dimensions: 300 mm x 500 mm x 500 mm.	5
548	Labex	Labex electric high speed shutter door, clearance: 2040 mm x 2400 mm, total dimensions: 2600 mm x 3000 mm.	250
549	Lu-Ve	Lu-Ve evaporator, 2 fans, dimensions: 2100 mm x 400 mm x 500 mm.	250
550	Lu-Ve	Lu-Ve evaporator, 2 fans, dimensions: 2100 mm x 400 mm x 500 mm.	250
551	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet rack, year of construction: 2005, consisting of 29 uprights, dimensions uprights: (29x) 1100 mm x 5000 mm, 92 beams, length beams: (92x) 3600 mm.	750
552	Labex	Labex electric high speed shutter door, clearance: 2040 mm x 2400 mm, total dimensions: 2600 mm x 2950 mm.	250
553	NN evaporator	Evaporator, 3 fans, dimensions: 2400 mm x 600 mm x 500 mm.	250
554	NN wall cabinets and frame	S/s wall mounted cabinet, dimensions: 550 mm x 1000 mm x 500 mm and s/s wall mounted frame, dimensions: 1000 mm x 1840 mm.	50
555	NN wall rack	Steel wall rack, dimensions: 800 mm x 130 mm x 800 mm.	10
556	NN insect killer	Insect killer, dimensions: 470 mm x 130 mm x 330 mm.	10
557	NN frame for pallet wrapper	Steel frame used for pallet wrapper, dimensions: 2100 mm x 500 mm x 3200 mm.	150
558	NN frame	S/s frame, dimensions: 1000 mm x 1050 mm x 1500 mm.	25



Nr	Title	Description	Start €
559	NN wall frame	S/s wall frame, dimensions: 1000 mm x 350 mm x 200 mm.	10
560	NN wall rack	Steel wall rack, dimensions: 800 mm x 130 mm x 800 mm.	10
561	NN wall mounted equipment	S/s wall mounted equipment consisting of s/s wall cabinet, dimensions: 1000 mm x 550 mm x 500 mm, s/s wall mounted frame, dimensions: 1000 mm x 1840 mm and s/s weighing scale. Without indicator.	75
562	NN curtains	Pallet with curtain, s/s frame, plastic curtains, width curtains: 1800 mm.	25
563	NN curtains	Pallet with curtain, s/s frame, plastic curtains, width curtains: 1800 mm.	25
564	NN curtains	Pallet with curtain, s/s frame, plastic curtains, width curtains: 1800 mm.	25
565	NN curtains	Pallet with curtain, s/s frame, plastic curtains, width curtains: 1800 mm.	25
566	NN curtains	Pallet with curtain, s/s frame, plastic curtains, width curtains: 1800 mm.	25
567	NN curtains	Pallet with curtain, s/s frame, plastic curtains, width curtains: 1800 mm.	25
568	NN switch cabinets	2 steel switch cabinets used for Dorin cooling compressors and evaporators, total dimensions: 1000 mm x 400 mm x 2000 mm / 1000 mm x 300 mm x 1650 mm.	100
569	HQ Hygiene Supplies	HQ Hygiene Supplies insect killer, model: WE-SB-60S, 230 V, 1 Ph, 50 Hz, 85 W, dimensions: 470 mm x 130 mm x 330 mm.	10
570	NN wall rack	Steel wall rack, dimensions: 800 mm x 130 mm x 800 mm.	10
571	NN wall mounted equipment	S/s wall mounted equipment consisting of s/s wall cabinet, dimensions: 1000 mm x 550 mm x 500 mm and s/s wall mounted frame, dimensions: 1000 mm x 1840 mm.	75
572	Fernsig	Fernsig telephone, type: 9502/1T, year of construction: 1993, dimensions: 200 mm x 200 mm x 400 mm.	10
573	NN knife basket	S/s knife basket, dimensions: 360 mm x 80 mm x 340 mm.	25
574	WB Busser / Bizerba	WB Busser weighing scale for 200 liter meat bins, name: Rezepturwaage, machine type: WB1019, machine number: 970 439, year of construction: 1997, Bizerba indicator, type: MCI-W, maximum: 300 kg, minimum: 5 kg, e - 0.1 kg, total dimensions: 1000 mm x 1250 mm x 1110 mm.	250
575	Toyota	Toyota s/s electrical pallet lifter, model: SWE120i, capacity: 1600 kg, lifting height: 2000 mm, fork length: 1140 mm, total dimensions: 2100 mm x 800 mm x 1670	1000



Nr	Title	Description	Start €
		mm. Technical condition unknown. Without battery charger.	
576	Toyota	Toyota s/s electrical pallet lifter, model: SWE120i, number: 6917618, year of construction: 05-2021, capacity: 1600 kg, lifting height: 2000 mm, fork length: 1140 mm, total dimensions: 2100 mm x 800 mm x 1670 mm. Including GNB Industrial Power battery charger, type: 2100 SP, dimensions charger: 440 mm x 100 mm x 170 mm. Technical condition unknown.	1000
577	Cool-It	Cool-It refrigerated sliding door, dimensions door: 2100 mm x 2520 mm, length rail: 4200 mm.	250
578	HQ Hygiene Supplies	HQ Hygiene Supplies insect killer, model: WE-SB-60S, 230 V, 1 Ph, 50 Hz, 85 W, dimensions: 470 mm x 130 mm x 330 mm.	10
579	NN wall mounted equipment	S/s wall mounted equipment consisting of s/s wall cabinet, dimensions: 1000 mm x 550 mm x 500 mm, s/s wall mounted frame, dimensions: 1000 mm x 1840 mm and steel wall rack, dimensions: 800 mm x 130 mm x 800 mm.	75
580	Still	Still electrical pallet lifter, fork length: 1200 mm, total dimensions: 1820 mm x 740 mm x 1400 mm. Including Tricom battery charger, type: E 230 G 24/40 Wa, 24 V.	200
581	Cool-It	Cool-It refrigerated sliding door, dimensions door: 2100 mm x 2520 mm, length rail: 4200 mm.	250
582	HQ Hygiene Supplies	HQ Hygiene Supplies insect killer, model: WE-SB-60S, 230 V, 1 Ph, 50 Hz, 85 W, dimensions: 470 mm x 130 mm x 330 mm.	10
583	Sweepix	Sweepix floor sweeper, type: YZ-GL4 Ride-on Floor Sweeper, serial number: 57277CX202508190014, cleaning width: 1000 mm, rolling brush width: 450 mm, side brush width: (2x) 350 mm, total dimensions: 1350 mm x 750 mm x 1100 mm. Including battery charger. New, never used.	2500
584	NN wall mounted equipment	S/s wall mounted equipment consisting of s/s wall cabinet, dimensions: 1000 mm x 550 mm x 500 mm and s/s wall mounted frame, dimensions: 1000 mm x 1840 mm.	75
585	HQ Hygiene Supplies	HQ Hygiene Supplies insect killer, model: WE-SB-60S, 230 V, 1 Ph, 50 Hz, 85 W, dimensions: 470 mm x 130 mm x 330 mm.	10
586	Helpman	Helpman evaporator, 3 fans, dimensions: 2500 mm x 600 mm x 600 mm.	250
587	Cool-It	Cool-It refrigerated sliding door, dimensions door: 2300 mm x 2650 mm, length rail: 4850 mm.	250
588	HQ Hygiene Supplies	HQ Hygiene Supplies insect killer, model: WE-SB-60S, 230 V, 1 Ph, 50 Hz, 85 W, dimensions: 470 mm x 130 mm x 330 mm.	10
589	Nieros		75



Nr	Title	Description	Start €
		Nieros s/s sink with Stiebel Eltron boiler, sensor control, dimensions sink: 320 mm x 400 mm x 550 mm, s/s paper dispenser and 2 s/s soap dispenser.	
590	NN waste containers	8 plastic waste containers, volume: 240 liter, dimensions: (8x) 700 mm x 600 mm x 1100 mm.	80
591	NN waste containers	8 plastic waste containers, volume: 240 liter, dimensions: (8x) 700 mm x 600 mm x 1100 mm.	80
592	NN waste containers	8 plastic waste containers, volume: 240 liter, dimensions: (8x) 700 mm x 600 mm x 1100 mm. Missing 1 lid.	80
593	NN waste containers	8 plastic waste containers, volume: (1x) 270 liter and (7x) 120 liter, dimensions: (1x) 700 mm x 600 mm x 1100 mm and (7x) 500 mm x 480 mm x 930 mm.	80
594	Helpman	Helpman evaporator, 3 fans, dimensions: 2500 mm x 600 mm x 600 mm.	250
595	Helpman	Helpman evaporator, 3 fans, dimensions: 2500 mm x 600 mm x 600 mm.	250
596	NN floor weighing scale	S/s floor weighing scale, dimensions: 2000 mm x 1500 mm, s/s control panel, type: IX 3000-dc19+ (calibrated till 2027), dimensions: 500 mm x 450 mm x 600 mm and 2 plastic cabinets, dimensions: (2x) 300 mm x 200 mm x 400 mm.	500
597	Helpman	Helpman evaporator, 3 fans, dimensions: 2500 mm x 600 mm x 600 mm.	250
598	Sertdoor	Sertdoor electric shutter door, type: 102, year of construction: 2018, dimensions door: 5200 mm x 3600 mm.	250
599	Sertdoor	Sertdoor electric shutter door, type: 555, year of construction: 2018, dimensions door: 7000 mm x 3600 mm.	250
600	AGMA Systems	AGMA Systems s/s computer control cabinet, dimensions: 850 mm x 750 mm x 2150 mm.	150
601	NN table	S/s table with plastic top, dimensions: 920 mm x 500 mm x 1100 mm.	25
602	Helpman	Helpman evaporator, 3 fans, dimensions: 2500 mm x 600 mm x 600 mm.	250
603	Alfa-Laval / Koppens	Alfa-Laval / Koppens mobile lifter for 200 liter meat bins, type: L25L, machine number: L25L-1344, 380 V, 3 Ph, 50 Hz, 18 A, 0.55 kW, weight: 310 kg, lifting height: 2200 mm, total dimensions: 1500 mm x 1300 mm x 2950 mm.	500
604	MZ Aspiratori	MZ Aspiratori roof top blower, type: RL560/4, serial number: B22003545, year of construction: 2022, 4 kW, 1440 rates per minute, dimensions: 2000 mm x 800 mm x 1100 mm.	250
605	Helpman	Helpman evaporator, 3 fans, dimensions: 2500 mm x 600 mm x 600 mm.	250



Nr	Title	Description	Start €
606	NN platform frames	4 s/s platform frames, dimensions: (2x) 1250 mm x 1450 mm x 190 mm and 950 mm x 1650 mm x 200 mm.	100
607	Helpman	Helpman evaporator, 3 fans, dimensions: 2500 mm x 600 mm x 600 mm.	250
608	NN safety cage for forklift	Steel safety cage for forklift, dimensions: 1250 mm x 800 mm x 1900 mm.	75
609	NN cabinet with parts	Steel cabinet with some machine parts, dimensions cabinet: 400 mm x 400 mm x 1960 mm.	75
610	NN cabinet	Steel cabinet, dimensions: 900 mm x 450 mm x 1950 mm. Including content.	25
611	NN rack with parts	Rack with various machine parts, amongst other parts for thermoformers, rollers, etc., total dimensions rack: 3050 mm x 500 mm x 2010 mm.	150
612	NN cabinet	Steel cabinet, dimensions: 800 mm x 400 mm x 1950 mm. Including content.	25
613	NN work bench	Steel work bench with s/s top and bench vice, dimensions: 1500 mm x 900 mm x 1000 mm. Including content.	75
614	NN plates	S/s plates and parts, dimensions plates: 3000 mm x 500 mm.	25
615	Gebra Secubox	Gebra Secubox hear protection box with box with safety goggles.	10
616	Terrax	Terrax set of twist drill bits and Promat socket set. Both incomplete.	10
617	NN work bench	Work bench with bench vice and double grinding disc, dimensions: 1500 mm x 860 mm x 1100 mm. Including content.	100
618	NN tool trolley	Tool trolley, dimensions: 800 mm x 450 mm x 1000 mm. Including content.	75
619	NN rack with parts	Rack with various parts, amongst other weights, plastic curtains, Intermec label printer, control panel for door, total dimensions rack: 2000 mm x 520 mm x 2000 mm.	150
620	Santral	Santral s/s paper dispenser and 2 s/s soap dispensers.	25
621	D.V.P. Vacuum Technology SRL	D.V.P. Vacuum Technology SRL vacuum pump, type: LC.305 9603024, serial number: 0720219, year of construction: 2007, flow rate: 305 m ³ per hour, 0.5 mbar, dimensions: 1000 mm x 550 mm x 550 mm.	150
622	NN cage with gas cylinders	Steel cage with 15 gas cylinders, total dimensions: 1020 mm x 800 mm x 1160 mm.	100
623	NN mesh belts	Pallet with 3 s/s mesh belts, belt width: 600 mm.	75
624	NN motor	Pallet with motor and s/s parts, dimensions: 1400 mm x 420 mm x 700 mm.	25
625	Artec	Artec welding machine, dimensions: 800 mm x 400 mm x 1700 mm.	100
626	NN trolley	S/s trolley with electric parts, dimensions: 1000 mm x 540 mm x 1000 mm.	25
627	NN welding trolley		75



Nr	Title	Description	Start €
		S/s welding trolley, dimensions: 700 mm x 480 mm x 1300 mm.	
628	Rapid	Rapid high lift pallet lifter, year of construction: 2008, fork length: 1170 mm, fork width: 540 mm, lifting height: 800 mm, total dimensions: 1500 mm x 400 mm x 1250 mm.	75
629	Schefer Mietstapler GmbH	Schefer Mietstapler GmbH steel pallet lifter, type: 1101010RTPAC, serial number: 22051904M/261, year of construction: 2022, capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1500 mm x 600 mm x 1270 mm.	75
630	Klaus Pahlke GmbH & Co KG	Klaus Pahlke GmbH & Co KG steel pallet lifter, type: M23, serial number: L23/184669, year of construction: 2006, fork length: 1150 mm, total dimensions: 1500 mm x 600 mm x 1270 mm.	75
650	Trotec GmbH	Trotec GmbH air dryer, type: TTK 900 MP, serial number: 2228DHI145484, 220 - 240 V, 1 Ph, 50 Hz, 9.7 A, dehumidifying capacity maximum: 122 liter per 24 hour, maximum air volume: 850 m ³ per hour, refrigerant: R-454C / 0.900 kg, weight: 69 kg, dimensions: 500 mm x 600 mm x 800 mm.	150
651	HQ Hygiene Supplies	HQ Hygiene Supplies insect killer, model: WE-SB-60S, 230 V, 1 Ph, 50 Hz, 85 W, dimensions: 470 mm x 130 mm x 330 mm.	10
652	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet rack consisting of 20 uprights, dimensions uprights: (14x) 1100 mm x 3000 mm and (6x) 1200 mm x 3200 mm, 34 beams, length beams: (20x) 3300 mm, (4x) 2300 mm and (10x) 900 mm. Including 6 steel floors.	250
653	NN frame	Galvanized frame, dimensions: 500 mm x 700 mm x 2000 mm.	25
654	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet rack consisting of 5 uprights, dimensions uprights: (2x) 1100 mm x 4000 mm and (3x) 1100 mm x 2500 mm, 10 beams, length beams: (4x) 3600 mm and (6x) 3300 mm.	75
655	NN whiteboard	Whiteboard, dimensions: 1200 mm x 900 mm.	10
656	Layher	Layher ladder, maximum: 150 kg, weight: 16.0 kg, dimensions: 600 mm x 3500 mm.	100
657	Trotec GmbH	Trotec GmbH air dryer, type: TTK 800, serial number: 2005271623625, year of construction: 2020, 230 V, 50 Hz, 9 A, dehumidifying capacity maximum: 150 liter per 24 hour, maximum air volume: 900 m ³ per hour, refrigerant: R-454C / 0.760 kg, weight: 66 kg, dimensions: 1000 mm x 600 mm x 1500 mm.	150
658	Trotec GmbH	Trotec GmbH air dryer, type: TTK 800, serial number: 2005271623611, year of construction: 2020, 230 V, 50 Hz, 9 A, dehumidifying capacity maximum: 150 liter per 24 hour, maximum air volume: 900 m ³ per hour,	150



Nr	Title	Description	Start €
		refrigerant: R-454C / 0.760 kg, weight: 66 kg, dimensions: 1000 mm x 600 mm x 1500 mm.	
659	Trotec GmbH	Trotec GmbH mobile ventilator, type: TTW 25000 S, serial number: 2019121654, year of construction: 2019, air volume: maximum 27.600 m ³ , 230 V, 1 Ph, 50 Hz, 16 A, maximum: 0.65 kW, weight: 44 kg, dimensions: 1100 mm x 600 mm x 1200 mm.	150
660	Trotec GmbH	Trotec GmbH mobile ventilator, type: TTW 25000 S, serial number: 2019081293, year of construction: 2019, air volume: maximum 27.600 m ³ , 230 V, 1 Ph, 50 Hz, 16 A, maximum: 0.65 kW, weight: 44 kg, dimensions: 1100 mm x 600 mm x 1200 mm.	150
662	Müka Verbindungselemente	Müka Verbindungselemente steel pallet rack, model: Multipal - S, year of construction: 2008, consisting of 5 uprights, dimensions uprights: (5x) 1100 mm x 2200 mm and 13 beams, length: (6x) 2700 mm and (7x) 1800 mm.	75
663	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with switch cabinet, compressor rack consisting of 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (2x) 6GE-40Y-40P, 50/60 Hz, capacity: 126.8 m ³ / 152.9 m ³ per hour, 1450 / 1750 rates per minute and type: (1x) 6G-40.2Y-40P, 50/60 Hz, capacity: 126.8 m ³ / 153.1 m ³ per hour, 1450 / 1750 rates per minute, Bitzer Kühlmaschinenbau GmbH liquid receiver, type: FS1122, year of construction: 2008, volume: 112 liter, refrigerant: R449A, dimensions compressor rack: 2650 mm x 1800 mm x 1960 mm, switch cabinet with FrigoPack frequency inverter, dimensions switch cabinet: 3600 mm x 400 mm x 1850 mm. Switch cabinet missing some components.	2500
664	Gebra Secubox	Gebra Secubox hear protection box.	10
665	Busch / Becker	Steel frame with Busch vacuum pump, type: RA 0302 D 5ZI QNZZ, number: C0412000089, year of construction: 2004, capacity: 300 m ³ per hour and Becker vacuum pump, type: U5.301/0-01, number: 3961977, year of construction: 2024, 50/60 Hz, inlet capacity: 300/360 m ³ per hour, maximum vacuum: 0.1 / 0.1 mbar, total dimensions: 1000 mm x 700 mm x 1500 mm.	500
666	Busch / Gardner Denver	Steel frame with Busch vacuum pump, type: RA 0630 B 4ZI EEZZ, number: C9940000561, year of construction: 1994, vacuum: 0.5 mbar, capacity: 630 m ³ per hour and Gardner Denver vacuum roots pump, type: VWP 1500 (60), number: 2799527, 4.0 kW, nominal: 1580 m ³ per hour, total dimensions: 1450 mm x 1100 mm x 1700 mm.	500
667	Pfeiffer Balzers	Steel frame with 4 Pfeiffer Balzers vacuum roots pumps, type: (2x) WKP 2000 A, 230 / 400 V, 50 Hz, 5.5 kW,	1000



Nr	Title	Description	Start €
		volume flow rate: 2065 m ³ per hour and (2x) type: WKP 1000, 3.0 kW, volume flow rate: 1073 m ³ per hour, total dimensions: 1300 mm x 1400 mm x 1800 mm.	
668	Pfeiffer Balzers	Steel frame with Pfeiffer Balzers vacuum roots pump, type: WKP 2000 A, number: PP W61 000 / V 259, 230 / 400 V, 50 Hz, 5.5 kW, volume flow rate: 2065 m ³ per hour, total dimensions: 1300 mm x 800 mm x 1900 mm.	250
669	BIS Vakuumtechnik GmbH	BIS Vakuumtechnik GmbH pressure vessel for "Feinvakuum", diameter vessel: 1300 mm, height vessel: 2500 mm.	500
670	Busch	Steel frame with Busch vacuum pump, type: RA0302 D 5ZI CUXX, number: C0922000256, year of construction: 2009, capacity: 300 m ³ per hour, total dimensions: 1000 mm x 800 mm x 1800 mm.	250
671	Becker	Steel frame with Becker vacuum pump, type: U5.300/0-01, number: A3519573, year of construction: 2020, inlet capacity: 300 / 360 m ³ per hour and type: U5.301/0-01, number: 3873158, year of construction: 2023, inlet capacity: 300/360 m ³ per hour, total dimensions: 1100 mm x 700 mm x 1900 mm.	500
672	D.V.P. Vacuum Technology SRL	Steel frame with (2x) D.V.P. Vacuum Technology SRL vacuum pumps, type: LC.305 9603024, serial numbers: 0718877 / 0720221, year of construction: 2007, flow rate: 305 m ³ per hour, total dimensions: 1100 mm x 700 mm x 1900 mm.	500
673	D.V.P. Vacuum Technology SRL	Steel frame with (2x) D.V.P. Vacuum Technology SRL vacuum pumps, type: LC.305 9603024, serial numbers: 0718882 / 0720224, year of construction: 2007, flow rate: 305 m ³ per hour, total dimensions: 1100 mm x 700 mm x 1900 mm.	500
674	D.V.P. Vacuum Technology SRL	Steel frame with (2x) D.V.P. Vacuum Technology SRL vacuum pumps, type: LC.305 9603024, serial numbers: 0720223 / 0720215, year of construction: 2007, flow rate: 305 m ³ per hour, total dimensions: 1100 mm x 700 mm x 1900 mm.	500
675	D.V.P. Vacuum Technology SRL	Steel frame with (2x) D.V.P. Vacuum Technology SRL vacuum pumps, type: LC.305 9603024, serial numbers: 0720218 / 0720217, year of construction: 2007, flow rate: 305 m ³ per hour, total dimensions: 1100 mm x 700 mm x 1900 mm.	500
676	D.V.P. Vacuum Technology SRL	Steel frame with (2x) D.V.P. Vacuum Technology SRL vacuum pumps, type: LC.305 9603024, serial numbers: 0720218 / 0720217, year of construction: 2007, flow rate: 305 m ³ per hour, total dimensions: 1100 mm x 700 mm x 1900 mm.	500
677	BIS Vakuumtechnik GmbH	BIS Vakuumtechnik GmbH pressure vessel for "Hilfsvakuum", diameter vessel: 1300 mm, height vessel: 2500 mm.	500



Nr	Title	Description	Start €
678	Busch	Steel frame with Busch vacuum roots pump, type: WV 2000 C 001 MCXX, number: C00468000215, year of construction: 2000, total dimensions: 1300 mm x 650 mm x 1800 mm.	250
679	Busch	Steel frame with 2 Busch vacuum roots pumps, type: WV 2000 C 001 MCXX, serial numbers: C0147000063 / PB05490201, year of construction: 2001 / 1998, total dimensions: 1500 mm x 1380 mm x 1800 mm.	500
680	Busch	Steel frame with Busch vacuum roots pump, type: WV 1000 B 001 KDCC, total dimensions: 1000 mm x 950 mm x 1800 mm.	250
681	BIS Vakuumtechnik GmbH	BIS Vakuumtechnik GmbH pressure vessel for "GROBVAKUUM", diameter vessel: 1300 mm, height vessel: 2500 mm.	500
682	NN work table	Steel work table with s/s top, dimensions: 950 mm x 700 mm x 920 mm.	25
683	Trotec GmbH	Trotec GmbH ventilator, type: TTV4500HP, capacity: 4500 m ³ per hour, dimensions: 300 mm x 500 mm x 600 mm.	25
684	NN parts for vacuum pumps	Steel rack with parts for vacuum pumps, dimensions: 1000 mm x 400 mm x 1960 mm.	50
685	Fetra	2 Fetra trolleys for barrels, dimensions: 900 mm x 500 mm x 600 mm and 600 mm x 600 mm x 500 mm.	25
686	VAR GmbH	VAR GmbH steel drip tray, type: AW 062, year of construction: 2008, volume: 200 liter, capacity: 760 kg, dimensions drip tray: 1250 mm x 800 mm x 350 mm. Including 1 barrel with syntetic vacuum pump oil. Including 1 empty barrel.	150
687	BIS Vakuumtechnik GmbH	BIS Vakuumtechnik GmbH switch cabinet for vacuum pump installation, dimensions: 2400 mm x 500 mm x 2100 mm.	500
688	Trotec GmbH	Trotec GmbH ventilator, type: TTW 25000 S, serial number: 2020040063, 230 V, 1 Ph, 50 Hz, 16 A, maximum: 0.65 kW, weight: 44 kg, air volume: maximum 27.600 m ³ per hour, dimensions: 1100 mm x 400 mm x 1200 mm.	150
689	NN cabinet	Steel cabinet with some parts for cooling compressors, dimensions cabinet: 600 mm x 500 mm x 1800 mm.	25
690	Neutragel® Neo	IBC-tank with Neutragel® Neo antifreeze for heating and cooling systems, approximately 700 - 800 kg, dimensions: 1200 mm x 1000 mm x 1200 mm.	250
691	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 2 cooling compressors, (2x) type: 6F.2Y, serial numbers: 1699112195 / 1699112196, capacity: 94.1 - 183 m ³ per hour, 900 - 1750 rates per minute, ND / HD maximum 19 / 25 bar, refrigerant: R422D, total dimensions: 2000 mm x 1500 mm x 2250 mm. Including 2 frequency convertors.	1500



Nr	Title	Description	Start €
692	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 2 cooling compressors, type: 6F.2Y, serial numbers: 1699112194 / 1699112196, capacity: 94.1 - 183 m³ per hour, 900 - 1750 rates per minute, ND / HD maximum 19 / 25 bar and type: 6FE-50Y-40P, serial number: 1604700700, 152 / 183 m³ per hour, refrigerant: R422D, total dimensions: 2000 mm x 1500 mm x 2100 mm. Including 2 frequency convertors.	1500
693	NN switch cabinet	Switch cabinet used for 2 Bitzer Kühlmaschinenbau GmbH compressor racks, dimensions switch cabinet: 1600 mm x 450 mm x 1800 mm.	1000
694	NN switch cabinet	Switch cabinet used for evaporators, dimensions: 3200 mm x 450 mm x 1800 mm.	1000
695	NN isolated tank	Isolated tank, dimensions: 1700 mm x 1600 mm x 2500 mm.	500
696	ELA Fördertechnik	2 switch cabinets for ELA Fördertechnik conveyor system with large amount of SEW-Eurodrive frequency convertors, dimensions switch cabinets: 2620 mm x 450 mm x 2050 mm and 2200 mm x 450 mm x 2550 mm. Control panel is missing.	1500
697	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 6 cooling compressors, type: (6x) 6CTE-50K-40P, year of construction: 2024, refrigerant: R744 (CO2), 50/60 Hz, capacity: 38.2 / 46.1 m³ per hour, 1450 / 1750 rates per minute, ND/HD maximum: 100 / 160 bar, total dimensions: 2600 mm x 1100 mm x 2000 mm. Including ECO OPTIDRIVE frequency convertor.	3500
698	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 3 cooling compressors, type: (3x) 6DTE-50K-40P, year of construction: 2022, refrigerant: R744 (CO2), 50/60 Hz, capacity: 30.3 / 36.6 m³ per hour, 1450 / 1750 rates per minute, ND/HD maximum: 100 / 160 bar, Alfa Laval heat exchanger, type: AAXP112-162F-F, year of construction: 2022, total dimensions: 2550 mm x 1100 mm x 2000 mm. Including ECO OPTIDRIVE frequency convertor.	2500
699	Frigomec / Alfa Laval	Frigomec / Alfa Laval cooling installation, year of construction: 2024, (refrigerant: R744) with Frigomec pressure vessel, serial number: 1911899, year of construction: 2022, volume: 750 liter, Alfa Laval heat exchanger, type: AXP112-50L, serial number: AAD001046441, year of construction: 2022, volume: 4.32 liter / 4.5 liter, Danfoss Optyma cooling compressor, model: OPTYMA, serial number: 29102122001689, Grundfos circulation pump, Alfa Laval heat exchanger, type: ACH-500EQ-244H-F, serial number: 32497827, year of construction: 2022, volume: 60.50 liter / 57.34 liter, total dimensions: 2000 mm x 1600 mm x 2010 mm.	2500



Nr	Title	Description	Start €
700	NN switch cabinet	Switch cabinet for Emcot Group / Bitzer Kühlmaschinenbau GmbH (R744 CO2) cooling installation, total dimensions: 2400 mm x 450 mm x 1800 mm.	1250
701	NN switch cabinet	Switch cabinet used for evaporators, dimensions: 1200 mm x 450 mm x 2030 mm.	750
702	NN switch cabinet	Switch cabinet used for evaporators, dimensions: 2400 mm x 450 mm x 2030 mm.	750
703	NN cables and hoses	Various pegs with cables and hoses.	50
704	NN electric parts	Table with some electrical parts and used Siemens frequency convertors, dimensions table: 1600 mm x 800 mm x 740 mm.	100
705	Kehrein Kalte Klima	Kehrein Kalte Klima s/s tank with agitator used for cooling water, total dimensions: 2600 mm x 1300 mm x 1600 mm.	750
706	Kaeser Kompressoren GmbH	Kaeser Kompressoren GmbH air compressor, type: ASD 57, serial number: 1322, year of construction: 2007, 30.0 kW, 11.0 bar, 2945 rates per minute, dimensions: 1300 mm x 900 mm x 1550 mm.	500
707	Kaeser Kompressoren GmbH	Kaeser Kompressoren GmbH air compressor, type: ASD 57, serial number: 1319, year of construction: 2007, 30.0 kW, 11.0 bar, 2945 rates per minute, dimensions: 1300 mm x 900 mm x 1550 mm.	500
708	Kaeser Kompressoren GmbH	Kaeser Kompressoren GmbH air compressor, type: ASD 57, serial number: 1317, year of construction: 2007, 30.0 kW, 11.0 bar, 2945 rates per minute, dimensions: 1300 mm x 900 mm x 1550 mm.	500
709	NN protection racks	3 steel protection racks, dimensions: (3x) 1800 mm x 140 mm x 850 mm.	150
710	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet rack consisting of 6 uprights, dimensions: (6x) 1100 mm x 2050 mm, 12 beams, length beams: 2600 mm.	75
711	NN office table	Office table, dimensions: 1600 mm x 1000 mm x 740 mm.	25
712	ALUP-Kompressoren GmbH	ALUP-Kompressoren GmbH air compressor, type: HL 2850-1000 EW, year of construction: 1983, 15 kW, 10 bar, capacity: 129.0 m ³ per hour, total dimensions: 2300 mm x 800 mm x 1700 mm.	200
713	Parker Hiross	Parker Hiross air dryer, model: PST140-A40035014EI, serial number: 398546830001, 400 V, 3 Ph, 50 Hz, 2.38 kW, 4.14 A, refrigerant: R407C, 1.7 kg, dimensions: 1050 mm x 720 mm x 1100 mm. Including 2 Parker air filters, model: AAP035GGFX, minimum / maximum operating pressure: 1 barg / 16 barg.	250
714	JORC Industrial BV	JORC Industrial BV oil-water separator, model: SEPREAMIUM 20, fabrication number: 9620000902, year of construction: 2020, dimensions: 750 mm x 300 mm x 950 mm.	50



Nr	Title	Description	Start €
715	CEMO GmbH	CEMO GmbH plastic drip tray with galvanized gratings, model: PE-Auffangwanne 250 / 2, type number: 211.4800.000, year of construction: 2020, volume: 225 liter, dimensions: 1200 mm x 800 mm x 440 mm.	100
716	Parker Domnick Hunter	Parker Domnick Hunter oil vapour removal filters, model: OVR350HGXX, serial number: 210VR06620, year of construction: 2021, volume: 30.5 liters, dimensions: 800 mm x 500 mm x 1050 mm. Including Parker air filter, model: AOP035GGMX, minimum / maximum operating pressure: 1 barg / 20 barg.	100
717	Suto	Suto dew point monitor for desiccant and fridge dryers, model: S 305.	100
718	Kaeser Kompressoren GmbH	Kaeser Kompressoren GmbH valve, dimensions: 250 mm x 300 mm x 350 mm.	50
719	ALUP-Kompressoren GmbH	ALUP-Kompressoren GmbH pressure vessel, fabrication number: 117658, year of construction: 1984, maximum working pressure: 12 bar, volume: 1000 liter, diameter: 900 mm, height: 2700 mm.	150
720	Grundfos / Calpeda	Grundfos / Calpeda pump installation consisting of Grundfos circulation pump, type: CR5-8 A-FGJ-A-E-HQQE, 5.8 m ³ per hour and Calpeda circulation pump, type: MXV 32-405/D, capacity: 2.5 / 8.0 m ³ per hour, 2900 rates per minute, total dimensions: 800 mm x 400 mm x 1200 mm. Including switch cabinet.	150
721	Heider GmbH	Heider GmbH pressure vessel, year of construction: 1996, volume: 300 liter, diameter vessel: 500 mm, height vessel: 1900 mm, 2 Reflex expansion vessel, volume: 25 liter and 18 liter, diameter: 250 / 300 mm, height: 400 / 300 mm.	100
722	Barrex Lagertechnik GmbH	Barrex Lagertechnik GmbH steel pallet rack consisting of 7 uprights, dimensions uprights: (7x) 1100 mm x 2130 mm, 11 beams, length beams: (6x) 3300 mm and (5x) 2600 mm.	75
723	NN chairs	14 canteen chairs.	10
724	NN storage racks	2 steel storage racks, dimensions: 1850 mm x 420 mm x 1900 mm and 2650 mm x 450 mm x 2000 mm.	50
725	NN cage	Complete steel cage consisting of 4 parts, dimensions: (2x) 9000 mm x 2800 mm, 16000 mm x 2800 mm and 5000 mm x 2800 mm.	250
726	NN storage racks	2 steel storage racks, dimensions: 5000 mm x 300 mm x 2800 mm and 8000 mm x 430 mm x 2700 mm.	100
727	NN office table	Office table, dimensions: 800 mm x 800 mm x 740 mm.	10
728	NN storage racks	11 steel storage racks, dimensions: (10x) 4000 mm x 300 mm x 2800 mm and (1x) 2000 mm x 300 mm x 2800 mm.	250
729	NN whiteboard	Whiteboard, dimensions: 1800 mm x 1200 mm.	25
730	NN benches	2 benches, dimensions: 2000 mm x 360 mm x 410 mm and 1950 mm x 400 mm x 800 mm.	25



Nr	Title	Description	Start €
731	NN storage racks	3 steel storage racks, dimensions: (2x) 3800 mm x 640 mm x 2550 mm and (1x) 4060 mm x 440 mm x 2700 mm.	100
732	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 3 cooling compressors, type (3x): 4H.2Y, capacity: 38.0 - 88.8 m ³ per hour, ND/HD maximum: 19 / 25 bar, refrigerant: R422D, dimensions compressor rack: 2600 mm x 1300 mm x 1900 mm, Bitzer Kühlmaschinenbau GmbH liquid receiver, type: FS 1602, year of construction: 1999, volume: 160 liter and switch cabinet, dimensions switch cabinet: 800 mm x 500 mm x 1800 mm.	1500
733	NN storage rack	5 pallets with steel uprights and shelves for storage rack.	75
734	NN beams	27 beams for pallet racks, length beams: (27x) 3600 mm.	100
735	NN storage rack	5 pallets with steel uprights and shelves for storage rack, dimensions shelves: 1000 mm x 300 mm, dimensions uprights: 300 mm x 2800 mm.	75
736	Hans Güntner GmbH	Hans Güntner GmbH roof condenser, 4 fans, dimensions: 3500 mm x 2400 mm x 1900 mm.	750
737	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor / condensing unit, model: ECOSTAR, type compressor: 4CE.6.F1Y-40S, serial number: 1608209265, 32.5 / 39.2 m ³ per hour, 1450 / 1750 rates per minute, ND / HD maximum: 19 / 32 bar, Bitzer Kühlmaschinenbau GmbH liquid receiver, type: FS268, year of construction: 2012, volume: 26 liter, total dimensions: 1350 mm x 600 mm x 1400 mm.	500
738	Copeland	Copeland compressor / condensing unit, model: MC-V6-ZB11ME-TWD, serial number: 04B305875 T, year of construction: 2007, dimensions: 1400 mm x 900 mm x 1010 mm.	250
739	M.T.A. S.r.l.	M.T.A. S.r.l. air-cooled chiller with built-in Grundfos circulation pump, dimensions: 3400 mm x 1200 mm x 2150 mm.	1000
740	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG V-shape dry cooler, unit name: GGD 080 5D/2x4-LI3C/8P.E, unit serial number: 405179166/49.00256, year of construction: 2022, ambient air temperature: - 30° / + 50C, ventilator: VT03060U, 8 fans, total dimensions: 5200 mm x 2400 mm x 2750 mm.	3500
741	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG V-shape dry cooler, unit name: GGD 080 5D/2x4-LI3C/8P.E, unit serial number: 405179166/49.00255, year of construction: 2022, ambient air temperature: - 30° / + 50C, ventilator: VT03060U, 8 fans, total dimensions: 5200 mm x 2400 mm x 2750 mm.	3500

Nr	Title	Description	Start €
742	Trane	Trane air cooled chiller, type: RTAD 115, serial number: EKM6436, year of construction: 2003, 147 A, 91 kW, refrigerant: R134a, 35/36 KG, 6 fans, including (2x) Trane compressors, type: CHHPOM1TKEONO77A, total dimensions: 4200 mm x 2200 mm x 2000 mm.	1500
743	Hans Güntner GmbH	Hans Güntner GmbH roof condenser, 4 fans, dimensions: 4200 mm x 2400 mm x 2100 mm. Already disconnected.	750
744	Hans Güntner GmbH	Hans Güntner GmbH roof condenser, 6 fans, dimensions: 6500 mm x 2400 mm x 2100 mm. Already disconnected.	750
745	Güntner AG & Co. KG	Güntner AG & Co. KG roof condenser, device type: GVH 090.2B/3-N(D), serial number: 100/1096036.0001, year of construction: 2009, maximum / minimum operating pressure: 32 bar / - 1 bar, test pressure: 35.2 bar, maximum / minimum working temperature: 100°C / -50°C, volume: 115.9 liter, refrigerant: R404A, 3 fans, dimensions: 7300 mm x 1150 mm x 1500 mm. Already disconnected.	1000
746	Hans Güntner GmbH	Hans Güntner GmbH roof condenser, device type: GVH 101C/3S, year of construction: 1997, maximum working pressure: 28 bar, maximum working temperature: 100°C, volume: 165 liter, 3 fans, dimensions: 7350 mm x 1700 mm x 1900 mm.	500
747	LU-VE Contardo	LU-VE Contardo roof condenser, model: SHVN 203, serial number: 9906, volume: 48 dm ³ , maximum pressure: 2.2 Mpa, 3 fans, dimensions: 5200 mm x 1200 mm x 1600 mm.	750
748	Spartex	Spartex ladder with platform, maximum capacity: 150 kg, dimensions: 700 mm x 300 mm x 2800 mm.	75
749	NN washing trolley for meat bins	2 washing trolleys for meat bins, dimensions: (2x) 1000 mm x 550 mm x 1700 mm and 1200 mm x 700 mm x 1750 mm.	100
750	Zarges	Zarges ladder with platform, working height: 1600 mm, total dimensions: 1500 mm x 1300 mm x 2550 mm.	75
751	Bauer	Bauer storage container for chemicals, type: GD-E / IBC, serial number: 929847, year of construction: 2021, volume: 1060 liter, capacity: 1000 kg / qm, own weight: 375 kg, dimensions: 1500 mm x 1500 mm x 2450 mm.	250
752	NN storage container	Storage container for chemicals, dimensions: 1500 mm x 1100 mm x 1900 mm.	150
753	Safe Center	2 Safe Center storage containers for chemicals with sliding doors, dimensions: (2x) 3000 mm x 1600 mm x 3050 mm. Including 2 Barrex Lagertechnik pallet racks, various Ecolab barrels with amongst other: Toprinse Perfect, BTS 4700 disinfection, BTS 6000+ disinfection.	500
754	NN storage container	Storage container for chemicals, dimensions: 1500 mm x 1100 mm x 1900 mm. Including fire extinguisher.	150



Nr	Title	Description	Start €
755	Bock Compressors	Bock Compressors compressor rack built-in 40 FT container, consisting of 2 Bock cooling compressors, type: HGX66e/1340-4 S, number: BF26135A079, maximum: 65.3 A, capacity: 116.5 / 139.5 m ³ per hour and type: HGX6/1410-4 S Service, number: BC54693A019, maximum: 76.0 A, capacity: 122.4 / 146.9 m ³ per hour, refrigerant: R404A, Hans Güntner GmbH liquid receiver, production number: 344913, year of construction: 2002, volume: 400 liter, condensers built-on top of the container, total dimensions container: 12100 mm x 2400 mm x 4100 mm. Missing 1 compressor on the skid.	1500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook or legal stationery. There are no margins, text, or other markings present.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

