



**Industrial
Auctions**

**2242: Online auction machinery for the bakery industry
in Eindhoven (NL)**

END DATE
17 August 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	17 August 2026 from 14:00 hrs.
Viewing days	13 August 2026 from 09:00 till 16:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	24 August 2026 from 09:00 till 16:00 hrs. 25 August 2026 from 09:00 till 16:00 hrs.
Pick up address	Looyenbeemd 11 5652 BH Eindhoven Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Leventi	Leventi oven, type: BM 12 MM NG, serial number: 12 10 56877, 400 V, 3 Ph, 50/60 Hz, 24 kW, 150-500 kPa, 1.5-5 bar, 12 floors, dimensions floors: (12x) 400 mm x 600 mm, total dimensions: 910 mm x 900 mm x 1860 mm.	300
2	Wiesheu GmbH	Wiesheu GmbH mobile oven with proofer, type combi steamer: B4-E2, serial number: 10201433, year of construction: 2012-05, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, type proofer: GS1 ED60/40, serial number: 10200846, year of construction: 2012-05, 230 V, 1 Ph, 50/60 Hz, 9.1 A, 2.1 kW, 5 floors, dimensions floors: (5x) 620 mm x 340 mm, total dimensions: 950 mm x 910 mm x 2020 mm.	300
3	Duke	Duke mobile convection oven and proofer, model: TSC-6/18M M, serial number: 03151456, 400 V, 3 Ph, 50 Hz, 7200 W, 11 floors, dimensions floors: (11x) 700 mm x 440 mm, total dimensions: 950 mm x 800 mm x 2000 mm.	300
4	Wiesheu GmbH	Wiesheu GmbH mobile oven, type: B4-E2, serial number: 10153524, year of construction: 2010-09, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, 5 floors, dimensions floors: (5x) 620 mm x 340 mm, total dimensions: 950 mm x 950 mm x 1050 mm.	300
5	Werner & Pfleiderer	Werner & Pfleiderer mobile dough divider and rounder, type: Rotamat EN, fabrication number: 266 210, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 3.3/16 A, diameter plate: 350 mm, total dimensions: 700 mm x 650 mm x 1450 mm.	250
6	JAC	JAC mobile bread slicer, model: ECH 450/0, machine number: 10/1350/14, 230 V, 1 Ph, 50 Hz, 4 A, 0.49 kW, weight: 180 kg, 34 knives working width: 450 mm, distance between knives: 12 mm, total dimensions: 640 mm x 640 mm x 1320 mm.	300
7	JAC	JAC mobile bread slicer, model: ECH 450/99, machine number: 08/3765/11, 230 V, 1 Ph, 50 Hz, 4 A, 0.49 kW, weight: 180 kg, 34 knives, working width: 450 mm, distance between knives: 12 mm, total dimensions: 640 mm x 640 mm x 1320 mm.	300
8	JAC	JAC mobile bread slicer, model: SLD 450/10, machine number: 13104028, year of construction: 31/10/2013, 230 V, 1 Ph, 50-60 Hz, 4.5 A, 0.49 kW, weight: 230 kg, 42 knives, working width: 450 mm, distance between knives: 10 mm, total dimensions: 590 mm x 700 mm x 1300 mm.	300
9	JAC	JAC mobile bread slicer, model: ECH 450/99, machine number: 08/1742/16, 230 V, 1 Ph, 50 Hz, 4 A, 0.49 kW, weight: 180 kg, 34 knives, working width: 450 mm, distance between knives: 12 mm, total dimensions: 640 mm x 640 mm x 1320 mm.	300
10	WRT Rompa Teson International b.v.	WRT Rompa Teson International b.v. mobile oven, model: Memory Excellent, serial number: 34.37.1110, year of	150



Nr	Title	Description	Start €
		construction: 1999, 380 V, 3 Ph, 8950 W, 5 floors, dimensions floors: (5x) 600 mm x 390 mm, total dimensions: 910 mm x 720 mm x 1770 mm.	
11	Demann	Demann rotation oven with heating cabinet, 380 V, 10 floors, dimensions floors: (10x) 600 mm x 400 mm, total dimensions: 1300 mm x 1000 mm x 1970 mm. Technical condition unknown, door broken.	500
12	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B04-EM-VA, serial number: 10220341, year of construction: 2012-10, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, dimensions floors: (15x) 620 mm x 400 mm, total dimensions: 930 mm x 1200 mm x 2070 mm.	500
13	Wiesheu GmbH	Wiesheu GmbH mobile oven, model: B08-B04-EM-VA, serial number: 10130773, year of construction: 05-2009, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, dimensions floors: 610 mm x 400 mm, total dimensions: 1000 mm x 1100 mm x 2070 mm. Glass broken.	550
14	Wiesheu GmbH	Wiesheu GmbH mobile oven, model: B04-EM, serial number: 10261217, year of construction: 11-2013, 400 V, 3 Ph, 50 Hz, 12.2 A, 8.4 kW, 5 floors, dimensions floors: (5x) 610 mm x 400 mm, total dimensions: 930 mm x 110 mm x 2070 mm.	350
15	Lainox	Lainox combi steamer, type: ME/ 110 S, 415 V, 50 Hz, 1/16 kW, 10 floors, dimensions floors: (10x) 535 mm x 360 mm, total dimensions: 940 mm x 900 mm x 1050 mm.	350
16	Leventi	Leventi oven, type: CM MM Q2 B+DI, serial number: 06110136, year of construction: 2006, 380/415 V, 3 Ph, 50/60 Hz, 9.5 kW, 6 floors, dimensions floors: (6x) 600 mm x 410 mm, total dimensions: 900 mm x 970 mm x 1000 mm.	250
17	Rubbermaid	Rubbermaid plastic tub, dimensions: 750 mm x 320 mm x 730 mm.	10
18	Bakon B.V.	Bakon B.V. mobile jelly spraying machine, model: Jelly 2000, serial number: 1.55.014, year of construction: 1998, 220 V, 50 Hz, 3000 W, dimensions: 550 mm x 630 mm x 1080 mm.	350
19	ABO	ABO mobile bread slicer, 34 knives, distance between knives: 10 mm, working width: 350 mm, total dimensions: 690 mm x 1040 mm x 1820 mm.	150
20	ABO	ABO mobile bread slicer, type: ABO-Matic II, machine number: 060715226, year of construction: 2006, 230 V, 0.75 kW, weight: 180 kg, 34 knives, distance between knives: 10 mm, working width: 340 mm, total dimensions: 800 mm x 550 mm x 1280 mm.	200
21	Rational	Rational extraction hood, model: UltraVent, dimensions: 1190 mm x 860 mm x 420 mm.	150
22	Beko	Beko mobile bread slicer, type: 3BSM3JAC003, 230 V, 2 knives, distance between knives: 100 mm, dimensions	80



Nr	Title	Description	Start €
		chamber: 450 mm x 120 mm x 100 mm, total dimensions: 730 mm x 600 mm x 1330 mm.	
23	NN mixer	Mobile mixer, steel bowl, dimensions bowl: Ø 830 mm x 620 mm, total dimensions: 1200 mm x 870 mm x 1400 mm. Missing cover.	250
24	Zela	Zela mobile spraying machine, model: Basic 500, dimensions: 1100 mm x 800 mm x 900 mm.	400
25	Sea Productique	Sea Productique film supplier, type: Dépose film, serial number: SEA-36142, year of construction: 2017/04, 230 V, 1 Ph, dimensions: 1140 mm x 720 mm x 1530 mm.	450
26	Bakon B.V.	Bakon B.V. mobile jelly spraying machine, model; Jelly 2000, serial number: 1.66.390, year of construction: 2000, 220 V, 50 Hz, 2.5 kW, hose length: 1900 mm, total dimensions: 610 mm x 520 mm x 1080 mm.	200
27	Rational	Rational SelfCookingCenter combi steamer, model: WE 101G, 10 floors, dimensions floors: (10x) 540 mm x 330 mm, total dimensions: 850 mm x 810 mm x 1100 mm.	1900
28	W&E	W&E mobile jelly machine, type: Gel-Top, factory number: 95065606, 220 V, 50 Hz, 10 A, 2100 W, 4 bar, dimensions: 460 mm x 520 mm x 880 mm.	200
29	Leventi	Leventi oven, type: NM.TUT.CP, number: 94200045, year of construction: 24-5-94, 380 V, 3 Ph, 50 Hz, 9,5 kW, 5 floors, floor dimensions: 360 mm x 615 mm, total dimensions: 720 mm x 980 mm x 885 mm.	100
30	Gamko Holding BV	Gamko Holding BV refrigerator, type: MAXI25/500SC, year of construction: 2002, 220/240 V, 50 Hz, 560 W, 4 floors, dimensions floors: (4x) 850 mm x 350 mm, dimensions: 920 mm x 550 mm x 1820 mm.	300
32	Bertrand	Bertrand mobile long moulder, model: PZ 1200, number: 4679005, 220/380 V, plastic belt, belt width: 300 mm, total dimensions: 620 mm x 580 mm x 1560 mm.	150
33	Framec	Framec freezer, model: 0000019500000, serial number: 200033787, year of construction: 00/29, 220-240 V, 50 Hz, 860 W, refrigerant: R507, 0.300 kg, volume: 363 dm ³ , dimensions: 670 mm x 700 mm x 1980 mm.	80
34	VLB	VLB bread slicer, type: VLB 40/11, number: 77073, 110/220 V, 50 Hz, 34 knives, distance between knives: 11 mm, total dimensions: 670 mm x 600 mm x 1300 mm.	140
35	Sanomat	Sanomat whipped cream machine, model: SANOMAT-EURO-PLUS Auto, number: 644, 230 V, 50 Hz, refrigerant: R134a/105 g, dimensions: 600 mm x 300 mm x 600 mm.	300
36	Sanomat B.V.	Sanomat B.V. whipped cream machine, model: EuroCream-Auto TBA, number: 55, 230 V, 50 Hz, 850 W, refrigerant: R134a, 75 gram, dimensions: 600 mm x 300 mm x 550 mm.	200
37	Ehecor B.V. Bakery Equipment	Ehecor B.V. Bakery Equipment bread rolls machine, type: TPB 2, number: 15598, year of construction: 2012, 230 V,	150



Nr	Title	Description	Start €
		1/4 Ps, infeed: Ø 60 mm, cloth belt, belt width: 180 mm, total dimensions: 480 mm x 280 mm x 270 mm.	
38	Werner & Pfleiderer Haton BV	Werner & Pfleiderer Haton BV mobile conical rounding machine, type: CR 59, machine number: H. 590562, year of construction: 1995, 230/400 V, 3 Ph, 50 Hz, 3/10 A, dimensions: 1100 mm x 1100 mm x 1500 mm.	700
39	VLB	VLB mobile bread slicer, type: A Granit 45 11, number: 5860, year of construction: 2006, 230/400 V, 50 Hz, 0.56 kW, 38 knives, distance between knives: 11 mm, working width: 450 mm, total dimensions: 750 mm x 660 mm x 1270 mm.	150
40	Seewer Rondo	Seewer Rondo mobile dough sheeter, model: S50 63, machine number: B2068008, cloth belt, belt width: 600 mm, total dimensions: 3500 mm x 1200 mm x 1300 mm.	950
41	Imperator	Imperator mixer, type: PLB 30, number: 78082, 380 V, 50 Hz, 1.8 A, inside dimensions: Ø 360 mm x 360 mm, total dimensions: 710 mm x 690 mm x 1430 mm. Including flat beater and hook.	250
42	J. Slomp B.V.	J. Slomp B.V. mobile oven, type: Ideaal de luxe, number: 613, year of construction: 2005, 220/280 V, 1.5 kW, 10 floors, dimensions floors: (10x) 600 mm x 400 mm, total dimensions: 1350 mm x 1030 mm x 2060 mm.	400
43	G.Spronk en Zn BV	G.Spronk en Zn BV mobile bread slicer, 34 knives, distance between knives: 11 mm, total dimensions: 630 mm x 610 mm x 1300 mm.	150
44	NN trolley	S/s trolley, 6 floors, dimensions floors: (6x) 600 mm x 410 mm, total dimensions: 650 mm x 420 mm x 570 mm.	10
45	VLB	VLB bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 520 mm x 650 mm x 950 mm.	150
46	Wiesheu GmbH	Wiesheu GmbH double stacked oven, type top oven: B4-E2, serial number: 10204883, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 9.2 kW, 13 A, type bottom oven: B8-E2, serial number: 10204917, year of construction: 2012, 400 V, 50 Hz, 26.6 A, 18.4 kW, dimensions: 1100 mm x 950 mm x 2110 mm. Including WIESHEU GmbH tray loading trolley, dimensions: 500 mm x 750 mm x 1920 mm. Incomplete.	680
47	Boku	Boku ice machine, inside dimensions: Ø 360 mm x 460 mm, DWM Copeland cooling compressor, total dimensions: 900 mm x 600 mm x 1250 mm.	200
48	Eberhardt GmbH	Eberhardt mixer with dough hook, total dimensions: 1440 mm x 1000 mm x 1300 mm. Including 2 mobile s/s tubs, inside dimensions: Ø 860 mm x 500 mm, total dimensions tubs: (2x) 1040 mm x 900 mm x 830 mm.	3900
49	Kalmeijer	Kalmeijer bread line, consisting of: Kalmeijer mobile dough divider, type: K00, number: 7289, 380 V, 50 Hz, 1.15 A, 370 W, cloth belt, belt width: 420 mm, total dimensions: 1660 mm x 820 mm x 1590 mm, Kalmeijer	750



Nr	Title	Description	Start €
		mobile proofer, type: KUA, 400 V, 3 Ph, 50 Hz, 0.7 A, 0.18 kW, approximately 200 baskets, basket dimensions: 495 mm x 105 mm, total dimensions: 2090 mm x 1030 mm x 2000 mm.	
50	Macadams Baking Systems	Macadams Baking Systems mobile oven, model: MACADAMS CONVECTA 8, serial number: MR11-01067-04/2007, year of construction: 2007, 380 V, 3 Ph, 50 Hz, 19 A, 12.5 kW, 8 floors, dimensions floors: (8x) 580 mm x 415 mm, including proofer, model: CONVECTA 8 U/B PROVER, serial number: MP10-00679-03/2007, year of construction: 2007, 220 V, 1 Ph, 50 Hz, 8 A, 2 kW, 8 floors, dimensions floors: (8x) 845 mm 620 mm, total dimensions: 1010 mm x 825 mm x 1230 mm. Door of proofer broken.	300
51	NN trolley	S/s trolley, 18 floors, dimensions floors: (18x) 730 mm x 600 mm, total dimensions: 740 mm x 660 mm x 1760 mm.	40
52	Seewer Rondo	Seewer rondo mobile dough sheeter, cloth belt, belt width: 590 mm, total dimensions: 2450 mm x 1100 mm x 1270 mm.	700
53	Leventi	Leventi mobile bake-off oven, type: Bakermat MK3.1 MM DI 6PL, number: 029030039, 380/415 V, 3Ph, 50 Hz, 16 A, 9.5 kW, 5 floors, dimensions floors: (5x) 550 mm x 410 mm. Including heated cabinet, (2x) 9 floors, dimensions floor: (18x) 550 mm x 410 mm, total dimensions: 980 mm x 870 mm x 1720 mm.	150
54	Beldos	Beldos mobile depositor, model: BELGUN 275, diameter output: 20 mm, total dimensions: 1060 mm x 680 mm x 1470 mm.	500
55	NN almond press	S/s almond press on mobile frame, diameter form: (10x) 20 mm, total dimensions: 1420 mm x 430 mm x 1000 mm.	10
56	Bosgraaf	Bosgraaf paper dispenser, dimensions: 400 mm x 280 mm x 250 mm.	10
57	Diosna Dierks & Söhne Maschinenfabrik	Diosna Dierks & Söhne Maschinenfabrik mixer, type: M 200/2G, machine number: 3200-3009, 380 V, 3 Ph, 50 Hz, 8 A, inside dimensions: Ø 900 mm x 500 mm, total dimensions: 1150 mm x 950 mm x 1350 mm.	650
58	L.J. Ten Velthuis	L.J. Ten Velthuis planetary mixer, model: 40-68, number: 226, 220-380 V, 3 Ph, 50 Hz, s/s bowl, dimensions bowl: Ø 400 mm x 450 mm, total dimensions: 870 mm x 570 mm x 1380 mm.	200
59	Bakon B.V.	Bakon B.V. mobile jelly machine, model: JELLY SATELLITE I, serial number: 1-57-01-08-157, year of construction: 2008, 230 V, 50 Hz, 2600 W, dimensions: 640 mm x 450 mm x 1380 mm.	200
60	Seewer Rondo	Seewer Rondo dough sheeter, type: SVN 603, number: 70082, cloth belt, belt width: 600 mm, s/s roll, roll width: 630 mm, total dimensions: 2450 mm x 1100 mm x 1140 mm.	500



Nr	Title	Description	Start €
61	NN trolley	S/s trolley, 23 floors, dimensions floors: (23x) 650 mm x 420 mm total dimensions: 660 mm x 420 mm x 1970 mm. Including 23 s/s racks.	40
62	Hobart	Hobart mobile planetary mixer, model: NCM40, serial number: 97134596, 380/415 V, 3 Ph, 50 Hz, 2.6 A, 1.1 kW, s/s bowl, volume bowl: 40 liter, total dimensions: 750 mm x 630 mm x 1470 mm. Including dough hook, whisk and flat beater.	500
63	NN trolley	S/s trolley, 18 floors, dimensions floors: (18x) 600 mm x 410 mm, total dimensions: 610 mm x 420 mm x 1470 mm.	40
64	NN trolley	S/s trolley, 23 floors, dimensions floors: (23x) 650 mm x 420 mm, total dimensions: 660 mm x 420 mm x 1970 mm. Including 23 s/s racks.	40
65	NN trolley	S/s trolley, 23 floors, dimensions floors: (23x) 650 mm x 420 mm, total dimensions: 660 mm x 420 mm x 1970 mm. Including 23 s/s racks.	40
66	Gostol-Gopan d.o.o.	Gostol-Gopan d.o.o. mobile conical rounding machine, model: Sabotin 1 AB 10, number: 07212, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 12.4 A, 3.15 kW, weight: 280 kg, dimensions: 880 mm x 880 mm x 1410 mm.	750
67	NN refrigerated showcase	Refrigerated showcase, model: RTW-160L, year of construction: 2010-08-16, 230 V, 50 Hz, 1.2 A, 160 W, volume: 160 liter, weight: 71 kg, 1 floor, floor dimensions: 820 mm x 360 mm, total dimensions: 900 mm x 560 mm x 700 mm.	80
68	NN press	Mobile press, dimensions: 1500 mm x 575 mm x 1270 mm.	100
69	Tefcold	Tefcold refrigerator, model: UFFS 370 G, 230 V, 50 Hz, 3.9 A, 620 W, refrigerant: R404a/240 gram, net volume: 270 L, 7 floors, dimensions floors: (7x) 450 mm x 400 mm, total dimensions: 600 mm x 600 mm x 1845 mm.	150
70	Giorik S.p.A.	Giorik S.p.A. fryer, dimensions baskets: (2x) 960 mm x 350 mm x 70 mm, total dimensions: 1050 mm x 580 mm x 950 mm.	450
71	Auto-Therm	Auto-Therm chocolate pan, 220 V, 100 W, dimensions: 330 mm x 230 mm x 200 mm.	25
72	Hobart	Hobart whipped cream machine, model: G5R, serial number: 86 075476, 220-240 V, 1 Ph, 50 Hz, 0.1 kW, s/s bowl, volume bowl: 5 liter, dimensions: Ø 410 mm x 530 mm.	75
73	Catertech	Catertech refrigerator, model: CT 421, 220-240 V, 50 Hz, 1.78 A, weight: 70 kg, total volume: 339 liter, refrigerant: R600a / 72 gram, 5 floors, floor dimensions: (5x) 530 mm x 395 mm, total dimensions: 620 mm x 600 mm x 1990 mm.	100
74	Leventi	Leventi proofer, type: DLG, number: 93280035, year of construction: 1993, 220 V, 50 Hz, 1 Ph, 1000 W, 20 floors,	250



Nr	Title	Description	Start €
		dimensions floors: (20x) 700 mm x 405 mm, total dimensions: 1010 mm x 825 mm x 1230 mm.	
75	Leventi	Leventi mobile bake-off oven, type: BM. MMD, 380 V, 3Ph, 50 Hz, 9.5 kW, 5 floors, dimensions floors: (5x) 620 mm x 420 mm, total dimensions: 930 mm x 900 mm x 2070 mm.	200
76	Rational	Rational combi steamer, model: WE 101G, dimensions: 850 mm x 830 mm x 1100 mm. Incomplete.	1750
77	Wiesheu GmbH	Wiesheu GmbH mobile oven with hood, type: 100858 B4 - E2, serial number: 10226128, year of construction: 2012-12, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, water pressure, 1.5/2.5 bar, 5 floors, floor dimension: (5x) 620 mm x 400 mm, total dimensions: 930 mm x 1000 mm x 1760 mm.	350
78	Birgter Maschinenfabrik GmbH	Birgter Maschinenfabrik GmbH bread crumbler, type: AZI, machine number: 820195, 5.5 kW, clearance: Ø 220 mm, total dimensions: 800 mm x 700 mm x 1470 mm.	250
79	NN dough divider and rounder	Mobile dough divider and rounder, dimensions: 860 mm x 680 mm x 1650 mm.	1000
80	NN almond press	S/s almond press on mobile frame, diameter form: (10x) 20 mm, total dimensions: 1420 mm x 430 mm x 1000 mm.	10
81	Z.MATIK SRL	Z.MATIK SRL mobile dough sheeter, type: LAMINOIR SF600L, serial number: 18095094, year of construction: 2018, 230 V, 1 Ph, 50 Hz, 4 A, 0.75 kW, weight: 250 kg, cloth belt, belt width: 600 mm, total dimensions: 3200 mm x 1000 mm x 1170 mm.	1000
82	Rational	Rational combisteamer, model: SCC WE 61G, serial number: G61SH15102464186, year of construction: 2015, 230 V, 50-60 Hz, gas heated, 6 floors, dimensions floors: (6x) 530 mm x 330 mm, total dimensions: 850 mm x 770 mm x 810 mm.	500
83	Bertrand	Bertrand mobile long moulder for baguettes, working width: 450 mm, total dimensions: 970 mm x 740 mm x 1530 mm.	250
84	Bakon B.V.	Bakon B.V. mobile depositor, serie: Satellite, diameter output: 35 mm, total dimensions: 1370 mm x 830 mm x 1660 mm.	2000
85	VLB	VLB mobile bread slicer, 30 knives, distance between knives: 12 mm, total dimensions: 640 mm x 550 mm x 1330 mm.	150
86	FoodTools	FoodTools mobile cake slicer, model: CS-1A CE, serial number: 5935, year of construction: 2019, maximum operating pressure: 6.9 bar, 100 PSIG, diameter cake: 240 mm, total dimensions: 480 mm x 450 mm x 1270 mm.	900
87	JAC	JAC mobile bread slicer, model: LCL 450/10, machine number: 193029940, year of construction: 04/11/2019, 400 V, 3 Ph, 50-60 Hz, 1.5 A, 0.49 kW, weight: 251 kg, 38 knives, distance between knives: 11 mm, total dimensions: 1050 mm x 800 mm x 1860 mm.	400

Nr	Title	Description	Start €
88	Talsa	Talsa mobile mixer, type: MIX 90 ST, 380 V, 50 Hz, volume: 90 liter, dimensions: 880 mm x 610 mm x 1120 mm.	350
89	NN bread slicer	Bread slicer, 30 knives, distance between knives: 12 mm, working width: 400 mm, total dimensions: 660 mm x 580 mm x 1300 mm.	100
90	Kemper	Kemper dough divider and rounder, dimensions: 860 mm x 580 mm x 1620 mm.	750
91	Convotherm	Convotherm combi steamer, 12 floors, floor dimensions: (12x) 330 mm x 350 mm, total dimensions: 580 mm x 660 mm x 660 mm.	150
92	Arnold Kalmeijer	Arnold Kalmeijer bread slicer, 30 knives, distance between knives: 13 mm, working width: 390 mm, total dimensions: 580 mm x 720 mm x 1280 mm.	50
93	Mech-Masz	Mech-Masz bread grinder, type: MTB-3, factory number: 211117, year of construction: 2017, 4.0 kW, weight: 65 kg, diameter infeed: 220 mm, total dimensions: 800 mm x 480 mm x 1450 mm.	300
94	Beldos	Beldos mobile dosing pump depositor, dimensions: 790 mm x 700 mm x 1070 mm.	800
95	NN bread crumbler	Bread crumbler, dimensions: 800 mm x 800 mm x 1560 mm.	400
96	FoodTools	FoodTools mobile cake slicer, model: CS-4A-AC, serial number: 1644, maximum operating pressure: 100 PSIG, diameter cake: 235 mm, total dimensions: 720 mm x 530 mm x 1280 mm. Including crate with parts.	900
97	Leventi	Leventi bake-off oven, type: MM Bakermat, number: 93250080, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 9.5 kW, 5 floors, dimensions floors: (5x) 620 mm x 420 mm, total dimensions: 905 mm x 795 mm x 790 mm.	150
98	Hobart	Hobart mobile planetary mixer, model: NCM40, serial number: 97128673, 380/415 V, 3 Ph, 50 Hz, 2.6 A, 1.1 kW, s/s bowl, volume bowl: 40 liter, total dimensions: 750 mm x 630 mm x 1470 mm. Including dough hook, whisk and flat beater.	500
99	NN bag blower	S/s bag blower, dimensions: 960 mm x 630 mm x 240 mm.	10
100	DEBAG	DEBAG double stacked oven with loading trolley, type: Dila 5, serial number: D 322970/D 322971, year of construction: 01/2013, 400 V, 50 Hz, 16/32 A, 9.5/18.5 kW, dimensions: 910 mm x 1040 mm x 2120 mm. Including s/s loading trolley, 17 floors, floor dimensions: (17x) 620 mm x 410 mm, total dimensions: 820 mm x 610 mm x 1970 mm. Top oven does not open.	460
101	DEBAG	DEBAG double stacked oven with loading trolley, type: Dila 5, serial number: D 321292/D 321293, year of construction: 08/2012, 400 V, 50 Hz, 16/32 A, 9.5/18.5 kW, dimensions: 910 mm x 1040 mm x 2120 mm. Including s/s loading trolley, 17 floors, floor dimensions:	460



Nr	Title	Description	Start €
		(17x) 620 mm x 410 mm, total dimensions: 820 mm x 610 mm x 1970 mm.	
102	Rational	Rational combi steamer, model: CPC, 5 floors, dimensions each floor: 600 mm x 430 mm, dimensions: 900 mm x 800 mm x 850 mm. Incomplete.	650
103	N.V. Van Lierde-Boons S.A.	N.V. Van Lierde-Boons S.A. mobile bread slicer, type: BN 45/11, number: 3319, year of construction: 2000, 220-380 V, 50 Hz, 0.37 kW, plastic belt, belt width: 395 mm, 45 knives, distance between knives: 11 mm, total dimensions: 1960 mm x 640 mm x 1620 mm.	150
104	Kalmeijer	Kalmeijer pre-shaping and dough degassing machine, type: KUVA, number: 141, 380 V, 3 Ph, 50 Hz, 0.63 A, 120 W, dimensions: 1020 mm x 600 mm x 1620 mm.	200
105	Rego	Rego mixer, type: SM4E, serial number: 9-12, year of construction: 2002, 400 V, 7 A, 2.4 kW, dimensions bowl: Ø 400 mm x 370 mm, total dimensions: 630 mm x 830 mm x 1670 mm.	300
106	Boska	Boska sealing machine, type: V35, 220-230 V, 50-60 Hz, 1-1.1 A, 70 W, seal width: 340 mm, total dimensions: 355 mm x 295 mm x 150 mm.	25
107	Boska	Boska sealing machine, type: V35, 220-230 V, 50-60 Hz, 1-1.1 A, 70 W, seal width: 340 mm, total dimensions: 355 mm x 295 mm x 150 mm.	25
108	NN transport belt	Mobile transport belt, plastic belt, belt width: 570 mm, total dimensions: 2000 mm x 800 mm x 840 mm.	100
109	Matas	Matas mobile bread slicer, model: EKMEK DILILEME MAKINASI-EFE09-HERCULES E00, serial number: 211174, year of construction: 20/03/2021, 380 V, 1.2 kW, weight: 332 kg, 37 knives, distance between knives: 12 mm, working width: 450 mm, total dimensions: 2620 mm x 670 mm x 1360 mm.	1250
110	Convotherm	Convotherm combi steamer, model: OGS 6.10, number: HI1IB3006, 400 V, 3 Ph, 50/60 Hz, 1.2 kW, 7 floors, floor dimensions: (7x) 330 mm x 540 mm, total dimensions: 980 mm x 880 mm x 860 mm.	250
111	Gostol-Gopan d.o.o.	Gostol-Gopan d.o.o. mobile conical rounding machine, model: Sabotin 2 AB 00, number: 06395, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 2.14 A, 0.78 kW, weight: 565 kg, dimensions: 1060 mm x 1140 mm x 1470 mm.	1000
112	W&E	W&E mobile jelly spraying machine, dimensions: 470 mm x 420 mm x 1000 mm.	350
113	NN jelly machine	Mobile jelly machine, dimensions: 360 mm x 660 mm x 940 mm.	40
114	ABO	ABO mobile bread slicer, 28 knives, distance between knives: 11 mm, total dimensions: 1180 mm x 1020 mm x 1830 mm.	250
115	Kalmeijer		50



Nr	Title	Description	Start €
		Kalmeijer mobile moulder, model: KOO 11-3-19, working width: 400 mm, total dimensions: 710 mm x 620 mm x 980 mm. Incomplete.	
116	Mech-Masz	Mech-Masz fryer, type: SP-80, fabric number: 689/19, year of construction: 2019, 9 kW, weight: 71 kg, dimensions inside: 1020 mm x 615 mm, total dimensions: 1200 mm x 670 mm x 950 mm.	450
117	Auto-Therm	2 Auto-Therm chocolate pans, 220 V, 400 W, dimensions: (2x) 450 mm x 450 mm x 230 mm.	50
118	Fortuna	Fortuna mobile dough divider and rounder, model: Automat, dimensions: 800 mm x 700 mm x 1530 mm. Missing plate.	500
119	NN bread slicer	Mobile bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 650 mm x 550 mm x 1330 mm.	350
120	Dito Sama	Dito Sama mixer, type: BM30S, serial number: S957, year of construction: 1994, 230/400 V, 3 Ph, 50 Hz, 3.1/1.8 A, 750 W, dimensions: 540 mm x 680 mm x 1220 mm. Including whisk and mixing arm.	350
121	Hobart	Hobart mixer, model: HSM40, serial number: 97-0192-357, year of construction: 2009, 220 V, 1 Ph, 50 Hz, 7.6 A, 1.1 kW, dimensions: 580 mm x 680 mm x 1430 mm. Including whisk and mixing arm.	500
122	NN mixer	Mixer, s/s bowl, dimensions bowl: Ø 670 mm x 350 mm, total dimensions: 800 mm x 750 mm x 1070 mm.	500
123	Herman	Herman mobile bread slicer, type: De luxe, machine number: 108, year of construction: 2001, 230 V, 0.37 kW, weight: 125 kg, 30 knives, distance between knives: 12 mm, total dimensions: 700 mm x 660 mm x 1240 mm.	300
124	Op 't root	Op 't root mobile long moulder, type: MK-2, machine number: I-130101, plastic belt, belt width: 400 mm, working width: 340 mm, total dimensions: 1540 mm x 670 mm x 1380 mm.	200
125	Globe International	Globe International portioning machine, machine number: C06 7389, 380 V, 3 Ph, 50 Hz, 0.75 kW, dimensions: 1400 mm x 700 mm x 1650 mm.	500
126	Maho	Maho mobile bread slicer, type: 411, machine number: 800203, 220 V, 34 knives, distance between knives: 11 mm, total dimensions: 700 mm x 650 mm x 1230 mm.	75
127	Hobart	Hobart mixer, model: N50CE, serial number: 31-1285-147, 230 V, 1 Ph, 50 Hz, 1.7 A, dimensions: 350 mm x 250 mm x 430 mm. Incomplete.	80
128	Hobart	Hobart mixer, dimensions: 350 mm x 250 mm x 430 mm. Incomplete.	80
129	Mech-Masz	Mech-Masz fryer, type: SP-80, fabric number: 566/18, year of construction: 2018, 9 kW, weight: 71 kg, dimensions inside: 1020 mm x 615 mm, total dimensions: 1200 mm x 670 mm x 950 mm.	450
130	Seewer Rondo		550



Nr	Title	Description	Start €
		Seewer Rondo mobile dough sheeter, type: AUT 604, model: S, serie: 70184, machine number: 2782, cloth belt, belt width: 550 mm, total dimensions: 3000 mm x 1150 mm x 1290 mm.	
131	Leventi	Leventi mobile oven, type: BM MM MK3.1 5PL, serial number: 039110065, year of construction: 2011, 380/415 V, 3 Ph, 9.5 kW, 5 floors, dimensions floors: (5x) 550 mm x 400 mm, total dimensions: 1000 mm x 850 mm x 2140 mm.	300
132	G.Spronk	G.Spronk bread slicer, 29 knives, distance between knives: 13 mm, working width: 380 mm, total dimensions: 1100 mm x 580 mm x 1760 mm.	150
133	NN scale	Scale, maximum capacity: 60 kg, scale dimensions: 500 mm x 500 mm, total dimensions: 500 mm x 600 mm x 1120 mm.	40
134	W&E	W&E mobile jelly machine, type: GelTopZB, factory number: 98076885, 220 V, 50 Hz, 10 A, 2100 W, 4 bar, dimensions: 460 mm x 480 mm x 1130 mm.	250
135	NN bread slicer	Mobile bread slicer, 34 knives, distance between knives: 12 mm, total dimensions: 550 mm x 660 mm x 1390 mm.	100
136	Hobart	Hobart mixer, model: A 200 S, serial number: 94.105869, 220 V, 3 Ph, 50 Hz, 1.61 A, 0.37 kW, dimensions: 520 mm x 450 mm x 1150 mm. Including flat beater.	250
137	Hobart	Hobart mixer, model: PF 601, number: 736444, 380 V, 3 Ph, 50 Hz, 3 A, inside dimensions: ø 400 mm x 350 mm, total dimensions: 900 mm x 500 mm x 1270 mm. Including extra whisk.	400
138	Werner&Pfleiderer	Werner&Pfleiderer dough divider and rounder, type: ROTAMAT EN, diameter plate: 400 mm, total dimensions: 700 mm x 700 mm x 1500 mm.	450
139	JAC	JAC mobile bread slicer, model: ECH 450/0, machine number: 07/8066/01, 230 V, 1 Ph, 50 Hz, 4 A, 0.49 kW, working width: 440 mm, distance between knives: 12 mm, total dimensions: 640 mm x 640 mm x 1320 mm.	300
140	JAC	JAC mobile bread slicer, model: ECH 450/99, machine number: 08/3179/14, 230 V, 1 Ph, 50 Hz, 4 A, 0.49 kW, working width: 440 mm, distance between knives: 12 mm, total dimensions: 640 mm x 640 mm x 1320 mm.	300
141	Arnold Kalmeijer	Arnold Kalmeijer mobile cookie forming machine, machine number: KCM1037, working width: 245 mm, fabric belt, belt width: 240 mm, total dimensions: 600 mm x 550 mm x 1230 mm.	500
142	ABO	ABO mobile bread slicer, type: ABO De Luxe H.T. machine number: 11001369, year of construction: 2011, 230 V, 0.37 kW, weight: 140 kg, working width: 390 mm, distance between knives: 13 mm, total dimensions: 600 mm x 680 mm x 1250 mm.	300
143	Tekno Stamap SRL		300



Nr	Title	Description	Start €
		Tekno Stamap SRL planetary mixer, type: TK260UE40536, serial number: 0664200101, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 3.1 kW, weight: 280 kg, dimensions bowl: Ø 455 mm x 350 mm, total dimensions: 700 mm x 1100 mm x 1500 mm.	
144	JAC	JAC mobile bread slicer, model: ECH 450/99, machine number: 08/6338/31, 230 V, 1 Ph, 50 Hz, 4 A, 0.49 kW, working width: 440 mm, distance between knives: 12 mm, total dimensions: 640 mm x 640 mm x 1320 mm.	300
145	ABO	ABO mobile bread slicer, type: ABO De Luxe H.T. machine number: 11001246, year of construction: 2011, 230 V, 0.37 kW, weight: 140 kg, working width: 390 mm, distance between knives: 13 mm, total dimensions: 600 mm x 680 mm x 1250 mm.	300
146	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH bread slicer, type: MHS Basic L, serial number: 0104614, year of construction: 2011, working width: 455 mm, distance between knives: 11 mm, total dimensions: 600 mm x 740 mm x 1200 mm.	300
147	ABO	ABO mobile bread slicer, type: ABO-Matic III, machine number: 070515692, year of construction: 2007, 230 V, 0.75 kW, weight: 180 kg, working width: 400 mm, distance between dividers: 10 mm, total dimensions: 540 mm x 760 mm x 1250 mm.	300
148	ABO	ABO mobile bread slicer, working width: 400 mm, distance between knives: 12 mm, total dimensions: 560 mm x 770 mm x 1270 mm.	150
149	Beko	Beko mobile dough divider and rounder, diameter plate: 335 mm, total dimensions: 700 mm x 600 mm x 2100 mm.	500
150	JAC	JAC mobile bread slicer, model: SLD 450/10, machine number: 13104029, year of construction: 31/10/2013, 230 V, 1 Ph, 50-60 Hz, 4.5 A, 0.49 kW, working width: 450 mm, distance between knives: 10 mm, total dimensions: 590 mm x 700 mm x 1300 mm.	300
151	JAC	JAC mobile bread slicer, model: ECH 450/12.5, machine number: 10/8644/03, 230 V, 1 Ph, 50 Hz, 4 A, 0.49 kW, 34 knives, working width: 450 mm, distance between knives: 12 mm, total dimensions: 640 mm x 640 mm x 1320 mm.	300
152	JAC	JAC mobile bread slicer, model: ECH 450/99, machine number: 10/0677/10, 230 V, 1 Ph, 50 Hz, 4 A, 0.49 kW, 34 knives, working width: 450 mm, distance between knives: 12 mm, total dimensions: 640 mm x 640 mm x 1320 mm.	300
153	FB- Broodsnijmachines Benelux	FB-Broodsnijmachines Benelux bread slicer with infeed belt, type: BA 11, machine number: 01214, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 0.7 kW, plastic belt, belt width: 350 mm, distance between knives: 10 mm, total dimensions: 1600 mm x 520 mm x 1310 mm.	300
154	Spronk		300



Nr	Title	Description	Start €
		Spronk mobile bread slicer, working width: 380 mm, distance between knives: 10 mm, total dimensions: 580 mm x 640 mm x 1300 mm.	
155	Spronk	Spronk mobile bread slicer, working width: 380 mm, distance between knives: 10 mm, total dimensions: 580 mm x 640 mm x 1300 mm.	300
156	Tekno Stamap SRL	Tekno Stamap SRL planetary mixer, type: MESC. PLANETARIA L40-4V-4 PULS-V400/50/3, serial number: 0371130101, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 3 kW, weight: 280 kg, volume: 40 liter, dimensions: 600 mm x 980 mm x 1480 mm.	1500
157	NN mixer	Mixer, model: SM-60L, machine number: 1103003, year of construction: 2011/6, 380 V, 3 Ph, 50 Hz, volume: 60 liter, dimensions: 780 mm x 1000 mm x 1500 mm. Including additional bowl and whisks.	1200
158	Emil Kemper GmbH	Emil Kemper GmbH mixer, type: F125SE, number: 577689, 380 V, 3 Ph, 50 Hz, 5 A, inside dimensions: Ø 970 mm x 500 mm, total dimensions: 940 mm x 1090 mm x 1120 mm.	750
159	Wiesheu GmbH	Wiesheu GmbH combi steamer, type: 88 TS200, serial number: 86285, year of construction: 2002-04, 400 V, 3 Ph, 50/60 Hz, 26.6 A, 18.4 kW, 8 floors, dimensions each floor: 610 mm x 400 mm, total dimensions: 940 mm x 940 mm x 2070 mm.	350
160	WP Haton	WP Haton conical rounding machine, type: H 1500, 380 V, 50 Hz, 4 A, dimensions: 940 mm x 980 mm x 1370 mm.	400
161	Werner & Pfleiderer	Werner & Pfleiderer conical rounder, dimensions: 940 mm x 980 mm x 1370 mm.	350
162	Wiesheu GmbH	Wiesheu GmbH combi steamer, type: B08-EM, serial number: 10137064, year of construction: 2009-11, 400 V, 3 Ph, 50 Hz, 17.4 A, 12.5 kW, 10 floors, dimensions each floor: 610 mm x 410 mm, total dimensions: 930 mm x 880 mm x 1860 mm.	400
163	Debag	Debag double combi steamer, type: DiLa 5 / DiLa 10, number: D 312299 / D 312300, year of construction: 05/2011, 400 V, 3 Ph, 50 Hz, 32 A, 18.5 kW, 400 V, 3 Ph, 50 Hz, 16/32 A, dimensions: 910 mm x 1220 mm x 2090 mm.	350
164	Wiesheu GmbH	Wiesheu GmbH combi steamer, type: Minimat 3 IS 500, serial number: 10150594, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 7.5/7.8 kW, 5 floors, dimensions each floor: 610 mm x 400 mm, total dimensions: 760 mm x 780 mm x 1560 mm.	300
165	Willemse & van Engelen	Willemse & van Engelen mobile jelly machine, 220 V, 50 Hz, 10 A, 2100 W, dimensions: 400 mm x 520 mm x 940 mm.	200
166	Varimixer Bear	Varimixer Bear mixer on s/s trolley, dimensions bowl: Ø 260 mm x 230 mm, total dimensions: 600 mm x 600 mm x 1310 mm. Including 2 kneading attachments.	150



Nr	Title	Description	Start €
167	NN mixer	Mobile s/s mixer, dimensions bowl: Ø 550 mm x 350 mm, total dimensions: 600 mm x 1500 mm x 1150 mm.	600
168	Diosna Dierks & Söhne Maschinenfabrik	Diosna Dierks & Söhne Maschinenfabrik spiral kneading machine on s/s trolley, type: SP 12 D, number: 922-123, 400 V, 3 Ph, 50 Hz, 400 V, 3 Ph, 50 Hz, 3 A, 0.9 kW, capacity: 12 kg dough, dimensions: 1450 mm x 900 mm x 1230 mm.	650
169	Diosna Dierks & Söhne Maschinenfabrik	Diosna Dierks & Söhne Maschinenfabrik spiral kneading machine on s/s trolley, type: SP 12 D, number: 922-116, 400 V, 3 Ph, 50 Hz, 400 V, 3 Ph, 50 Hz, 3 A, 0.9 kW, capacity: 12 kg dough, dimensions: 1450 mm x 900 mm x 1230 mm.	650
170	Diosna Dierks & Söhne Maschinenfabrik	Diosna Dierks & Söhne Maschinenfabrik spiral kneading machine on s/s trolley, type: SP 12 D, number: 922-118, 400 V, 3 Ph, 50 Hz, 400 V, 3 Ph, 50 Hz, 3 A, 0.9 kW, capacity: 12 kg dough, dimensions: 1450 mm x 900 mm x 1230 mm.	650
171	Diosna Dierks & Söhne Maschinenfabrik	Diosna Dierks & Söhne Maschinenfabrik spiral kneading machine on s/s trolley, type: SP 12 D, number: 922-119, 400 V, 3 Ph, 50 Hz, 3 A, 0.9 kW, capacity: 12 kg dough, dimensions: 1450 mm x 900 mm x 1230 mm.	650
172	Diosna Dierks & Söhne Maschinenfabrik	Diosna Dierks & Söhne Maschinenfabrik spiral kneading machine, type: SP 12 D, number: 922-115, 400 V, 3 Ph, 50 Hz, 3 A, 0.9 kW, capacity: 12 kg dough, dimensions: 410 mm x 850 mm x 720 mm.	600
173	Waterlander Samach B.V. / Kwik Lok	Waterlander Samach B.V. transport belt with Kwik Lok clipper for bread bags, type Kwik Lok clipper: 1082J8II, serial number: 22753, 230 V, 50/60 Hz, s/s belt with s/s dividers, belt width: 350 mm, divider height: 25 mm, distance between dividers: 290 mm, total dimensions: 2550 mm x 950 mm x 1700 mm.	1000
174	Wiesheu GmbH	Wiesheu GmbH oven, type: B15-EM, serial number: 10255938, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 31.1 A, 20.8 kW, inside dimensions: 760 mm x 400 mm x 1400 mm, s/s trolley, 15 floors, dimensions floors: (15x) 600 mm x 350 mm, total dimensions combi steamer: 750 mm x 560 mm x 1700 mm.	750
175	Sanomat B.V.	Sanomat B.V. whipped cream machine, model: EuroCream 6L, number: 26055, 230 V, 50 Hz, 250/350 W, refrigerant: R 134a, 0.75 gram, dimensions: 600 mm x 300 mm x 530 mm.	250
176	Willemse & van Engelen	W&VE jelly machine, type: Table-Top 2, serial number: 02048526, 230 V, 50 Hz, 10 A, 2100 W, dimensions: 350 mm x 350 mm x 500 mm.	200
177	NN trolley	S/s trolley, 19 floors, dimensions floors: (19x) 740 mm x 470 mm x 1750 mm.	50
178	NN trolleys		100



Nr	Title	Description	Start €
		2 s/s trolleys, 20 floors each, dimensions floors: (20x) 600 mm x 270 mm, total dimensions: 600 mm x 330 mm x 1800 mm.	
179	FB-Broodsnijmachines Benelux	FB-Broodsnijmachines Benelux mobile bread slicer, type: A12.5, machine number: 08441, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 0.4 kW, 30 knives, distance between knives: 10 mm, total dimensions: 650 mm x 650 mm x 1200 mm.	300
180	Mech-Masz	Mech-Masz dough shredder, type: MTB-3, serial number: 193/16, year of construction: 2016, 4 kW, weight: 65 kg, diameter infeed hopper: 590 mm, 4 knives, knife length: (4x) 110 mm, total dimensions: 700 mm x 600 mm x 1450 mm.	300
181	GMG	GMG mobile bread slicer, model: BSC-16, serial number: 1456, year of construction: 02/2022, 220 V, 1 Ph, 50/60 Hz, 3.2 A, 0.37 kW, weight: 130 kg, 28 knives, distance between knives: 15 mm, total dimensions: 750 mm x 750 mm x 1200 mm.	400
182	WP Haton	WP Haton mobile moulding machine, infeed: 350 mm x 260 mm, belt width: 460 mm, total dimensions: 2100 mm x 1850 mm x 1550 mm.	150
183	NN bread slicer	NN bread slicer, 30 knives, distance between knives: 15 mm, total dimensions: 700 mm x 600 mm x 1400 mm.	300
184	Herman	Herman mobile bread slicer, type: ABO d LUX, machine number: 96801, year of construction: 1996, 220 V, 0.25 kW, weight: 100 kg, 30 knives, distance between knives: 12 mm, total dimensions: 700 mm x 650 mm x 1250 mm.	300
185	NN bread slicer	NN bread slicer, 34 knives, distance between knives: 10 mm, total dimensions: 700 mm x 600 mm x 1400 mm.	300

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]

[illegible]



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

