



**Industrial
Auctions**

**2243: Online auction food processing machinery,
cooling- and catering equipment in Eindhoven (NL)**

END DATE
18 August 2026 12:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	18 August 2026 from 12:00 hrs.
Viewing days	17 August 2026 from 09:00 till 16:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	25 August 2026 from 09:00 till 16:00 hrs. 26 August 2026 from 09:00 till 16:00 hrs. 27 August 2026 from 09:00 till 16:00 hrs.
Pick up address	Looyenbeemd 11 5652 BH Eindhoven Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF608, number: 30228, year of construction: 2011, 50 Hz, 4.3 A, 3 kW, type linking attachment: 410, number: 16005017, year of construction: 2016, Busch vacuum pump, type: KC 0016 E 3Z0, capacity: 16 m³ per hour, dimensions: 1000 mm x 950 mm x 2100 mm.	7000
2	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: Phoenix 120-CE- E, machine number: 303607.100134.3386, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 10/16 A, 6.2 kW, weight: 1400 kg, chamber dimensions: 120 mm x 120 mm, total dimensions: 2400 mm x 1200 mm x 2350 mm.	1500
3	Mettler Toledo	Mettler Toledo X-ray scanner, model: ADV3, serial number: 3360 ADV 3, year of construction: November 2013, 230 V, 1 Ph, 50 Hz, 10 A, 2.3 kW, weight: 420 kg, plastic belt, belt width: 320 mm, clearance: 290 mm x 250 mm, total dimensions: 2000 mm x 920 mm x 2020 mm.	2000
4	Gruppo Fabbri SA	Gruppo Fabbri SA automatic wrapping machine, model: B-241, serial number: 4-251, year of construction: 2012, 400 V, 3 Ph, 50-60 Hz, 10 A, weight: 610 kg, plastic string belt, belt width: 175 mm, dimensions dye: 300 mm x 240 mm, film width: 330 mm, total dimensions: 3830 mm x 950 mm x 1770 mm.	3000
5	Magurit	Magurit flaker, type: 348, number: 2165, year of construction: 1986, 380 V, working width: 790 mm, total dimensions: 2180 mm x 1820 mm x 1630 mm.	1000
6	CA.VE.CO s.r.l.	CA.VE.CO s.r.l. traysealer, type: STL/1-V, serial number: 2095, year of construction: 1995, 380 V, 50 Hz, dimensions dye: (1x) 260 mm x 150 mm, film width: 420 mm, total dimensions: 3450 mm x 1000 mm x 1970 mm. Including s/s trolley and pallet with parts, dimensions additional dye's: 270 mm x 180 mm and (2x) 165 mm x 120 mm, dimensions trolley: 1150 mm x 700 mm x 1590 mm.	750
7	Stephan	Stephan micro cutter, type: MCH-090V, machine number: 723.252.01, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 157 A, 90 kW, diameter plate: 180 mm, dimensions: 2300 mm x 950 mm x 1600 mm, s/s switch cabinet, dimensions: 1550 mm x 480 mm x 1230 mm.	4000
8	Convenience Food Systems Tiromat Krämer+Grebe GmbH & Co. KG	Convenience Food Systems Tiromat Krämer+Grebe GmbH & Co. KG micro cutter, type: EcoCut, machine number: 294/0105, year of construction: 2000, 400 V, 3 Ph, 50 Hz, plate diameter: 250 mm, dimensions: 2600 mm x 1300 mm x 1810 mm.	1750
9		Herbert Grundwald GmbH depositor, type: Servodos/1, number: 14/01, year of construction: 2001, 400 V, 3 Ph,	750



Nr	Title	Description	Start €
	Herbert Grundwald GmbH	50 Hz, 8.5 A, 3.5 kW, plastic belt with dividers, belt width: 30 mm, distance between dividers: 255 mm, total dimensions: 1900 mm x 1450 mm x 2500 mm.	
10	Automotion Systems BV	Automotion Systems BV box filling machine, type: ARE008, year of construction: 2018, 400 V, 3 Ph, 16 a, 3 kW, plastic belts, belt width: 280 mm and 170 mm, distance between dividers: 150 mm, divider height: 150 mm, total dimensions: 2300 mm x 2000 mm x 1850 mm.	1500
11	Hovmand	Hovmand s/s mobile lifter for barrels, type: 6010113035, model: E300R,HC-EG8, serial number: S-3238, year of construction: 07/09, lifting height: 2000 mm, maximum dimensions barrels: 590 mm x 430 mm, total dimensions: 10501 mm x 1250 mm x 2300 mm.	200
12	Safeline Ltd	Safeline Ltd metal detector with rejector, serial number: 83647, plastic belt, belt width: 305 mm, clearance: 350 mm x 215 mm, total dimensions: 1600 mm x 880 mm x 1200 mm.	500
13	WB Engineers	WB engineers mobile sliver remover, model: SR/002/100, serial number: 0620/323, dimensions: 1840 mm x 600 mm x 990 mm.	350
14	Avercon	Avercon carton erector with Robatech glue unit, machine type: AVC-CE710 L/H, number: 532, year of construction: 12-2003, 3x400 V, 18.5 A, Busch vacuum pump, type: RA0040 F 5R3, serial number: D17500393, year of construction: 2017, dimensions carton erector: 3500 mm x 1800 mm x 2400 mm, dimensions infeed unit: 1800 mm x 1400 mm x 1250 mm.	1500
15	Bandall	Bandall mobile binding machine, type: BA 32, machine number: 9132840, 230 V, 50 Hz, clearance: 365 mm x 210 mm, total dimensions: 700 mm x 500 mm x 1250 mm.	1000
16	Stephanal	Stephanal cutter, type: MA-CR-40, machine number: 1647, 380 V, 3 Ph, 50 Hz, 13-10 A, 5.3-3.9 kW, s/s bowl, volume bowl: 40 liter, s/s knives, dimensions: 1200 mm x 800 mm x 1020 mm.	3500
17	Magurit	Magurit frozen block cutter, working width: 530 mm, total dimensions: 1820 mm x 750 mm x 1340 mm.	750
18	Schuy	Schuy cup filling and closing machine, type: UBERH2013, machine number: 6727, diameter cups: 95 mm, plastic outfeed belt, belt width: 120 mm, total dimensions: 2400 mm x 1440 mm x 2350 mm.	2500
19	Rühle	Rühle tumbler, type: MKR 150, number: 530, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 16 A, 3 kW, volume: 150 liter, dimensions: 1200 mm x 1000 mm x 1630 mm.	1250
20	Inotec GmbH	Inotec GmbH micro cutter, type: I175CD-75DF, machine number: 101-01063, year of construction: 2013, 4020 V,	6500



Nr	Title	Description	Start €
		3 Ph, 50 Hz, 142 A, 88 kW, weight: 750 kg, dimensions: 1880 mm x 1200 mm x 1400 mm. Including frequency converter, type: SINAMICS Power Module 240.	
21	Karl Schnell	Karl Schnell micro cutter, diameter plate: 200 mm, total dimensions: 1800 mm x 1000 mm x 2000 mm.	950
22	Karl Schnell	Karl Schnell mobile micro cutter, diameter plate: 200 mm, total dimensions: 2950 mm x 950 mm x 1600 mm.	950
23	Diessel	S/s skid with Diessel tank with agitator and scraper, inside dimensions tank: Ø 1200 mm x 1000 mm, including progressing cavity pump, total dimensions: 2000 mm x 1350 mm x 2500 mm.	2500
24	New Motion	New Motion elevating belt, type: MBC-SE, serial number: 20268-05-000, year of construction: 2020, plastic mesh belt with dividers, belt width: 380 mm, divider height: 80 mm, distance between dividers: 240 mm, elevating height: 240 mm, total dimensions: 2000 mm x 650 mm x 750 mm.	250
25	Arol Closure Systems	Arol Closure Systems rotary capper, model: CAPPER, type: EURO PP W, serial number: 15876, year of construction: 2016, 10 heads, total dimensions: 5500 mm x 1900 mm x 2400 mm. Including switch cabinet, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 13 A, dimensions: 800 mm x 440 mm x 2430 mm, and pallet box with extra parts, dimensions: 1200 mm x 800 mm x 760 mm.	20000
26	Rutec	Rutec Engineering mobile feeding system, type: Salad Pouch Handling, serial number: 216387, year of construction: 09-2017, 380 Vac, 10 A, 950 kg, belt width: 250 mm, total dimensions: 3150 mm x 700 mm x 2000 mm.	1500
27	Sneyders	Sneyders capping machine with elevating belt, type elevating belt: ELV.150, machine number: 28.04, year of construction: 08-04, plastic belt with dividers, belt width: 160 mm, divider height: 40 mm, distance between dividers: 215 mm, total dimensions elevating belt: 2300 mm x 800 mm x 2500 mm, type can closing machine: ASE-STFR, machine number: 24.04, year of construction: 08.04, total dimensions can closing machine: 2900 mm x 1650 mm x 2250 mm.	2500
28	K+G Wetter	K+G Wetter mixer-grinder, type: MW 130, machine number: 279/115, diameter plate: 130 mm, total dimensions: 1300 mm x 920 mm x 1650 mm. Including additional plates.	3500
29	Rex	Rex vacuum filling machine, type: RVF 327, machine number: 3270590226, 400 V, 3 Ph, 50 Hz, 16 A, 5 kW, dimensions: 1000 mm x 780 mm x 1760 mm.	3000
30	Weisser		950



Nr	Title	Description	Start €
		Weisser mobile depositor, type: AP1 080, fabrication number: 4790311, 230 V, 570 W, dimensions: 800 mm x 580 mm x 1250 mm.	
31	Altech s.r.l.	Altech s.r.l. mobile labelling machine, model: ALritma MT, serial number: 1604057717861, year of construction: 2016, 230 V, 1 Ph, 50/60 Hz, 800 W, dimensions: 1300 mm x 100 mm x 1520 mm.	100
32	Kolbe	Kolbe bandsaw, dimensions table: 770 mm x 580 mm, total dimensions: 800 mm x 730 mm x 1610 mm.	1500
33	Jenton Ariana	Jenton Ariana inliner, model number: 101183-T102-A001, serial number: 1296-NO1, year of construction: 2018, 230 V, 1 Ph, 50 Hz, 10 A, plastic belts, belt width: (2x) 195 mm, (2x) 100 mm, (1x) 570 mm, total dimensions: 1700 mm x 800 mm x 1300 mm.	1000
34	Weber	Weber slicing line consisting of: Weber slicer, type: SLC 501, number: 440, 400 V, 50 Hz, 10 kW, dimensions: 2200 mm x 1000 mm x 2150 mm, Weber checkweigher, dimensions: 600 mm x 400 mm x 1030 mm, Weber rejecting belt, type: CCR, number: 5540, dimensions: 950 mm x 650 mm x 1400 mm, Weber mobile outfeed belt, type: UB3250, number: 568, plastic belt, belt width: 370 mm, total dimensions: 3400 mm x 1000 mm x 1100 mm.	4000
35	HFE vacuum systems bv	HFE vacuum systems bv traysealer, type: TPS-950, serial number: 28.07.06.11, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 10 A, weight: 500 kg, dimensions infeed: 350 mm x 510 mm, film width: 440 mm, dimensions dye: (2x) 220 mm x 120 mm, Busch vacuum pump, type: RA 0100 F 4S3, capacity: 100 m ³ per hour, total dimensions: 2550 mm x 1100 mm x 1350 mm.	2000
36	Buhmann Systeme GmbH	Buhmann Systeme GmbH mobile depositor, type: TF-300, machine number: 0411-8, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 4.5 kW, dimensions: 900 mm x 650 mm x 1900 mm.	400
37	TAP Machinebouw BV	TAP Machinebouw BV mobile hamburger forming machine, type: ATM201, serial number: 028, year of construction: 2020, plastic belt, belt width: 200 mm, diameter form: 105 mm, total dimensions: 2050 mm x 660 mm x 1800 mm.	2000
38	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: PDC 600, number: 1207, year of construction: 2003, bar: 5-7, dimensions: 1100 mm x 580 mm x 1900 mm.	2000
39	Rühle	Rühle mobile cooled vacuum tumbler, type: MKR 150, number: 0932, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 3.0 kW, 16 A, Busch vacuum pump, type: KC 0010 D IZO, capacity: 10 m ³ per hour, dimensions: 1200 mm x 900 mm x 1700 mm.	1250



Nr	Title	Description	Start €
40	Pökomat	Pökomat injector, type: P16/320 SM, serial number: 5031, year of construction: 2009, 400 V, 50 Hz, 1.5 kW, 3.5 A, weight: 220 kg, plastic mesh belt, belt width: 300 mm, total dimensions: 1300 mm x 600 mm x 2050 mm.	900
41	Heinrich Frey Maschinenbau GmbH	Heinrich Frey Maschinenbau GmbH piston filler, type: KOMPAKTA 2, machine number: K2 30 13 12 97, 400 V, 50 Hz, dimensions: 700 mm x 800 mm x 1200 mm.	1500
42	MR Etikettiertechnik	Pallet with MR Etikettiertechnik labelling unit, model: MR 621, type: OP4394LS620K10, serial number: 11257/94, 230 V, 50 Hz, 1750 VA, dimensions: 1200 mm x 800 mm x 700 mm.	300
43	Minipack-Torre S.p.A.	Minipack-Torre S.p.A. mobile seal packaging machine, model: FM76AUT DIGIT, serial number: 004304, year of construction: 2009, 380 V, 50 Hz, 4400 W, 10.0 A, seal length: 570 mm x 520 mm, total dimensions: 1350 mm x 700 mm x 1300 mm.	750
44	Minipack-Torre S.p.A.	Minipack-Torre S.p.A. mobile seal packaging machine, model: FC 76A, serial number: 00422, year of construction: 2014, 380 V, 50 Hz, 3.80 W, 9.50 A, seal length: 570 mm x 520 mm, total dimensions: 1450 mm x 850 mm x 1400 mm.	750
45	MK Gilze bv	MK Gilze bv mobile s/s lifter for dyes, type: HW 01, serial number: 105, year of construction: 2021, dimensions: 1000 mm x 550 mm x 2180 mm.	250
46	Dansensor A/S	Dansensor A/S leak detector, model: LeakPointer II, serial number: 71130616, year of construction: 2013, 207-253 VAC, 50/60 Hz, 1000 VA, dimensions chamber: 500 mm x 500 mm, total dimensions: 750 mm x 650 mm x 1400 mm.	250
47	Georg Hartmann	Georg Hartmann flowpacker, type: HARTMANN-AUTOMAT GBK/220, serial number: 234.245 E, year of construction: 1996, 400 V, 50 Hz, 5 kW, 13 A, weight: 1500 kg, dimensions: 4300 mm x 500 mm x 1100 mm, 3700 mm x 1900 mm x 1500 mm.	2500
48	Townsend	Townsend mobile skinning machine, model: 7620, serial number: R 197, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 2 A, working width: 550 mm, total dimensions: 950 mm x 650 mm x 1000 mm.	400
49	Wexiödisk AB	Wexiödisk AB dishwasher, type: WD-211E, number: 097368, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 20 A, 3.35 kW, clearance: 540 mm x 470 mm, total dimensions: 2550 mm x 700 mm x 1700 mm.	700
50	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EVM 4006, serial number: M-50696, year of construction: 2013, 400 V, 3 Ph, 60 Hz, 0.75 kW, 1.97 A, weight: 215 kg, working width: 550 mm, total dimensions: 950 mm x 650 mm x 1000 mm.	400
51	Georg Hartmann		2500



Nr	Title	Description	Start €
		Georg Hartmann slicer, type: HARTMANN-SLICER SL/50, serial number: 071.123E, year of construction: 1997, 400 V, 50 Hz, 6 kW, 16 A, weight: 1800 kg, s/s rollers, roller width: 420 mm, 3 outfeed lanes, plastic outfeed belt, belt width: 170 mm, clearance: 300 mm x 170 mm, total dimensions: 3400 mm x 1000 mm x 2400 mm.	
52	Heinrich Frey Maschinenbau GmbH	Heinrich Frey Maschinenbau GmbH vacuum filling machine, type: KONTI-A50, machine number: KA 800394125, year of construction: 2005, 400 V, 50 Hz, 4.2 kW, working hours: 11800, dimensions: 600 mm x 750 mm x 1620 mm.	3000
53	Krämer & Grebe KG	Krämer & Grebe KG cutter, model: 45, machine number: 68/1283/70, steel bowl, capacity: 45 liter, dimensions bowl: ø 700 mm x 150 mm, s/s knives, total dimensions: 1100 mm x 900 mm x 1200 mm.	500
54	Alpina	Alpina cutter, model: PB80, steel bowl, dimensions bowl: ø 900 mm x 200 mm, s/s knives, total dimensions: 1500 mm x 1100 mm x 1100 mm. Including extra knives.	4000
55	Alexanderwerk	Alexanderwerk cutter, s/s bowl, type: NCM65S, machine number: 04606029, 400 V, 50 Hz, 0.37/0.55 kW, 1.15/1.4 A, s/s bowl, volume: 65 liter, s/s knives, dimensions: 1300 mm x 950 mm x 1200 mm.	6000
56	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH metal detector with checkweigher and rejector, type checkweigher: CM 3571, serial number: 1441500130010, year of construction: 2020, 100-240 V, 50-60 Hz, weighing range: 80-6000 g, e=0.5/1 g, d=-0.5/1 g, T=-1000, capacity: 60 pieces/min, type metal detector: V4-COMPACT, 100-240 V, 50/60 Hz, 340 W, plastic belt, belt width: 300 mm, clearance: 350 mm x 110 mm, total dimensions: 2600 mm x 1200 mm x 1800 mm.	17500
57	Townsend	Townsend sausage peeler with suction device, model: 2600, serial number: 11567, year of construction: 2010, 400 V, 3 Ph, 50 Hz, dimensions: 800 mm x 650 mm x 650 mm, 1230 mm x 600 mm x 950 mm.	3500
58	HFE vacuum systems bv	HFE vacuum systems bv mobile vacuum chamber, type: SB-550, number: 20020477, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 6.0 A, 2.6 kW, dimensions chamber: 550 mm x 500 mm, seal length: (4x) 500 mm, Busch vacuum pump, type: RA 0063 E 5K1, capacity: 60 m ³ per hour, total dimensions: 620 mm x 650 mm x 1050 mm.	500
59	Pökomat	Pökomat injector, type: P 13/270, serial number: 4182, year of construction: 1999, 400 V, 750 W, 2.1 A, weight: 100 kg, plastic mesh belt, belt width: 260 mm, total dimensions: 1200 mm x 450 mm x 600 mm.	600
60	Rühle	Rühle injector, type: PR 15, number: 3435, year of construction: 2008, 400 V, 50 Hz, 16 A, 1.1 kW, s/s belt,	700



Nr	Title	Description	Start €
		belt width: 260 mm, total dimensions: 1060 mm x 450 mm x 600 mm.	
61	Biro	Biro bandsaw, dimensions table, 1200 mm x 900 mm, total dimensions: 1200 mm x 950 mm x 1950 mm.	900
62	Mettler-Toledo	Mettler-Toledo mobile weighing scale for smoke sticks, type: IND890-10 Desk, serial number: B525079736, 100-240 V, 50/60 Hz, dimensions: 650 mm x 450 mm x 1450 mm.	150
63	Colged	Colged dishwasher, type: TT924, serial number: 4246502, 400 V, 3 Ph, 50 Hz, 15.5 kW, inside dimensions: 1400 mm x 700 mm x 950 mm, total dimensions: 1450 mm x 850 mm x 1880 mm.	700
64	Seydelmann	Seydelmann cutter, steel bowl, dimensions bowl: ø 700 mm x 150 mm, s/s knives, total dimensions: 1250 mm x 1000 mm x 1200 mm.	1000
65	Rational AG	Rational AG combi steamer, model: SCC 101, serial number: E11SG10092230244, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 19.0 kW, 10 floors, dimensions floors: (10x) 530 mm x 330 mm, total dimensions: 850 mm x 770 mm x 1040 mm.	900
66	Seydelmann	Seydelmann cutter, K40DC8-0, machine number: 99172-1, 400 V, 50 Hz, 91 A, s/s bowl, dimensions bowl: ø 730 mm x 160 mm, s/s knives, total dimensions: 1200 mm x 900 mm x 1200 mm. Including s/s switch cabinet, dimensions: 1000 mm x 800 mm x 300 mm.	5000
67	Multivac	Multivac thermoformer, type: M855EPC, machine number: 1522/000, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 28 A, 11 kW, dimensions dye: 320 mm x 245 mm, plastic outfeed belt, belt width: 280 mm, total dimensions: 3800 mm x 800 mm x 1700 mm. Including film suction device and 2 crates with parts.	1000
68	NN piston filler	Piston filler, type: Besos-12, serial number: 172, year of construction: 1993, 380 V, 2 A, dimensions: 400 mm x 210 mm x 1200 mm.	700
69	Boss	Boss mobile vacuum machine, type: NE 48, machine number: 5962012, 400 V, 50 Hz, 1.5 kW, dimensions chamber: 500 mm x 500 mm, seal length: 500 mm, total dimensions: 650 mm x 570 mm x 1650 mm.	500
70	Bizerba	Bizerba mobile grinder, number: 1505288, 400 V, 50 Hz, diameter plate: 100 mm, total dimensions: 950 mm x 350 mm x 1300 mm.	900
71	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning and derinding machine, type: ESB 441, serial number: 37199, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 420 mm, total dimensions: 880 mm x 700 mm x 1250 mm. Incomplete.	100
72	Electrolux Laundry Denmark A/S	Electrolux Laundry Denmark A/S double dryer, model: T4300, serial number: 23300/0016199, year of	500



Nr	Title	Description	Start €
		construction: 2001, dimensions: 1100 mm x 790 mm x 1050 mm.	
73	Winterhalter	Winterhalter dishwasher, type: GS 640, serial number: 1135847, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 13 A, 8.4 kW, inside dimensions: 620 mm x 690 mm x 680 mm, total dimensions: 750 mm x 850 mm x 1600 mm.	250
74	Inotec GmbH	Inotec GmbH sausage cutter, type: WT 97-SH, machine number: 060-129, year of construction: 2015, 200-460 V, 2 Ph, 50/60 Hz, 12-5 A, 2 kW, weight: 490 kg, plastic belt, belt width: 120 mm, total dimensions: 1750 mm x 650 mm x 1550 mm.	5000
75	Krämer & Grebe KG	Krämer & Grebe KG cutter, 380 V, 3 Ph, 50 Hz, 64 A, steel bowl, dimensions bowl: ø 840 mm x 180 mm, s/s knives, total dimensions: 1500 mm x 1100 mm x 1200 mm.	2000
76	Mainca	Mainca grinder, diameter plate: 100 mm, total dimensions: 950 mm x 530 mm x 1030 mm.	1000
77	K+G Wetter	K+G Wetter grinder, model: 426, machine number: 1059, year of construction: 2003, 220 V, 3 Ph, 50 Hz, 13.6 A, diameter plate: 100 mm, total dimensions: 950 mm x 550 mm x 1330 mm.	2000
78	Weber	Weber mobile skinning and derinding machine, type: ASB 800/2, number: 331, 380 V, 50 Hz, 0.7/0.85 kW, plastic belt, belt width: 305 mm, working width: 400 mm, total dimensions: 1800 mm x 700 mm x 1200 mm.	750
79	Bizerba	Bizerba grinder, type: FW 98/32T/S, machine number: 1157254, 380 V, 3 Ph, 50 Hz, 2.8 kW, 6.2 A, diameter plate: 98 mm, total dimensions: 900 mm x 550 mm x 650 mm.	750
80	Kolbe	Kolbe bandsaw, type: K 200, machine number: 45 46, year of construction: 1987, 380 V, 3 Ph, 50 Hz, 1.1 kW, 3.05 A, dimensions table: 500 mm x 500 mm, total dimensions: 500 mm x 500 mm x 950 mm.	300
81	NN trolley	S/s trolley, dimensions: 1300 mm x 800 mm x 750 mm.	150
82	NN tub	Mobile s/s tub, dimensions: 700 mm x 700 mm x 750 mm.	100
83	Howden Food Equipment B.V.	Howden Food Equipment B.V. mobile vacuum machine, type: H 2000 KK, number: 209015517, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 3.5 kW, 8.8 A, dimensions chamber: 600 mm x 510 mm, seal length: (2x) 500 mm, total dimensions: 680 mm x 600 mm x 1050 mm.	500
84	Handtmann	Handtmann piston filler, type: FA 30 Top, 380 V, 50 Hz, 12.7/7.3 A, 3 kW, dimensions: 600 mm x 570 mm x 1400 mm.	1000
85	Mettler-Toledo	Mettler-Toledo mobile weighing scale for smoke sticks, type: IND890-10 Desk, serial number: B525079735,	150



Nr	Title	Description	Start €
		100-240 V, 50/60 Hz, dimensions: 650 mm x 450 mm x 1450 mm.	
86	Mettler-Toledo	Mettler-Toledo mobile weighing scale for smoke sticks, type: IND890-10 Desk, serial number: B525079737, 100-240 V, 50/60 Hz, dimensions: 650 mm x 450 mm x 1450 mm.	150
87	Maja-Maschinenfabrik	Maja-Maschinenfabrik ice machine, type: SA 60 EL, machine number: 3/02 21255, year of construction: 1993, dimensions: 600 mm x 600 mm x 1300 mm.	200
88	Safeline	Safeline mobile pipeline metal detector, clearance: ø 100 mm, total dimensions: 850 mm x 400 mm x 1400 mm.	500
89	Safeline	Safeline mobile pipeline metal detector, clearance: ø 100 mm, total dimensions: 850 mm x 400 mm x 1400 mm.	500
90	Safeline	Safeline mobile pipeline metal detector, clearance: ø 100 mm, total dimensions: 850 mm x 400 mm x 1400 mm.	500
91	Safeline	Safeline mobile pipeline metal detector, clearance: ø 100 mm, total dimensions: 850 mm x 400 mm x 1400 mm.	500
92	Safeline/Mettler Toledo	Box with 2 Safeline/Mettler Toledo control units for metal detectors, dimensions: (2x) 180 mm x 200 mm x 150 mm.	50
93	Angelo PO	Angelo PO combi steamer, type: FX61E3R-ZMRO, serial number: 10334967001, year of construction: 2010, 400 V, 3 Ph, 50-60 Hz, 16 A, 10.1 kW, 8 floors, dimensions floors: (8x) 470 mm x 300 mm, total dimensions: 780 mm x 900 mm x 720 mm.	750
94	NN floor scrubbing machine	Floor scrubbing machine, dimensions: 1500 mm x 900 mm x 1200 mm. Including Belatron Compact battery charger, serial number: 3359655, year of construction: 2007, 230 V, 50-60 Hz, 9.9 A.	300
95	Göran Persson Maskin AB	Göran Persson Maskin AB cooking vessel, type: GPM 100, serial number: 400051-07-20, year of construction: 1988, 380 V, 3 Ph, 50 Hz, 66 A, 32 kW, volume: 100 liter, dimensions: 1400 mm x 1000 mm x 1400 mm.	150
96	NN vegetable slicer	Vegetable slicer, diameter knife: 330 mm, total dimensions: 950 mm x 700 mm x 1200 mm. Including crate with various knife sets.	300
97	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector, type: PI 17, machine number: 23784, year of construction: 1995, 380 V, 16 A, 1.5 kW, plastic mesh belt, belt width: 250 mm, working width: 250 mm, total dimensions: 1300 mm x 1500 mm x 1700 mm.	1200
98	Unox	Unox oven, model: XVC204, serial number: 850, year of construction: 11/06/2009, 400 V, 3 Ph, 50/60 Hz, 5.2	500



Nr	Title	Description	Start €
		kW, 5 floors, dimensions each floor: 280 mm x 400 mm, total dimensions: 570 mm x 540 mm x 580 mm.	
99	NN grinder	Grinder, diameter plate: 100 mm, total dimensions: 950 mm x 500 mm x 1100 mm.	800
100	Rational AG	Rational AG combi steamer, model: CPC 61, 400 V, 3 Ph, 50/60 Hz, 6 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 900 mm x 780 mm x 820 mm.	500
101	Multivac	Multivac mobile double chamber vacuum machine, type: C 500, machine number: 1422, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 25 A, 7 kW, seal length: (4x) 670 mm, dimensions chamber: (2x) 750 mm x 900 mm, Rietschle vacuum pump, total dimensions: 1630 mm x 950 mm x 1050 mm.	1500
102	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Jaguar 700, machine number: 34230861767.105620, year of construction: 2008, 400/230 V, 3 Ph, 50 Hz, 6.2/10 A, 2.6 kW, weight: 204 kg, dimensions: 1800 mm x 700 mm x 1350 mm.	2250
103	Bastra	Bastra cooking kettle, inside dimensions: 1150 mm x 800 mm x 400 mm, total dimensions: 1200 mm x 1320 mm x 1050 mm.	650
104	Kerres	Kerres cooking kettle, type: FKK550 L, fabrication number: 115906.1, year of construction: 07/2021, 400 V, 3 Ph, 50 Hz, 0.5 kW, steam heated, inside dimensions: 1500 mm x 800 mm x 400 mm, total dimensions: 1150 mm x 1750 mm x 1000 mm.	2250
105	Blanco	Blanco mobile plate dispenser, type: BLANCO INMOTION TELLERSPENDER 2 SHE 26-31, serial number: 78409, 220-240 V, 1 Ph, 50-60 Hz, 1.8 kW, diameter dispensers: (2x) 350 mm, total dimensions: 950 mm x 500 mm x 840 mm.	190
106	Blanco	Blanco mobile plate dispenser, type: BLANCO INMOTION TELLERSPENDER 2 SHE 26-31, serial number: 78410, 220-240 V, 1 Ph, 50-60 Hz, 1.8 kW, diameter dispensers: (2x) 350 mm, total dimensions: 950 mm x 500 mm x 840 mm.	190
107	NN smoke sticks	S/s trolley with large amount of aluminium Y-shaped smoke sticks, length each smoke sticks: 1000 mm, total dimensions: 650 mm x 380 mm x 1100 mm.	300
108	Bizerba	Bizerba grinder, type: FW 32, machine number: 1150058, 415 V, 50 Hz, dimensions: 800 mm x 550 mm x 550 mm. Incomplete.	195
109	Bizerba	Bizerba grinder, type: FW 32 T, machine number: 425257, 220/380 V, 50 Hz, 9.5/5.5 A, 2.2 kW, diameter plate: 100 mm, total dimensions: 800 mm x 550 mm x 630 mm.	340
110	AEW Delford Marel Food Systems	AEW Delford Marel Food Systems weighing and labelling machine, model: 9000, serial number: 91071, maximum	2000



Nr	Title	Description	Start €
		weight: 3000 g, minimum weight: 40 g, e= 2 g, T=- 900 g, 230 V, 50 Hz, plastic belt, belt width: 300 mm, total dimensions: 2650 mm x 950 mm x 1750 mm. Missing one belt.	
111	NN smoke sticks	S/s trolley with large amount of aluminium Y-shaped smoke sticks, length each smoke sticks: 1000 mm, total dimensions: 600 mm x 400 mm x 1150 mm.	300
112	Poly-clip System GmbH & Co. KG	Pallet with large amount Poly-clip System GmbH & Co. KG clips, dimensions: 1200 mm x 800 mm x 900 mm.	480
113	Kaeser Kompressoren GmbH	Kaeser Kompressoren GmbH screw compressor, type: ASK 40, serial number: 1296, year of construction: 2016, 22 kW, motor rotation speed: 2960 1/min, maximum working pressure: 8 bar, ambient temperature: 3/45°C, dimensions: 1100 mm x 800 mm x 1600 mm.	2750
114	NN hood	S/s hood, dimensions: 2200 mm x 1300 mm x 550 mm.	340
115	Repak	Repak thermoformer, type: RE3, machine number: 20001, year of construction: 2001, 2200/380 V, 3 Ph, 50 Hz, 39 A, 16 kW, dye: (16x) 132 mm x 85 mm, plastic outfeed belt, belt width: 365 mm, Busch vacuum pump: type: RC 0100 E 501, capacity: 100 m³ per hour, total dimensions: 8700 mm x 1050 mm x 2200 mm. Including suction device, dimensions: Ø 500 mm x 1200 mm, Busch vacuum pump, type: RA 0400 B 461 DUBI, capacity: 400 m³ per hour, dimensions: 1300 mm x 900 mm x 900 mm.	3000
116	NN skinning machine	Mobile skinning machine, plastic belt, belt width: 470 mm, working width: 500 mm, total dimensions: 1600 mm x 1000 mm x 1500 mm.	1250
117	Linde	Linde electric pallet lifter, serial number: CT1187Y01553, year of construction: 2021.11.13, capacity: 1000 kg, 24 V, 0.65 kW, fork length: 1150 mm, total dimensions: 1750 mm x 700 mm x 1800 mm.	2750
118	NN casing holder	Casing holder, dimensions: 600 mm x 400 mm x 300 mm.	50
119	NN casing holder	Casing holder, dimensions: 600 mm x 400 mm x 300 mm.	50
120	Italmont	Italmont mobile sanding machine for concrete, model: AMR, machine number: 56, year of construction: 2002, dimensions: 1000 mm x 500 mm x 1200 mm.	295
121	Still	Still battery, type: PZS 625, serial number: 0100716442, year of construction: 03/20217, 48 V, capacity: 625 Ah, weight: 885 kg, volume: 146 liter, dimensions: 1030 mm x 530 mm x 630 mm.	1250
122	Taski	Taski floor scrubbing machine, type: Swingo, dimensions: 1300 mm x 550 mm x 1200 mm. Incomplete.	150
123	Bizerba	Bizerba weighing scale for meat bins, type: CP/ST-600/1500, serial number: 10467754/0815, year of	300



Nr	Title	Description	Start €
		construction: 2003, maximum weight: 600/1500 kg, minimum weight: 4 kg, e= 0.2/0.5 kg, 100-240 V, 50/60 Hz, 0.6-0.25 A, dimensions: 1500 mm x 1100 mm x 1050 mm.	
124	NN pump unit	Mobile stainless steel brine/marinade pump unit, dimensions: 900 mm x 500 mm x 1300 mm.	150
125	Rex	Rex mobile minced meat portioner, type: RHP 240, serial number: 1261012, 400 V, 50 Hz, 10 A, plastic belt, belt width: 250 mm, working width: 250 mm, total dimensions: 1700 mm x 650 mm x 1550 mm.	4000
126	NN cooking kettle	S/s mobile cooking kettle with agitator, electric heated, inside dimensions: Ø 550 mm x 660 mm, total dimensions: 650 mm x 800 mm x 1800 mm.	400
127	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300B, number: 3168, year of construction: 1999, 400 V, 50 Hz, 17 A, 6.5 kW, Becker vacuum pump, type: U 116 SA-31, capacity: 16/19 m ³ per hour, dimensions: 1500 mm x 1260 mm x 2000 mm.	1500
128	Handtmann	Handtmann linking attachment, dimensions: 400 mm x 300 mm x 120 mm.	50
129	Bizerba	Bizerba mobile slicer, s/s mesh belt, belt width: 300 mm, total dimensions: 2400 mm x 850 mm x 1800 mm.	3000
130	NN tumbler	Vacuum tumbler, inside dimensions: Ø 1900 mm x 2650 mm, total dimensions: 3500 mm x 2600 mm x 2150 mm, with Rietschle vacuum pump, dimensions: 1500 mm x 700 mm x 700 mm.	7500
131	Reepack	Reepack traysealer, model: REEFLEX, serial number: 0401005, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 21 A, dimensions dye: (2x) 200 mm x 150 mm, s/s outfeed rollers, roller width: 490 mm, Busch vacuum pump, type: RA 0100 E 501, number: 00050666, capacity: 100 m ³ per hour, total dimensions: 3000 mm x 850 mm x 1700 mm.	1000
132	Newrox AG	Newrox AG knife sharpener, type: BK 91, machine number: 482, year of construction: 2017, 230 V, 0.18 kW, working width: 20 mm, total dimensions: 300 mm x 250 mm x 250 mm.	295
133	Multivac	Multivac thermoformer, type: R530, machine number: 924, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 64 A, 21 kW, index: 490 mm, plastic outfeed belt, belt width: 440 mm, total dimensions: 5000 mm x 1100 mm x 1950 mm.	2500
134	Intech	Intech s/s tilting device for pallet boxes, type: ISL 1000, serial number: F-21385, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 4.9 A, 2.2 kW, tilting height: 1450 mm, total dimensions: 2100 mm x 1700 mm x 1800 mm.	2000
135	NN crate washing machine		1000



Nr	Title	Description	Start €
		S/s crate washing machine, clearance: 840 mm x 500 mm, total dimensions: 2750 mm x 1500 mm x 1600 mm.	
136	Vemag	Vemag mobile hanging line, model: AHM, number: 2040183, year of construction: 2006, 220-240-400-460 V, 10/7/16 A, 1.1 kW, dimensions: 2900 mm x 700 mm x 1100 mm.	1500
137	Sauer Getriebe	Sauer Getriebe plunger pump with hydraulic unit, type pump: OPV 1/070/R3P-RON, fabrication number: KD-17274, dimensions pump: 1400 mm x 400 mm x 400 mm, dimensions hydraulic unit: 900 mm x 600 mm x 800 mm.	300
138	Packtech BV	Packtech BV case packer, type: case packer, number: 2002155, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 5 kW, plastic wire belt, belt width: 200 mm, clearance: 310 mm x 400 mm, total dimensions: 2600 mm x 2100 mm x 2500 mm. Incomplete.	500
139	NN case forming and closing machine	Box forming and closing machine, infeed clearance: 500 mm, plastic belts, belt width: (4x) 50 mm, total dimensions: 2700 mm x 2200 mm x 2350 mm. Technical condition unknown.	1000
140	Multivac	Multivac shrink tunnel, type: SE 100, machine number: 120, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 52 A, 36 kW, clearance: 560 mm x 430 mm, s/s mesh belt, belt width: 500 mm, total dimensions: 1100 mm x 950 mm x 1300 mm.	1000
141	NN trolley	S/s trolley, dimensions: 1100 mm x 750 mm x 1000 mm.	75
142	Wire Belt	Wire Belt mobile 90° curve conveyor, serial number: 0544, s/s mesh belt, belt width: 250 mm, total dimensions: 900 mm x 500 mm x 1300 mm.	150
143	Karpowicz	Karpowicz ice machine, type: WLK-1000, fabrication number: 4471, year of construction: 24.09.2010, Danfoss compressor, dimensions: 1000 mm x 1050 mm x 1050 mm.	400
144	Mado	Mado grinder, type: MEW 717, number: 20001308, year of construction: 2014, 230/400 V, 3 Ph, 50 Hz, 12/7 A, 2.95 kW, plate diameter: 95 mm, total dimensions: 900 mm x 500 mm x 1300 mm.	950
145	Espera	Espera weighing and labelling machine, type: ESD 213, number: 103 06 4679, terminal type: ESC 902, number terminal: 7050 1092, plastic belts, belt width: (2x) 130 mm, total dimensions: 1080 mm x 800 mm x 1960 mm.	300
146	Sinmag Europe	Sinmag Europe manual dough dividing and moulding device, model: SDB-20B, serial number: 1905019, year of construction: 2019.07, 4 lanes, lane width: (4x) 75 mm, total dimensions: 600 mm x 500 mm x 1950 mm.	75
147	K+G Wetter	K+G Wetter grinder, dimensions: 1300 mm x 700 mm x 1500 mm. Missing plate.	1500



Nr	Title	Description	Start €
148	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 397, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 2 A, working width: 500 mm, total dimensions: 820 mm x 700 mm x 1000 mm.	350
149	NN lifter	S/s mobile lifter for meat bins, lifting height: 2300 mm, total dimensions: 1100 mm x 1200 mm x 3050 mm.	500
150	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell positive displacement pump, model: 220, serial number: 320814-02, dimensions: 1000 mm x 650 mm x 1100 mm.	1000
151	Poly-clip System GmbH & Co. KG	Pallet with large amount of Poly-clip System GmbH & Co. KG clips, dimensions: 1200 mm x 800 mm x 500 mm.	190
152	NN cooking kettle	Mobile s/s cooking kettle, electric heated, inside dimensions: Ø 540 mm x 500 mm, total dimensions: 800 mm x 680 mm x 950 mm.	250
154	Youngsunpack Europe	Youngsunpack Europe mobile box closing machine, type: MH-FJ-MAX, serial number: ISO313CS9-74, year of construction: 2018.3, 24 V, 1 Ph, 50 Hz, 240 W, s/s rollers, roller width: 750 mm, total dimensions: 1450 mm x 900 mm x 1500 mm, With mobile foldable roller conveyor, plastic rollers, roller width: 470 mm, total dimensions: 1200 mm x 600 mm x 750 mm.	650
155	Variovac	Variovac thermoformer, type: Primus, serial number: 420.733.08, machine number: 733, year of construction: 2008, 230/400 V, 50 Hz, 35 A, 20 kW, Busch vacuum pump, dimensions dye: (2x) 280 mm x 180 mm, film width: 405 mm, plastic out feed belt, belt width: 370 mm, total dimensions: 6400 mm x 950 mm x 1900 mm. Extra Busch vacuum pump, type: RA 0302 D 561 QMXX, capacity: 300 m³/h, dimensions: 1000 mm x 500 mm x 400 mm.	4900
156	NN tumbler	Vacuum tumbler, capacity: 2000 liter, Busch vacuum pump, type: 063-132, dimensions: 2500 mm x 2000 mm x 2100 mm, with s/s switch cabinet, dimensions: 700 mm x 650 mm x 330 mm.	1800
157	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack with 6 cooling compressors, type: (2x) 4HTC-20K-40P, (2x) 4FTC-20K-40P, (1x) 2FHC-3K-40S, (1x) 2HHC-2K-40S, capacity: 12/14.4 m³ per hour, (2x) 17.8/21.4 m³ per hour, (1x) 6.36/7.63 m³ per hour, (1x) 4.34/5.21 m³ per hour, dimensions: 3600 mm x 1500 mm x 2450 mm.	2000
158	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack with 6 cooling compressors, type: (4x) 4DTC-25KC-40P, (1x) 2KHC-05KB-40S, (1x) 2HHC-2KB-40S, capacity: (4x) 21.2/25.4 m³ per hour, (1x) 2.71/3.25 m³ per hour, (1x) 4.34/5.21 m³ per hour, dimensions: 4650 mm x 900 mm x 2250 mm.	2000
159			2000



Nr	Title	Description	Start €
	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack with 6 cooling compressors, type compressors: (1x) 2FSL-4KN-40S, (1x) 2HSL-3KB-40S, (4x) 4FTC-20KC-40P, capacity: (1x) 6.36/7.63 m ³ per hour, (1x) 4.34/5.21 m ³ per hour, (4x) 17.8/21.5 m ³ per hour, dimensions: 3150 mm x 850 mm x 2100 mm.	
160	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4FTC-20KI-40S, capacity: (3x) 17.8/21.4 m ³ per hour, dimensions: 3200 mm x 1200 mm x 2200 mm.	2000
161	NN smoke sticks	Pallet with approximatly 200 Y-shaped s/s smoke sticks, length each smoke stick: 1000 mm, total dimensions: 1200 mm x 800 mm x 700 mm.	390
162	Copeland Scroll	Copeland Scroll cooling compressor, model: ZBD30KCE-TFD-551, serial number: 10K2492AD, 380-420 V, 3 Ph, 50/60 Hz, capacity: 14.09/11.68 m ³ per hour, dimensions: 900 mm x 600 mm x 800 mm.	500
163	Bizerba	Bizerba bandsaw, type: FK 32, number: 1823914, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 3.6 A, dimensions table: 760 mm x 750 mm, total dimensions: 760 mm x 750 mm x 1600 mm.	850
164	LC Vakuumtechnik GmbH	LC Vakuumtechnik GmbH mobile vacuum machine, model: CV SUPER, serial number: 8220048, 220/380 V, 3 Ph, 50 Hz, 16 A, seal length: 460 mm, chamber dimensions: 520 mm x 550 mm, Busch vacuum pump, type: 040-132, capacity: 40 m ³ per hour, total dimensions: 700 mm x 580 mm x 1100 mm.	250
165	Webomatic	Webomatic mobile vacuum machine, type: C 50 U, machine number: 1310CA173, 400 V, 3 Ph, 50 Hz, 5.44 A, 2.2 kW, capacity: 100 m ³ per hour, seal length: (2x) 430 mm and 630 mm, chamber dimensions: 760 mm x 520 mm, total dimensions: 820 mm x 660 mm x 1000 mm.	400
166	Bayha & Strackbein GmbH	Bayha & Strackbein GmbH mobile cooking kettle, type: 200 F, fabrication number: 23 261, year of construction: 06/2011, 400/230 V, 3 Ph, 50 Hz, 11 kW, inside dimensions: Ø 700 mm x 530 mm, total dimensions: 1050 mm x 830 mm x 1000 mm.	260
167	NN film	Pallet with 54 rolls of film, 1000 meter film per roll, film width: 230 mm.	400
168	NN meat bins	2 s/s perforated meat bins, volume: (2x) 200 liter.	100
169	NN meat bin	S/s perforated meat bin, volume: 200 liter.	50
170	NN meat bin	S/s meat bin, volume: 200 liter.	50
171	Glass	Glass mobile flattener, plastic belt, belt width: 320 mm, total dimensions: 1800 mm x 1700 mm x 1500 mm.	500
172	Bizerba		850



Nr	Title	Description	Start €
		Bizerba mobile grinder, model: FW-N98, number: 1484682, 400 V, 3 Ph, 50 Hz, 5.6 A, plate diameter: 98 mm, total dimensions: 900 mm x 550 mm x 1150 mm	
173	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH mobile piston filler, type: OSCAR 20, machine number: 0-2002613957, year of construction: 2007, 400 V, 50 Hz, 0.75 kW, diameter: 270 mm, total dimensions: 1000 mm x 500 mm x 1100 mm.	790
174	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, model: VF 300, number: 575, year of construction: 2016, with Becker vacuum pump, type: U 1.F8 SA-31, Serial number: 1580706, year of construction: 1999, dimensions: 1600 mm x 1300 mm x 2050 mm.	2800
175	Machinefabriek Duurland	Machinefabriek Duurland vegetable cutter, year of construction: 1977, 4 stations, dimensions: 2000 mm x 500 mm x 1100 mm.	250
176	Rational AG	Rational AG combi steamer on s/s frame, model: SCC 61/06, 400 V, 3 Ph, 50/60 Hz, 6 floors, floor dimensions: (6x) 540 mm x 330 mm, total dimensions: 850 mm x 850 mm x 1600 mm.	900
177	NN tub	Mobile plastic tub, inside dimensions: 720 mm x 520 mm x 560 mm, total dimensions: 800 mm x 600 mm x 750 mm.	15
178	NN augers	(2x) Worm and housing for vacuum filling machine.	580
179	Handtmann	Handtmann linking attachment, type: 78-6, number: 761, 230 V, 50 Hz, 0.67 A, 0.18 kW,	200
180	Woodcraft	Woodcraft log splitter, type: LS22BH LS22EH, dimensions: 2000 mm x 530 mm x 820 mm.	750
181	Woodcraft	Woodcraft log splitter, type: LS22EH, serial number: LS22EH-22100030, year of construction: 2022, capacity: 22 Ton, weight: 250 kg, dimensions: 2000 mm x 530 mm x 820 mm.	750
182	Schwartzmann	Schwartzmann tool trolley, dimensions: 970 mm x 460 mm x 930 mm.	150
183	D.D.V. GmbH	D.D.V. GmbH floor sweeper, model: 90ET, serial number: 0112002-838, year of construction: 1996, 12 DC, 600 W, dimensions: 700 mm x 1350 mm x 920 mm.	100
184	Centurius	Centurius tool trolley, dimensions: 770 mm x 470 mm x 970 mm. Without tools.	35
185	Poolstar	Poolstar mobile fire hose, model: POOLSAM1, serial number: 20230317/POOLSAM1, year of construction: 2023.03.17, type motor: 170 F, dimensions: 550 mm x 700 mm x 860 mm.	100
186	Mettler Toledo	Mettler Toledo s/s floor weighing scale, type: PUA579-CS600, serial number: 2813956, year of construction: 2006, maximum weight: 600 kg, imensions: 1050 mm x 950 mm x 70 mm. Without indicator.	150



Nr	Title	Description	Start €
187	NN table	Mobile s/s table with drawers, dimensions: 2600 mm x 900 mm x 1000 mm.	250
188	Unikon	Unikon mobile crate washing machine, type: MISTRAL, machine number: 3069, 400 V, 3 Ph, 50 Hz, 2.1 kW, working width: 585 mm, total dimensions: 3530 mm x 980 mm x 1820 mm.	2000
189	Wiejak	Wiejak s/s sink, dimensions: 2000 mm x 450 mm x 680 mm.	240
190	Kronen	Kronen decoring / slicing machine, type: 145 100251, serial number: 145 076, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 0.6 kW, chain conveyor with infeed plates, diameter infeed: Ø 100 mm, total dimensions: 1950 mm x 1100 mm x 1670 mm. Incomplete.	1000
191	ZTI	ZTI smart machines citrus/kiwi peeler, type: Double, version: 1, serial number: 930483-135488-11, year of construction: 2019, dimensions: 2280 mm x 1680 mm x 1990 mm.	7500
192	Kerres	Kerres smoking chamber for liquid smoke, type: J3-HV 1950/1, fabrication number: 115908.2, year of construction: 07/2021, 400 V, 3 Ph, 50 Hz, 7 kW, steam heated, inside dimensions: 930 mm x 1400 mm, total dimensions: 1930 mm x 1200 mm x 2550 mm.	11000
193	Electrolux	Electrolux combi steamer, model: AOS061ETA1, serial number: 11404001, year of construction: 04-2011, 380 V, 3 Ph, 50/60 Hz, 15 A, 9.1/10.1 kW, 3 floors, dimensions each floor: 330 mm x 530 mm, total dimensions: 900 mm x 900 mm x 1500 mm.	450
194	Silverson	Silverson inline pump on s/s frame, model: 150L, machine number: C450LM625, 380 V, 3 Ph, 50 Hz, dimensions: 800 mm x 800 mm x 600 mm.	300
195	Safeline Mettler Toledo	Safeline Mettler Toledo metal detector with rejector, type: R Series Profile, serial number: 97920, year of construction: 06/2009, 230 V, 50 Hz, 9 A, 0.7 kW, plastic belt, belt width: 450 mm, clearance: 500 mm x 80 mm, total dimensions: 1500 mm x 1050 mm x 1485 mm.	2000
196	Stephanal	Stephanal mobile mixer, type: 120-86, machine number: 14200-256, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 3.5/2 A, 0.75/0.5-0.37 kW, dimensions: 700 mm x 900 mm x 1410 mm.	1250
197	NN hangers	S/s trolley with 5 s/s hangers, dimensions trolley: 660 mm x 480 mm x 1660 mm.	50
198	HPI	HPI s/s electric pallet lifter, fork length: 1200 mm, total dimensions: 2000 mm x 750 mm x 1725 mm. Including Hoppecke battery charger, type: RPM 2, number: 27013930, 24 V, 50/60 Hz, 50 A. Defect.	300
199	NN smoke trolleys	11 s/s smoke trolleys, 6 floors each, dimensions each floor: 1000 mm x 1000 mm, total dimensions: (11x) 1020 mm x 1000 mm x 2070 mm.	1000



Nr	Title	Description	Start €
200	Dixie Union	Dixie Union slicer, type: SL 495, factory number: 495.1383, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 12 A, plastic belt, belt width: 270 mm, plastic wire belt, belt width: 280 mm, total dimensions: 2500 mm x 1200 mm x 2050 mm. Including mobile plastic outfeed belt, type: ATB 778, fabrication number: 990.5211/0253, year of construction: 1994, belt width: 330 mm, dimensions: 3200 mm x 800 mm x 1190 mm.	1500
201	NN meat hooks	Plastic crate with s/s meat hooks, dimensions: 600 mm x 400 mm x 300 mm.	25
202	Grote	Grote pepperoni slicer, model: FG101-2001, serial number: 1087319, s/s mesh belt, belt width: 460 mm, knife width: 470 mm, diameter pipes: (10x) 50 mm, total dimensions: 1570 mm x 1230 mm x 1840 mm. Including pallet with parts.	3000
203	NN evaporator	S/s evaporator, dimensions: 700 mm x 460 mm x 370 mm.	50
204	Weber	Weber mobile skinning machine, type: ASP 560, number: ASP05601-10161, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.75 kW, weight: 220 kg, working width: 540 mm, total dimensions: 1000 mm x 600 mm x 1150 mm.	7500
205	Signode	Signode strapping machine, model: BA 24-15-40, serial number: 26840772 SNAK200147, year of construction: 2020, 24 V, clearance: 320 mm x 160 mm, total dimensions: 800 mm x 800 mm x 2050 mm.	6500
206	Tipper Tie technopack GmbH	Tipper Tie technopack GmbH mobile automatic clipper, model: TC 1590 E-N, dimensions: 1150 mm x 700 mm x 500 mm.	800
207	Pulso Tronic	Pulso Tronic mobile pipe line metal detector with rejector, type: M-Pulse 2 INFlex65 compact, serial number: 90006015, year of construction: 2016, 115/230 V, 1 Ph, 50/60 Hz, 16 A, 4/6 bar, clearance: Ø 55 mm, total dimensions: 850 mm x 600 mm x 1500 mm.	1000
208	NN shuttle conveyor	S/s shuttle conveyor, s/s mesh belt, belt width: 610 mm, total dimensions: 4000 mm x 1400 mm x 1840 mm.	1000
209	Bitzer Kühlmaschinenbau GmbH	Compressor rack with 6 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4HTE-20K-40P, capacity: 12/14.4 m³ per hour, (3x) 4JTC-15K-40P capacity: 9.2/11 m³ per hour and (2x) 2HSL-3K-40S, capacity: 4.34/5.21 m³ per hour, year of construction: 06-2014, dimensions: 3400 mm x 1200 mm x 2300 mm.	4000
210	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH mobile minced meat portioner, type: C-Linie, machine number: CLB 107686, year of construction: 2016, 230 V, 50/60 Hz, 0.5 kW, clearance: Ø 70 mm, plastic belts, belt width: 290 mm, total dimensions: 1900 mm x 800 mm x 1300 mm.	6000
211			2000



Nr	Title	Description	Start €
	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in cabinet with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4FTC-20KC-40S, capacity: 17.8/21.5 m ³ per hour, and (2x) type: 2HSL-3KB-40S, capacity: 4.34/5.21 m ³ per hour, dimensions: 3800 mm x 1700 mm x 2400 mm.	
212	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in cabinet with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4FTC-20KC-40S, capacity: 17.8/21.5 m ³ per hour and type: (2x) 4KHC-05KB-40S, capacity: 2.71/3.25 m ³ per hour dimensions: 3200 mm x 1200 mm x 2400 mm.	2000
213	Stephan	Stephan can opener, working diameter: 160 mm, total dimensions: 800 mm x 600 mm x 2250 mm. Including 3 extra openers, diameter: 155 mm, 148 mm and 69 mm.	300
214	Handtmann	Handtmann mobile linking machine, type: 115-21, number: 741, year of construction: 2009, 420 V, 3 Ph, 50/60 Hz, 3.4 A, 2.5 kW, dimensions: 1700 mm x 700 mm x 1300 mm.	550
215	Boge	Boge piston air compressor, type: SD 15, machine number: 37330, year of construction: 2000, capacity: 1.65 m ³ per minute, maximum pressure: 10 bar, dimensions: 970 mm x 700 mm x 1280 mm.	400
216	Jungheinrich	Jungheinrich electrical pallet lifter, type: EJE 116, serial number: 98189902, year of construction: 2017, capacity: 1600 kg, fork length: 1150 mm, total dimensions: 1800 mm x 740 mm x 1300 mm. Including Energic Plus battery charger.	250
217	Kaeser Kompressoren GmbH	Kaeser Kompressoren GmbH screw compressor, model: ASD 32, serial number: 1087, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 35 A, 18.5 kW, 8 bar, dimensions: 1300 mm x 870 mm x 1530 mm.	1000
218	Grasselli S.p.a.	Grasselli S.p.a. mobile skinning machine, model: RST520-m, serial number: R03009/M163, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 2.1 A, 6 bar, working width: 480 mm, total dimensions: 700 mm x 700 mm x 980 mm.	400
219	Digi	Digi mobile weigh-, wrap-, and label machine, number: 02164288, 380 V, 50/60 Hz, clearance: 350 mm x 170 mm, total dimensions: 860 mm x 900 mm x 1450 mm.	350
220	NN breeding machine	S/s mobile breeding machine, s/s mesh belt, belt width: 420 mm, clearance: 420 mm x 50 mm, total dimensions: 2200 mm x 950 mm x 1700 mm.	1500
221	NN depositor	Mobile depositor, number: MR300193, inside dimensions: Ø 350 mm x 650 mm, total dimensions: 1300 mm x 550 mm x 200 mm. Incomplete.	250
222	Irinox	Irinox blast chiller, model: EF 20.1, serial number: 011200073, 230 V, 1 Ph, 50 Hz, 6.3 A, 1.2 kW,	400



Nr	Title	Description	Start €
		refrigerant: R 404 A, 1800 g, 5 floors, floor dimensions: (5x) 600 mm x 400 mm, total dimensions: 900 mm x 800 mm x 900 mm.	
223	Tehama BV	Tehama BV transport belt, type: LTB-1EV, year of construction: 2009, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 200 mm, total dimensions: 2600 mm x 800 mm x 1650 mm. Incomplete.	100
224	Turbo Systems LTD	Turbo Systems LTD mobile depositor, model: UPG110512, machine number: D100P4602022, year of construction: 2011, dimensions: 1200 mm x 600 mm x 1760 mm.	400
225	NN saw blades	Various s/s saw blades, diameter: 200 and 270 mm.	25
226	Bosgraaf	Bosgraaf electric pallet lifter, type: Eroglie PL, serial number: 0001PL2002, year of construction: 2002, 400 V, maximum capacity: 600 kg, dimensions: 1700 mm x 820 mm x 1600 mm.	750
227	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 280 mm, distance between dividers: 180 mm, divider height: 30 mm, elevating height: 1900 mm, total dimensions: 1900 mm x 500 mm x 2000 mm.	350
228	Tehama BV	Tahema BV transport belt with rejector, plastic belt, belt width: 200 mm, total dimensions: 3500 mm x 850 mm x 1370 mm. Incomplete.	100
229	Turbo Systems Limited	Turbo Systems Limited transport belt with denester, machine number: CONO32501, plastic belt, diameter cups: 115 mm, belt width: 240 mm, total dimensions: 3200 mm x 500 mm x 1800 mm.	750
230	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, type: 1304, machine number: 130402.67621.1737-1, year of construction: 1990, 380/220 V, 3 Ph, 50 Hz, 3.5/10 A, chamber: 80 mm x 80 mm, total dimensions: 1040 mm x 660 mm x 1000 mm.	1000
231	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: XE3, serial number: 35000969, year of construction: 2008, 100/240 V, 1 Ph, 50/60 Hz, maximum capacity: 2000 g, minimum capacity: 150 g, e= 0.5/1 g, d= 0.5/1 g, T=- 1350 g, plastic belts, belt width: 200 mm, total dimensions: 2200 mm x 800 mm x 1450 mm.	1500
232	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack with 2 cooling compressors, type: (2x) 4JE-15Y-40P, serial number: 1689002402, 380/420/440/480 V, 3 Ph, 50/60 Hz, 30.8/97.0 A, capacity: 63.5/76.6 m³ per hour, dimensions: 2000 mm x 700 mm x 1600 mm.	1500
233	Miele	Miele dryer, type: T 6251 EL, fabrication number: 46611995, 380/415 V, 3 Ph, 50 Hz, 24 A, 13.2/15.5 kW,	500



Nr	Title	Description	Start €
		volume: 250 liter, dimensions: 900 mm x 820 mm x 1440 mm.	
234	IPSO	IPSO double stacked dryer, model: ADG 330 D, serial number: 4719 52, dimensions: 1010 mm x 760 mm x 2000 mm.	300
235	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slice and portion cutter, model: FALCON CONTI, machine number: 461007.162571.113261, year of construction: 11/2013, 380/480 V, 3 Ph, 50/60 Hz, 22/18/32 A, 8.6/11.7 kW, weight: 750 kg, plastic belts, belt width: 220 mm, clearance: 200 mm x 220 mm, total dimensions: 4600 mm x 1350 mm x 1840 mm. Switch cabinet incomplete.	7500
236	Planned Packaging Films Ltd	4 pallets with Planned Packaging Films Ltd film, consisting of soft and hard film, film width: 463 mm, 455 mm and 465 mm.	150
237	Rühle	Rühle mobile injector, 21 needles, s/s belt, belt width: 290 mm, total dimensions: 1500 mm x 500 mm x 1600 mm.	750
238	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher with rejector, type: XS 3, number: 35000195, year of construction: 2007, 100/240 V, 50/60 Hz, maximum capacity: 600 g, minimum capacity: 200 g, e=d= 0.5 g, T= 540 g, plastic belts, belt width: 150 mm, total dimensions: 900 mm x 700 mm x 1500 mm.	600
239	NN flattening belt	Mobile flattening belt, plastic belt, belt width: 240 mm, total dimensions: 2000 mm x 550 mm x 1100 mm.	250
240	Cryovac	Cryovac mobile bag blower, model: BL 19, number: 02140, 220 V, 50 Hz, dimensions: 1300 mm x 470 mm x 970 mm.	300
241	Ishida	Ishida 16-heads multihead weigher, model: CCW-NZ-216B-4M/20WP, number: 27588, year of construction: June 1998, 220 V, 50 Hz, 12.5 A, dimensions: 1500 mm x 1500 mm x 2000 mm.	2000
242	Durfo s.r.l.	Durfo s.r.l. monoblock filler for liquids with 10 filling heads, model: RMC 10, serial number: 11182, year of construction: 2011, 380 V, 50 Hz, weight: 600 kg, dimensions: 2100 mm x 1200 mm x 2150 mm. Including pallet with parts.	4000
243	Herbert Industrial Ltd	Herbert Industrial Ltd outfeed belt for labelling machine, serial number: HS 85459, plastic belts, belt width: (1x) 300 mm, (2x) 45 mm, total dimensions: 1250 mm x 800 mm x 1500 mm.	200
244	SIAT S.p.A.	SIAT S.p.A. box closing machine, model: XL33, serial number: 4337, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 1.4 A, 240 W, dimensions: 1950 mm x 1000 mm x 1700 mm.	350
245	Waukesha Cherry-Burrell		750



Nr	Title	Description	Start €
		Waukesha Cherry-Burrell lobe pump, model: L30, serial number: 190845-96, dimensions: 1500 mm x 450 mm x 1100 mm.	
246	NN box packaging line	Box packaging line consisting of 2 roller conveyors, plastic rollers, roll width: 430 mm, dimensions: 2000 mm x 1050 mm x 940 mm and 1500 mm x 570 mm x 890 mm and box lifter, dimensions platform: 620 mm x 580 mm, total dimensions: 870 mm x 730 mm x 1100 mm.	500
247	Rudolf Evers GmbH	Rudolf Evers GmbH box closing machine, plastic belts, belt width: (2x) 45 mm, plastic rollers, roller width: 260 mm, total dimensions: 1000 mm x 800 mm x 1650 mm.	300
248	Zimac BV	Zimac BV ultrasonic cleaner, inside dimensions: 600 mm x 450 mm x 510 mm, total dimensions: 1000 mm x 650 mm x 870 mm. Including Martin Walter Powersonic digital frequency generator, dimensions: 230 mm x 400 mm x 230 mm.	450
249	Solia Palmer	Solia Palmer salad spinner, type: SWA 100, machine number: 80/06 0729-01, 230 V, 50 Hz, 5.0 A, 1.0 kW, plastic basket dimensions: Ø 470 mm x 250 mm, total dimensions: 1500 mm x 750 mm x 1100 mm.	1000
250	Domino	Domino rotating laser printer, model: D-Series plus, 380/400 VAC, 3 Ph, 50 Hz, 16 A, dimensions: 1300 mm x 500 mm x 2000 mm.	2500
251	Fri-Jado	Fri-Jado mobile rotisserie grill, type: TG 330 E, serial number: 100001777, year of construction: 1998, dimensions: 960 mm x 800 mm x 2060 mm.	150
252	Tender Star	Tender Star mobile tenderizer, model: T.S.B., serial number: 201326, year of construction: 2001, 220-380 V, 50 Hz, 3Ph, 0,9 kW, working width: 330 mm, total dimensions: 2200 mm x 800 mm x 1920 mm.	2500
253	Grundfos	Grundfos circulation pump, type: TP 200-360/4 A-F-A-BAQE, model: A96306019P314430002, capacity: 391 m³ per hour, dimensions: 1000 mm x 850 mm x 1400 mm.	300
254	SNB Systems / Mettler Toledo	SNB Systems / Mettler Toledo Safeline metal detector, serial number: 57231, plastic belt, belt width: 200 mm, clearance: 255 mm x 170 mm, total dimensions: 2500 mm x 800 mm x 1700 mm. Missing cover.	750
255	Proseal	Proseal converger, type: SSC-009A, serial number: 3460, year of construction: 2015, 415 V, 3 Ph, 50 Hz, 6 bar, plastic belts, belt width: (4x) 25 mm, (1x) 685 mm, total dimensions: 1550 mm x 860 mm x 1740 mm.	500
256	Euro-Grill / Fri-Jado	Euro-Grill / Fri-Jado mobile rotisserie grill, model: TG 330-E, number: 100001777, year of construction: 1998, 400/230 V, 50 Hz, 14.5 A, 9500 W, dimensions: 1000 mm x 800 mm x 2000 mm.	150
257	Nilma	Nilma vegetable washing machine, type: Atir II, number: 000405, year of construction: 2000, 230/400 V, 3 Ph, 50	500



Nr	Title	Description	Start €
		H _z , 10 A, 1.45 kW, weight: 122 kg, volume 328 liter, dimensions: 1100 mm x 1050 mm x 1130 mm.	
258	Glass	Glass tiltable mixer, type: VSM 600 K, machine number: 2164, year of construction: 1997, 400 V, 50 Hz, 12.6 A, 4.05 kW, volume: 600 litres, dimensions: 1650 mm x 650 mm x 2400 mm. Incomplete, without lid.	1000
259	Kolbe	Kolbe bandsaw, model: K44, serial number: 96 0180, year of construction: 1998, 400/230 V, 50 Hz, table dimensions: 900 mm x 840 mm, total dimensions: 1000 mm x 950 mm x 1850 mm. Without saw.	1000
260	C-TRAC Conveyor LTD	C-TRAC Conveyor LTD bottle conveyor, type: MCC33, model: Webe, year of construction: 2024, motor: 6 kW, capacity: 5000 bottles per hour, dimensions: 1400 mm x 650 mm x 1600 mm. Serviced in 2025.	800
261	Deltapack	Deltapack vertical bag form-, fill-, and seal machine, type: DE420FU, machine number: 269, year of construction: 2003, film width: 740 mm, diameter filling pipe: 200 mm, vertical seal length: 540 mm, horizontal seal length: 430 mm, total dimensions: 2300 mm x 1550 mm x 2000 mm.	2500
262	Henkovac	Henkovac mobile vacuum machine, type: E-202, number: 209068963, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 9.4 A, 3.3 kW, seal length: (2x) 560 mm, dimensions chamber: 510 mm x 530 mm, Busch vacuum pump, total dimensions: 740 mm x 700 mm x 1100 mm.	350
263	Hidros	Hidros cooling unit, model: ReLoad S.10, serial number: AA080271, year of construction: 01/09/2008, 230 V, 1 Ph, 50 Hz, 24/105 A, refrigerant: R407C, dimensions: 800 mm x 500 mm x 2000 mm.	200
264	K+G Wetter	K+G Wetter cutter, model: S 45, machine number: 258 1114 , 380 V, 3 Ph, 50 Hz, 33/35 A, 16 kW, s/s bowl, volume: 45 liter, dimensions: 1460 mm x 1020 mm x 1230 mm.	5300
265	Henkelman BV	Henkelman BV mobile double chamber vacuum machine, type: 800, number: 80612005, year of construction: 1996, 400 V, 3 Ph, 50 Hz, seal length: (4x) 840 mm, chamber dimensions: (2x) 990 mm x 960 mm, Busch vacuum pump, type: RA 0250 C 4Z1 XXZZ, capacity: 250 m ³ per hour, total dimensions: 2000 mm x 1200 mm x 1250 mm.	2000
266	Systec GmbH	Systec GmbH floor weighing scale with indicator, type: IT1000, serial number: 1507163, 110/240 V, 50/60 Hz, maximum capacity: 3000 kg, minimum capacity: 20 kg, e=d= 1 kg, dimensions: 930 mm x 730 mm x 85 mm.	200
267	Slijp Machinefabriek	Slijp Machinefabriek grinder, model: Tip-Top 49/63, number: 126, dimensions: 700 mm x 300 mm x 530 mm.	80
268	Nieros		200



Nr	Title	Description	Start €
		Nieros hand disinfection unit with tourniquet, type: HDK/SP, serial number: N3A27-01, year of construction: 7/2010, 230 V, 50 Hz, 0.2 kW, dimensions: 900 mm x 900 mm x 1000 mm.	
269	MB Engineering	MB Engineering flue gas suction device, type: R300, dimensions: 1500 mm x 900 mm x 2500 mm.	750
270	Jasa Packaging Systems	Jasa Packaging Systems vertical bag form-, fill-, and seal machine, type: 350 Vezet, machine number: 11249, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 16 A, 4.5 kW, seal width: 370 mm, total dimensions: 1700 mm x 2000 mm x 2300 mm. With 2 pallets with parts.	750
271	BAC Machinebouw B.V.	BAC Machinebouw B.V. s/s mixing tank, number: 2019PO095/1, year of construction: 2019, weight: 270 kg, volume: 1450 liter, dimensions: Ø 1150 mm x 2650 mm.	4000
272	BAC Machinebouw B.V.	BAC Machinebouw B.V. s/s mixing tank, number: 2019PO095/2, year of construction: 2019, weight: 270 kg, volume: 1450 liter, dimensions: Ø 1150 mm x 2650 mm.	4000
273	Pomac Pumps	Pomac Pumps centrifugal pump, type: CPC26033 / 0200X11, serial number: 29.849, year of construction: 07-2019, 7.5 kW, 3000 rpm, capacity: 37 m ³ per hour, dimensions: 750 mm x 320 mm x 450 mm.	1000
274	Oostec	Oostec s/s switch cabinet, dimensions: 520 mm x 210 mm x 700 mm.	200
275	Pentair	9 Pentair Südmo Intellitop 2.0 valves with s/s pipes.	450
276	Pökomat	Pökomat mobile injector, plastic belt, belt width: 260 mm, 9 needles, total dimensions: 1250 mm x 450 mm x 1550 mm.	300
277	BT	BT electrical pallet lifter, model: LWE130, number: 6005786, year of construction: 2007, capacity: 1300 kg, fork length: 1150 mm, total dimensions: 1600 mm x 700 mm x 1350 mm.	250
278	Rietschle	S/s table with Rietschle vacuum pump, dimensions: 550 mm x 1300 mm x 1260 mm.	200
279	Pieralisi	Pieralisi decanter, type: FP 600 RSM, fabrication number: 5825, year of construction: 1998, 3550 rpm, maximum diameter: 435 mm, nutritional density: 1.4 kg/dm ³ , dimensions: 2620 mm x 970 mm x 1430 mm.	5500
280	Senking	Senking tiltable cooking vessel, inside dimensions: Ø 710 mm x 400 mm, total dimensions: 1600 mm x 1130 mm x 1300 mm.	300
281	ICS Ice Cleaning Systems, s.r.o.	ICS Ice Cleaning Systems, s.r.o. mobile dry ice cleaning machine, type: IC-110-E, number: 110E19112, year of construction: 2019, 100-240 V, 50-60 Hz, 5 A, weight: 51 kg, dimensions: 540 mm x 340 mm x 940 mm. Including Olive mobile cool container, type: BAC 160, serial	1500



Nr	Title	Description	Start €
		number: 3718, year of construction: 02/2019, dimensions Olivo: 790 mm x 580 mm x 1070 mm.	
282	Italdibipack S.P.A.	Italdibipack S.P.A. mobile shrink packaging machine, model: ES 5040 2N, serial number: 1651, year of construction: 1999, 220/380 V, 5 kW, weight: 270 kg, seal length: 520 mm and 400 mm, clearance: 450 mm x 230 mm, s/s mesh belt, belt width: 350 mm, total dimensions: 2100 mm x 1030 mm x 1510 mm.	200
283	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine, model: sausage-linker, number: 171 0145, year of construction: 2013, 400-460 V, 3 Ph, 50-60 Hz, 7 A, 4.5 kW, dimensions: 1100 mm x 700 mm x 1710 mm.	4000
284	Masownica Prozniowa	Masownica Prozniowa tumbler, type: MA-3-650 P, factory number: 039, volume: 650 liter, weight: 480 kg, dimensions: 1800 mm x 980 mm x 1810 mm.	1100
285	Zomerdam Produktidentificatie B.V.	Zomerdam Produktidentificatie B.V. checkweigher and metal detector with rejector, type checkweigher: DCW-1, fabrication number: 3480201, year of construction: 2016, 230 V, 50 Hz, weighing range: 40g-3kg, temperature range: 5°C-40°C, plastic belt, belt width: 200 mm, type metal detector: MN 7.0 CI 250/150, serial number: 1092-CI, year of construction: 2016, clearance: 250 mm x 105 mm, total dimensions: 3000 mm x 1030 mm x 1500 mm.	2000
286	NN rack	Steel rack with wooden floors, dimensions: 2450 mm x 1080 mm x 1580 mm.	200
287	S.A. Balpe	S.A. Balpe blintz machine, s/s mesh belt, belt width: 300 mm, diameter roller: 800 mm, total dimensions: 3500 mm x 1800 mm x 2300 mm. With additional parts.	1000
288	Economy Engineering Company	Economy Engineering Company mobile scissor lift, model: SP-2156, serial number: AL78708, year of construction: 1989, maximum capacity: 340 kg, dimensions: 2100 mm x 1400 mm x 2150 mm.	500
289	Fortress	Fortress mobile metal detector, model: Fortress Phantom, serial number: EM-1591, 100-120/200-240 V, 50-60 Hz, 1 A, plastic belt, belt width: 450 mm, clearance: 460 mm x 120 mm, total dimensions: 1900 mm x 1020 mm x 1550 mm.	750
290	NN transport belt	Mobile transport belt, s/s frame, plastic belt with dividers, belt width: 605 mm, divider height: 75 mm, distance between dividers: 780 mm, total dimensions: 2180 mm x 1150 mm x 1210 mm.	600
291	Itra	Itra mobile transport belt, 230 V, 20/2.7 A, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 1510 mm x 660 mm x 1070 mm.	400
292	Itra	Itra mobile elevating belt, s/s frame, plastic belt, belt width: 450 mm, elevating height: 1340 mm, total dimensions: 2200 mm x 920 mm x 1470 mm.	600



Nr	Title	Description	Start €
293	NN table	S/s table, dimensions: 2000 mm x 800 mm x 940 mm.	150
294	Mettler Toledo	Mettler Toledo Safeline metal detector with rejector, serial number: 20195, plastic belt, belt width: 170 mm, clearance: 305 mm x 135 mm, total dimensions: 1250 mm x 1250 mm x 1200 mm.	500
295	Mettler Toledo	Mettler Toledo Safeline metal detector with rejector, serial number: 39402, plastic belt, belt width: 240 mm, clearance: 310 mm x 100 mm, total dimensions: 1420 mm x 1250 mm x 1150 mm.	500
296	Mettler Toledo	Mettler Toledo Safeline metal detector with rejector, plastic belt, belt width: 245 mm x clearance: 305 mm x 140 mm, total dimensions: 1420 mm x 1050 mm x 1100 mm.	500
297	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD weigh-, wrap and label system, model: AW-5600FX, serial number: 17052429, year of construction: 2017, 220-240 V, 1 Ph, 50/60 Hz, 1.8 kW, film width: 400 mm, maximum weight: 3/6 kg, minimum weight: 20 gram, e= 1/2 gram, T= -2999 gram, weight: 250 kg, total dimensions: 800 mm x 1000 mm x 1450 mm.	1500
298	NN table	S/s table, plastic top, dimensions: 1500 mm x 800 mm x 930 mm.	150
299	NN table	S/s table, plastic top, dimensions: 1700 mm x 800 mm x 970 mm.	150
300	Vahterus	Vahterus plate & shell heat exchanger, type: PSHE 3HH-240/4/1, number: 30042, year of construction: 2011, volume: 19.5 liter, dimensions: 1000 mm x 900 mm x 860 mm.	100
301	VP Vacuum Pump SpA	VP Vacuum Pump SpA mobile traysealer, type: GV-51, serial number: 104870303, year of construction: 2003, 400 V, 50 Hz, 3.2 kW, dimensions dye: 305 mm x 155 mm, film width: 330 mm, Busch vacuum pump, type: RA 0040 E 501, capacity: 40 m³ per hour, total dimensions: 820 mm x 760 mm x 1750 mm.	750
302	CA.VE.CO s.r.l.	CA.VE.CO s.r.l. mobile traysealer, type: LARI/PN-BG SKIN, serial number: 11107, year of construction: 18-02-2008, 230 V, 50 Hz, 13.5 A, 3.5 kW, dimensions dye: (4x) 230 mm x 135 mm, film width: 400 mm, Busch vacuum pump, total dimensions: 1010 mm x 720 mm x 1710 mm.	750
303	Ulma	Ulma traysealer, model: SMART-400, machine number: 3110241, year of construction: 2003, 380 V, 50 Hz, 12.5 A, 4.7 kW, dimensions dye: (4x) Ø 120 mm, film width: 400 mm, total dimensions: 1250 mm x 1140 mm x 1700 mm. Including pallet with additional dye's, dimensions: (1x) 250 mm x 310 mm, (2x) 250 mm x 310 mm and (4x) 105 mm x 150 mm.	3000
304	NN table	S/s table, dimensions: 2000 mm x 700 mm x 890 mm.	150



Nr	Title	Description	Start €
305	NN writing desk	S/s writing desk, dimensions: 610 mm x 550 mm x 1130 mm.	25
306	Weber	Weber mobile skinning machine, type: AS 450, number: 3247, 380 V, 50 Hz, 0.4 kW, working width: 380 mm, total dimensions: 670 mm x 550 mm x 1000 mm.	1000
307	MK Gilze bv	MK Gilze bv mobile traysealer, type: T200, serial number: 201047, year of revision: 2021, 400 V, 3 Ph, 50 Hz, 11 A, 4.5 kW, Busch vacuum pump, type: RA 0063 E, number: 04012721, year of construction: 2004, capacity: 63 m ³ per hour, total dimensions: 1000 mm x 760 mm x 1780 mm.	4000
308	Inotec GmbH	Inotec GmbH mobile sausage cutter, type: WT 93-S3/F, machine number: 001-1433, year of construction: 2009, 200/240/400/460 V, 2 Ph, 50-60 Hz, 12/10/6/5 A, 2 kW, weight: 330 kg, dimensions: 920 mm x 590 mm x 1210 mm.	2750
309	Bakon Food Equipment	Bakon Food Equipment mobile depositor, model: Multi Depositor, serial number: 29003, year of construction: 2019, inside dimensions: 1200 mm x 800 mm x 650 mm, total dimensions: 1600 mm x 850 mm x 1200 mm.	750
310	LTEC	LTEC tramp oil separator, model: TOS 2.0, serial number: 232, year of construction: 30-2018, 230 V, 50 Hz, tank capacity: 105 liter, weight: 70 kg, dimensions: 500 mm x 700 mm x 1000 mm.	50
311	Audion Elektro	Audion Elektro mobile traysealer, dye dimensions: 240 mm x 300 mm, film width: 310 mm, total dimensions: 1110 mm x 1100 mm x 1480 mm. Suitable for 1/2 Gastronorm trays.	650
312	NN table	S/s table, dimensions: 2000 mm x 800 mm x 920 mm.	150
313	Winterhalter	Winterhalter dishwasher, model: GS 640, serial number: 801061, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 17.5 A, 11.4 kW, inside dimensions: 700 mm x 630 mm x 670 mm, total dimensions: 900 mm x 750 mm x 1650 mm.	350
314	JayCraft	JayCraft mobile elevating belt, serial number: WB005, year of construction: 13-08-19, plastic belt, belt width: 250 mm, elevating height: 1430 mm, total dimensions: 2400 mm x 1200 mm x 1570 mm.	750
315	Delford	Delford labelling machine, type: MPL80, machine number: MA0012, year of construction: 2015, 230 V, 50/60 Hz, 3/5 A, weight: 256 kg, plastic belt, belt width: 285 mm, total dimensions: 1800 mm x 1150 mm x 1750 mm.	2000
316	NN waste bag holders	3 s/s waste bag holders, dimensions: (3x) 560 mm x 460 mm x 860 mm.	30
317	Leich und Mehl	Leich und Mehl checkweigher with labelling unit, type: PAW 2000, fabrication number: 9066, year of construction: 2005, 230 V, 50 Hz, maximum weight: 3	500



Nr	Title	Description	Start €
		kg, minimum weight: 20 g, e=d= 1 g, T= -1/4, plastic belts, belt width: 200 mm and (2x) 90 mm, total dimensions: 2370 mm x 790 mm x 1820 mm.	
318	LH packaging BV	LH packaging BV traysealer, type: LH-450, year of construction: 2022-5-20, 400 V, 3 Ph, 50 Hz, 4 kW, chain infeed conveyor with dividers, distance between dividers: 345 mm, dimensions dye: (2x) 180 mm x 150 mm, total dimensions: 2330 mm x 760 mm x 1700 mm.	2000
319	Stephan	Stephan universal machine, type: UM 44 S, machine number: 721188.01, year of construction: 1994, 400 V, 3 Ph, 50 Hz, 9.2/10.4/13 A, 2.2/4/5.5 kW, volume: 40 liter, inside dimensions: Ø 500 mm x 300 mm, total dimensions: 1050 mm x 600 mm x 1200 mm. Including extra knife.	2750
320	Foodlife	Foodlife vegetable centrifuge dryer, type: EPTECH, serial number: 1611-12-86-3, year of construction: 2017, 400 V, 3 Ph, 50 Hz, dimensions: 940 mm x 820 mm x 1060 mm. Including 2 s/s trolleys with 20 plastic baskets, dimensions each basket: 500 mm x 480 mm x 400 mm.	2000
321	Henneken	Henneken tumbler, inside dimensions: Ø 1040 mm x 1000 mm, total dimensions: 1850 mm x 1700 mm x 1720 mm.	2000
322	Meca Plastic	Meca Plastic traysealer, type: MECA 2003, number: 5912, year of construction: 06/05, chain infeed conveyor with dividers, distance between dividers: 375 mm, 3 infeed lanes, lane width: (3x) 95 mm, film width: 450 mm, dimensions dye: (3x) Ø 85 mm, plastic mesh outfeed belt, belt width: 470 mm, total dimensions: 5500 mm x 990 mm x 2040 mm. Including pallet and pallet box with parts, dimensions additional dye sets: 430 mm x 320 mm, 445 mm x 320 mm, (3x) 225 mm x 120 mm and Ø 290 mm. Without vacuum pump.	2500
323	Krohne	Krohne electromagnetic flowmeter, model: OPTIFLUX 6300, serial number: A19550003, year of construction: 2019, 100/230 V, 50/60 Hz, dimensions: 250 mm x 250 mm x 300 mm.	750
324	Inject Star	Inject Star vacuum tumbler installation, model: HS 3, capacity: 1000 liter, weight of raw material: 500-700 kg, 400 V, 3 Ph, 50 Hz, turnover regulation: mechanical, vacuum tumbler weight: 700 kg, dimensions tumblers: (5x) 2000 mm x 1100 mm x 1750 mm, dimensions s/s mobile tubs: (5x) Ø 1100 mm x 1550 mm, dimensions switch cabinet: 1330 mm x 600 mm x 1100 mm.	4000
325	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, model: FALCON conti, machine number: 461007.162571.112885, year of construction: 2011, 380/480 V, 3 Ph, 50/60 Hz, 32 A, 8.6 kW, machine weight: 750 kg, plastic belt, total dimensions: 3900 mm	10000



Nr	Title	Description	Start €
		x 1300 mm x 1850 mm, 1000 mm x 570 mm x 1120 mm and 1070 mm x 740 mm x 1110 mm. Including pallet box with large amount of spare parts, dimensions pallet box: 1200 mm x 800 mm x 800 mm. Missing network card.	
326	Multivac	Multivac mobile labelling machine with bottom and top labeller and rejector, model: MR335 TQ3019BA40000RG, type: MR335, machine number: 242158, year of construction: 2017, 230 V, 50 Hz, 2500 VA, plastic belt, belt width: (2x) 190 mm, total dimensions: 2700 mm x 1200 mm x 2300 mm.	2500
327	CSL SRL	CSL SRL pressure tank, type: 0060, number: 10467, year of construction: 2010, volume: 500 liter, max pressure: 11 bar, max temperature: 120 C°, dimensions: Ø 600 mm x 2170 mm.	250
328	Scanvaegt Marel Food Systems	Scanvaegt Marel Food Systems mobile vertical slicer, type: STC S-3, serial number: 18.0162, year of construction: 2008, 230 V, 1 Ph, 50/60 Hz, 10/16 A, 2.5 kW, plastic mesh belt, belt width: 400 mm, distance between knives: 25 mm, total dimensions: 2900 mm x 900 mm x 1350 mm. Including s/s trolley with 2 extra knife sets, distance between knives: (1x) 30 mm, (1x) 18 mm, total dimensions: 850 mm x 800 mm x 1150 mm.	5000
329	Frey	Frey vacuum filling machine with linking attachment, type: KONTI-C50, machine number: KC 50 18 09 98, 400 V, 50 Hz, dimensions: 900 mm x 650 mm x 1610 mm.	2500
330	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH slicer with infeed belt, type: IC610/21, serial number: 010604, year of construction: 2004, 400 V, 15.25 A, 6.1 kW, plastic belt, belt width: 610 mm, dimensions chamber: 210 mm x 210 mm, total dimensions: 2400 mm x 800 mm x 1500 mm, dimensions infeed belt: 2700 mm x 860 mm x 1500 mm.	1500
331	Bodijn	Bodijn slicer used for meat, serial number: HAK 217219/2, year of construction: 2018, 230 V, 50 Hz, 2.2 A, 0.5 kW, weight: 600 kg, belt width: 545 mm, working width: 500 mm, total dimensions: 2700 mm x 1200 mm x 2100 mm.	2000
332	Renner Schlachthaustechnik GmbH	Renner Schlachthaustechnik GmbH in height adjustable working platform, type: 16878, year of construction: 2020, 240 V, 1000 W, weight: 650 kg, dimensions platform: 1830 mm x 1010 mm, total dimensions working platform: 2360 mm x 1450 mm x 2180 mm. Including 2 s/s tubs, dimensions: 2380 mm x 1050 mm x 300 mm and 1300 mm x 900 mm x 550 mm, 2 s/s poles, length poles: (2x) 4340 mm. Already dismantled.	15000
333	Marel	Marel portion cutter, type: IPM3 X300, serial number: A016062, year of construction: 2002, 380-480 V, 3 Ph,	3500



Nr	Title	Description	Start €
		10 A, 4 kW, plastic belts, belt width: 270 mm, total dimensions: 3350 mm x 1050 mm x 1700 mm. Including crate with parts.	
334	O/K Packaging Systems bv	O/K Packaging Systems bv case erector, type: Superformer-1, serial number: 10-21790, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 10 A, weight: 1200 kg, maximum box width: 350 mm, plastic belts, belt width: (2x) 95 mm, total dimensions: 3750 mm x 1700 mm x 2130 mm.	4000
335	Silverson Ltd	Silverson Ltd mobile high shear mixer, model: E, number: S6, safe working load: 95 kg, dimensions: 1100 mm x 900 mm x 2100 mm.	950
336	GuangDong	GuangDong 10-heads multihead weigher, model: AC-GB 10-28-02Z, 220 V, 50 Hz, 1500 W, dimensions: 1150 mm x 1150 mm x 1450 mm.	750
337	Busch	Busch side channel pressure/vacuum pump, model: SB 1100 D OH0 UN XX, number: BN 10106334 006 /0611, 400-460 V, 3 Ph, 50-60 Hz, 16.2-17.0 A, 8.5-98 kW, dimensions: 1150 mm x 600 mm x 900 mm.	100
338	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: FCA 3462, plastic outfeed belt, belt width: 140 mm, total dimensions: 1350 mm x 1620 mm x 1960 mm.	1900
339	Wewo	Wewo automatic pallet lifter, type: Pallet mover, serial number: 001, year of construction: 2017, s/s forks, fork length: 1300 mm, total dimensions: 2000 mm x 1100 mm x 970 mm.	500
340	ISA S.p.A.	ISA S.p.A. refrigeration showcase, type: GEL PRO, model: MILLENNIUM, serial number: 1050419060, year of construction: 2005, 230 V, 50 Hz, 2650 W, volume: 1300 litres, holds 24 containers, refrigerant: R404A/4.000kg, dimensions: 2150 mm x 1050 mm x 1400 mm.	200
341	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic clipping and sealing machine, type: TSA 120 HS, number: 142, year of construction: 1999, 400 V, 50 Hz, 16 A, air pressure: 5/7 bar, dimensions: 1400 mm x 980 mm x 1660 mm.	200
342	Sen Seitz Zenit	Sen Seitz Zenit filter, type: 40/30, number: 59505, year of construction: 1986, width: 3 mm, total dimensions: 1250 mm x 650 mm x 800 mm.	500
343	LAC	LAC elevating belt, type: Weigher Infeed, serial number: FI0359-4A, year of construction: June 2011, plastic belt, belt width: 500 mm, elevating height: 1050 mm, total dimensions: 4400 mm x 650 mm x 1060 mm.	400
344	Wilux	Wilux mobile labelling machine, type: LP-40/S, serial number: ZP/1501508, 230 V, 50/60 Hz, 125 W, plastic infeed belt, belt width: 40 mm, s/s rollers, roller width: 125 mm, total dimensions: 2270 mm x 1200 mm x 1900 mm.	650



Nr	Title	Description	Start €
345	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher, type: CLS 200, number: 60000011, year of construction: 2013, 230 V, 50 Hz, plastic belt, belt width: 300 mm, clearance: 300 mm x 35 mm, total dimensions: 1800 mm x 1200 mm x 1700 mm.	500
346	NN meat bins	4 s/s meat bins, volume: (4x) 200 liter. Never used.	700
347	NN meat bins	4 s/s meat bins, volume: (4x) 200 liter. Never used.	700
348	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 708, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.0 A, 1 HP, foot control, working width: 510 mm, total dimensions: 900 mm x 670 mm x 900 mm.	400
349	NN vacuum machine	Belt vacuum machine, plastic belts, belt width: 400 mm, seal length: 1070 mm, dimensions chamber: 1070 mm x 500 mm, total dimensions vacuum machine: 1600 mm x 700 mm x 1050 mm, dimensions transport belt: 1450 mm x 900 mm x 1250 mm. Technical condition unknown, incomplete, electrical cabinet inside missing.	150
350	Charmilles Technologies	Charmilles Technologies die-sinking machine, type: FORM 20, number: 100464, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 4.6 A, dimensions: 1000 mm x 1200 mm x 2100 mm, 400 mm x 340 mm x 1350 mm.	2000
351	NN boot washer	Boot washer with 2 brushes, brush length: (2x) 1000 mm, total dimensions: 1900 mm x 850 mm x 1400 mm.	550
353	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 500 mm, divider height: 30 mm, distance between dividers: 656 mm, elevating height: 2550 mm, total dimensions: 2850 mm x 900 mm x 2600 mm.	800
354	Multivac	Multivac s/s frame for dye sets, type: RS180, serial number: 298539, year of construction: 2020, weight: 100 kg, weight capacity: 100-300 kg, dimensions: 1500 mm x 900 mm x 1470 mm.	100
355	IPSO	IPSO double stacked dryer, model: ADG 330, serial number: 4719 51, dimensions: 1010 mm x 760 mm x 2000 mm.	300
356	NN sink	S/s double sink with faucet, dimensions: 2000 mm x 800 mm x 2000 mm.	400
357	SysTec GmbH	SysTec GmbH floor weighing scale, type: IT8000, serial number: 053956, 110-240 V, 50/60 Hz, 0.3 A, maximum weight: 1200 kg, minimum weight: 10 kg, e=: 0.5 kg, last calibrated: 06.02.2023, dimensions: 1500 mm x 1250 mm.	150
358	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: C 3330 DMS, fabrication number: 35004922, year of construction: 2013, 1x100-240 V, 50-60 Hz, maximum belt speed: 70 m/min, throughput: 102 pcs/min, min: 200 gram, max: 1000/4800 gram, e= 1/2 gram, belt width: 300 mm, total dimensions: 1900 mm x 1100 mm x 1440 mm.	1500



Nr	Title	Description	Start €
359	Packaging Automation Ltd	Packaging Automation Ltd weigh cell unit, serial number: WEIGHCELL-00020, year of construction: 2018, 24 V, dimensions: 900 mm x 800 mm x 1660 mm.	25
360	Inauen Maschinen AG	Inauen Maschinen AG mobile traysealer, model: VC999/ TS 300 N, serial number: 0431133, 400 V, 3 Ph, 50 Hz, 16 A, dye: (2x) 185 mm x 135 mm, operating air pressure: 6–8 bar, Rietschle vacuum pump, type: VCA 40 (00), number: 602608440003, year of construction: 2004, capacity: 10 m³ per hour, total dimensions: 1120 mm x 600 mm x 1610 mm.	1200
361	NN meat press	Mobile meat press, dimensions: 1800 mm x 600 mm x 950 mm.	300
362	Ets. André Zalkin	Ets. André Zalkin capping machine, type: CA/3/360/NG, serial number: 24576, year of construction: 2011, plastic belt, belt width: 80 mm, diameter cups: 80 mm, total belt length: 7700 mm, total dimensions cap closing machine: 3550 mm x 1450 mm x 3300 mm. With elevating infeed belt, plastic belt with dividers, divider height: 50 mm, total dimensions: 2100 mm x 1030 mm x 3650 mm. Including plastic pallet and meat bin with extra parts.	6000
363	Cretel	Cretel mobile skinning machine, working width: 440 mm, total dimensions: 750 mm x 450 mm x 980 mm.	200
364	Günther	Günther injector, type: PI 265-17, serial number: 37832, year of construction: 2022, 400 V, 16 A, 1.9 kW, 17 needles, plastic mesh belt, belt width: 250 mm, clearance: 260 mm x 210 mm, total dimensions: 1410 mm x 650 mm x 1680 mm.	7500
365	NN micro cutter	Micro cutter, dimensions: 630 mm x 630 mm x 1010 mm.	1200
366	Scharfen	Scharfen cutter on s/s trolley, type: TC11, number: 2143033, year of construction: 2014, 400 V, 3.6/5.1 A, 1400/1800 W, s/s bowl, volume: 11 liter, dimensions cutter: 850 mm x 500 mm x 580 mm, dimensions trolley: 770 mm x 580 mm x 800 mm.	1250
367	A.E.W. Engineering Co.LTD	A.E.W. Engineering Co.LTD. bandsaw, type: MK.11 400 M, serial number: L.H.S.192989, 415 V, 3 Ph, 4.7 A, table dimensions: 1180 mm x 890 mm, total dimensions: 1380 mm x 1040 mm x 1900 mm. Incomplete, technical condition unknown.	150
368	Lacont Umwelttechnik GmbH	Lacont Umwelttechnik GmbH fire safety storage cabinet, model: SiS 1200-G, serial number: 1302013084094-0020, dimensions: 1200 mm x 600 mm x 1950 mm.	250
369	Feter	Feter ice machine, model: CIM-1080F, 230 V, 50 Hz, 2.07 A, 424 W, refrigerant: R290 / 100 gram, dimensions: 675 mm x 660 mm x 915 mm.	600
370	Holac		5000



Nr	Title	Description	Start €
		Holac dicer / grater, type: CUBIXX 100 L, serial number: 003-48-189, year of construction: 2015, 400 V, 50 Hz, 9 A, 3.3 kW, dimensions chamber: 100 mm x 100 mm, total dimensions: 1380 mm x 620 mm x 1160 mm.	
371	AEW Delford	AEW Delford checkweigher, type: G2200, machine number: 93426, year of construction: 2015, plastic belt, belt width: 360 mm, total dimensions: 1200 mm x 920 mm x 1310 mm.	2500
372	Multivac	Multivac optical inspection system with rejector, type: I410, machine number: 298537, year of construction: 2020, 230 V, 50 Hz, 1000 VA, weight: 400 kg, plastic belts, belt width: (2x) 235 mm, total dimensions: 1500 mm x 1320 mm x 2250 mm.	4000
373	Inotec GmbH	Inotec GmbH mobile sausage cutter, type: WT 05-H, machine number: 010-032, year of construction: 2009, 200/240/400/460 V, 2 Ph, 50-60 Hz, 12/10/6/5 A, 2 kW, dimensions: 990 mm x 860 mm x 1420 mm.	2750
374	CFS	CFS knife sharpener, type: KSM 80 E, number: 4040915929, year of construction: 2007, dimensions: 710 mm x 660 mm x 1280 mm.	350
375	Formax	Formax mobile cuber-perforator, model: MG-27, serial number: 270, s/s mesh belt, belt width: 700 mm, working width: 670 mm, total dimensions: 2950 mm x 1150 mm x 1200 mm.	2500
376	Ramsey	Ramsey metal detector, model: Metal Scout II, clearance: 650 mm x 370 mm, total dimensions: 1300 mm x 1200 mm x 1300 mm.	750
377	N&N Nadratowski Sp. j.	N&N Nadratowski Sp. j. mobile lifter for 200 liter meat bins, model: PM-2/250, serial number: 2085, year of construction: 2021, 400 V, 50 Hz, 0.75 kW, capacity: 395 kg, weight: 380 kg, dimensions: 1730 mm x 1320 mm x 2460 mm.	1500
378	Proseal	Proseal mobile traysealer, model: GT1V, serial number: 2394, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 6 bar, plastic in- and outfeed belt, belt width: 175 mm, total dimensions: 3120 mm x 800 mm x 2070 mm. Including 2 s/s tool trolleys with dye set, serial number: PS 82007 / SN-O-04093, year of construction: 2015 / 2017, dimensions dye: (4x) 170 mm x 130 mm, total dimensions trolleys: 1150 mm x 800 mm x 1840 mm and 1720 mm x 900 mm x 1460 mm.	5000
379	Formcook	Formcook AB infrared conveyor grill, model: IR 6180401, year of construction: 2004, s/s mesh belt, belt width: 600 mm, total dimensions: 4150 mm x 1330 mm x 2400 mm	10000
380	Kohlhoff	Kohlhoff hygiene station with sole cleaner, hand disinfection, Dyson hand dryer and tourniquet, type: DLS1500+EK800, machine number: 77481, year of	1500



Nr	Title	Description	Start €
		construction: 01/2009, 400 V, 3 Ph, 50 Hz, 2.4 kW, brush length: 1100 mm, dimensions: 2200 mm x 1100 mm x 1800 mm. Including 2 extra brushes.	
381	Schröder Maschinenbau GmbH	Schröder Maschinenbau GmbH brine mixer, type: DM 500, number: DM 125 98, year of construction: 1998, 220/400 V, 50 Hz, 5.3 A, 2.2 kW, pressure: 6 bar, volume: 500 liter, dimensions: 1350 mm x 1350 mm x 1840 mm.	3500
382	Demsa Makina	Demsa Makina peanut butter depositor line, consisting of: depositor and conveyor, type: LDM/04, serial number: 260, output: (4x) Ø 8 mm, total dimensions depositor: 1250 mm x 1460 mm x 1680 mm, diameter cups conveyor: 95 mm, total dimensions conveyor: 3620 mm x 420 mm x 1350 mm.	1000
383	Multivac	Multivac optical inspection system with rejector, type: I410, machine number: 298563, year of construction: 2020, 230 V, 50 Hz, 1000 VA, weight: 400 kg, plastic belts, belt width: (2x) 235 mm, total dimensions: 1500 mm x 1320 mm x 2250 mm.	4000
384	Bosgraaf	Bosgraaf s/s cabinet, dimensions: 950 mm x 500 mm x 2150 mm. Door handle broken.	50
385	Delford-SORTAWEIGH LTD	Delford-SORTAWEIGH LTD weighing and sorting line, consisting of: Delford-SORTAWEIGH LTD checkweigher, model: GS 100, serial number: 92835, year of construction: 2003, 380 V, 3 Ph, 50 Hz, 5 A, 0.6 Mpa, maximum weight: 2000 gram, minimum weight: 20 gram, plastic belt, belt width: (2x) 290 mm, total dimensions: 1400 mm x 850 mm x 1600 mm. Sorting belt with 6 stations, plastic belt, belt width: 330 mm, total dimensions sorting belt: 4200 mm x 1150 mm x 1100 mm.	2500
386	NN infeed gutters	2 s/s infeed gutters, dimensions: (2x) 1570 mm x 1050 mm x 770 mm.	50
387	Youngsunpack Europe	Youngsunpack Europe mobile box closing machine, type: MH-FJ-1AW, serial number: 180327CS2-320, year of construction: 2018.3, 220 V, 1 Ph, 50 Hz, 400 W, s/s rollers, roller width: 690 mm, total dimensions: 1680 mm x 900 mm x 1980 mm.	500
388	Robopac	Robopac mobile pallet wrapper, model: ROBOT S6 PDS, serial number: 7450303030, year of construction: 12/12/2019, 100-240 V, 1 Ph, 50/60 Hz, 4-1.7 A, film width: 500 mm, total dimensions: 1750 mm x 1250 mm x 2530 mm.	1000
389	Handtmann	Handtmann mobile linking and hanging line, model linker: 216-21, number: 13215, 400 V, 50 Hz, 3.5 A, dimensions: 1560 mm x 700 mm x 1300 mm, type hanging line: 220-16, number: 13187, year of	2200



Nr	Title	Description	Start €
		construction: 2000, dimensions: 2550 mm x 550 mm x 1180 mm.	
390	NN tool trolley	S/s tool trolley, dimensions: 1400 mm x 840 mm x 1800 mm.	100
391	Zwick / Roell	Zwick / Roell static testing system, type: 10k N ProLine, serial number: 739777, year of construction: 2022, 230 V, 1 Ph, 50/60 Hz, 3.5 A, dimensions plate: 600 mm x 400 mm, total dimensions: 1200 mm x 810 mm x 1380 mm.	5000
392	Drobtech	Drobtech wing cutter, type: WP50, serial number: 07/01/01/24, year of construction: 2024, capacity: 50-60 wings per minute, dimensions: 1300 mm x 900 mm x 1500 mm. Without knife.	2000
393	NN frame	S/s frame, dimensions: 450 mm x 450 mm x 1070 mm.	30
394	NN infeed slide	S/s infeed slide, outfeed height: 1050 mm, dimensions: 920 mm x 650 mm x 1150 mm.	100
395	Procar Arluno	Procar Arluno mobile s/s foam unit, type: SX 50, year of construction: 2016, temperature range: 5 °C - 60 °C, maximum pressure: 8 bar, volume 75 liter, dimensions: 480 mm x 400 mm x 1070 mm.	150
396	Novapac	Novapac cup filling and sealing machine, type: RM 150, machine number: 25 178, year of construction: 2005, 400 V, 50 Hz, denester: 85 mm x 85 mm, dyes: (2x) 72 mm x 72 mm, plastic belt, belt width: (2x) 100 mm, total dimensions: 2400 mm x 2350 mm x 2370 mm. S/s switch cabinet, dimensions: 1000 mm x 400 mm x 2150 mm, s/s control panel, dimensions: 800 mm x 350 mm x 800 mm.	6500
397	KG Lyften AG	KG Lyften AG lifter for 200 liter meat bins, type: SKV 200 KP, number: 6892, maximum capacity: 250 kg, lifting height: 2250 mm, total dimensions: 1020 mm x 1250 mm x 3200 mm.	1500
398	Formax	Formax forming machine, model: F-26, serial number: 13134, 380 V, 50 Hz, 39 kVA, plastic belt, belt width: 700 mm, 3 s/s worms, worm dimensions: ø 180 mm x 630 mm, dimensions dye: (5x) 110 mm, total dimensions: 2950 mm x 1450 mm x 2700 mm. Including s/s trolley with parts, dimensions: 1700 mm x 1000 mm x 1750 mm. Including 3 s/s trolleys with various s/s and plastic plates, dimensions: (3x) 860 mm x 510 mm x 1980 mm. Dimensions dye: (5x) ø 95 mm, (4x) ø 113 mm, (4x) ø 116 mm, (5x) ø 104 mm, (6x) ø 87 mm, (3x) ø 123 mm, (5x) ø 106 mm, (5x) ø 126 mm, (4x) ø 112 mm.	50000
399	Formcook AB	Formcook AB industrial combi cooker, model: COMBI 1025 0802 EF, year of construction: 2006, Teflon belt, belt width: 980 mm, s/s mesh belt, belt width: 1020 mm, total dimensions: 6300 mm x 1500 mm x 2500	20000



Nr	Title	Description	Start €
		mm, s/s switch cabinet, dimensions: 1600 mm x 400 mm x 2000 mm.	
400	vanBeek	vanBeek mixer with s/s outfeed screws, type: WR250, serial number: 690538.A, year of construction: 2019, weight: 940 kg, inside dimensions: 1400 mm x 990 mm x 330 mm, plastic belt, belt width: 980 mm, total dimensions: 3370 mm x 1540 mm x 2680 mm.	1500
401	Glass	Glass heated mixer with lifter for 200 liter meat bins, type: VSM-F 300, machine number: 3752, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 16 A, 6.03 kW, volume: 300 liter, weight: 1300 kg, dimensions: 2550 mm x 2510 mm x 2130 mm. Including Weinreich-Industriekühlung heater, type: WHD 36es VA, serial number: 07151431, year of construction: 2015, 400 V, 50 Hz, 57.7 / 63 A, 38.2 kW, medium: water, volume: 25 liter, dimensions heater: 1250 mm x 550 mm x 1320 mm.	8000
402	Hitec BV	Hitec BV pasteurizer, type: Steamer 450/4000E, serial number: 20212536, year of construction: 2021, 74 kW, s/s mesh belt, belt width: 440 mm, with switch cabinet, dimensions: 1400 mm x 800 mm x 400 mm, total dimensions: 5300 mm x 1100 mm x 1400 mm.	15000
403	Fessmann	Fessmann cooking chamber for 4 trolleys, serie: ECO LINE, inside dimensions: 4400 mm x 1050 mm x 2060 mm, total dimensions: 4770 mm x 1530 mm x 2750 mm. 1 door damaged. Including: S/s control panel, S/s switch cabinet, dimensions switch cabinet: 1100 mm x 300 mm x 1000 mm, S/s air unit, dimensions unit: 2720 mm x 1430 mm x 1780 mm, 2 fans, Valve board, Nu-Air s/s hood, type: DVDs, dimensions: 2050 mm x 3200 mm x 600 mm.	7500
404	IMA Corazza	IMA Corazza double-head forming, filling and packaging machine for round butter packages, model: FB 220, dye: (2x) Ø 33 mm, 10 g, capacity: 280 pieces per minute / 16.800 pieces per hour, plastic outfeed belt with automatic packing station 5x5 configuration, belt width: 95 mm, total dimensions: 2030 mm x 1980 mm x 1930 mm.	15000
405	Coperion	Coperion twin screw extruder, type: ZSK 43 MV, factory number: 20523460, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 245 A, diameter screws: (2x) 40 mm, total dimensions: 3940 mm x 980 mm x 1810 mm. Including: 5 s/s trolleys with DIL moulds, type: KD 03, year of construction 2014 / 2016, dimensions: (5x) 800 mm x 660 mm x 1300 mm. Alfa Laval plate heat exchanger, type: M10-MUAGE, serial number: 30106 23434, year of construction: 2007, volume: 27 liter, dimensions: 1160 mm x 460 mm x 1140 mm. S/s mobile table with Boyser	10000



Nr	Title	Description	Start €
		pump, model: AMA-160, year of construction: 2015, total dimensions: 1630 mm x 800 mm x 1980 mm. S/s frame with 4 Luvata condensers, model: IKE351A3, year of construction: 04/06/2013. AutoTherm thermal heater, type: AW95-0-2-MB, factory number: 14 522, 400 V, 3 Ph, 50 Hz, 1.9 A, dimensions: 730 mm x 380 mm x 1000 mm. S/s infeed funnel, dimensions: 940 mm x 640 mm x 1350 mm. Steel switch cabinet, dimensions: 2400 mm x 700 mm x 2100 mm.	
406	Abresch	Abresch mobile transport belt, type: Bufferband BB2133, serial number: 25738, year of construction: 2023, plastic belt, belt width: 2135 mm, total dimensions: 2330 mm x 3000 mm x 1180 mm.	3900
407	Abresch	Abresch 90° curve conveyor, type: Bochtbaan BB254, serial number: 25738, year of construction: 2023, s/s frame, plastic mesh belt, belt width: 255 mm, total dimensions: 1600 mm x 1600 mm x 1020 mm.	1500
408	Pester Pac Automation GmbH	Pester Pac Automation GmbH stretch wrapper, type: PEWO-pack 450, serial number: 22737-10000, year of construction: 2024, 400 V, 3 Ph, 50 Hz, 20 A, 5.7 kW, 5 bar, plastic belts, belt width: 410 mm and 380 mm, total dimensions: 2500 mm x 5650 mm x 2280 mm. Including Abresch transport belt, type: Aanvoerband BB310 met pushbalk, serial number: 25738, year of construction: 2023, plastic belt, belt width: 310 mm, total dimensions: 2230 mm x 830 mm x 1470 mm.	25000
409	Brovind	Elevating belt with dividers, plastic belt, belt width: 460 mm, distance between dividers: 340 mm, divider height: 25 mm, total dimensions' 2750 mm x 1100 mm x 1740 mm. Brovind cap feeder, model: OB850 DC, serial number: 2208500008, year of construction: 2022, 230 V, 50 Hz, weight: 200 kg, dimensions: 1300 mm x 1300 mm x 2360 mm.	5000
410	Brovind	Elevating belt with dividers, plastic belt, belt width: 460 mm, distance between dividers: 340 mm, divider height: 25 mm, total dimensions' 2750 mm x 1100 mm x 1740 mm. Brovind cap feeder, model: OB850 DC, serial number: 23085000046, year of construction: 2023, 230 V, 50 Hz, weight: 200 kg, dimensions: 1300 mm x 1300 mm x 2360 mm.	5000
411	NN elevating belt	Elevating belt with dividers, plastic belt, belt width: 460 mm, distance between dividers: 340 mm, divider height: 25 mm, total dimensions' 2750 mm x 1100 mm x 1740 mm.	2000
412	NN elevating belt with cap feeder	Elevating belt with dividers, plastic belt, belt width: 705 mm, distance between dividers: 360 mm, divider height: 25 mm, total dimensions' 2900 mm x 1310 mm x 1680	5000



Nr	Title	Description	Start €
		mm. Cap feeder, dimensions: 1580 mm x 1500 mm x 2360 mm.	
413	NN smoking chamber	S/s smoking- and cooking chamber, total dimensions: 1400 mm x 1000 mm x 2070 mm.	400
414	Seydelmann	Seydelmann grinder, type: AE130, machine number: 99327-1, 400 V, 50 Hz, 39 A, diameter plate: 130 mm, total dimensions: 1200 mm x 1050 mm x 1300 mm. Missing plate and knives.	4500
415	NN control panel	S/s control panel, dimensions: 630 mm x 250 mm x 2450 mm.	25
416	NN frame	S/s frame, dimensions: 800 mm x 2502 mm x 130 mm.	5
417	Abele	Abele electric stunning device, type: STB-GA 700, dimensions: 300 mm x 180 mm x 400 mm.	250
418	TAO Motor	TAO Motor quad, model: BOULDER, year of construction: 09/2017, dimensions: 1350 mm x 700 mm x 850 mm.	150
419	Kijana	Kijana off road bike, type: DIRT BIKE, model: 5100132, year of construction: 2021, maximum capacity: 75 kg, dimensions: 1200 mm x 600 mm x 800 mm.	100
420	Jarvis	Jarvis breaking saw, model: SEC232-4, serial number: 84159, 42 V, 50 Hz, 34 A, 1700 W, dimensions: 550 mm x 300 mm x 250 mm.	500
421	Webomatic	Webomatic thermoformer, type: ML-C, machine number: I 6513-Z1G-233, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 15 kW, film width: 460 mm, dimensions dye: (6x) 170 mm x 80 mm, plastic outfeed rollers, roller width: 370 mm, total dimensions: 3600 mm x 1100 mm x 1950 mm. Including pallet with 2 labelling units and parts, dimensions	7500
422	Aichi	Aichi mobile working platform, dimensions: 2350 mm x 820 mm x 2110 mm.	1500
423	NN micro cutter	Mobile micro cutter, dimensions: 1500 mm x 850 mm x 1000 mm. Incomplete.	1250
424	Stephan	Stephan universal machine, type: UM 12, number: 722.095.01, year of construction: 1995, 400 V, 50 Hz, 1.5/1.9 kW, inside dimensions: Ø 320 mm x 200 mm, total dimensions: 550 mm x 400 mm x 600 mm. Usable for vacuum, and heating with double jacketed bowl.	750
425	Berkel	Berkel slicer, type: 115E, number: 28765, dimensions: 800 mm x 750 mm.	250
426	Max Pro	Max Pro s/s heated cabinet, type: HWK, 230 V, 50 Hz, 1000 W, 2 floors, floor dimensions: 750 mm x 350 mm, total dimensions: 1050 mm x 460 mm	350
427	HK Refrigeration	HK Refrigeration roof condenser, model: H7 18 M1 16PS, serial number: EV 032, 400 V, 50 Hz, dimensions: 1250 mm x 1350 mm x 1300 mm.	200
428	NN heater		5



Nr	Title	Description	Start €
		Heater, electrically heated, dimensions: 800 mm x 400 mm x 800 mm.	
429	Rudolf	Rudolf mobile compressor, type: Strocomp 865, 230 V, 2 Ph, 50 Hz, 2.2 kW, dimensions: 920 mm x 550 mm x 640 mm.	50
430	Mitari hijs techniek bv	Mitari hijs techniek bv pallet hook, type: MPB-20, serial number: 01356, year of construction: 02-2024, WLL: 200 kg, fork length: (2x) 1080 mm, total dimensions: 1200 mm x 1020 mm x 1900 mm.	480
431	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: DP10E, number: 1570047, year of construction: 2011, 400-460 V, 3 Ph, 50/60 Hz, 18 A, 12 kW, Busch vacuum pump, dimensions: 2000 mm x 1400 mm x 2050 mm.	9500
432	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF100B, number: 804, 380 V, 50 Hz, 5.5 A, 14.4 kW, dimensions: 2000 mm x 1300 mm x 2050 mm. Incomplete, missing rotor, vanes and vacuum pump.	2500
433	Maja maschinenfabrik	Maja maschinenfabrik mobile skinning derinding machine, type: BXM 554ER, serial number: M-51728, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 2.77 A, 1.1 kW, weight: 370 kg, plastic mesh belt, belt width: (2x) 500 mm, working width: 500 mm, total dimensions: 2000 mm x 1000 mm x 1230 mm.	1750
434	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200, number: 813, 380 V, 50 Hz, 6.5 A, 15.6 kW, with Becker vacuum pump, dimensions: 1700 mm x 1350 mm x 2050 mm.	4000
435	Mado	Mado band saw, type: MKB 554 D, number: 32867, 220/380 V, 3 Ph, 50 Hz, 4.7/2.7 A, 1100 W, table dimensions: 700 mm x 600 mm, total dimensions: 720 mm x 720 mm x 1600 mm.	800
436	Marel	Marel mobile skinning and derinding machine, model: SK15 340 20 inch, type: XX16475, serial number: 10118786, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 4 A, plastic mesh belt, belt width: 505 mm, working width: 525 mm, total dimensions: 2200 mm x 1050 mm x 1300 mm.	1500
437	Treif	Treif dicer, model: Argon, number: 410001.70031.100702, year of construction: 2005, 380-480 V, 3 Ph, 50/60 Hz, 5.5 A, 2.0 kW, weight: 415 kg, chamber dimensions: 610 mm x 100 mm x 100 mm, total dimensions: 1750 mm x 900 mm x 1200 mm. Without belt.	2500
438	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: Robot DP 10C, type: 153/250 B-1, number: 153 0448, year of construction: 2002, 3 Ph,	4000



Nr	Title	Description	Start €
		50/60 Hz, with Busch vacuum pump, type: RB 0010 D IDO and attachment, dimensions: 1950 mm x 1300 mm x 2750 mm.	
439	Risco	Risco vacuum filling machine with lifter for 200 liter meat bins, model: RS 303, serial number: T311019, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 7.7 kW, weight: 830 kg, with Busch vacuum pump, type: KC 0016 E 320 and incomplete wolf head, dimensions: 2500 mm x 1350 mm x 2050 mm. Only the screen turns on.	4000
440	Sepamatic	Sepamatic separator, type: SEPA 1200, number: 195194, 230/400 V, 50 Hz, 30/17 A, 7.5 kW, plastic belt, belt width: 180 mm, drum diameter: 300 mm, perforations: 5 mm, total dimensions: 1250 mm x 1450 mm x 2050 mm. With extra drum.	4500
441	Maja maschinenfabrik	Maja maschinenfabrik mobile derinding machine, type: Skinny, number: 937512, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, plastic belt, belt width: 385 mm, working width: 385 mm, total dimensions: 1200 mm x 800 mm x 1200 mm.	750
442	Poly-clip system	Poly-clip system mobile automatic double clipper, model: FCA 160, plastic belt, belt width: (2x) 75 mm, total dimensions: 1200 mm x 1650 mm x 1800 mm.	15000
443	REX Technologie	REX Technologie vacuum filling machine with lifter for 200 liter meat bins, type: RVF 911, number: 9110080429, 400 V, 3 Ph, 50 Hz, 52 A, 25 kW, with incomplete wolf head, dimensions: 1550 mm x 1000 mm x 2070 mm. Incomplete, missing vanes.	6000
444	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP 7 E, number: 160 0055, 400-460/575 V, 50/60 Hz, 12 kW, dimensions: 2600 mm x 1500 mm x 2250 mm.	9500
445	Vemag	Vemag mobile linking machine, model: LPG 202, number: 202 0340, 220-240/400-460/575 V, 3 Ph, 50/60 Hz, 10 A, dimensions: 1400 mm x 750 mm x 1300 mm.	1250
446	Frey	Frey vacuum filling machine, type: F-LINE F55, number: F55039337, year of construction: 2007, 400 V, 50 Hz, 4.2 kW, Busch vacuum pump, model: KC 0016 E, dimensions: 950 mm x 850 mm x 1750 mm.	5000
447	Loma Systems	Loma Systems metal detector, model: IQ3, serial number: Q3W95-15-24041D, year of construction: 17.12.2013, 85-265 V, 50-60 Hz, plastic belt with 2-lane out feed, belt width: 900 mm, lane width: (2x) 335 mm, clearance: 910 mm x 93 mm, total dimensions: 3400 mm x 1500 mm x 1450 mm.	1250
448	NN cooking belt	Cooking belt with s/s mesh belt, belt width: 1200 mm, clearance: 1200 mm x 65 mm, total dimensions: 9300	2750



Nr	Title	Description	Start €
		mm x 1600 mm x 2520 mm. Technical condition unknown.	
449	NN smoke sticks	pallet with approximatly 200 aluminium Y-shaped smoke sticks, length each smoke stick: 1000 mm, total dimensions: 1200 mm x 800 mm x 340 mm.	80
450	Kolbe	Kolbe grinder, model: AWE/I, number: 132 175, year of construction: 1995, 380 V, 50 Hz, plate diameter: 130 mm, total dimensions: 1150 mm x 1300 mm x 1450 mm.	3000
451	Hobart	Hobart belt dishwasher, model: FTNi-S-A, serial number: 867710829, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 79.5 A, 51 kW, water use: 160 liter per hour, capacity: maximum 3230 plates per hour, clearance: 612 mm x 440 mm, total dimensions: 5900 mm x 980 mm x 2150 mm. Machine is available from 21-10-2026.	3000
452	Tallpack	Tallpack pallet wrapper, type: TW 310 e-MPS, machine number: 173287.	500
453	Weber	Pallet with various motors and controllers for Weber slicer.	200
454	Daihatsu	Daihatsu car, type: CUORE 3 DEURS 1.0 12V DVVT (114), year of construction: 8-11-2007, mileage: 183.260 km, manual transmission, fuel: gasoline. APK till: 24-07-2026. The main beam has rust damage.	300
455	Body Solid	Body Solid fitness equipment consisting of: Fitness station, dimensions: 2900 mm x 2200 mm x 2250 mm. 2 benches, dimensions: (2x) 1200 mm x 400 mm x 600 mm. Massage table, dimensions: 2100 mm x 900 mm x 700 mm. Stand with weights, dimensions: 400 mm x 400 mm x 1300 mm. Among others.	500
456	Domino	Domino mobile extraction system for inkjet printer, model: DPX1000, serial number: 082236-0217, year of construction: 04/01/06, 230 V, 50/60 Hz, 1200 W, dimensions: 550 mm x 430 mm x 1070 mm.	75
457	Loma Systems	Loma Systems metal detector on mobile elevating belt, type: Blue IQ3 ST, serial number: Q3B55-10-28060D, year of construction: 17.3.2015, 110-240 V, 1 Ph, 50/60 Hz, 0.3-0.6 A, plastic belt, belt width: 410, clearance: 550 mm x 30 mm, elevating height: 1750 mm, total dimensions: 4600 mm x 1030 mm x 1760 mm.	2000
487	Pujolàs	Pujolàs automatic filling and clipping machine, consisting of: Pujolàs automatic filling and clipping machine, model filling machine: LAPEG 700/15N, serial number: 051257, year of construction: 2012, 400 V, diameter filling pipe: 100 mm, plastic belt, belt width: 160 mm, including Poly-Clip Systems double clipper, type: PDC M 700, number: 011/12, 4-6 bar, total dimensions: 7500 mm x 3100 mm x 2320 mm and 2 s/s trolleys with parts, dimensions: 1430 mm x 750 mm x	10000



Nr	Title	Description	Start €
		900 mm and 900 mm x 800 mm x 1400 mm and Pujolàs automatic netting machine, model: PMT 360, serial number: 051222, year of construction: 2012, 220 V, weight: 270 kg, dimensions: 1160 mm x 1210 mm x 2380 mm.	
488	NN sorting belt	Sorting belt, s/s frame, plastic belt, belt width: 420 mm, 4 rejecters, total dimensions: 9500 mm x 1000 mm x 1150 mm.	200
509	Stork	Stork belt fryer, type: TBM 630/5000, serial number: 4T210506, s/s mesh belt, belt width: 630 mm, thermal oil, volume: 1200 liter, total dimensions: 8600 mm x 1700 mm x 2400 mm.	8000
532	Agilent Technologies	Agilent Technologies vacuum pump, model: EU 105, serial number: IT1410N004, year of construction: 2014, capacity: 105 m ³ per hour, dimensions: 740 mm x 440 mm x 500 mm.	60
534	Amri / KSB	Pallet with 24 Amri / KSB butterfly valves, DN: 125 / 65 / 50, total dimensions pallet: 1200 mm x 800 mm x 340 mm.	240
535	VH Armaturen	Pallet with 14 various VH Armaturen actuators, dimensions pallet: 1200 mm x 800 mm x 350 mm.	200
536	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor with condenser, type: 2JES-07Y-40S, serial number: 1691206382, capacity: 5.2/6.3 m ³ per hour, dimensions: 650 mm x 550 mm x 500 mm.	400
537	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 6F.2 Y, serial number: 662701058, capacity: 94.1/183 m ³ per hour, dimensions: 800 mm x 500 mm x 500 mm.	100
538	Hawe Hydraulik	Hawe Hydraulik hydraulic power pack, type: KA 44 L / H 7.2 / 400 / 460 V, 3 Ph, 50 / 60 Hz, dimensions: 540 mm x 230 mm x 240 mm.	100
539	Busch	Busch vacuum pump, type: 400-212, number: 24684, capacity: 400 m ³ per hour, dimensions: 1350 mm x 900 mm x 1250 mm.	750
540	Grundfos	Grundfos inline single stage pump, type: TP 100-250/2 A-F-A-BAQE, model: A96109176P217330011, capacity: 135 m ³ per hour, maximum pressure: 16 bar, maximum temperature: 120 °C, dimensions: 920 mm x 380 mm x 560 mm. Never used.	1000
541	Grundfos	Grundfos inline single stage pump, type: TP 100-350/2 X-F-A-BQQE, model: A99114194P219100002, capacity: 162 m ³ per hour, maximum pressure: 16 bar, maximum temperature: 120 °C, dimensions: 960 mm x 400 mm x 550 mm. Never used.	1000
542	Flowserve	Flowserve centrifugal pump, type: ZLND 065160, year of construction: 2023, dimensions: 1050 mm x 450 mm x 700 mm.	200



Nr	Title	Description	Start €
543	NN centrifugal pumps	2 centrifugal pumps, dimensions: (2x) 560 mm x 250 mm x 290 mm.	200
544	KSB	2 KSB circulation pumps, model: Movitec HSI 2/3 B, capacity: 1.86 m ³ per hour, dimensions: (2x) 610 mm x 210 mm x 200 mm.	200
545	Alfa Laval	Alfa Laval centrifugal pump, dimensions: 600 mm x 270 mm x 400 mm.	100
546	KSB	KSB centrifugal pump, type: ETL 080-080-160 GGS AV66D200304, number: 9974110214 000200 01, capacity: 60 m ³ per hour, dimensions: 690 mm x 270 mm x 440 mm. New in box.	650
547	KSB	KSB centrifugal pump, type: ETL 100-100-125 GGS AV66D200304, number: 9974110214 000100 01, capacity: 75.00 m ³ per hour, dimensions: 650 mm x 290 mm x 450 mm. New in box.	650
548	VH Armaturen	Pallet with 11 various VH Armaturen actuators, dimensions pallet: 1200 mm x 800 mm x 700 mm.	200
549	KSB	Pallet with 22 KSB valves, DN 25 / 20 , PN 16 / 18, total dimensions: 1200 mm x 800 mm x 350 mm.	220
550	VH Armaturen	Pallet with 8 various VH Armaturen actuators, dimensions pallet: 1200 mm x 800 mm x 350 mm.	200
562	Proseal	Proseal dye for Proseal GT1V, model: Weizoplast 1-6 GM-50H, dimensions: 800 mm x 350 mm x 470 mm.	20
563	Havantec	2 Havantec soap dispensers, dimensions: (2x) 400 mm x 370 mm x 1500 mm. 1 is broken / incomplete.	50
564	NN waste bag holders	7 s/s waste bag holders, dimensions: (7x) 560 mm x 460 mm x 860 mm.	70
565	Hermetic	4 Hermetic lobe pumps, type: (2x) CAMR 2/2, year of construction: 2014, capacity: 1.0 / 9.8 m ³ per hour and CAM 2/5, capacity: 1.0-12.5 m ³ per hour, dimensions: (2x) 700 mm x 200 mm x 250 mm and (2x) 650 mm x 200 mm x 250 mm.	500
566	SPG	Pallet with SPG speed control motors, type: S7I15GX-V12, and vibration motors, type: HV 0.4/2.	50
570	SEW-Eurodrive / Vector	Pallet with 17 SEW-Eurodrive / Vector motors, dimensions: 1200 mm x 1000 mm x 300 mm.	200
571	Schröter	S/s switch cabinet for Schröter smoking chamber, type: CLIMAjet, dimensions: 1000 mm x 600 mm x 400 mm.	290
572	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel, model: ST30/10e, serial number: 150535, year of construction: 07/2018, dimensions: 500 mm x 250 mm x 500 mm.	75
573	OMPI	OMPI s/s hose reel with hose and spray pistol, year of construction: 2014, dimensions: 460 mm x 230 mm x 480 mm.	75
574	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel, model: ST30/10e, serial number: 150535, year of construction: 07/2018, dimensions: 500 mm x 250 mm x 500 mm.	75

Nr	Title	Description	Start €
575	Bernard	Valve system with Bernard pumps, type pumps: 0A6 and 0A3, numbers: 929457/03.014 and 94942/01.065, 230 V, 1 Ph, 50 Hz, 0.6 A, 0.08 kW, dimensions: 1200 mm x 800 mm x 400 mm.	200
576	Busch	Busch side channel pressure/vacuum pump, model: SB 1100 D 0H0 UN XX, number: BN 10100686 002 /0511, 400-460 V, 3 Ph, 50-60 Hz, 16.2-17.0 A, 8.5-98 kW, dimensions: 1150 mm x 600 mm x 900 mm.	100
577	Mettler Toledo	Mettler Toledo weighing scale with label printer, type: UC-GTT-M CT, serial number: B836386880, maximum: 6/15 kg, minimum: 40 gram, e= 2/5 gram, dimensions scale: 360 mm x 270 mm, total dimensions: 430 mm x 400 mm x 470 mm.	100
578	Mettler Toledo	Mettler Toledo weighing scale with label printer, type: UC-GTT-M CT, serial number: B836386884, maximum: 6/15 kg, minimum: 40 gram, e= 2/5 gram, dimensions scale: 360 mm x 270 mm, total dimensions: 430 mm x 400 mm x 470 mm.	100
579	SPX	SPX liquid filter, type: S2-EL-200F-V, serial number: 100000 3318502, year of construction: 2018, dimensions: 300 mm x 400 mm x 1000 mm.	25
580	DWM Copeland	DWM Copeland cooling compressor, model: DKLP-15X-FWL, number: 2138938, year of construction: 2004, 220/240 V, 3 Ph, 50 Hz, 05.9 A, dimensions: 700 mm x 650 mm x 440 mm.	50
581	NN Cooling compressor	Cooling compressor, dimensions: 700 mm x 700 mm x 750 mm.	40
582	Endress+Hauser	Endress + Hauser flowmeter, type: Promag, dimensions: 650 mm x 400 mm x 300 mm.	10
583	HP	HP StorageWorks P2000 G3 SAS MSA Dual Controller SFF Array System.	50
584	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, compressor type: 2EC-3.2Y-40S, serial number: 1680402324, capacity: 11.4/13.7 m³ per hour, dimensions: 700 mm x 980 mm x 920 mm.	200
585	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 2KES-05Y-40S, capacity: 4.1/4.9 m³ per hour, dimensions: 850 mm x 850 mm x 600 mm.	200
586	Kongsilde	Kongsilde mobile blower, type: TRL 75, serial number: 15020007, 400 V, 3 Ph, 50 Hz, dimensions: 800 mm x 550 mm x 870 mm.	150
587	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W, dimensions flowmeter: 350 mm x 250 mm x 200 mm, dimensions: 250 mm x 220 mm x 200 mm.	10
588	Europlast	Pallet with Europlast casings, dimensions: 1200 mm x 800 mm x 1100 mm.	50
589			75



Nr	Title	Description	Start €
	NN hygiene equipment	Hygiene equipment consisting of: sink, Kimberly-Clark paper dispenser, s/s waste bin, mirror and soap dispenser.	
590	Kromer	Crate with 4 Kromer balancers.	30
591	Siemens	Siemens flow meter, model tube: SITRANS F M MAG 1100 F, model indicator: SITRANS F M MAGFLO MAG6000, DN80, dimensions: 200 mm x 200 mm x 450 mm.	25
592	Grundfos	Grundfos horizontal multistage pump, type: CME3-4 A-R-A-E-AQQE U-A-D-N, model: A-98394985-P3-1608, 10 bar, 1 Mpa, capacity: 3.7 m ³ per hour, dimensions: 580 mm x 350 mm x 380 mm.	50
593	Grundfos	Grundfos horizontal multistage pump, type: CME3-4 A-R-A-E-AQQE U-A-D-N, model: A-98394985-P3-1608, 10 bar, 1 Mpa, capacity: 3.7 m ³ per hour, dimensions: 420 mm x 210 mm x 410 mm.	50
594	Grundfos	Grundfos horizontal multistage pump, type: CME3-4 A-R-A-E-AQQE U-A-D-N, model: A-98394985-P3-1608, 10 bar, 1 Mpa, capacity: 3.7 m ³ per hour, dimensions: 400 mm x 210 mm x 370 mm.	50
595	Grundfos	Grundfos horizontal multistage pump, type: CME3-4 A-R-A-E-AQQE U-A-D-N, model: A-98394985-P3-1608, 10 bar, 1 Mpa, capacity: 3.7 m ³ per hour, dimensions: 600 mm x 210 mm x 370 mm.	50
596	Siemens	2 Siemens flow meters, type: SITRANS F M MAG 1100 F.	50
597	Pfeiffer Vacuum	2 Pfeiffer Vacuum vacuum pumps, model: DUO 2.5 and DUO 2.6, year of construction: 2005/2006, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	60
598	Blagdon	Blagdon membrane pump, model: B1501PTBBOTP, serial number: 310258, year of construction: 2019, dimensions: 250 mm x 200 mm x 300 mm.	50
599	NN locker	Steel locker, dimensions: 360 mm x 480 mm x 1820 mm.	5
600	METOS N.V.	METOS N.V. drive-in refrigerator, model: ROLL-IN 1P, serial number: 5044272, year of construction: 2004, 230 V, 50 Hz, refrigerant: R134a/305 g, dimensions: 1050 mm x 870 mm x 1250 mm.	250
601	ROSOMA GmbH	ROSOMA GmbH washing machine, dimensions: 1500 mm x 700 mm x 2250 mm.	750
602	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 6F.2, fabrication number: 449 513, capacity: 94.1/183 m ³ per hour, dimensions: 850 mm x 800 mm x 1200 mm.	500
603	Transvac / Swissvac	Transvac / Swissvac belt vacuum machine, type: SYSTEMATIC, serial number: 2991, year of construction: 1987, 400 V, 3 Ph, 50 Hz, plastic belts, belt width: 535 mm / 410 mm, total dimensions: 3350 mm x 1180 mm x 1950 mm.	300



Nr	Title	Description	Start €
605	Formax	Formax shuttle conveyor, model: STS, serial number: 2, year of construction: 2001, 220 V, 50 Hz, 2.6 kVA, s/s belt, belt width: 740 mm, clearance: 740 mm x 50 mm, total dimensions: 3150 mm x 1100 mm x 1520 mm.	1500
606	CFS	CFS slicer, type: UNI-SLICER, number: 4044502565, year of construction: 2007, 400 V, 3 Ph, 50/60 Hz, 9 A, 6 kW, plastic belt, belt width: 350 mm, total dimensions: 4070 mm x 830 mm x 2170 mm.	5000
607	Stork	Stork mobile 90° curve conveyor, s/s mesh belt, belt width: 600 mm, total dimensions: 1550 mm x 1050 mm x 1600 mm.	600
608	Crimex Compressor	Crimex Compressor mobile air compressor, type: CMV 460, fabric number: 1368 85, year of construction: 1985, stroke volume in liter per minute: 460, max pressure: 10 bar, dimensions: 1300 mm x 500 mm x 1130 mm.	200
609	Tramatic	Tramatic electric pallet lifter, fork length: 1200 mm, lifting height: 1400 mm, total dimensions: 1650 mm x 900 mm x 2000 mm. Including De Drie B.V. battery charger, 220 V, 12 DC and VARTA battery.	650
610	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: FELIX100-CE, type: 2710, machine number: 271002.68911.0259, year of construction: 1999, 400 V, 50 Hz, 10 A, 1.0 kW, weight: 174 kg, dimensions chamber: 95 mm x 95 mm, total dimensions: 980 mm x 650 mm x 1040 mm.	2000
611	Turbo Systems LTD	Turbo Systems LTD mobile depositor, type: M252P, machine number: M252P6812010, year of construction: 2019, diameter outfeed: (2x) 23 mm, total dimensions: 1400 mm x 650 mm x 1640 mm.	1500
612	Lock Inspection Systems LTD.	Lock Inspection Systems LTD. mobile metal detector, serial number: 26254/1, year of construction: 11-11-05, 380 V, 3 Ph, 50 Hz, 0.8 A, plastic mesh belt, belt width: 450 mm, clearance: 500 mm x 130 mm, total dimensions: 1260 mm x 1000 mm x 1280 mm.	1500
613	Kern	Kern weighing scale on s/s frame, type: SXS 6K-3M, serial number: WX18060105, 220/240 V, 1 Ph, 50 Hz, maximum capacity: 3/6 kg, minimum capacity: 0.02/0.04 kg, e= 0.001/0.002 kg, dimensions scale: 240 mm x 300 mm, total dimensions: 800 mm x 500 mm x 1750 mm.	75
614	Lock	Lock Inspection metal detector with rejector, model: MET30+, serial number: 28413/1, plastic belt, belt width: 320 mm, clearance: 400 mm x 155 mm, total dimensions: 1200 mm x 1250 mm x 1350 mm.	500
615	Cintex LTD	Cintex LTD metal detector with 2 metal detector heads and rejecting belt, type: KHRB30, serial number: 79959, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 3 A,	300



Nr	Title	Description	Start €
		plastic mesh belt, belt width: 300 mm, total dimensions: 2720 mm x 880 mm x 1100 mm. Damaged.	
616	Frascold S.P.A.	Frascold S.P.A. cooling compressor, type: Z 40 126 Y, number: 3E000261, 50/60 Hz, 3 Ph, capacity: 125.72 / 150.86 m ³ per hour, total dimensions: 830 mm x 480 mm x 810 mm.	400
617	Bock	Bock cooling compressor, type: SAM6/153/4L, dimensions: 900 mm x 800 mm x 700 mm.	25
618	Bock	Bock cooling compressor, type: SAM6/153/4L, dimensions: 900 mm x 800 mm x 700 mm.	25
619	Tiflex	Tiflex inkjet printer, serial number: 00969 and 01012, 220 V, 50 Hz, 1.6 A, plastic belt, belt width: 300 mm, total dimensions: 1250 mm x 1100 mm x 1620 mm.	400
620	Bitzer Kühlmaschinenbau GmbH / Ecostar	Bitzer Kühlmaschinenbau GmbH / Ecostar condensing unit with cooling compressor, type cooling compressor: 4CC-9.F3Y-40S, serial number: 1681005229, 220-240 / 265-290 / 380-420 / 440-480 V, 3 Ph, 50/60 Hz, 24.6 A, capacity: 32.5/39.2 m ³ per hour, dimensions: 1350 mm x 700 mm x 1660 mm.	750
621	Wichelmann Metallbau	Wichelmann Metallbau strip cutter, type: Säge A1, machine number: 3132, year of construction: 2008, plastic belt, belt width: 250 mm, total dimensions: 2800 mm x 1200 mm x 1700 mm.	1500
622	Sealpac	Sealpac traysealer, type: Sealpac MINI, serial number: TVG0218001, year of construction: 1999, 400/230 V, 3 Ph, 1.5 kW, weight: 160 kg, dye: (2x) 210 mm x 155 mm, film width: 305 mm, total dimensions: 1000 mm x 980 mm x 1550 mm. Without vacuum pump.	80
623	Ariana Technology LTD	Ariana Technology LTD packaging machine, serial number: 3481-3481, year of construction: 2004, plastic belts, belt width: (2x) 250 mm, (1x) 570 mm, 16 heads, head diameter: Ø 120 mm, total dimensions: 3400 mm x 1040 mm x 1800 mm.	300
624	Toshiba	Toshiba outside unit for air conditioning, model: RAV-182A-PE, serial number: 64580193, 220/240 V, 50 Hz, 2200 W, weight: 58 kg, dimensions: 930 mm x 320 mm x 750 mm.	100
625	Mitsubishi	Mitsubishi outside unit for air-conditioning, model: SCM45ZD-S, serial number: 553402382, 220/230/240 V, 50 Hz, 4.5 kW, weight: 44 kg, refrigerant: R410A, dimensions: 900 mm x 320 mm x 650 mm.	100
626	Adelphi Manufacturing Ltd	Adelphi Manufacturing Ltd mobile depositor, model: ADELPHI RESPONSE, serial number: R3-0181, year of construction: 2008, dimensions: 1050 mm x 940 mm x 2470 mm.	300
627	Wewo	Wewo automatic pallet lifter, type: Pallet mover, serial number: 001, year of construction: 2017, s/s forks, fork	500



Nr	Title	Description	Start €
		length: 1300 mm, total dimensions: 2000 mm x 1100 mm x 970 mm.	
628	Elpress / Nawi	Elpress / Nawi hygiene station with sole cleaner, hand disinfection unit and tourniquet,, type: 05362920, brush length: (2x) 1500 kg, total dimensions: 2100 mm x 1600 mm x 1500 mm.	1250
629	Cryovac	Cryovac belt vacuum machine, model: VS 90, serial number: A03301308, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 20 A, 7 kW, 6/4 bar, plastic belt, belt width: 660 mm, plastic rollers, roller width: 660 mm, total dimensions: 3200 mm x 1300 mm x 1940 mm. Without vacuum pump.	5000
630	Cryovac	Cryovac shrink tunnel, model: ST77SRH, serial number: A51600128, year of construction: 1997, 380/415 V, 50 Hz, 16 A, 4 kW, 6 bar, clearance: 800 mm x 240 mm, s/s rollers, roller width: 735 mm, total dimensions: 1450 mm x 1300 mm x 1900 mm.	1750
631	K+G Wetter	K+G Wetter mixer-grinder, machine number: 279/1218, 400 V, 3 Ph, 50 Hz, 50 A, 20 kW, diameter plate: 130 mm, total dimensions: 1320 mm x 1080 mm x 1770 mm. Without plates and knives.	3500
632	Palga	Palga skewering machine, type: NewCombi, serial number: 32001301, year of construction: 2014, 400 V, 50 Hz, 10 A, 10 knives, distance between knives: 15 mm, number of sticks: 121, dimensions: 1200 mm x 1100 mm x 1650 mm. With frame for spare parts, dimensions: 700 mm x 500 mm x 1050 mm. Missing transport belt.	2900
633	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with 2 cooling compressors, type condensing unit: 44FC-10.2Y-40S, serial number: 1674612696, type cooling compressors: 4FC-5.2Y-40S, serial number: 1674612696 , 220-240/265-290/380-420/440-480 V, 3 Ph, 50/60 he, 18.7/10.8 A, capacity: 18.05/21.78 m³ per hour, dimensions: 1310 mm x 950 mm x 780 mm.	750
634	Laska Maschinenfabrik	Laska Maschinenfabrik grinder, type: WW 200 G, serial number: U4507, 220 V, 50 Hz, 45 kW, plate diameter: 200 mm, total dimensions: 1630 mm x 1550 mm x 1670 mm. Dimensions switch cabinet: 1000 mm x 800 mm x 320 mm.	2500
635	Sepamatic	Sepamatic separator, type: SEPA 1200, machine number: 195559, 400 V, 50 Hz, 6 kW, diameter drum: 300 mm, diameter perforations: 2 mm, total dimensions: 1300 mm x 1170 mm x 1800 mm.	5000
636	Lock	Lock Inspection metal detector with rejector, model: MET30+, plastic belt, belt width: 300 mm, clearance: 450 mm x 120 mm, total dimensions: 1200 mm x 1250 mm x 1350 mm.	500



Nr	Title	Description	Start €
637	Mettler Toledo	Mettler Toledo Safeline metal detector with rejector, plastic belt, belt width: 160 mm, clearance: 250 mm x 85 mm, total dimensions: 2100 mm x 1000 mm x 1450 mm.	500
638	Wichelmann Metallbau	Wichelmann Metallbau elevating belt, plastic belt, belt width: 400 mm, elevating height: 1450 mm, total dimensions: 1750 mm x 620 mm x 1600 mm.	500
639	ProFroid / Copeland	ProFroid cooling compressor rack with 4 Copeland cooling compressors, type: INNO BASIC VPP460-2340 4039659, serial number: 133898/135/8936, year of construction: 2009, 400 V, 3 Ph, 50 Hz, model Copeland, ZB38KCE-TFD-551, capacity: 14.41 / 17.34 m³ per hour, total dimensions: 1700 mm x 760 mm x 910 mm.	750
640	ProFroid / Copeland	ProFroid cooling compressor rack with 4 Copeland cooling compressors, type: INNO BASIC VPP460-2340 4039659, serial number: 140804/135/10609, year of construction: 2010, 400 V, 3 Ph, 50 Hz, model Copeland, ZB38KCE-TFD-551, capacity: 14.41 / 17.34 m³ per hour, total dimensions: 1700 mm x 760 mm x 910 mm.	750
641	Handtmann	Handtmann mobile linking machine, type: 115-21, number: 524, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 3.5 A, 2.5 kW, dimensions: 1300 mm x 720 mm x 1280 mm.	490
642	ProFroid / Copeland	ProFroid cooling compressor rack with 4 Copeland cooling compressors, type: INNO BASIC VPP460-2340 4039659, serial number: 147396/135/12237, year of construction: 2011, 400 V, 3 Ph, 50 Hz, model Copeland, ZB38KCE-TFD-551, capacity: 14.41 / 17.34 m³ per hour, total dimensions: 1700 mm x 760 mm x 910 mm.	750
643	Frascold	Frascold cooling compressor, type: Z40 154 Y, number: 3A000039, capacity: 154.38/185.26 m³ per hour, dimensions: 700 mm x 2100 mm x 1000 mm.	500
644	SEW-Eurodrive	10 SEW-Eurodrive motors, model: K 67 / SA 47 / SA 57 / R 17 / KA 19 / SA 37, total dimensions: 1200 mm x 800 mm x 400 mm.	800
645	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell lobe pump, model: 134 U1, serial number: 1000002952971, year of construction: 09/12/14, dimensions: 1500 mm x 450 mm x 1100 mm.	750
646	Casomatic	2 Casomatic vibrating level forks, length: 1100 mm / 1350 mm.	200
647	Alexanderwerk	Alexanderwerk piston filler, type: ACN 30, 220/380 V, 50 Hz, 2.2 kW, volume: 30 liter, dimensions: 650 mm x 750 mm x 1530 mm.	1000
648	Endoline	Endoline box closing machine, dimensions: 1250 mm x 770 mm x 1650 mm.	200
649	Bizerba	Bizerba labeller with suction unit, 4 cassettes with labels, type: LDI 20, number: 16/3025, year of construction: 2016, 400 V, 50 Hz, 32 A, weight: 435 kg,	1000



Nr	Title	Description	Start €
		plastic mesh belt, belt width: 400 mm, total dimensions: 2000 mm x 940 mm x 1510 mm. Including suction unit, dimensions suction unit: 1150 mm x 620 mm x 1100 mm. Including 4 extra cassettes.	
650	Bizerba	Bizerba weighing scale, number: 994205, weighing range: 2.5-30 kg, e=d= 50g, dimensions: 1250 mm x 600 mm x 250 mm.	50
651	ProFroid / Copeland	ProFroid cooling compressor rack with 4 Copeland cooling compressors, type: INNO BASIC VPP460-2340 4039659, serial number: 145905/135/11841, year of construction: 2011, 400 V, 3 Ph, 50 Hz, model Copeland, ZB38KCE-TFD-551, capacity: 14.41 / 17.34 m³ per hour, total dimensions: 1730 mm x 750 mm x 910 mm.	750
652	Kolbe	Kolbe mobile mixer-grinder, diameter plate: 130 mm, total dimensions: 1200 mm x 800 mm x 1370 mm.	1750
653	Grundfos	Grundfos circulation pump with Siemens valve, type Siemens: VXF32.40-16, PN 10 DN 40, total dimensions: 1100 mm x 600 mm x 1000 mm.	100
654	NN roof condenser	Roof condenser, dimensions: 840 mm x 780 mm x 700 mm.	50
655	NN diaphragm	Mobile diaphragm, 6 heads, diameter heads: (6x) 30 mm, total dimensions: 1280 mm x 840 mm x 1340 mm.	1250
656	Espera	Espera weighing and labelling machine, model: ES 7000 / ESG 2154, year of construction: 2019, 230 V, 50-60 Hz, 10 A, plastic belts, belt width: (2x) 140 mm, total dimensions: 2420 mm x 730 mm x 1980 mm. Including Espera s/s control panel, model: ESC 974 IP, 35-48 V, 3 A, dimensions: 680 mm x 450 mm x 1420 mm and Espera label printer, model: ESD 104, 230 V, 50-60 Hz, 1 A, dimensions: 680 mm x 500 mm x 1350 mm.	2000
657	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer with outfeed belt, model: Twister, machine number: 412302.77341.101328, year of construction: 2006, 380-480 V, 3 Ph, 50 Hz, 16 A, 4.5 kW, weight: 670 kg, dimensions chamber: 120 mm x 120 mm, plastic outfeed belt, belt width: 245 mm, total dimensions: 1930 mm x 1600 mm x 1300 mm.	4000
658	Handtmann	Handtmann coextrusion machine on s/s trolley, type: 150-01, number: 11900653, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.9 A, 0.2 kW, dimensions: 950 mm x 700 mm x 1180 mm. With plastic tub, dimensions: Ø 570 mm x 630 mm.	2000
659	Jegerings	Jegerings potato peeler, type: CSM-20, serial number: 11108.311.13005.018, 400 V, 3 Ph, 50 Hz, 2.48 A, 1.1 kW, inside dimensions: Ø 500 mm x 320 mm.	1000
660	Gamko	Gamko cooling unit, type: E2-UNIT, serial number: 202145100070, year of construction: 2021, 220-240 V,	30



Nr	Title	Description	Start €
		50 Hz, 1.6 A, 252 W, refrigerant: R600a / 135 gram, dimensions: 500 mm x 240 mm x 580 mm.	
661	Stephan	Stephan vacuum mixer, type: VM 300, machine number: 720.013.01, year of construction: 1993, 400 V, 50 Hz, 9.4 A, 3.8 kW, volume: 300 liter, Busch vacuum pump, type: 016-118, number: 344238, capacity: 16 m ³ per hour, dimensions: 2000 mm x 1430 mm x 1450 mm. Including Stephan lifter for meat bins, type: WB 602, machine number: 720.013.01, year of construction: 1993, 400 V, 3 Ph, 50 Hz, 3.65 A, 1.5 kW, lifting height: 1450 mm, total dimensions lifter: 1350 mm x 750 mm x 3020 mm.	3000
662	Carrier / Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type cooling compressors: (2x) 4J-13.2Y-40P, capacity: 63.5/76.7 m ³ per hour, (1x) 4J-22.2-40P, capacity: 63.5/76.7, (1x) 4TCS-8.2Y-40P, capacity: 41.3/49.9 m ³ per hour, (1x) 4TCS-12.2-40P, capacity: 41.3/49.9 m ³ per hour, dimensions: 3750 mm x 1600 mm x 2350 mm.	1750
663	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in noise cancelling cabinet with 6 cooling compressors, type compressors: (1x) 4FES-5Y-40S, capacity: 18.1/21.8 m ³ per hour, (1x) 4GE-30Y-40P, capacity: 84.6/102 m ³ per hour, total dimensions: 2700 mm x 1500 mm x 2300 mm.	2000
664	Carrier / Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type compressor rack, type: MAXI VPP330-4870+SPM235-4660, serial number: 159713/135/15254, year of construction: 01/2013, 400 V, 3 Ph, 50 Hz, refrigerant: R507, Bitzer Kühlmaschinenbau GmbH compressor type: (3x) 4NCS-12.2Y-40P, capacity: 56.2/67.9 m ³ per hour, (2x) 4EC-4.2Y-40S, capacity: 22.7/27.4 m ³ per hour, dimensions: 3700 mm x 1600 mm x 2300 mm.	1750
665	Carrier / Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, 2 Bitzer Kühlmaschinenbau GmbH compressor type: (2x) 4KTC-10KC-40S, capacity: 9.6-11.5 m ³ per hour, dimensions: 1620 mm x 960 mm x 2530 mm.	1400
666	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack with 2 cooling compressors, type compressors: 4VES-10Y-40P / 4TES-12Y-40P, serial number: 1681001728 / 1681008040, capacity: 34.7-41.8 / 41.3-49.8 m ³ per hour, total dimensions: 1800 mm x 1300 mm x 1900 mm.	1000
667		Teko compressor rack in noise cancelling cabinet, type: AWROXSTAcube ohne TK, with 3 Bitzer	1400



Nr	Title	Description	Start €
	Teko / Bitzer Kühlmaschinenbau GmbH	Kühlmaschinenbau GmbH cooling compressors, type: 4FTC-20K-40P / 4KTC-10K-40S, serial numbers: 1694405221 / 1694405229 / 1694407669, capacity: 17.8 / 21.4 - 9.6 / 11.5 m³ per hour, dimensions: 2700 mm x 1300 mm x 2430 mm.	
668	Avansor	Avansor cooling compressor in noise cancelling cabinet with Bitzer Kühlmaschinen GmbH cooling compressor, type: compSUPER XXS 2x0, serial number: 2018-0052, year of construction: 2017, refrigerant: CO2 / 50 kg, dimensions: 1040 mm x 920 mm x 2110 mm.	890
669	Carrier	Carrier compressor rack in noise cancelling cabinet, type: CO2-Kälteanlage, number: 200 280 213, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 80 A, refrigerant: R744 / 60 kg, dimensions: 1610 mm x 960 mm x 2340 mm.	1200
670	Teko / Bitzer Kühlmaschinenbau GmbH	Teko compressor rack in noise cancelling cabinet with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4FTC-20K-40P / 4KTC-10K-40S, serial numbers: 1694603941 / 1694613460 / 1600507297, capacity: 17.8 / 21.4 - 9.6 / 11.5 m³ per hour, dimensions: 1800 mm x 920 mm x 2100 mm.	1500
671	Fri-Jado / Bitzer Kühlmaschinebau GmbH	Fri-Jado BV compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors in noise cancelling cabinet, type compressor rack: 20001508, serial number: 100081986, year of construction: 2016, 230/400 V, 3 Ph, refrigerant: CO2, Bitzer Kühlmaschinenbau GmbH compressor type: (1x) 4MTE-10K-40S, capacity: 6.5/7.8 m³ per hour, (1x) 4KTE-10K-40S, capacity: 9.6/11.5 m³ per hour, (1x) 2MME-1K40S, capacity: 1.7/2.0, dimensions: 2600 mm x 1000 mm x 2220 mm.	1500
672	Mafrol	Mafrol refrigerator, serial number: 19003011, year of construction: 2019, 230 V, 50 Hz, 1200 W, refrigerant: R290 / 147 gram, dimensions: 1510 mm x 900 mm x 2040 mm. Never used.	500
673	Fri-Jado / Bitzer Kühlmaschinenbau GmbH	Fri-Jado cooling compressor rack with 6 Bitzer Kühlmaschinenbau GmbH cooling compressors, serial number rack: 100049206, year of construction: 14-8-2010, refrigerant: CO2 / R744, type cooling compressors: (4x) 4JTC-15K-40P, capacity: 9.2/11.0 m³ per hour and (2x) 2HSL-3K-40S, capacity: 4.34 / 5.21 m³ per hour, total dimensions: 2650 mm x 920 mm x 2060 mm.	2750
674	Fri-Jado / Bitzer Kühlmaschinenbau GmbH	Fri-Jado cooling compressor rack with 6 Bitzer Kühlmaschinenbau GmbH cooling compressors, type rack: Compressor Set 2629355, serial number: 100064878, year of construction: 2013, 400/230 V, 3 Ph, 50 Hz, refrigerant: CO2 / R744, type cooling	2750



Nr	Title	Description	Start €
		compressors: (4x) 4JTC-15K-40P, capacity: 9.2/11.0 m ³ per hour and (2x) 2HSL-3K-40S, capacity: 4.34 / 5.21 m ³ per hour, total dimensions: 2650 mm x 920 mm x 2060 mm.	
675	Allweiler GmbH	Allweiler GmbH centrifugal pump, type: NT50-16003.20DW10, number: 18009700, year of construction: 2018, dimensions: 1000 mm x 450 mm x 750 mm.	200
676	Grundfos	2 Grundfos circulation pumps on s/s frame with pipes and valves, total dimensions: 3200 mm x 1200 mm x 2000 mm.	500
677	Grundfos	2 Grundfos circulation pumps on s/s frame with pipes and valves, total dimensions: 3200 mm x 1200 mm x 2000 mm.	500
678	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack with 6 cooling compressors, type compressors: 4GE-20Y-40P / 4VES-10Y-40P / 2KSL-1K-40S, serial number: 1680807947 / 1680707946 / 168100076 / 1681001727 / 1680904473 / 1680904471, capacity: 84.6-120 / 34.7-41.6 / 2.71-3.27 m ³ per hour, total dimensions: 2160 mm x 1300 mm x 1920 mm.	1500
679	Scheppach	Scheppach air compressor, model: HC 50, serial number: 5519, year of construction: 2011, 220-240 V, 1 Ph, 50 Hz, 5.5 A, 1500 W, maximum pressure: 8 bar, dimensions: 720 mm x 350 mm x 700 mm.	200
680	Smeva / Bitzer Kühlmaschinenbau GmbH	Smeva compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, compressor rack type: MXE33H (4CC6.2Y) BTB, number: 1117, year of construction: 02/2008, compressor type: (2x) 4CC-6.2Y-40S, capacity: 32.5/39.2 m ³ per hour, (1x) 4CES-6Y-40S, capacity: 32.5/39.2 m ³ per hour, dimensions: 2250 mm x 740 mm x 860 mm.	1000
681	DMW Copeland	DMW Copeland compressor rack with 6 cooling compressors, compressor type: (1x) D3DC5-1000X-AWM/D, capacity: 38 m ³ per hour, (1x) D3DC4-100X-AWM/D, capacity: 38 m ³ per hour, (1x) D3DA5-75XH-AWM/D, capacity: 32.20 m ³ per hour, (3x) DLSGP-40X-EWL, capacity: 22.50 m ³ per hour, dimensions: 2400 mm x 1150 mm x 2000 mm.	1500
682	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 3 cooling compressors, type: (2x) 6HE-25Y-40P, capacity: 110.5/156.2 m ³ per hour, (1x) 4EES-6Y-40S, capacity: 22.7/27.4 m ³ per hour, dimensions: 2000 mm x 1300 mm x 1850 mm.	1000
683	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (2x) 2JHC-07K-40S, (3x) 4JTC-15K-40P, capacity:	2000



Nr	Title	Description	Start €
		(2x) 3.48/4.18, (3x) 9.2/11 m ³ per hour, dimensions: 2700 mm x 920 mm x 2350 mm.	
684	Carrier / Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, compressor rack type: 3x4CC-6.2Y+RHK35, year of construction: 28/04/2009, refrigerant: R448, compressor type: (3x) 4CC-6.2Y-40S, capacity: 32.5/39.2 m ³ per hour, dimensions: 2300 mm x 750 mm x 950 mm.	1000
685	DMW Copeland	DMW Copeland compressor rack with 5 cooling compressors, type: (2x) D3SC1-75X-AWM/D, capacity: 37.90 m ³ per hour, total dimensions: 2200 mm x 900 mm x 1800 mm.	1000
686	Goedhart	3 Goedhart s/s evaporators, type: PACi 402/4/230, year of construction: 2006, refrigerant: R22, 2 fans, dimensions: (3x) 2100 mm x 1150 mm x 780 mm.	500
688	Kaeser	Kaeser screw compressor, type: BS 60, number: 504301, year of construction: 1992, 37 kW, 7.5 bar, dimensions: 1540 mm x 1010 mm x 1340 mm.	500
689	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, model: VF 200, number: 2660, Becker vacuum pump, type: U1.16SA-31, capacity: 16/19 m ³ per hour, dimensions: 1750 mm x 1280 mm x 2040 mm. Technical condition unknown.	2600
690	Mondomix Howden B.V.	Mondomix Howden B.V. mobile aeration mixer, type: A-05, number: 14443, year of construction: 1995, 220 V, 50 Hz, 16 A, 16 bar, weight: 200 kg, dimensions: 1600 mm x 800 mm x 1300 mm.	1000
691	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, model: HP 10C, number: 142 1627, year of construction: 2006, 220-240 / 400-460 V, 3 Ph, 50/60 Hz, 20 kW A, filling and portioning, Busch vacuum pump, total dimensions: 2060 mm x 1330 mm x 2220 mm.	3900
692	Proseal	Proseal mobile traysealer, model: Fastpak F40, serial number: 1871, year of construction: 2009, 230 V, 50 Hz, plastic string belt, belt width: 175 mm, dimensions dye: (2x) 180 mm x 170 mm, total dimensions: 2350 mm x 860 mm x 1970 mm. Including pallet with parts, dimensions: 1200 mm x 800 mm x 600 mm. Overhauled in 2023.	1000
693	Vakona GmbH	Vakona GmbH cooled vacuum mixer, type: 125ESKSTL, number: 8065, year of construction: 1999, 230/400 V, 50 Hz, 1.6 A, 1.9 kW, tiltable, volume: 125 liter, Busch vacuum pump, type: RB 0010 D OZO, year of construction: 1998, capacity: 10 m ³ per hour, total dimensions: 1330 mm x 600 mm x 1330 mm.	2000
694	Bizerba		1500



Nr	Title	Description	Start €
		Bizerba bandsaw, model: FK 32, machine number: 2169862, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 3.6 A, table dimensions: 750 mm x 750 mm, total dimensions: 750 mm x 750 mm x 1600 mm.	
695	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999 / 07DK, machine number: 0783383, 380 V, 3 Ph, 50 Hz, 25 A, 9 kW, seal length: (2x) 340 mm and 950 mm, dimensions chamber: 950 mm x 450 mm, Rietschle vacuum pump, CLFH 220V, number: 752681, year of construction: 1983, capacity: 220 m ³ per hour, total dimensions: 1130 mm x 800 mm x 1040 mm. Technical condition unknown.	350
696	Cangzhou Rongye Machinery Co., Ltd	Cangzhou Rongye Machinery Co., Ltd garlic peeler, model: RY 100, 220 V, 50 Hz, 500 W, diameter infeed: 370 mm, total dimensions: 770 mm x 610 mm x 1220 mm.	200
697	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile linking machine, model: LPG, number: 202 0312, year of construction: 2006, 220-240 / 400-460 V, 3 Ph, 50/60 Hz, 10-16 A, 2.5 kW, dimensions: 1400 mm x 650 mm x 1350 mm.	1500
698	Walter Roller GmbH & Co	Walter Roller GmbH & Co evaporator, 1 fan, type: HVST 411, serial number: 10 251 51 0001, 400/460 V, 3 Ph, 50/60 Hz, 6090 W, volume: 13 liter, refrigerant: fluid G2, dimensions: 1250 mm x 670 mm x 760 mm.	60
699	Cangzhou Rongye Machinery Co., Ltd	Cangzhou Rongye Machinery Co., Ltd garlic clove splitting machine, model: RYF-1000, 220 V, 50 Hz, dimensions: 1220 mm x 630 mm x 1250 mm.	350
700	Dmatic	Dmatic hamburger forming machine, type: DBM/ S3/501, year of construction: 2005/06, 400 V, 3 Ph, 50 Hz, 6 A, 0.18 kW, s/s mesh belt, belt width: 160 mm, form diameter: 85 mm, total dimensions: 1650 mm x 500 mm x 1300 mm.	750
701	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/03 P, machine number: 0392 717, 380 V, 3 Ph, 50 Hz, 15 A, 10 kW, seal width: (1x) 1000 mm and (2x) 450 mm, Rietschle vacuum pump, type: CLFH 220 V (01), fabrication number: 1414623, year of construction: 1991, capacity: 220 m ³ per hour, total dimensions: 1130 mm x 750 mm x 1030 mm.	300
703	Feter	Feter ice machine, model: CIM-1320F, 230 V, 50 Hz, 680 W, refrigerant: R290, dimensions: 660 mm x 565 mm x 1600 mm.	1100
704	NN UV liquid sterilizer	UV liquid sterilizer set, consisting of 2 s/s frames with tubes and switch cabinet, dimensions frames: 1535 mm x 1050 mm x 1880 mm and 1610 mm x 1270 mm x 1580 mm, dimensions switch cabinet: 1000 mm x 1000 mm x 300 mm.	650
705			50



Nr	Title	Description	Start €
	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4P, fabrication number: 203 008, capacity: 22.7-47.1 m ³ per hour, dimensions: 1200 mm x 1000 mm x 900 mm.	
706	Garden Denver	Garden Denver vacuum pump, type: VC 303 (20), serial number: SC10093357001, year of construction: 2011, capacity: 300 m ³ per hour, dimensions: 930 mm x 530 mm x 640 mm.	350
707	Nieros	Nieros mobile elevating belt, plastic belt, belt width: 255 mm, elevating height: 1780 mm, total dimensions: 2150 mm x 700 mm x 2050 mm.	400
708	Espera	Espera weighing and labelling machine, model: ES 5000, plastic belt, belt width: 145 mm, total dimensions: 1550 mm x 800 mm x 1560 mm.	2500
709	Simo	Simo micro cutter, type: 175/115PFD175, serial number: 97-041132, year of construction: 1997, diameter plate: 210 mm, total dimensions: 1400 mm x 700 mm x 1450 mm.	500
710	Robopac	Robopac mobile automatic shrink wrapping machine, model: Ariane 5040 2TA, serial number: KN/054420, year of construction: 02/2003, 400 V, 3 Ph, 50 Hz, 9.5 A, 5.7 kW, seal length: 470 mm and 370 mm, plastic outfeed rollers, roller width: 450 mm, total dimensions: 2200 mm x 2250 mm x 1200 mm.	800
711	Sanyo	Sanyo Ultra-low temperature freezer, model: MDF-794, serial number: 14020004, 230/240 V, 50 Hz, 4.9/5.0 A, 1100/1130 W, refrigerant: R-407D:R508, 460:295 gram, volume: 701 liter, dimensions: 2570 mm x 870 mm x 1080 mm.	500
712	Supertape Systems bv	Supertape Systems bv mobile box closing machine, type: supertaper H7-2, serial number: 92-700107, 230 V, 1 Ph, 50 Hz, 2 A, plastic rollers, roller width: 500 mm, total dimensions: 1760 mm x 1000 mm x 1620 mm.	350
713	Freund	Freund mobile circular carcass saw with roller conveyors and transport belts, model: ZKM75-08-T, year of construction: 2021, 400 V, 50 Hz, 4.3 A, 2300 W, 195 rpm, saw diameter: 750 mm, s/s rollers, roller width: 450/280 mm, plastic belts, belt width: (2x) 430 mm, total dimensions: 1550 mm x 1600 mm x 1700 mm.	15000
714	VWS Nederland B.V.	VWS Nederland B.V. checkweigher, model: Octopus Ace, serial number: ACE-151029, year of construction: 2015, 230 V, 1 Ph, 50/60 Hz, 5 bar, plastic belts, belt width: (2x) 290 mm, total dimensions: 1260 mm x 800 mm x 1700 mm.	500
715	Easiweigh	Easiweigh linear weigher, 3 lanes, type: Maxi, serial number: 080105/080106/080107, year of construction: 2008, 3 s/s vibrating gutters, total dimensions: 1500 mm x 1500 mm x 2100 mm.	2000



Nr	Title	Description	Start €
716	Viessmann / Weishaupt	Viessmann steam generator with Weishaupt oil burner, type steam generator: Vitoplex 100, type: oil generator: WL30Z-C, factory number: 5186273, year of construction: 2002, 230 V, 1 Ph, 50 Hz, capacity: 27.9 kg per hour, total dimensions: 2120 mm x 1100 mm x 2000 mm.	1000
717	Stephan Alvac	Stephan Alvac mobile vacuum machine, type: Alvac IIA, number: 1060-5310, year of construction: 2010, 230/400 V, 3 Ph, 50 Hz, 6.6/3.9 A, 1.5 kW, seal length: (2x) 500 mm, chamber dimensions: 500 mm x 500 mm, Busch vacuum pump, type: 0063-122, capacity: 63 m ³ per hour, total dimensions: 600 mm x 700 mm x 900 mm.	500
718	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH mobile automatic double clipper, model: SV 4603, number: 4603.299.170, 380 V, 3 Ph, 50/60 Hz, 5/6 bar, plastic outfeed belt, belt width: 250 mm, total dimensions: 1900 mm x 900 mm x 2050 mm.	3000
719	Pakseal	Pakseal mobile strapping machine, model: SX 500, number: 4131, 230 V, 1 Ph, 50 Hz, 0.8 kW, weight: 165 kg, clearance: 830 mm x 720 mm, strap width: 9 mm, total dimensions: 1500 mm x 600 mm x 1550 mm.	300
720	BT	BT electric pallet lifter, type: LPE200I, number: 961580, year of construction: 2006, capacity: 2000 kg, dimensions: 2300 mm x 800 mm x 1450 mm. Including Energic Plus battery charger, type: RX-M, serial number: 368732, dimensions: 345 mm x 255 mm x 205 mm.	750
721	Kärcher	Kärcher floor scrubbing machine, model: BR 1000 bat pack, number: 010942, year of construction: 2002, 36 V, 5500 W, dimensions: 2000 mm x 1380 mm x 1450 mm. Including battery charger, type: E 230 G 36/75 B1-FM, 230 V, 1 Ph, 50/60 Hz, 15/75 A, dimensions: 500 mm x 380 mm x 360 mm.	400
722	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic clipping and sealing machine, type: TSA 120 HS, number: 133, year of construction: 1998, 400 V, 50 Hz, 16 A, air pressure: 5/7 bar, dimensions: 1400 mm x 980 mm x 1660 mm.	450
723	NN slicer	Mobile slicer, clearance: 520 mm x 230 mm, working width: 350 mm, plastic belt, belt width: 350 mm, total dimensions: 2300 mm x 750 mm x 1650 mm.	800
724	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH mobile automatic double clipper, model: SV 4603, number: 4603.213.274, 380 V, 3 Ph, 50/60 Hz, 5/6 bar, plastic outfeed belt, belt width: 250 mm, total dimensions: 1900 mm x 900 mm x 2050 mm.	3000
725	Tevopharm	Tevopharm flowpacker, type: PackV, number: 1578, serial number: 898/13, 380 V, 3 Ph, plastic infeed belts, belt width: (50 mm, infeed conveyor with dividers,	750



Nr	Title	Description	Start €
		distance between dividers: 200 mm, seal width: 185 mm, plastic outfeed belt, belt width: 250 mm, total dimensions: 3900 mm x 1100 mm x 2070 mm.	
726	Adelmann	2 pallets with large amount of Adelmann ham moulds, inside dimensions each mould: 695 mm x 105 mm x 95 mm, total dimensions: (2x) 1200 mm x 800 mm x 1000 mm.	500
727	Webomatic	Webomatic mobile bag blower, type: FKT 800, machine number: 95KJ97, 400 V, 3 Ph, 50 Hz, 0.77 A, 0.9 kW, dimensions: 1150 mm x 600 mm x 900 mm.	800
728	NN meat press	Mobile meat press, diameter press: 100 mm, total dimensions: 1800 mm x 580 mm x 1460 mm.	300
729	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning and derinding machine, type: BXM 434 Loin, serial number: UM-48494, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 4.45 A, 1.1 kW, weight: 460 kg, plastic mesh infeed belt, belt width: 380 mm ,working width: 250 / 450 mm, plastic outfeed belt, belt width: 390 mm, total dimensions: 2100 mm x 1000 mm x 1300 mm.	5000
730	Coeman Packaging	Coeman Packaging mobile box closing machine, model: SM2, serial number: 7617, year of construction: 1988, 380 V, 3 Ph, 50 Hz, 1.4 A, 240 W, plastic belts, belt width: 75 mm, total dimensions: 1150 mm x 700 mm x 1800 mm.	300
731	NN shrink packaging machine	Mobile shrink packaging machine, model: EKH-455, serial number: 0709022B, 220 V, 1 Ph, 50 Hz, film width: 455 mm, seal length: 570 mm x 510 mm, total dimensions: 1320 mm x 1050 mm x 1200 mm.	1800
732	Teltek AB	Teltek AB mobile checkweigher, type: C60, serial number: 109230, year of construction: 2009, 230 V, 50/60 Hz, maximum capacity: 1200 g, minimum capacity: 100 g, e= 1 g, plastic belts, belt width: (3x) 250 mm, total dimensions: 1900 mm x 800 mm x 1520 mm.	1500
733	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 1304, machine number: 130402.67621.2085, year of construction: 1990, 380/220 V, 3 Ph, 50 Hz, 3.5/10 A, chamber: 80 mm x 80 mm, total dimensions: 1040 mm x 660 mm x 1000 mm.	1000
734	Herman Waldner / Hilge	Herman Waldner s/s tank on trolley with 2 Hilge centrifugal pumps, inside dimensions tank: Ø 685 mm x 550 mm, type Hilge centrifugal pumps: (1x) EURO-AYGIA-SUPER I/25A, (1x) SIPLA-SUPER 18, total dimensions: 1500 mm x 800 mm x 1300 mm.	1500
735	Muvero	Muvero mobile cooking vessel, electric heated, inside dimensions: Ø 600 mm x 530 mm, total dimensions: 700 mm x 830 mm x 1000 mm.	500
736	Turbo Systems Limited		1500



Nr	Title	Description	Start €
		Turbo Systems Limited mobile depositor, machine number: D90014509880, dimensions: 1100 mm x 400 mm x 1680 mm.	
737	Minipack Torre	Minipack Torre mobile vertical bag form-, fill-, and seal machine, model: XBAG, serial number: 0115, year of construction: 2011, 230 V, 50 Hz, 2.2 A, 500 W, seal width: 250 mm, total dimensions: 850 mm x 800 mm x 1600 mm. With box with additional parts.	1500
738	BT Products AB	BT Products AB steel pallet lifter, type: LHM230G, serial number: 3607127, capacity: 2300 kg, fork length: 1170 mm, total dimensions: 1500 mm x 530 mm x 1200 mm.	75
739	Hwam Handling	Hwam Handling s/s pallet lifter, model: PL25, serial number: 38, number: 9191, year of construction: 2003, fork length: 1140 mm, total dimensions: 1500 mm x 530 mm x 1200 mm.	75
740	Foodmate	Foodmate steel pallet lifter, fork length: 1000 mm, total dimensions: 1300 mm x 680 mm x 1250 mm.	75
741	BT Products AB	BT Products AB s/s pallet lifter, fork length: 1150 mm, total dimensions: 1500 mm x 520 mm x 1200 mm.	75
742	NN filter tub	S/s mobile filter tub, inside dimensions: 500 mm x 500 mm x 400 mm, total dimensions: 880 mm x 600 mm x 520 mm.	50
743	NN infeed hoppers	2 s/s infeed hoppers, dimensions: Ø 650 mm x 600 mm and Ø 700 mm x 600 mm.	25
744	Willemse & van Engelen B.V.	Willemse & van Engelen B.V. heated trolley used for chocolate, dimensions: 520 mm x 400 mm x 800 mm.	20
745	Loma Systems	Loma Systems metal detector head, model: IQ3+E ST, serial number: QEU35C15-49903D, year of construction: 30.10.2019, clearance: 350 mm x 150 mm, total dimensions: 800 mm x 300 mm x 450 mm.	500
746	Linx	Linx mobile inkjet printer, model: 4900, serial number: BW711, year of construction: 2005, 100-230 V, 1 Ph, 50/60 Hz, 3-1 A, dimensions: 900 mm x 600 mm x 1500 mm.	150
747	Mettler Toledo Safeline Ltd	Mettler Toledo Safeline Ltd, model: 50H, 100-240 V, 50/60 Hz, 330 W, clearance: 350 mm x 150 mm, total dimensions: 1000 mm x 800 mm x 1500 mm. Incomplete.	500
748	NN membrane pump	Membrane pump, dimensions: 500 mm x 400 mm x 700 mm.	30
749	Maxima	Maxima mobile vacuum machine, model: MVAC500, serial number: 500-055, seal length: 400 mm, dimensions chamber: 440 mm x 420 mm, total dimensions: 560 mm x 500 mm x 1100 mm.	250
750	Willemse & van Engelen B.V.	Willemse & van Engelen B.V. mobile spraying machine, type: FOND MAXI, fabrication number: 060910230, 230 V, 50 Hz, 10 A, 2400 W, inside dimensions: Ø 200 mm x	100



Nr	Title	Description	Start €
		350 mm, total dimensions: 550 mm x 500 mm x 800 mm. Incomplete, missing lid and spray pistol.	
751	Endoline	Endoline mobile box closing machine, model: PS6, serial number: 080753309-1, aluminium rollers, roller width: 670 mm, total dimensions: 1000 mm x 900 mm x 1720 mm, 900 mm x 750 mm x 850 mm.	350
752	Atlet	Atlet electric pallet lifter, model: PLP/200P, serial number: PLP77239/05, year of construction: 2012, capacity: 2000 kg, load centre distance: 600 mm, weight without battery: 600 kg, battery weight: 250-370 kg, 24 V, fork length: 1150 mm, total dimensions: 1900 mm x 900 mm x 1200 mm. Password: 1/3333.	250
754	Sienz S.L.	Sienz S.L. steel switch cabinet, model: GENERAL (MCC1.1), serial number: 20154900/L1, 400 V, 3 Ph, 50 Hz, 24 VDC, 150/12 A, 55 kW, dimensions: 2900 mm x 400 mm x 1400 mm.	500
755	Sienz S.L.	Sienz S.L. steel switch cabinet, model: FC-M0106, serial number: 20154900/0702, year of construction: 2022, dimensions: 600 mm x 600 mm x 1200 mm, with display and control cabinet, total dimensions pellet: 1200 mm x 800 mm x 1400 mm.	50
756	Haake	Haake water-glycol temperature control unit, type: 003-2758 / 002-4276, dimensions: 450 mm x 230 mm x 500 mm.	20
757	Julabo	Julabo water-glycol temperature control unit, type: FP50, serial number: 10072092, 230 V, 50 Hz, 3000 W, refrigerant: R404A, dimensions: 420 mm x 500 mm x 500 mm.	20
758	NN hopper	S/s hopper for vacuum filling machine, dimensions: Ø 650 mm x 500 mm.	50
759	Graco	Graco membrane pump, serial number: 0001305, dimensions: 350 mm x 120 mm x 200 mm.	25
760	Aspera	Aspera cooling compressor, type: T2178GK, 220-240 V, 50 Hz, 1 Ph, refrigerant: R 404A, dimensions: 450 mm x 320 mm x 300 mm.	30
762	Handtmann	Handtmann inline grinding system, type: 93-3, number: 614, dimensions: 400 mm x 400 mm x 150 mm. Incomplete.	150
763	Kolbe	Kolbe bandsaw, type: K 200, machine number: 15 5442, year of construction: 1994, 220/380 V, 50 Hz, 3.1 A, 1.1 kW, dimensions table: 500 mm x 4810 mm, total dimensions: 500 mm x 500 mm x 900 mm.	350
764	Frascold	Frascold cooling compressor, type: S15-52Y, number: 3W001649, capacity: 51.5/61.8 m³ per hour, dimensions: 1500 mm x 600 mm x 1400 mm.	100
765	ABB	ABB electromotor, type: M3NP 200MLB 4 IMB3/IM1001, number: 361P190401420, year of construction: 2019, 690/400/415/440/460 V, 3 Ph, 50 Hz, 37 kW,	100



Nr	Title	Description	Start €
		1480/1482/1781/1783 r/min, 40.2/69.3/68.5/61.9/59.9 A, weight: 305 kg, dimensions: 800 mm x 450 mm x 550 mm.	
766	Bizerba	Bizerba mobile automatic slicer, type: A 406 FB, number: 2195599, year of construction: 2004, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, s/s mesh outfeed belt, belt width: 250 mm, total dimensions: 1600 mm x 1200 mm x 1400 mm.	1500
767	Rotor	Rotor electromotor, 400/450/690 V, 3 Ph, 5060 Hz, 198/196/116 A, 110/127 kW, dimensions: 1100 mm x 550 mm x 700 mm.	150
768	Multivac	Multivac suction device for rest film, type: F-CEVF 3718-3/105753760, serial number: SC10092645005, year of construction: 2011, 200-255/346-440 V, 50/60 Hz, 12.10/7 A, capacity: 570/680 m³ per hour, dimensions: 700 mm x 700 mm x 1300 mm.	500
769	Mohn	Mohn hygiene station with sole cleaner, tourniquet and hand disinfection unit, type: Cleanmaster, machine number: 08-61909/18-19, 400 V, 3 Ph, 50 Hz, 0.9 kW, brush length: (2x) 700 mm and (3x) Ø 260 mm, total dimensions: 1900 mm x 1200 mm x 1850 mm.	750
770	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH vertical slicer with outfeed belt, model: Divider 400, machine number: 25 9003.61849.6424, year of construction: 2005, 400 V, 3 Ph, 50/60 Hz, 6.9/16 A, 4.8 kW, weight: 400 kg, dimensions knife: 550 mm x 400 mm, dimensions slicer: 1100 mm x 850 mm x 2150 mm, dimensions outfeed belt: 1300 mm x 500 mm x 1500 mm. Missing belt. Including additional knife and knife holder.	2500
771	Kolbe	Kolbe bandsaw, type: K 440 RS, serial number: 99 0966, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 6.8 A, 2.9 kW, dimensions table: 860 mm x 960 mm, total dimensions: 1030 mm x 1000 mm x 1950 mm.	3000
772	Rühle	Rühle injector, type: IR 17, serial number: 3005006, year of construction: 2017, 400 V, 3 Ph, 50/60 Hz, 11 A, 6.1 kW, s/s mesh belt, belt width: 250 mm, 17 needles, total dimensions: 1000 mm x 600 mm x 1850 mm.	1500
773	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: PDC 600, number: 161, year of construction: 2005, dimensions: 900 mm x 850 mm x 1900 mm.	3000
774	Henkelman	Henkelman mobile double chamber vacuum machine, type: 800, serial number: 80105027, year of construction: 2001, 400 V, 3 Ph, 50 Hz, chamber dimensions: (2x) 1000 mm x 980 mm, seal length: (4x) 830 mm, Busch vacuum pump, total dimensions: 2000 mm x 1250 mm x 1450 mm.	1750
775	Henkelman	Henkelman mobile double chamber vacuum machine, type: POLAR 2-85, machine number: P501303040, year	2500



Nr	Title	Description	Start €
		of construction: 2013, 400 V, 3 Ph, 50 Hz, 20.5 A, 7 kW, chamber dimensions: (2x) 900 mm x 950 mm, seal length: (4x) 840 mm, total dimensions: 1950 mm x 1150 mm x 1300 mm. Without vacuum pump.	
776	Frey	Frey vacuum filling machine with linking attachment, type: KONTI-E80, machine number: KE 80 42 06 97, 400 V, 50 Hz, dimensions: 1350 mm x 600 mm x 1600 mm.	2500
777	Hoegger AG	Hoegger AG meat press, type: SP-280 890, machine number: 7105, year of construction: 1997, 240 V, 50 Hz, 0.5 kW, dimensions: 2500 mm x 830 mm x 1700 mm.	1700
778	Rinnai Corporation	Rinnai Corporation water heating installation with 3 Rinnai Corporation water heaters, model: (3x) REU-N2635-FFC-E, dimensions: 2800 mm x 800 mm x 1800 mm.	1000
779	Kelvion	Kelvion evaporator, type: KÜBA SGBE 35-F62, model: CO2 60 barV6.02, serial number: 10141093, year of construction: 2017, 2 fans, 230 V, 1 Ph, 50/60 Hz, temperature range: -40/100°C, dimensions: 1800 mm x 600 mm x 500 mm.	200
780	Kelvion	Kelvion evaporator, type: KÜBA SPBE 45-F31, model: CO2 60 barV6.01, serial number: 10141093, year of construction: 2017, 1 fan, 230 V, 1 Ph, 50/60 Hz, temperature range: -40/100°C, dimensions: 1800 mm x 600 mm x 500 mm.	200
781	Elpress	Elpress hygiene station, type: 83201060, year of construction: 30-11-10, with 2 hand disinfection units and 2 tourniquette stations, dimensions: 1250 mm x 1120 mm x 1230 mm. Including s/s frame.	400
782	Lewa GmbH	Lewa GmbH triplex process pump, type: G3S, serial number: 646702-010.001, year of construction: 2020, 30 kW, 192 stroker per minute, maximum fluid temperature: 30°C, maximum flow: 3540 l/h, operating pressure: 140 bar, internal set pressure: 175 bar, dimensions: 1200 mm x 1400 mm x 1600 mm. Never used.	15000
783	Lewa GmbH	Lewa GmbH triplex process pump, type: G3S, serial number: 646702-030.001, year of construction: 2020, 30 kW, 192 stroker per minute, maximum fluid temperature: 30°C, maximum flow: 3540 l/h, operating pressure: 140 bar, internal set pressure: 175 bar, dimensions: 1200 mm x 1400 mm x 1600 mm. Never used.	15000
784	Busch	Busch vacuum pump, type: RA 0250 D 561 CUXX, number: C0423000339, capacity: 250 m³ per hour, dimensions: 1060 mm x 700 mm x 650 mm.	200
785	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	100
786	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	100
787	NN tumbler		500



Nr	Title	Description	Start €
		S/s mobile vacuum tumbler, inside dimensions: Ø 750 mm x 750 mm, total dimensions: 1300 mm x 1200 mm x 1700 mm.	
788	Jungheinrich	Jungheinrich electric pallet lifter, type: ERE 120, fork length: 1000 mm, total dimensions: 1650 mm x 700 mm x 1600 mm. Including Nuova Elettra battery charger, type: RPM, number: 98008908, 230/400 V, 3 Ph, 50/60 Hz, 320/370 Ah.	250
789	NN forming press	Forming press, dimensions forms: (3x) 40 mm x 35 mm, total dimensions: 1550 mm x 450 mm x 1650 mm.	100
790	Fein	Fein sanding machine, type: GX 75, working width: 75 mm, total dimensions: 950 mm x 450 mm x 1020 mm.	75
791	NN meat bins	S/s meat bin, volume: 200 liter.	50
792	NN punch	Punch used for thermoformer, dimensions: 850 mm x 150 mm x 450 mm.	25
793	NN quad	Electric quad, model: ATV005E, year of construction: 2025, net weight: 110 kg, max load 90 kg, dimensions: 1550 mm x 950 mm x 1250 mm.	150
794	NN generator	Generator, model: PG6500DS, 230 V, 3 Ph, 50 Hz, 20 A, 6/6.5 kW, 3000 rpm, weight: 165 kg, dimensions: 950 mm x 550 mm x 650 mm.	75
795	MINI	Mobile MINI bar to be used as champagne bar, barista bar to prepare coffees, DJ booth or cocktail bar, Maxima refrigerator, volume: 142 liter, 2 x 220 V connection, 2 x 3 way plugs inside, top made of thick plywood. Under the hood can be used as ice cooling for champagne etc.	1500
800	NN dish washer	Dish washer, dimensions: 1400 mm x 900 mm x 1800 mm.	700
801	ECO Refrigerazione	ECO Refrigerazione refrigerator, model: EVS130.0003, serial number: AE200A20022889601001, year of construction: 29/07/2002, 230 V, 1 Ph, 50/60 Hz, dimensions: 1420 mm x 800 mm x 2070 mm.	300
802	Polar	Polar refrigerator, CC663-E, serial number: CC663-E 5117599, 230 V, 50 Hz, 4.0 A, 600 W, refrigerant: R134a / 300 gram, dimensions: 1340 mm x 810 mm x 2000 mm.	300
803	Aurech Land	Aurech Land freezer, model: ID140-CE, year of construction: 2003, 220-230 V, 50 Hz, 3 A, 370 W, refrigerant: R404a / 0.250 kg, netto volume: 1400 liter, dimensions: 1400 mm x 780 mm x 2020 mm.	300
804	ECO Refrigerazione	ECO Refrigerazione refrigerator, model: EVS130.0003, serial number: AE200501001, year of construction: 12/01/2005, 230 V, 1 Ph, 50/60 Hz, dimensions: 1410 mm x 800 mm x 2070 mm.	300
805	Sitex	Sitex fryer with counter, s/s top, inside dimensions fryer: 410 mm x 210 mm x 200 mm, total dimensions: 1750 mm x 800 mm x 1500 mm.	75
806	GGM Gastro		150



Nr	Title	Description	Start €
		GGM Gastro refrigerated showcase, 2 floors, dimensions floors: (2x) 1380 mm x 360 mm, total dimensions: 1490 mm x 705 mm x 1195 mm.	
807	NN refrigerated counter	Refrigerated counter, dimensions: 1060 mm x 700 mm x 1180 mm.	250
808	Miele	Miele dryer, model: T491, number: 10/31195651, 230 V, 50 Hz, 16 A, 3300 W, maximum volume: 5 kg, dimensions: 600 mm x 600 mm x 845 mm.	50
809	Bartscher GmbH	Bartscher GmbH oven, type: YXD-1AE, serial number: C030347, 230 V, 50 Hz, 2670 W, 3 floors, dimensions floors: (3x) 430 mm x 310 mm, total dimensions: 595 mm x 640 mm x 570 mm.	50
810	TMP-Technic Marketing Products GmbH	TMP-Technic Marketing Products GmbH mobile juicer, model: 8000SB, serial number: 20.839, year of construction: 03.2012, 230 V, 50/60 Hz, 280 W, weight: 78.5 kg, dimensions: 680 mm x 580 mm x 1830 mm.	250
811	WRT Rompa Teson	WRT Rompa Teson mobile jelly spray machine, type: TL-H3C, serial number: 902.3.02.007, year of construction: 1998, 230 V, 1 Ph, 1500 W, working width: 325 mm, total dimensions: 970 mm x 410 mm x 1230 mm.	300
812	NN refrigerator	Mobile refrigerator, model: NAP-800, 230 V, 50 Hz, 3.8 kW, refrigerant: R134a, 290 g, volume: 800 liter, weight: 118 kg, total dimensions: 1100 mm x 700 mm x 2150 mm.	75
813	Panasonic	Panasonic mobile ultra low laboratory freezer, capacity: -80° C, dimensions: 1070 mm x 1000 mm x 2000 mm.	500
814	Küppersbusch AG	Küppersbusch AG combi steamer, type: KEG 0066, 400 V, 50 Hz, 18.9 kW, 10 floors, dimensions floors: (10x) 330 mm x 550 mm, total dimensions: 1020 mm x 850 mm x 950 mm.	150
815	NN pasta machine	Pasta machine on rollie, dimensions: 1000 mm x 450 mm x 880 mm.	250
816	Proftech & de Bruyn	Proftech & de Bruyn mobile salad bar, type: R290, serial number: 465427 S0112194 039, dimensions: 1330 mm x 1050 mm x 1870 mm.	100
817	WiHa	WiHa refrigerated showcase, type: Bäcker-Snack VARIO 800, number: 162394, 230 V, 1 Ph, 50 Hz, 396 W, refrigerant: R134a / 1000 gram, dimensions: 930 mm x 800 mm x 540 mm.	150
818	MIWE	MIWE mobile oven, type: aero 4.64 FP, number: 810 492, year of construction: 2002, 200/127 V, 3 Ph, 50 Hz, 8.4 kW, 3 floors, dimensions floors: (3x) 600 mm x 400 mm, total dimensions: 1000 mm x 900 mm x 1320 mm.	250
820	Ideal Ake	Ideal Ake refrigerated showcase, refrigerant: R134a / 600 gram, dimensions: 680 mm x 760 mm x 640 mm.	100
821	Lufri	Lufri refrigerated counter, dimensions: 1695 mm x 700 mm x 930 mm.	500
822	Winterhalter		370



Nr	Title	Description	Start €
		Winterhalter dishwasher, type: GS 502, serial number: 570240, 400 V, 3 Ph, 50 Hz, 25.0 A, 15.5 kW, 2 baskets, dimensions baskets: 500 mm x 500 mm, total dimensions: 850 mm x 800 mm x 1480 mm.	
823	Caravell	Caravell refrigerator, model: 404-020-30, serial number: 02216432, 220-240 V, 50/60 Hz, 2.97 A, refrigerant: R134a, 0.170 kg, dimensions: 700 mm x 620 mm x 1860 mm.	100
824	Fri-jado	Fri-jado heated showcase, model: MD 60, number: 100031881, 230 V, 50 Hz, 13 A, dimensions: 1000 mm x 630 mm x 1920 mm.	150
825	NN table stands	8 steel table stands, height: (8x) 740 mm. Including 1 table top.	100
826	Bonnet	Bonnet cooking vessel, model: B107MA6IBE.6IBE-40, year of construction: 01.14, 400 V, 3 Ph, 50/60 Hz, 10.9 A, 7.5 kW, inside dimensions: Ø 400 mm x 530 mm, total dimensions: 800 mm x 820 mm x 1020 mm.	300
827	TMP-Technic Marketing Products GmbH	TMP-Technic Marketing Products GmbH mobile juicer, model: 8000SB, serial number: 130.641, year of construction: 11.2015, 230 V, 50/60 Hz, 280 W, weight: 78.5 kg, dimensions: 680 mm x 580 mm x 1830 mm.	300
828	Turbochef Technologies, Inc.	Turbochef Technologies, Inc. oven, model: ENCORE 2-EW, serial number: ENC2EWD00728, year of construction: January 2014, 400 V, 3 Ph, 50 Hz, 16 A, 10500 W, inside dimensions: 400 mm x 350 mm, total dimensions: 750 mm x 600 mm x 590 mm.	175
829	Gram	Gram refrigerator, type: K 181 US, serial number: 461/4, 230 V, 50 Hz, 100 W, refrigerant: R134a, 60 g, dimensions: 600 mm x 600 mm x 800 mm.	20
830	Panasonic	Panasonic mobile ultra low laboratory freezer, capacity: -80° C, dimensions: 1070 mm x 1000 mm x 2000 mm.	500
831	NN oven	Mobile oven, inside dimensions: 550 mm x 500 mm x 800 mm, total dimensions: 1550 mm x 600 mm x 1300 mm.	200
832	Beko	Beko dryer, model: WMB 51221, serial number: 12-601318-12, 230 V, 50 Hz, 16 A, 2200 Watt, capacity: 5 kg, dimensions: 600 mm x 450 mm x 840 mm.	15
833	Mareno	Mareno 6-pits stove, dimensions: 1200 mm x 740 mm x 880 mm.	350
834	Haka	Haka frying pan, type: EBT600, year of construction: 09/2014, 400 V, 3 Ph, 6 kW, dimensions: 650 mm x 600 mm x 1000 mm.	40
835	NN plates for heat exchangers	Pallet with plates for heat exchanger, dimensions 1 plate: 1150 mm x 400 mm, total dimensions: 1200 mm x 800 mm x 600 mm.	40
836	NN working table	S/s working table with 4 drawers, dimensions: 1200 mm x 1550 mm x 950 mm.	25
837	Elframo		400



Nr	Title	Description	Start €
		Elframo dishwasher, type: C44, inside dimensions: 500 mm x 500 mm, total dimensions: 800 mm x 800 mm x 1600 mm.	
838	Liebherr	Liebherr freezer, model: GS5203, type: 4 0035 2, number: 73.541.762.3, 220-230 V, 50 Hz, 220 W, refrigerant: R134a / 280 gram, netto volume: 454 liter, dimensions: 750 mm x 680 mm x 1700 mm.	100
839	Masan Klima San	Masan Klima San freezer, model: D 152 DFG AC, 220-240 V, 50 Hz, 1.2 A, 200 W, refrigerant: R134a / 140 gram, dimensions: 640 mm x 590 mm x 900 mm.	75
840	NN trolley	S/s trolley, 7 floors, dimensions floors: (7x) 1660 mm x 330 mm, total dimensions: 1720 mm x 350 mm x 1680 mm.	250
841	NN trolley	S/s trolley, 9 floors, dimensions floors: (9x) 1095 mm x 670 mm, total dimensions: 1210 mm x 690 mm x 1950 mm.	50
842	NN trolley	S/s trolley, 9 floors, dimensions floors: (9x) 1095 mm x 670 mm, total dimensions: 1210 mm x 690 mm x 1950 mm.	50
843	NN frame	S/s frame for table, dimensions: 1950 mm x 600 mm x 1060 mm.	25
844	NN dishwasher table	S/s outfeed table for dishwasher, dimensions: 1300 mm x 710 mm x 990 mm.	25
845	NN waste bag trolley	S/s waste bag trolley, dimensions: 1200 mm x 580 mm x 99 mm.	40
846	NN trolley	S/s trolley, 9 floors, dimensions floors: (9x) 1095 mm x 670 mm, total dimensions: 1210 mm x 690 mm x 1950 mm.	50
847	NN trolley	S/s trolley, 7 floors, dimensions floors: (7x) 1660 mm x 330 mm, total dimensions: 1720 mm x 350 mm x 1680 mm.	250
848	NN cabinet	Cabinet, dimensions: 610 mm x 450 mm x 450 mm.	20
849	Joni Foodline A/S	Joni Foodline A/S electric stove, type: MK 17, number: 11778-166, year of construction: 2000, 230 V, 3 Ph, 50 Hz, 27.1/26.4 A, 10.7 kW, dimensions: 860 mm x 860 mm x 830 mm.	100
850	Elektro termo	Elektro termo 4 pits stove, type: ETH 8060-2, serial number: 1-804019, year of construction: 1990, 380 V, 3 Ph, 50/60 Hz, 80 kW, dimensions: 800 mm x 630 mm x 900 mm.	50
851	Numatic	Numatic floor scrubbing machine, dimensions: 400 mm x 750 mm x 1100 mm.	250
852	Oztiryakiler	Oztiryakiler onion peeler, model: SSM 10, number: 0840.00010.33, year of construction: 30.11.2018, 400 V, 3 Ph, 50 Hz, 2.1 A, 0.75 kW, weight: 75 kg, dimensions: 850 mm x 500 mm x 1240 mm.	500
853	Küpperbusch		150



Nr	Title	Description	Start €
		Küpperbusch 6 pits stove, type: KCN 007, 50 Hz, dimensions: 1200 mm x 860 mm x 870 mm.	
854	Burlodge	Burlodge cooled and heated food tray trolley, model: Novaflex, 2-sides 10 floors, dimensions floors: (2x) 290 mm x 320 mm, total dimensions: 800 mm x 1100 mm x 1400 mm.	25
855	GGM Gastro	GGM Gastro dishwasher, model: TSS77, serial number: 20909, year of construction: 12-17, 400 V, 3 Ph, 50 Hz, 11450 W, inside dimensions: 570 mm x 570 mm, total dimensions: 750 mm x 680 mm x 1690 mm.	200
856	Smeva	Smeva refrigerator, model: G-HF400, serial number: 8102516, 230 V, 50 Hz, 0.9 A, refrigerant: R600a / 90 g, weight: 74 kg, dimensions: 600 mm x 600 mm x 1850 mm.	150
857	Liebherr	Liebherr refrigerator, type: 2 3097 4, serial number: 76.346.095.0, 220/230 V, 50 Hz, 180 W, refrigerant: R 600 a, 55 g, 5 floors, floor dimensions: 520 mm x 670 mm, total dimensions: 660 mm x 750 mm x 1630 mm.	150
858	Carrier	Carrier mobile refrigerated showcase, model: COC22, serial number: 34000103, year of construction: 2003, 230 V, 50 Hz, 10 A, 800 W, refrigerant: R134a / 0.5 kg, dimensions: 1300 mm x 900 mm x 1000 mm.	75
859	Gram	Gram freezer, type: F1400 OPRHB, serial number: 159/12, 230/240 V, 50 Hz, 5.19 A, 1188 W, refrigerant: R404A / 410 gram, dimensions: 1380 mm x 850 mm x 2170 mm.	400
860	Tecnodom S.P.A.	Tecnodom S.P.A. refrigerator, model: AF07EKOMTN, serial number: 201809884F, year of construction: 3/2018, 220-240 V, 1 Ph, 50 Hz, 1.7 A, refrigerant: R507/ R452 / 340 gram, dimensions: 710 mm x 790 mm x 2030 mm.	300
861	NN gastronorm bins	Pallet with large amount of plastic gastronorm bins, gastronorm bin sizes, (6x) 1/9 65 mm, (72x) 1/9 100 mm, (32x) 1/6 100 mm, (55x) 1/6 150 mm, (6x) 1/4 150 mm, total dimensions: 1200 mm x 800 mm x 450 mm.	75
862	NN washing table	S/s sink, 1 faucet, dimensions: 1400 mm x 700 mm x 900 mm.	100
863	Beko	Beko mobile jelly machine, type: BEKO-GEL, fabrication number: 01428399, 230 V, 50 Hz, 10 A, 2100 W, dimensions: 500 mm x 400 mm x 1000 mm.	200
864	Unika	Unika cheese slicer, type: W250, number: 92416, 220 V, 20 W, dimensions: 450 mm x 400 mm x 180 mm. Broken	30
865	Bizerba	Bizerba slicer with knife sharpener, model: FILAT TS 350, serial number: 7722, year of construction: 1998, 400 V, 3 Ph, 50 Hz, dimensions: 700 mm x 610 mm x 550 mm.	150
866	Vemag	Worm and housing for Vemag vacuum filling machine.	290
867	Animo	Animo coffee dispenser, model: WKI 20n 3KW, serial number: 1GG04516, year of construction: 02/2023,	50



Nr	Title	Description	Start €
		220/240 V, 1 Ph, 50/60 Hz, 3200 W, volume: 20 liter, dimensions: 400 mm x 320 mm x 600 mm.	
868	S.A.M.	S.A.M. slicer, type: 308aXI A, number: 11311, 220 V, 180 Watt, dimensions: 710 mm x 600 mm x 500 mm. Incomplete.	150
869	Kolbe	Kolbe grinder, type: LW 82, serial number: 78 1172, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 3.1 A, 1.25 kW, diameter plate: 85 mm, total dimensions: 450 mm x 400 mm x 460 mm.	500
870	Ronda	2 Ronda built in waste containers counter, dimensions: 430 mm x 340 mm x 500 mm and 430 mm x 340 mm x 610 mm.	100
871	Gastro-A	Gastro-A coffee machine, fabrication number: 67488, 220 V, dimensions: 600 mm x 500 mm x 480 mm.	150
872	Tippertie Technopack	Tippertie Technopack clipper, type: Tcni, dimensions: 300 mm x 200 mm x 840 mm.	140
873	Azkoyen	Azkoyen coffee machine, model: MCAL, serial number: 10020952, year of construction: 06.09.2006, 230 V, 50 Hz, 17 A, 3800 Watt, dimensions: 600 mm x 480 mm x 460 mm.	100
874	CAB spa	CAB spa double slush puppie machine, model: FABY, number: 10/SLS1055853, dimensions: 450 mm x 400 mm x 900 mm.	200
875	Robert Brunner	Robber Brunner vegetable slicer, type: 1/77 S, number: 25400, 220 V, 1 Ph, 50 Hz, 1.8 A, 0.22 kW, dimensions: 450 mm x 280 mm x 480 mm.	40
876	S.A.M.	S.A.M. automatic slicer, model: S.A.M. 310i T21, serial number: 19813, year of construction: 2005, 3.3 A, dimensions: 800 mm x 700 mm x 700 mm.	300
877	Bizerba	Bizerba slicer, type: VS 8, machine number: 1333863, 220/380 V, 3 Ph, 50 Hz, 1.25/0.72 A, 0.300 kW, dimensions: 650 mm x 500 mm x 400 mm.	100
878	Dito S.A.	Dito S.A. vegetable sicer, model: TR 21, number: G48140, 115/230 V, 1 Ph, 50 Hz, 5.7/2.85 A, 250 W, dimensions: 440 mm x 230 mm x 480 mm. Including 2 plastic boxes with knives.	50
879	Efficold S.A.	Efficold S.A. refrigerator, model: AGB-600R OEM, serial number: 8102478992, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 1.3 A, refrigerant: R600a / 78 gram, dimensions: 780 mm x 690 mm x 1880 mm.	100
880	Sun Heat	Sun Heat electric heater, model: 50300-324-10020/ IFJ04-150C, serial number: 179, 400 V, 3 Ph, 50 Hz, 15000 W, dimensions: 400 mm x 350 mm x 540 mm.	110
881	Tippertie Technopack	Tippertie Technopack clipper, number: TC-200T-1319-362, dimensions: 360 mm x 200 mm x 810 mm.	70
882	Mafrol	Mafrol refrigerator, model: MURAL CRONUS PINTADO 625 FV L-C R290, serial number: 21005621, year of	250



Nr	Title	Description	Start €
		construction: 2022, 230 V, 50 Hz, 4.3 A, refrigerant: R290 / 147 gram, dimensions: 670 mm x 670 mm x 1870 mm. Never used.	
883	NN hamburger forming attachment	Hamburger forming attachment, diameter forms: (4x) 88 mm, total dimensions: 440 mm x 320 mm x 150 mm.	250
884	Riba B.V.	Riba B.V. weighing scale, model: RCL-30, weighing range: 1g-30kg, dimensions: 300 mm x 310 mm x 130 mm.	50
885	Marel	Marel weighing scale, type: C2, serial number: A051152, maximum capacity: 3/6 kg, minimum capacity: 20/40 g, dimensions: 300 mm x 300 mm x 450 mm. Technical condition unknown.	20
886	Bizerba	Bizerba slicer, type: A 302, 220/380 V, 3 Ph, 50 Hz, 1.65/0.95 A, 0.520 kW, dimensions: 700 mm x 540 mm x 550 mm.	240
887	Conpax	Conpax packaging machine, type: Rapidpack+, serial number: AKK 9089, year of construction: 2007, 230 V, 0.5 kW, film width: 230 mm, seal length: 170 mm x 220 mm, total dimensions: 700 mm x 490 mm x 520 mm.	40
888	Henkelman	Henkelman vacuum machine, type: JUMBO PLUS, machine number: J101204155, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.5 kW, seal length: 270 mm, chamber dimensions: 310 mm x 280 mm, dimensions: 450 mm x 340 mm x 310 mm. Missing vacuum pump.	250
889	Henkovac	Henkovac vacuum machine, model: T2, serial number: 20150260, year of construction: 2015, 220/240 V, 1 Ph, 50 Hz, 4 A, seal length: 270 mm, chamber dimensions: 310 mm x 290 mm, total dimensions: 500 mm x 370 mm x 320 mm. Missing vacuum pump.	250
890	Digi Benelux	Digi Benelux weighing scale with label printer and extra scale, model: SM-500EP, serial number: 10903679, 230 V, 50/60 Hz, 0.4 A, 45 W, maximum capacity: 30 kg, minimum capacity: 200 g, e= 10 g, T= -9.990 kg, scale dimensions: 380 mm x 280 mm, total dimensions: 400 mm x 480 mm x 560 mm. Dimensions extra scale: 500 mm x 350 mm.	50
891	Digi Benelux	Digi Benelux weighing scale with label printer, model: SM-500EP, serial number: 09902812, 230 V, 50/60 Hz, 0.4 A, 45 W, maximum capacity: 6/15 kg, minimum capacity: 40 g, e=d= 2/5 g, T= -5.998 kg, scale dimensions: 380 mm x 280 mm, total dimensions: 400 mm x 480 mm x 560 mm.	50
892	Dibal S.A.	3 Dibal S.A. weighing scales, model: K-250, serial number: 209473 / 209468 / 209467, 230 V, 50 Hz, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, dt= 5 gram, T= - 14995 gram, dimensions scale: 320 mm x 250 mm, total dimensions: (3x) 330 mm x 450 mm x 550 mm.	50



Nr	Title	Description	Start €
893	Sayl	Sayl glass display, dimensions: 920 mm x 315 mm x 210 mm.	50
894	NN dye	Dye's, (1x) 265 mm x 315 mm, (2x) 285 mm x 110 mm. Including other parts.	20
895	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31948519, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	200
896	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31920956, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	200
897	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31918313, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	200
898	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31920960, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	200
899	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31922556, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	200
900	Ciatronic	Ciatronic combi grill, type: MWG 756, number: S0608W1694, 230-240 V, 50 Hz, 800 W, 2450 MHz, dimensions: 460 mm x 340 mm x 295 mm.	40
901	Amana	Amana microwave, model: LD510P, 1000 W, dimensions: 530 mm x 380 mm x 310 mm.	50
902	Amana	Amana microwave, model: LD510P, 1000 W, dimensions: 530 mm x 380 mm x 310 mm.	50
903	Intertek	Intertek microwave, model: RCS511DSE, serial number: 1812630302, 230-240 V, 50 Hz, 2450 MHz, dimensions: 560 mm x 420 mm x 370 mm.	50
904	Ling Xia Yi Qi	Ling Xia Yi Qi traysealer, diameter dye: 90 mm, total dimensions: 450 mm x 250 mm x 700 mm. With 2 boxes with cups and seals.	100
905	FAM		1000



Nr	Title	Description	Start €
		Box with various knives for FAM slicer / dicer, consisting of: 60 crosscut knives (243.84x24x1.57 2VS) 125 circular knives (t=200 Ø101.60/30x1.50 DB) 125 circular circular knives (101.60x1.500x30.00) 40 stripperplates (6mm) 59 stripperplates (4mm) S/s knife holder (4mm)	
906	FAM	Box with various crosscut knives for FAM slicer / dicer, consisting of: 100 crosscut knives (243.84x21x1.57 2VS) 120 crosscut knives plain (243.84x19.2x1.57 V48-50) 30 slicing knives plain inset (324x36x1.57) 40 crosscut knives plain (243.84x26.66x1.57) 10 crosscut knives (26.84x1.57)	1000
907	NN bag sealers	2 bag sealers, length seal: 400 mm.	10
908	Oliver	Oliver traysealer, model: 1508, serial number: 159198, year of construction: 2001, 240 V, 1 Ph, 60 Hz, 3.5 A, dye: 175 mm x 125 mm, total dimensions: 700 mm x 400 mm x 400 mm.	50
909	Horeca Land	Horeca Land refrigerator, model: ID140-CE, year of construction: 2002, 220-230 V, 50 Hz, 3 A, 370 W, netto volume: 1400 liter, dimensions: 1400 mm x 780 mm x 2050 mm.	500
910	Hobart	Hobart dishwasher, model: FX30E, dimensions: 600 mm x 600 mm x 830 mm.	200
911	Beko	Beko washing machine, model: WMB 51220, serial number: 13-101662-06, 230 V, 50 Hz, 16 A, 2200 W, capacity: 5 kg, dimensions: 600 mm x 500 mm x 840 mm.	25
912	Zumex	Zumex mobile juicer, model: SPEED PRO SELF-SERVICE POD, serial number: 430988, year of construction: 08/2015, 220-240 V, 50-60 Hz, 0.280 kW, dimensions: 680 mm x 670 mm x 1790 mm.	350
913	Rhima	Rhima dishwasher, model: DR 49, serial number: 03002442, 230 V, 50 Hz, 15 A, 500 W, dimensions: 620 mm x 600 mm x 830 mm.	200
914	Rhima	Rhima dishwasher, model: NDR 49, serial number: DWH1006779, year of construction: 2013, 220/240 V, 50 Hz, 15.5 A, 650 W, dimensions: 600 mm x 600 mm x 850 mm.	200
915	IFO KAMPRI	IFO KAMPRI refrigerated showcase, model: KVS-14, serial number: 108905119, year of construction: 1997, refrigerant: R134a / 380 gram, 3 floors, dimensions floors: (3x) 970 mm x 400 mm, total dimensions IFO: 1400 mm x 720 mm x 710 mm	50
916	Kubota Corporations	Kubota Corporation weighing scale, model: KA-0, serial number: 6YFSAC0006, 9 V, 0.017 A, dimensions scale: 500 mm x 350 mm, total dimensions: 640 mm x 370 mm x 760 mm.	50
917	IPSO	IPSO double stacked dryer, dimensions: 1010 mm x 760 mm x 2000 mm.	300



Nr	Title	Description	Start €
918	Fri-Jado BV	Fri-Jado BV rotisserie grill, model: STG5-P, number: 100057084, 400/230 V, 50/60 Hz, 9 A, 6100 W, dimensions: 840 mm x 700 mm x 900 mm.	400
919	Viper	Viper floor scrubbing machine, model: AS530R, serial number: EU001947H, 24 V, 1400 W, dimensions: 1400 mm x 600 mm x 1100 mm.	400
920	Iglu Cold Systems S.R.L.	Iglu Cold Systems S.R.L. refrigerator, serial number: 180801012, 220/230 V, 50 Hz, 2.0 A, 380 W, refrigerant: R744, 3 floors, floor dimensions: (3x) 650 mm x 520 mm, total dimensions: 710 mm x 850 mm x 2150 mm.	200
921	NN table	Mobile s/s table, dimensions: 1600 mm x 800 mm x 1010 mm.	150
922	Gustav Scholl	Gustav Scholl mobile heated cabinet, type: 2012/E, number: 12333, 230 V, 1.2 kW, dimensions: 800 mm x 600 mm x 900 mm.	200
923	NN bin	S/s bin, dimensions: 370 mm x 350 mm x 700 mm.	5
924	Electrolux	Electrolux washing machine, model: W365H, serial number: 00520/0035251, year of construction: 0304, dimensions: 700 mm x 720 mm x 1120 mm.	250
925	Electrolux	Electrolux washing machine, model: W365H, serial number: 005200065139, year of construction: 0505, dimensions: 700 mm x 720 mm x 1120 mm.	250
926	Fri-Jado	Fri-Jado heated display, model: Classic Deck low, number: 100045031, 400/230 V, 3 Ph, 50 Hz, 9.6 A, dimensions: 1200 mm x 800 mm x 1550 mm.	100
927	Iglu Cold Systems S.R.L.	Iglu Cold Systems S.R.L. refrigerated counter, serial number: 180801011, 220/230 V, 50 Hz, 2.6 A, 600 W, refrigerant: R744, dimensions: 1500 mm x 700 mm x 900 mm.	300
928	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11155997, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
929	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11204068, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
930	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11214271, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
931	Bizerba		200



Nr	Title	Description	Start €
		Bizerba weighing scale with label printer, type: KH II 800, number: 11214293, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	
932	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11177527, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
933	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11210671, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
934	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11204065, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
935	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11157938, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
936	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11214727, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
937	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11204066, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
938	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11214270, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200



Nr	Title	Description	Start €
939	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11175028, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
940	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11206208, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
941	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11204067, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
942	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11210667, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
943	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11175029, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
944	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 1169832, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
945	Bizerba	Bizerba weighing scale with label printer, type: KH II 800, number: 11210066, year of construction: 08-09-21, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T=- 6/15 kg, 100-240 V, 50/60 Hz, 0.7-0.35 A, dimensions scale: 390 mm x 250 mm, total dimensions: 450 mm x 400 mm x 600 mm.	200
946	Vemag	Part for Vemag vacuum filing machine, dimensions: 1010 mm x 280 mm x 60 mm.	25
947	Hobart	Hobart table model cutter, model: 8145, 220 V, 1 Ph, 50 Hz, 3.8 A, 560 W, 1425 rpm, Ø bowl, 360 mm, total dimensions: 650 mm x 450 mm x 410 mm.	500
948	Robot coupe		750



Nr	Title	Description	Start €
		Robot coupe cutter, model: R 8 E, serial number: H5120119611, 400 V, 3 Ph, 50 Hz, 4.8/5.5 A, 1500/2000 W, inside dimensions: Ø 280 mm x 130 mm, total dimensions: 280 mm x 530 mm x 600 mm.	
949	Liebherr	Liebherr refrigerator, floor dimensions: 490 mm x 320 mm, total dimensions: 600 mm x 650 mm x 850 mm.	50
950	Beko	Beko dishwasher, model: BDFN26430A, 220-240 V, 50 Hz, 10 A. 90/30 W, 1800-2100 W, dimensions: 600 mm x 600 mm x 840 mm.	50
951	Greaf	Greaf slicer with outfeed belt, type: VA 800, serial number: 7494686, year of construction: 2017, 400 V, 50 Hz, 500 W, s/s mesh belt, belt width: 250 mm, total dimensions: 1120 mm x 1620 mm x 660 mm.	400
952	Empero	Empero deep fryer, inside dimensions: 300 mm x 370 mm x 195 mm, total dimensions: 400 mm x 770 mm x 600 mm.	20
953	Ceylan GmbH	Ceylan GmbH grill, model: 101-A, serial number: 66569, year of construction: 02.10.2023, 230 V, 50 Hz, 10 A, 2.25 kW, dimensions: 410 mm x 400 mm x 210 mm.	20
954	Hobart	Hobart strip cutter/tenderizer, model: 403, serial number: 37032634, 220 V, 1 Ph, 50 Hz, 3.7 A, working width: 400 mm, total dimensions: 510 mm x 260 mm x 490 mm.	100
955	Empero	Empero s/s worktop, dimensions: 400 mm x 760 mm x 330 mm.	15
956	Hobart	Hobart dishwasher, inside dimensions: 500 mm x 500 mm, total dimensions: 600 mm x 600 mm x 820 mm.	50
957	Moreillon	Moreillon mobile silver burnisher, type: B, machine number: 01/05, 220 V, 50 Hz, 330 W, dimensions: 710 mm x 560 mm x 900 mm.	150
958	HFE vacuum systems bv	HFE vacuum systems bv vacuum machine, type: MAXI/140-ST ECO, serial number: 20091156, year of construction: 2009, 220-240 V, 1 Ph, 50 Hz, 4 A, seal length: 270 mm, chamber dimensions: 280 mm x 365 mm, total dimensions: 330 mm x 470 mm x 330 mm.	300
959	Philips	Philips kitchen machine, type: HR7781, 220-240 V, 50-60 Hz, 1200 W, dimensions: 230 mm x 230 mm x 470 mm.	50
960	Robot Coupe	Robot Coupe cutter, model: Blixer 4 V.V. A, serial number: F5650118701, 230 V, 1 Ph, 50-60 Hz, 10 A, 1100 W, inside dimensions: Ø 195 mm x 145 mm, total dimensions: 200 mm x 300 mm x 500 mm. Incomplete.	250
961	Robot Coupe	Robot Coupe cutter, model: Blixer 2, serial number: H5260111201, 230 V, 1 Ph, 50-60 Hz, 6 A, 600 W, inside dimensions: Ø 190 mm x 120 mm, total dimensions: 190 mm x 270 mm x 390 mm.	250
962	Santos		150



Nr	Title	Description	Start €
		Santos cheese grater, type: 02, number: 805566, year of construction: 2012, 220-240 V, 50 Hz, 3.5 A, 600 W, dimensions: 200 mm x 400 mm x 360 mm.	
963	Omas	Omas slicer, model: C 35E, serial number: 017648, 230 V, 1 Ph, 50 Hz, 350 W, dimensions: 600 mm x 730 mm x 510 mm.	50
964	Deko	Deko slicer, type: 800 S, number: 5167162011, 230 V, 1 Ph, 50 Hz, 180 W, dimensions: 580 mm x 720 mm x 580 mm.	100
965	Birchmeier	Birchmeier foam trolley, dimensions: 280 mm x 300 mm x 800 mm.	20
966	Berkel	Berkel slicer, type: BSFGL0100000, number: 112S555, year of construction: 2012, 240 V, 1 Ph, 242 W, dimensions: 550 mm x 710 mm x 540 mm.	300
967	Hobart	Hobart dishwasher, inside dimensions: 630 mm x 600 mm, total dimensions: 710 mm x 820 mm x 1510 mm.	200
968	Patzner K.G.	Patzner K.G. deep fryer, type: 602, number: 00559, 380/220 V, 6000 W, dimensions: 400 mm x 600 mm x 360 mm.	20
969	Andersson	Andersson kitchen machine, type: KNM 2.3, serial number: 2015280394, 220-240 V, 50/60 Hz, 1200 W, dimensions: 300 mm x 380 mm x 340 mm.	100
970	Lido-Bertuch GmbH	Lido-Bertuch GmbH grill, year of construction: 10/79, 220/380 V, 4.5 kW, dimensions: 900 mm x 300 mm x 380 mm.	100
971	Gram	Gram mobile refrigerator, type: PLUS F-600 RSH C 4N, serial number: 10024676, 230 V, 50 Hz, 3.24 A, 512 W, refrigerant: 404A, dimensions: 700 mm x 850 mm x 2000 mm.	200
972	Froster	Froster mobile refrigerator, dimensions: 730 mm x 830 mm x 2000 mm.	200
973	ISA Spa	ISA Spa refrigerator, model: GE 700 TB SS+SS, serial number: A0100616, year of construction: 9/01/2001, 230 V, 50 Hz, 500 W, volume: 620 liter, refrigerant: R404A, dimensions: 700 mm x 830 mm x 2020 mm.	200
974	LG Display	LG Display order screen, dimensions: 760 mm x 490 mm x 1710 mm.	10
975	Liebherr	Liebherr freezer, 9 drawers, dimensions: 700 mm x 700 mm x 1840 mm.	25
976	DIZ	4 DIZ order screens, dimensions: (4x) 540 mm x 400 mm x 1500 mm.	30
977	NN cooling top	Cooled counter top, model: Piano Refrig. Statico Da Incasso 5x GN1/1 Vasca 30 mm, dimensions: 1780 mm x 560 mm x 550 mm.	10
978	NN cabinet	Wooden cabinet, dimensions: 900 mm x 450 mm x 1620 mm. Including content.	5
979	Wexiödisk		200



Nr	Title	Description	Start €
		Wexiödisk dishwasher, model: WD-7, serial number: WD2220446, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 25 A, 13.8 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 660 mm x 760 mm x 2240 mm.	
980	Hobart	Hobart dishwasher, model: GXHS-70N, serial number: 866604232, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 15.8 A, 7.6 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 600 mm x 600 mm x 810 mm.	200
981	Winterhalter	Winterhalter dishwasher, type: UC-L, serial number: 3076682, year of construction: 2018, 380-415 V, 3 Ph, 50 Hz, 7.9/6 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 600 mm x 650 mm x 820 mm.	50
982	NN deep fryer	Double deep fryer, serial number: A176WO, 380 V, 5.5 kW, inside dimensions: (2x) 250 mm x 320 mm x 160 mm, total dimensions: 700 mm x 600 mm x 1040 mm.	100
983	Faema	Faema coffee machine, dimensions: 720 mm x 560 mm x 520 mm.	200
984	MBM	MBM mobile refrigerator, model: 70N14, year of construction: 1999, 220-230 V, 50 Hz, 1.92 A, 340 W, netto volume: 700 liter, refrigerant: R 134 A, dimensions: 700 mm x 780 mm x 2030 mm.	225
985	Gram	Gram refrigerator, type: 3011-1F2B, serial number: 0406100084, 230 V, 50 Hz, 0.69 A, 102 W, netto volume: 161 liter, refrigerant: R134A, dimensions: 600 mm x 650 mm x 830 mm.	10
986	Animo	Animo s/s trolley, dimensions: 1060 mm x 500 mm x 850 mm.	50
987	Animo	Animo coffee machine, type: CN20e, 220-240 V, 1 Ph, 50-60 Hz, 70 W, dimensions: 1020 mm x 500 mm x 850 mm.	100
988	Thermoplan AG	Thermoplan AG coffee machine, type: BW3-CTM, serial number: BW-121384, 220-240 V, 50/60 Hz, 3200-3800 W, dimensions: 610 mm x 600 mm x 750 mm.	100
989	Groku Kampen BV	Groku Kampen BV heated display, dimensions: 600 mm x 490 mm x 480 mm.	50
990	Siemens	Siemens coffee machine, type: CTES32X, serial number: 711050380642050244, 220/240 V, 50/60 Hz, 1500 W, dimensions: 470 mm x 300 mm x 400 mm.	25
991	Wirbel	Wirbel floor scrubber cleaner, type: RAPID 380, 220/240 V, 50/60 Hz, 130 W, cleaning disc diameter: 380 mm, total dimensions: 1100 mm x 450 mm x 1050 mm.	250
992	Hobart	Hobart dishwasher, model: FX30E, dimensions: 600 mm x 600 mm x 830 mm.	270
993	Jofemar	Jofemar cooled vending machine with liyama LCD monitor, model: ESPLUS TOUCH R290 V8, serial number: 356572029961, year of construction: 25-03-2025, 230 V, 50 Hz, 2.5 A, 440 W, refrigerant: R290 / 90 gram, dimensions: 1100 mm x 780 mm x 1930 mm.	4500



Nr	Title	Description	Start €
994	Jofemar	Jofemar cooled vending machine with liyama LCD monitor, model: ESPLUS TOUCH R290 V8, serial number: 356572029964, year of construction: 25-03-2025, 230 V, 50 Hz, 2.5 A, 440 W, refrigerant: R290 / 90 gram, dimensions: 1100 mm x 780 mm x 1930 mm.	4500
995	Jofemar	Jofemar cooled vending machine with liyama LCD monitor, model: ESPLUS TOUCH R290 V8, serial number: 356572029962, year of construction: 25-03-2025, 230 V, 50 Hz, 2.5 A, 440 W, refrigerant: R290 / 90 gram, dimensions: 1100 mm x 780 mm x 1930 mm.	4500
996	Jofemar	Jofemar cooled vending machine with liyama LCD monitor, model: ESPLUS TOUCH R290 V8, serial number: 356572029957, year of construction: 25-03-2025, 230 V, 50 Hz, 2.5 A, 440 W, refrigerant: R290 / 90 gram, dimensions: 1100 mm x 780 mm x 1930 mm.	4500
998	Ningbo Feter Electrical Appliance Co., LTD	Ningbo Feter Electrical Appliance Co., LTD slushy machine, model: SM-5LX3, 230 V, 50 Hz, 3.5 A, refrigerant: R290, volume: (3x) 5 liter, dimensions: 520 mm x 520 mm x 510 mm. New, never used.	850
999	Ningbo Feter Electrical Appliance Co., LTD	Ningbo Feter Electrical Appliance Co., LTD slushy machine, model: SM-10LX3, 22-2400 V, 50 Hz, 4.5 A, refrigerant: R290, volume: (3x) 10 liter, dimensions: 620 mm x 540 mm x 770 mm. New, never used.	950
1000	Ningbo Feter Electrical Appliance Co., LTD	Ningbo Feter Electrical Appliance Co., LTD slushy machine, model: SM-5LX2, 230 V, 50 Hz, 2.5 A, refrigerant: R290, volume: (2x) 5 liter, dimensions: 520 mm x 360 mm x 530 mm. New, never used.	700
1001	Ningbo Feter Electrical Appliance Co., LTD	Ningbo Feter Electrical Appliance Co., LTD slushy machine, model: SM-10LX2, 220-240 V, 50 Hz, 4.1 A, refrigerant: R290, volume: (2x) 1 liter, dimensions: 550 mm x 410 mm x 760 mm. New, never used.	800
1002	Maja-Maschinenfabrik	Maja-Maschinenfabrik ice machine, type: SA 70, machine number: 31059, year of construction: 2002, 230 V, 1 Ph, 50 Hz, 2.9 A, 0.53 kW, refrigerant: R 449 A, 25 bar, weight: 70.7 kg, dimensions: 600 mm x 600 mm x 1100 mm.	290
1003	Maja-Maschinenfabrik	Maja-Maschinenfabrik ice machine, type: EISFLOH 150, machine number: 29280, year of construction: 2000, 230 V, 1 Ph, 50 Hz, 4.8 A, 0.84 kW, refrigerant: R 404 A, 1 gram, 25 bar, dimensions: 600 mm x 550 mm x 750 mm.	290
1004	Electrolux	Electrolux refrigerator, model: E06COM1C, serial number: 11700005, 230 V, 50 Hz, 3 A, 640 W, refrigerant: R404A, 0.27 kg, 3 floors, floor dimensions: (3x) 640 mm x 530 mm, total dimensions: 800 mm x 750 mm x 2050 mm.	160
1005	Electrolux	Electrolux refrigerator, model: ICF110SA, serial number: 25100004, 230 V, 50 Hz, 10 A, 225 W, refrigerant:	160



Nr	Title	Description	Start €
		R134a, 0.230 kg, 3 floors, floor dimensions: (4x) 600 mm x 450 mm, total dimensions: 700 mm x 620 mm x 1800 mm.	
1006	Kohlhoff	Kohlhoff sole cleaner, type: Sohlenreiniger, machine number: 303612.002, year of construction: 09/2018, 230 V, 1Ph, 0.18 kW, length brush: 280 mm, total dimensions: 550 mm x 500 mm x 1800 mm.	150
1007	Bizerba	Bizerba grinder, type: FW-N 22/2, number: 10810240, year of construction: 2012, 230/400 V, 3 Ph, 50 Hz, 4/6.9 A, plate diameter: 82 mm, total dimensions: 450 mm x 450 mm x 480 mm.	490
1008	Caterchef	2 Caterchef heaters, model: Strip heater 820, serial number: 23035619 & 23035620, 220/240 V, 1 Ph, 50/60 Hz, 3.26 A, 750 W, dimensions: 600 mm x 150 mm x 70 mm.	50
1009	Caterchef	2 Caterchef heaters, model: Strip heater: 600, serial number: 23036007 & 23036028, 230 V, 1 Ph, 50/60 Hz, 2.2 A, 500 W, dimensions: 820 mm x 150 mm x 70 mm.	50
1010	Bizerba	Bizerba bandsaw, model: FK 23, number: 2179808, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.3 A, dimensions: 550 mm x 520 mm x 850 mm.	480
1011	Bizerba	Bizerba slicer, model: VS 12 D, number: 2135367, year of construction: 2003, 230/400 V, 3 Ph, 50Hz, 1.9/1.38 A, 0.552 kW, total dimensions: 850 mm x 600 mm x 500 mm.	850
1050	NN workbench	Wooden workbench, steel frame, dimensions: 1500 mm x 800 mm x 800 mm.	50
1051	SEW-Eurodrive	Pallet with SEW-Eurodrive electromotors.	500
1052	SEW-Eurodrive	Pallet with large amount of SEW-Eurodrive electromotors.	500
1053	NN rollers	Pallet with s/s rollers, dimensions: 1200 mm x 800 mm x 740 mm.	40
1054	SEW-Eurodrive	Pallet with large amount of SEW-Eurodrive electromotors.	500
1055	NN electric parts and fuses	Pallet with large amount of electric parts and fuses, dimensions: 1200 mm x 800 mm x 650 mm.	25
1056	Centurius	Centurius tool trolley, dimensions: 760 mm x 460 mm x 870 mm. Without tools.	25
1057	Schwartzmann	Schwartzmann tool trolley, dimensions: 1050 mm x 460 mm x 950 mm. With large amount of tools.	200
1058	NN cooling compressor	Cooling compressor, dimensions: 1270 mm x 830 mm x 700 mm.	100
1059	Crimex B.V.	Crimex B.V. air compressor, type: CR270, number: 806178, year of construction: 1978, 990 rpm, volume: 270 liter per minute, dimensions: 1400 mm x 720 mm x 1020 mm.	50
1060	NN parts	Pallet with large amount of machine parts.	250



Nr	Title	Description	Start €
1061	NN cabinet	Wooden cabinet, dimensions: 1400 mm x 1000 mm x 1800 mm.	100
1062	Linak	Linak actuators, type: 363A75+8030022X, year of construction: 2017.03.14, 24 V, 13 A, dimensions: 1200 mm x 800 mm x 400 mm.	10
1063	Linak	Linak actuators, type: 31120R-00XX02X, year of construction: 02/13/2018, 24 V, 13 A, dimensions: 1200 mm x 800 mm x 570 mm.	10
1064	NN chains	Pallet with plastic and steel chains, dimensions: 1200 mm x 800 mm x 800 mm.	100
1065	NN wood splitter	Wood splitter, dimensions: 720 mm x 900 mm x 1480 mm.	50
1066	HELI	HELI electric pallet lifter, model: GBD15J, serial number: 08015JFJ217, year of construction: 2024, capacity: 1500 kg, fork length: 1150 mm, total dimensions: 1550 mm x 560 mm x 1220 mm.	350
1067	NN roller stand	Roller stand, dimensions: 470 mm x 440 mm x 700 mm.	20
1068	Ragnor	Ragnor toolbox, dimensions: 440 mm x 200 mm x 60 mm.	10
1069	Centurius	Centurius precision screwdriver set, dimensions: 100 mm x 130 mm x 30 mm.	25
1070	Scheppach	Scheppach sanding machine, dimensions: 240 mm x 160 mm x 80 mm.	50
1071	NN copper cable	Roll copper cable, thickness cable: 6 mm, length cable: 100 metre.	100
1072	NN copper cable	Roll copper cable, thickness cable: 6 mm, length cable: 76 metre.	50
1073	Ragnor	Ragnor, jack stands, dimensions: 200 mm x 200 mm x 350 mm.	50
1074	Maktec	Maktec drill, type: MT070, serial number: 0028297, year of construction: 2016, dimensions: 470 mm x 300 mm x 120 mm.	20
1075	Ragnor	Ragnor tool bag, dimensions: 500 mm x 240 mm x 300 mm.	10
1076	Sanomat B.V.	Sanomat B.V. whipped cream machine, type: Euro Plus S Auto, number: 4537, 230 V, 50 Hz, 850 W, refrigerant: R134a/75 g, dimensions: 580 mm x 300 mm x 560 mm.	300
1077	Metro	Metro refrigerator, type: GPC1046, dimensions: 480 mm x 430 mm x 500 mm.	40
1078	NN soap dispensers	Plastic soap dispensers.	10
1079	Toolcraft	Toolcraft 61 pieces tool box, model: X-561S, dimensions: 300 mm x 220 mm x 70 mm.	30
1080	NN chafing dish	Chafing dish, model: G-BS300, 220/240 V, 1 Ph, 50/60 Hz, 300 W, dimensions: 650 mm x 360 mm x 150 mm.	40
1081	Metabo	Metabo mitre saw, model: KGS 216 M, year of construction: 2015, 220/240 V, 1 Ph, 50/60 Hz, 5.5 A, 1.2 kW, saw diameter: 216 mm.	60



Nr	Title	Description	Start €
1082	Olympus	Olympus industrial videoscope, model: IV8620U, dimensions: 450 mm x 170 mm x 350 mm.	50
1083	Kratos	Kratos balancer, serial number: AJ 1600057, year of construction: 06/2016, capacity: 250 kg, dimensions: 480 mm x 170 mm x 90 mm.	10
1084	Kratos	Kratos balancer, serial number: AJ 1600058, year of construction: 06/2016, capacity: 250 kg, dimensions: 480 mm x 170 mm x 90 mm.	10
1085	Centurius	Centurius tool trolley, dimensions: 700 mm x 380 mm x 200 mm.	40
1086	NN advertising board	Advertising board, dimensions: 960 mm x 690 mm x 1350 mm.	1
1087	Rioned	Rioned sewer inspection camera, type: Sanicam +, serial number: 0160, year of construction: 2017.	50
1088	TECHFOOD	TECHFOOD commercial crepe maker 30cm, model: 8804000049, serial number: 5193, year of construction: 2018, 230 Vac, 50/60 Hz, 1.8 kW, dimensions: 350 mm x 510 mm x 320 mm.	250
1089	VITA-MIX	VITA-MIX XL blender, model: VM0146, 1hp blender, year of construction: 2014, dimensions: 460 mm x 210 mm x 500 mm.	550
1090	Switzner	Switzner kitchen knife set, dimensions: 370 mm x 140 mm x 60 mm.	20
1091	Switzner	Switzner kitchen knife set, dimensions: 370 mm x 140 mm x 30 mm.	20
1092	CCTV	CCTV security recording system, model: SX-7004H-4, dimensions: 290 mm x 180 mm x 170 mm.	40
1093	Ragnor	Ragnor tool box, 75 tools, dimensions: 470 mm x 220 mm x 250 mm.	10
1094	Champion	Champion electric angle grinder, type: CP-119.	40
1095	NN clamping kit	58 pieces clamping kit, dimensions: 330 mm x 210 mm x 80 mm.	20
1096	ABAC	ABAC air compressor, model: POLE POSITION 015, volume: 24 litres, capacity: 8 bar.	75
1097	Zhejiang Town Household	Zhejiang Town Household dirt bike, model: TWHNRB-003, type: 49 CC, VIN number: HOBVAAL19SHC20656, year of construction: 2025, weight: 25 kg, capacity: 36 kg, dimensions: 1000 mm x 1200 mm x 750 mm.	250
1098	Baby Royal	2 Baby Royal coffee machines, model: Mini-Pro 15M, 230 V, 50/60 Hz, 1550 W, capacity: 1.5 liter, dimensions: (2x) 370 mm x 210 mm x 450 mm.	50
1099	Deutsche Stahl	2 Deutsche Stahl screw machines, type: CB1280T, dimensions: 370 mm x 320 mm x 110 mm.	60
1100	Baby Royal	Baby Royal coffee machine, model: Mini-Pro 15M, 230 V, 50/60 Hz, 1550 W, capacity: 1.5 liter, dimensions: 370 mm x 210 mm x 450 mm.	25



Nr	Title	Description	Start €
1102	NN vise	Steel vise, dimensions: 330 mm x 300 mm x 140 mm.	10
1103	NN workbench	Wooden workbench, steel frame, dimensions: 1500 mm x 800 mm x 800 mm.	50
1104	Ragnor	Ragnor tool box, dimensions: 600 mm x 250 mm x 450 mm.	10
1105	NN advertising board	Advertising board, dimensions: 960 mm x 690 mm x 1350 mm.	1
1106	NN rolls	Pallet with large amount of s/s rolls, dimensions: 1200 mm x 800 mm x 700 mm.	75
1107	NN cabinet	Steel cabinet, dimensions: 950 mm x 380 mm x 1950 mm.	50
1108	Lastekon s.a.	Lastekon s.a. mobile welding machine, type: LASWIG 460, number: 460111, 460/350/270 A, 28.4/24/20.8 V, 50 Hz, 10 A, 31 kW, dimensions: 1100 mm x 600 mm x 900 mm.	400
1109	NN feeder	Steel cup feeder, dimensions: 560 mm x 530 mm x 400 mm.	25
1110	Power Towers Ltd	Power Towers Ltd mobile working platform, type: Peco-lift, serial number: 11842338, year of construction: 2003, dimensions: 1100 mm x 650 mm x 1600 mm.	75
1111	Haffner	Haffner mobile dust extractor, dimensions: 1200 mm x 800 mm x 1800 mm.	75
1112	Esab Welding Equipment	Esab Welding Equipment mobile welding machine, type: LAX 380W, 400-415 V, 3 Ph, 50 Hz, 27/23/16 A, dimensions: 1000 mm x 600 mm x 1400 mm.	100
1113	Haffner	Haffner mitre saw, number: 8003, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 3.8 A, diameter saw: 300 mm, total dimensions: 750 mm x 700 mm x 1200 mm.	100
1114	Kemppi Oy	Kemppi Oy mobile welding machine, dimensions: 900 mm x 300 mm x 1400 mm.	100
1115	Makita	Makita electric scarifier, type: UV3600, 200-240 V, 50 Hz, 1800 W, dimensions: 600 mm x 600 mm x 350 mm.	50
1116	Eurom	Eurom high pressure cleaner, type: FORCE 2000 PLUS, 220-240 V, 50 Hz, 2000 W, capacity: 400 liter per hour, maximum pressure: 150 bar, 8 meter hose with reel, total dimensions: 340 mm x 330 mm x 850 mm.	50
1117	Midori	Midori garden tools, type: MJ-195, 5.2 kW, 8000 rpm, dimensions: 280 mm x 280 mm x 1050 mm.	50
1118	Mupa	Mupa s/s switch cabinet, model: CONTROL BOX AKCC550A-KC-VC-CO2, 400/230 V, 3 Ph, 50 Hz, 16 A, year of construction: 2019, dimensions: 590 mm x 90 mm x 360 mm.	50
1119	DMW Copeland	DMW Copeland cooling compressor, model: D3DA4-50X-AWM/D, serial number: 1324398, dimensions: 1000 mm x 1000 mm x 940 mm.	300
1120	Ergoline	Ergoline sunbed, type: OPEN SUN 550, dimensions: 2300 mm x 1500 mm x 1600 mm.	100



Nr	Title	Description	Start €
1121	NN cabinets	3 wooden cabinets, dimensions: (3x) 1300 mm x 500 mm x 1400 mm.	10
1122	NN chairs	2 pallets with chairs, dimensions each chair: 500 mm x 600 mm x 1100 mm.	10
1123	NN cool boxes	Cool boxes, dimensions: 660 mm x 480 mm x 400 mm and 600 mm x 480 mm x 350 mm.	1
1124	NN parts	Pallet with various parts, among others: Ecolab cleaning material, AutoFoam lotion soap, labels, electrical parts.	15
1125	NN lights	Pallet with 15 light strips, dimensions each: 1250 mm x 250 mm x 100 mm.	10
1126	NN clothes	3 plastic crates with various clothes.	1
1127	Avery Berkel	Pallet with 3 Avery Berkel weighing scales and large amount of thermo rolls, dimensions: 1200 mm x 800 mm x 700 mm.	75
1128	Berkel	Berkel weighing scale, dimensions: 350 mm x 400 mm x 500 mm.	15
1129	NN beer garden tables	Approximately 12 beer garden tables, dimensions: 2300 mm x 1200 mm x 1200 mm.	25
1130	NN table	S/s mobile table, dimensions: 1700 mm x 1100 mm x 900 mm.	50
1131	NN table	S/s table, dimensions: 1200 mm x 600 mm x 1500 mm.	50
1132	Finnmark	Finnmark freezer, type: Grandor 2587G, serial number: 10300637, year of construction: 2011, 230 V, 50 Hz, 2 A, refrigerant: R404a, dimensions: 2500 mm x 800 mm x 900 mm.	50
1133	Elite	Elite ice machine, model: ELITE PBE 21, number: 2005030253383, year of construction: 2005, 220-240 V, 50 Hz, 320 W, refrigerant: R404A, dimensions: 400 mm x 350 mm x 600 mm.	30
1134	De Rigo	De Rigo refrigerated showcase, model: ISABEL GREY BT-BT L.150, 230 V, 50 Hz, 6.68 A, 1838 W, refrigerant: R404a, 0.550 and 0.600 kg, 2 cooling compressors, 4 floors, floor dimensions: (4x) 700 mm x 400 mm, total dimensions: 1510 mm x 900 mm x 2140 mm.	75
1135	NN counter	Wooden counter, dimensions: 1450 mm x 950 mm x 1200 mm.	25
1136	NN counter	Wooden counter, dimensions: 1450 mm x 1000 mm x 900 mm.	25
1137	NN racks	Pallet with various steel racks, dimensions: 1500 mm x 1000 mm x 1300 mm.	5
1138	NN bar tables	2 steel trolleys with 10 bar tables, dimensions: (2x) 600 mm x 800 mm x 1900 mm.	25
1139	Casio	Casio cash register, model: 240CR-1, serial number: 0440241, 220-230 V, 1 Ph, 50/60 Hz, 0.13 A, dimensions: 500 mm x 400 mm x 300 mm.	10
1140	NN chair	Wooden chair, dimensions: 500 mm x 450 mm x 800 mm.	2



Nr	Title	Description	Start €
1141	NN store inventory	Pallet with Steel tub, dimensions: Ø 550 mm x 550 mm, 3 plastic tubs, dimensions: (3x) Ø 500 mm x 700 mm, advertisement boards, and sidewall panorama canvas.	10
1142	Mettler Toledo GmbH	Mettler Toledo GmbH weighing scale with label printer, type: Lpe-h, serial number: 2845724, 100-240 V, 50/60 Hz, 250-100 mA, maximum: 6 kg, Minimum: 40 gram, e= 2 gram, dimensions scale: 350 mm x 270 mm, total dimensions: 350 mm x 400 mm x 500 mm.	15
1143	NN hammer	Steel hammer.	5
1144	Rieber Werke	Rieber Werke mobile heated trolley, inside dimensions: (2x) 500 mm x 300 mm x 200 mm, total dimensions: 800 mm x 600 mm x 900 mm. Including s/s gastronorm bins.	25
1145	PowerPlus	PowerPlus vacuum cleaner, dimensions: 350 mm x 300 mm x 700 mm.	10
1146	Fast	Fast wet and dry vacuum cleaner, type: Multi Purpose 2.0, serial number: 2030093, year of construction: 07/03, 230 V, 50 Hz, 1000 W, dimensions: 400 mm x 300 mm x 700 mm.	10
1148	deJong	deJong Duke coffee machine, model: Zia 8.124 [aL] CoEx® [bean2cup], type: 9CNDP202A6AH00, serial number: 2015042700002, year of construction: January 2015, 230 V, 50 Hz, 2.9 kW, 0.5-6.0 bar, dimensions: 370 mm x 470 mm x 860 mm.	10
1149	Nespresso	Nespresso coffee machine, type: 702/CS220, 230 V, 50 Hz, 2100 W, dimensions: 400 mm x 350 mm x 800 mm.	10
1150	Bizerba	Bizerba label printer, type: XC 300, serial number: 11982311, 100-240 V, 50/60 Hz, 0.9-0.4 A, dimensions: 350 mm x 200 mm x 350 mm.	15
1151	Nespresso	Nespresso coffee machine, type: 733/CS203, 230 V, 50 Hz, 2300 W, dimensions: 400 mm x 350 mm x 800 mm.	10
1152	Nescafe	Nescafe coffee machine, type: 8.762.101.37512, model: BLRXL-001, 230 V, 50/60 Hz, 2230 W, dimensions: 350 mm x 300 mm x 530 mm.	10
1153	NN whisk	S/s whisk.	5
1154	NN advertising board	Advertising board, dimensions: 960 mm x 690 mm x 1350 mm.	5
1155	IFÖ KAMPRI	IFÖ KAMPRI refrigerated cabinet, model: KV, number: 5605, year of construction: 2000, refrigerant: R134a, dimensions: 1400 mm x 520 mm x 580 mm.	25
1156	NN trolley	S/s trolley, dimensions: 2000 mm x 700 mm x 1200 mm.	50
1157	Sharp	Sharp printer, type: MX-C311, dimensions: 550 mm x 450 mm x 1050 mm.	15
1158	NN table	S/s mobile table, dimensions: 2000 mm x 700 mm x 950 mm.	50
1159	Afinox	Afinox refrigerated showcase, model: 9DRGR6FIN0A01, serial number: 3014872501, 230 V, 1 Ph, 50 Hz, 4.91 A,	50



Nr	Title	Description	Start €
		3.41 kW, refrigerant: R404A, dimensions: 2200 mm x 800 mm x 1500 mm.	
1160	NN cabinet	Steel cabinet, dimensions: 1100 mm x 580 mm x 1550 mm.	5
1161	REA	2 mobile REA trolleys, dimensions: (2x) 550 mm x 650 mm x 1530 mm.	20
1162	Eurom	5 Eurom gas heaters, dimensions: (5x) 400 mm x 400 mm x 1400 mm.	15
1163	Framec	Framec freezer, model: 000042200000, serial number: 2006004708, 220-240 V, 50 Hz, 3.5 A, 535 W, refrigerant: R507, capacity: 625 dm ³ , dimensions: 2000 mm x 900 mm x 800 mm.	50
1164	NN chairs	4 chairs, dimensions: (4x) 400 mm x 300 mm x 950 mm.	5
1165	ITAB Shop Concept	ITAB Shop Concept checkout counter, dimensions: 2500 mm x 1000 mm x 900 mm.	50
1166	Azkoyen	Azkoyen refrigerated showcase, model: BN 7, serial number: 11430, year of construction: 15-1-99, 220 V, 50 Hz, 200 W, refrigerant: R134A, 210 gram, inside dimensions: 1310 mm x 315 mm x 140 mm, total dimensions: 1740 mm x 410 mm x 290 mm.	25
1167	NN chairs	Approximately 150 chairs, dimensions each chair: 550 mm x 500 mm x 900 mm.	100
1168	NN tables	7 steel tables, dimensions (7x) Ø 900 mm x 720 mm.	20
1169	NN bar tables	Pallet with 12 bar tables, dimensions: 1800 mm x 1200 mm x 850 mm.	20
1170	Küppersbusch	Küppersbusch stove, type: KCF 0001, 400 V, 3 Ph, 50 Hz, 6.5 kW, dimensions: 800 mm x 600 mm x 750 mm.	25
1171	NN sink	S/s sink, dimensions: 700 mm x 500 mm x 500 mm.	15
1172	NN table	Wooden table, dimensions: 1100 mm x 1100 mm x 750 mm.	10
1173	Mettler Toledo GmbH	Mettler Toledo GmbH steel floor weighing scale with indicator, type scale: PFA574-DS300, serial number: 2967537, maximum weight: 300 kg, dimensions: 1000 mm x 1000 mm x 60 mm, type indicator: W1/2, serial number: 2967536, 100-240 V, 50-60 Hz, 300mA, dimensions: 500 mm x 350 mm x 1000 mm.	75
1174	NN kitchen equipment	2 plastic tubs with various kitchen equipment, dimensions: 1000 mm x 520 mm x 500 mm.	10
1175	NN bin	S/s bin, dimensions: 650 mm x 450 mm x 200 mm.	5
1176	DIGI-Nederland b.v.	DIGI-Nederland b.v. s/s weighing scale with indicator, type scale: AD-24-60 GP, serial number: H7900811, maximum weight: 60 kg, minimum weight: 400 g, e=d=20 g, T= 60 kg, dimensions: 600 mm x 600 mm x 1050 mm, type indicator: AD-24-60 GP, dimensions: 300 mm x 200 mm x 200 mm.	50
1177	Ishida Co., Ltd	Ishida Co., Ltd mobile weighing scale with indicator: model: iGX, serial number: 09111252, 230 V, 50 Hz, 25	35



Nr	Title	Description	Start €
		mA, maximum weight: 60 kg, minimum weight: 0.4 kg, e= 0.02 kg, T=- 59.98 kg, dimensions scale: 550 mm x 400 mm, total dimensions: 750 mm x 450 mm x 1600 mm.	
1178	NN racks	S/s rack with wooden floors, dimensions: 900 mm x 800 mm x 2050 mm.	25
1179	Freund	2 Freund trimmers, type: (2x) TM-E6000, dimensions: (2x) 400 mm x 200 mm x 150 mm, with crate with parts.	500
1181	NN display	Display, dimensions: 320 mm x 265 mm x 70 mm.	50
1182	NN control panels	Plastic crate with control panels, dimensions: (2x) 360 mm x 285 mm x 120 mm.	50
1183	Handtmann	Handtmann double outlet linking attachment, type: 67-25, number: 1011, dimensions: 450 mm x 450 mm x 500 mm.	50
1184	Handtmann	Handtmann double outlet linking attachment, type: 67-25, number: 1013, dimensions: 450 mm x 450 mm x 500 mm.	50
1185	Rietschle	Rietschle mobile vacuum pump, type: CLFG 11, fabrication number: 807371, year of construction: 1984, capacity: 10 m ³ per hour, dimensions: 1200 mm x 500 mm x 850 mm.	100
1200	NN hose reel	S/s hose reel with hose and soap dispenser, dimensions: 350 mm x 800 mm x 1600 mm.	50
1201	AMT Datasouth	3 AMT Datasouth barcode printers, type: 7200, 100-120/230-240 VAC, 50/60 Hz, 2.9/1.5 A, dimensions: (3x) 550 mm x 210 mm x 380 mm.	10
1202	Vileda	Vileda trolley, floor dimensions: 240 mm x 490 mm, 14 floors, total dimensions: 950 mm x 600 mm x 1100 mm.	20
1203	NN trolley	Plastic trolley with buckets, dimensions: 600 mm x 530 mm x 950 mm	10
1204	Nita Hygiene	2 Nita Hygiene s/s hose reels with hose, type: 2129 / 2113, serial number: 118311 / 125522, year of construction: 2015, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	150
1205	Leister	Leister blower, type: G63A21D, number: 725205388, 60 Hz, 1.38/0.8 A, 0.3 kW,	50
1206	Nita Hygiene	Nita Hygiene s/s hose reel with hose, type: 2113, serial number: 125522, year of construction: 11/2015, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	75
1207	Elpress	Elpress soap mixing unit, dimensions: 500 mm x 200 mm x 550 mm.	50
1208	Rietschle	Rietschle vacuum pump, type: VWP 1000 (05), number: 2060848, year of construction: 1999, capacity: 1072 m ³ per hour, dimensions: 1000 mm x 350 mm x 600 mm.	300
1209	Rietschle		250



Nr	Title	Description	Start €
		Rietschle vacuum pump, type: VCEH 250(01), number: 1575009, year of construction: 1994, capacity: 250 m³ per hour, dimensions: 900 mm x 650 mm x 460 mm.	
1210	NN hoist	Chain hoist, dimensions: 400 mm x 300 mm x 300 mm.	30
1211	Michelin	4 Michelin tyres, 195/60 R 15.	5
1212	GEA / L'unite Hermetique	GEA evaporator, type: DEB 071D Decken-Luftkühler, number: P117430576, year of construction: 2002, 230 V, 1 Ph, 50/60 Hz, dimensions: 670 mm x 1050 mm x 240 mm with L'unite Hermetique cooling compressor, dimensions: 700 mm x 600 mm x 500 mm.	350
1213	L'unite Hermetique	L'unite Hermetique cooling compressor, dimensions: 550 mm x 600 mm x 500 mm.	100
1214	Frascold	Frascold cooling compressor, type: Z 40 126 Y, number: 3G000043, dimensions: 1300 mm x 600 mm x 1200 mm.	300
1215	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: LH64/FS 75, serial number: 66023205, type cooling compressor: 2DC-3.2Y-40S, serial number: 1683007071, capacity: 13.4/16.2 m³ per hour, dimensions: 750 mm x 700 mm x 560 mm.	400
1216	SEW-Eurodrive	SEW-Eurodrive motor, type: KV77 DY112LB/HR/TH/SM41, dimensions: 470 mm x 190 mm x 290 mm and 290 mm x 200 mm x 340 mm.	100
1217	SEW-Eurodrive	SEW-Eurodrive motor, type: KV77 DY112LB/HR/TH/SM41, dimensions: 470 mm x 190 mm x 290 mm and 290 mm x 200 mm x 340 mm.	100
1218	Cupola	Pallet with 21 Cupola carbon dioxide fire extinguishers, 5 kg, total dimensions: 1200 mm x 800 mm x 800 mm.	10
1219	L'Unite Hermetique	L'Unite Hermetique / Tecumseh condensing unit with cooling compressor, type: CAET4440Y HR, serial number: 06F01 195956 3B66230202, 220/240 V, 1 Ph, 50 Hz, 3.8 A, refrigerant: R134A, dimensions: 650 mm x 630 mm x 460 mm.	150
1220	Tecumseh Silensys	Tecumseh Silensys condensing unit, model: SILFH2511ZXG, serial number: SH70220210, year of construction: 2023, 380 V - 420 V, 3 Ph, 50 Hz, 5.3 A, refrigerant: R-452 A / R-404 A, dimensions: 1100 mm x 700 mm x 850 mm.	50
1221	NN trolley	2 plastic trolleys , dimensions: (2x) 600 mm x 530 mm x 950 mm	20
1222	NN blower	S/s blower, dimensions: 900 mm x 540 mm x 550 mm.	75
1223	Bizerba	2 Bizerba knives for Bizerba A500 and 1 knife holder, diameter knife: Ø 480 mm.	50
1224	Grundfos	Grundfos circulation pump, type: LP 50-125/142 A-F-A-BUBE, model: C4 8060022-PI-0021, capacity: 12.0 m³ per hours, dimensions: 630 mm x 420 mm x 220 mm.	80
1225	NN vacuum pump	Vacuum pump, dimensions: 1180 mm x 600 mm x 460 mm.	200



Nr	Title	Description	Start €
1226	Cupola	Pallet with 18 Cupola foam fire extinguishers, 9 liter, dimensions: 1200 mm x 800 mm x 800 mm.	10
1228	Silistra	Silistra metal saw, type: OH 163 01, serial number: 5112, year of construction: 1978, saw length: 355 mm, total dimensions: 1100 mm x 550 mm x 1250 mm.	100
1229	Animo	Animo coffee machine, dimensions: 500 mm x 400 mm x 750 mm. Including parts	50
1230	NN sink	S/s double sink, dimensions: 1800 mm x 600 mm x 940 mm.	100
1231	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 820 mm x 290 mm x 300 mm.	150
1232	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 820 mm x 290 mm x 300 mm.	150
1233	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 820 mm x 290 mm x 300 mm.	150
1234	Vileda	2 Vileda trolleys, floor dimensions: 240 mm x 490 mm, 14 floors, total dimensions: 950 mm x 600 mm x 1100 mm.	20
1235	Pall	Pall filter, model: ECS7006G30 H4, maximum temperature: 140°C, maximum pressure: 5 bar.	25
1236	NN ham forms	2 pallet boxes with 25 ham forms and parts, dimensions each form: Ø 240 mm x 700 mm.	250
1237	SEW-Eurodrive / Vector	Pallet with 11 SEW-Eurodrive / Vector motors, dimensions: 1200 mm x 1000 mm x 300 mm.	150
1238	Viscofan	Pallet with Viscofan casings, dimensions: 1200 mm x 800 mm x 1000 mm.	50
1239	Delaval	Delaval cooling compressor with condenser, type: ASR500 SD, 360/420 V, 3 Ph, 50 Hz, dimensions: 900 mm x 940 mm x 820 mm.	100
1240	Etna	Etna dishwasher on steel trolley, dishwasher dimensions: 600 mm x 585 mm x 850 mm, total dimensions: 800 mm x 600 mm x 1900 mm.	50
1241	NN storage bins	2 pallets with plastic storage bins, bin dimensions: 395 mm x 90 mm x 75 mm and 400 mm x 185 mm x 75 mm, total dimensions: 1150 mm x 800 mm x 1220 and 1080 mm x 800 mm x 1220 mm.	60
1242	NN trolley	Aluminium trolley, dimensions: 800 mm x 700 mm x 1700 mm.	5
1243	Air-Wolf	Air-Wolf s/s sink, dimensions: 430 mm x 460 mm x 300 mm.	50
1244	Air-Wolf	Air-Wolf paper dispenser, dimensions: 580 mm x 400 mm x 320 mm.	10
1245	Air-Wolf	Air-Wolf s/s sink, dimensions: 430 mm x 460 mm x 300 mm.	50
1246	Air-Wolf	Air-Wolf s/s sink, dimensions: 430 mm x 460 mm x 300 mm.	50
1247	Air-Wolf		50



Nr	Title	Description	Start €
		Air-Wolf s/s toilet, dimensions: 710 mm x 400 mm x 430 mm.	
1248	Tecumseh Silensys	Tecumseh Silensys condensing unit, model: SILFH2511ZXG, serial number: SH70220210, year of construction: 2023, 380 V - 420 V, 3 Ph, 50 Hz, 5.3 A, refrigerant: R-452 A / R-404 A, dimensions: 1100 mm x 700 mm x 850 mm.	50
1249	NN hose reel	S/s hose reel with hose and soap dispenser, dimensions: 350 mm x 800 mm x 1600 mm.	50
1250	NN control panels	4 control panels / electrical components.	45
1251	NN mesh belts	Pallet with various parts for plastic mesh belts, belt widths: 150 mm / 300 mm / 380 mm, dimensions pallet: 1200 mm x 800 mm x 400 mm.	200
1252	NN mesh belts	Pallet with various plastic mesh belts, belt widths: 360 mm / 450 mm, dimensions pallet: 1200 mm x 800 mm x 400 mm.	300
1253	Soehnle	Weighing scale with Soehnle indicator, serial number: 50153, maximum weight: 150 kg, minimum weight: 2 kg, e = 100 gram, dimensions: 560 mm x 600 mm x 750 mm.	25
1254	Smeva / Copeland	Smeva condensing unit with Copeland cooling compressor, type: condensing unit: ICF-CM01-C0009Z6, serial number: 8010049-A, year of construction: 20/04/2018, type Copeland cooling compressor: ZB 21 KCE TFD, 400 V, 3 Ph, 50 Hz, 5.05 W, refrigerant: R404a, dimensions: 1150 mm x 430 mm x 880 mm. Never used.	300
1255	Uni	Pallet with various boxes with UNI-plastic chains, dimensions pallet: 1200 mm x 800 mm x 800 mm.	200
1256	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W, serial number: T622A219000, DN 80, maximum capacity: 180 m ³ per hour.	250
1257	Mupa	Mupa s/s switch cabinet, model: CONTROL BOX AKCC550A-KC-VC-CO2, 400/230 V, 3 Ph, 50 Hz, 16 A, year of construction: 2019, dimensions: 590 mm x 90 mm x 360 mm.	50
1258	Mupa	Mupa s/s switch cabinet, model: CONTROL BOX AKCC550A-KC-VC-CO2, 400/230 V, 3 Ph, 50 Hz, 16 A, year of construction: 2019, dimensions: 590 mm x 90 mm x 360 mm.	50
1259	Mupa	Mupa s/s switch cabinet, model: CONTROL BOX AKCC550A-KC-VC-CO2, 400/230 V, 3 Ph, 50 Hz, 16 A, year of construction: 2019, dimensions: 590 mm x 90 mm x 360 mm.	50
1260	Mupa	Mupa s/s switch cabinet, model: CONTROL BOX AKCC550A-KC-VC-CO2, 400/230 V, 3 Ph, 50 Hz, 16 A, year of construction: 2019, dimensions: 590 mm x 90 mm x 360 mm.	50
1261	Mupa		50

Nr	Title	Description	Start €
		Mupa s/s switch cabinet, model: CONTROL BOX AKCC550A-KC-VC-CO2, 400/230 V, 3 Ph, 50 Hz, 16 A, year of construction: 2019, dimensions: 590 mm x 90 mm x 360 mm.	
1262	Kohlhoff	Kohlhoff s/s sink, type: WR-ECO-1-M-SR-24V, machine number: 813245-150, year of construction: 08/2015, 230 V, 0.1 kW, sensor control, dimensions: 560 mm x 460 mm x 700 mm.	50
1263	HB-Therm	HB-Therm Temperature Control unit, series 3, type: HB-LW 140-6A, number: 9240647, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 10.5 A, 6.55 kW, 8 bar, dimensions: 850 mm x 250 mm x 550 mm.	100
1264	Smeva / Tecumseh	Smeva condensing unit with Tecumseh cooling compressor, type: condensing unit: ICF-HL01-T0020Z6, serial number: 7010106, year of construction: 05/12/2017, type Tecumseh cooling compressor: Tag 2516 Z, 400 V, 3 Ph, 50 Hz, 4.75 W, refrigerant: R4490, dimensions: 1150 mm x 550 mm x 850 mm.	300
1265	Bitzer Kühlmaschinenbau GmbH / Tecumseh	Pallet with Bitzer Kühlmaschinenbau GmbH cooling compressor, type: S4N-8.2 Y, serial number: 65640909, capacity: 28 m³ per hour, and 3 Tecumseh cooling compressors, type: (2x) TFH2511Z and (1x) TFH2480Z, dimensions pallet: 1200 mm x 800 mm x 500 mm.	300
1266	Elektro-Automatik GmbH & Co. KG	Elektro-Automatik GmbH & Co. KG power supply, model: EA 3051 B, 230 V, 50 Hz, dimensions: 260 mm x 285 mm x 150 mm.	25
1267	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel with hose and pistol, type: ST40/12/1e, serial number: 11919, year of construction: 02/2014, working pressure: 200 bar, dimensions: 520 mm x 320 mm x 450 mm.	50
1268	Handtmann	Handtmann case spooling device, type: 78-6, number: 1294, year of construction: 2000, 230 V, 50 Hz, 0.67 A, 0.18 kW, dimensions: 510 mm x 185 mm x 230 mm.	200
1269	Brockfieber GmbH	Brockfieber GmbH air compressor, serial number: 17527, year of construction: 1991, volume: 20 liter, maximum operating pressure: 10 bar, dimensions: 370 mm x 450 mm x 550 mm.	10
1270	Iwaki / Omron / Michael Riedel	Pallet with 2 Iwaki dosing pums, 2 Omron frequency converters and Michael Riedel frequency converter, dimensions: 570 mm x 370 mm x 200 mm.	100
1300	ProFroid / Carrier	ProFroid / Carrier condensing unit, type: QUIETIS WPH24A, serial number: 142931/140/82476, year of construction: 2011/03, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, dimensions: 1150 mm x 900 mm x 850 mm.	200
1301	Emerson Copeland	Emerson Copeland condensing unit, model: ZXDE-040E-TFD-454, serial number: 19AZ26214M, year of construction: 2019-01-15, 380/420 V, 3 Ph, 50 Hz,	200



Nr	Title	Description	Start €
		220/240 V, 1 Ph, 50 Hz, 48/8.9 A, weight: 104 kg, dimensions: 950 mm x 400 mm x 1250 mm.	
1302	J&E Hall	J&E Hall condensing unit, model: JEHSCU0200CM3, serial number: N000332, year of construction: 2018/01, 380-415 V, 3 Ph, 50 Hz, 3.5 A, refrigerant: R404A/R407A/R407F/R134a/R448A/R449A, dimensions: 1050 mm x 400 mm x 650 mm.	200
1303	Silensys	Silensys condensing unit, dimensions: 1050 mm x 400 mm x 1450 mm.	200
1304	Silensys	Silensys condensing unit, dimensions: 850 mm x 500 mm x 800 mm.	200
1305	Silensys	Silensys condensing unit, dimensions: 850 mm x 500 mm x 800 mm.	200
1306	Emerson Copeland	Emerson Copeland condensing unit, model: ZXDE-040E-TFD-454, serial number: 19HZ31447 M, year of construction: 2019-01-15, 380/420 V, 3 Ph, 50 Hz, 220/240 V, 1 Ph, 50 Hz, 48/8.9 A, weight: 104 kg, dimensions: 950 mm x 400 mm x 1250 mm.	200
1307	Silensys	Silensys condensing unit, dimensions: 1100 mm x 500 mm x 820 mm.	200
1308	Silensys	Silensys condensing unit, dimensions: 1100 mm x 600 mm x 870 mm.	200
1309	Danfoss	Danfoss condensing unit, type: OP-LPHC068NTP00E, number: 114X3248, 400 V, 3 Ph, 50 Hz, 25 A, refrigerant: R404A R507A, dimensions: 1050 mm x 400 mm x 750 mm.	200
1310	Silensys	Silensys condensing unit, dimensions: 1100 mm x 550 mm x 820 mm.	200
1311	Copeland	Copeland condensing unit, dimensions: 1400 mm x 900 mm x 1000 mm.	200
1312	ProFroid / Carrier	ProFroid / Carrier condensing unit, type: QUIETIS WPH19A, serial number: 141894/140/81633, year of construction: 2010/48, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, dimensions: 1150 mm x 900 mm x 850 mm.	200
1313	Zanotti S.p.A.	Zanotti S.p.A. ceiling condensing unit, model: MSB120TO02F, serial number: 05034271, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 3.2/4.4 A, 0.5/0.4 kW, refrigerant: R404A, dimensions: 430 mm x 340 mm x 750 mm.	100
1314	L'Unite Hermetique	L'Unite Hermetique cooling compressor, dimensions: 450 mm x 400 mm x 350 mm.	100
1315	Copeland	Copeland condensing unit, model: ZXME-018E-PFJ-302, serial number: 21HZ48437M, year of construction: 2021-09-08, 220/240 V, 1 Ph, 50 Hz, 10.7 A, dimensions:	200
1316	Silensys / Fujitsu	Pallet with 2 condensing units, dimensions: 880 mm x 500 mm x 670 mm.	200
1317	Silensys		100



Nr	Title	Description	Start €
		Silensys condensing unit, dimensions: 700 mm x 300 mm x 550 mm.	
1318	Copeland	Copeland condensing unit, dimensions: 2100 mm x 630 mm x 950 mm.	300
1319	NN condensing unit	Condensing unit, dimensions: 1150 mm x 400 mm x 1300 mm.	200
1320	Silensys	Silensys condensing unit, dimensions: 1100 mm x 600 mm x 700 mm.	200
1321	Copeland	Copeland condensing unit, type: Eazycold, dimensions: 1050 mm x 600 mm x 700 mm.	200
1322	NN frame	S/s frame for transport belt, approximate belt width: 500 mm, total dimensions: 1500 mm x 700 mm x 900 mm.	75
1323	Carrier	Carrier condensing unit, dimensions: 1200 mm x 1600 mm x 1400 mm.	200
1324	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 500 mm, total dimensions: 1000 mm x 700 mm x 1000 mm.	200
1325	NN roller conveyor	Driven roller conveyor, plastic rollers, roller width: 970 mm, total dimensions: 1150 mm x 1100 mm x 1150 mm.	200
1326	NN roller conveyor	Driven roller conveyor, plastic rollers, roller width: 970 mm, total dimensions: 1280 mm x 1100 mm x 1250 mm.	200
1327	NN platform	S/s platform, dimensions: 2950 mm x 920 mm x 1350 mm.	150
1328	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 200 mm, total dimensions: 2100 mm x 700 mm x 1000 mm.	200
1329	NN platform	S/s platform, working height: 610 mm, total dimensions: 1650 mm x 850 mm x 1580 mm.	400
1330	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 500 mm, total dimensions: 2450 mm x 800 mm x 1050 mm.	200
1331	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 500 mm, total dimensions: 1000 mm x 700 mm x 900 mm.	200
1332	NN infeed slide	Mobile infeed slide, dimensions: 1700 mm x 870 mm x 1730 mm.	100
1333	Philips	Box with large amount of Philips light fixtures, model: TL-D 58W/840.	5
1334	Nuaire	2 Nuaire high capacity blowers, dimensions: (2x) Ø 800 mm x 350 mm.	300
1335	NN lifter	S/s lifter for meat bins, lifting height: 1300 mm, total dimensions: 2200 mm x 700 mm x 1000 mm.	250
1336	Holvrieka	Holvrieka s/s tank, fabrication number: 041.013, year of construction: 2004, weight: 130 kg, volume: 500 litres, dimensions: 900 mm x 900 mm x 2100 mm.	300



Nr	Title	Description	Start €
1337	Holvrieka	Holvrieka s/s tank, fabrication number: 041.014, year of construction: 2004, weight: 130 kg, volume: 500 liter, dimensions: 900 mm x 900 mm x 2100 mm.	300
1338	NN rack	S/s mobile rack, 8 floors, dimensions: 830 mm x 570 mm x 1960 mm.	100
1339	NN rack	S/s mobile rack, 7 floors, dimensions: 830 mm x 570 mm x 1670 mm.	100
1340	NN rack	S/s mobile rack, 8 floors, dimensions: 830 mm x 570 mm x 1960 mm.	100
1341	NN rack	S/s mobile rack, 8 floors, dimensions: 830 mm x 570 mm x 1960 mm.	100
1342	Itec	Itec hygiene station, brush length: (2x) 1600 mm, total dimensions: 1800 mm x 760 mm x 1300 mm.	500
1343	NN cabinets	3 s/s cabinets, dimensions: (3x) 680 mm x 600 mm x 1310 mm.	100
1344	Apple International	Apple International mobile depositor, model: MR 900, serial number: 1269 11, year of construction: 2008, pressure: 55 bar, diameter head: 70 mm, total dimensions: 1450 mm x 950 mm x 1040 mm. Incomplete.	75
1345	Apple	Apple mobile mixing and dosing machine, model: MR 900, serial number: 1268, year of construction: 2003, inside dimensions: 1140 mm x 740 mm x 540 mm, total dimensions: 1480 mm x 1070 mm x 1060 mm.	75
1346	NN roller conveyor	Roller conveyor, steel rollers, roller width: 400 mm, total dimensions: 3050 mm x 500 mm x 820 mm.	300
1347	NN roller conveyor	Roller conveyor, steel rollers, roller width: 400 mm, total dimensions: 3050 mm x 500 mm x 820 mm.	300
1348	NN roller conveyor	Roller conveyor, steel rollers, roller width: 400 mm, total dimensions: 3050 mm x 500 mm x 820 mm.	300
1349	NN platform	S/s platform, dimensions: 2950 mm x 920 mm x 1350 mm.	150
1350	Profroid	Profroid condensing unit, with DMW Copeland 6 cylinder compressor, model: D4DH4-350X-EWM/D, serial number: 01A 11856, year of construction: 01 05, 380/420 V, / 440/480 V, 50/60 Hz, 1450 rpm, 106.3 m3/h, refrigerant: R404a, 4 fans, dimensions: 3100 mm x 1800 mm x 1250 mm.	500
1351	Challeng Air	Challeng Air roof condenser, dimensions: 3200 mm x 1200 mm x 900 mm.	200
1352	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1450 mm, total dimensions: 3900 mm x 550 mm x 1550 mm.	250
1353	Schulz & Busch	Schulz & Busch s/s roller conveyor, type: LZR 50S, number: A77440, year of construction: 2019, 230/400 V, 50 Hz, 0.38 kW, roller width: 400 mm, total dimensions: 3950 mm x 600 mm x 600 mm.	150



Nr	Title	Description	Start €
1354	NN platform	Steel mobile working platform, working height: 800 mm, total dimensions: 3700 mm x 1200 mm x 1700 mm.	200
1355	NN trolley	S/s trolley, 13 floors, dimensions: 570 mm x 380 mm x 1750 mm.	50
1356	Climaveneta	Climaveneta water chiller, type: NECS/D/B 1816, serial number: 32024828, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 231 kW, 384 A, weight: 3650 kg, 8 fans, dimensions: 5150 mm x 2300 mm x 2440 mm.	2500
1357	Trane	Trane air-cooled water chiller, model WCC 50. This air-cooled water chiller, which is in very good condition with low operating hours (formerly a rental unit), is equipped with the following main components: 2 scroll compressors (2 capacity stages) Plate heat exchanger/ cooler with 1 cooling section Operating hours: approx. 3,000 h Built-in pump and buffer tank Cooling capacity: 50 kW/15 tonnes Number of cooling circuits: 1 Refrigerant type: R407C Refrigerant charge per circuit: 18 kg Nominal voltage: 400 V Max. current draw: 47 A Power consumption: 19.6 kW Dimensions: 3400 mm x 1230 mm x 2400 mm Weight: 1800 kg The stated cooling capacity of 50 kW is based on a water flow rate of +7°C/+12°C at an ambient temperature of +35°C. Cooling capacity at a water/glycol outlet temperature of -10°C is approx. 25 kW.	5000
1358	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, dimensions: 4950 mm x 1150 mm x 2380 mm.	700
1359	Smeva	Smeva outside cooling unit, dimensions: 1800 mm x 1160 mm x 1700 mm.	300
1360	Kelvion	Kelvion evaporator, model: DFB 052 D COMPACT, year of construction: 2020, 230 V, 1 Ph, 50/60 Hz, 140 W, dimensions: 1400 mm x 650 mm x 300 mm.	200
1361	Electrolux	Electrolux condenser, dimensions: 1650 mm x 650 mm x 650 mm.	150
1362	GEA Küba Kältetechnik GmbH	GEA Küba Kältetechnik GmbH evaporator, type: SPB 021 C, number: 6357773, year of construction: 1/99, dimensions: 700 mm x 470 mm x 370 mm.	100
1363	ECO	ECO roof condenser, model: KCE51M3V.0007, serial number: BS201500352, year of construction: 09/02/2015, 230 V, 1 Ph, 50-60 Hz, 0.97-1.3 A, 22-290 W, dimensions: 1250 mm x 750 mm x 800 mm.	200
1364	Koppens	Koppens elevating belt with dividers, s/s frame, plastic belt, type: AVK 3200/450, machine number: AVK 3200/450-94, 380 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 185 kg, belt width: 450 mm, distance between dividers: 330 mm, divider height: 50 mm, elevating height: 2100 mm, total dimensions: 3000 mm x 1100 mm x 2200 mm.	500



Nr	Title	Description	Start €
1365	Smeva/Bitzer	Smeva water chiller with 2 Bitzer cooling compressors, model: IMS-SM02-B0066F4, serial number: 6060109, year of construction: 23/11/2016, 400 V, 3 Ph, 50 Hz, 25.4 kW, refrigerant: R407F, type compressors: (2x) 4CES-9Y-40S, capacity: (2x) 32.5/39.2 m ³ per hour, dimensions: 2150 mm x 800 mm x 1900 mm.	1500
1366	NN cooling panels	2 pallets with cooling panels, dimensions: 2650 mm x 1500 mm x 1350 mm and 2800 mm x 1450 mm x 1400 mm.	25
1369	Helpman	Helpman evaporator, type: PX 1-7, serial number: 624-005, year of construction: 2000, 220 V, 1 Ph, 50 Hz, refrigerant: R22 / R134a, dimensions: 750 mm x 670 mm x 270 mm.	50
1370	Günther AG & Co. KG	Günther AG & Co. KG evaporator, type: GHF 031.2F/17-ENW50.E, serial number: 401046781/23.01226, year of construction: 2014, dimensions: 760 mm x 520 mm x 420 mm.	200
1371	Alfa Laval	Alfa Laval evaporator, type: PX 1-7 230, serial number: 80806050011-011176-0136, year of construction: 2008, 230 V, 1 Ph, 50 Hz, weight: 17 kg, dimensions: 750 mm x 270 mm x 650 mm.	50
1372	NN refrigerated door	Refrigerated door, dimensions: 1060 mm x 2050 mm x 120 mm.	150
1373	Delta Technics Engineering	Delta Technics Engineering evaporator, model: JHK 3515 E, serial number: 027966/5, year of construction: 2004, 230 V, 50 Hz, 0.6 A, 130 W, dimensions: 820 mm x 570 mm x 470 mm.	200
1374	Newsome	Newsome extraction unit, serial number: C3004, year of construction: 06/2021, dimensions: 1400 mm x 1250 mm x 2400 mm.	100
1375	Carrier	Carrier condensing unit, type: WPH 18V, number: 10975863, year of construction: 5-17, refrigerant: R134 A, dimensions: 1120 mm x 400 mm x 730 mm.	200
1376	Keyfrost	Steel cabinet with Keyfrost cooling compressor, model: KS 27 BTET, serial number: 00083729, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.7 kW, refrigerant: R404a, dimensions: 1000 mm x 570 mm x 400 mm.	100
1377	Pump	Pump, dimensions: 1150 mm x 450 mm x 400 mm.	25
1378	Alfa-Laval	Alfa-Laval s/s milk cooling tank with mixing arm, type: HCA-C 7500, serial number: 10751, volume: 7800 litres, dimensions: 3350 mm x 1500 mm x 1750 mm. With integrated cooling system.	2000
1379	Krause	Krause mobile aluminium stairs, 6 steps, working height: 1660 mm, total dimensions: 1750 mm x 930 mm x 2660 mm.	250
1380	NN frame	S/s frame, dimensions: 500 mm x 440 mm x 1410 mm.	30
1381	NN roof fan	Roof fan, dimensions: 800 mm x 800 mm x 1800 mm.	150



Nr	Title	Description	Start €
1382	Smeva	Smeva condensing unit, dimensions: 1450 mm x 520 mm x 1140 mm.	200
1383	NN sink	S/s double sink, dimensions: 1200 mm x 700 mm x 980 mm. Without faucet.	150
1384	Apple	Apple mobile mixing and dosing machine, model: MR 900, serial number: 1270 11, year of construction: 2003, inside dimensions: 1140 mm x 740 mm x 540 mm, total dimensions: 1480 mm x 1070 mm x 1060 mm.	75
1385	NN frame	S/s frame, dimensions: 580 mm x 300 mm x 880 mm.	20
1386	Mueller	Mueller s/s cooled double jacketed milk tank with agitator, serial number: 18303, 220 V, 50 Hz, 1.5 A, capacity: 4130 liter, refrigerant: R12, dimensions: 2850 mm x 1760 mm x 1700 mm.	1750
1387	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	160
1388	NN sink	S/s double sink, dimensions: 2200 mm x 700 mm x 930 mm. Without faucet.	150
1389	Babcock Wanson	Babcock Wanson boiler in container, model: S-VAP 400 RR, fabrication number: 15.17.3103, year of construction: 09/11/2015, dimensions: 2450 mm x 3000 mm x 2650 mm.	3500
1390	Silensys	Silensys condensing unit, dimensions: 840 mm x 540 mm x 820 mm.	200
1391	LU-VE	LU-VE air conditioning unit and heat exchanger, model air conditioner: ASHA14LGC, serial number: E006726, 230 V, 50 Hz, 4.9 A, 1.08 kW, model heat exchanger: SMA 321 N 70, serial number: 288693/2011, 230 V, 50 Hz, 0.34 A, 75 W, total dimensions: 1350 mm x 880 mm x 420 mm.	150
1392	Eurovent	Eurovent evaporator, dimensions: 1400 mm x 650 mm x 300 mm.	100
1393	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: LH33/2HC-12Y-40S, serial number: 1270300602, type cooling compressor: 2HC-12Y-40S, serial number: 1270300164, capacity: 6.5/7.9 m³ per hour, dimensions: 620 mm x 610 mm x 600 mm.	200
1394	Alfa Laval	Alfa Laval s/s cooled double jacketed milk tank with agitator, type: 03500, number: 4649, capacity: 3500 liter, dimensions: 3250 mm x 1820 mm x 2000 mm.	2000
1395	Silensys	Silensys condensing unit with Tecumseh cooling compressor, dimensions: 850 mm x 550 mm x 840 mm.	200
1397	Copeland Scroll	Copeland Scroll cooling compressor, model: ZF09K4E-TFD-551, serial number: 13L233676 C, 380-420 V, 3 Ph, 50 Hz, dimensions: 620 mm x 500 mm x 670 mm.	50
1398	Delta Technics Engineering	Delta Technics Engineering evaporator, model: FMT-3815 ECE, serial number: 00548, year of	200



Nr	Title	Description	Start €
		construction: 2018, 230 V, 50 Hz, 0.48 A, 110 W, dimensions: 840 mm x 640 mm x 450 mm.	
1399	Delta Technics Engineering	Delta Technics Engineering evaporator, dimensions: 880 mm x 580 mm x 380 mm.	200
1400	Maf Roda	Maf Roda s/s platform, serial number: 22R0B01, year of construction: 31-10-2022, working height: 750 mm, total dimensions: 3750 mm x 700 mm x 1850 mm.	500
1401	NN roller conveyor	Electric driven roller conveyor, s/s rollers, roller width: 600 mm, total dimensions: 2100 mm x 1120 mm x 980 mm.	300
1402	NN apron washer	S/s apron washer, dimensions: 580 mm x 580 mm x 1620 mm.	200
1403	NN roll container	Roll container, dimensions: 800 mm x 725 mm x 1685 mm.	10
1404	Güntner GmbH & Co KG	Güntner GmbH & Co KG evaporator, model: GHF 031 2F/27-ENW50.E, serial number: 401360287/36.00218, year of construction: 2017, dimensions: 1200 mm x 400 mm x 500 mm.	250
1405	Alfa Laval	Alfa Laval evaporator, type: PX 3-7 230-E2, serial number: 81003050030-01867-019050, year of construction: 2010, 230 V, 1 Ph, 50 Hz, weight: 50 kg, dimensions: 1750 mm x 670 mm x 270 mm.	150
1406	GEA Küba Kältetechnik GmbH	S/s trolley, dimensions: 1150 mm x 700 mm x 1200 mm.	75
1407	DRU	DRU s/s cooled double jacketed milk tank with agitator, type: 63, serial number: 601593, capacity: 6300 liter, refrigerant: R12, dimensions: 5000 mm x 800 mm x 1340 mm.	1750
1408	Luvata Italy S.R.L	Luvata Italy S.R.L evaporator, model: CTE063M6, serial number: AC201508869, year of construction: 03/09/2015, 230 V, 1 Ph, 50-60 Hz, dimensions: 1400 mm x 630 mm x 630 mm.	200
1409	Silensys	Silensys outside airco unit, dimensions: 1100 mm x 520 mm x 670 mm.	200
1410	NN belt grill	Belt grill, maximum belt width: 700 mm, total dimensions: 3300 mm x 1150 mm x 1900 mm. Incomplete.	1250
1411	Faber	Faber s/s trolley, 14 floors, floor dimensions: 820 mm x 610 mm, total dimensions: 780 mm x 670 mm x 1940 mm.	40
1412	NN milk tank	NN s/s cooled double jacketed milk tank with agitator, dimensions: 3420 mm x 1400 mm x 2050 mm.	1750
1413	NN table	S/s table, dimensions: 4000 mm x 1150 mm x 900 mm.	100
1414	NN table	S/s table, dimensions: 2480 mm x 1200 mm x 1070 mm.	100
1415	Kovu	S/s cabinet with Kovu cooling compressor, refrigerant: R507, dimensions: 770 mm x 570 mm x 600 mm.	100
1416	Embraco		200



Nr	Title	Description	Start €
		Embraco cooling compressor, model: NJ2212GK, 220-240 V, 50 Hz, refrigerant: R404A, dimensions: 410 mm x 530 mm x 500 mm.	
1417	Tecumseh	Tecumseh cooling compressor, model: CAJ9513Z, 220/240 V, 1 Ph, 50 Hz, 6.4 A, refrigerant: R404A, dimensions: 500 mm x 450 mm x 380 mm.	200
1418	Leone	Leone cooling compressor, model: AE4460P, serial number: 202432/0101, year of construction: 01/2024, dimensions: 400 mm x 610 mm x 350 mm.	200
1419	Carly	Carly cooling compressor, dimensions: 470 mm x 600 mm x 520 mm.	200
1420	Helpman	Helpman evaporator, type: LEX-6-E CB, 220/240 V, 1 Ph, 50 Hz, dimensions: 670 mm x 660 mm x 450 mm.	75
1421	Altrex	Altrex working platform, product number: 820000459/T09023/OVERSTAP, year of construction: 04/2009, max capacity: 150 kg, working height: 820 mm, total dimensions: 1230 mm x 540 mm x 820 mm.	50
1422	Tecumseh	Cabinet with Tecumseh cooling compressor, model: TFHT2480Z, refrigerant: R452a_R404a, dimensions: 750 mm x 750 mm x 800 mm.	100
1424	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: LH64/FS76, serial number: 1676702501, type cooling compressor: 2CES-3Y-40S, serial number: 1696313488, capacity: 16.2/19.4 m³ per hour, dimensions: 1070 mm x 900 mm x 1200 mm.	400
1425	Tecumseh Silensys	Tecumseh Silensys condensing unit, model: SILAJ2464ZTZ, serial number: SJ90630202, year of construction: 1-7-2020, 400/440 V, 3 Ph, 50 Hz, 2.4/2.5 A, refrigerant: R-452 A / R-404 A, dimensions: 890 mm x 540 mm x 860 mm.	200
1426	Tecumseh Silensys	Tecumseh Silensys condensing unit, model: SILAJ2464ZTZ, serial number: SJ90630202, year of construction: 1-7-2020, 400/440 V, 3 Ph, 50 Hz, 2.4/2.5 A, refrigerant: R-452 A / R-404 A, dimensions: 890 mm x 540 mm x 860 mm.	200
1427	Smeva	Smeva condensing unit, model: ICF-HL01-T0020Z6, serial number: 80100001, year of construction: 01/02/2018, 400 V, 3 Ph, 50 Hz, 4.75 kW, refrigerant: R449A, weight: 120 kg, dimensions: 1150 mm x 560 mm x 940 mm.	200
1428	Copeland	Copeland condensing unit, model: MC-M(-ZBD45KE-TFD, serial number: 11H335047 M, dimensions: 800 mm x 800 mm x 800 mm.	300
1429	Tecumseh Silensys	Tecumseh Silensys condensing unit, model: SILFH2511ZXG, serial number: SSH70220210, year of construction: 6-5-2021, 380/420 V, 3 Ph, 50 Hz, 5.3 A, refrigerant: R-452 A / R-404 A, dimensions: 1100 mm x 440 mm x 820 mm.	200



Nr	Title	Description	Start €
1430	NN cooling compressor	Cooling compressor, dimensions: 460 mm x 610 mm x 350 mm.	100
1431	Tecumseh	Tecumseh cooling compressor, model: TAJT4519Z HR, serial number: 11F17 070820 3446130262, 400/440 V 3 Ph, 50/60 Hz, 4.8/5.8 A, refrigerant: R404A, dimensions: 600 mm x 640 mm x 540 mm.	100
1432	NN pallets	27 plastic pallets, dimensions: (19x) 1200 mm x 800 mm x 150 mm, (8x) 1200 mm x 1000 mm x 150 mm.	20
1433	NN crates	Pallet with 240 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 2400 mm x 1200 mm x 2400 mm.	480
1434	NN crates	5 pallets with 400 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: (5x) 1200 mm x 800 mm x 2400 mm.	800
1435	Modine	Modine evaporator, model: KCE62M5V.3467, serial number: BS201800037, year of construction: 03/01/2018, 380-480 V, 3 Ph, 60-60 Hz, 3.2 A, 1940 W, dimensions: 2430 mm x 680 mm x 1150 mm.	200
1436	DRU	DRU s/s cooled double jacketed milk tank with agitator, type: 32, serial number: 301622, capacity: 3210 liter, dimensions: 2700 mm x 14300 mm x 1960 mm.	1750
1437	NN washing table	S/s sink, dimensions: 705 mm x 1500 mm x 910	50
1438	Smeva	Smeva condensing unit, type: ZXDE-040E-TFD-454, serial number: 21JZ49718 M, year of construction: 10-12-2021, 220/240 V, 1 Ph, 50 Hz, 48 A, weight: 104 kg, dimensions: 950 mm x 400 mm x 1240 mm.	200
1439	Kemco	Kemco elevating belt with infeed hopper, plastic belt with dividers, belt width: 600 mm, distance between dividers: 305 mm, divider height: 50 mm, elevating height: 2200 mm, total dimensions: 4150 mm x 950 mm x 2560 mm.	700
1440	NN table	S/s table with plastic cutting board, dimensions: 3550 mm x 1850 mm x 850 mm.	250
1441	Endoline	Endoline mobile box closing machine, model: 702, serial number: 98017337, 415 V, 3 Ph, 50 Hz, plastic belts, belt width: (2x) 85 mm, steel rollers, roller width: 500 mm, total dimensions: 2500 mm x 1100 mm x 2050 mm. Incomplete.	250
1442	Stork	Stork pump installation, type: (2x) 2.MVR 403, capacity: 8 m³ per hour, dimensions: 1150 mm x 700 mm x 1270 mm.	150
1443	Rademaker	Rademaker mobile depositor, type: DEPOSITOR, serial number: 7138-709, year of construction: 2007, 240 V, 1 Ph, 50 Hz, 2 A, weight: 395 kg, dimensions: 1050 mm x 1500 mm x 1970 mm.	300
1444	Hobart	Hobart dishwasher, dimensions: 1500 mm x 950 mm x 2200 mm, with s/s sink, dimensions: 1500 mm x 900 mm x 500 mm.	500



Nr	Title	Description	Start €
1445	NN evaporator	Evaporator, dimensions: 1060 mm x 680 mm x 240 mm.	50
1446	NN tank	S/s tank, number: 4914, dimensions: 2150 mm x 1750 mm x 1600 mm.	500
1447	NN tank	S/s tank, dimensions: 3700 mm x 2000 mm x 1800 mm.	500
1448	NN roller conveyor	Driven roller conveyor, plastic rollers, roller width: 970 mm, total dimensions: 2250 mm x 1050 mm x 1250 mm.	200
1449	Goedhart	Goedhart heat exchanger, type: KB.H 750 M2, machine number: PJV050888, year of construction: 2005, fluid: NH3, volume: 339 dm ³ , dimensions: 2450 mm x 800 mm x 2500 mm.	1000
1450	NN trolley	Steel trolley, dimensions: 800 mm x 700 mm x 480 mm.	10
1451	NN trolley	Steel trolley, dimensions: 800 mm x 630 mm x 1600 mm.	20
1452	Güntner	Güntner evaporator, dimensions: 5000 mm x 800 mm x 1340 mm. Missing 1 fan.	500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

