



**Industrial
Auctions**

**2259: Online auction food processing machinery,
catering and butchery equipment in Anzegem (BE)**

END DATE

31 August 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	31 August 2026 from 14:00 hrs.
Viewing days	27 August 2026 from 08:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	08 September 2026 from 08:00 till 16:00 hrs.
Pick up address	Beukenhofstraat 77A 8570 Anzegem Belgium
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Cryovac	Cryovac belt vacuum machine, model: VC 14 RH, serial number: A51100130, year of construction: 1997, 380 V, 50 Hz, 40 A, 13 kW, plastic belt, belt width: 480 mm, dimensions chamber: 1100 mm x 735 mm, seal length: (2x) 940 mm, 640 mm, total dimensions: 1200 mm x 1050 mm x 1200 mm.	1250
2	Cryovac	Cryovac dip tank, model: ST/2 ERH, serial number: P5150011, year of construction: 1997, 380/415 V, 50 Hz, 52 A, 36.5 kW, dimensions: 1300 mm x 1300 mm x 2200 mm.	1000
3	Stephan	Stephan universal machine, type: UM/VM 44-S, machine number: 723771.01, year of construction: 1997, 400 V, 50 Hz, 9.4/12.4 A, 4/5.5 kW, dimensions: 1200 mm x 600 mm x 1200 mm.	6500
4	MKN GmbH	MKN GmbH combi steamer for 1 trolley, type: 1926520, machine number: 8, 380 V, 3 Ph, 50 Hz, 50 A, 30.8 kW, dimensions: 1100 mm x 900 mm x 1950 mm. Including s/s trolley, 20 floors, dimensions floors: (20x) 520 mm x 320 mm, dimensions trolley: 770 mm x 610 mm x 1800 mm.	1250
5	Convotherm Elektrogeräte GmbH	Convotherm Elektrogeräte GmbH combi steamer for 1 trolley, type: OD20.20, serial number: U 102628, 380 V, 3 Ph, 92.4 A, 60.8 kW, total dimensions: 1200 mm x 1120 mm x 1850 mm. Including s/s trolley, 20 floors, dimensions floors: (20x) 660 mm x 530 mm, dimensions trolley: 860 mm x 660 mm x 1850 mm.	1250
6	Gernal	Gernal vacuum tumbler, type: HBV-G-M-15, number: 98/00969, year of construction: 1998, 220 V, 50 Hz, 5.37 A 0.55 kW, inside dimensions: Ø 700 mm x 1050 mm, Busch vacuum pump, type: KB 0016 E, capacity: 19 m³ per hour, total dimensions: 1500 mm x 990 mm x 1580 mm. Including s/s switch cabinet. S/s trolley not included.	1250
7	Angoulvant	Angoulvant mobile rotation oven, type: NGE 45, serial number: 45NE 7003, year of construction: 1996, 400 V, 3 Ph, 29.5 A, 19.5 kW, 9 floors, floor dimensions: 800 mm x 400 mm, total dimensions: 1700 mm x 1150 mm x 2350 mm.	900
8	Toyota	Toyota reach truck, type: OME100H, serial number: 6809815, year of construction: 2021, weight without battery: 2950 kg, lifting height: 7950 mm, capacity: 1000 kg, total dimensions: 2750 mm x 1250 mm x 3350 mm. Including Hawker battery charger.	9000
9	Speco	Speco vertical elevating screw, diameter screw: 300 mm, output height: 3350 mm, total dimensions: 1050 mm x 770 mm x 4600 mm.	750
10	Meiko	Meiko crate washer, model: K 200KV, serial number: 0005005, year of construction: 03.2001, 400 V, 3 Ph, 50 Hz, 19 A, 9 kW, clearance: 510 mm x 510 mm, total	500



Nr	Title	Description	Start €
		dimensions: 1910 mm x 780 mm x 1950 mm. Incomplete. Including pallet with switch cabinet, dimensions: 1730 mm x 600 mm x 300 mm and pallet with dryer, dimensions: 1190 mm x 870 mm x 1000 mm.	
11	Bertrand	S/s tank with pumps, year of construction: 2013, volume: 4000 liter, RVS316L, dimensions: 2550 mm x 2100 mm x 3500 mm.	2250
12	NN seal packaging machine	Mobile seal packaging machine, plastic belt, belt width: 385 mm, film width: 405 mm, seal length: 450 mm, total dimensions: 1900 mm x 1300 mm x 1850 mm.	500
13	Strautman	Strautmann baler, type: AutoLoad, machine number: 411.51.012, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 4 kW, dimensions: 2200 mm x 2100 mm x 3200 mm.	7500
14	Lainox	Lainox blast chiller, model: DBMC40T, 400 V, 3 Ph, 50 Hz, 5540 W, refrigerant: R404a / 7500 gram, inside dimensions: 960 mm x 810 mm x 1850 mm, total dimensions: 1400 mm x 1240 mm x 2350 mm. Including Rivacold refrigeration unit. type: 6160, serial number: 05490483, 400 V, 3 Ph, 50 Hz, 6.14 A, 2940 W, refrigerant: R404A, dimensions: 900 mm x 600 mm x 650 mm.	3000
15	NN sink	S/s sink with 5 faucets, dimensions: 3000 mm x 480 mm x 300 mm.	250
16	Rietschle	Rietschle vacuum pump, type: SKG 250-2V.02, serial number: 1494165, year of construction: 1992, 380/415 V, 3 Ph, 50/60 Hz, 3.3/3.5 A, 1.1/1.3 kW, dimensions: 390 mm x 230 mm x 350 mm.	75
17	ATAG	ATAG double deep fryer, gas heated, dimensions: 700 mm x 700 mm x 1300 mm.	250
18	NN freezer	Freezer, model: ERC 130, 230 V, 1 Ph, 50 Hz, 4.6 A, 587 W, refrigerant: R290/150 g, freezing capacity: 220 kg/24 h, volume: 1310 liter, 4 floors, floor dimensions: (4x) 1250 mm x 500 mm, total dimensions: 1400 mm x 800 mm x 2000 mm.	450
19	Kerres	Kerres smoking, cooking and frying chamber with smoke generator for wood chips, type: 05 700 o1, serial number: 09.0323, year of construction: 09.89, 380 V, 50 Hz, 6 floors, dimensions floor: (6x) 700 mm x 800 mm, total dimensions: 1060 mm x 920 mm x 1800 mm.	1000
20	Unitrak	Unitrak elevating belt, model: TT-500PEC, serial number: 043990-2, plastic belt with dividers, belt width: 255 mm, divider height: 140 mm, distance between dividers: 100 mm, elevating height: 5800 mm, total dimensions: 4400 mm x 600 mm x 6225 mm.	3500
21	Maschinenfabrik Bermatingen GmbH Co	Maschinenfabrik Bermatingen GmbH Co paper press, type: Horizontalballenpresse 60 SLD, serial number: 117883, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 16 A, 7.5 kW, dimensions: 4650 mm x 1950 mm x 2580 mm.	7500



Nr	Title	Description	Start €
		Including steel trolley, dimensions: 1300 mm x 880 mm x 1040 mm.	
22	Spako	Spako cooking vessel with agitator, inside dimensions: Ø 1250 mm x 550 mm, total dimensions: 2000 mm x 1730 mm x 2150 mm.	6000
23	Bosch Groep	Bosch Groep vertical form-, fill-, and seal machine, type: SVB 3601 A, number: 77809INS7501N, year of construction: 1996, diameter pipe: 130 mm, film width: 450 mm, seal width: 360 mm, Gardner Denver vacuum pump, type: V-VC 75, capacity: 70.0/84.0 m³ per hour, total dimensions: 2200 mm x 1550 mm x 2200 mm. With 6 head filling station, diameter: 145 mm, total dimensions: 1350 mm x 1050 mm x 1300 mm and Itra elevating belt with 90° curve, plastic belt, belt width: 400 mm, elevating height from 450 mm to 1150 mm, total dimensions: 3000 mm x 2350 mm x 1250 mm. Including large amount of extra parts.	3500
24	Gico	Gico refrigerated display, model: 390/183, number: OM81057001, 230 V, 50 Hz, 0.375 kW, refrigerant: R404 A, 370 g, dimensions: 2070 mm x 1060 mm x 1350 mm.	200
25	Busch	Busch vacuum pump, type: SV 1016 B 000, serial number: C0219000166, year of construction: 02, capacity: 16 m³ per hour, dimensions: 420 mm x 210 mm x 320 mm.	100
26	Rietschle	Rietschle vacuum pump, type: KLT 15 (03), serial number: 2614459, year of construction: 2006, capacity: 15/18 m³/h, dimensions: 500 mm x 250 mm x 330 mm.	50
27	Rietschle	Rietschle vacuum pump, type: SKG 250-2V.02, serial number: 1494165, year of construction: 1992, 380/415 V, 3 Ph, 50/60 Hz, 3.3/3.5 A, 1.1/1.3 kW, dimensions: 390 mm x 230 mm x 350 mm.	75
28	ABB	ABB motor, model: 3GQA 082301-BSA, serial number: 3GC11500367239011050, year of construction: 2011.1, weight: 17 kg, dimensions: 380 mm x 200 mm x 230 mm.	50
29	Busch	Busch vacuum pump, type: SV 1025 C 000, number: C0333000262, year of construction: 03, capacity: 25 m³ per hour, dimensions: 480 mm x 250 mm x 440 mm.	100
30	Busch	Busch vacuum pump, type: SV 1025 B 000 1 KXX, number: C0002000116, year of construction: 00, capacity: 25 m³ per hour, dimensions: 550 mm x 440 mm x 370 mm.	100
31	Busch	Busch vacuum pump, type: SV 1025 B 000, number: NF00810103, year of construction: 96, capacity: 25 m³ per hour, dimensions: 480 mm x 330 mm x 550 mm.	100
32	Busch	Busch vacuum pump, type: SV 1025 B 000 IKXX, number: C0101000363, year of construction: 2001, dimensions: 500 mm x 350 mm x 600 mm.	100
33	Delrue	Delrue cooking vessel, number: 21880770, inside dimensions: 610 mm x 610 mm x 520 mm, total dimensions: 1050 mm x 910 mm x 1750 mm.	350



Nr	Title	Description	Start €
34	Delrue	Delrue cooking vessel, number: 21880378, inside dimensions: 610 mm x 610 mm x 520 mm, total dimensions: 1050 mm x 910 mm x 1750 mm.	350
35	Charot	Charot pressure vessel, type: ECS, year of construction: 09-1994, capacity: 1000 liter, pressure: 7 bar, dimensions: 900 mm x 900 mm x 2500 mm.	100
36	NN cabinet	S/s isolated cabinet with doors on 2 sides, 8 floors, floor dimensions: 360 mm x 500 mm, total dimensions: 1200 mm x 800 mm x 1720 mm. Mounted on pallet.	250
37	NN hamburger forming machine	Hamburger forming machine, inside dimensions: ø 150 mm x 280 mm, total dimensions: 600 mm x 420 mm x 1700 mm.	150
38	Prominox	Prominox mobile elevating belt, plastic belt, belt width: 265 mm, divider height: 50 mm, distance between dividers: 185 mm, elevating height: 3750 mm, total dimensions: 5050 mm x 1450 mm x 3900 mm.	1500
40	Bravilor	Bravilor coffee machine, model: B40, type: Bonamat 247, capacity: (2x) 40 liter, total dimensions: 1500 mm x 600 mm x 1660 mm.	200
41	Winterhalter	Winterhalter dishwasher, type: GR1221, number: 230 685, 220 V, 3 Ph, 50 Hz, 30.0 A, 10.5 kW, dimensions: 800 mm x 930 mm x 1610 mm.	250
42	Karopack	Karopack mobile strapping machine, model: DBA-130A, machine number: 03107245, 220 V, 1 Ph, 50 Hz, 0.8 kva, dimensions: 870 mm x 570 mm x 1520 mm.	250
43	Soco System	Soco System mobile box closing machine, model: T-55, machine number: 74-96, year of construction: 1996, plastic rollers, roller width: 250 mm, total dimensions: 1000 mm x 900 mm x 1650 mm.	350
44	Karopack	Karopack mobile strapping machine, model: DBA-130A, machine number: 03107244, 220 V, 1 Ph, 50 Hz, 0.8 kva, dimensions: 870 mm x 570 mm x 1520 mm.	250
45	Grundfos	Grundfos pump, serial number: A96123983P11233, 50 Hz, 18.5 kW, 64 m³ per hour, with 2 Reflex pressure vessels, dimensions: 1600 mm x 500 mm x 1520 mm.	750
46	TESA	TESA mobile box closing machine with top and bottom taper, type: 6030, serial number: 2700, year of construction: 1986, 380 V, 3 Ph, 50 Hz, 1.5 A, 400 W, plastic rollers, roller width: 300 mm, total dimensions: 1370 mm x 1000 mm x 1680 mm.	250
47	NN film	Large amount of film rolls, film width: 160 mm.	10
48	NN film	Large amount of film rolls.	10
49	Tecumseh	Tecumseh cooling compressor, dimensions: 600 mm x 500 mm x 450 mm.	250
50	Tecumseh	Tecumseh cooling compressor, dimensions: 400 mm x 300 mm x 450 mm.	150
51	Service 2000	Service 2000 mobile labelling machine, type: 3000.150, serial number: 2723.98, year of construction: 1998,	175



Nr	Title	Description	Start €
		weight: 160 kg, fabric belt, belt width: 190 mm, total dimensions: 1510 mm 850 mm 1500 mm.	
52	Digo Teraoka	Digo Teraoka weighing scale with indicator and label printer, model: DPS-4600, type: Single, serial number: 13113459, year of construction: 2013, 220/240 V, 50/60 Hz, 1 A, 100 W, maximum capacity: 6/15 kg, minimum capacity: 40 g, e=2/5 g, t=-5.995 kg, scale dimensions: 340 mm x 290 mm, total dimensions: 720 mm x 1100 mm x 1680 mm.	300
53	Berief	Berief cooking vessel with mixing arm, fabrication number: 6954, year of construction: 1996, volume: 200 litres, maximum temperature: 100°C, dimensions: 1100 mm x 1400 mm x 1600 mm.	1500
54	Insectazap	5 Insectazap insect killers, dimensions: (5x) 380 mm x 120 mm x 340 mm.	50
55	Videojet	Videojet inkjet printer, model: 1620, serial number: 16190014C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	900
56	Videojet	Videojet inkjet printer, model: 1620, serial number: 16292104C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	900
57	Van Leeuwen	Van Leeuwen mobile transport belt, serial number: STT1021, year of construction: 2010, plastic belt, belt width: 370 mm, total dimensions: 5200 mm x 700 mm x 1000 mm.	600
58	Meca	Meca Plastic traysealer, type: 2005, number: 5745, year of construction: 2004, film width: 560 mm, dimensions dye: (3x) 210 mm x 125 mm, total dimensions: 5700 mm x 1100 mm x 2100 mm. Rollies not included.	2000
59	NN dough portioner	Mobile elevating belt with dough portioner, plastic belt, belt width: 700 mm, elevating height: 2700 mm, total dimensions: 6100 mm x 1350 mm x 2850 mm.	1000
60	EBM	EBM kebab slicer, type: BT, fabrication number: 86/B-978, 0.37 kW, plastic infeed belt with dividers, belt width: 480 mm, distance between dividers: 350 mm, divider height: 50 mm, 18 knives, distance between knives: 20 mm, plastic outfeed belt: 400 mm, total dimensions: 2850 mm x 950 mm x 1850 mm.	2500
61	Videojet	Videojet inkjet printer, model: 1620, serial number: 16190017C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 550 mm.	900
62	Videojet	Videojet inkjet printer, model: 1620, serial number: 16190020C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	900
63	Meca Plastic	Meca Plastic traysealer, type: MECA 2003 MF, number: 5492, year of construction: 09.03, chain infeed conveyor with dividers, chain width: 450 mm, distance between dividers: 390 mm, outfeed roller conveyor, plastic rollers,	4500



Nr	Title	Description	Start €
		roller width: 970 mm, total dimensions: 4100 mm x 1000 mm x 2000 mm. Including pallet with 8 extra dye's, dye dimensions: 300 mm x 250 mm, 320 mm x 260 mm, (2x) 250 mm x 140 mm, (4x) 140 mm x 120 mm. Rollies not included.	
64	Videojet	Box with 15 Videojet ink cartridges.	150
65	Collette	Collette mixer, model: MP 45, s/s tub, volume: 45 liter, dimensions: 840 mm x 650 mm x 1350 mm.	125
66	Bertrand	Bertrand mobile liquid sourdough fermentation tank, model: SEBP BPU, type: FERMENTOLEVAIN FL80, serial number: 9300000000015940, year of construction: 05/2014, 400 V, 50/60 Hz, 3.75 A, 1.5 kW, fluid: R404A, machine weight: 220 kg, tank: Ø 600 mm x 500 mm, total dimensions: 1150 mm x 830 mm x 1500 mm.	1500
67	Bertrand	Bertrand mobile liquid sourdough fermentation tank, model: SEBP BPU, type: FERMENTOLEVAIN FL140, serial number: 9300000000044328, year of construction: 09/2016, 400 V, 3 Ph, 50 Hz, 5.25 A, 2.1 kW, fluid: R404A, machine weight: 265 kg, tank: Ø 600 mm x 750 mm, total dimensions: 1150 mm x 800 mm x 1500 mm.	2100
68	Erika Record	Erika Record mobile dough divider and rounder, working diameter: 390 mm, total dimensions: 710 mm x 710 mm x 1600 mm.	200
69	Snijders Scientific b.v.	Snijders Scientific b.v. mobile cooled incubator, model: Economic Basic, serial number: EB120005-13, 220-240 V, 1 Ph, 50 Hz, volume: 480 liter, refrigerant: R134a, 0.67 kg, dimensions: 815 mm x 900 mm x 1950 mm.	600
70	Bayonne	Bayonne mobile heated counter, 380 V, 3 Ph, 7500 W, inside dimensions: (5x) 500 mm x 300 mm x 155 mm, total dimensions: 2000 mm x 900 mm x 1700,	200
71	Animo	Animo double coffee machine, number: 10640/ 2U 13921, volume: (2x) 10 liter, total dimensions: 910 mm x 580 mm x 1700 mm.	150
72	France Tranfo	France Transfo transformer, type: NBN HD 428.1 S1 -CC', serial number: 409976-01, year of construction: 2006, 400 V, 225.3 A, weight: 915 kg, 160 kVA, dimensions: 800 mm x 1100 mm x 1380 mm.	1250
73	Mohn	Mohn s/s sink, sink dimensions: 850 mm x 700 mm, total dimensions: 2850 mm x 850 mm x 1300 mm. Rollies not included.	250
74	Bizerba / August Sauter KG.	Bizerba / August Sauter KG. weighing scale, type: F, serial number: 528562, year of construction: 1976, scale: 540 mm x 450 mm, total dimensions: 750 mm x 900 mm x 1300 mm.	50
75	Nieros	Nieros boot washer, brush width: 400 mm, total dimensions: 1000 mm x 620 mm x 1300 mm.	200
76	Olivo	5 Olivo insulated containers, dimensions: (5x) 1200 mm x 800 mm x 1850 mm.	1750



Nr	Title	Description	Start €
77	Olivo	10 Olivo insulated containers, dimensions: (10x) 1200 mm x 800 mm x 1850 mm.	3500
78	Olivo	15 Olivo insulated containers, dimensions: (15x) 1200 mm x 800 mm x 1850 mm.	5250
79	Meissner	Meissner mixer-grinder, type: AM-130/2, number: 420 2110, year of construction: 2002, 230-400 V, 3 Ph, 50 Hz, 28 A, 15 kW, plate diameter: 130 mm, total dimensions: 1210 mm x 1210 mm x 1530 mm.	1250
80	Dito-Sama	Dito-Sama bowl mixer, type: MC40S, serial number: 19274 0230 025, 230/400 V, 3 Ph, 50 Hz, 4.2/2.4 A, 900 W, volume: 40 liter, inside dimensions bowl: ø 400 mm x 400 mm, total dimensions: 620 mm x 750 mm x 1410 mm.	350
81	NN mixer	Mixer, dimensions: 830 mm x 500 mm x 1000 mm.	150
82	Modesta	Modesta blower, type: MX15/351, serial number: B5211242, year of construction: okt-05, 11 kW, capacity: 10390 m³/h, weight: 500 kg, outfeed diameter: 350 mm, total dimensions: 1380 mm x 1000 mm x 1670 mm.	300
83	Unox	Unox oven, model: XFT190, number: 2017E0030930, 220-240 V, 1 Ph, 50/60 Hz, 4 floors, floor dimensions: 370 mm x 600 mm, total dimensions: 800 mm x 800 mm x 550 mm. Table not included.	300
84	Dometic	Dometic refrigerator, model: ML 355S, serial number: 0041306, 220/240 V, 1 Ph, 50 Hz, 1.2 A, refrigerant: R134a, 0.21 kg, volume: 353 liter, 6 floors, floor dimensions: 590 mm x 370 mm, total dimensions: 730 mm x 590 mm x 1700 mm.	250
86	Olivo	Olivo mobile thermo container, type: ROLL 1410, serial number: 11525, year of construction: 11/2015, inside dimensions: 800 mm x 1000 mm x 1650 mm, total dimensions: 1200 mm x 1000 mm x 2000 mm.	400
87	NN meat hooks	Plastic tub with large amount of s/s meat hooks, hook length: 1480 mm and 1700 mm.	200
88	World Marché	World Marché tub with drain, inside dimensions: 630 mm x 510 mm x 150 mm, total dimensions: 820 mm x 640 mm x 1170 mm.	100
89	Océ	Océ paper folding machine, working width: 1150 mm, total dimensions: 1250 mm x 500 mm x 950 mm.	300
90	Bravilor Bonamat	Bravilor Bonamat double coffee machine, model: B 10-HW, dimensions: 1000 mm x 360 mm x 790 mm. Table not included.	150
91	Colged	Colged dishwasher, type: PL220 DDI, serial number: 114918, year of construction: 2005, 400 V, 63 A, 35.5 kW, dimensions sink: 940 mm x 840 mm x 1150 mm, dimensions dishwasher: 3000 mm x 800 mm x 1890 mm, dimensions 180° curve: 1400 mm x 820 mm x 850 mm, dimensions roller conveyor: 1150 mm x 630 mm x 860 mm. Rollies not included.	2000
92	Leventi		300



Nr	Title	Description	Start €
		Leventi combi steamer, type: Super, number: 88698, 220 V, 3 Ph, 50 Hz, 9 floors, floor dimensions: 360 mm x 630 mm, total dimensions: 900 mm x 730 mm x 780 mm.	
93	Convotherm Elektrogeräte GmbH	Convotherm Elektrogeräte GmbH combi steamer for 1 trolley, type: C4eD 20.20 ES, serial number: XS716051165, 400 V, 3 Ph, 50/60 Hz, 97.3 A, 67.3 kW, s/s mobile rack, 20 floors, dimensions floors: (20x) 650 mm x 540 mm, total dimensions: 800 mm x 790 mm x 1840 mm.	6000
94	Gec Avery	Gec Avery weighing scale, type: L226, serial number: 49 007734, 220-240/110-120V, 50/60 Hz, weighing range: 0.04kg-6 kg, temperature range: -10°C/+40°C, dimensions scale: 300 mm x 280 mm, total dimensions: 550 mm x 340 mm x 660 mm	150
95	Ishida Scales MFG. CO., LTD.	Ishida Scales MFG. CO., LTD. weighing scale, type: D-86, serial number: 5154, 220 V, 50 Hz, dimensions scale: 250 mm x 250 mm, total dimensions: 290 mm x 440 mm x 270 mm.	30
96	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale with label printer, type: E1300 / ETM03, serial number: 3031371, 100-240 V, 50/60 Hz, 2.2 A, minimum load: 40 g, maximum load: 6/15 kg, e=2/5 g, scale dimensions: 400 mm x 220 mm, total dimensions: 400 mm x 500 mm x 150 mm.	30
97	Diamond	Diamond saladette, model: SX249G/ PM, serial number: 115197, year of construction: 2015, 220-240 V, 50 Hz, 1.4 A, 190 W, refrigerant: R-143a/250 g, dimensions: 2480 mm x 340 mm x 400 mm.	150
98	Quarto	6 Quarto payment systems with receipt printer from which 6 in a frame, dimensions each: 600 mm x 600 mm x 440 mm. Table not included.	600
99	Spako	Spako cooking vessel, type: RHA400, number: 0085 BM 0459, year of construction: 2014, 230 V, 50 Hz, 60 W, 27.9/31 kW, gas heated, natural gas, gas consumption: 2.70 m³ per hour, inside dimensions: 1100 mm x 650 mm x 485 mm, total dimensions: 1400 mm x 1170 mm x 985 mm.	2000
100	Rubbens	Rubbens cooking vessel, type: SNK150G, number: 2005 045151 0001, 230 V, 50 Hz, 10 A, 0.7 kW, 2.86 m³ per hour, volume: 150 liter, total dimensions: 1000 mm x 1250 mm x 1250 mm.	750
101	NN roller conveyor	Mobile driven roller conveyor, s/s frame, plastic rollers, roller width: 600 mm, total dimensions: 1600 mm x 700 mm x 930 mm.	250
102	Fornotel	Fornotel grill, type: Salamandre, number: 1827, 380 V, 2 Ph, 5000 W, dimensions: 860 mm x 600 mm x 450 mm.	75
103	Comersa	Comersa refrigerated showcase, dimensions: 1700 mm x 560 mm x 400 mm.	75
104	NN elevating belt		400



Nr	Title	Description	Start €
		Elevating belt, plastic belt, belt width: 400 mm, elevating height: 900 mm, total dimensions: 3450 mm x 620 mm x 950 mm. Rollie not included.	
105	Bedelec	Bedelec roller conveyor, year of construction: 2006, 230 V, 4.2/20 A, plastic rollers, roller width: 400 mm, total dimensions: 2000 mm x 980 mm x 1120 mm.	400
106	Cryovac / Grace Italiana	Cryovac / Grace Italiana mobile bag blower, model: BL 19, serial number: 02002, year of construction: 1978, 220/380 V, 50 Hz, dimensions: 1300 mm x 600 mm x 880 mm.	200
107	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 500 mm, total dimensions 2100 mm x 1500 mm x 1050 mm.	250
108	NN slide	Mobile s/s slide, s/s rollers, roller width: 600 mm, total dimensions: 2900 mm x 740 mm x 2050 mm.	150
109	IC-S	IC-S mobile mesh belt, type: Grilleband, serial number: IG156-00-0100, year of construction: 2015, 400 V, 3 Ph, 0.25 kW, weight: 110 kg, s/s frame, s/s mesh belt, belt width: 210 mm, total dimensions: 1600 mm x 640 mm x 1365 mm.	300
110	NN table	Mobile s/s table, dimensions: 1900 mm x 1250 mm x 970 mm.	200
111	NN transport belt	Transport belt with rejector, plastic mesh belt, belt width: 380 mm, total dimensions: 660 mm x 660 mm x 1000 mm,	200
112	Sicli	Sicli powder fire extinguisher, type: P 50 A M 1, dimensions: 600 mm x 600 mm x 1000 mm.	25
113	Videojet	Videojet inkjet printer, model: 1620, serial number: 16190012C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	900
114	Videojet	2 Videojet inkjet printer, model: 1620, serial number: 16292105C23ZH and 16190019C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.	1500
115	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EVM 5006, serial number: M-54190, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 1.84 A, 0.55 kW, weight: 215 kg, working width: 555 mm, total dimensions: 700 mm x 950 mm x 1100 mm.	750
116	NN bread slicer	Mobile bread slicer, 42 knives, distance between knives: 10 mm, total dimensions: 700 mm x 550 mm x 1450 mm.	100
117	Sinmag	Sinmag mobile spiral mixer, model: SM 25, machine number: P10038, year of construction: 10/1992, 380 V, 3 Ph, 50 Hz, s/s bowl, volume: 25 liter, dimensions: 860 mm x 500 mm x 1040 mm.	250
118	Thermoplan ag	Thermoplan ag automatic cream whipping machine, type: Whipper 5, serial number: 88508073, 220 V, 50 Hz, 400 W, refrigerant: Freon 12 / 60 g, dimensions: 330 mm x 580 mm x 430 mm.	100
119	Merrychef	Merrychef high-speed oven, model: 2000, serial number: OSM 10212, dimensions: 430 mm x 600 mm x 500 mm.	250



Nr	Title	Description	Start €
120	Alpina	Alpina heated showcase, model: ADA SGd 25, fabrication number: 162, year of construction: 2012, 230 V, 50 Hz, 2.5 kW, weight: 65 kg, 3 floors, dimensions floor: (3x) 730 mm x 570 mm, total dimensions: 950 mm x 630 mm x 880 mm. Trolley not included.	450
121	Kenwood	Kenwood grinder, type: MG70, 220-240 V, 50/60 Hz, 850 W, dimensions: 340 mm x 200 mm x 500 mm.	100
122	Roband Australia Pty Ltd	Roband Australia Pty Ltd grill, model: GSA815R, serial number: 898, year of construction: 2017, 230 V, 50 Hz, 13 A, 2990 W, grill dimensions: 500 mm x 380 mm, total dimensions: 530 mm x 450 mm x 220 mm.	100
123	Roller Grill	Roller Grill grill, type: Salamandre, 380 V, 2 Ph, 4000 W, grill plate dimensions: 750 mm x 300 mm, total dimensions: 860 mm x 450 mm x 450 mm.	150
124	Roband Australia Pty Ltd	Roband Australia Pty Ltd griddle toaster, model: GT700, serial number: 496, year of construction: 2016, 400-230 V, 50 Hz, 12.8 A, 5.9 kW, toaster dimensions: 700 mm x 400 mm, total dimensions: 730 mm x 600 mm x 375 mm.	100
125	Olis	Olis grill, model: SE60/4, number: 80400042, 400 V, 2 Ph, 50-60 Hz, 4000 W, grill plate dimensions: 550 mm x 330 mm, total dimensions: 600 mm x 550 mm x 500 mm.	50
126	OCM	OCM electric shutter door, serial number: 5239, year of construction: 2012, door dimensions: 2100 mm x 2040 mm, total dimensions: 2650 mm x 450 mm x 2420 mm.	100
127	NN skinless sausage cutting machine	Skinless sausage cutting machine, 24 V, working width: 300 mm, total dimensions: 650 mm x 500 mm x 450 mm. Technical condition unknown.	250
128	Pele Vite	Pele Vite peeler, inside dimensions: Ø 380 mm x 280 mm, total dimensions: 800 mm x 600 mm x 920 mm.	750
129	NN pulper	S/s manual pulper for soft products, perforations: Ø 3 mm, total dimensions: 500 mm x 500 mm x 1000 mm.	150
130	Courvertec	Courvertec mobile transport belt, model: STB-2.5, serial number: 102, plastic belt with dividers, belt width: 150 mm, distance between dividers: 250 mm, total dimensions: 2550 mm x 550 mm x 1260 mm.	300
131	Mado	Mado cutter with ejector, type: MSM 765 SL, number: 105026, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 63 A, 32 kW, s/s bowl, volume: 70 liter, dimensions: 1900 mm x 1260 mm x 1350 mm.	13500
132	Kolbe	Kolbe grinder, type: SW 100, serial number: 68 6387, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 6.9 A, 2.9 KW, weight: 110-115 kg, diameter plate: 100 mm, total dimensions: 900 mm x 500 mm x 1340 mm.	1500
133	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 1850 mm x 600 mm x 950 mm.	300
134	NN grinder	Mobile grinder, dimensions: 820 mm x 470 mm x 1280 mm.	75
135	NN mixer		450



Nr	Title	Description	Start €
		S/s mobile mixing arm, diameter mixing head: 150 mm, total dimensions: 400 mm x 1250 mm x 1530 mm.	
136	Pama Parsi Machine S.r.l.	Pama Parsi Machine S.r.l. mobile pasteurizer, model: PS 150, serial number: 3621, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 14 A, 9 kW, weight: 150 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 1580 mm x 850 mm x 2450 mm.	2500
137	Kärcher	Kärcher mobile high pressure cleaner with floor cleaning attachment, dimensions: 550 mm x 400 mm x 1500 mm.	35
138	Thermodyne	Thermodyne mobile slow cook and hold oven, model: 1900G, serial number: 14567, year of construction: 1/1/17, 230/440 V, 3 Ph, 50 Hz, 11 A, 10 floors, floor dimensions: (10x) 650 mm x 550 mm, total dimensions: 830 mm x 680 mm x 1960 mm.	3500
139	Alto-Shaam	Alto-Shaam mobile warming cabinet, model: 750-B/TRP-3, serial number: 5067-13-390, 220 V, 1 Ph, 3000 W, (3x) 12 floors, dimensions floors: (12x) 650 mm x 540 mm, total dimensions: 820 mm x 730 mm x 1920 mm.	500
140	Reepack	Reepack mobile traysealer, model: 511VG, number: 3803076, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 18 A, dye: 320 mm x 255 mm, film width: 360 mm, with Busch oxygen vacuum pump, type: RC 0063 E 453, number: 03026309, capacity: 63 m ³ per hour, total dimensions: 950 mm x 600 mm x 1540 mm. Including 3 boxes with plastic trays, model trays: 1/2 GN 100 WH CMH 950 CTN.	1500
141	Multivac	Multivac mobile vacuum machine, type: AG 900, machine number: 6751, 380/220 V, 50 Hz, 16/12 A, 2.5 kW, chamber: 450 mm x 450 mm, seal length: 450 mm, vacuum pump, total dimensions: 700 mm x 520 mm x 1030 mm.	500
142	Convotherm Elektrogeräte GmbH	Convotherm Elektrogeräte GmbH combi steamer, model: OES 6.10 mini, number: XSMMA3748, 400 V, 3 Ph, 50/60 Hz, 14.8 A, 7.1 kW, 12 floors, dimensions floors: (12x) 500 mm x 335 mm, total dimensions: 900 mm x 520 mm x 670 mm.	450
143	Turbovac B.V.	Turbovac B.V. mobile vacuum machine, type: SB 500, machine number: 85025562, 220/380 V, 3 Ph, 50 Hz, 11.4/8.7 A, chamber: 450 mm x 510 mm, seal length: (2x) 500 mm, Busch vacuum pump, type: 063-132, capacity: 63 m ³ per hour, total dimensions: 720 mm x 650 mm x 1100 mm.	600
144	Olympus	Olympus mobile traysealer, type: OLYV060OCEpFIMPICR, serial number: 185015, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 4 kW, weight: 320 kg, film width: 343 mm, dye: (4x) 175 mm x 120 mm, vacuum pump, total dimensions: 1170 mm x 980 mm x 1520 mm.	4500
145	Stephan		1400



Nr	Title	Description	Start €
		Stephan vacuum mixer, type: VM 100, machine number: 32593, year of construction: 1982, 380 V, 3 Ph, 50 Hz, 3.1 A, inside dimensions: Ø 465 mm x 530 mm, total dimensions: 1100 mm x 950 mm.	
146	Zumoval	Zumoval juice press, model: Zumoval Top, serial number: A15661-170508B, 230 V, 1 Ph, 50/60 Hz, 4.1/3.7 A, 0.55 kW, dimensions: 600 mm x 500 mm x 1900 mm.	350
148	NN bandsaw	Bandsaw, type: 92.H, number: 89.738, 380/220 V, 50 Hz, dimensions: 620 mm x 570 mm x 1530 mm. Trolley not included.	150
149	Dito-Sama	Dito-Sama spiral mixer, model: XBE20, s/s tub, tub dimensions: Ø 310 mm x 300 mm, total dimensions: 700 mm x 450 mm x 1200 mm. Including extra aluminium whisk and flat beater.	500
150	Dito-Sama	Dito-Sama planetary mixer, model: BMXE80AS, number: FF357, year of construction: 11/1995, 230-400 V, 3 Ph, 50 Hz, 7.1-4.1 A, 2000 W, volume: 80 liter, dimensions: 700 mm x 1100 mm x 1450 mm. Including s/s bowl, whisk and aluminium paddle.	1200
151	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 5635, year of construction: 2003, 380 V, 3 Ph, 50 Hz, working width: 510 mm, total dimensions: 930 mm x 820 mm x 1020 mm.	600
152	Cretel	Cretel mobile skinning machine, model: 646PX, number: 200900, working width: 435 mm, total dimensions: 810 mm x 730 mm x 970 mm.	400
153	Cretel	Cretel mobile skinning machine, working width: 460 mm, total dimensions: 700 mm x 770 mm x 1000 mm.	500
154	NN pressure vessel	Mobile pressure vessel, number: N24IX/03, year of construction: 2005, dimensions: 350 mm x 350 mm x 1000 mm.	250
155	Schaerer	Schaerer coffee machine, dimensions: 550 mm x 430 mm x 670 mm.	50
156	Maxima	Maxima planetary mixer, model: MPM20, serial number: MPM20-Y20-1919, 230 V, 1 Ph, 50 Hz, 0.75 kW, s/s tub, volume: 20 liter, dimensions: 550 mm x 480 mm x 900 mm. With spiral and flat beater. Without trolley.	250
157	Debotec	Debotec piston filler inside dimensions: Ø 215 mm x 460 mm, total dimensions: 435 mm x 415 mm x 1170 mm.	200
158	Debotec	Debotec piston filler, inside dimensions: Ø 235 mm x 440 mm, total dimensions: 435 mm x 415 mm x 1170 mm.	200
159	Hydro press	S/s mobile Hydro fruit press, dimensions: Ø 850 mm x 1280 mm.	350
160	Cretel	Cretel mobile skinning machine, working width: 440 mm, total dimensions: 750 mm x 670 mm x 980 mm.	400
161	Maxima	Maxima planetary mixer, model: MPM20, serial number: MPM20-2288, 230 V, 1 Ph, 50 Hz, 0.75 kW, s/s tub,	300



Nr	Title	Description	Start €
		volume: 20 liter, dimensions: 550 mm x 480 mm x 900 mm. With spiral and flat beater. Without trolley.	
162	Röschermatic	Röschermatic mobile tumbler, inside dimensions: Ø 560 mm x 700 mm, total dimensions: 900 mm x 800 mm x 1700 mm.	500
163	GKS Packaging	GKS Packaging mobile vertical bag form- fill and sealing machine, type: EP300, serial number: 04100, year of construction: 08/2005, film width: 530 mm, diameter filling pipe: Ø 150 mm, vertical seal length: 100 mm, horizontal seal length: 350 mm, total dimensions: 1200 mm x 1000 mm x 1500 mm.	750
164	Ferrari	Ferrari mobile double jacketed mixer, year of construction: 1993, gas heated, inside dimensions: Ø 490 mm x 640 mm, total dimensions: 690 mm x 680 mm x 2150 mm.	750
165	Kiremko	Kiremko vegetable slicer, type: SN100, serial number: 96.100.006, year of construction: 1996, 380 V, 50 Hz, 0.37 kW, dimensions: 740 mm x 510 mm x 1150 mm. With extra knife. Without trolley.	300
166	Jac	Jac mobile bread slicer, model: SLD 450/10, number: 00/0046/04, year of construction: 01/00, 380 V, 3 Ph, 50 Hz, 1.8 A, 0.55 kW, weight: 188 kg, working width: 440 mm, distance between knives: 100 mm, total dimensions: 590 mm x 690 mm x 1290 mm.	400
167	Renove	Renove mobile bread slicer, working width: 600 mm, distance between knives: 7.5/8.5 mm, total dimensions: 800 mm x 800 mm x 1150 mm.	250
168	Talleres Vall S.A.	Talleres Vall S.A. s/s bowl cutter, bowl dimensions: Ø 685 mm x 120 mm, total dimensions: 1050 mm x 800 mm x 1050 mm.	1500
169	Webomatic	Webomatic traysealer, type: TL 250, serial number: H9015-Z2B-329, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 3 kW, 380 kg, Busch vacuum pump, type: RA 0063 F 4S3, serial number: D188340299, year of construction: 2018, capacity: 63 m³/h, dimensions: 810 mm x 860 mm x 1730 mm. Including s/s tool trolley with various dyes, dimensions dyes: (4x) 172 mm x 122 mm, (2x) 160 mm x 210 mm and 1x 302 mm x 242 mm, dimensions trolley: 600 mm x 800 mm x 1450 mm.	4500
170	EGMA	EMGA hotpot/chocolate warmer, model: Maxpro, type: FW2, 230 V, 1 Ph, 50 Hz, capacity: (2x) 4.5 L, dimensions: 500 mm x 300 mm x 300 mm.	75
171	Jerome Cretel	Jerome Cretel skinning machine, working width: 325 mm, total dimensions: 400 mm x 530 mm x 350 mm.	75
172	Dadaux	Dadaux strip cutter, model: PRECICUT 2 D, number: PVBX 034, 400 V, 50 Hz, chamber dimensions: 70 mm x 70 mm x 170 mm, distance between knives: 7 mm, total dimensions: 680 mm x 500 mm x 640 mm.	900
173	Kolbe		500



Nr	Title	Description	Start €
		Kolbe grinder table model, type: LW 82, serial number: 78 1421, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.3 A, 1.25 kW, weight: 64 kg, Ø perforations: 3 mm, Ø plate: 80 mm, total dimensions: 480 mm x 440 mm x 600 mm.	
174	Brunner	Brunner vegetable slicer, type: GSM IIBBA-88, serial number: 1748, 230 V, 1 Ph, 50 Hz, 7.0 A, 1.1 kW, dimensions: 600 mm x 370 mm x 630 mm. Including 2 extra knife sets.	250
175	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG clipper, type: PCD 8026, number: 1091, year of construction: 08, 6-8 bar, dimensions: 930 mm x 450 mm x 980 mm. Including clips. Table not included.	400
176	Duni AB	Duni AB traysealer, 230 V, 50 Hz, 1.0 kW, dimensions dye: (2x) 312 mm x 165 mm, total dimensions: 750 mm x 320 mm x 350 mm.	75
177	Bizerba	Bizerba tenderizer, model: S 111 PLUS, number: 11049185, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 2.7 A, working width: 190 mm x 30 mm, distance between knives: 4 mm, total dimensions: 400 mm x 350 mm x 460 mm.	400
178	HygroMatik	HygroMatik steam generator, dimensions: 400 mm x 450 mm x 200 mm.	100
179	Dadaux	Dadaux meat slicer with integrated cooling, type: NEOCUT, number: P-1656, year of construction: 05-2016, 230 V, 50 Hz, refrigerant: R134a/140 gram, dimensions: 350 mm x 500 mm x 600 mm. Never used. Without table.	1000
180	NN vegetable	Vegetable slicer, dimensions: 700 mm x 520 mm x 1120 mm. Including 4 extra knife sets.	200
181	NN vacuum machine	Mobile vacuum machine, dimensions chamber: 490 mm x 480 mm, seal length: 445 mm, with Rietschle vacuum pump, type: SVLE 60, number: 246261, capacity: 60 m ³ per hour, 1400 rpm, total dimensions: 800 mm x 680 mm x 1080 mm.	150
182	Coldline	Coldline refrigerated work bench, model: TA13/1M, serial number: 101814695, year of construction: 2014, 230 V, 50 Hz, 3.1 A, 546 W, refrigerant: R452a/260 g, dimensions: 1300 mm x 700 mm x 900 mm.	500
183	Bartscher GmbH	Bartscher GmbH insect killer, type: GC1-40, number: 300317, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 45 W, dimensions: 640 mm x 100 mm x 370 mm.	20
184	NN au-bain-marie	Au-bain-marie, dimensions: 600 mm x 340 mm x 270 mm.	50
185	KitchenPlus	KitchenPlus s/s refrigeration counter, dimensions: 700 mm x 1700 mm x 960 mm.	350
186	Multivac	Multivac vacuum machine, dimensions chamber: 450 mm x 500 mm, seal length: 500 mm, total dimensions: 540 mm x 560 mm x 500 mm.	100
187	Henkovac	Henkovac vacuum machine, type: E-153, serial number: 20103083, year of construction: 2010, 220-240 V, 1 Ph, 50	350



Nr	Title	Description	Start €
		Hz, 6 A, dimensions chamber: 425 mm x 460 mm, seal length: 450 mm, total dimensions: 560 mm x 540 mm x 500 mm.	
188	Bravilor Bonamat	Bravilor Bonamat double coffee machine, model: B20-021, type: 8.635.104.500, 230/400 V, 3 Ph, 50/60 Hz, 9000 W, 0.5/10 bar, capacity: (2x) 20 liter, total dimensions: 1200 mm x 600 mm x 900 mm.	150
189	NN bake trays	17 steel bake trays, dimensions: (17x) 650 mm x 530 mm.	80
190	Digi/TERAOKA	Digi/TERAOKA label printer, model: DPS-4600, serial number: 11100103, year of construction: 2011, 220-240 V, 50/60 Hz, 1 A, 100 W, weighing range: 40g-6/15 kg, e=2/5g, T=-5.998kg, dimensions: 400 mm x 300 mm x 650 mm.	150
191	Duniform	Duniform tray sealer, type: DF10, machine number: DF1001181, 230 V, 50 Hz, 0.5 kW, dye: 145 mm x 245 mm, total dimensions: 260 mm x 550 mm x 340 mm.	120
192	Digi/TERAOKA	Digi/TERAOKA weighing scale, type: SM-5000BS, serial number: 14929584, year of construction: 2014, 220-240 V, 50/60 Hz, 0.9 A, 90 W, weighing range: 40g-6/15kg, e=d=2/5g, T=-5.998kg, dimensions scale: 300 mm x 380 mm, total dimensions: 400 mm x 400 mm x 620 mm.	150
193	NN cheese slicer	Cheese slicer, dimensions: 300 mm x 240 mm x 420 mm.	20
194	R.V.Rutland&Co Ltd	R.V.Rutland&Co; Ltd plate heater, model: R210, serial number: 8098, 240 V, 1 Ph, 1.3 kW, 10 floors, dimensions each floor: 270 mm x 150 mm, total dimensions: 380 mm x 220 mm x 470 mm.	100
195	NN piston filler	Manual piston filler, inside dimensions: Ø 190 mm x 400 mm, dimensions: 400 mm x 260 mm x 1200 mm.	200
196	Sibola	Sibola seal machine, type: TNDV 500 SFN, serial number: 6198, year of construction: 1988, 110-240 V, 0.26 A, 480 W, seal length: 550 mm, total dimensions: 610 mm x 750 mm x 180 mm.	30
197	NN double grill	Double panini grill, type: PANINI DR, serial number: 111232587, 220/240 V, 1 Ph, 50/60 Hz, (2x) 3000 W, dimensions: 800 mm x 450 mm x 230 mm.	100
198	Slijp machinefabriek	Slijp machinefabriek grinding machine, model: TIP-TOP, number: 49/63, dimensions: 700 mm x 300 mm x 500 mm.	200
199	Diko GmbH	Diko GmbH double waffle iron with depositor, type: WBG, waffle dimensions: (2x) 240 mm x 200 mm, total dimensions: 570 mm x 450 mm x 700 mm.	400
200	Melior	Melior piston filler, inside dimensions: ø 200 mm x 400 mm, total dimensions: 700 mm x 400 mm x 870 mm.	150
201	Hatco Corporation	Hatco Corporation soup kettle, model: RHW-1, serial number: C358051626, 230 V, 1 Ph, 50/60 Hz, 5.4 A, 1250 W, inside dimensions: Ø 270 mm x 200 mm, total dimensions: 360 mm x 330 mm x 390 mm.	75
202	EVA 2000	EVA 2000 vegetable peeler, total dimensions: 440 mm x 250 mm x 200 mm.	10



Nr	Title	Description	Start €
203	DECATECHNIC NV	DECATECHNIC NV parts for filling machine, type: DV 2011, year of construction: 2007.	250
204	NN peeler	Peeler, diameter infeed: 320 mm, total dimensions: 750 mm x 600 mm x 1100 mm.	300
205	Logitrans	Logitrans electric pallet lifter, type: PM 1400, serial number: 091B24068438, year of construction: 2009, capacity: 1400 kg, own weight: 205 kg, lifting height: 200 mm, fork length: 1140 mm, total dimensions: 1600 mm x 620 mm x 1290 mm. Including charger.	250
206	Melior	Melior tenderiser, model: 35NSH, machine number: 15100426, year of construction: 2015, dimensions: 650 mm x 500 mm x 1700 mm.	200
207	Faema	Faema coffee machine, dimensions: 750 mm x 600 mm x 500 mm.	100
208	Therma	Therma salamander grill, dimensions: 600 mm x 700 mm x 550 mm.	75
209	Dick	Dick manual piston filler, dimensions inside: Ø 190 mm x 420 mm, total dimensions: 400 mm x 260 mm x 1150 mm.	200
210	L.Bossuyt	L.Bossuyt piston filler, dimensions inside: Ø 190 mm x 300 mm, total dimensions: 400 mm x 250 mm x 840 mm.	250
211	Dick	Dick manual piston filler, dimensions inside: Ø 190 mm x 420 mm, total dimensions: 400 mm x 260 mm x 1150 mm.	200
212	UWE	UWE weighing scale, model: ADW-15KE, serial number: ADWE-D 7338, weighing range: 100g-15kg, dimensions: 280 mm x 260 mm x 150 mm.	25
213	UWE	5 UWE weighing scales, model: ADW-15KE, weighing range: 100g-15kg, dimensions: (5x) 280 mm x 260 mm x 150 mm.	125
214	Carotti Ice	Carotti Ice ice crusher.	75
215	PMC Milliot	3 PMC Milliot weighing scales, model: SUPER-SS, maximum weighing capacity: 15kg, dimensions: (3x) 300 mm x 250 mm x 110 mm.	75
216	PMC Milliot	2 PMC Milliot weighing scales, model: SUPER-SS, maximum weighing capacity: 15kg, dimensions: (2x) 300 mm x 250 mm x 110 mm.	50
217	Milan Toast	Milan Toast grill, 2 floors, floor dimensions: 350 mm x 200 mm, total dimensions: 450 mm x 230 mm x 350 mm.	50
218	Baxtran	Baxtran weighing scale, model: SS, maximum weighing capacity: 15 kg, dimensions: 300 mm x 240 mm x 110 mm.	25
219	NN staplers	17 staplers.	15
220	Bizerba	Bizerba strip cutter, type: S 111 PLUS, number: 10113761, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 2.7 A, working width: 175 mm, distance between knives: 5 mm, total dimensions: 410 mm x 340 mm x 480 mm. Including extra knife set, distance between knives: 3 mm.	450
221	Therma		40



Nr	Title	Description	Start €
		4 Therma heating plates, type: 3335 68, 220/250 V, 800/1030 W, plate dimensions: 200 mm x 200 mm x 30 mm, total dimensions: 280 mm x 200 mm x 180 mm.	
222	NN burger forming attachment	Burger forming attachment, oval forms: (4x) 70 mm x 90 mm, total dimensions: 440 mm x 320 mm.	175
223	NN clamp	Clamp, dimensions: 540 mm x 380 mm x 150 mm.	15
224	NN clamp	Clamp, dimensions: 540 mm x 380 mm x 150 mm.	15
225	Princess	Princess grill, dimensions: 530 mm x 400 mm x 120 mm.	30
226	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH induction plate, type: AK-2, serial number: 2-1113-3076, year of construction: 2013, 230 V, 1 Ph, 50/60 Hz, 9.1 A, 2.1 kW, dimensions: Ø 320 mm x 100 mm.	100
227	Regal	Regal coffee aluminium percolator and filter, number: 7203, 220 V, 1500 W, dimensions: 320 mm x 330 mm x 530 mm.	25
228	Karma Global Ltd.	Karma Global Ltd. s/s Coffee percolator and filter, model: 688092, serial number: C030015, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 1620 W, volume: 15 liter, dimensions: 350 mm x 280 mm x 650 mm.	25
229	Krups	Krups coffee machine, type: KP110, 220/240 V, 1 Ph, 50/60 Hz, 1340/1600 W, dimensions: 260 mm x 170 mm x 300 mm.	10
230	Recsi	Recsi slicer, diameter knife: 215 mm, total dimensions: 550 mm x 360 mm x 360 mm.	25
231	Cafe bar	Cafe Bar coffee machine, model: type: 832.V.W.A, number: 6943439, 230 V, dimensions: 500 mm x 250 mm x 460 mm.	20
232	Aequator	Aequator milk frother, model: Lattiz V1.2, machine number: 1021906067, 230 V, 50/60 Hz, 13 A, dimensions: 540 mm x 200 mm x 600 mm.	25
233	Genus	2 Genus insect killers, model: ILT30-2S1201103247.	150
234	Poly-Clip	Poly-Clip clipper, type: SCH 1210, number: 5576.	100
235	A. Lorenzo Barroso S.A.	A. Lorenzo Barroso S.A. table model clipper, type: Semiautomatica H 540, number: 191, dimensions: 300 mm x 160 mm x 850 mm.	400
236	Tipper-Tie	Large amount of Tipper-Tie clips for clipper.	100
237	Samsung	Samsung ventilator, model: AN050JSKLKN, year of construction: 2016, 220/240 V, 50/60 Hz, 1.1 A, 175 W, air volume: 500 m³/h, 2 air channels, Ø air channel: 190 mm, total dimensions: 1250 mm x 1100 mm x 280 mm.	150
238	Bizerba	Bizerba automatic slicer, model: VS 12 D, number: 10181025, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 2.5 A, 0.575 kW, dimensions: 850 mm x 600 mm x 500 mm.	500
239	General	General air unit, model: ARHG24LMLA, serial number: R003541, 230 V, 50 Hz, 4 air channels, Ø air channel: (4x) 195 mm, total dimensions: 1300 mm x 850 mm x 280 mm.	150



Nr	Title	Description	Start €
240	Santos	Santos vegetable slicer, type: 02, number: 580452, 220-240 V, 50 Hz, 3.5 A, 600 W, dimensions: 500 mm x 250 mm x 370 mm.	75
241	Unika	Unika slicer, dimensions: 500 mm x 400 mm x 180 mm.	25
242	MetalTech	MetalTech lid closer for metal trays, type: 7216, year of construction: 2016, dye: 230 mm x 175 mm, total dimensions: 300 mm x 350 mm x 390 mm.	100
243	Digi/TERAOKA	Digi / Teraoka Seiko Co., LTD weighing scale with label printer, model: DPS-4600, serial number: 13111694, 220-240 V, 50/60 Hz, 1 A, 100 W, max: 6/15 kg, min: 40 gram, e=2/5 gram, dimensions scale: 340 mm x 280 mm, total dimensions: 640 mm x 340 mm x 630 mm.	150
244	NN slicer	Slicer, dimensions: 450 mm x 400 mm x 190 mm.	50
245	Sharpenset	Sharpenset knife sharpener, serial number: 027837, dimensions: 300 mm x 250 mm x 400 mm.	150
246	Costan	Costan refrigerated showcase, dimensions: 1300 mm x 1300 mm x 1270 mm.	250
247	TurboChef Technologies	TurboChef Technologies pizza oven, model: HCW2620EW, serial number: Hhc2620EWED00504, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 21 A, 4.4 kW, s/s mesh belt, belt width: 655 mm, total dimensions: 1550 mm x 1000 mm x 370 mm. Without table.	2400
248	Diamond	Diamond refrigerated showcase, model: MN15B-A1/R2, serial number: 3025, year of construction: 08/08/2019, 230 V, 50 Hz, 1242 W, refrigerant: R290, 3 floors, dimensions: 750 mm x 1000 mm x 1380 mm.	350
249	Kolbe	Kolbe grinder, type: SW 100, machine number: 68 4867, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 6.9 A, 2.9 kW, diameter plate: 100 mm, total dimensions: 900 mm x 550 mm x 1120 mm. Without knives.	1250
250	Tender Star	Tender Star tenderiser, model: T.S.H.Y., serial number: 220610, year of construction: 2020, 230/400 V, 3 Ph, 7.1/4.1 A, 1.5 kW, dimensions: 750 mm x 500 mm x 1620 mm.	750
251	ITS	ITS mobile refrigerated showcase, model: SB-cold, inside dimensions: 1260 mm x 500 mm x 200 mm, total dimensions: 1500 mm x 900 mm x 1430 mm.	400
252	Testo AG	5 Testo AG thermometers.	25
253	Hanna	5 Hanna thermometers.	25
254	Hanna	5 Hanna thermometers.	25
255	Dostmann Electronic	5 Dostmann Electronic thermometers.	25
256	Colged	Colged dishwasher, model: PT810 / PROTECH810, serial number: 169960, year of construction: 04/11/2008, 400 V, 3 Ph, 50 Hz, 16 A, 8.8 kW, 1-6 bar, dimensions: 840 mm x 700 mm x 1560 mm.	900
257	Unox S.p.A		300



Nr	Title	Description	Start €
		Unox S.p.A oven, model: XFT190, serial number: 2018G0053029, weight: 61 kg, 4 floors, floor dimensions: 600 mm x 370 mm, total dimensions: 800 mm x 800 mm x 500 mm.	
258	Hobart	Hobart dishwasher, dimensions: 700 mm x 640 mm x 1900 mm.	500
259	Hobart	Hobart dishwasher, dimensions inside: 700 mm x 585 mm, total dimensions: 950 mm x 775 mm x 1810 mm.	500
260	Winterhalter	Winterhalter dishwasher, inside dimensions: 650 mm x 520 mm, total dimensions: 850 mm x 860 mm x 1630 mm.	500
261	Jeros	Jeros dishwasher, type: 8110, machine number: 082437, year of construction: 2008, 230 V, 3 Ph, 50 Hz, inside dimensions: 450 mm x 700 mm, total dimensions: 800 mm x 750 mm x 1700 mm.	500
262	Frimond	Frimond mobile refrigerated showcase, inside dimensions: 1170 mm x 520 mm x 200 mm, total dimensions: 1230 mm x 950 mm x 850 mm.	125
263	Winterhalter	Winterhalter dishwasher, type: GS640, dimensions inside: 700 mm x 630 mm, total dimensions: 755 mm x 860 mm x 1610 mm.	1000
264	Zummo	Zummo juice press, model: Z14A, serial number: 2140719, 230 V, 1 Ph, 50 Hz, 1.3 A, 275 W, dimensions: 500 mm x 500 mm x 880 mm.	200
265	Exkal concept S.L.	Exkal concept S.L. mobile refrigerated showcase, model: IHON-1,5.00, serial number: 000004739, year of construction: 12/2017, refrigerant: R134A, 230 V, 50 Hz, dimensions: 1150 mm x 1060 mm x 950 mm.	75
266	Juno Großküchen GmbH	Juno Großküchen GmbH combi steamer, type: 5511-3, 380 V, 3 Ph, 50 Hz, 35 A, 9000/9300 W, 6 floors, floor dimensions: 600 mm x 400 mm, total dimensions: 1000 mm x 900 mm x 1770 mm.	750
267	Leventi	Leventi combi steamer, type: CM MM Q2 B+DI, serial number: 08070002, year of construction: 2008, 380/415 V, 3 Ph, 50/60 Hz, 12.5 kW, 6 floors, floor dimensions: 600 mm x 400 mm, total dimensions: 1000 mm x 900 mm x 1770 mm.	1000
268	Wiesheu GmbH	Wiesheu GmbH combi steamer, type: G12SD8, number: 6990, year of construction: 93-4, 380 V, 50 Hz, 16.6 kW, 12 floors, floor dimensions: 350 mm x 530 mm, total dimensions: 840 mm x 800 mm x 1220 mm.	250
269	Hobart	Hobart dishwasher, type: DH-10N, serial number: 645335, inside dimensions: 700 mm x 1250 mm, total dimensions: 940 mm x 1450 mm x 1970 mm.	500
270	Lainox	Lainox combi steamer, type: LX TYPE EVT10D, number: LA020028059, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 0.55 kW, 10 floors, dimensions floors: (10x) 570 mm x 330 mm, total dimensions: 950 mm x 950 mm x 1770 mm.	750
271	Doregrill SAS		750



Nr	Title	Description	Start €
		Doregrill SAS rotisserie grill, model: HOTTE S4, serial number: 1062, 230 V, 1 Ph, 0.18 kW, dimensions: 1100 mm x 850 mm x 2250 mm.	
272	Alan Nuttal Ltd	Alan Nuttal Ltd refrigeration showcase, model: T3, serial number: 090126, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 16 A, 3.5 kW, dimensions: 1000 mm x 900 mm x 1950 mm.	450
273	Fri-Jado	Fri-Jado heated showcase, model: MD120-3, number: 100075412, 400/230 V, 3 Ph, 50/60 Hz, 9.2 A, dimensions: 1200 mm x 800 mm x 1500 mm.	200
274	Fri-Jado	Fri-Jado heated showcase, model: MD 60, number: 100039194, 230 V, 3 Ph, 50 Hz, 13 A, dimensions: 1000 mm x 640 mm x 1900 mm.	200
275	Fri-Jado	Fri-Jado heated showcase, dimensions: 1200 mm x 800 mm x 1550 mm.	250
276	Finnmark	Finnmark refrigerated showcase, model: Presenter 1345, serial number: 52610483, year of construction: 2015, 230 V, 50 Hz, 4.8 A, refrigerant: R404a/0.670kg, dimensions: 700 mm x 1260 mm x 1200 mm.	500
277	Lainox	Lainox combi steamer, type: LX TYP MAT10, number: LA020042445, year of construction: 2007, 230 V, 50 Hz, inside dimensions: 660 mm x 690 mm x 440 mm, total dimensions: 830 mm x 950 mm x 700 mm. Incomplete.	250
278	Diamond	Diamond oven, model: CPE644 N, serial number: 2013072000098, 400 V, 3 Ph, 50/60 Hz, 6.265 kW, 4 floors, floor dimensions: 400 mm x 600 mm, total dimensions: 820 mm x 670 mm x 560 mm.	300
279	Unox S.p.A	Unox S.p.A. oven, model: XFT 190, number: 2018G0053032, 220/240/380/415 V, 1/3 Ph, 50/60 Hz, 6.5 kW, 4 floors, floor dimensions: 370 mm x 600 mm, total dimensions: 800 mm x 800 mm x 550 mm.	450
280	Lainox	Lainox oven on s/s mobile frame, type: SVE071S, number: LA020078447, year of construction: 2012, 230 V, 50 Hz, 9.5 kW, 7 floors, dimensions each floor: 530 mm x 310 mm, total dimensions: 930 mm x 880 mm x 1370 mm.	400
281	Unox S.p.A	Unox S.p.A. combisteamer, type: XBC404, serial number: 584, 230/400 V, 3 Ph, 50/60 Hz, net weight: 60 kg, 4 floors, dimensions each floor: 360 mm x 600 mm, total dimensions: 860 mm x 560 mm x 700 mm.	450
282	Diamond	Diamond combi steamer, type: FVS-423/TS, serial number: A22150062, 230 V, 1 Ph, 50/60 Hz, 3 kW, 4 floors, dimensions each floor: 330 mm x 290 mm, total dimensions: 520 mm x 700 mm x 650 mm.	250
283	Küpperbusch	Küpperbusch combi steamer, type: KEG 0058, 230/400 V, 3 Ph, 50 Hz, 10 floors, floor dimensions: (10x) 550 mm x 330 mm, total dimensions: 1030 mm x 850 mm x 1000 mm.	250
284	Distform	Distform combi steamer, model: 63SLCOAI MK2, serial number: F19017994001, year of construction: 2019,	650



Nr	Title	Description	Start €
		400/230 V, 50 Hz, 5600 W, 13 floors, floor dimensions: (13) 320 mm x 350 mm, total dimensions: 520 mm x 700 mm x 760 mm. Including box with parts and 2 s/s plates.	
285	Colussi Hermes	Colussi Hermes crate washing and drying line, type: L013/01, type: 9973, serial number: 1856, year of construction: 2010, maximum crate size: 600 mm x 400 mm x 330 mm, consisting of: infeed belt, plastic mesh belt, belt width: 620 mm, total dimensions: 7250 mm x 970 mm x 930 mm, washing machine with tilting device, dimensions: 7700 mm x 2500 mm x 3600 mm, dryer, dimensions: 9000 mm x 2600 mm x 3600 mm, outfeed belt, dimensions: 6160 mm x 1100 mm x 1100 mm, switch cabinet, dimensions: 1620 mm x 650 mm x 2260 mm.	6500
286	KIIMASAN KLIMA SAN	KIIMASAN KLIMA SAN refrigerator, type: vertical cooler, model: S 880 SC TD SLIM, 220/240 V, 50 Hz, 2.5 A, 464 W, refrigerant: R600a, 85 g, 4 floors, floor dimensions: 800 mm x 480 mm, total dimensions: 900 mm x 750 mm x 2000 mm.	400
287	larp	larp freezer, model: AB 500 N P.SX, serial number: 09NB93439, volume: 525 L, 230 V, 50 Hz, 1.9 A, 250 W, 6 floors, floor dimensions: (6x) 650 mm x 505 mm, total dimensions: 780 mm x 760 mm x 1700 mm.	200
288	Helkama	Helkama refrigerator, type: C4G V STANDARD, number: 706034202, year of construction: 29.08.2006, 230-240 V, 50 Hz, 295 W, refrigerant: R134a - 95 g, gross volume: 405 liter, net volume: 380 liter, dimensions: 650 mm x 590 mm x 1900 mm.	150
289	Ubert	Ubert rotisserie grill, dimensions: 800 mm x 650 mm x 1650 mm.	400
290	Leventi	Leventi combi steamer on s/s oven rack, model: Combimat DGT, 6 floors, dimensions floors: (6x) 530 mm x 880 mm, total dimensions: 900 mm x 980 mm x 1670 mm.	350
291	NN refrigerated showcase	S/s refrigerated showcase, dimensions inside: (2x) 330 mm x 540 mm, total dimensions: 1065 mm x 730 mm x 900 mm.	75
292	Bosch	Bosch refrigerator, dimensions: 700 mm x 650 mm x 1950 mm.	35
293	Mondial	Mondial freezer, 230 V, dimensions: 700 mm x 870 mm x 1930 mm.	100
294	NN table	Mobile s/s table, 28 floors, floor dimensions: 330 mm x 570 mm, total dimensions: 1920 mm x 900 mm x 920 mm.	200
295	Cafe bar	Cafe Bar coffee machine, model: type: 832.V.W.A, number: 6943439, 230 V, dimensions: 500 mm x 250 mm x 460 mm.	20
296	Rubbens	Rubbens tiltable cooking vessel, inside dimensions: 620 mm x 1720 mm x 200 mm, total dimensions: 1000 mm x 1300 mm x 1420 mm.	350
297	Foster		2000



Nr	Title	Description	Start €
		Foster blast chiller, model: BC11, serial number: E5269167, 230 V, 1 Ph, 50 Hz, 4.6 A, 137 W, refrigerant: R404A, 1300 g, 4 floors, floor dimensions: 530 mm x 330 mm, total dimensions: 700 mm x 850 mm x 900 mm.	
298	LTH	LTH refrigerator, type: HO_700 DEM, year of construction: 2006, 230 V, 50 Hz, 1.9 A, 250 W, Netto volume: 540 liter, Netto weight: 140 kg, refrigerant: R 134a - 0.28 kg, temperature range: -2/+8 °C, dimensions: 700 mm x 800 mm x 2000 mm.	200
300	LHT	LTH refrigerator, type: HO_700 DEM, year of construction: 2006, 230 V, 50 Hz, 1.9 A, 250 W, netto volume: 540 liter, netto weight: 140 kg, refrigerant: R 134a - 0.28 kg, temperature range: -2/+8 °C, dimensions: 700 mm x 800 mm x 2000 mm.	350
302	Kovu	2 Kovu refrigerator, model: D 372 SL M4, type: Vertical Cooler, 220/240 V, 50 Hz, 2.38 A, 211 W, volume: 334/372 liter, refrigerant: R134a, dimensions: (2x) 640 mm x 600 mm x 1830 mm.	60
303	Kulig	Kulig refrigerator, type: UL 1401, number: 66296092, 220 V, 50 Hz, 1500 W, volume: 1087 liter, dimensions: 1530 mm x 840 mm x 1970 mm.	100
304	Liebherr	Liebherr freezer, model: GGPv 6580 Index 15B/001, serial number: 79.382.770.9, 220/230 V, 50 Hz, 4.0 A, 600 W, refrigerant: R 404a, 230 g, volume: 601 liter, 3 floors, floor dimensions: 650 mm x 520 mm, total dimensions: 700 mm x 850 mm x 2120 mm.	350
305	Electrolux	Electrolux refrigerator, model: RH06RD1G, serial number: 74100003, 230 V, 50 Hz, 2.65 A, 400 W, refrigerant: R134a, volume: 650 litres, dimensions: 780 mm x 730 mm x 2030 mm.	300
306	LTH	LTH refrigerator, type: HO_1500 DEM_EX, year of construction: 2006, 230 V, 1 Ph, 50 Hz, 480 W, refrigerant: R134a, 055 kg, weight: 226 kg, volume: 1170 liter, 10 floors, floor dimensions: (10x) 620 mm x 530 mm, total dimensions: 1420 mm x 800 mm x 1980 mm.	150
307	FhiaBa / Boretti	FhiaBa / Boretti wine climate cabinet, model: X7491TWT3, serial number: F20091128000003, 220/240 V, 50 Hz, 0.7 A, 105 W, refrigerant: R600a, 9 floors, floor dimensions: (9x) 540 mm x 545 mm x 80 mm, total dimensions: 760 mm x 750 mm x 2100 mm.	3000
308	NN refrigerator	Refrigerator, type: HOP-900 DER, year of construction: 2003, 230 V, 290 W, refrigerant: R134a, weight: 150, volume: 765 L, 8 floors, floor dimensions: (8x) 800 mm x 600 mm, total dimensions: 1000 mm x 800 mm x 2000 mm.	90
309	NN crates	Plastic rollie with 12 plastic crates, dimensions crates: (12x) 600 mm x 400 mm x 180 mm.	60
310	Eurokraft		100



Nr	Title	Description	Start €
		Eurokraft mobile PC cabinet, dimensions: 600 mm x 600 mm x 1730 mm.	
311	NN heated trolley	S/s mobile heated trolley, 2 floors, floor dimensions: (2x) 1000 mm x 450 mm, total dimensions: 1200 mm x 720 mm x 1800 mm.	225
312	Mondial Group srl	Mondial Group srl freezer, model: 0000019350000, serial number: 015SD18580, 220-240 V, 50 Hz, 5 A, refrigerant: R507/0.260 kg, 6 floors, dimensions floors: (6x) 390 mm x 540 mm, total dimensions: 620 mm x 680 mm x 1830 mm.	400
313	LTH	LTH freezer, type: ZO_700 DEZ, number: (240)1431079(21)0246027, year of construction: 2006, 230 V, 50 Hz, 2.8 A, 620 W, refrigerant R404a, volume: 540 liter, weight: 147 kg, 5 floors, floor dimensions: 620 mm x 520 mm, total dimensions: 800 mm x 700 mm x 2050 mm.	350
314	NN waste bag holder	Mobile waste bag holder, dimensions: 470 mm x 400 mm x 900 mm.	10
315	NN racks	4 mobile s/s racks, 9 floors, dimensions floors: (9x) 370 mm x 470 mm, total dimensions: (4x) 370 mm x 520 mm x 1750 mm.	200
316	NN trolley	S/s trolley, 17 floors, floor dimensions: 650 mm x 530 mm, total dimensions: 670 mm x 590 mm x 1630 mm.	50
317	NN trolleys	3 aluminium trolleys, 10 floors, floor dimensions: 580 mm x 410 mm, total dimensions: (3x) 590 mm x 480 mm x 1950 mm.	100
318	NN oven rack	Mobile s/s oven rack, 20 floors, dimensions floors: (20x) 535 mm x 330 mm, total dimensions: 670 mm x 430 mm x 1850 mm.	500
319	NN oven rack	Mobile s/s oven rack, 20 floors, dimensions floors: (20x) 535 mm x 330 mm, total dimensions: 670 mm x 430 mm x 1850 mm.	500
320	NN rack	Mobile s/s rack, 9 floors, dimensions floors: (9x) 500 mm x 1010 mm, total dimensions: 1105 mm x 510 mm x 1720 mm.	250
321	NN rack	Mobile s/s rack, 10 floors, dimensions floors: (10x) 965 mm x 395 mm, total dimensions: 975 mm x 450 mm x 1770 mm.	350
322	NN au-bain-marie	Mobile au-bain-marie, inside dimensions: (3x) 510 mm x 310 mm x 200 mm, total dimensions: 1200 mm x 660 mm x 920 mm.	150
324	Blanco	Blanco mobile au-bain Marie, 220-240 V, 1 Ph, 50-60 Hz, 2.85 kW, dimensions: 680 mm x 1250 mm x 890 mm.	150
325	NN crates	Plastic rollie with 23 plastic crates, dimensions each crate: 600 mm x 400 mm x 160 mm.	115
326	NN rack	S/s rack, (2x) 12 floors, dimensions floors: (24x) 510 mm x 380 mm, total dimensions: 855 mm x 580 mm x 1780 mm.	50
327	Gernal	Gernal rotary cooking chamber, type: KBG-SE-LPF-2A, number: 02/00475, year of construction: 2002, 415 V, 50 Hz, 108 kW, 191.4 A, inside dimensions: 1000 mm x 1050	1500



Nr	Title	Description	Start €
		mm x 2000 mm, s/s rack, 15 floors, floor dimensions: (15x) 640 mm x 535 mm, total dimensions: 1350 mm x 1650 mm x 3050 mm.	
328	Crown Gabelstapler GmbH & Co. KG	Crown Gabelstapler GmbH & Co. KG reach truck, model number: ESR 5200, serial number: 5A221336, nominal capacity: 1600 kg, retracted mast height: 3690 mm, fork length: 1140 mm, total dimensions: 2600 mm x 1300 mm x 3350 mm. Including Hawker battery charger, 3x400 V, 50 Hz, 10 A.	1850
330	Crown Gabelstapler GmbH & Co. KG	Crown Gabelstapler GmbH & Co. KG reach truck, model number: ESR 5200, serial number: 5A226370, nominal capacity: 1600 kg, retracted mast height: 3690 mm, fork length: 1140 mm, total dimensions: 2600 mm x 1300 mm x 3350 mm. Including Hawker battery charger, 3x400 V, 50 Hz, 10 A.	1850
331	Sofinor	Sofinor mobile s/s sorting table, dimensions: 1600 mm x 1000 mm x 1000 mm.	150
332	NN tub	S/s tub, inside dimensions: 1040 mm x 790 mm x 700 mm, total dimensions: 1110 mm x 850 mm x 800 mm.	100
333	NN tub	S/s tub, inside dimensions: 1040 mm x 890 mm x 730 mm, total dimensions: 1150 mm x 980 mm x 890 mm.	100
334	NN tub	S/s tub, dimensions: 1000 mm x 815 mm x 835 mm.	75
335	Belux Mondial	Belux Mondial ticket machines, dimensions: 270 mm x 100 mm x 1200 mm.	15
336	NN bowl	S/s mobile bowl, inside dimensions: Ø 760 mm x 275 mm, total dimensions: 820 mm x 770 mm x 760 mm.	100
337	Wetrok	Wetrok floor scrubbing machine, type: Wetrok-Duomatic 500 B, number: 460-340-4927, dimensions: 1100 mm x 600 mm x 1100 mm. Including Zivan S.r.L. battery charger.	75
338	NN tub	S/s tub, dimensions: 1210 mm x 820 mm x 900 mm.	100
339	NN tub	Mobile s/s tub, inside dimensions: 1000 mm x 700 mm x 600 mm, total dimensions: 1060 mm x 670 mm x 810 mm.	75
340	Fagor	Fagor cooking vessel, model: MPG9-15 BM, serial number: 1120523150 0911 000007, 220/240 V, 50 Hz, 2-4 bar, inside dimensions: Ø 625 mm x 530 mm, total dimensions: 1020 mm x 850 mm x 1050 mm.	1500
341	Erre 2 srl	Erre 2 srl gas stove, grill and oven, model: 90/200, type: B11, number: OM12057001, 400 V, 3 Ph, 50 Hz, 1.48 m³ per hour, 3 floors, dimensions floors: (3x) 630 mm x 540 mm, total dimensions: 1600 mm x 910 mm x 1000 mm.	500
342	MKN	MKN electric fryer, type: 2024101-01, serial number: 8401541, 400 V, 3 Ph, 14.4 kW, volume: 80 liter, dimensions: 1050 mm x 1120 mm x 1100 mm.	300
343	Krefft	Krefft induction plate, type: KCN0207, number: 625772, 400-415 V, 3 Ph, 50 Hz, plate dimensions: 715 mm x 575 mm, total dimensions: 850 mm x 800 mm x 1080 mm.	150
344	Furka		150



Nr	Title	Description	Start €
		Furka stove with oven, stove dimensions: 650 mm x 650 mm, total dimensions: 800 mm x 900 mm x 900 mm.	
345	Eliona Industrial	Eliona Industrial washing machine, type: WR350.60BR, serial number: 356, year of construction: 04.2008, 400 V, 3 Ph, 50 Hz, 42 kW, clearance: 600 mm x 380 mm, s/s mesh belt, belt width: 600 mm, total dimensions: 5200 mm x 1400 mm x 1900 mm.	1500
346	Fimap	Fimap floor scrubbing machine, type: My16 B, dimensions: 710 mm x 450 mm x 950 mm.	250
347	Charvet	Charvet stove, 4 pits, dimensions: 800 mm x 860 mm x 880 mm.	250
348	Rivacold	Rivacold freezer, serial number: 110921003, 220/230 V, 1 Ph, 50 Hz, 2.3 A, 380 W, refrigerant: R404A, 6 floors, floor dimensions: 650 mm x 530 mm, total dimensions: 810 mm x 730 mm x 2100 mm.	350
349	Crown Gabelstapler GmbH & Co. KG	Crown Gabelstapler GmbH & Co. KG reach truck, model number: ESR 5260-16 OPT3, serial number: 5A229352, year of construction: 2016, nominal capacity: 1600 kg, 48 V, battery weight maximum / minimum: 1175 kg / 1063 kg, truck weight without battery: +/- 3164 kg, retracted mast height: 3690 mm, maximum mast height: 9450 mm, fork length: 1140 mm, working hours: 13398 hours, total dimensions: 2600 mm x 1270 mm x 3690 mm. Including EnerSys TC3 LT battery charger, 24 V / 36 V / 48 V, 140 A / 130 A / 120 A.	1850
350	Gram	Gram refrigerator, type: PLUS K 1400 RSG 10 M, number: 12 00 66 32, serial number: 086, 230 V, 50 Hz, 800 W, 3.50 A, refrigerant: R290, 110 g, dimensions: 1400 mm x 850 mm x 2160 mm.	450
351	Everlasting	Everlasting double doors freezer, model: PRO 1502 BTV REM, serial number: 99543, 230 V, 1 Ph, 50 Hz, refrigerant: R404A, 8 floors, dimensions freezer: 1500 mm x 830 mm x 2090 mm. Including Tecumsek condensing unit, model: SILAJ2446ZFZ, serial number: 16B 10 064757 SJ80530202, 220/240 V, 50 Hz, 4.1 A, refrigerant: R404A, dimensions condensing unit: 900 mm x 550 mm x 820 mm.	700
352	Sagi	Sagi freezer, 20 floors, floor dimensions: (20x) 650 mm x 520 mm, total dimensions: 810 mm x 750 mm x 2000 mm.	400
353	Scaiola	Scaiola mobile refrigerated showcase, 3 floors, floor dimensions: Ø 750 mm, total dimensions: 1050 mm x 1050 mm x 1890 mm.	300
354	Coolhead	Coolhead refrigerated counter, model: S903 STF, serial number: RWB1307S903STD6104001, 240 V, 50 Hz, 2 A, 300 W, weight: 107 kg, refrigerant: R134a, dimensions: 1370 mm x 700 mm x 840 mm.	250
355	De Rigo	De Rigo mobile refrigerated showcase, inside dimensions: 1170 mm x 1220 mm x 250 mm, total dimensions: 1400 mm x 1330 mm x 920 mm.	200



Nr	Title	Description	Start €
356	Morice / Furka	Morice / Furka grill, type: SA0003 0601, serial number: 3090160105, dimensions: 780 mm x 470 mm x 800 mm.	250
357	ERRE 2 srl	ERRE 2 srl gas stove with oven, model: 90/200 FE, number: OM12057002, 400 V, 3 Ph, 50 Hz, 6.55 kW, dimensions: 800 mm x 900 mm x 970 mm.	400
358	NN stove	Stove, stove dimensions: 800 mm x 720 mm, total dimensions: 910 mm x 800 mm x 950 mm.	100
359	Solymac	Solymac gas stove with 2 burners and 1 wok and oven, inside dimensions: 650 mm x 540 mm, total dimensions: 1200 mm x 800 mm x 910 mm.	500
360	ERRE 2 srl	ERRE 2 srl stove, model: CT-7200, number: 05 04 88, dimensions: 800 mm x 700 mm x 980 mm.	100
361	NN cabinet	S/s cooling cabinet, inside dimensions: 890 mm x 840 mm x 1050 mm, total dimensions: 1000 mm x 960 mm x 1600 mm.	100
362	Küppersbusch	Küppersbusch deep fryer, model: NEF-144, serial number: 523 114 001, year of construction: V, 220 V, 3 Ph, 50 Hz, 9.0 kW, dimensions: 850 mm x 600 mm x 1000 mm.	200
363	Moricea	Moricea gas heated grill plate, grill dimensions: 560 mm x 250 mm, total dimensions: 620 mm x 710 mm x 900 mm.	75
364	Valentine Fabrique	Valentine Fabrique fryer with 2 baskets, type: V2200, number: U223A 1368 M4, 400 V, 3 Ph, 20 A, 14.4 kW, basket dimensions: (2x) 160 mm x 300 mm, total dimensions: 400 mm x 600 mm x 950 mm.	400
365	Angelo Po	Angelo Po double fryer, model: 70FE1, serial number: 501150001, year of construction: 93, 220 V, 3 Ph, 50 Hz, 37 A, 14.1 kW, dimensions: 920 mm x 400 mm x 1100 mm.	250
366	Ambach	Ambach cooking station, cabinet dimensions: 640 mm x 740 mm, inside dimensions: 300 mm x 505 mm x 180 mm.	250
367	F.R.C.	F.R.C. proofer, model: RIL1 ROLL-IN L, serial number: FR020172614, year of construction: 2021, 230 V, 1 Ph, 50 Hz, 4.8 A, 1.09 kW, refrigerant: R134a/0.380kg, inside dimensions: 850 mm x 670 mm x 1750 mm, total dimensions: 1100 mm x 850 mm x 2200 mm.	1750
368	Hendi	Hendi grill, model: Back-Bar 60, 400 V, dimensions grill: 620 mm x 500 mm, total dimensions: 1100 mm x 700 mm x 1000 mm.	125
369	NN refrigerator	Mobile refrigerator, model: RB27S, 220 V, 50 Hz, 1.075 A, 165 W, volume: 279 L, inside dimensions: 900 mm x 500 mm x 600 mm, total dimensions: 1050 mm x 720 mm x 1050 mm.	50
370	Gram Commercial A/S	Gram Commercial A/S freezer, type: HOSHIZAKI F 210 RH 3, serial number: 10193504, 230 V, 50 Hz, 1.06 A, 129 W, refrigerant: R134a/70g, 8 floors, floor dimensions: (3x) 430 mm x 470 mm, total dimensions: 650 mm x 600 mm x 830 mm.	150
372	Rieber	Rieber mobile au bain-marie with 4 bins, number: 43982314/1/ 00012, year of construction: 31.08.2000, 400	100



Nr	Title	Description	Start €
		V, 3 Ph, 50 Hz, 5.310 kW, total dimensions: 1770 mm x 830 mm x 1350 mm.	
373	Leventi	Leventi combimat combi steamer, dimensions: 1000 mm x 900 mm x 750 mm. Incomplete.	300
374	Unox S.p.A	Unox S.p.A oven, model: XF193, serial number: 1271, year of construction: 11/04/2007, 230/400 V, 3 Ph, 50/60 Hz, 6.3 kW, 4 floors, floor dimensions: 600 mm x 370 mm, total dimensions: 800 mm x 770 mm x 510 mm.	300
375	Winterhalter	Winterhalter dishwasher, type: GR 62/2, serial number: 376 004, 230 V, 50 Hz, 27 A, 10 kW, dimensions: 600 mm x 660 mm x 840 mm.	200
376	OHAUS	OHAUS scale indicator, scale model: D60VL, serial number: B149508680, capacity: 60 kg, scale dimensions: 550 mm x 420 mm, model indicator: T32XW, 100/240 V, 50/60 Hz, 1 A, total dimensions: 670 mm x 420 mm x 900 mm.	75
377	Carpigiani	Carpigiani mobile ice cream machine, model: LABO 20/30 M, serial number: IC32714, 380-415 V, 3 Ph, 50 Hz, 16 A, 2.9 kW, refrigerant: R404a, 0.7 kg, dimensions: 870 mm x 460 mm x 1280 mm.	4000
378	NN ice machine	Flake ice machine with bunker, model: IMS-100, serial number: SHS100 1018028, 230 V, 50 Hz, 12.4 A, 520 W, netto weight: 58 kg, refrigerant: R134A, 130 g, capacity: 100 kg per hour, dimensions: 500 mm x 610 mm x 930 mm.	250
379	Winterhalter	Winterhalter dishwasher, model: UC-L, serial number: 1076426, year of construction: 2011, 380/415 V, 3 Ph, 50 Hz, 7.9/6.0, dimensions: 600 mm x 660 mm x 820 mm.	250
380	NN ice maker	Ice maker, inside dimensions: Ø 300 mm x 250 mm, total dimensions: 700 mm x 550 mm x 1100 mm.	450
381	Robot Coupe	Robot Coupe vegetable slicer, model: R 502 V.V. E, serial number: K5660141701, 230 V, 1 Ph, 50/60 Hz, 12 A, 1300 W, dimensions: 350 mm x 330 mm x 810 mm. Including extra knife sets.	250
382	Duni AB	Duni AB traysealer, type: DF25, machine number: DF251876, 230 V, 1 Ph, 50 Hz, 1.0 kW, seal length: 290 mm, total dimensions: 750 mm x 310 mm x 650 mm. Without dye.	500
383	Salamander	Salamander grill, type: OS 200, serial number: 680.1005, year of construction: 18.10.2008, 220 V, 1 Ph, 50 Hz, 6.9 A, 3200 W, weight: 52 kg, dimensions: 600 mm x 530 mm x 560 mm.	75
384	Caterlite	Caterlite deep fryer, model: GG198-E, 220/240 V, 50 Hz, 2000 W, dimensions: 560 mm x 220 mm x 220 mm.	5
385	Roband Australia PTY LTD	Roband Australia PTY LTD grill, model: GSA815S, serial number: 2061, year of construction: 2017, 230 V, 50 Hz, 13 A, 2990 W, grill dimensions: 470 mm x 240 mm, total dimensions: 490 mm x 560 mm x 240 mm.	100
386	DOMO		15



Nr	Title	Description	Start €
		DOMO microwave, model: DO2322, type: XB2322, 230 V, 1 Ph, 50 Hz, 1150 W, dimensions: 460 mm x 300 mm x 300 mm.	
387	Enomatic	Enomatic 4-bottle wine dispenser climate cabinet, serial number: 090008496, year of construction: 04/2009, 220 V, 50 Hz, 150 W, dimensions: 750 mm x 250 mm x 650 mm.	350
388	Merrychef	Merrychef turbo oven, model: eikon e5, 230 V, 50 Hz, 2 floors, floor dimensions: (2x) 450 mm x 300 mm, total dimensions: 700 mm x 650 mm x 650 mm.	750
389	Steelco	Steelco table model dishwasher, type: DS 50/2 DRS, serial number: 1018021, 240 V, 50 Hz, 12 A, 2750 W, dimensions: 620 mm x 550 mm x 560 mm.	50
390	Scharfen	Scharfen slicer, type: G330, model: G 330 F T, number: 2061460, year of construction: 2006, 230 V, 2.2 A, 300 W, dimensions: 750 mm x 750 mm x 500 mm.	600
391	Berkel	Berkel slicer, model: 834 S, number: 629705, year of construction: 1996, 230 V, 1 Ph, 50 Hz, 220 W, dimensions: 550 mm x 600 mm x 500 mm.	500
392	Bizerba	Bizerba slicer, dimensions: 700 mm x 550 mm x 500 mm.	300
393	Bizerba	Bizerba slicer, model: SE 12, number: 2070883, year of construction: 2002, 230 V, 1 Ph, 50 Hz, 1.79 A, 0.360 kW, dimensions: 700 mm x 550 mm x 500 mm.	300
394	Kolbe	Kolbe mobile mixer-grinder, type: MW 100, machine number: 1240437, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 11.4/2.4 A, 5.5/0.75 kW, diameter plate: 100 mm, total dimensions: 1300 mm x 700 mm x 1550 mm.	1750
395	Melior-Ganda	Melior-Ganda tenderizer, model: 35NH, machine number: 0009704, working width: 210 mm, total dimensions: 550 mm x 550 mm x 1650 mm. Without trolley.	300
396	Melior-Ganda	Melior-Ganda tenderizer, model: 35NH, number: 0009705, clearance: 290 mm x 100 mm, dimensions: 440 mm x 400 mm x 1670 mm.	250
397	Melior-Ganda	Melior-Ganda tenderizer, model: 35NSH, machine number: 12060110, working width: 200 mm, total dimensions: 600 mm x 400 mm x 1650 mm. Without trolley.	300
398	Melior-Ganda	Melior-Ganda tenderizer, model: 35NSH, machine number: 12050093, working width: 210 mm, total dimensions: 550 mm x 550 mm x 1650 mm. Without trolley.	300
399	NN tenderizer	Tenderizer, working width: 210 mm, dimensions: 600 mm x 530 mm x 1600 mm.	200
400	Cometto	Cometto grill, model: 6700, number: 77813, dimensions: 900 mm x 400 mm x 550 mm.	20
401	NN refrigerated counter	Refrigerated counter, dimensions: 1850 mm x 700 mm x 850 mm.	250
402	Meester	Meester planetary mixer, 220 V, s/s bowl: Ø 570 mm x 350 mm, total dimensions: 1070 mm x 600 mm x 1150 mm.	200
403	Gernal		200



Nr	Title	Description	Start €
		Gernal smoke generator for wood dust, dimensions: 1200 mm x 1100 mm x 1900 mm.	
404	Carimali	Carimali coffee grinder, dimensions: 450 mm x 220 mm x 650 mm.	50
405	Talsa	Talsa mobile mixer, model: MIX 35P, serial number: 286170, year of construction: 2008, 220/400 V, 3 Ph, 50 Hz, 1.3/2.4 A, 0.43 kW, inside dimensions: ø 440 mm x 230 mm, dimensions: 800 mm x 500 mm x 900 mm.	650
406	Hobart	Hobart bowl mixer, model: A200, serial number: 97.079.370.T, 220 V, 3 Ph, 50 Hz, 1.6 A, 0.37 kW, inside dimensions: ø 330 mm x 230 mm, total dimensions: 550 mm x 400 mm x 790 mm.	150
407	Turbo Systems LTD.	Turbo Systems LTD. mobile depositor, type: UPG110512, machine number: D150P5709666, year of construction: 2011, infeed tub dimensions: Ø 540 mm x 470 mm, outfeed: Ø 30 mm, total dimensions: 1300 mm x 900 mm x 1670 mm.	450
408	Multivac	Multivac vacuum machine, type: AG5, machine number: 3363, year of construction: 1975, 220 V, 50 Hz, 10 A, 1.5 kW, chamber: 550 mm x 450 mm, seal length: (1x) 420 mm, total dimensions: 830 mm x 540 mm x 1440 mm.	500
409	Atag	Atag table, dimensions: 700 mm x 700 mm x 900 mm.	200
410	Atag	Atag 2-pit stove, type: KSO.217.5U.1, serial number: 410359-01, year of construction: 2002, 230/400 V, 3 Ph, 50 Hz, 16 A, 4.6 kW, dimensions: 700 mm x 350 mm x 920 mm.	300
411	Atag	Atag 2-pit stove, type: TTFMNR KG02370B/A03, serial number: 0063/99, Aardgas G25, 3.60 kW, dimensions: 700 mm x 350 mm x 950 mm.	300
412	NN frame	S/s frame, (4x) place for gastronorm bins, dimensions: (4x) 305 mm x 155 mm, total dimensions: 800 mm x 800 mm x 1500 mm.	200
413	Black&Decker	Black&Decker saw, model: BD 380, 230 V, 50 Hz, 4.7 A, 1020 W.	20
414	NN table	Mobile s/s table, dimensions: 1200 mm x 700 mm x 970 mm.	75
415	Bizerba	Bizerba bandsaw, type: FK 22, machine number: 272602, 380/220 V, 50 Hz, dimensions: 670 mm x 500 mm x 880 mm.	250
417	Ideal	Ideal ice cream counter, type: EISU-TKZ 120 SONDER, dimensions baskets: 190 mm x 180 mm x 170 mm, total dimensions: 3200 mm x 1100 mm x 1200 mm. Rollies not included.	500
418	Xerox	Xerox office printer, type: WorkCentre 7225i, dimensions: 650 mm x 600 mm x 1150 mm.	50
419	NN switch cabinet	Steel switch cabinet, dimensions: 1200 mm x 1000 mm x 300 mm.	150



Nr	Title	Description	Start €
420	NN tank	S/s tank with agitator on s/s frame, inside dimensions: ø 2050 mm x 2000 mm, total dimensions: 3200 mm x 2500 mm x 3300 mm.	2500
421	NN hooks	9 crates with approximately 180 s/s hooks, dimensions each hook: 150 mm x 100 mm.	360
422	AVC	AVC shrink tunnel, model: KTL. 1000 st-g, serial number: 2501721008, 400 V, 3 Ph, 50 Hz, 40 A, 25 kW, weight: 500 kg, plastic mesh belt, belt width: 400 mm, total dimensions: 2800 mm x 1100 mm x 1660 mm.	500
423	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: PARIS EC 185 (-) JKRT, serial number: 469496 0000002, 220-240 V, 50 Hz, 460 W, refrigerant: R-290/0.110kg, dimensions: 900 mm x 1880 mm x 800 mm.	150
424	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: PARIS 250, serial number: 409878 00000907, 220-240 V, 50 Hz, 495 W, refrigerant: R404a/0.270kg, dimensions: 2530 mm x 850 mm x 820 mm.	150
425	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: PARIS 250, serial number: 248516 03592095, 220-240 V, 50 Hz, 495 W, refrigerant: R404a/0.260kg, dimensions: 2810 mm x 850 mm x 820 mm.	150
426	Linde Kältetechnik GmbH	Linde Kältetechnik GmbH showcase refrigerator, type: Advanter 1346, serial number: J71701468, year of construction: 2007, 230 V, 50 Hz, 1573 W, refrigerant: R404A/1100kg, dimensions: 820 mm x 1280 mm x 1920 mm.	250
427	Tecnodom	Tecnodom double refrigerator, dimensions: 800 mm x 1400 mm x 1920 mm.	500
428	NN doors	Steel trolley with approximately 15 plastic doors, dimensions trolley: 2100 mm x 1100 mm x 1350 mm, dimensions doors: 2150 mm x 1200 mm.	250
429	SEW-Eurodrive	28 SEW-Eurodrive motors for tube rail, type: DRP100M4/FG, RPM 1440, 1.5 kW, dimensions: (28x) 800 mm x 500 mm x 500 mm.	1400
430	NN foam fire extinguishers	Plastic pallet box with 16 foam fire extinguishers.	160
431	NN foam fire extinguishers	Plastic pallet box with 17 foam fire extinguishers.	170
432	NN powder fire extinguishers	Plastic pallet box with 20 powder fire extinguishers.	200
433	NN CO2 fire extinguishers	Shopping cart with 4 CO2 fire extinguishers, dimensions shopping cart: 1050 mm x 500 mm x 1100 mm.	40
434	Veru-Chemie	Veru-Chemie soap dosing system with 8 Alldos Eichler GmbH dosing pumps, capacity per pump: 18.0 litre per hour, 220-240 V, 50 / 60 Hz, total dimensions: 2100 mm x 400 mm x 1000 mm, s/s switch cabinet, dimensions: 1000 mm x 800 mm x 300 mm.	500
435			250



Nr	Title	Description	Start €
	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 2EC-3.2Y-40S, serial number: 1682409046, capacity: 11.4 / 13.7 m ³ per hour, dimensions: 400 mm x 250 mm x 300 mm.	
436	Wilo	Wilo dirt pump, dimensions: 1100 mm x 400 mm x 300 mm.	50
437	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor with condensing unit, type: LH84E/4FES-5Y-40S, serial number: 1602103954, dimensions: 700 mm x 950 mm x 920 mm.	300
439	NN chop block	Wooden chop block, dimensions: 400 mm x 330 mm x 120 mm.	50

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]



This image shows a full page of white paper with horizontal black lines, resembling notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

