



**Industrial
Auctions**

2262: Online auction machinery and inventory for the production of snacks and convenience products due to closing production location Van Geloven in Mol (BE)

END DATE

02 September 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	02 September 2026 from 14:00 hrs.
Viewing days	27 August 2026 from 09:00 till 16:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	09 September 2026 from 09:00 till 16:00 hrs. 10 September 2026 from 09:00 till 16:00 hrs.
Pick up address	Berkebossenlaan 1 2400 Mol Belgium
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	NN meat bin	S/s meat bin, volume: 300 litre.	50
2	N&N Nadratowski sp. j.	N&N Nadratowski sp. j. mobile lifter for meat bins, type: Column loader PM-2/250, serial number: 1108, year of construction: 2016, 400 V, 50 Hz, 0.75 kW, weight: 395 kg, capacity: 250 kg, lifting height: 2250 mm, total dimensions: 1500 mm x 1400 mm x 3250 mm.	1500
3	Tetra Laval Food Koppens B.V.	Tetra Laval Food Koppens B.V. mobile forming machine, type: VM 600 HSE, machine number: 561, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 45 A, 22 kW, weight: 1750 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 3600 mm x 1250 mm x 3000 mm, including 2 steel trolleys and s/s rack with various dyes, dye dimensions: (3x) 150 mm x 110 mm, (3x) 120 mm x 90 mm, (3x) 156 mm x 86 mm, (24x) 23 mm x 23 mm, total dimensions trolleys: (2x) 1020 mm x 600 mm x 1740 mm, total dimensions rack: 850 mm x 600 mm x 1800 mm, 2 s/s tool trolleys, dimensions: 1600 mm x 700 mm x 1550 mm and 1250 mm x 730 mm x 1370 mm, Koppens skewering unit, type: SA 600 HSE, machine number: 194.	17500
4	Tetra Laval Food Koppens B.V.	Tetra Laval Food Koppens B.V. mobile coating machine, type: ER 600, machine number: 1244, year of construction: 1996, 380 V, 3 Ph, 50 Hz, 2.33, 0.62 kW, weight: 183 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 1350 mm x 1100 mm x 2000 mm.	3500
5	Koppens BV	Koppens BV mobile breeding machine, type: EPR 600, machine number: 287, 380 V, 3 Ph, 50 Hz, 5.61 A, 1.7 kW, weight: 240 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 2200 mm x 900 mm x 2050 mm.	4000
6	Meyn	Meyn belt fryer, type: FRU-TH, year of construction: 1991, s/s mesh belt, belt width: 600 mm, total dimensions: 9400 mm x 2400 mm x 2600 mm, including switch cabinet, dimensions: 600 mm x 260 mm x 400 mm, fire extinguishing system, thermal oil pump unit and air extraction unit with blower. The Meyn rotary filter is listed separately under lot number 590 and is not part of this machine.	4000
7	FT Solutions	FT Solutions mobile transport belt with 3 blowers, type: RVS Gaasband L2600-B600, year of construction: 2018, s/s mesh belt, belt width: 600 mm, total dimensions: 3100 mm x 1100 mm x 1550 mm.	1000
8	CFS	CFS mobile wet coating machine, type: WTC 600, machine number: 1599, 400 V, 3 Ph, 50 Hz, 2.25 A, 0.62 kW, weight: 195 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 1400 mm x 1000 mm x 1780 mm.	3500
9	Tetra Laval	Tetra Laval Food Koppens B.V. mobile breeding machine, type: PR 600, machine number: 1119, year of	4000



Nr	Title	Description	Start €
		construction: 1996, 380 V, 3 Ph, 50 Hz, 4.92 A, 1.7 kW, s/s mesh belt, belt width: 600 mm, weight: 300 kg, total dimensions: 2200 mm x 900 mm x 2050 mm.	
10	CFS	CFS belt fryer, type: SuperFry 6000/650, machine number: 1485, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 35 A, 14 kW, heating capacity: 407 kW, min/max frying time: 20-250 seconds, s/s mesh belt, nett belt width: 600 mm, product clearance height: 20-100 mm, infeed height: 1000 mm, outfeed height: 1025 mm, empty weight: 4800 kg, total dimensions: 8800 mm x 2150 mm x 3350 mm, including Thermal oil unit, dimensions: 1500 mm x 600 mm x 2900 mm, 2 switch cabinets, dimensions: 600 mm x 260 mm x 400 mm and 2050 mm x 530 mm x 1740 mm, fire extinguishing system and 2 air extraction units with blower.	35000
11	NN transport belt	Mobile transport belt, s/s mesh belt, belt width: 600 mm, total dimensions: 1050 mm x 950 mm x 1430 mm.	750
12	CFS	CFS spiral oven, model: HLS600/10/100, serial number: 284, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 90 A, 40 kW, 15000 kg, s/s mesh belt, belt width: 660 mm, total dimensions: 9400 mm x 4500 mm x 4300 mm, including s/s switch cabinet, dimensions: 2400 mm x 500 mm x 2050 mm and 2 air extraction units with blower.	47500
13	Koppens BV	Koppens BV mobile 90° curve conveyor, type: RT90/8/600R, machine number: 404, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 166 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 1500 mm x 1500 mm x 1000 mm.	1500
14	Koppens BV	Koppens BV mobile transport belt, type: TG1800/600R, machine number: 1531, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 145 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 1750 mm x 900 mm x 1000 mm.	1000
15	Koppens BV	Koppens BV mobile 90° curve conveyor, type: RT90/8/600R, machine number: 405, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 166 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 1500 mm x 1500 mm x 1000 mm.	1500
16	Koppens BV	Koppens BV mobile transport belt, type: TG 3150/400, machine number: 411, 380 V, 3 Ph, 50 Hz, 0.35 A, 0.09 kW, weight: 180 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 2700 mm x 850 mm x 1000 mm.	1250
17	NN transport belt	Mobile transport belt with 3 fans, plastic mesh belt, belt width: 600 mm, total dimensions: 4500 mm x 1100 mm x 1660 mm.	1500
18	ICS	ICS double spiral freezer, year of construction: 2015, 3x400 V, 50 Hz, nominal current: 170 A, maximum	50000



Nr	Title	Description	Start €
		current: 190 A, infeed height: 900 mm, belt width s/s mesh belt: 650 mm, clearance: 650 mm x 60 mm, 22 tiers each spiral, maximum product height: 60 mm, South-South configuration, counter clockwise rotation, total dimensions: 16300 mm x 4800 mm x 5700 mm.	
19	NN transport belt	Mobile transport belt, s/s mesh belt, belt width: 600 mm, total dimensions: 2500 mm x 850 mm x 1130 mm.	1000
20	NN meat bin	Plastic meat bin, volume: 200 litre.	40
21	NN lifter for meat bins	NN mobile lifter for meat bins, capacity: 250 kg, lifting height: 2050 mm, total dimensions: 1550 mm x 1200 mm x 2950 mm.	1000
22	Tetra Laval Food Koppens B.V.	Tetra Laval Food Koppens B.V. mobile forming machine, type: VM 400 HSE, machine number: 1863, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 16.57 A, 7.67 kW, weight: 1186 kg, dye: (3x) 390 mm x 50 mm, s/s mesh belt, belt width: 400 mm, total dimensions: 3200 mm x 1000 mm x 2070 mm, including steel trolley with various dyes, dimensions: 1000 mm x 600 mm x 1740 mm, s/s trolley with s/s mesh belt, belt width: 400 mm, dimensions trolley: 940 mm x 550 mm x 1570 mm, mobile cabinet, dimensions: 1070 mm x 750 mm x 880 mm.	12500
23	Koppens BV	Koppens BV mobile breeding machine, type: PR 400, machine number: 771, 380 V, 3 Ph, 50 Hz, 3.81 A, 1.16 kW, weight: 185 kg, working width: 410 mm, s/s mesh belt, belt width: 400 mm, total dimensions: 2500 mm x 700 mm x 2050 mm.	1500
24	Koppens BV	Koppens BV mobile transport belt, type: EPN 400, machine number: 196, 380 V, 3 Ph, 50 Hz, 3 A, 0.7 kW, weight: 135 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 1350 mm x 700 mm x 1630 mm.	1000
25	Koppens BV	Koppens BV mobile breeding machine, type: EPR 400, machine number: 297, 380 V, 3 Ph, 50 Hz, 4 A, 0.9 kW, weight: 185 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 2400 mm x 700 mm x 2100 mm.	1500
26	Meyn	Meyn belt fryer, model: FRU 600-6000-TH-027, machine number: 40434/40435, 380 V, 3 Ph, 94 kW, capacity: 200 kg per hour, s/s mesh belt, belt width: 600 mm, total dimensions: 9400 mm x 2000 mm x 2250 mm, including fire extinguishing system, thermal oil pump unit and air extraction unit with blower. The Meyn rotary filter is listed separately under lot number 591 and is not part of this machine.	4000
27	NN cooling belt	Cooling belt, 4 levels, s/s mesh belt, belt width: 600 mm, total dimensions: 6300 mm x 1450 mm x 2800 mm.	2500
28	Koppens BV	Koppens BV mobile transport belt, type: IB 5000 / 600, machine number: 289, 380 V, 3 Ph, 50 Hz, 0.75 A, 0.18	750



Nr	Title	Description	Start €
		kW, weight: 250 kg, plastic belt, belt width: 600 mm, total dimensions: 2700 mm x 1200 mm x 1000 mm.	
29	CFS	CFS mobile pre-duster, model: OptiFlour 400-1492 & OptiAir-257, s/s mesh belt, belt width: 400 mm, dimensions pre-duster: 2700 mm x 1500 mm x 2100 mm, dimensions OptiAir: 1400 mm x 1200 mm x 1850 mm.	15000
30	NN table	Mobile s/s perforated table, perforations: $\varnothing$ 10 mm, total dimensions: 2100 mm x 1100 mm x 900 mm.	100
31	Nederman	Nederman s/s hose reel with soap mixing station, serial number: 886, year of construction: 2001, hose reel dimensions: 750 mm x 300 mm x 550 mm, dimensions soap mixing station: 450 mm x 170 mm x 500 mm.	250
32	NN tables	2 mobile s/s perforated table, perforations: $\varnothing$ 10 mm, total dimensions: (2x) 2100 mm x 1100 mm x 900 mm.	200
33	Nederman	Nederman s/s hose reel with soap mixing station, number: 30800386, year of construction: 2012, hose reel dimensions: 750 mm x 300 mm x 550 mm, dimensions soap mixing station: 450 mm x 170 mm x 500 mm.	250
34	NN waste bag holder	S/s waste bag holder, dimensions: 500 mm x 500 mm x 1230 mm.	10
35	NN shovels	2 Plastic shovels.	10
36	NN trolley	S/s trolley, dimensions: 1000 mm x 620 mm x 970 mm.	25
37	Alto	Alto mobile high pressure cleaner, model: Poseidon 1200, serial number: 301000210, 400 V, 3 Ph, 50 Hz, 11.5 A, 7.1 kW, capacity: 18.7 litre per minute, dimensions: 1100 mm x 450 mm x 950 mm.	150
38	NN tool cabinet	S/s tool cabinet, dimensions: 800 mm x 250 mm x 800 mm.	25
39	NN table	Mobile s/s table, dimensions: 1360 mm x 550 mm x 1300 mm.	25
40	NN trolley	S/s trolley, dimensions: 700 mm x 500 mm x 840 mm.	25
41	Altrex BV	Altrex BV mobile platform, number: T17036, year of construction: 12/2017, maximum capacity: 500 kg, 3 steps, working height: 760 mm, total dimensions: 1550 mm x 750 mm x 1850 mm.	75
42	NN sole cleaner	Sole cleaner, brush width: 190 mm, total dimensions: 550 mm x 420 mm x 1100 mm.	150
43	NN waste container	Plastic waste container, dimensions: 500 mm x 500 mm x 930 mm.	10
44	NN sink	S/s sink with faucet, 2 soap dispensers and paper dispenser, sink dimensions: 550 mm x 320 mm x 500 mm.	50
45	NN trolley	S/s trolley, dimensions: 850 mm x 660 mm x 1000 mm.	25
46	NN coating machine		3000



Nr	Title	Description	Start €
		Mobile coating machine, s/s mesh belt, belt width: 600 mm, total dimensions: 1600 mm x 1300 mm x 1900 mm.	
47	Koppens BV	Koppens BV mobile coating machine, type: ERT 600, machine number: 120, 380 V, 3 Ph, 50 Hz, 0.95 A, 0.25 kW, weight: 240 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 1600 mm x 1200 mm x 1900 mm.	3000
48	NN buckets	7 s/s buckets.	10
49	NN table	Mobile s/s table, dimensions: 1350 mm x 530 mm x 1200 mm.	25
50	NN table	Mobile s/s table, dimensions: 1250 mm x 600 mm x 1250 mm.	25
51	Nederman / Elpress	Nederman hose reel, serial number: 30800386, year of construction: 2015, dimensions: 750 mm x 350 mm x 500 mm, Elpress soap mixing station, dimensions: 450 mm x 230 mm x 400 mm. Including extra nozzles.	250
52	Alweiller GmbH	Alweiller GmbH horizontal centrifugal pump, type: NTT40-200U5A-W4, number: 14021951, year of construction: 2014, dimensions: 1300 mm x 350 mm x 600 mm	250
53	NN waste bag holder	Steel waste bag holder, dimensions: 520 mm x 520 mm x 1300 mm.	10
54	NN sink	S/s sink with faucet, 2 Tork paper dispensers and 1 soap dispenser, sink dimensions: 1300 mm x 450 mm x 600 mm.	50
55	Hughes	Hughes cooled water dispenser, dimensions: 600 mm x 380 mm x 700 mm.	50
56	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
57	NN hose reels	2 s/s hose reels, dimensions: (2x) 500 mm x 200 mm x 500 mm.	300
58	NN locker	S/s locker, dimensions: 300 mm x 500 mm x 1950 mm.	25
59	Elpress	Elpress s/s hose reel, dimensions: 500 mm x 200 mm x 500 mm, including Elpress soap mixing station, dimensions: 500 mm x 200 mm x 500 mm.	250
60	Nederman	Nederman s/s hose reel with soap mixing station, number: 30800386, year of construction: 2011, hose reel dimensions: 750 mm x 350 mm x 550 mm, dimensions soap mixing station: 450 mm x 200 mm x 400 mm.	250
61	Nederman	Nederman s/s hose reel with soap mixing station, number: 886, year of construction: 2001, hose reel dimensions: 750 mm x 350 mm x 550 mm, dimensions soap mixing station: 450 mm x 200 mm x 400 mm.	250
62	NN hose reels	2 s/s hose reels, dimensions: (2x) 500 mm x 200 mm x 500 mm.	300
63	NN fence		150



Nr	Title	Description	Start €
		S/s steel fence with door, door width: 2240 mm, total dimensions: 2950 mm x 2250 mm.	
64	NN waste bag holder	Steel waste bag holder, dimensions: 520 mm x 520 mm x 1330 mm.	10
65	NN frame	S/s frame and soap dispenser.	10
66	NN table	Steel table with plastic top, dimensions: 750 mm x 610 mm x 750 mm.	10
67	NN table	S/s table, dimensions: 600 mm x 465 mm x 840 mm.	25
68	Elpress	Elpress s/s hose reel, type: EHR25/35, serial number: 38 2016, dimensions: 600 mm x 300 mm x 600 mm.	150
69	NN table	Mobile s/s table with plastic top, dimensions: 2000 mm x 1000 mm x 900 mm.	150
70	NN skewering conveyor	Mobile skewering conveyor, dimensions: 6800 mm x 1200 mm x 1830 mm.	1000
71	NN chairs	12 chairs, dimensions: (12x) 500 mm x 500 mm x 1250 mm.	250
72	NN elevating belt	Mobile elevating belt, plastic mesh belt, belt width: 300 mm, elevating height: 1150 mm, total dimensions: 4650 mm x 650 mm x 1150 mm.	500
73	NN skewers	4 Pallet with approximately 480000 skewers, various lengths, 220 mm, 175 mm, 180 mm.	50
74	Vikan	S/s wall mounted frame with 2 Vikan squeegees.	250
75	Elpress	Elpress s/s hose reel, dimensions: 600 mm x 350 mm x 500 mm, Elpress soap mixing station dimensions: 600 mm x 230 mm x 400 mm.	250
76	NN tool cabinet	Tool cabinet, dimensions: 1280 mm x 120 mm x 720 mm.	10
77	NN paper dispenser	Plastic paper dispenser and soap dispenser.	10
78	NN white board	White board, dimensions: 1220 mm x 920 mm.	10
79	NN fire blanket	Fire blanket, model: BRIDELA 2000.	5
80	Elpress	Elpress s/s hose reel, type: EHR25/35, serial number: 38 2016, dimensions: 600 mm x 350 mm x 500 mm, Elpress soap mixing station, dimensions: 600 mm x 230 mm x 400 mm. Including extra nozzles.	250
81	NN trolley	S/s trolley, dimensions: 3600 mm x 1250 mm x 1060 mm.	100
82	NN sink	S/s sink with 2 faucets, 3 soap dispensers and 1 Tork paper dispenser, sink dimensions: 1300 mm x 420 mm x 550 mm.	75
83	Vikan	Vikan broom and squeegee.	10
84	NN boot rack	2 s/s boot racks, for 36 pairs total, dimensions: (2x) 600 mm x 300 mm x 1900 mm.	100
85	NN sink	S/s sink with 2 faucets, soap dispenser and 2 paper dispenser, sink dimensions: 1300 mm x 420 mm x 550 mm.	75
86	NN coat hanger	S/s coat hanger, dimensions: 1750 mm x 350 mm x 100 mm.	25



Nr	Title	Description	Start €
87	Mettler Toledo GmbH	Mettler Toledo GmbH floor weighing scale with indicator, model: ICS429g, serial number: B820863350, 100/240 V, 1 Ph, 50/60 Hz, 300 mA, scale dimensions: 1250 mm x 1000 mm, indicator: 230 mm x 160 mm x 130 mm.	250
88	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
89	NN mesh belt	Pallet with s/s mesh belt, belt width: 450 mm.	25
90	NN office inventory	Office inventory, consisting of: mobile cabinet, dimensions: 900 mm x 500 mm x 1030 mm, s/s table, dimensions: 1050 mm x 500 mm x 850 mm, cabinet, dimensions: 1050 mm x 750 mm x 2000 mm, desk, dimensions: 1200 mm x 600 mm x 1030 mm, chair, dimensions: 500 mm x 500 mm x 1200 mm.	125
91	NN trolleys	35 steel trolleys, 19 floors, floor dimensions: 920 mm x 600 mm, total dimensions: (35x) 1000 mm x 600 mm x 1750 mm.	350
92	NN trolleys	88 steel trolleys, 19 floors, floor dimensions: 920 mm x 600 mm, total dimensions: (88x) 1000 mm x 600 mm x 1750 mm.	880
93	Mettler Toledo GmbH	Mettler Toledo GmbH weighing scale, type: ICS685k-rem-6SM/f/M/65, serial number: B639095638, 100/240 V, 1 Ph, 50/60 Hz, 300 mA, scale dimensions: 240 mm x 200 mm, total dimensions: 250 mm x 360 mm x 110 mm.	25
94	NN table	Mobile s/s table, dimensions: 1000 mm x 520 mm x 980 mm.	25
95	Elpress	Elpress s/s hose reel, dimensions: 500 mm x 300 mm x 500 mm, including Elpress soap mixing station, dimensions: 470 mm x 150 mm x 400 mm.	250
96	Nederman	Nederman air hose reel, year of construction: 2008, dimensions: 400 mm x 150 mm x 350 mm.	25
97	NN trolley	S/s trolley, dimensions: 1750 mm x 700 mm x 1650 mm.	25
98	Norah	Norah waste bin, dimensions: 500 mm x 550 mm x 950 mm.	10
99	NN sink	NN sink with 6 faucets, 3 soap dispensers and 3 Tork paper dispensers, sink dimensions: 2950 mm x 450 mm x 700 mm.	250
100	Hughes	Hughes cooled water dispenser, dimensions: 600 mm x 380 mm x 700 mm.	50
101	Kohlhoff	Kohlhoff sole cleaner, type: DLSO-HD 1500, machine number: 801689, year of construction: 11/2012, 230 V, 3 Ph, 0.6 kW, brush length: 1050 mm, total dimensions: 2400 mm x 950 mm x 1300 mm.	1250
102	NN coat hanger	Coat hanger for 9 coats, dimensions: 1250 mm x 430 mm x 1730 mm.	25
103	Magurit	Magurit frozen meat flaker, type: Starcutter 314, machine number: 6246, year of construction: 2011,	7500



Nr	Title	Description	Start €
		weight: 960 kg, 400 V, 50 Hz, 20 A, 9.2 kW, 6 bar, capacity: 4.000 kg per hour, clearance: 420 mm x 250 mm x 650 mm, total dimensions: 2400 mm x 1050 mm x 1380 mm.	
104	PSS Svidnik a.s.	PSS Svidnik a.s. mobile giraffe worm conveyor, type: G 250A, serial number: 05, year of construction: 2011, 230/400 V, 50 Hz, 6.2 kW, weight: 475 kg, screw diameter: 250 mm, tier: 190 mm, elevating height: 2000 mm, total dimensions: 1250 mm x 1200 mm x 2400 mm.	1500
105	Alitechno	Alitechno mobile grinder, type: TR.130, serial number: 178, 380 V, 3 Ph, 50 Hz, plate diameter: 130 mm, total dimensions: 1550 mm x 1050 mm x 1400 mm. Including s/s tool trolley, dimensions: 1150 mm x 450 mm x 900 mm.	2500
106	CFS	CFS mobile lifter for meat bins, type: ColumnLoader 300S, serial number: 5000065591, year of construction: 2007, weight: 250 kg, lifting height: 2180 mm, total dimensions: 1600 mm x 1200 mm x 2900 mm.	1500
107	CFS	CFS double shaft paddle mixer, type: UNIMIX 1500, serial number: 62491, year of construction: 2002, 400 V, 50 Hz, capacity: 1500 litre, dimensions: 1500 mm x 2700 mm x 2300 mm. 2 s/s switch cabinets, dimensions: (1x) 300 mm x 210 mm x 380 mm, (1x) 900 mm x 350 mm x 1300 mm.	7500
108	Altrex BV	Altrex BV mobile platform, number: T16164, year of construction: 2016, capacity: 500 kg, 3 steps, working height: 1000 mm, total dimensions: 1300 mm x 1050 mm x 2070 mm.	75
109	NN waste bag holder	S/s waste bag holder, dimensions: 520 mm x 520 mm x 1200 mm.	10
110	Nederman	Nederman s/s hose reel, number: 886, year of construction: 886, dimensions: 750 mm x 350 mm x 550 mm.	150
111	CFS	CFS grinder, type: C. 250-Uni-S, machine number: 55254, year of construction: 1991, 400 V, 50 Hz, 68 A, 37 kW, weight: 1200 kg, plate diameter: 250 mm, total dimensions: 2250 mm x 1200 mm x 2500 mm. S/s switch cabinet, dimensions: 600 mm x 260 mm x 750 mm. Including s/s tool trolley, dimensions: 1350 mm x 760 mm x 720 mm.	8500
112	Migel S.R.L.	Migel S.R.L. ice machine with bunker, type: KF2500, machine number: 8076, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 10 A, 3600 W x 2, refrigerant: R 404A, 1.2 kg x 2, dimensions: 1200 mm x 850 mm x 2040 mm.	2000
113	Risco	Risco double shaft paddle mixer, model: RS 450, number: 0649, year of construction: 1991, capacity: 450 litre, dimensions: 2000 mm x 1050 mm x 1550 mm.	2000



Nr	Title	Description	Start €
114	Nederman	Nederman plastic hose reel, number: 884, year of construction: 2015, dimensions: 730 mm x 300 mm x 600 mm.	75
115	Stephan	Stephan universal machine, type: UM44, machine number: 732266, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 10/12/14.6 A, 2.2/4/5.5 kW, capacity: 44 litre, dimensions: 800 mm x 550 mm x 1200 mm.	2500
116	Tork/Ecolab	Tork paper dispenser and Ecolab soap dispenser.	10
117	NN meat bin	S/s meat bin, volume 200 litre.	50
118	Seydelmann	Seydelmann grinder with lifter for meat bins, type: AU200B, machine number: 98419-1, year of construction: 1998, 400 V, 50 Hz, 105 A, 57 kW, plate diameter: 200 mm, total dimensions: 2800 mm x 1900 mm x 1730 mm. Including s/s tool trolley, dimensions: 800 mm x 400 mm x 980 mm.	10000
119	Sartorius	Sartorius floor weighing scale with indicator, type: CW1-1500RN-I, scale dimensions: 1500 mm x 1250, indicator dimensions: 300 mm x 200 mm x 100 mm.	250
120	NN mixing tub	Mobile mixing tub, inside dimensions: $\varnothing$ 580 mm x 800 mm, total dimensions: 1050 mm x 900 mm x 1400 mm.	250
121	MKM	MKM tilting device for pallet boxes, year of construction: 4-2013, 400 V, clearance: 1240 mm x 900 mm x 1000 mm, total dimensions: 1750 mm x 1500 mm x 1600 mm.	2000
122	NN Lights	S/s trolley with 2 UV-lights, light dimensions: (2x) 800 mm x 350 mm x 100, trolley dimensions: 1150 mm x 600 mm x 1300 mm.	100
123	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: DERBY CE, type: 1540, machine number: 154000.68451.0387, year of construction: 1996, 380/220 V, 50 Hz, 6/16 A, 2.20 kW, weight: 290 kg, chamber: 90 mm x 80 mm, total dimensions: 1450 mm x 700 mm x 1160 mm.	1250
124	Backsaver / Van Oirschot Roestvrijstaal BV	Backsaver / Van Oirschot Roestvrijstaal BV s/s electric pallet lifter, type: PL, capacity: 350 kg, fork length: 1040 mm, total dimensions: 1800 mm x 1000 mm x 1300 mm.	1500
125	Backsaver / Van Oirschot Roestvrijstaal BV	Backsaver / Van Oirschot Roestvrijstaal BV s/s electric pallet lifter, type: PL, capacity: 350 kg, fork length: 1040 mm, total dimensions: 1800 mm x 1000 mm x 1300 mm.	1500
126	Backsaver / Van Oirschot Roestvrijstaal BV	Backsaver / Van Oirschot Roestvrijstaal BV s/s electric pallet lifter, type: PL, capacity: 350 kg, fork length: 1040 mm, total dimensions: 1800 mm x 1000 mm x 1300 mm, including Xenteq battery charger.	1500
127	Vikan	S/s wall mounted frame with Vikan squeegee.	10
128	Elpress	Elpress s/s hose reel, dimensions: 500 mm x 200 mm x 500 mm, including Elpress soap mixing station, dimensions: 500 mm x 200 mm x 500 mm.	250



Nr	Title	Description	Start €
129	NN platform	S/s platform, dimensions: 500 mm x 500 mm x 280 mm.	10
130	NN rollie	S/s rollie with plastic crate, crate dimensions: 600 mm x 400 mm x 300 mm, rollie dimensions: 600 mm x 400 mm x 750 mm.	10
131	NN white boards	2 white boards, dimensions: (2x) 1800 mm x 900 mm.	20
132	NN desk and cabinet	S/s desk with wooden top, dimensions: 1900 mm x 1120 mm x 1030 mm, s/s cabinet, dimensions: 550 mm x 350 mm x 550 mm, s/s wall mounted rack, dimensions: 440 mm x 400 mm x 850 mm.	50
133	Tork	Tork paper dispenser.	10
134	NN cabinet	Wall mounted cabinet, dimensions: 410 mm x 350 mm x 430 mm.	10
135	NN trolleys	25 steel trolleys, 19 floors, floor dimensions: 920 mm x 600 mm, total dimensions: (25x) 1000 mm x 600 mm x 1750 mm.	250
136	NN meat bins	10 s/s meat bins, volume: 300 litre.	500
137	NN meat bins	6 s/s meat bins, volume: 200 litre.	300
138	NN meat bins	6 s/s meat bins, volume: 200 litre.	300
139	NN meat bins	16 s/s meat bins, volume: 200 litre.	800
140	NN meat bins	16 s/s meat bins, volume: 200 litre.	800
141	NN meat bin	Plastic meat bin, volume: 200 litre.	40
142	NN table	Mobile s/s table with plastic top, dimensions: 1500 mm x 700 mm x 600 mm.	100
143	NN trolleys	30 steel trolleys, 19 floors, floor dimensions: 920 mm x 600 mm, total dimensions: (30x) 1000 mm x 600 mm x 1750 mm.	300
144	Ramex / Elpress	Ramex s/s hose reel, hose reel dimensions: 500 mm x 350 mm x 500 mm, including Elpress soap mixing station, dimensions: 500 mm x 180 mm x 500 mm.	250
145	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
146	NN cabinet	Wall mounted cabinet, dimensions: 400 mm x 300 mm x 620 mm.	10
147	Otto	Otto plastic waste bin, dimensions: 520 mm x 520 mm x 950 mm.	10
148	NN roller conveyor	Roller conveyor, aluminium rollers, roller width: 400 mm, total dimensions: 2050 mm x 500 mm x 840 mm.	25
149	NN frame for pallets	S/s frame for pallets, dimensions: 1340 mm x 940 mm x 1800 mm.	50
150	NN waste bag holder	Steel waste bag holder, dimensions: 520 mm x 520 mm x 1300 mm.	10
151	NN writing desk	S/s writing desk, dimensions: 1900 mm x 620 mm x 650 mm.	25
152	Sartorius	Sartorius weighing scale for pallets, scale dimensions: 1350 mm x 900 mm x 80 mm, dimensions indicator: 250 mm x 100 mm x 180 mm.	150
153	NN soap dispenser	Plastic soap dispenser.	10



Nr	Title	Description	Start €
154	Elpress	Elpress s/s hose reel, dimensions: 500 mm x 200 mm x 500 mm, including Elpress soap mixing station, dimensions: 500 mm x 200 mm x 500 mm.	250
155	Nederman	Nederman hose reel, dimensions: 750 mm x 300 mm x 600 mm.	75
156	NN office inventory	Office inventory, consisting of: desk, dimensions: 1800 mm x 1100 mm, chair, dimensions: 450 mm x 550 mm x 1100 mm, cabinet, dimensions: 600 mm x 400 mm x 600 mm, white board, dimensions: 1500 mm x 1000 mm.	50
157	Soft Care Line	Soft Care Line soap dispenser.	10
158	NN first AID kit	First AID kit, dimensions: 440 mm x 140 mm x 320 mm.	25
159	Kohlhoff	Kohlhoff sole cleaner, type: Primus 2-S, machine number: 801689, year of construction: 11/2012, 230 V, 1 Ph, 0.18 kW, brush width: 160 mm, total dimensions: 800 mm x 500 mm x 1200 mm.	150
160	NN sink	S/s sink with faucet, soap dispenser, Tork paper dispenser and cabinet, sink dimensions: 650 mm x 480 mm x 550 mm.	50
161	Otto	Otto plastic waste bin, dimensions: 520 mm x 520 mm x 950 mm.	10
162	NN tank	Plastic tank on s/s trolley, volume: 250 litre, dimensions: 950 mm x 600 mm x 1650 mm.	50
163	NN film reel holder	S/s film reel holder, film width: (1x) 1300 mm x (1x) 1400 mm, total dimensions: 1800 mm x 350 mm x 1100 mm.	25
164	Jungheinrich	Jungheinrich reach truck, model: ETV 214, serial number: 91657879, year of construction: 2021, fork dimensions: 1150 mm x 560 mm, battery voltage: 48 V, drive output: 8.5 kW, capacity: 1400 kg, weight without battery: 2216 kg, battery weight: 892/1023 kg, distance centre gravity: 600 mm, operating hours: 486 hours, lifting height: 5600 mm, total dimensions: 2500 mm x 1300 mm x 2450 mm, including Jungheinrich battery charger, model: SLH 300, dimensions: 350 mm x 320 mm x 510 mm.	5000
165	NN cones	2 cones, dimensions: (2x) 430 mm x 430 mm x 750 mm.	5
166	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
167	NN frame	S/s frame, dimensions: 1350 mm x 560 mm x 200 mm.	10
168	NN tub	Mobile s/s tub, inside dimensions: 550 mm x 550 mm x 320 mm, total dimensions: 700 mm x 650 mm x 750 mm.	25
169	Elpress	Elpress s/s hose reel, type: EHT 20, serial number: 100818, year of construction: 07/2012, dimensions: 500 mm x 200 mm x 500 mm, including Elpress soap mixing station, dimensions: 500 mm x 200 mm x 500 mm.	250



Nr	Title	Description	Start €
170	NN carton boxes and skewers	2 pallets with carton boxes and skewers, approximately 640000 skewers, skewer length: 175 mm, approximately 900 carton boxes, box dimensions: 240 mm x 220 mm x 90 mm, total dimensions: (2x) 1200 mm x 800 mm x 1800 mm.	50
171	NN crates	9 plastic crates, dimensions: (6x) 600 mm x 400 mm x 160 mm, (3x) 590 mm x 390 mm x 350 mm.	10
172	NN floor weighing scale	S/s floor weighing scale, dimensions: 1490 mm x 1240 mm. Without indicator.	150
173	Sartorius	Sartorius weighing scale for pallets, scale dimensions: 1350 mm x 900 mm x 80 mm, dimensions indicator: 250 mm x 100 mm x 180 mm.	150
175	NN protection barriers	2 plastic protection barriers, dimensions: (2x) 2000 mm x 200 mm x 150 mm, (1x) 1800 mm x 200 mm x 150 mm.	10
176	Nederman	Nederman hose reel, serial number: 884, year of construction: 1998, dimensions: 750 mm x 300 mm x 550 mm.	75
177	NN skewers	5 pallets with approximately 1900000 skewers, skewer length: 220 mm, total dimensions: (5x) 1200 mm x 800 mm x 1460 mm.	125
178	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
179	NN telephone	Cabinet with telephone, dimensions: 410 mm x 250 mm x 500 mm.	25
180	Elpress	Elpress s/s hose reel, type: EHT 20, serial number: 034116, year of construction: 03/2002, dimensions: 500 mm x 200 mm x 500 mm, including Elpress soap mixing station, dimensions: 500 mm x 200 mm x 500 mm.	250
181	NN platform	Mobile platform, 2 steps, dimensions: 1550 mm x 620 mm x 1650 mm.	100
182	NN cabinets	2 s/s cabinets, dimensions: (1x) 380 mm x 240 mm x 400 mm, (1x) 590 mm x 240 mm x 400 mm.	50
183	Nederman	Nederman hose reel, serial number: 884, year of construction: 1998, dimensions: 750 mm x 300 mm x 550 mm.	75
184	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
185	NN chairs	3 chairs, dimensions: (3x) 700 mm x 700 mm x 1300 mm. Incomplete.	30
186	NN table	S/s table with plastic top, dimensions: 700 mm x 450 mm x 730 mm.	20
187	NN waste bag holder	S/s waste bag holder, dimensions: 500 mm x 500 mm x 1230 mm.	10
188	NN rollie	Plastic rollie, dimensions: 620 mm x 420 mm x 180 mm.	5
189	NN desk	Wooden desk on s/s wall mounted frame, dimensions: 1750 mm x 600 mm x 600 mm. Including 2 chairs.	10



Nr	Title	Description	Start €
190	NN sink	S/s sink with faucet, knee control, dimensions: 700 mm x 500 mm x 600 mm, including Tork paper dispenser, Ecolab soap dispenser and cabinet.	50
191	Sartorius	Sartorius floor weighing scale with indicator, scale dimensions: 1250 mm x 1000 mm, indicator dimensions: 600 mm x 230 mm x 380 mm.	250
192	NN cabinet	Plastic cabinet, dimensions: 310 mm x 200 mm x 420 mm.	10
193	Soft Care Line	Soft Care Line soap dispenser.	10
194	NN meat bin	S/s meat bin, volume 200 litre. Including 2 fire extinguishers.	50
195	Elpress	Elpress s/s hose reel, type: EHT 20, serial number: 053632, year of construction: 10/2005, dimensions: 500 mm x 300 mm x 500 mm.	150
196	NN skewering conveyor	Mobile skewering conveyor, dimensions: 6100 mm x 1200 mm x 1300 mm.	1000
197	NN chairs	6 chairs, dimensions: (6x) 500 mm x 500 mm x 1100 mm.	120
198	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 400 mm, elevating height: 1020 mm, total dimensions: 2200 mm x 750 mm x 1300 mm.	400
199	NN frame	Mobile s/s frame with plastic tub, inside dimensions tub: 750 mm x 460 mm x 150 mm, total dimensions: 810 mm x 550 mm x 900 mm.	25
200	NN table	S/s table with plastic top, dimensions: 2000 mm x 700 mm x 800 mm.	100
201	Koppens BV	Koppens BV mobile transport belt, type: TK, machine number: 7530/600-128, 380 V, 3 Ph, 50 Hz, 0.8 A, weight: 200 kg, plastic belt, belt width: 590 mm, total dimensions: 2860 mm x 1220 mm x 970 mm.	750
202	NN cabinet	S/s cabinet, dimensions: 820 mm x 650 mm x 1830 mm.	50
203	NN computer cabinet	Computer cabinet, dimensions: 1250 mm x 550 mm x 1720 mm.	25
204	Mettler Toledo GmbH	Mettler Toledo GmbH weighing scale, type: ICS685k-rem-6SM/f/M/65, serial number: B639095639, 100/240 V, 1 Ph, 50/60 Hz, 300 mA, scale dimensions: 240 mm x 200 mm, total dimensions: 250 mm x 360 mm x 110 mm.	25
205	Otto	Otto plastic waste bin, dimensions: 520 mm x 520 mm x 950 mm.	10
206	NN platform	S/s platform, dimensions: 460 mm x 580 mm x 450 mm.	25
207	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
208	NN cabinet	Plastic cabinet, dimensions: 310 mm x 200 mm x 420 mm.	10
209	NN bucket	S/s bucket, 10 litre.	5
210	Prominox		50



Nr	Title	Description	Start €
		Prominox s/s sink with faucet, dimensions: 390 mm x 420 mm x 460 mm.	
211	NN platforms	2 s/s platforms, dimensions: (2x) 600 mm x 400 mm x 150 mm.	25
212	Otto	4 Otto plastic waste bins, dimensions: (4x) 520 mm x 520 mm x 950 mm.	40
213	NN writing desk	Mobile s/s writing desk, dimensions: 500 mm x 500 mm x 1400 mm.	50
214	NN spacers	6 pallets with large amount of plastic spacers, spacer dimensions: 780 mm x 590 mm.	100
215	NN rollie	S/s rollie, dimensions: 820 mm x 550 mm x 190 mm.	10
216	NN trolley	S/s trolley, dimensions: 950 mm x 550 mm x 860 mm.	25
217	NN rollies	2 s/s rollies, dimensions: (2x) 600 mm x 355 mm x 750 mm.	20
218	NN trolley	S/s trolley, dimensions: 600 mm x 400 mm x 850 mm.	10
219	NN table	S/s table with plastic top, dimensions: 455 mm x 310 mm x 780 mm.	10
220	Avercon N.V.	Avercon N.V. carton erector, type: CE710 L/T, number: 606, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 12.4/3.5 A, infeed width: 500 mm, plastic belts, belt width: (2x) 70 mm, total dimensions: 4150 mm x 3900 mm x 2100 mm.	1500
221	NN transport system for carton boxes	Transport system for carton boxes, consisting of: s/s slide, clearance: 240 mm x 330 mm, total dimensions: 1600 mm x 3900 mm, transport belt, plastic belt, belt width: 220 mm, total dimensions: 6200 mm x 220 mm, transport belt, plastic belt, belt width: 220 mm, total dimensions: 1800 mm x 900 mm x 1100 mm, roller conveyor, plastic rollers, roller width: 500 mm, total dimensions: 2900 mm x 600 mm x 900 mm.	500
222	NN roller conveyor	Mobile roller conveyor, plastic rollers, roller width: 400 mm, total dimensions: 2000 mm x 450 mm x 900 mm.	100
223	SIAT	SIAT mobile box closing machine, model: S8/4-S, serial number: 53394, year of construction: 2010, 380/415 V, 3 Ph, 50 Hz, 1 A, 180 W, plastic rollers, roller width: 400 mm, s/s rollers, roller width: 650 mm, total dimensions: 1400 mm x 950 mm x 1700 mm.	250
224	G+S Techniek BV	G+S Techniek BV electric driven roller conveyor, s/s rollers, roller width: 950 mm, total dimensions: 2800 mm x 1400 mm x 900 mm.	500
225	NN table	S/s table, dimensions: 1000 mm x 610 mm x 840 mm.	25
226	Nederman	Nederman hose reel, dimensions: 550 mm x 350 mm x 750 mm.	150
227	NN tables	2 s/s tables with plastic top, dimensions: (1x) 840 mm x 530 mm x 850 mm, (1x) 830 mm x 530 mm x 1000 mm.	50
228	Handtmann	Handtmann vacuum filling machine, type: VF 200, number: 302, 400 V, 50 Hz, 6 A, 15 kW, filling and	2000



Nr	Title	Description	Start €
		portioning, dimensions: 1200 mm x 1100 mm x 2100 mm.	
229	NN meat bin	S/s meat bin, volume: 200 litre.	50
230	Nederman	Nederman hose reel, dimensions: 550 mm x 350 mm x 750 mm.	150
231	NN elevating belt	Mobile elevating belt, plastic belt with dividers, belt width: 300 mm, divider height: 50 mm, distance between dividers: 285 mm, elevating height: 1470 mm, total dimensions: 2800 mm x 1320 mm x 1800 mm.	500
232	NN bread slicing and meat topping line	Bread slicing and meat topping line, consisting of: (2x) centrifugal filling machine, inside dimensions: ø 850 mm x 130 mm, 2 conveyors, plastic belts, belt width: 160 mm, saw, working width: 15 mm, total dimensions: 8000 mm x 3300 mm x 2100 mm. S/s switch cabinet, dimensions: 1000 mm x 400 mm x 1900 mm. Including 4 tool boards.	1000
233	Nothum	Nothum mobile elevating belt, model: Bread Hopper, serial number: 4785011509, chain conveyor with dividers, conveyor width: 350 mm, divider height: 35 mm, distance between dividers: 185 mm, elevating height: 1400 mm, total dimensions: 1600 mm x 950 mm x 1520 mm.	300
234	NN platform	Mobile s/s platform, 2 steps, working height: 700 mm, total dimensions: 1100 mm x 680 mm x 1680 mm.	100
235	NN ergo step	S/s ergo step, dimensions: 720 mm x 470 mm x 430 mm.	25
236	Otto	2 Otto plastic waste bin, dimensions: (2x) 520 mm x 520 mm x 950 mm.	10
237	NN frames	2 frames, (1x) mobile, dimensions: 750 mm x 520 mm x 900 mm, (1x) 600 mm x 405 mm x 810 mm.	20
238	NN frame	S/s frame for film roll, maximum film width: 790 mm, total dimensions: 1000 mm x 360 mm x 170 mm.	10
239	Soft Care Line	Soft Care Line soap dispenser.	10
240	Gesco	Gesco mobile suction device, dimensions: 1150 mm x 640 mm x 1400 mm.	150
241	Master Lock	Master Lock lockout station, dimensions: 400 mm x 50 mm x 320 mm.	10
242	NN safety glasses	Plastic cabinet with safety glasses, dimensions: 310 mm x 200 mm x 420 mm.	5
243	NN tool cabinet	S/s tool cabinet, dimensions: 800 mm x 300 mm x 1200 mm.	25
244	Vikan	Vikan wall mount with squeegee.	10
245	NN waste bag holders	2 waste bag holders, dimensions: (1x) 520 mm x 540 mm x 1300 mm, (1x) 500 mm x 500 mm x 1200 mm.	20
246	Elpress	Elpress s/s hose reel, hose reel type: ST40/10/1e/EHT20, serial number: 069598, year of construction: 01/2008, dimensions: 500 mm x 200 mm x 500 mm,	250



Nr	Title	Description	Start €
		including Elpress soap mixing station, dimensions: 500 mm x 200 mm x 500 mm.	
247	Tork	Tork paper dispenser and soap dispenser.	20
248	NN platform	S/s platform, dimensions: 500 mm x 500 mm x 420 mm.	25
249	Norah	Norah plastic waste container, dimensions: 520 mm x 540 mm x 950 mm.	10
250	NN waste bag holder	Steel waste bag holder, dimensions: 520 mm x 520 mm x 1300 mm.	10
251	NN trolley	Steel trolley, 3 floors, dimensions floors: (3x) 820 mm x 500 mm, total dimensions: 900 mm x 500 mm x 880 mm.	25
252	NN roller conveyor	Mobile roller conveyor, plastic roller, roller width: 400 mm, total dimensions: 1560 mm x 480 mm x 800 mm.	50
253	NN table	Mobile s/s frame for table, dimensions: 2000 mm x 1000 mm x 820 mm.	50
254	Vikan	Vikan wall mount with 2 squeegees.	20
255	NN table	S/s table with plastic top, dimensions: 1200 mm x 800 mm x 760 mm.	25
256	NN transport belt	Mobile transport belt, plastic belt, belt width: 400 mm, total dimensions: 5600 mm x 600 mm x 900 mm.	500
257	Square	Square mobile metal detector, model: SDII5020WH, serial number: M094201337, year of construction: 2009, 100-240 V, 50/60 Hz, plastic belt, belt width: 455 mm, clearance: 500 mm x 190 mm, total dimensions: 1800 mm x 900 mm x 1320 mm.	1500
258	Koppens BV	Koppens BV mobile hamburger scorer, type: TG600CU, machine number: 113, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 115 kg, s/s mesh belt, belt width: 600 mm, working width: 560 mm, total dimensions: 1200 mm x 760 mm x 1310 mm.	1000
259	Elpress	Elpress s/s hose reel, hose reel type: EHR25/35, serial number: 29 0014, dimensions: 500 mm x 200 mm x 500 mm, including Elpress soap mixing station, type: 83801060, serial number: 19558-002, year of construction: 2014, pressure: 20 bar, maximum temperature: 70°C, dimensions: 500 mm x 200 mm x 500 mm.	250
260	NN waste bag holder	Steel waste bag holder, dimensions: 520 mm x 520 mm x 1300 mm.	10
261	NN table	S/s mobile table with plastic top, dimensions: 800 mm x 700 mm x 840 mm.	50
262	NN table	S/s mobile table with plastic top, dimensions: 840 mm x 460 mm x 810 mm.	50
263	NN roller conveyor	Mobile de-elevating roller conveyor, plastic rollers, roller width: 500 mm, total dimensions: 2090 mm x 700 mm x 880 mm.	50
264	Sartorius AG		50



Nr	Title	Description	Start €
		Sartorius AG weighing scale, dimensions scale: 320 mm x 240 mm, total dimensions: 340 mm x 400 mm x 420 mm.	
265	NN tool cabinet	Tool cabinet, dimensions: 630 mm x 500 mm x 1700 mm.	50
266	Mettler-Toledo B.V.	Mettler-Toledo B.V. weighing scale, type: PJ 6000, serial number: L39417, 200-240 V, 50-60 Hz, dimensions scale: 230 mm x 185 mm, total dimensions: 320 mm x 200 mm x 90 mm.	25
267	Siat	Siat mobile box closing machine with REA Elektronik GmbH high resolution inkjet printer, model: S8/4-S, serial number: 53780, year of construction: 2011, 380/415 V, 3 Ph, 50 Hz, 1 A, 180 W, plastic rollers, roller width: 400 mm, s/s rollers, roller width: 240 mm, 500 mm, 650 mm, total dimensions: 1500 mm x 1000 mm x 1700 mm.	400
268	Siat	Siat mobile box closing machine with REA Elektronik GmbH high resolution inkjet printer, model: S8/4-S, serial number: 50009, year of construction: 2012, 380/415 V, 3 Ph, 50 Hz, 1 A, 180 W, plastic rollers, roller width: 400 mm, s/s rollers, roller width: 240 mm, 500 mm, 650 mm, total dimensions: 1500 mm x 1000 mm x 1700 mm.	400
269	Safeline	Safeline mobile metal detector, type: RECTANGULAR, serial number: C446068232, year of construction: 2024, 230 VAC, 50 Hz, 6 A, weight: 310 kg, plastic belt, belt width: 330 mm, clearance: 350 mm x 145 mm, total dimensions: 1630 mm x 1200 mm x 1320 mm.	4000
270	NN frame for pallets	S/s frame for pallets, dimensions: 1340 mm x 940 mm x 1800 mm, 1300 mm x 900 mm x 1800 mm.	50
271	NN roller conveyor	Mobile roller conveyor, plastic rollers, roller width: 310 mm, total dimensions: 2950 mm x 750 mm x 1130 mm.	150
272	Loma	Loma mobile metal detector, model: IQ2, plastic belt, belt width: 380 mm, clearance: 450 mm x 110 mm, total dimensions: 1270 mm x 940 mm x 1370 mm.	1500
273	Koppens BV	Koppens BV mobile transport belt, type: IB2000/600, machine number: IB 2000/600-259, 380 V, 3 Ph, 50 Hz, 0.8 A, 0.18 kW, weight: 120 kg, plastic belt, belt width: 600 mm, total dimensions: 2850 mm x 1150 mm x 1000 mm.	750
274	NN roller conveyor	Mobile roller conveyor, plastic rollers, roller width: 290 mm, total dimensions: 1030 mm x 370 mm x 860 mm.	50
275	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
276	NN sink	S/s sink, knee control, dimensions sink: 2500 mm x 440 mm x 700 mm, including 2 plastic dispensers.	75
277	Elkay	Elkay drink fountain, dimensions: 460 mm x 380 mm x 550 mm.	50



Nr	Title	Description	Start €
278	NN stool	Stool, dimensions: 500 mm x 500 mm x 1220 mm.	10
279	Rittal	Rittal steel computer cabinet, dimensions: 600 mm x 700 mm x 1740 mm.	25
280	Norah	Norah plastic waste container, dimensions: 520 mm x 540 mm x 950 mm.	10
281	Vikan	S/s wall mount with Vikan squeegee.	10
282	NN mesh belt for fryer	S/s mobile mesh belt for fryer, belt width: 600 mm, total dimensions: 1550 mm x 760 mm x 1240 mm.	250
283	Koppens BV	Koppens BV mobile tempura dipper, model: TD600, weight: 200 kg, 380 V, 3 Ph, 50 Hz, 0.5 kW, s/s mesh belt, belt width: 600 mm, total dimensions: 2500 mm x 800 mm x 1450 mm.	1500
284	Elpress	Elpress s/s hose reel, dimensions: 500 mm x 150 mm x 400 mm, including Elpress soap mixing station, dimensions: 500 mm x 300 mm x 450 mm.	250
285	NN cabinet	S/s wall mounted cabinet, dimensions: 1000 mm x 300 mm x 1000 mm.	25
286	NN mixing tank	S/s mixing tank, inside dimensions: ø 1000 mm x 800 mm, total dimensions: 1150 mm x 1100 mm x 1800 mm.	500
287	FAM n.v.	FAM n.v. mobile slicer, type: FV-2D, serial number: 5488, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 2.2 kW, weight: 260 kg, dimensions: 1300 mm x 800 mm x 1540 mm.	2500
289	NN frame	Mobile s/s frame, dimensions: ø 1150 mm x 1550 mm.	50
290	Nederman	Nederman hose reel with plastic hose and spray pistol, dimensions hose reel: 700 mm x 350 mm x 600 mm, 320 mm x 120 mm x 170 mm.	75
291	Thissen & Stecher BV	Thissen & Stecher BV cooking vessel with agitator, model: TSRR 200 SLD, serial number: 303 NL 2017, 400 V, 50 Hz, 5 A, 2.3 kW, 440 kg, steam consumption: 111 kg/h, maximum temperature: 139 °C, volume: 200 litres, dimensions: 1230 mm x 1200 mm x 1650 mm.	1500
292	Marel	Marel Platino mobile flattener, model: PLT 400, type: 0218-002-00001, serial number: E013928, year of construction: 2012, 230/400 V, 3 Ph, 50 Hz, plastic belt, belt width: 400 mm, total dimensions: 2300 mm x 1100 mm x 1550 mm.	4000
293	NN transport belt	Mobile transport belt, plastic mesh belt, belt width: 580 mm, total dimensions: 5000 mm x 1000 mm x 1180 mm.	1000
294	NN mesh belt for fryer	Mobile s/s mesh belt for fryer, belt width: 600 mm, total dimensions: 900 mm x 800 mm x 780 mm.	250
295	NN mesh belt	Mobile s/s mesh belt, belt width: 400 mm, total dimensions: 1350 mm x 550 mm x 1600 mm.	250
296	NN platform	S/s platform, working height: 760 mm, total dimensions: 1500 mm x 680 mm x 1660 mm.	125



Nr	Title	Description	Start €
297	NN fences	2 s/s fences, dimensions: (2x) 1300 mm x 300 mm x 1050 mm.	50
298	NN rollie	S/s rollie, dimensions: 820 mm x 550 mm x 200 mm.	10
299	NN screen	S/s mobile screen, dimensions: 3000 mm x 950 mm x 2400 mm.	150
300	NN table	S/s table with plastic top, dimensions: 2000 mm x 1000 mm x 750 mm.	150
301	NN screen	S/s mobile screen, dimensions: 3000 mm x 950 mm x 2400 mm.	150
302	NN soap dispensers	2 plastic soap dispensers.	20
303	Rentokil	Rentokil insect killer, dimensions: 600 mm x 150 mm x 600 mm.	10
304	NN covers	8 s/s covers, dimensions: (8x) 1220 mm x 330 mm.	25
305	Elpress	Elpress s/s hose reel, serial number hose reel: 6928, dimensions: 500 mm x 150 mm x 400 mm, including Elpress soap mixing station, dimensions: 500 mm x 300 mm x 450 mm.	250
306	NN table	S/s frame for table, dimensions: 2000 mm x 1000 mm x 800 mm.	50
307	NN table	Mobile s/s table with plastic top, dimensions: 2000 mm x 1000 mm x 800 mm.	150
308	NN fence	S/s fence, dimensions: 1300 mm x 300 mm x 1040 mm.	25
309	NN LDPE covers	Pallet with LDPE covers, dimensions covers: 130/50 x 210 cm.	50
310	Nedermann	Nedermann s/s hose reel, serial number: 886, year of construction: 2001, dimensions: 700 mm x 450 mm x 550 mm.	150
311	Tensio	Plastic pallet box with 2 plastic vessels of Tensiodes Qaut, dimensions pallet box: 1200 mm x 1000 mm x 760 mm.	25
312	Asecos	2 plastic Asecos drip trays, dimensions: 1200 mm x 1200 mm x 300 mm, 1750 mm x 1400 mm x 660 mm.	50
313	NN crates	2 plastic pallets with 104 plastic crates, dimensions each crate: 600 mm x 400 mm x 130 mm, total dimensions: 1200 mm x 800 mm x 1660 mm.	25
314	NN crates	2 plastic pallets with 62 plastic crates, dimensions each crate: 600 mm x 400 mm x 120 mm, total dimensions: 1200 mm x 800 mm x 1600 mm, 1200 mm x 800 mm x 650 mm.	25
315	NN pallets	17 plastic pallets, dimensions: (17x) 1200 mm x 1000 mm x 150 mm.	75
316	NN IBC tank	Plastic IBC tank with oil, total dimensions: 1200 mm x 1000 mm x 1480 mm.	50
317	NN IBC tank	Plastic IBC tank with drip tray, total dimensions: 1200 mm x 1000 mm x 1580 mm.	50
318	NN crates		25



Nr	Title	Description	Start €
		3 plastic pallets with 95 plastic crates, dimensions each crate: (20x) 590 mm x 390 mm x 350 mm, (75x) 590 mm x 390 mm x 75 mm.	
319	NN crates	3 plastic pallets with 126 plastic crates, dimensions each crate: 600 mm x 400 mm x 160 mm, total dimensions: 1200 mm x 1000 mm x 930 mm, 1200 mm x 1000 mm x 1720 mm, 1200 mm x 1000 mm x 1900 mm.	30
320	Otto	Otto plastic waste bin, dimensions: 540 mm x 520 mm x 950 mm.	10
321	NN fence	S/s fence, dimensions: 1050 mm x 300 mm x 1050 mm.	25
322	NN film roll holder	S/s wall mounted film roll holder, film width: 1300 mm, total dimensions: 1530 mm x 300 mm x 900 mm.	25
323	Protec	Protec reverse osmosis system, dimensions: 1000 mm x 1000 mm x 1780 mm, including plastic tank, dimensions: Ø 1100 mm x 2300 mm.	1000
324	NN sink	S/s sink, knee control with plastic paper dispenser and plastic soap dispenser, dimensions sink: 450 mm x 450 mm x 500 mm.	50
325	NN sole cleaner	Boot sole cleaner, dimensions brush: 190 mm, total dimensions: 550 mm x 440 mm x 1000 mm.	150
326	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
327	Haws	Haws eye and safety shower.	50
328	Tensio	Plastic pallet box with 2 plastic vessels of Tensiodes Qaut, dimensions pallet box: 1200 mm x 1000 mm x 760 mm.	50
329	Enpac	8 Enpac plastic drip trays, dimensions: 1260 mm x 1260 mm x 440 mm.	100
330	Asecos	Asecos steel safety cabinet for chemicals, dimensions: 600 mm x 600 mm x 1980 mm.	25
331	Elpress	Elpress s/s hose reel, dimensions: 500 mm x 150 mm x 400 mm, including Elpress soap mixing station, dimensions: 500 mm x 300 mm x 450 mm.	250
332	NN fence	S/s fence, dimensions: 1300 mm x 300 mm x 1040 mm.	25
333	NN trolleys	91 steel trolleys, 19 floors, floor dimensions: 920 mm x 600 mm, total dimensions: (91x) 1000 mm x 600 mm x 1750 mm.	910
334	NN sink	S/s sink, knee control, dimensions: 1800 mm x 500 mm x 600 mm, including 2 Tork paper dispensers and soap dispenser.	75
335	NN trolleys	20 steel trolleys, 19 floors, floor dimensions: 920 mm x 600 mm, total dimensions: (20x) 1000 mm x 600 mm x 1750 mm.	200
336	NN trolleys	18 steel trolleys, 19 floors, floor dimensions: 920 mm x 600 mm, total dimensions: (18x) 1000 mm x 600 mm x 1750 mm.	180



Nr	Title	Description	Start €
337	NN writing desk	S/s wall mounted writing desk, dimensions: 1130 mm x 540 mm x 210 mm.	25
338	Kohlhoff	Kohlhoff sole cleaner, brush width: 160 mm, total dimensions: 750 mm x 500 mm x 1400 mm. Missing cover.	100
339	Elkay	Elkay drink fountain, dimensions: 460 mm x 380 mm x 550 mm.	50
340	Tork	Tork paper dispenser.	10
341	NN trolleys	24 steel trolleys, 19 floors, floor dimensions: 920 mm x 600 mm, total dimensions: (24x) 1000 mm x 600 mm x 1750 mm.	240
342	NN trolleys and floors	17 s/s trolleys with steel floors and 6 plastic pallet boxes with steel floors, dimensions trolleys: (15x) 1000 mm x 950 mm x 1070 mm, (2x) 1050 mm x 850 mm x 1600 mm, dimensions pallet boxes: (6x) 1200 mm x 1000 mm x 760 mm.	230
343	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
344	Jungheinrich	Jungheinrich electric pallet lifter, model: EJE 116, serial number: 98267822, year of construction: 2020, fork dimensions: 1150 mm x 540 mm, battery voltage: 24 V, drive output: 1.1 kW, capacity: 1600 kg, weight without battery: 262 kg, battery weight: 170/231 kg, distance centre gravity: 575 mm, operating hours: 993 hours, total dimensions: 1700 mm x 700 mm x 1320 mm, including Jungheinrich battery charger, model: SLH 300, type: D230V G 24/45 B-SLH300, serial number: 93869571, year of construction: 2020/02, input: 230 V, 50-60 Hz, 7.0 A, output: 24 V/45 A, battery capacity: 225 Ah-391 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	1500
345	Jungheinrich	Jungheinrich electric pallet lifter, model: EJE 116, serial number: 98267772, year of construction: 2020, fork dimensions: 1150 mm x 540 mm, battery voltage: 24 V, drive output: 1.1 kW, capacity: 1600 kg, weight without battery: 262 kg, battery weight: 170/231 kg, distance centre gravity: 575 mm, operating hours: 488 hours, total dimensions: 1700 mm x 700 mm x 1320 mm, including Jungheinrich battery charger, model: SLH 300, type: D230V G 24/50 B-SLH300, serial number: 93868766, year of construction: 2020/02, input: 230 V, 50-60 Hz, 7.0 A, output: 24 V/50 A, battery capacity: 225 Ah-434 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	1500
346	Jungheinrich	Jungheinrich electric pallet lifter, model: EJE 116, serial number: 98267773, year of construction: 2020, fork dimensions: 1150 mm x 540 mm, battery voltage: 24 V, drive output: 1.1 kW, capacity: 1600 kg, weight without	1500



Nr	Title	Description	Start €
		battery: 262 kg, battery weight: 170/231 kg, distance centre gravity: 575 mm, operating hours: 944 hours, total dimensions: 1700 mm x 700 mm x 1320 mm, including Jungheinrich battery charger, model: SLH 300, type: D230V G 24/50 B-SLH300, serial number: 93868872, year of construction: 2020/02, input: 230 V, 50-60 Hz, 7.0 A, output: 24 V/50 A, battery capacity: 225 Ah-434 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	
347	Jungheinrich/Ravas	Jungheinrich electric pallet lifter with Ravas weighing system, model: EJE 225, serial number: 98082878, year of construction: 2014, model Ravas weighing scale: RPW EL-6, year of construction: 2016, maximum weighing capacity: 2500 kg, fork dimensions: 1150 mm x 540 mm, total dimensions: 1850 mm x 740 mm x 1300 mm, including Hoppecke battery charger, type: E 230 G24/60 B-F14 GO-HF, serial number: 45000864, 230 V, 50/60 Hz, 24 V, 60 A, dimensions: 300 mm x 350 mm x 600 mm.	1750
348	Jungheinrich	Jungheinrich pallet lifter, type: AMX10E, serial number: 24009864, year of construction: 2017, weight: 202 kg, capacity: 1000 kg, fork dimensions: 1150 mm x 560 mm, total dimensions: 1750 mm x 560 mm x 1300 mm.	300
349	NN rollie	S/s rollie, dimensions: 660 mm x 320 mm x 200 mm.	5
350	NN fence	S/s fence, dimensions: (2x) approximately 1400 mm x 1400 mm, (2x) approximately 1100 mm x 800 mm.	25
351	NN frames	6 steel frames, dimensions: (6x) 1200 mm x 820 mm x 170 mm.	60
352	NN frame	S/s frame, dimensions: 5900 mm x 50 mm x 1170 mm.	25
353	NN spacers	Steel pallet with various plastic spacers and s/s frames, dimensions spacers: 1200 mm x 800 mm, dimensions frames: 1200 mm x 800 mm x 1100 mm.	10
354	NN crates	2 steel frames with 18 plastic crates, dimensions each crate: 800 mm x 500 mm x 200 mm, total dimensions: 1200 mm x 800 mm x 1800 mm, 1200 mm x 800 mm x 1000 mm.	20
355	NN frames	2 s/s frames, dimensions: (2x) 750 mm x 750 mm x 1400 mm.	5
356	NN waste containers	2 plastic waste containers, dimensions: (2x) 540 mm x 520 mm x 950 mm.	20
357	Jungheinrich	Jungheinrich s/s electric pallet lifter, fork dimensions: 1200 mm x 540 mm, total dimensions: 1700 mm x 540 mm x 1270 mm.	500
358	BT Products AB	BT Products AB s/s electric pallet lifter, model: HHL100i, serial number: 0486432, fork dimensions: 1200 mm x 540 mm, total dimensions: 1700 mm x 560 mm x 1270 mm.	500
359	BT Products AB		500



Nr	Title	Description	Start €
		BT Products AB s/s electric pallet lifter, fork dimensions: 1200 mm x 540 mm, total dimensions: 1700 mm x 560 mm x 1270 mm.	
360	BT Products AB	BT Products AB s/s electric pallet lifter, model: HHL100i, fork dimensions: 1200 mm x 540 mm, total dimensions: 1700 mm x 560 mm x 1270 mm.	500
361	BT Products AB	BT Products AB s/s electric pallet lifter, model: HHL100i, serial number: 0486431, fork dimensions: 1200 mm x 540 mm, total dimensions: 1700 mm x 560 mm x 1270 mm.	500
362	BT Products AB	BT Products AB s/s electric pallet lifter, model: HHL100i, serial number: 04706836, fork dimensions: 1200 mm x 540 mm, total dimensions: 1700 mm x 560 mm x 1270 mm.	500
363	BT Products AB	BT Products AB s/s pallet lifter, model: BT PRO LIFTER, fork dimensions: 1150 mm x 520 mm, total dimensions: 1550 mm x 520 mm x 1200 mm.	250
364	Logitrans	Logitrans steel pallet lifter, type: GL 2500 G, number: 108870, year of construction: 2001, capacity: 2500 kg, fork dimensions: 1800 mm x 520 mm, total dimensions: 2200 mm x 520 mm x 1200 mm.	100
365	Logitrans	Logitrans s/s pallet lifter, type: GL 2500 RF, number: 108865, year of construction: 2001, capacity: 2500 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1600 mm x 520 mm x 1200 mm.	250
366	Logitrans	Logitrans s/s pallet lifter, number: 083B04064231, year of construction: 2008, capacity: 2000 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1600 mm x 520 mm x 1200 mm.	250
367	Logitrans	Logitrans s/s pallet lifter, type: GL 2500 RF, number: 108866, year of construction: 2001, capacity: 2500 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1600 mm x 520 mm x 1200 mm.	250
368	Logitrans	Logitrans s/s pallet lifter, type: GL 2081RF-PLUS, number: 114B04091155, year of construction: 2011, capacity: 2000 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1600 mm x 520 mm x 1200 mm.	250
369	Logitrans	Logitrans s/s pallet lifter, fork dimensions: 1150 mm x 520 mm, total dimensions: 1600 mm x 520 mm x 1200 mm.	250
370	Logitrans	Logitrans s/s pallet lifter, type: GL 2500 RF, number: 108864, year of construction: 2001, capacity: 2500 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1600 mm x 520 mm x 1200 mm.	250
371	Logitrans	Logitrans s/s pallet lifter, type: GL 2500 RF, number: 108865, year of construction: 2001, capacity: 2500 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1600 mm x 520 mm x 1200 mm.	250



Nr	Title	Description	Start €
372	NN seal packaging machine	Seal packaging machine, type: WI-L, 220-240 V, 480 W, film width: 375 mm, working width: 420 mm, total dimensions: 630 mm x 800 mm x 1080 mm.	25
373	NN seal packaging machine	Seal packaging machine, type: WI-L, 220-240 V, 480 W, film width: 375 mm, working width: 420 mm, total dimensions: 630 mm x 800 mm x 1080 mm.	25
374	Otto	Otto plastic waste container, dimensions: 500 mm x 540 mm x 950 mm.	10
375	NN soap dispenser	Steel frame with s/s soap dispenser, dimensions: 400 mm x 400 mm x 1200 mm.	10
376	Kohlhoff	Kohlhoff sole cleaner, type: Primus II, machine number: 802224, year of construction: 2013, 230 V, 1 Ph, 0.18 kW, length brush: 160 mm, total dimensions: 700 mm x 450 mm x 1200 mm.	150
377	NN sink	S/s sink, knee control, plastic paper dispenser, plastic wall cabinet and plastic soap dispenser, dimensions sink: 1200 mm x 480 mm x 600 mm.	75
378	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
379	NN crates	27 plastic pallets with approximately 2200 plastic crates, dimensions each crate: 600 mm x 400 mm x 85 mm.	550
380	NN crates	12 plastic pallets with approximately 780 plastic crates, dimensions each crate: 600 mm x 400 mm x 200 mm.	200
381	NN crates	8 steel pallets with approximately 750 plastic crates, dimensions each crate: 600 mm x 400 mm x 75 mm, 600 mm x 400 mm x 55 mm.	200
382	NN crates	24 plastic pallets with approximately 1300 plastic crates, dimensions each crate: 600 mm x 400 mm x 180 mm.	325
383	NN rack	S/s rack, 4 floors, dimensions floors: (4x) 1000 mm x 640 mm, total dimensions: 1000 mm x 640 mm x 1950 mm.	25
384	NN crates	2 steel frames with 41 plastic crates, dimensions each crate: 900 mm x 540 mm x 200 mm, total dimensions: 1200 mm x 800 mm x 2000 mm.	50
385	NN crates	5 plastic pallets with approximately 240 plastic crates, dimensions each crate: 600 mm x 400 mm x 90 mm, 600 mm x 400 mm x 100 mm, 600 mm x 400 mm x 110 mm, 600 mm x 400 mm x 180 mm, 600 mm x 400 mm x 300 mm.	60
386	NN frames	9 steel frames, dimensions: (9x) 1200 mm x 810 mm x 170 mm.	50
387	NN rollies	18 s/s rollies, dimensions: (18x) 820 mm x 545 mm x 200 mm.	180
388	NN rollies	21 plastic rollies, dimensions: (21x) 630 mm x 430 mm x 180 mm.	100



Nr	Title	Description	Start €
389	NN rollies	28 s/s rollies, dimensions: (28x) 820 mm x 545 mm x 200 mm.	280
390	Boldt	Boldt crate washing and drying machine, s/s chain conveyor, clearance: 630 mm x 420 mm, total dimensions: 8200 mm x 3000 mm x 2300 mm, including steam extraction unit, dimensions: 2900 mm x 1600 mm x 2500 mm and plastic tub with cleaning solution, dimensions: 1200 mm x 1000 mm x 1300 mm.	2500
391	Elpress	Elpress s/s hose reel, dimensions: 550 mm x 300 mm x 450 mm, including Elpress s/s soap mixing station, dimensions: 500 mm x 150 mm x 400 mm and s/s hose reel, dimensions: 300 mm x 150 mm x 200 mm.	250
392	NN cabinet	Wall mounted cabinet, dimensions: 300 mm x 220 mm x 340 mm.	10
393	Vikan	S/s peg with 3 Vikan plastic squeegees.	10
394	NN cabinet	S/s wall mounted cabinet, dimensions: 600 mm x 400 mm x 400 mm.	10
395	Otto	Otto plastic waste container, dimensions: 500 mm x 540 mm x 950 mm.	10
396	NN rollies	3 s/s rollies, dimensions: (3x) 820 mm x 550 mm x 200 mm.	30
397	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
398	NN rollie with tub	S/s rollie with plastic tub, dimensions rollie: 550 mm x 550 mm x 200 mm, dimensions tub: ø 550 mm x 930 mm.	10
399	NN meat bin	S/s meat bin, volume: 200 litres.	50
400	NN white board	Plastic whiteboard, dimensions: 600 mm x 900 mm.	5
401	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
402	NN white board	Plastic whiteboard, dimensions: 600 mm x 900 mm.	5
403	Nedermann	Nedermann steel hose reel with plastic hose and spray pistol, dimensions: 750 mm x 400 mm x 550 mm.	75
404	NN frame for pallets	S/s frame for pallets, dimensions: 1750 mm x 1340 mm x 1800 mm.	50
405	Youngsunpack	Youngsunpack pallet wrapper, type: MH-FG-2000AE, serial number: 190617PW2-641, year of construction: 2019, diameter platform: 1650 mm, 220 V, 1 Ph, 50 Hz, 1000 W, dimensions: 2650 mm x 1650 mm x 2800 mm.	1000
406	NN waste bag holders	2 waste bag holders, dimensions: ø 330 mm x 560 mm, 500 mm x 520 mm x 1350 mm.	20
407	NN frame for pallets	S/s frame for pallets, dimensions: 1750 mm x 1340 mm x 1800 mm.	50
408	NN parts	Pallet with several parts.	10
409	NN frames for film	2 s/s frames for film reels, dimensions: (2x) 2000 mm x 360 mm x 600 mm.	20
410	Youngsunpack		1000



Nr	Title	Description	Start €
		Youngsunpack pallet wrapper, type: MH-FG-2000AE, serial number: 1181219PW2-577, year of construction: 2018, diameter platform: 1650 mm, 220 V, 1 Ph, 50 Hz, 1000 W, dimensions: 2650 mm x 1650 mm x 2800 mm.	
411	Vikan	Vikan wall mounted rack with squeegee and broom.	10
412	Grove	Grove mast-mounted aerial work platform, model: Toucan 800, serial number: 8955, year of construction: 2000, working height: 6000 mm, dimensions platform: 900 mm x 600 mm, total dimensions: 2150 mm x 950 mm x 1700 mm.	1000
413	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
414	Salina	2 pallets with bags of Salina salt for water softeners, 25 kg each bag.	50
415	NN studs	4 aluminium studs, length: (4x) 2600 mm.	20
416	NN fences	3 s/s fences, dimensions: (3x) 1300 mm x 300 mm x 1040 mm.	50
417	Bauer	Bauer steel loading hook, type: LH-II, serial number: 913, year of construction: 2001, capacity: 2500 kg, dimensions: 900 mm x 180 mm x 200 mm, 700 mm x 230 mm x 300 mm.	50
418	HP	HP printer, model: C7770B, serial number: SG14H2100B, 100-240 V, 50-60 Hz, 150 W, 3 A, dimensions: 1700 mm x 900 mm x 1100 mm.	50
419	Ansul	S/s frame with 3 Ansul fire extinguishers, dimensions frame: 950 mm x 320 mm x 570 mm.	25
420	NN frames	2 s/s frames, dimensions: 1100 mm x 700 mm x 1600 mm, 1100 mm x 680 mm x 1500 mm.	20
421	NN safety cone	Various plastic safety cones, dimensions: 210 mm x 210 mm x 320 mm and 400 mm x 400 mm x 800 mm.	5
422	OTTO	2 OTTO plastic waste containers, dimensions: (2x) 480 mm x 540 mm x 950 mm.	20
423	HTZ Handelsonderneming BV	HTZ Handelsonderneming BV forklift attachment, type: Kraanarm 3.0 VB, number: HZ 77857, year of construction: 11/2012, capacity: 3000 kg, weight: 280 kg, dimensions: 2300 mm x 650 mm x 550 mm.	150
424	Jungheinrich	Jungheinrich electric pallet lifter, model: ERD 220i, serial number: 98427293, year of construction: 2024, fork dimensions: 1200 mm x 540 mm, battery voltage: 24 V, drive output: 2.8 kW, capacity: 2000 kg, weight without battery: 924 kg, battery weight: 53/54 kg, distance centre gravity: 600 mm, operating hours: 339 hours, total dimensions: 2400 mm x 780 mm x 1320 mm.	2500
425	Nederman	Nederman hose reel, dimensions: 700 mm x 350 mm x 600 mm.	75
426	NN container trolley		25



Nr	Title	Description	Start €
		Steel container trolley, dimensions: 850 mm x 750 mm x 1740 mm.	
427	Rentokil	Rentokil insect killer, dimensions: 550 mm x 180 mm x 300 mm.	10
428	NN cabinet	Plastic wall mounted cabinet, dimensions: 320 mm x 170 mm x 420 mm.	10
429	Jungheinrich	Jungheinrich reach truck, model: ETV 216, serial number: 91144479, year of construction: 2020, fork dimensions: 1200 mm x 520 mm, capacity: 1600 kg, operating hours: 1142 hours, lifting height: 6200 mm, total dimensions: 2450 mm x 1300 mm x 2650 mm, including Jungheinrich battery charger, model: SLH 300, type: D400V G 48/90 B-SLH300, serial number: 93869399, input: 400 V, 50-60 Hz, 14.1 A, 50-60 Hz, output: 48 V / 90 A, battery capacity: 450 Ah-780 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	5000
430	Jungheinrich	Jungheinrich electric pallet lifter, model: EJE 116, serial number: 98267771, year of construction: 2020, fork dimensions: 1150 mm x 540 mm, battery voltage: 24 V, drive output: 1.1 kW, capacity: 1600 kg, weight without battery: 262 kg, battery weight: 170/231 kg, distance centre gravity: 575 mm, operating hours: 1671 hours, total dimensions: 1700 mm x 700 mm x 1320 mm, including Jungheinrich battery charger, model: SLH 300, type: E230V G 24/45 B-SLH300, serial number: 93869576, year of construction: 2020/02, input: 230 V, 50-60 Hz, 7.0 A, output: 24 V/45 A, battery capacity: 225 Ah-391 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	1500
431	Jungheinrich	Jungheinrich electric pallet lifter, model: EJD 120, serial number: 98427291, year of construction: 2024, fork dimensions: 1150 mm x 540 mm, operating hours: 40 hours, lifting height: 1660 mm, total dimensions: 1750 mm x 700 mm x 1320 mm, including Jungheinrich battery charger, model: SLH 90, output: 24 V/35 A, dimensions: 420 mm x 120 mm x 260 mm.	2500
432	TVH Parts N.V.	TVH Parts N.V. steel pallet lifter, capacity: 2500 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1550 mm x 520 mm x 1250 mm.	75
433	Logitrans	Logitrans steel pallet lifter, capacity: 2500 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1550 mm x 520 mm x 1250 mm.	75
434	Logitrans	Logitrans steel pallet lifter, capacity: 2500 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1550 mm x 520 mm x 1250 mm.	75
435	TVH Parts N.V.	TVH Parts N.V. steel pallet lifter, capacity: 2500 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1550 mm x 520 mm x 1250 mm.	75



Nr	Title	Description	Start €
436	Jungheinrich	Jungheinrich steel pallet lifter, capacity: 2000 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1550 mm x 520 mm x 1250 mm.	75
437	TVH Parts N.V.	TVH Parts N.V. steel pallet lifter, capacity: 2500 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1550 mm x 520 mm x 1250 mm.	75
438	TVH Parts N.V.	TVH Parts N.V. steel pallet lifter, capacity: 2500 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1550 mm x 520 mm x 1250 mm.	75
439	Logitrans	Logitrans steel pallet lifter, capacity: 2500 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1550 mm x 520 mm x 1250 mm.	75
440	BT Products AB	BT Products AB steel pallet lifter, capacity: 2300 kg, fork dimensions: 1150 mm x 520 mm, total dimensions: 1550 mm x 520 mm x 1250 mm.	75
441	Jungheinrich	Jungheinrich electric pallet lifter, model: EJD 120, serial number: 98427280, year of construction: 2024, fork dimensions: 1200 mm x 540 mm, operating hours: 92 hours, capacity: 2000 kg, lifting height: 1660 mm, total dimensions: 2000 mm x 700 mm x 1320 mm.	2500
442	NN frame	S/s frame for pallets, dimensions: 1340 mm x 940 mm x 1800 mm.	50
443	NN work clothes	Plastic pallet box with various working clothes, dimensions: 1200 mm x 1000 mm x 900 mm.	50
444	NN sink	S/s sink with faucet, knee control, dimensions: 450 mm x 450 mm x 450 mm, including Tork paper dispenser and Ecolab soap dispenser.	25
445	Tractel Group	Tractel Group self retracting lifeline, dimensions: 300 mm x 110 mm x 700 mm.	25
446	Soft Care Line	Soft Care Line soap dispenser.	5
447	Logitrans	Logitrans s/s pallet lifter, type: GL 2500 RF, capacity: 2500 kg, fork dimensions: 1150 mm x 540 mm, total dimensions: 1600 mm x 540 mm x 1250 mm.	150
448	Siemens/Pro-face	Siemens Simatic S5 PLC, dimensions: 140 mm x 140 mm x 140 mm, Pro-face display, dimensions: 320 mm x 60 mm x 240 mm.	25
449	Belkin	Belkin computer sharing device, model: SOHO KVM Switch-4 Ports, dimensions: 350 mm x 120 mm x 250 mm.	25
450	NN cabinets with content	3 steel cabinets with content, dimensions: (2x) 910 mm x 460 mm x 1960 mm and (1x) 910 mm x 450 mm x 1020 mm.	75
451	Bito	Bito aluminium rack with content, dimensions: 1000 mm x 600 mm x 2030 mm.	25
452	Bito	Bito aluminium rack with content, among others: tools and electrical parts, dimensions: 1000 mm x 600 mm x 2030 mm.	50



Nr	Title	Description	Start €
453	NN screws and bolts	Steel rack with large amount of screws and bolts, dimensions: 4000 mm x 300 mm x 2000 mm.	250
454	Altrex	Altrex aluminium ladder, height: 700 mm.	25
455	NN cabinets with content	3 steel cabinets with various tools and parts, dimensions: (2x) 910 mm x 460 mm x 1960 mm and (1x) 910 mm x 450 mm x 1020 mm.	75
456	Vikan	Various Vikan hygiene equipment.	10
457	NN s/s parts	S/s wall mounted rack with various s/s pipes and beams, various lengths.	150
458	Gedore/Facom	5 Gedore tool trolleys, dimensions: (5x) 640 mm x 450 mm x 970 mm, Facom tool trolley, dimensions: 770 mm x 550 mm x 970 mm. Keys are missing.	150
459	Laborex	Laborex de-greasing unit, dimensions: 1250 mm x 1250 mm x 1400 mm.	100
460	Lista	Lista steel workbench with content, dimensions: 2000 mm x 750 mm x 950 mm.	75
461	Lista	2 Lista steel workbenches with content and 2 chairs, dimensions: (2x) 2000 mm x 750 mm x 950 mm.	150
462	NN trolley	S/s trolley, dimensions: 840 mm x 570 mm x 970 mm.	10
463	Nederman	2 Nederman air hose reels, dimensions: (2x) 300 mm x 150 mm x 250 mm.	20
464	SKF	SKF bearing fitting tool, model: TMFT 36	10
465	Dalian Guangyang Science & Technology Engineering Co.Ltd	Dalian Guangyang Science & Technology Engineering Co.Ltd industrial stud welding machine, type: LZH-2602, serial number: 050503, dimensions: 360 mm x 210 mm x 270 mm.	100
466	Impact	Impact fitting tool set, dimensions: 450 mm x 110 mm x 360 mm.	25
467	Lutron	Lutron Tachometer, model: DT-2236, dimensions: 240 mm x 110 mm x 80 mm.	25
468	NN volt meter	Volt meter, dimensions: 800 mm x 300 mm x 500 mm.	25
469	Tork	Tork paper dispenser.	10
470	Konekranes	Steel lifting arm with Konekranes electrical chain hoist, type: XN0510004B1P, serial number: 05142154F10001, year of construction: 22/12/2005, maximum capacity: 1000 kg, dimensions: 4800 mm x 800 mm x 3650 mm.	600
471	NN lightning fixture	Carton box with lightning fixture, dimensions: 1300 mm x 360 mm x 330 mm.	10
472	NN tools	Steel wall board with various tools, dimensions: 2000 mm x 1380 mm.	25
473	Kärcher	Kärcher vacuum cleaner, model: Professional NT 27/1, dimensions: 400 mm x 400 mm x 500 mm.	25
474	EWT	EWT electrical heater, dimensions: 500 mm x 180 mm x 360 mm.	5
475	NN transport belt	Transport belt, belt width: 600 mm.	10
476	NN fan	S/s fan, dimensions: 600 mm x 320 mm x 600 mm.	25
477	SKF		10



Nr	Title	Description	Start €
		SKF bearing fitting tools, dimensions: 580 mm x 70 mm x 370 mm.	
478	NN switch cabinets	3 s/s switch cabinets, dimensions: (3x) 300 mm x 200 mm x 400 mm.	30
479	NN cabinet	Steel cabinet, dimensions: 600 mm x 300 mm x 600 mm.	10
480	Lista	2 Lista steel workbenches with content en 2 chairs, dimensions: (2x) 2000 mm x 750 mm x 950 mm.	150
481	Nederman	Nederman air hose reel, dimensions: 350 mm x 150 mm x 300 mm.	10
482	Arok	Arok table model traysealer, type: 826, machine number: 8603105, year of construction: 1986, 220 V, 50 Hz, 10 A, 1 kW, dye: 265 mm x 80 mm, total dimensions: 600 mm x 400 mm x 500 mm. Technical condition unknown.	25
483	Delaps	Delaps mobile steel container with various s/s and steel parts, dimensions: 1300 mm x 830 mm x 1000 mm, trolley with various s/s parts, dimensions: 800 mm x 600 mm x 700 mm.	50
484	NN s/s parts	S/s wall mounted rack with various s/s pipes and beams, various lengths.	200
485	Beko-Mak	Beko-Mak metal bandsaw, model: BMS 230 DG, serial number: 1402053, year of construction: 2014, 400 V, 50 Hz, 1.3 kW, size saw blade: 2730 mm x 27 mm x 0.9 mm, total dimensions saw: 1600 mm x 900 mm x 1200 mm, including in- and outfeed roller conveyor, dimensions: 1040 mm x 470 mm x 940 mm and 2050 mm x 500 mm x 750 mm.	500
486	NN welding table	Steel welding table, dimensions: 2000 mm x 1200 mm x 1030 mm.	75
487	Vertex	Vertex drill grinder, model: VDG-13A, serial number: 2403086, year of construction: 2024, 220 V, 1 Ph, 50 Hz, weight: 9.5 kg, dimensions: 800 mm x 190 mm x 140 mm.	100
488	S.A. Mondiale N.V.	S.A. Mondiale N.V. centre lathe, type: NC14, serial number: 1/1403, 380 V, 3 Ph, 50 Hz, 8 A, dimensions: 2550 mm x 850 mm x 1350 mm.	1000
489	Tork	Tork paper dispenser.	10
490	NN wall mounted frame	S/s wall mounted frame, dimensions: 750 mm x 90 mm x 200 mm.	25
491	NN meat bin	S/s meat bin, volume: 200 litres.	50
492	NN lamp	Frame for lamp, dimensions: Ø 400 mm x 260 mm.	5
493	Compac	Compac hydraulic press, type: HP40, year of construction: 2004-12, stroke: 180 mm, capacity: 40000 kg, weight: 315 kg, dimensions: 1400 mm x 600 mm x 1850 mm.	250
494	Contimac		25



Nr	Title	Description	Start €
		Contimac wet and dry grinding/sharpening machine , model: TN 150 W, serial number: 330, 230 V, 50 Hz, 330 W, dimensions: 500 mm x 500 mm x 1300 mm.	
495	NN welding electrodes	S/s wall mounted frame with various welding electrodes, dimensions: 270 mm x 100 mm x 850 mm.	25
496	NN belt grinder	Belt grinder, year of construction: 2007, belt width: 147 mm, dimensions: 950 mm x 560 mm x 1200 mm.	75
497	NN s/s parts	Various s/s parts.	25
498	Nederman	Nederman air hose reel, dimensions: 350 mm x 150 mm x 300 mm.	25
499	Prima Heat	Prima Heat electrical heater, model: VC 153805, 15 kW, dimensions: 700 mm x 370 mm x 470 mm.	25
500	NN cutting torch	Mobile cutting torch, dimensions: 500 mm x 500 mm x 970 mm.	100
501	Lastek	Lastek mobile welding machine, dimensions: 800 mm x 500 mm x 1100 mm.	150
502	NN air extraction unit	Air extraction unit, dimensions: 600 mm x 500 mm x 500 mm, length hose: 3000 mm.	50
503	NN tools	Wall mounted tool board with various tools, dimensions: 460 mm x 2000 mm.	10
504	NN tools and parts	Various tools and parts.	50
505	NN waste bag holder	S/s waste bag holder, dimensions: 400 mm x 400 mm x 1000 mm.	10
506	Sweepix	Sweepix vacuum cleaner, dimensions: 500 mm x 500 mm x 800 mm. Never used.	150
507	Chancee	Chancee floor scrubbing machine, model: M30, cleaning width: 350 mm, squeegee width: 450 mm, solution tank capacity: 10 litre, recovery tank capacity: 15 litre, suction power: 400 W, brush power: 300 W, weight: 58 kg, dimensions: 950 mm x 450 mm x 1000 mm.	500
508	Wetrok	Wetrok floor scrubbing machine, model: Discomatic Mambo, 45cm 30L, number: 50025-02278, year of construction: 12/2014, 230 V, 290 W, 24 VDC, 500 W, 24 V/40Ah, weight: 63 kg, cleaning width: 400 mm, dimensions: 1000 mm x 500 mm x 1140 mm.	750
509	Eureka S.p.a.	Eureka S.p.a. floor scrubbing machine, model: E61 ECO, 24 V, 1.30 kW, weight: 203 kg, dimensions: 700 mm x 500 mm x 300 mm, including crate with parts.	750
510	Chancee	Chancee floor sweeper, model: S3 Hand-push Floor Sweeper, cleaning width: 1000 mm, rolling brush width: 435 mm, side brush width: (2x) 400 mm, debris hopper capacity: 22 litre, water tank capacity: 12 litre, rolling motor power: 120 W, side motor power: (2x) 35 W, suction motor power: 100 W, total dimensions: 1200 mm x 900 mm x 1050 mm.	500
511	NN trolley	S/s trolley, dimensions: 630 mm x 385 mm x 1180 mm.	25



Nr	Title	Description	Start €
512	Chancee	Chancee vacuum cleaner, model: CRS2870 Commercial Vacuum Cleaner, 220 V, 50-60 Hz, 2800 W, barrel capacity: 70 litre, dimensions: 800 mm x 450 mm x 850 mm.	200
513	Chancee	Chancee floor scrubbing machine, model: M50+ Hand-push Floor Scrubber, cleaning width: 500 mm, squeegee width: 825 mm, solution tank capacity: 60 litre, recovery tank capacity: 55 litre, suction motor power: 500 W, brush motor power: 550 W, dimensions: 1300 mm x 800 mm x 1050 mm.	1000
514	Elpress	Mobile s/s frame with Elpress hose reel with hose, model: EHR20, serial number: 46 2017, max 200 bar, max 90 °C, dimensions: 900 mm x 600 mm x 970 mm.	150
515	Eureka S.p.a.	Eureka S.p.a. floor scrubbing machine, model: E61-V3, 24 V, 1.30 kW, weight: 203 kg, dimensions: 700 mm x 500 mm x 300 mm.	750
516	Sweepix	Sweepix vacuum cleaner, model: YZ-106 Commercial vacuum cleaner, serial number: 57277CX20250829041, 220 V, 50-60 Hz, 1600 W, barrel capacity: 35 litre, dimensions: 400 mm x 400 mm x 800 mm. Never used.	100
517	Sweepix	Sweepix vacuum cleaner, model: YZ-106 Commercial vacuum cleaner, serial number: 57277CX20250829021, 220 V, 50-60 Hz, 1600 W, barrel capacity: 35 litre, dimensions: 400 mm x 400 mm x 800 mm. Never used.	100
518	NN trolley with cleaning water	Mobile s/s trolley for cleaning water for floor scrubbing machines, dimensions: 800 mm x 400 mm x 1500 mm.	25
519	Kärcher	Kärcher floor sweeper, model: Professional KM 70/20 C, dimensions: 1000 mm x 1000 mm x 1100 mm.	75
520	Kärcher	Kärcher floor sweeper, model: Professional KM 70/20 C, dimensions: 1000 mm x 1000 mm x 1100 mm.	75
521	Limpia S.r.l.	Limpia S.r.l. vacuum cleaner, model: 13100, serial number: S1505, 230 V, 50 Hz, 15.5 A, 3.75 kW, dimensions: 1000 mm x 650 mm x 1600 mm.	150
522	NN waste bag holder	Steel waste bag holder, dimensions: 530 mm x 600 mm x 1320 mm.	10
524	NN hygiene equipment	S/s wall peg with various hygiene equipment.	10
525	Jungheinrich	Jungheinrich electric pallet lifter, model: EJE 116, serial number: 98312991, year of construction: 2021, fork dimensions: 1150 mm x 540 mm, battery voltage: 24 V, drive output: 1.1 kW, capacity: 1600 kg, weight without battery: 262 kg, battery weight: 170/231 kg, distance centre gravity: 575 mm, operating hours: 332 hours, total dimensions: 1700 mm x 700 mm x 1320 mm, including Jungheinrich battery charger, model: SLH 300, type: D230V G 24/45 B-SLH300, serial number: 93869573, year of construction: 2020/02, input: 230 V, 50-60 Hz, 7.0 A, output: 24 V/45 A, battery capacity:	1500



Nr	Title	Description	Start €
		225 Ah-391 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	
526	Jungheinrich	Jungheinrich electric pallet lifter, model: EJE 116, serial number: 98267820, year of construction: 2020, fork dimensions: 1150 mm x 540 mm, battery voltage: 24 V, drive output: 1.1 kW, capacity: 1600 kg, weight without battery: 262 kg, battery weight: 170/231 kg, distance centre gravity: 575 mm, operating hours: 440 hours, total dimensions: 1700 mm x 700 mm x 1320 mm, including Jungheinrich battery charger, model: SLH 300, type: D230V G 24/45 B-SLH300, serial number: 93869574, year of construction: 2020/02, input: 230 V, 50-60 Hz, 7.0 A, output: 24 V/45 A, battery capacity: 225 Ah-391 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	1500
527	Jungheinrich	Jungheinrich electric pallet lifter, model: EJE 116, serial number: 98267819, year of construction: 2020, fork dimensions: 1150 mm x 540 mm, battery voltage: 24 V, drive output: 1.1 kW, capacity: 1600 kg, weight without battery: 262 kg, battery weight: 170/231 kg, distance centre gravity: 575 mm, operating hours: 553 hours, total dimensions: 1700 mm x 700 mm x 1320 mm, including Jungheinrich battery charger, model: SLH 300, type: D230V G 24/45 B-SLH300, serial number: 93869572, year of construction: 2020/02, input: 230 V, 50-60 Hz, 7.0 A, output: 24 V/45 A, battery capacity: 225 Ah-391 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	1500
528	Jungheinrich	Jungheinrich electric pallet lifter, model: EJE 116, serial number: 98267818, year of construction: 2020, fork dimensions: 1150 mm x 540 mm, battery voltage: 24 V, drive output: 1.1 kW, capacity: 1600 kg, weight without battery: 262 kg, battery weight: 170/231 kg, distance centre gravity: 575 mm, operating hours: 503 hours, total dimensions: 1700 mm x 700 mm x 1320 mm, including Jungheinrich battery charger, model: SLH 300, type: D230V G 24/45 B-SLH300, serial number: 93869574, year of construction: 2020/02, input: 230 V, 50-60 Hz, 7.0 A, output: 24 V/45 A, battery capacity: 225 Ah-391 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	1500
529	Jungheinrich	Jungheinrich battery, type: 48V 5 PzS 775, serial number: C81252902, year of construction: 32/2021, nominal voltage: 48 V, number of cells: 24, capacity C5: 775 Ah, weight: 1119 kg, acid volume: 186 litre, dimensions: 1250 mm x 430 mm x 930 mm.	500
530	Jungheinrich	Jungheinrich steel frame with battery, type: 24 V 3 HPzS 375, serial number: H005000095087, year of	500



Nr	Title	Description	Start €
		construction: 26.03.18, nominal voltage: 24 V, capacity C5: 375 Ah, number of cells: 12, acid volume: 55 litre, weight: 284 kg, dimensions: 960 mm x 900 mm x 670 mm, Jungheinrich steel frame with battery, type: 24 V 2PzS 250, serial number: C81246455, year of construction: 27/2021, nominal voltage: 24 V, capacity C5: 250 Ah, number of cells: 12, acid volume: 32 litre, weight: 212 kg, dimensions: 960 mm x 900 mm x 670 mm,	
531	Rittal	Rittal plastic wall mounted cabinet with safety goggles, dimensions: 400 mm x 200 mm x 400 mm.	10
532	NN trolley	S/s trolley, dimensions: 600 mm x 400 mm x 1100 mm.	25
533	Noyens	6 Noyens SAM 55 Profil truck stands, length: 2600 mm.	25
534	Tork	Tork paper dispenser.	10
535	NN cabinet with tools and parts	Steel cabinet with various tools and parts, dimensions: 900 mm x 500 mm x 2090 mm.	25
536	Jungheinrich	Jungheinrich reach truck, model: ETV 216, serial number: 91603792, year of construction: 2016, fork dimensions: 1200 mm x 560 mm, battery voltage: 48 V, drive output: 6.9 kW, capacity: 1600 kg, weight without battery: 3107 kg, battery weight: 1063/1175 kg, distance centre gravity: 600 mm, operating hours: 8480 hours, lifting height: 9020 mm, total dimensions: 2900 mm x 1300 mm x 3600 mm, including Hoppecke battery charger, dimensions: 550 mm x 400 mm x 600 mm.	4000
537	Jungheinrich	Jungheinrich reach truck, model: ETV 214, serial number: 91657878, year of construction: 2021, fork dimensions: 1150 mm x 510 mm, battery voltage: 48 V, drive output: 8.5 kW, capacity: 1400 kg, weight without battery: 2580 kg, battery weight: 1063/1235 kg, distance centre gravity: 600 mm, operating hours: 3388 hours, lifting height: 7100 mm, total dimensions: 2650 mm x 1300 mm x 2900 mm, including Jungheinrich battery charger, model: SLH 300, type: D400V G 48/110 B-SLH300, serial number: 93922521, input: 400 V, 50-60 Hz, 15.6 A, 50-60 Hz, output: 48 V / 110 A, battery capacity: 550 Ah-954 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	5000
538	Jungheinrich	Jungheinrich reach truck, model: ETV 216, serial number: 91657772, year of construction: 2021, fork dimensions: 1200 mm x 520 mm, capacity: 1600 kg, operating hours: 4074 hours, lifting height: 9020 mm, total dimensions: 2650 mm x 1300 mm x 3290 mm, including Jungheinrich battery charger, model: SLH 300, type: D400V G 48/90 B-SLH300, serial number: 93921537, input: 400 V, 50-60 Hz, 14.1 A, 50-60 Hz, output: 48 V / 90 A, battery capacity: 450 Ah-780 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	5000



Nr	Title	Description	Start €
539	Hoppecke	Hoppecke battery, dimensions: 1230 mm x 430 mm x 800 mm, including frame for batteries, dimensions: 2900 mm x 1300 mm x 1400 mm. Battery chargers are not included.	750
540	NN first aid cabinet	First aid cabinet, dimensions: 440 mm x 160 mm x 340 mm.	25
542	Jungheinrich	Jungheinrich electric pallet lifter, model: EJE 116, serial number: 98267821, year of construction: 2020, fork dimensions: 1150 mm x 540 mm, battery voltage: 24 V, drive output: 1.1 kW, capacity: 1600 kg, weight without battery: 262 kg, battery weight: 170/231 kg, distance centre gravity: 575 mm, operating hours: 518 hours, total dimensions: 1700 mm x 700 mm x 1320 mm, including Jungheinrich battery charger, model: SLH 300, type: E230V G 24/45 B-SLH300, serial number: 93869569, year of construction: 2020/02, input: 230 V, 50-60 Hz, 7.0 A, output: 24 V/45 A, battery capacity: 225 Ah-391 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	1500
543	Jungheinrich	Jungheinrich electric pallet lifter, model: EJE 116, serial number: 98314575, year of construction: 2021, fork dimensions: 1150 mm x 540 mm, battery voltage: 24 V, drive output: 1.1 kW, capacity: 1600 kg, weight without battery: 285 kg, battery weight: 170/231 kg, distance centre gravity: 575 mm, operating hours: 156 hours, total dimensions: 1700 mm x 700 mm x 1320 mm, including Jungheinrich battery charger, model: SLH 300, type: E230V G 24/45 B-SLH300, serial number: 93918536, year of construction: 2021/07, input: 230 V, 50-60 Hz, 7.0 A, output: 24 V/45 A, battery capacity: 225 Ah-391 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	1500
544	Jungheinrich	Jungheinrich electric pallet lifter, model: ERE 225, serial number: 98316498, year of construction: 2021, fork dimensions: 1150 mm x 540 mm, battery voltage: 24 V, drive output: 2.8 kW, capacity: 2500 kg, weight without battery: 513 kg, battery weight: 170/231 kg, distance centre gravity: 575 mm, operating hours: 5335 hours, total dimensions: 2400 mm x 800 mm x 1320 mm, including Jungheinrich battery charger, model: SLH 300, type: E230V G 24/45 B-SLH300, serial number: 93918691, year of construction: 2021/07, input: 230 V, 50-60 Hz, 7.0 A, output: 24 V/45 A, battery capacity: 225 Ah-391 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	2000
545	Tork	Tork paper dispenser.	10
546	NN working clothes	Large amount of working clothes.	150
547	Altrex	Altrex aluminium ladder, height: 1250 mm.	25



Nr	Title	Description	Start €
548	NN containers	3 steel roller containers, dimensions: (3x) 800 mm x 660 mm x 1800 mm.	75
549	NN locker room inventory	Locker room inventory, consisting of: various steel lockers, dimensions: 380 mm x 450 mm x 2030 mm, 4750 mm x 500 mm x 2100 mm and 1250 mm x 500 mm x 2000 mm, various shoe and boot racks, dimensions: 2450 mm x 750 mm x 1850 mm and 1230 mm x 400 mm x 1720 mm, various coat racks, dimensions: 2450 mm x 340 mm x 130 mm and 930 mm x 340 mm x 130 mm. Most locker keys are missing.	200
550	Pronomar	Pronomar clothing dryer, dimensions: 900 mm x 500 mm x 1450 mm.	150
551	Pronomar	Pronomar boots dryer, dimensions: 410 mm x 400 mm x 1500 mm.	150
552	Pronomar	Pronomar clothing dryer, dimensions: 900 mm x 500 mm x 1450 mm.	150
553	NN waste bag holder	Mobile steel waste bag holder, dimensions: 500 mm x 500 mm x 1050 mm.	10
554	NN trolleys	2 steel trolleys, dimensions: (2x) 900 mm x 630 mm x 1050 mm.	50
555	Oostwoud	4 Oostwoud shoe/boot racks with various boots and shoes, dimensions: (4x) 1250 mm x 400 mm x 1720 mm.	100
556	Oostwoud	Oostwoud locker room inventory, consisting of: various steel lockers, dimensions: (2x) 2100 mm x 500 mm x 1950 mm, (2x) 800 mm x 500 mm x 1850 mm, (2x) 1200 mm x 500 mm x 1850 mm, (1x) 2670 mm x 450 mm x 2050 mm, (1x) 3100 mm x 450 mm x 2050 mm (1x) 380 mm x 450 mm x 2050 mm, various coat racks, (4x) 1250 mm x 400 mm x 250 mm. Most locker keys are missing.	200
557	NN shoes and boots	4 steel racks with various safety shoes and boots, dimensions racks: (3x) 3000 mm x 500 mm x 2000 mm and (1x) 1050 mm x 500 mm x 2000 mm.	250
558	Vikan/Tork	2 steel racks with various hygiene equipment, among others: Vikan and Tork, dimensions racks: (2x) 1300 mm x 500 mm x 2000 mm and (1x) 1000 mm x 500 mm x 2000 mm.	100
559	NN soap dispenser	Steel frame with s/s soap dispenser, dimensions: 400 mm x 400 mm x 1280 mm.	10
560	Defibrion	Defibrion HaertSine Samaritan PAD defibrillator, dimensions: 380 mm x 200 mm x 380 mm.	250
561	Bartels + Rieger	2 plastic wall mounted cabinets with Bartels + Rieger gasmasks, dimensions: (2x) 580 mm x 380 mm x 860 mm.	200
562	Elcold	Elcold chest freezer, type: 51 XLE, number: 04410348, 220-240 V, 50 Hz, 0.81 kW, 138 W, freezing capacity: 36 kg/24H, volume: 418 litre, refrigerant: R600A,	75



Nr	Title	Description	Start €
		temperature rise to: -9 °C, dimensions: 1700 mm x 700 mm x 870 mm.	
563	Elcold	Elcold chest freezer, type: EL 51 SLE, number: 03510423, 220-240 V, 50 Hz, 0.84 kW, 138 W, freezing capacity: 36 kg/24H, volume: 421 litre, refrigerant: R600A, temperature rise to: -9 °C, dimensions: 1700 mm x 700 mm x 870 mm.	75
565	NN hygiene trolley	Hygiene trolley, dimensions: 1050 mm x 600 mm x 1100 mm.	10
566	NN waste bag holder	Mobile steel waste bag holder, dimensions: 500 mm x 500 mm x 1050 mm.	10
567	Nilfisk	Nilfisk vacuum cleaner, model: GMP, 220-240 V, 50/60 Hz, 1200 W, dimensions: 450 mm x 350 mm x 400 mm.	10
568	NN waste bins	2 plastic waste bins, dimensions: 400 mm x 300 mm x 900 mm and 300 mm x 300 mm x 700 mm.	5
569	NN table	Mobile s/s table, dimensions: 660 mm x 460 mm x 580 mm.	25
570	NN table	S/s table with wooden top, dimensions: 450 mm x 350 mm x 670 mm.	10
571	Daewoo	Daewoo microwave, model: KOR-616T, serial number: LO825A0476, 230 V, 50 Hz, 1200 W, dimensions: 460 mm x 340 mm x 280 mm.	10
572	Hannosset	Hannosset s/s grill plate, type: PR 83, number: 240898, 220 V, 500 W, dimensions: 800 mm x 400 mm x 100 mm.	25
573	Bravilor Bonamat	Bravilor Bonamat coffee machine, model: B 5-021, 230/400 V, 3 Ph, 50/60 Hz, dimensions: 630 mm x 400 mm x 800 mm, including various thermos cans.	150
574	NN soup dispenser	Soup dispenser, dimensions: 280 mm x 400 mm x 590 mm.	25
575	Rentokil	Rentokil insect killer, dimensions: 500 mm x 160 mm x 360 mm.	10
576	NN waste bag holders	2 mobile steel waste bag holders, dimensions: (2x) 500 mm x 500 mm x 1050 mm, including 2 plastic waste bins, dimensions: 400 mm x 300 mm x 900 mm and 300 mm x 300 mm x 700 mm.	25
577	Tork	Tork paper dispenser.	10
578	Whirlpool	Whirlpool microwave oven, model: JC213/SL, dimensions: 550 mm x 480 mm x 330 mm.	10
579	Vendo	Vendo vending machine for soda, model: VDI 408-08DD, serial number: 1321018419, 230 V, 50 Hz, 450 W, refrigerant: R134a, dimensions: 850 mm x 800 mm x 1900 mm. Key is missing.	100
580	Rentokil	Rentokil insect killer, dimensions: 500 mm x 160 mm x 360 mm.	10
581	Scanvaegt	S/s table with Scanvaegt weighing scale, model indicator: 8316, serial number: 94135343, model scale:	75



Nr	Title	Description	Start €
		1025.15.30, serial number: 94135343, max: 6 kg, min: 40 gram, e= 2 gram, dimensions scale: 300 mm x 200 mm, total dimensions: 450 mm x 530 mm x 1500 mm.	
582	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 385 mm, total dimensions: 970 mm x 600 mm x 880 mm.	150
583	Mettler Toledo B.V.	Mettler Toledo B.V. mobile metal detector, head type: R Series Profile, head number: C338825123, year of construction: 09-2021, 230 VAC, 50 Hz, 6/2.23 A, weight: 285 kg, belt width: 330 mm, clearance: 350 mm x 140 mm, total dimensions: 1650 mm x 1250 mm x 1430 mm.	2000
584	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher, type: XS 3, fabrication number: 35001180, year of construction: 2008, max: 6000 gram, min: 20 gram, e= 1 gram, 100-240 V, 50-60 Hz, belt width: (2x) 150 mm and (1x) 200 mm, total dimensions: 1370 mm x 1000 mm x 1540 mm.	1000
585	Munters	Munters desiccant dehumidifier, type: ML1100 E, fabrication number: 1507 190504 701865, fabrication year: 2015, 380 V, 3 Ph, 50 Hz, max 12.75 kW, dimensions: 2500 mm x 900 mm x 1650 mm, including Thermotec chiller, model: PA-05, serial number: B9904A-05, year of construction: 2001, 3x400 V, 50 Hz, 15.6 kW, 46.0 A, max condense pressure: 26 bar, max cooling capacity: 51 kW, refrigerant: R407C, dimensions: 1800 mm x 880 mm x 1900 mm.	2000
586	NN canteen tables	(4x) canteen tables with 4 chairs, dimensions: (4x) 1550 mm x 1100 mm x 840 mm.	200
588	Koppens Machinefabriek BV	Koppens Machinefabriek BV mobile s/s infeed bunker for breeding machine, type: PD 200, machine number: PD 200-87, 380 V, 3 Ph, 50 Hz, 1.6 A, 0.55 kW, weight: 120 kg, dimensions: 1450 mm x 1000 mm x 1650 mm.	1000
589	Koppens Machinefabriek BV	Koppens Machinefabriek BV mobile s/s infeed bunker for breeding machine, type: PD 200, machine number: PD 200-67, 380 V, 3 Ph, 50 Hz, 1.6 A, 0.55 kW, weight: 120 kg, dimensions: 1450 mm x 1000 mm x 1650 mm.	1000
590	Meyn	Meyn thermal oil filter, machine number: 40432, year of construction: 1991, dimensions: 800 mm x 1200 mm x 1800 mm.	4000
591	Meyn	Meyn thermic oil filter, machine number: 40433, year of construction: 1991, dimensions: 800 mm x 1200 mm x 1800 mm.	4000
592	NN scaffold	Mobile aluminium scaffold, dimensions: 1900 mm x 800 mm x 1950 mm.	100
593	NN safety cage for gas bottles	Steel safety cage for gas bottles, dimensions: 1400 mm x 1550 mm x 2250 mm.	150
594	Moulinex		10



Nr	Title	Description	Start €
		Moulinex microwave, type: D86, 220 V, 50 Hz, 1650 W, dimensions: 400 mm x 500 mm x 320 mm.	
595	Gram	Gram refrigerator, type: KS 220-10(h), serial number: 07793703421704, 230 V, 50 Hz, 90 W, 0.43 kW, refrigerant: R 600a/0.023 kg, dimensions: 600 mm x 550 mm x 1250 mm.	25
600	Grundfos	Grundfos pump unit with 2 centrifugal pumps, type: CRIE20-03 A-FGJ-I-E-HQQE, 2 Reflex expansion vessels and switch cabinet, dimensions: 1300 mm x 1250 mm x 1450 mm.	300
601	Ecowater Systems	Ecowater Systems water softener, dimensions: 2200 mm x 1000 mm x 2300 mm, including 2 plastic tubs with tablets, dimensions: (2x) 850 mm x 1200 mm.	250
602	Technigroup	Technigroup freezing cell, inside dimensions: 2120 mm x 2700 mm x 2400 mm, outside dimensions: 2310 mm x 3000 mm x 2650 mm, including Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 2FL-2.2, number: 650 40599, 1.6/1.1 kW, 9.46 m ³ /h, dimensions: 800 mm x 500 mm x 1650 mm.	500
603	Konus-Kessel	Konus-Kessel thermal oil boiler, type: KH-0 315/50, fabrication number: 1873800, year of construction: 1991, power: 400 kW, minimum flow rate: 119 m ³ /h, maximum working pressure: 10 bar, maximum working temperature: 290 °C, volume: 156 litre, with Riello burner, type: 826 T1 DZZO, serial number: 02198000737, 400/230 V, 3 Ph, 50 Hz, 16÷200 mbar, 85÷580 kW, total dimensions boiler: 2300 mm x 1100 mm x 1300 mm, including Allweiler GmbH thermal oil pump, NTT32 200/01 USA W4, serial number: 20250133, year of construction: 2025, dimensions pump: 1100 mm x 300 mm x 500 mm.	1000
604	Riello	Thermal oil boiler with Riello burner, model burner: RS 100/M, type: 829T1 DZDD, serial number: 3789710, 230/400 V, 3 Ph, 50 Hz, 19÷360 mbar, 38÷360 kW, total dimensions boiler: 1400 mm x 1700 mm x 2800 mm, including Allweiler GmbH thermal oil pump, NTT32-200USA W4, serial number: 14021683, year of construction: 2014, dimensions pump: 1100 mm x 300 mm x 500 mm.	1000
605	Rittal	Rittal switch cabinet for thermal oil installation, dimensions: 1200 mm x 510 mm x 2200 mm.	500
606	Verschoore Constructie	Verschoore Constructie steel pressure vessel for thermal oil, item number: 5292, year of construction: 2014, capacity: 200 litre, medium: Oil+N2, material: P265GH, design pressure: 8 barg, test pressure: max 8 barg, test pressure: 16.53 barg, design temperature: 0/300 °C, dimensions: 1100 mm x 1900 mm x 2900 mm.	250
607	Gosselin		10



Nr	Title	Description	Start €
		2 boxes with large amount of round laboratory petri plates, diameter: Ø 90 mm, dimensions boxes: (2x) 590 mm x 380 mm x 480 mm.	
608	Heraes	Heraes incubator, type: B 5042, fabrication number: 7903127, 220 V, 1 Ph, 50/60 Hz, 0.23 kW, 1.3 A, dimensions: 700 mm x 450 mm x 530 mm.	50
609	Heraes	Heraes incubator, type: BT 5042 E, fabrication number: 7901327, 220 V, 1 Ph, 50/60 Hz, 0.81 kW, 3.7 A, dimensions: 700 mm x 450 mm x 530 mm.	50
610	Heraes	Heraes incubator, type: T 6060, fabrication number: 8903343, 220 V, 50 Hz, 1.40 kW, 6.5 A, maximum temperature: 300 °C, dimensions: 750 mm x 550 mm x 570 mm.	100
611	Heraes	Heraes incubator, type: T 6060, fabrication number: 8903791, 220 V, 50 Hz, 0.36 kW, 1.6 A, maximum temperature: 50 °C, dimensions: 750 mm x 550 mm x 570 mm.	100
612	INTERNATIONAL PBI S.p.A.	INTERNATIONAL PBI S.p.A. autoclave, model: AUTOCLAVE STEMATICIII, serial number: 17135, 220 V, 50/60 Hz, 1700 W, inside dimensions: Ø 250 mm x 400 mm, total dimensions: 410 mm x 440 mm x 900 mm.	150
613	INTERNATIONAL PBI S.p.A.	INTERNATIONAL PBI S.p.A. autoclave, model: AUTOCLAVE STEMATICIII, serial number: 19615, 220 V, 50/60 Hz, 1700 W, inside dimensions: Ø 250 mm x 400 mm, total dimensions: 410 mm x 440 mm x 900 mm.	150
614	Rentokil	Rentokil insect killer, dimensions: 500 mm x 160 mm x 360 mm.	10
615	Memmert	Memmert incubator, type: ICP-500, fabrication number: K596.0046, 230 V, 50/60 Hz, 22.0 A, 500 W, maximum temperature: 60 °C, dimensions: 710 mm x 590 mm x 1040 mm.	250
616	Delta OHM	Delta OHM wet bulb globe thermometer temperature, type: HD32.2	150
617	Tork/Ecolab	Tork paper dispenser and Ecolab soap dispenser.	10
618	Schott Duran	Box with 5 Schott Duran glass laboratory bottles, volume: 1000 ml, dimensions box: 540 mm x 225 mm x 250 mm.	10
619	Seward	Seward laboratory homogeniser, model: Stomacher 400, dimensions: 350 mm x 310 mm x 290 mm.	100
620	IUL Instruments	IUL Instruments spiral plater, model: Eddy Jet, number: 146/1700, year of construction: 1999, 220 V, 50 Hz, 1.6 A, dimensions: 520 mm x 420 mm x 330 mm.	100
621	NN chair	Chair, dimensions: 450 mm x 450 mm x 1200 mm.	10
622	Asecos	Asecos steel safety cabinet, serial number: 621793/10/1, year of construction: 2006, dimensions: 1100 mm x 600 mm x 670 mm.	100
623	Moulinex		10



Nr	Title	Description	Start €
		Moulinex oven, dimensions: 530 mm x 300 mm x 320 mm.	
624	Sharp	Sharp microwave oven, dimensions: 550 mm x 550 mm x 400 mm.	10
625	Rentokil	Rentokil insect killer, dimensions: 550 mm x 150 mm x 290 mm.	10
626	Elframo	Elframo double fryer, dimensions: 700 mm x 750 mm x 1000 mm.	100
627	Novi	Novi stove, dimensions: 1200 mm x 600 mm x 900 mm.	25
628	NN hood	S/s hood, dimensions: 2000 mm x 930 mm x 600 mm.	100
629	WIWA	WIWA oven, dimensions: 610 mm x 500 mm x 440 mm.	50
630	Panasonic	Panasonic microwave, dimensions: 420 mm x 520 mm x 340 mm.	25
631	Miele/Whirlpool	Miele microwave, dimensions: 540 mm x 360 mm x 320 mm, Whirlpool microwave: 540 mm x 360 mm x 320 mm.	50
632	Suprema	Suprema weighing scale, dimensions scale: 250 mm x 210 mm, total dimensions: 250 mm x 350 mm x 460 mm.	10
633	Tork/Stoko	Tork paper dispenser and Tork soap dispenser.	10
634	Litton MenuMaster	Litton MenuMaster microwave oven, model: 2100i, dimensions: 520 mm x 550 mm x 380 mm.	50
635	Forved Italia	Forved Italia contact grill, model: MRE, serial number: 97P0358E, year of construction: 05/1997, 230 V, 50 Hz, 2200 W, dimensions: 420 mm x 400 mm x 200 mm.	25
636	AEG	AEG oven, type: 71 BLB 03 AG, serial number: 73445809, 220-240 V, 50 Hz, 3.5 kW, dimensions: 620 mm x 630 mm x 650 mm.	100
637	Henkelman B.V.	Henkelman B.V. mobile vacuum machine, machine type: Marlin 52, machine number: HOM30190583, year of construction: 2019, 230 V, 3 Ph, 50 Hz, 10 A, 1.8 kW, dimensions chamber: 530 mm x 500 mm, seal length: (2x) 530 mm, with Busch vacuum pump, total dimensions: 700 mm x 670 mm x 1000 mm.	1000
638	Kolbe	Mobile s/s table with Kolbe band saw, type: K200, machine number: 45826, year of construction: 1988, 380 V, 3 Ph, 50 Hz, 3.05 A, 1.1 kW, dimensions saw blade: 1750 mm x 16 mm, dimensions saw table: 500 mm x 500 mm, total dimensions: 650 mm x 650 mm x 1700 mm.	400
639	Düker-Rex	Düker-Rex cutter, type: HK65SVM, machine number: 26632, 380 V, 50 Hz, 4.5/5.6 A, 1.8/2.6 kW, steel bowl, dimensions: 1300 mm x 1000 mm x 1150 mm, including switch cabinet, dimensions: 1000 mm x 190 mm x 550 mm.	750
640	Spako	Spako aluminium table with plastic worktop, dimensions: 2020 mm x 1000 mm x 830 mm.	100



Nr	Title	Description	Start €
641	Berkel	Berkel automatic table model slicer, type: 900, model: 935, serial number: A 117500, year of construction: 2017, 230 V, 50/60 Hz, 4.0 A, 900 W, dimensions: 850 mm x 800 mm x 600 mm.	400
642	Vikan	Wall mounted peg with various Vikan hygiene equipment.	10
643	NN hose reels	2 s/s hose reels, dimensions: (2x) 300 mm x 120 mm x 120 mm.	20
644	NN table	Mobile s/s table, dimensions: 2100 mm x 1100 mm x 650 mm.	50
645	Rational	Rational combi steamer, type: CC 8, serial number: 06C92041149, 380 V, 3 Ph, 50 Hz, 9.4 kW, 150-600 kPa, 6 floors, dimensions each floor: 320 mm x 530 mm, total dimensions: 900 mm x 700 mm x 1500 mm.	500
646	Craemer	Craemer plastic waste container, dimensions: 480 mm x 550 mm x 950 mm.	10
647	Tork/Ecolab	2 Tork paper dispensers and Ecolab soap dispenser.	15
648	Bosch	Bosch dishwasher, dimensions: 640 mm x 600 mm x 870 mm.	25
649	ATAG	ATAG mobile s/s table, dimensions: 1400 mm x 700 mm x 900 mm.	50
650	Bucman	Bucman table model slicer, dimensions: 650 mm x 500 mm x 500 mm.	50
651	ATAG	ATAG au bain-marie heater, dimensions: 500 mm x 650 mm x 500 mm.	25
652	ATAG	ATAG gas heated stove, dimensions: 350 mm x 700 mm x 900 mm.	150
653	Euromax	Euromax mobile oven, dimensions: 820 mm x 700 mm x 950 mm.	150
654	NN hood	S/s hood, dimensions: 2010 mm x 2005 mm x 1055 mm.	125
655	Tork	Tork paper dispenser.	10
656	NN vegetable oil installation	Vegetable oil installation, consisting of: Verschoore Constructie steel pressure vessel, item number: 5421, year of construction: 2015, capacity: 1500 litre, medium: Oil+N2, material: P265GH, design pressure: 3 barg, test pressure: max 6 barg, test pressure: 10.94 barg, design temperature: 200 °C, dimensions: € 1000 mm x 3000 mm, steel expansion vessel, dimensions: Ø 600 mm x 1500 mm, trolley with Allweiler GmbH thermal oil pump, dimensions: 1000 mm x 600 mm x 1150 mm, trolley with nitrogen cylinders, dimensions: 700 mm x 700 mm x 1650 mm, various valves and pipework.	750
657	De Gouwe B.V.	De Gouwe B.V. double jacketed s/s tank used for vegetable oil, type: T 35.000, year of construction: 1997, volume: 35000 litre, heating medium: steam/	2000



Nr	Title	Description	Start €
		water, jacket pressure: 2/3 bar, weight: 2000 kg, dimensions: Ø 3200 mm x 5600 mm.	
658	Spiromatic	Spiromatic polyester flour silo, type: PS, serial number: 1500349-MOR-2966-1, year of construction: 2015, design: Eurocode 1, volume: 55 m ³ , Kst: 87 bar.m/s, P bulk good: 560 kg/m ³ , µ bulk good: 0.25, Pmin relief valve: -500 Pa, Pmax relief valve: 4500 Pa, T min amb: -20 °C, T max amb: +40 °C, dimensions: Ø 2484 mm x 13788 mm.	2500
659	Spiromatic	Spiromatic s/s flour dosing silo with weighing cells, dimensions: Ø 1500 mm x 1500 mm x 1100 mm, including switch cabinet, dimensions: 500 mm x 360 mm x 500 mm.	1000
660	NN batter mixer	Mobile s/s batter mixer, inside dimensions: Ø 750 mm x 600 mm.	1000
661	Spiromatic	Spiromatic s/s flour dosing silo with weighing cells, dimensions: Ø 1500 mm x 1500 mm x 1100 mm, including switch cabinet, dimensions: 500 mm x 360 mm x 500 mm.	1000
662	NN batter mixer	Mobile s/s batter mixer, inside dimensions: Ø 750 mm x 600 mm.	1000
663	Spiromatic	S/s switch cabinet for Spiromatic flour silo and flour dosing silo's	500
664	NN cabinet	Wall mounted s/s cabinet, dimensions: 800 mm x 400 mm x 800 mm.	50
665	NN sink	S/s sink with faucet, knee control, dimensions: 670 mm x 430 mm x 450 mm, including Tork paper dispenser and Ecolab soap dispenser.	25
666	Haws	Haws eye shower, dimensions: 350 mm x 340 mm x 360 mm.	25
667	Kliko	Kliko plastic waste container, dimensions: 480 mm x 550 mm x 950 mm.	10
668	NN table	Mobile s/s table, dimensions: 1250 mm x 550 mm x 1170 mm.	25
669	Sartorius	Sartorius weighing scale, model: CW1P1-30FE-I, serial number: 26101779, dimensions scale: 400 mm x 500 mm, total dimensions: 400 mm x 650 mm x 630 mm.	50
670	Elpress	Elpress soap mixing station, dimensions: 450 mm x 230 mm x 400 mm, including s/s hose reel with hose and pistol, dimensions: 500 mm x 300 mm x 500 mm and s/s hose reel, dimensions: 500 mm x 400 mm x 450 mm.	250
671	Vikan	Wall mounted s/s peg with various Vikan hygiene equipment.	10
672	NN hose reel	S/s trolley with hose reel, dimensions: 900 mm x 620 mm x 1050 mm.	150
673	NN trolley	S/s and wooden trolley, dimensions: 1160 mm x 610 mm x 1050 mm.	10



Nr	Title	Description	Start €
674	NN writing desk	Mobile s/s writing desk, dimensions: 900 mm x 520 mm x 1600 mm.	25
675	Oostwoud	Oostwoud locker room inventory, consisting of: 8 boot and shoe racks, dimensions: (6x) 1230 mm x 400 mm x 1700 mm, (1x) 1930 mm x 400 mm x 1700 mm and (2x) 930 mm x 400 mm x 1700 mm, 2 steel lockers with coat rack, dimensions: 3580 mm x 500 mm x 1960 mm and 1510 mm x 500 mm x 1960 mm. Various keys are missing. Including various winter jackets and pants.	200
676	Rentokil	Rentokil insect killer, dimensions: 570 mm x 150 mm x 300 mm.	10
677	Daewoo	Daewoo microwave, model: KOR-616T, serial number: LO814A0212, 230 V, 50 Hz, 1200 W, dimensions: 460 mm x 340 mm x 280 mm.	10
678	NN soup dispenser	Soup dispenser, dimensions: 280 mm x 400 mm x 590 mm. Key is missing.	25
679	Bravilor Bonamat	Bravilor Bonamat coffee machine, model: B 5-021, 230/400 V, 3 Ph, 50/60 Hz, dimensions: 630 mm x 400 mm x 800 mm.	150
680	Vendo	Vendo vending machine for soda, dimensions: 850 mm x 800 mm x 1900 mm. Key is missing.	100
681	NN coat rack	Coat rack, dimensions: 1000 mm x 400 mm x 1780 mm.	10
682	Wetrok	Wetrok vacuum cleaner, dimensions: 350 mm x 500 mm x 1300 mm.	10
683	NN waste bag holder	Mobile steel waste bag holder, dimensions: 500 mm x 500 mm x 1050 mm.	10
684	NN tables	S/s table with plastic worktop, dimensions: 710 mm x 510 mm x 440 mm, s/s table frame, dimensions: 700 mm x 500 mm x 420 mm.	20
685	NN table	S/s table with wooden top, dimensions: 1410 mm x 710 mm x 910 mm.	25
686	NN hygiene trolley	Hygiene trolley, dimensions: 1050 mm x 600 mm x 1600 mm.	10
687	Safe-o-mat	Safe-o-mat 10-doors steel locker, dimensions: 500 mm x 250 mm x 1130 mm. Keys are missing.	10
688	NN trays	2 pallets with large amount of plastic trays, dimensions each tray: 270 mm x 175 mm x 25 mm.	25
689	NN trays	Pallet with large amount of carton "Mora Crispy Chick'n n" trays.	10
690	NN sheets	Pallet with large amount of transparent HDPE sheets, dimensions sheets: 220 mm x 270 mm x 0.015 mm.	25
691	NN bags and sleeves	Pallets with large amount of transparent LDPE bags, dimensions: 2x200 mm x 800 mm, 20 my, 2 pallets with yellow and red LDPE sleeves.	25
692	NN paper sheets	2 pallet with large amount of paper sheets, dimensions sheets: 385 mm x 185 mm and 390 mm x 590 mm.	25
693	NN trays		10



Nr	Title	Description	Start €
		Pallets with large amount of plastic trays, dimensions each tray: 270 mm x 175 mm x 25 mm.	
694	NN hand wrapping film	Pallet with large amount of hand wrapping film, film width: 100 mm.	25
695	NN meat bin covers	Pallet with larger amount of plastic meat bin covers, dimensions covers: 2x90 mm x 805 mm.	25
696	NN carton boxes	Pallet with large amount of carton boxes, dimensions boxes: 305 mm x 205 mm x 340 mm.	25
697	Mora	8 pallets with various Mora carton boxes, among others: "Picknicker", dimensions: 393 mm x 193 mm x 77 mm, "Fishburger XL", dimensions: 250 mm x 180 mm x 83 mm and "Fishburger, dimensions: 293 mm x 205 mm x 70 mm.	50
698	NN carton boxes	2 pallets with large amount of carton boxes, dimensions boxes: 290 mm x 250 mm x 110 mm and 260 mm x 190 mm x 80 mm.	50
699	NN bags	Pallet with large amount of LDPE packaging bags, dimensions bags: 265 mm x 290 mm, 0.08 mm.	10
700	NN labels	Pallet with large amount of blanco label, dimensions labels: 150 mm x 240 mm, including pallet with large amount of blanco carton cards, dimensions cards: 125 mm x 180 mm.	25
701	Premium Gold Label	Pallet with Premium Gold Label LDPE waste bags, dimensions bags: (2x15)x2000 mm.	25
702	Comfort	3 boxes with large amount of Comfort LDPE secure & clean covers, dimensions covers: 105 mm x 125 mm x 250 mm.	10
703	Profilan	4 pallets with Profilan air filters.	50
704	NN air socks	Plastic pallet box with air socks, dimensions: 1250 mm x 800 mm x 1000 mm.	25
705	Vikan	Various Vikan hygiene equipment.	10
706	NN fence	S/s fence, dimensions: 1200 mm x 300 mm x 1040 mm.	25
707	NN waste bag holder	Steel waste bag holder, dimensions: 530 mm x 600 mm x 1320 mm.	10
708	TDS Acler	TDS Acler steel cabinet with content, dimensions: 910 mm x 460 mm x 1900 mm. Key is missing.	25
709	Engels	Engels plastic waste container, dimensions: 480 mm x 540 mm x 950 mm.	10
710	Asecos	Asecos steel safety cabinet, dimensions: 1200 mm x 620 mm x 1310 mm. Keys are missing.	50
711	TDS Acler	TDS Acler steel cabinet with content, dimensions: 910 mm x 460 mm x 1900 mm. Key is missing.	25
712	NN packaging table	Mobile wooden packaging table, dimensions: 4000 mm x 750 mm x 930 mm.	50
713	NN tables	2 steel tables with wooden top, dimensions: (2x) 1500 mm x 750 mm x 750 mm.	10
714	Tork	Tork paper dispenser.	10



Nr	Title	Description	Start €
715	NN pallet covers	Pallet with various plastic pallet covers.	10
716	NN paper sheets	3 pallets with large amount of paper sheets, dimensions sheets: 390 mm x 590 mm and 385 mm x 185 mm.	50
717	Rittal	Rittal computer cabinet, dimensions: 580 mm x 650 mm x 1670 mm.	25
718	NN covering sheets	Pallet with large amount of LDPE covering sheets, dimensions sheets: 1400 mm.	25
719	Office Depot/HP	Pallet with large amount of business paper, size: A3.	10
720	NN air pipes	2 air pipes, diameter: 630 mm and 450 mm.	10
721	Aeroflex	Box with Aeroflex Firo 13x54 pipe insulation	10
722	NN bags	2 boxes with plastic fish brochette bags, dimensions bags: 280 mm x 360 mm.	5
723	NN skewering conveyor	Pallet with plastic skewering conveyor.	25
724	NN power cable	Pallet with power cable and various s/s frames.	10
725	NN cups	Pallet with various plastic cups.	5
726	NN frames	Pallet with various s/s and aluminium frames.	25
727	Kaiser+Kraft	Kaiser+Kraft steel cabinet with content, dimensions: 950 mm x 420 mm x 1950 mm.	25
728	N.V. Van Wijnsberghe	N.V. Van Wijnsberghe s/s sink with faucet, knee control, dimensions: 570 mm x 320 mm x 600 mm.	25
729	NN message boards	4 message boards, dimensions: 660 mm x 1200 mm.	10
730	Kliko	Kliko plastic waste container, dimensions: 480 mm x 550 mm x 950 mm.	10
731	NN frames	S/s frame for crates, dimensions: 650 mm x 500 mm x 1250 mm, s/s frame, dimensions: 700 mm x 600 mm x 800 mm.	20
732	NN office table	Office table with chair, dimensions: 1200 mm x 800 mm x 740 mm.	10
733	Engels	Engels plastic waste container, dimensions: 480 mm x 540 mm x 950 mm, steel waste bag holder, dimensions: 530 mm x 600 mm x 1320 mm, various hygiene equipment.	25
734	Cantoni	2 Cantoni electromotors, dimensions: (2x) 400 mm x 200 mm x 250 mm.	20
735	NN trolley	Steel trolley, dimensions: 650 mm x 700 mm x 1250 mm.	10
736	NN rollies	2 plastic rollies, dimensions: (2x) 630 mm x 420 mm x 220 mm.	10
737	Moulinex	Moulinex microwave oven, type: 844, dimensions: 400 mm x 300 mm x 230 mm.	10
738	Calor	Calor electrical heater, dimensions: 500 mm x 250 mm x 450 mm.	10
739	Nilfisk Advance	Nilfisk Advance vacuum cleaner, model: GD 1010, serial number: 0717032664, 22-240 V, 50/60 Hz, 1200 W, dimensions: 400 mm x 250 mm x 400 mm.	25
740			100



Nr	Title	Description	Start €
	NN drip trays with lubricants and oil	2 steel drip trays with lubricants and oil, dimensions: 1600 mm x 1500 mm x 1300 mm and 2400 mm x 1000 mm x 1500 mm.	
741	Universal	Pallet with Universal Absorbent, dimensions pallet: 800 mm x 600 mm x 600 mm.	10
742	NN trolley	S/s trolley, dimensions: 820 mm x 550 mm x 850 mm.	10
743	ETAP	Pallet with various ETAP emergency lights, dimensions pallet: 1000 mm x 600 mm x 700 mm.	25
744	Weber	Weber plastic waste container, dimensions: 480 mm x 540 mm x 950 mm.	10
745	NN blower	Blower, dimensions: 500 mm x 500 mm x 600 mm.	25
746	Ningbo Vogar Electrical Appliance	Ningbo Vogar Electrical Appliance mobile air conditioner, model number: MFP26-1220-2, cooling capacity: 9000BTU/2600 W, refrigerant: R410a/360 gram, dimensions: 400 mm x 300 mm x 950 mm.	10
747	NN brushes	Crate with 4 brushes, width: 800 mm, total dimensions: 900 mm x 500 mm x 300 mm.	10
748	Asecos	2 Asecos steel safety cabinets, dimensions: 900 mm x 600 mm x 1980 mm and 1200 mm x 600 mm x 1980 mm. Keys are missing.	250
749	NN cabinet	S/s cabinet for tools, dimensions: 800 mm x 300 mm x 1000 mm.	25
750	NN rack with motors	Steel rack with large amount of motors, valves, seals, screws, bolts and electrical parts, dimensions rack: 10500 mm x 500 mm x 2200 mm.	500
751	NN rack with parts	Steel rack with various parts, among others: electrical parts, valves, displays, etc, dimensions: 3000 mm x 400 mm x 2200 mm.	250
752	NN rack with parts	Steel rack with various parts, among others: tools, lamps, valves, hoses, switch cabinets, drive motors, plastic curtains, chain hoists, etc, dimensions: 3000 mm x 1000 mm x 2200 mm.	250
753	Altrex	Altrex aluminium ladder, height: 950 mm.	25
754	BS Nova Apparatebau GmbH	BS Nova Apparatebau GmbH vertical spiral tube heat exchanger, type: 106-4-45-FN, vessel number: 377 061/01/1, year of construction: 2012, dimensions: 300 mm x 250 mm x 1550 mm.	150
755	NN rack with parts	Steel rack with various parts, among others: wheels, s/s couplings and pipes, electrical parts, plastic hoses, etc, dimensions: 3000 mm x 1000 mm x 2200 mm.	250
756	NN rack with parts	Steel rack with various parts, among others: electrical cable and power cable, dimensions: 7000 mm x 2500 mm.	75
757	NN wall rack with cable	Steel wall rack with various parts, among others: electrical cable, plastic hoses, V-belts, etc, dimensions: 5000 mm x 600 mm x 2000 mm.	150
758	NN cabinet		25



Nr	Title	Description	Start €
		Cabinet for fuses, screws and bolts, dimensions: 460 mm x 460 mm x 1800 mm. Almost empty.	
759	Festo	Steel cabinet with Festo pneumatic parts, dimensions: 2550 mm x 500 mm x 2000 mm.	250
760	NN transport belt	Transport belt for shrink tunnel, belt width: 550 mm, total dimensions: 1050 mm x 700 mm x 100 mm.	25
761	Allweiler GmbH	Allweiler GmbH horizontal centrifugal pump, type: NIT32-160/22U5A-W4-38/300, number: 15015985, year of construction: 2015, capacity: 28.2 m ³ /h, 4 kW, dimensions: 900 mm x 400 mm x 350 mm.	100
762	NN cable gutters	Bito steel rack with various cable gutters, dimensions: 2500 mm x 700 mm x 2000 mm.	50
763	NN rack with parts	Bito steel rack with various parts, among others: bolts, O-rings, Festo parts, parts for transport belts, etc, dimensions: 2900 mm x 640 mm x 1900 mm.	200
764	NN rack with parts	Meta steel rack with various parts, among others: plastic couplings, orion adapters, etc, dimensions: 3100 mm x 330 mm x 2000 mm.	150
765	Eurom	2 Eurom electrical heaters, dimensions: 550 mm x 350 mm x 600 mm.	50
766	NN office desk	Office desk with 2 chairs, dimensions: 1600 mm x 800 mm x 720 mm.	10
767	NN racks with parts	2 steel rack with various parts, among others: saw blades for band saw, isolation tape, O-rings, grinding discs, sanding paper, knives, etc, dimensions: (2x) 1000 mm x 400 mm x 2000 mm.	200
768	NN slide	S/s slide, dimensions: 600 mm x 200 mm x 2400 mm.	25
769	NN electrical cable	Wooden reel with electrical cable, dimensions: 590 mm x 550 mm.	10
770	NN rack with electrical parts	Steel rack with large amount of electrical parts, dimensions: 6150 mm x 500 mm x 2300 mm.	400
771	NN rack with electrical parts	Steel rack with large amount of electrical parts, lamps, electrical cable, etc, dimensions: 6150 mm x 500 mm x 2300 mm.	300
772	NN rack with parts	Bito steel rack with large amount of parts, among others: bearings, parts for pumps, sprockets, parts for transport belts, saw blades, V-belts, etc, dimensions: 5010 mm x 650 mm x 2000 mm.	300
773	NN rack with parts	Bito steel rack with large amount of parts, among others: parts for VM400 forming machine, sensors, O-rings, drive chains, V-belts, plates for grinder, bearings, etc, dimensions: 5010 mm x 650 mm x 2000 mm.	400
774	NN rack with parts	Bito steel rack with large amount of parts, among others: filters, parts for transport belts, couplings, condensing pots, seal rings, lamps, etc, dimensions: 6000 mm x 330 mm x 2000 mm.	300
775			500



Nr	Title	Description	Start €
	NN rack with electrical parts	Bito steel rack with large amount of electrical parts, dimensions: 6200 mm x 500 mm x 2300 mm.	
776	SKT NV	Container with SKT NV screw compressor unit for ICS double spiral freezer, type: XRVi 204/1.93, serial number: 11-201-151, year of construction: 2015, min/max pressure: -1/+7 +7/+22 barg, medium 1: NH3, medium 2: Oil, test pressure: 24.2 barg, volume flow: 1348 m³/h, operational weight: 3250 kg, with Howden Compressors Limited screw compressor, serial number: MK5B/XRV204193MVI/326, hydraulic test pressure: 37.00 bar g, max working pressure outlet: 21.00 barg, max working pressure outlet: 5.00 barg, max speed: 3600 rpm, LCB NH3 pressure vessel, type: F2-1000-2, year of construction: 2015, medium: NH3, design pressure: -1/+20 bar, design temperature: -50/+50 °C, min/max allowable pressure: -1/+17 bar, min/max allowable temperature: -50/+50 °C, volume: 1260 litre, Güntner condenser, 8 fans and switch cabinet, total dimensions: 12200 mm x 3420 mm x 6950 mm.	25000
777	Nederman	Nederman hose reel with hose and pistol, dimensions: 900 mm x 400 mm x 550 mm.	100
778	Jungheinrich	Jungheinrich electric pallet lifter, model: EJD 220, serial number: 90603886, year of construction: 2020, fork length: 1190 mm, operating hours: 708 hours, lifting height: 2500 mm, total dimensions: 2200 mm x 750 mm x 2300 mm, including Jungheinrich battery charger, model: SLH 300, type: E230V G 24/45 B-SLH300, serial number: 93919550, input: 230 V, 50-60 Hz, 7.0 A, output: 24 V / 45 A, battery capacity: 225 Ah-391 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	2000
779	Jungheinrich	Jungheinrich reach truck, model: ETV 214, serial number: 91155791, year of construction: 2021, fork length: 1150 mm, operating hours: 129 hours, lifting height: 5600 mm, total dimensions: 2500 mm x 1300 mm x 2400 mm, including Jungheinrich battery charger, model: SLH 300, type: D400V G 48/90 B-SLH300, serial number: 93920884, input: 400 V, 50-60 Hz, 7.0 A, output: 48 V / 90 A, battery capacity: 450 Ah-780 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	5000
780	Jungheinrich	Jungheinrich electric forklift truck, model: EFG 216k 464DZ, serial number: FN646829, year of construction: 2021, fork length: 1150 mm, operating hours: 143 hours, lifting height: 4640 mm, total dimensions: 3000 mm x 1100 mm x 2100 mm, including Jungheinrich battery charger, model: SLH 300, type: D400V G 48/90 B-SLH300, serial number: 93920015, input: 400 V, 50-60 Hz, 7.0 A, output: 48 V / 90 A, battery capacity: 450	7500



Nr	Title	Description	Start €
		Ah-780 Ah / 6.5 H-11 H, dimensions: 350 mm x 320 mm x 510 mm.	
781	Grundfos	Grundfos pump unit with centrifugal pump, type: CR5-7 A-A-A-E-HQQE, model: A96516990P21109, Q: 5.8 m³/h, and Grundfos expansion vessel, type: GT-U-200 V, year of construction: 2021/06/24, volume: 200 litre, total dimensions: 1300 mm x 700 mm x 1250 mm.	175
782	NN first aid cabinet	Plastic first aid cabinet, dimensions: 380 mm x 120 mm x 300 mm.	10
783	OTTO	2 OTTO plastic waste containers, dimensions: (2x) 480 mm x 540 mm x 950 mm, steel waste bag holder, dimensions: 530 mm x 600 mm x 1320 mm.	30
784	NN sink	S/s sink with faucet, knee control, dimensions: 670 mm x 430 mm x 450 mm, including Tork paper dispenser and Ecolab soap dispenser.	25
785	Elpress	Elpress s/s hose reel with hose and pistol, type: EHBR50, dimensions: 500 mm x 300 mm x 450 mm.	150
786	Zarges	Zarges aluminium platform with stairs, working height: 1600 mm, total dimensions: 1600 mm x 1300 mm x 2600 mm.	75
787	Comfort	Pallet with various Comfort LDPE secure & clean covers.	10
788	NN skewers	Pallet with various skewers, length: 180 mm.	10
789	NN crates	16 steel pallets with plastic crates, approximately 20 crates each pallet, dimensions crates: 810 mm x 510 mm x 200 mm.	160
790	NN parasol bases	Pallet with various plastic parasol bases.	10
791	NN crates	2 steel pallets with plastic crates, approximately 100 crates each pallet, dimensions crates: 600 mm x 400 mm x 60 mm.	50
792	NN crates	91 pallets with plastic crates, approximately 88 crates each pallet, dimensions crates: 600 mm x 400 mm x 90 mm.	2000
793	NN crates	2 pallets with plastic crates, approximately 80 crates each pallet, dimensions crates: 600 mm x 400 mm x 150 mm.	50
794	NN crates	7 pallets with plastic crates, approximately 88 crates each pallet, dimensions crates: 600 mm x 400 mm x 80 mm.	150
795	NN crates	44 pallets with plastic crates, approximately 88 crates each pallet, dimensions crates: 600 mm x 400 mm x 90 mm.	1000
796	NN crates	3 pallets with approximately 129 plastic crates, dimensions crates: 600 mm x 400 mm x 80 mm.	75
797	NN tub	Mobile s/s tub, dimensions: 650 mm x 650 mm x 420 mm.	10
798	NN heating cell	Heating cell, dimensions: 5200 mm x 4950 mm x 2460 mm.	250



Nr	Title	Description	Start €
799	NN artificial grass	Reel with artificial grass, width: 2000 mm.	5
800	Infra	Mobile s/s frame with 3 SLO Infra S15-20 heating lamps, dimensions: 2000 mm x 700 mm x 2200 mm.	10
801	Technigroup	Technigroup cooling cell, inside dimensions: 4200 mm x 2100 mm x 2400 mm, with Bitzer cooling compressor and Alfa Laval Helpman evaporator, total dimensions: 4350 mm x 2400 mm x 2480 mm.	500
802	Denios	Denios plastic safety cabinet with IBC tank with Solenes Praestol E150 flocculant, dimensions 1550 mm x 1500 mm x 2330 mm.	150
803	NN trolley	S/s trolley, dimensions: 500 mm x 450 mm x 1300 mm.	10
804	BT/Logitrans	BT steel pallet lifter, model: BT L 2000/10, fork length: 1150 mm (defect), Logitrans steel pallet lifter, model: P 2582, fork length: 1140 mm.	150
805	Asso Abloy	Asso Abloy electrical high speed shutter door, door type: HS9020GHY, serial number: NL60748L, year of construction: 7-2019, door width: 2900 mm.	250
806	NN canteen tables	6 canteen tables, dimensions: 1800 mm x 900 mm x 750 mm.	5
807	Ecowater	Steel trolley with Ecowater Systems water softener, dimensions: 1020 mm x 600 mm x 1900 mm.	50
808	NN platforms with stairs	2 s/s platforms with stairs, dimensions: 1050 mm x 640 mm x 1650 mm and 1100 mm x 660 mm x 1350 mm.	100
809	Altrex	Altrex mobile aluminium platform with stairs, working height: 900 mm, dimensions: 1500 mm x 1000 mm x 2000 mm.	75
810	Nilfisk	Nilfisk vacuum cleaner, model: HD Series, dimensions: 700 mm x 700 mm x 1000 mm.	10
811	Kärcher	Kärcher floor sweeper, model: Professional KM 70/20 C, dimensions: 700 mm x 1100 mm x 1050 mm. One brush is broken.	10
812	Fimap	Fimap floor scrubber, dimensions: 1100 mm x 700 mm x 1050 mm. Technical condition unknown.	50
813	Comax	Comax floor scrubber, dimensions: 1250 mm x 700 mm x 1000 mm. Technical condition unknown.	50
814	NN tub	S/s trolley with plastic tub, dimensions: 750 mm x 480 mm x 1250 mm.	10
815	NN tubs	2 s/s and steel trolleys with plastic tub, dimensions: (2x) 950 mm x 550 mm x 1660 mm.	20
816	Altrex	Altrex aluminium platform with stairs, working height: 1450 mm, dimensions: 2300 mm x 1000 mm x 2550 mm.	75
817	Bauer	Bauer steel snowplough, type 05820238, serial number: 344954, year of construction: 2011, weight: 172 kg, dimensions: 1500 mm x 1800 mm x 600 mm.	100
818	Enpac Corporation	Enpac Corporation plastic drip tray, dimensions: 1260 mm x 1260 mm x 440 mm.	10



Nr	Title	Description	Start €
819	NN infeed hopper	Mobile s/s infeed hopper, dimensions: 1000 mm x 700 mm x 700 mm.	10
820	EKOPAK	EKOPAK reverse osmose unit, plant type: U0 1200 ND, serial number: 809436, year of construction: 2008, 400 V, 50 Hz, 2.2 kW, max operating pressure: 20 bar, feedwater temperature: 5/35 °C, min concentrate flowrate: 400 l/h, max permeate flowrate: 1200 l/h, max permeate counter pressure: 0.3 bar, dimensions: 800 mm x 800 mm x 1700 mm.	100
821	Koppens	Koppens mobile elevating belt s/s frame, s/s mesh belt, type: TG 4875/400, machine number: TG 4875/400-421, 380 V, 3 Ph, 50 Hz, 0.35 A, 0.09 kW, weight: 180 kg, belt width: 400 mm, elevating height: from 1200 mm x till 1800 mm, total dimensions: 6200 mm x 600 mm x 1800 mm.	750
822	Boldt Systems	Boldt Systems meat bins washer, model number: WSD 165K, serial number: BW0 94009, dimensions: 1600 mm x 2300 mm x 2600 mm.	1000
823	NN drying conveyor	Mobile drying conveyor, suitable belt width: 600 mm, total dimensions: 3100 mm x 800 mm x 1450 mm. Belt and drive motor is missing.	150
824	NN waste containers	4 plastic waste containers, dimensions: (4x) 480 mm x 540 mm x 950 mm.	40
825	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 590 mm, total dimensions: 2900 mm x 900 mm x 740 mm.	150
826	Willems	Pallet with 24 bags of Willems road salt, 25 kg each bag.	50
827	Schütz	10 Schütz IBC tanks, volume: 1000 litre, dimensions: (10x) 1200 mm x 1000 mm x 1150 mm.	250
828	Siat	Siat box closing machine, model: SM2, serial number: 13455, year of construction: 1990, 380 V, 3 Ph, 50 Hz, 1.4 A, 240 W, dimensions: 1600 mm x 700 mm x 1700 mm.	150
829	Siat	Siat box closing machine, model: SM2, serial number: 11119, year of construction: 1989, 380 V, 3 Ph, 50 Hz, 1.4 A, 240 W, dimensions: 1600 mm x 700 mm x 1700 mm.	150
830	Rittal	Rittal s/s computer cabinet, dimensions: 600 mm x 650 mm x 1730 mm. Incomplete.	25
831	Sesa Systems	Sesa Systems computer cabinet, dimensions: 1200 mm x 500 mm x 1730 mm.	25
832	NN frames	2 wooden frames, dimensions: (2x) 2300 mm x 200 mm x 2850 mm.	10
833	Mora	Various pallets with various Mora marketing equipment.	100
834	Elpress/Grundfos	Elpress pump unit with 3 Grundfos centrifugal pumps, dimensions: 1500 mm x 1500 mm x 2000 mm.	250
835			250



Nr	Title	Description	Start €
	Delta Technics Engineering B.V.	Double Delta Technics Engineering B.V. condenser, (2x) fans, dimensions: 3450 mm x 1520 mm x 2350 mm.	
836	Sabu	Sabu Safe Master steel safety cabinet with content, dimensions: 1400 mm x 1400 mm x 2280 mm.	150
837	Sabu	2 Sabu Safe Master steel safety cabinets with content, dimensions: (2x) 1430 mm x 1430 mm x 1610 mm. mm.	300
838	Craemer	25 Craemer plastic Euro H1 pallets, dimensions: (25x) 1200 mm x 800 mm x 160 mm.	125
839	NN pallets	36 plastic pallets, dimensions: (36x) 1200 mm x 1000 mm x 160 mm.	375
840	NN pallets	10 plastic pallets, dimensions: (7x) 1200 mm x 1000 mm x 160 mm and (3x) 1200 mm x 800 mm x 160 mm.	50
841	Chep	4 plastic Chep pallets, dimensions: (4x) 1200 mm x 800 mm x 160 mm.	20

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

