



**Industrial
Auctions**

**2264: Online auction machinery for the food industry on
behalf of Windsor Food Machinery Ltd in Ashford (UK)**

END DATE

03 September 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	03 September 2026 from 14:00 hrs.
Viewing days	01 September 2026 from 09:00 till 16:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	20% over the highest bid including premium
Pick up days	10 September 2026 from 09:00 till 16:00 hrs.
Pick up address	Units 1-6, Mountain Farm Marsh Road, Hamstreet TN26 2JD Ashford, Kent United Kingdom
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place. Industrial Auctions must prove the export of the lots from the UK, therefore VAT is charged as a deposit. Once you send the appropriate export documents, we will transfer the VAT amount back to you. Industrial Auctions can assist you in applying for transport and export documents.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Sümann	Sümann smoking chamber with integrated friction smoke generator, inside dimensions: 1060 mm x 750 mm x 1480 mm, total dimensions: 1450 mm x 1150 mm x 2200 mm. Including s/s smoke trolley, 5 floors, dimensions floors: (5x) 600 mm x 770 mm, total dimensions: 860 mm x 640 mm x 1430 mm.	2000
2	Treif	Treif slicer, model: Jaguar, machine number: 342307.61683.0143, year of construction: 2001, 230-400 V, 50 Hz, 6.2 A, weight: 204 kg, chamber dimensions: 700 mm x 200 mm x 200 mm, total dimensions: 1880 mm x 770 mm x 1250 mm.	750
3	Henkelman	Henkelman mobile double chamber vacuum machine, type: 600, machine number: 60306048, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 12 A, 2,7 kW, chamber dimensions: (2x) 480 mm x 610 mm, seal length: (4x) 610 mm, total dimensions: 1550 mm x 770 mm x 1250 mm. Including vacuum pump.	950
4	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: 645 mm, total dimensions: 1400 mm x 780 mm x 1250 mm.	200
5	Grote	Grote mobile slicer, model: 613-7S, serial number: 1130873, 240 V, s/s belt, mesh belt width: 330 mm, total dimensions: 1050 mm x 1270 mm x 1680 mm.	2000
6	Landig+Lava GmbH & Co. KG	Landig+Lava GmbH & Co. KG dry aging cabinet, model: DRY AGER DX 1000 PREMIUM S, serial number: 85.836.181.0, 220-240 V, 50 Hz, 2.0 A, capacity: 435 liter, refrigerant: R600a, 4 floors, dimensions floors: (4x) 550 mm x 450 mm, total dimensions: 700 mm x 750 mm x 1630 mm.	750
7	ABM	ABM forming machine, model: HD 3000, serial number: 3225, year of construction: 2015, 230 V, 50 Hz, 1 Ph, 4.4 A, Ø: 100 mm, total dimensions: 550 mm x 630 mm x 1430 mm.	1250
8	Henkelman	Henkelman mobile double chamber vacuum machine, model: Polar 2-95, machine number: HOP60150006, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 28 A, 7.5 kW, chamber dimensions: (2x) 690 mm x 1110 mm, seal length: (6x) 1100 mm, total dimensions: 1900 mm x 1300 mm x 1100 mm. Including vacuum pump.	2750
9	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, type: F-line F260, serial number: F20PT1152833, year of construction: 2013, 400 V, 50/60 Hz, 45 kW, total dimensions: 1900 mm x 1180 mm x 2250 mm.	19500
10	NN kebab table	S/s pneumatic kebab table, with 4 mould sets, total dimensions: 2500 mm x 1250 mm x 1110 mm. Never used.	15000
11	Digi Europe Ltd	Digi Europe Ltd checkweigher, model: HT700, serial number: 170356001, 230 V, 1 Ph, 50 Hz, 1.15/0.4 A, maximum speed: 48 m/min, 100 packs/min, air pressure: 4 bar, weight: 150 kg, plastic belt, belt width (6x): 100 mm, total dimensions: 1320 mm x 720 mm x 1480 mm.	1250
12	Henkelman	Henkelman mobile vacuum machine, model: falcon 80 KL DS, machine number: F100703021, year of construction: 2007,	675



Nr	Title	Description	Start €
		20.5 A, 3 kW, chamber dimensions: 750 mm x 500 mm, seal length: (2x) 810 mm x 500 mm, Bush vacuum pump, type: RA 0063 E 5K5, number: 050029093, capacity: 63 m3/h, total dimensions: 890 mm x 730 mm x 1050 mm.	
13	Cato	Cato piston filler, inside dimensions: Ø 340 mm x 320 mm, total dimensions: 500 mm x 550 mm x 1130 mm.	400
14	Biro	Biro grinder, model: 342, serial number: 6084, 208/220 V, 50/60 Hz, Ø plate: 100 mm, total dimensions: 1300 mm x 680 mm x 1200 mm.	100
15	NN sorting belt	Sorting belt, plastic belt, belt width: 250 mm, 8 retracting arms, total dimensions: 2550 mm x 600 mm x 1060 mm.	275
16	Formatic	Formatic forming machine with feet control, model: Formatic R2200, Ø dye: 120 mm, plastic outfeed belt, belt width: 120 mm, total dimensions: 550 mm x 800 mm x 570 mm.	650
17	Mainca	Mainca mobile vacuum machine, model: PP 12, serial number: 827, year of construction: 2015, 230 V, 50 Hz, 1.8 kW, weight: 189 kg, chamber dimensions: 490 mm x 500 mm, seal length (2x): 490 mm, total dimensions: 760 mm x 690 mm x 950 mm.	450
18	Hobart	Hobart grinder, model: 4156 SS, serial number: 11213311, 415 V, 3 Ph, 50 Hz, 20.5 A, 3 HP, Ø plate: 150 mm, total dimensions: 650 mm x 1400 mm x 1370 mm.	750
19	Fomaco	Fomaco injector, model: FGM 34/68, machine number: 9851-2005, 3x400 V, 50 Hz, 8 A, maximum fuse: 25 A, s/s mesh belt, belt width: 420 mm, clearance: 120 mm x 280 mm, total dimensions: 2100 mm x 730 mm x 2250 mm. Including mobile s/s frame.	2000
20	Hobart	Hobart combi-steamer, model CPLUS-101G-LA-KK, serial number: K.81.853.912, 400 V, 3 Ph, 50 Hz, 30 A, 18.4 kW, 11 floors, floor dimensions: (11x) 400 mm x 550 m, total dimensions: 920 mm x 900 mm x 1720 mm.	500
21	Loma systems	Loma systems metal detector, serial number: 7717, plastic mesh belt, belt width: 605 mm, clearance: 660 mm x 205 mm, total dimensions: 1750 mm x 1250 mm x 1680 mm.	750
22	Verbufa	Verbufa mobile skewering machine, type: VSP 1, serial number: 201400600, year of construction: 2014, 230 V, 10 A, 50 Hz, 0.93 kW, weight: 236 kg, dimensions: 1180 mm x 700 mm x 1600 mm. Missing outfeed belt.	1750
23	Scanvaegt	Scanvaegt checkweigher, type number: 4716-275.950, serial number: BOE00116, 230 V, 50/60 Hz, 10 A, belt width: 270 mm, total dimensions: 930 mm x 700 mm x 1730 mm.	850
24	Biro	Biro grinder, model: 342, serial number: 9707, 208/220 V, 50/60 Hz, motor power: 3 HP, Ø plate: 100 mm, total dimensions: 1330 mm x 750 mm x 1220 mm.	100
25	Henkelman	Henkelman mobile vacuum machine, model: Polar 80 KL DS SA, machine number: P100809062, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 11.5 A, 3.5 kW, chamber dimensions: 750 mm x 500 mm, seal length (2x): 830 mm x 500 mm, total dimensions: 920 mm x 750 mm x 1050 mm.	750



Nr	Title	Description	Start €
26	Detectronic	Detectronic metal detector, type: 606-350, serial number: 1444-2, plastic belt, belt width: 400 mm, clearance: 450 mm x 210 mm, total dimensions: 1800 mm x 880 mm x 1160 mm.	650
27	Ulma	Ulma automatic stretch wrapping machine, model: SUPERCHIK 60, machine number: 2105375, 415 V, 50 Hz, 2.8 A, 8 kW, belt width: 270 mm, film width: 450 mm, total dimensions: 3300 mm x 900 mm x 1500 mm.	1250
28	Ramon	Ramon piston filler, model: 13, serial number: 1518, year of construction: 2010, 220 V, 1 Ph, 50 Hz, 7 A, 0.75 kW dimensions: 650 mm x 380 mm x 1200 mm.	400
29	Jaccard	Jaccard tenderiser on s/s table, tenderizer dimensions: 205 mm x 70 mm, total dimensions: 550 mm x 870 mm x 1610 mm.	75
30	Crypto-Peerless Ltd.	Crypto-Peerless Ltd. Mixer, model: JB22F, serial number: 151952, 220/250 V, 50 Hz, diameter plate: 100 mm, total dimensions: 700 mm x 600 mm x 1290 mm.	50
31	Kolbe	Kolbe bandsaw, model: K 430, year of construction: 2003, 400 V, 50 Hz, 2.5 A, dimensions table: 840 mm x 880 mm, total dimensions: 950 mm x 900 mm x 1830 mm.	1450
32	Nimo KG	Nimo KG lifter for 200 liter meat bins, type: SKV 300 C2, number: 10532, year of construction: 2007, maximum load: 350 kg, lifting height: 1600 mm, total dimensions: 2800 mm x 900 mm x 600 mm.	550
33	Ilpra	Ilpra traysealer, model: FP Speedy N, serial number: FP11383, year of construction: 2021, 400 V, dimensions dye: (2x) 110 mm x 200 mm, film width: 400 mm, total dimensions: 2850 mm x 950 mm x 1570 mm. Including 9 films and set dye. Without vacuum pump.	2500
34	Handtmann	Handtmann vacuum filling machine with case holder, type: VF80, serial number: 14402, 400 V, 3 Ph, 11 A, 50 Hz, 4 kW, case holder, model: 34-4, number: 3932, year of construction: 2001, dimensions: 950 mm x 900 mm x 1700 mm.	2500
35	Jaccard	Jaccard tenderiser, dimensions: 200 mm x 70 mm, total dimensions: 410 mm x 390 mm x 950 mm.	75
36	Biro	Biro tenderizer, model: PRO-9, serial number: 00059405 SD, 220 V, 1 Ph, 50 Hz, 4.8 A, total dimensions: 420 mm x 370 mm x 380 mm.	75
37	Sirman	Sirman vegetable prep, model: TM2 ALU F.E.M, serial number: 16P02018, year of construction: 08/2016, 240 V, 50 Hz, 2.2 A, 515 W, weight: 19 kg, dimensions: 280 mm x 350 mm x 750 mm.	35
38	Treif	Treif dicer with integrated weighing scale, model: TWISTER, machine number: 412007.163430.116208, year of construction: 2013, 380-480 V, 50/60 Hz, 16 A, 6,12 kW, 670 kg, dimensions chamber: 120 mm x 120 mm, dimensions weighing scale: 500 mm x 400 mm, total dimensions: 1950 mm x 1500 mm x 1300 mm. Incomplete, missing knife set and belt.	4500
39	Deighton	Deighton mobile pre duster, model: 400W Econodust M/C, serial number: ED 22/08/058, year of construction: 2022,	4500



Nr	Title	Description	Start €
		380/415 V, 3 Ph, 50/60 Hz, 0.66 kW, s/s mesh belt, belt width: 400 mm, clearance: 420 mm x 150 mm, total dimensions: 1650 mm x 1000 mm x 1450 mm.	
40	NN box closing machine	Mobile box closing machine, model: AS523S, serial number: 16A036, year of construction: 2016, 240 V, 50 Hz, 240 W, s/s roller, rollers width: 530 mm, total dimensions: 1700 mm x 1900 mm x 1600 mm.	250
41	Deighton	Deighton mobile pre duster, model: 400W Econodust M/C, serial number: ED 22/08/059, year of construction: 2022, 380/415 V, 3 Ph, 50/60 Hz, 0.66 kW, s/s mesh belt, belt width: 400 mm, clearance: 410 mm x 70 mm, total dimensions: 1600 mm x 1150 mm x 1350 mm.	4500
42	NN paper/soap dispensers	Pallet paper/soap dispensers, dimensions: 800 mm x 700 mm x 500 mm.	75
43	Thompson Meat Machinery	Thompson Meat Machinery mobile mixer-grinder, type: 900 E, serial number: TM3.900E6.078, year of construction: 2001, 415 V, 50 Hz, diameter plate: 100 mm, total dimensions: 1180 mm x 950 mm x 1280 mm.	950
44	Square Company AB	Square Company mobile Medimat forming machine, s/s mesh belt, belt width: 250 mm, total dimensions: 2000 mm x 900 mm x 2050 mm.	850
45	Nowicki	Nowicki injector, type: MHM-21/84 P, number: 01114295, year of construction: 2014, 3x400 V, 50 Hz, mesh belt, belt width: 300 mm, injector dimensions: 320 mm x 155 mm, total dimensions: 1600 mm x 700 mm x 1850 mm.	850
46	NN meat press	Mobile meat press machine , working width: 135 mm, total dimensions: 1600 mm x 700 mm x 1950 mm.	750
47	Tech for Food	Tech for Food rolling machine with conveyor belt, model: Roll It, number: 150, weight: 315 kg, 230 V, 50/60 Hz, 13 A, 1.4 kW, air pressure: 6 bar, belt width: 440 mm, total dimensions: 950 mm x 1000 mm x 1450 mm. Mobile conveyor belt width: 270 mm, total dimensions: 1550 mm x 650 mm x 930 mm.	4500
48	Koneteollisuus OY	Koneteollisuus OY mobile mixer-grinder, model LM-32A, serial number: 122857, 380–420 V, 3 Ph, 50 Hz, 3.0/1.1 kW, 6.7 + 3.1 A, weight: 250 kg, diameter plate: 100 mm, dimensions: 700 mm x 930 mm x 1160 mm.	650
49	Digi Europe Ltd	Digi Europe Ltd labelling machine, model HG-700E, serial number: 140454001, 230 V, 50 Hz, 1 Ph, 1.5/0.4 A, 4 bar air pressure, plastic belt, belt width: (2x) 100 mm, total dimensions: 1600 mm x 700 mm x 1700 mm.	1250
50	Digi Europe Ltd	Digi Europe Ltd labelling machine, model HG-700E, serial number: 140950002, 230 V, 50 Hz, 1 Ph, plastic belt, belt width: (2x) 100 mm, total dimensions: 1600 mm x 680 mm x 1650 mm.	1250
51	Digi Europe Ltd	Digi Europe Ltd labeller, model Lab Station, serial number: 170356701, weight: 140 kg, plastic belt, belt width: 230 mm, total dimensions: 900 mm x 410 mm x 1330 mm.	1250
52	Bizerba		1200



Nr	Title	Description	Start €
		Bizerba automatic slicer, type: VS 12 D, number: 11276406, year of construction: 2016, 220/240 V, 50/60 Hz, 1 Ph, 2,6 A, dimensions: 750 mm x 650 mm x 550 mm.	
53	Magurit	Magurit frozen block cutter, type: 042, machine number: 5959, year of construction: 2009, 400 V, 50 Hz, 10 A, 4 kW, weight: 490 kg, air pressure: 6 bar, working width: 470 mm, total dimensions: 1500 mm x 750 mm x 1710 mm.	2500
54	Seymag	Seymag grinder, type: SMG130H, number: 01H-0155, year of construction: 2021, 380 V, 7.5 kW, weight: 420 kg, Ø plate: 150 mm, total dimensions: 800 mm x 1320 mm x 1400 mm.	475
55	Ilpra	Ilpra traysealer, type: Speedy N, serial number: FP7816, year of construction: 2007, 400 V, plastic belt, belt width: 400 mm, dimensions dye: (2x) 120 mm x 160 mm, film width: 360 mm, total dimensions: 3000 mm x 950 mm x 1570 mm.	1500
56	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD burger forming machine, model: Formatic Retail Machine, serial number: R2200/05/07/138, 220–240 V, 50 Hz, 550 W, Ø: 100 mm, plastic belt, belt width: 120 mm, total dimensions: 580 mm x 820 mm x 900 mm.	850
57	Hobart	Hobart cutter, type: 84186, serial number: 36-871-426, 220 V, 50 Hz, 6.5 A, 100 W, 2850 rpm, Ø bowl, 360 mm, total dimensions: 850 mm x 580 mm x 480 mm.	200
58	NN conveyor belt	Mobile conveyor belt, plastic belt, belt width: 145 mm, total dimensions: 1250 mm x 450 mm x 1160 mm.	1250
59	Handtmann	Handtmann piston filler with linking attachment, type: FA30TOP, number: 1029, 240/420 V, 50 Hz, 11.5/6.6 A, 3 kW, dimensions: 950 mm x 580 mm x 1300 mm.	125
60	Protech	Parts for mobile shredder, dimensions: 900 mm x 900 mm x 1480 mm.	250
61	Ziegla-Eismaschinen	Ziegla-Eismaschinen ice machine with bunker, serial number: 084127, inside dimensions: 1150 mm x 700 mm x 770 mm, total dimensions: 1210 mm x 800 mm x 1850 mm.	500
62	NN suction device	Mobile suction device used for sausage peeler, with Becker vacuum pump, type: SV400/1, number: A3248332, year of construction: 2018, capacity: 390/470 m ³ per hour, dimensions: 1250 mm x 630 mm x 930 mm.	200
63	Loma Systems	Loma Systems metal detector with rejector, model: IQ3 Metal Detector, serial number: Q3B35-15-37099D, year of construction: 2017, 110–240 V, 50/60 Hz, 0.3–0.6 A, plastic belt, belt width: 300 mm, clearance: 350 mm x 115 mm, total dimensions: 1150 mm x 1030 mm x 1370 mm.	4500
64	NN mixer	Paddle mixer, dimensions: 930 mm x 460 mm x 1220 mm.	550
65	AEW Delford Systems Ltd	AEW Delford Systems Ltd bandsaw, model: 350 Bandsaw, serial number: 1392129, year of construction: 2007, 415 V, 3 Ph, 50 Hz, 4 A, weight: 142 kg, table dimensions: 660 mm x 810 mm, total dimensions: 730 mm x 810 mm x 1720 mm.	175
66	Bizerba	Bizerba slicer, type: GSP H, serial number: 10906459, 230 V, 0.360 kW, dimensions: 600 mm x 760 mm x 570 mm.	150



Nr	Title	Description	Start €
67	Studio 54 S.r.l.	Studio 54 S.r.l. refrigerated showcase, type: SHADOW 1000 VC, serial number: 06 349, year of construction: 2006.09.15, 220 V, 50 Hz, 0,277 kW, refrigerant: R404A, dimensions: 1000 mm x 900 mm x 900 mm.	50
68	Ishida	Ishida weighing and packaging machine, model: UNI-7 TYPE RP, serial number: 100495851, 200/240 V, 50/60 Hz, 4 A, inside dimensions: 340 mm x 250 mm, total dimensions: 700 mm x 850 mm x 1300 mm.	175
69	Ishida	Ishida weighing and packaging machine, model UNI-7 TYPE RP, serial number: 100495850, 200/240 V, 50/60 Hz, 4 A, inside dimensions: 340 mm x 255 mm, total dimensions: 700 mm x 850 mm x 1300 mm.	175
70	Ishida	Ishida weighing and packaging machine, model: WM-Nano, serial number: 1116620, 200/240 V, 50/60 Hz, 4 A, inside dimensions: 360 mm x 280 mm, total dimensions: 740 mm x 850 mm x 1250 mm.	175
71	Ishida	Ishida weighing and packaging machine, model: UNI-7 TYPE RP, serial number: 100426629, 200/240 V, 50/60 Hz, 4 A, inside dimensions: 340 mm x 250 mm, total dimensions: 700 mm x 850 mm x 1300 mm.	175
72	Mantle Packaging Machinery LTD	2 Mantle Packaging Machinery LTD traysealers, type: VS300, 240 V, 50/60 Hz, 3 A, dye: 160 mm x 110 mm, total dimensions: (2x) 670 mm x 260 mm x 260 mm. Including pallet with large amount of plastic trays, tray dimensions: 175 mm x 130 mm x 45 mm, total dimensions: 1200 mm x 1000 mm x 2100 mm.	100
73	Mainca	Mainca bandsaw, type: BM-1800, serial number: 5316, 230 V, 50 Hz, 7.4 A, dimensions table: 495 mm x 490 mm, total dimensions: 500 mm x 495 mm x 800 mm.	300
74	T-Scale	T-Scale pallet truck with weighing scale, model: TPSU, dimensions: 1600 mm x 550 mm x 1200 mm.	150
76	Henkelman	Henkelman mobile dip tank, type: DT60, machine number: DT0411033, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 16 A, 9 kW, depth: 280 mm, inside dimensions: 600 mm x 500 mm, total dimensions: 720 mm x 700 mm x 1200 mm.	250
77	UNIMEC	UNIMEC traysealer, model: SL PACK LARGE EVO N, serial number: SPI 116, year of construction: 2014, 400 V, 50 Hz, 10 kW, weight: 400 kg, belt width: 400 mm, dimensions dye (2x): 130 mm x 180 mm, film width: 360 mm, total dimensions: 2420 mm x 980 mm x 1530 mm.	950
78	Henkovac	Henkovac Automatic Lid double chamber vacuum packer, type: A-5000, serial number: 20020498, year of construction: 2002, 400 V, 3 Ph, 50 Hz, seal length: (2x) 810 mm, Busch vacuum pump, type: RA 0250 D, capacity: 250 m ³ per hour, dimensions chamber: 670 mm x 830 mm, total dimensions: 1650 mm x 1060 mm x 1150 mm. Including extra screen.	1500
79	JayCraft	JayCraft mobile dicer, working width: 100 mm, distance between knives, 130 mm, total dimensions: 1560 mm x 800 mm x 1630 mm.	650



Nr	Title	Description	Start €
80	NN cheese slicer	Steel cheese slicer, dimensions: 275 mm x 350 mm x 110 mm.	25
81	Unitech	Unitech knife sterilizer, dimensions: 870 mm x 300 mm x 160 mm.	50
82	Friulair	Friulair air dryer, model: AMD25/AC, serial number: 100005998, year of construction: 2010, 230 V, 50/60 Hz, 1 Ph, 2.4 A, air pressure: 14 bar, refrigerant type: R134.A, ambient temperature: 1-45°C, dimensions: 350 mm x 420 mm x 750 mm.	125
83	Ilpra	Ilpra traysealer, model: PN12 N, serial number: FP 9903, year of construction: 2012, 220 V, film width: 260 mm, dye: (2x) 320 mm x 260 mm, total dimensions: 780 mm x 900 mm x 620 mm.	1250
84	Mac-Fab Systems Ltd.	Mac-Fab Systems Ltd. baler, serial number: MF 6558, year of construction: 2008, weight: 270 kg, inside dimensions: 680 mm x 500 mm, total dimensions: 1030 mm x 720 mm x 2250 mm.	250
85	Grote	Grote mobile 1 head depositor, model: Mini Depositor II, serial number: 1173737, 208/240 V, 1 Ph, 50/60 Hz, dimensions: 1000 mm x 700 mm x 700 mm.	350
86	Tender Star	Tender Star mobile tenderizer, model: T.S.E, serial number: 215808, year of construction: 2015, 220-380 V, 50 Hz, 3Ph, 0,9 kW, working width: 240 mm, total dimensions: 800 mm x 1170 mm x 1800 mm.	500
87	Loma Systems	Loma Systems metal detector, serial number: MD307-133249D, year of construction: 2010, 230 V, 50 Hz, plastic belt, belt width: 400 mm, clearance: 450 mm x 265 mm, total dimensions: 1500 mm x 1020 mm x 1240 mm.	850
88	Blue Seal / Turbofan	Blue Seal / Turbofan oven, model: E23M3, serial number: 2285002, 230/240 VAC, 1 Ph, 50/60 Hz, 12.5 A, 3 floors, dimensions each floor: 500 mm x 380 mm, total dimensions: 610 mm x 625 mm x 620 mm.	125
89	Frampton Worldwide Ltd	Frampton Worldwide Ltd mobile flash roaster, model: FR-1-3, serial number: 7765/0414, 415 V, 3 Ph, 20 kW, s/s mesh belt, belt width: 140 mm, clearance: Ø 260 mm, total dimensions: 2350 mm x 900 mm x 1650 mm.	3750
90	AEW Delford Systems Ltd	AEW Delford Systems Ltd bandsaw, model: 350M, type: MK8, serial number: LH12984, 415 V, 3 Ph, 3.42 A, table dimensions: 660 mm x 810 mm, total dimensions: 690 mm x 810 mm x 1770 mm.	175
91	J&E Hall	J&E Hall unit for air conditioning, model: JEHS-0500-M-3, serial number: 20531701-082, year of construction: 2010/04, 380/420 V, 3 Ph, 50 Hz, 14 A, refrigerant: R404a, dimensions: 1300 mm x 500 mm x 900 mm.	250
92	Thompson Meat Machinery	Thompson Meat Machinery mobile portioning machine, type: MP-425 CE, machine number: 05E0470, year of construction: 2006, 230/400 V, 3 Ph, 310 W, plastic belt, belt width: 200 mm, total dimensions: 1400 mm x 610 mm x 1210 mm.	350
93	REX	Rex vacuum filling machine, type: RVF220 FPA, serial number: 22030190824, year of construction: 2024, 400 V, 50/60 Hz, 16	12000



Nr	Title	Description	Start €
		A, 4 kW, with Busch vacuum pump, total dimensions: 800 mm x 890 mm x 1970 mm. Including maintenance kit. Never used.	
94	NN turning table	Turning table, s/s table, Ø: 1230 mm, total dimensions: 1230 mm x 1230 mm x 800 mm.	450
95	Velox	Velox dishwasher, model: LP 1000 R, serial number: 18780, year of construction: 2021, 400 V, 50 Hz, 16 A, dimensions crate: 830 mm x 630 mm, total dimensions: 1050 mm x 900 mm x 2050 mm.	375
96	Danfoss	Danfoss unit for air-conditioning, model: OP-MSXM057MLW05E, serial number: 099243CG1119, 400 V, 3 Ph, 50 Hz, 10.5 A, refrigerant: R404a/R507/R407a/R448/9A, dimensions: 1040 mm x 500 mm x 700 mm.	275
97	Henkelman	Henkelman mobile double vacuum machine, type: 600, serial number: 60712219, year of construction: 1997, 400 V, 3 Ph, 50 Hz, Busch pump type: RA 0100 E 021, capacity: 100 m³ per hour, chamber dimensions (2x): 550 mm x 630 mm, seal length (4x): 620 mm, total dimensions: 1530 mm x 750 mm x 1320 mm.	750
98	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine, model: 500, number: 1282136/1, 240 V, 50 Hz, 3 Ph, Vemag vacuum pump, type: KC 0016 D IZ0, number: 120015993, capacity: 16/19 m³ per hour, dimensions: 600 mm x 970 mm x 1550 mm. Including linking attachment.	950
99	NN boot washer	Boot washer with 3 brushes, brush length: (2x) 440 mm, (1x) 640 mm, total dimensions: 750 mm x 850 mm x 1250 mm.	350
100	Classeq	Classeq dishwasher, model: D400DU0WS, serial number: 40055183, 220-240 V, 50 Hz, 13.0 A, 2.85 kW, crate dimensions: 380 mm x 380 mm, total dimensions: 480 mm x 520 mm x 760 mm.	125
101	Aera max	Aera max air conditioning unit, dimensions: 900 mm x 250 mm x 500 mm.	10
102	A.L.X.-Metall	A.L.X.-Metall traysealer, model: M-fix-285/250-F-89, number: 1701, year of construction: 2004, 230 V, 50 Hz, 800 W, dimensions dye: 210 mm x 160 mm, total dimensions: 370 mm x 450 mm x 450 mm. Including 4 boxes with trays.	25
103	GMC	GMC frozen block cutter, type: Hydrauflaker, clearance: 510 mm x 175 mm, total dimensions: 2200 mm x 1000 mm x 1420 mm.	750
104	NN mesh belt	Mobile s/s mesh belt, belt width: 1000 mm, total dimensions: 2900 mm x 1430 mm x 950 mm	650
105	Revic	Revic mobile lifter for 200 liter meat bins, type: RW-200, number: 1807, year of construction: 2018, 400 V, 50 Hz, 0.75 Kw, weight: 250 kg, lifting height: 2200 mm, total dimensions: 2750 mm x 1660 mm x 1430 mm.	450
106	NN elevating screw	Mobile elevating screw, s/s screw, diameter screw: 200 mm, elevating height: 1800 mm, total dimensions: 1950 mm x 900 mm x 2070 mm.	650
107	Mainca		350



Nr	Title	Description	Start €
		Mainca sausage filler, dimensions: 420 mm x 380 mm x 1000 mm.	
108	Mainca	Mainca grinder, type: PC-98/32, serial number: PS98231396, year of construction: 2023, 400 V, 50 Hz, 5.5 A, 2.2 kW, Ø plate: 100 mm, total dimensions: 540 mm x 900 mm x 1050 mm.	1250
109	Hobart	Hobart planetary mixer, type: A120, serial number: 97-087-3961, 380/415 V, 50 Hz, 3 Ph, 0.25 kW, s/s bowl, dimensions: 400 mm x 420 mm x 1070 mm.	100
110	GMC Rapidaire	GMC Rapidaire mobile s/s heated vessel, 220/240 V, 1 Ph, inside dimensions: Ø 475 mm x 470 mm, total dimensions: Ø 530 mm x 750 mm.	50
111	Scharfen	Scharfen slicer, type: ATM3, model: type: ATM3-S number: 2021322, year of construction: 2002, 230 V, 1 Ph, 3 A, 600 W, dimensions: 750 mm x 500 mm x 600 mm.	375
112	Yang	Yang traysealer, model: Posga, serial number: 1040059, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 1.6 kW, dimensions dye: 310 mm x 250 mm, film width: 330 mm, total dimensions: 700 mm x 500 mm x 770 mm.	125
113	Ilpra	Ilpra traysealer, model: Energy VG, serial number: FP9692, year of construction: 2014, 230 V, dimensions dye: (2x) 220 mm x 170 mm, film width: 360 mm, total dimensions: 900 mm x 1050 mm x 650 mm.	1250
114	Avery Berkel	Avery Berkel weighing scale, type: IM202, maximum weight: 6/15 kg, minimum weight: 40 g, e=2/5 g, T= -15 Kg, dimensions scale: 370 mm x 300 mm, total dimensions: 380 mm x 420 mm x 540 mm.	75
115	Avery Berkel	Avery Berkel weighing scale, type: IM202, maximum weight: 6/15 kg, minimum weight: 40 g, e=2/5 g, T= -15 Kg, dimensions scale: 370 mm x 300 mm, total dimensions: 380 mm x 420 mm x 540 mm.	75
116	Falcon	Falcon mobile stove / oven combination on gas, model: G1006BX ST, floor dimensions: (1x) 650 mm x 530 mm, total dimensions: 900 mm x 800 mm x 900 mm.	150
117	Towa Meccs Corporation	Towa Meccs Corporation weighing scale, 230 V, 1 Ph, 50/60 Hz, 200 mA, scale dimensions: 300 mm x 280 mm, total dimensions: 430 mm x 330 mm x 470 mm.	10
118	Ecolab	Ecolab insect killer, dimensions: 600 mm x 400 mm x 250 mm.	10
119	NN injector	Manual injector, dimensions: 300 mm x 300 mm x 350 mm.	75
120	Olivetti	Olivetti cash register, model: ECR 300, serial number: 08070294, 220/240 V, 1 Ph, 50 Hz, 70 mA, dimensions: 360 mm x 330 mm x 220 mm.	25
121	Avery Berkel	Avery Berkel weighing scale, model: DX342, 9 V, 100 mA, maximum load: 15 kg, minimum load: 100 g, T= 9.995 kg, scale dimensions: 340 mm x 240 mm, total dimensions: 350 mm x 400 mm x 440 mm.	20
122	E-Accūra	E-Accūra weighing scale, serial number: BCAC 00280, maximum capacity: 15 kg, minimum capacity: 0.10 kg, e=0.005 kg, T=-9.995 kg, dimensions: 330 mm x 290 mm x 110 mm.	25



Nr	Title	Description	Start €
123	E-Accūra	E-Accūra weighing scale, serial number: BFAA 00249, maximum capacity: 3 kg, minimum capacity: 2.02 kg, e=0.001 kg, T=-3 kg, dimensions: 330 mm x 290 mm x 110 mm.	25
124	P+L Systems	P+L Systems insect killer, model: Pluszap 16 aluminium, serial number: GC-0414002427, 230 V, 50 Hz, dimensions: 340 mm x 270 mm x 130 mm.	5
125	The Handee	The Handee cheese cutter, plastic change, dimensions: 280 mm x 350 mm x 80 mm.	10
126	NN insect killer	Insect killer, dimensions: 520 mm x 360 mm x 200 mm.	10
127	Mantle Packaging Machinery LTD	Mantle Packaging Machinery LTD sealing machine, 240 V, 1 Ph, 3 A, seal length: 455 mm, total dimensions: 700 mm x 520 mm x 120 mm.	25
128	Scharfen	Scharfen slicer, type: VA4000, model: VA2000, number: 2166048, year of construction: 01.10.16, 240 V, 4 A, 900 W, dimensions: 850 mm x 700 mm x 500 mm.	375
129	Grasselli	Grasselli mobile skinning machine, type: A S5 20-M, serial number: 024008/M635, year of construction: 2000, 415 V, 50 Hz, 3 Ph, working width: 500 mm, total dimensions: 850 mm x 640 mm x 950 mm.	550
130	Mainca	Mainca paddle mixer, type: RM-90, serial number: 2356, year of construction: 1998, 240 V, 50 Hz, 0.73 kW, volume: 90 liter, dimensions: 1000 mm x 400 mm x 1400 mm.	475
131	NN trolley's	4 mobile trolley's for rational ovens , trolley dimensions: 920 mm x 770 mm x 1720 mm.	150
132	Icon Engineering	Icon Engineering s/s table with back saver, dimensions: 1800 mm x 700 mm x 680 mm.	450
133	Icon Engineering	Icon Engineering s/s table with back saver, dimensions: 1800 mm x 700 mm x 680 mm.	450
134	Icon Engineering	Icon Engineering s/s table with back saver, dimensions: 1800 mm x 700 mm x 680 mm.	450
135	Butcherquip	Butcherquip electric biltong slicer, model: BSB 2001, 230 V, 50 Hz, 750 W, diameter knife: 200 mm, total dimensions: 350 mm x 320 mm x 300 mm.	65
136	NN dye set	Dye set for Ross Reiser traysealer, model: Impact Junior V/G, dimensions dye: (2x) 180 mm x 140 mm, total dimensions: 420 mm x 600 mm x 520 mm.	75
137	Butcherquip	Butcherquip electric biltong slicer, model: BSB 2001, 230 V, 50 Hz, 750 W, diameter knife: 200 mm, total dimensions: 350 mm x 320 mm x 300 mm.	65
138	Clippack	Clippack manual clipper, model: MC-16, number: M 160328, year of construction: 2004, dimensions: 400 mm x 270 mm x 800 mm.	170
139	Rotopack	Rotopack traysealer, type: Rapida, serial number: 368, year of construction: 2013, 1200 W, 240 V, dimension dye (4x): 120 mm, total dimensions: 590 mm x 700 mm x 450 mm.	300
140	Digi Europe Ltd		25

Nr	Title	Description	Start €
		Digi Europe Ltd weighing scale, type: DS-788, serial number: 10312022, capacity: 15 kg, scale dimensions: 340 mm x 240 mm, total dimensions: 350 mm x 300 mm x 120 mm.	
141	Lion Sovereign	Lion Sovereign weighing scale, scale dimensions: 360 mm x 260 mm, total dimensions: 360 mm x 400 mm x 260 mm.	20
142	Ian Fellows	Ian Fellows weighing scale, type: LUCID, serial number: 26360, dimensions: 410 mm x 310 mm x 120 mm.	25
144	Handtmann	Handtmann linking attachment, dimensions: 340 mm x 550 mm x 100 mm.	250
145	Kingavon	2x Kingavon heated plates, serial number: 8-213, year of construction: 2018, 300 W, 240 V, 50 Hz, dimensions: 650 mm x 380 mm x 50 mm.	25
146	Brökelmann	2 Brökelmann s/s knife sterilizers, number: 5200100, year of construction: 2016, 230 V, 50 Hz, dimensions (2x): 600 mm x 200 mm x 350 mm.	25
149	NN vacuum filler rotors	vacuum filler rotors, s/s, dimensions: 200 mm x 200 mm x 70 mm.	125
150	Mado	Box with locking rings and barrel sleeves for mado mincers and mixer grinders, dimensions: 600 mm x 400 mm x 230 mm.	50
151	Handtmann	Handtmann case holding device, model: 60-7, number: 1542, dimensions: 150 mm x 400 mm x 500 mm.	300
152	Handtmann	Handtmann case holding device, model: 60-7, number: 812, dimensions: 150 mm x 400 mm x 500 mm.	300
153	Handtmann	Handtmann case holding device, dimensions: 150 mm x 400 mm x 500 mm.	300
154	Handtmann	Handtmann case holding device, model: 60-7, number: 1542, dimensions: 150 mm x 340 mm x 200 mm.	300
155	Handtmann	Handtmann linking attachment, model: 34-5, number: 13325151, dimensions: 150 mm x 340 mm x 200 mm.	250
156	Handtmann	Handtmann linking attachment, model: 34-4, number: 4939, dimensions: 150 mm x 340 mm x 200 mm.	250
157	Handtmann	Handtmann linking attachment, model: 34-4, number: 7850, dimensions: 150 mm x 340 mm x 200 mm.	250
158	Handtmann	Handtmann linking attachment, model: 34-5, number: 21701, dimensions: 150 mm x 340 mm x 200 mm.	250
159	Grasselli	Grasselli mobile skinning machine, model: RST800-Piclo, serial number: W09R02IP135, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 2.5 A, 1.1 kW, foot control, working width: 800 mm, total dimensions: 1050 mm x 550 mm x 1000 mm.	2500
160	NN pallet of vacuum pouches	Pallet with vacuum pouches, material: S303, multiple boxes, quantity: 5000, dimensions pouches: 750 x 750 mm.	375
161	Webomatic	Webomatic vacuum machine, chamber dimensions: 370 mm x 400 mm, seal length: 420 mm, total dimensions: 480 mm x 550 mm x 480 mm.	75
162	NN packaging table	Aluminium packaging table with plastic top, dimensions worktop: 800 mm x 600 mm, 4 floors, dimensions each floor:	50



Nr	Title	Description	Start €
		(4x) 600 mm x 600 mm, total dimensions: 1500 mm x 600 mm x 1500 mm.	
163	NN packaging table	Aluminium packaging table with plastic top, dimensions worktop: 800 mm x 600 mm, 4 floors, dimensions each floor: (4x) 600 mm x 600 mm, total dimensions: 1500 mm x 600 mm x 1500 mm.	50
165	Ilpra	Ilpra thermoformer, model: FO, serial number: F432, year of construction: 2017, voltage: 400 V, dimensions dye: (4x) 110 mm x 190 mm, film width: 515 mm, Busch vacuum pump type: RA 0302 D 503, capacity: 300 m ³ per hour, total dimensions: 4350 mm x 1200 mm x 2050 mm. DTE cooling unit, model: K-003.6, number: D0757-D1685000009072, year of construction: 2016, refrigerant: R407C (1.1 kg), 220–240 V, 1 Ph, 50 Hz, cooling capacity: 3.550 kW, operating temperature: 5–20 °C, maximum pressure: 28 bar, compressor oil: RL-32 (310 cm ³), weight: 81 kg, dimensions: 560 mm x 570 mm x 480 mm. Jenton Ariana inliner, serial number: 3810-3810, year of construction: 2016, belt width: 570 mm, total dimensions: 1630 mm x 850 mm x 1250 mm. Including trolley with film rolls and spares.	9750
166	UPM Conveyors Ltd	UPM Conveyors Ltd conveyor belt, type: SYSCON - CELTIC FOOD, serial number: 1STD7100024, 220 V, 1 Ph, 50 Hz, plastic mesh belt, belt width: 240 mm, total dimensions: 3000 mm x 1250 mm x 1100 mm.	850
167	Handtmann	Handtmann mobile linking machine, type: 115-21, number: 611, year of construction: 2004, 420 V, 50 Hz, 3,4 A, 2,5 kW, dimensions: 1320 mm x 750 mm x 1250 mm. Incomplete.	650
168	NN transport belt	Mobile retracting transport belt with sensors, s/s frame, plastic belt, belt width: 250 mm, dimensions: 3400 mm x 800 mm x 1700 mm.	750
169	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 740 mm, total dimensions: 3900 mm x 1010 mm x 1330 mm.	200
170	Crown	Crown transport belt, serial number: 9558, plastic mesh belt, belt width: 230 mm, total dimensions: 2530 mm x 500 mm x 830 mm.	250
171	Syspal	Syspal s/s roller conveyor, roller width: 480 mm, total dimensions: 2200 mm x 550 mm x 700 mm.	275
172	Henkelman	Henkelman vacuum machine, model: Jumbo 42, machine number: H0J30260891, year of construction: 2026, 230 V, 1 Ph, 50 Hz, 4 A, 0.6 kW, weight: 56 kg, chamber dimensions: 370 mm x 420 mm, seal length: 410 mm, total dimensions: 530 mm x 490 mm x 440 mm. New, never used.	975
173	Henkelman	Henkelman vacuum machine, model: Jumbo 42, machine number: H0J30260892, year of construction: 2026, 230 V, 1 Ph, 50 Hz, 4 A, 0.6 kW, weight: 56 kg, chamber dimensions: 370 mm x 420 mm, seal length: 410 mm, total dimensions: 530 mm x 490 mm x 440 mm. New, never used.	975
174	Henkelman		975



Nr	Title	Description	Start €
		Henkelman vacuum machine, model: Jumbo 42, machine number: H0J30260887, year of construction: 2026, 230 V, 1 Ph, 50 Hz, 4 A, 0.6 kW, weight: 56 kg, chamber dimensions: 370 mm x 420 mm, seal length: 410 mm, total dimensions: 530 mm x 490 mm x 440 mm. New, never used.	
175	Henkelman	Henkelman vacuum machine, model: Jumbo 42, machine number: H0J30260888, year of construction: 2026, 230 V, 1 Ph, 50 Hz, 4 A, 0.6 kW, weight: 56 kg, chamber dimensions: 370 mm x 420 mm, seal length: 410 mm, total dimensions: 530 mm x 490 mm x 440 mm. New, never used.	975

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

