



**Industrial
Auctions**

**2268: Online auction machinery for the food industry in
Ystad (SE)**

END DATE
08 September 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	08 September 2026 from 14:00 hrs.
Viewing days	03 September 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	25% over the highest bid including premium
Pick up days	16 September 2026 from 09:00 till 16:00 hrs.
Pick up address	Bornholmmsgatan 1B 27139 Ystad Sweden
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	AB Garos	AB Garos tiltable cooled vacuum tumbler, type: MDF 5600 K, machine number: 29106012, year of construction: 2001, 400 V, 50 Hz, 26 A, 11.5 kW, weight: 3570 kg, maximum capacity: 3500 kg / liter, Busch vacuum pump, total dimensions: 5600 mm x 2450 mm x 2950 mm.	12000
2	SFK - Danfotech	SFK - Danfotech vacuum tumbler, type: MA 3000 SD, serial number: 819, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 5.5/12.5 A, 2.2/5.5 kW, volume: 3000 liter, working pressure: 100 bar, dimensions: 2200 mm x 3300 mm x 2500 mm. Including mobile s/s charge container. Missing lid.	3000
3	Garos	Garos tumbler, type: GWT 3500, serial number: 21002, dimensions: 2000 mm x 2750 mm x 2150 mm.	2000
4	Garos	Garos tumbler, type: GWT 3500, serial number: 22004, dimensions: 2000 mm x 2750 mm x 2150 mm.	2000
5	Jahn	Jahn belt fryer, machine number: 897830, s/s mesh belt, belt width: 600 mm, total dimensions: 3200 mm x 2550 mm x 2850 mm. Including switch cabinet, dimensions: 1200 mm x 500 mm x 2000 mm.	3500
6	Bilwinco A/S	Bilwinco A/S mobile elevating belt, s/s frame, type: TILF01, serial number: 337, plastic belt with dividers, belt width: 320 mm, divider height: 65 mm, distance between dividers: 190 mm, elevating height: 3400 mm, total dimensions: 4400 mm x 1600 mm x 3450 mm.	1500
7	NN table	S/s table with plastic worktop and outfeed gutter, dimensions gutter: 1200 mm x 350 mm, total dimensions: 3400 mm x 1350 mm x 950 mm.	150
8	NN table	S/s table with 2 plastic worktop, dimensions: 3000 mm x 1450 mm x 900 mm.	150
9	NN table	S/s table with 2 plastic worktop, dimensions: 3000 mm x 1450 mm x 900 mm.	150
10	Geringe Sterilization AB	Geringe Sterilization AB autoclave with steam generator, model: GEVC 6712 AC-1, serial number: 5300461-010-01, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 11 A, 5 kW, dimensions autoclave: 1860 mm x 1280 mm x 2240 mm, dimensions steam generator: 900 mm x 730 mm x 2060 mm, dimensions s/s trolley: 1450 mm x 570 mm x 1050 mm.	6000
11	Marelec	Marelec 2 lane weighing and sorting line, consisting of: 2 infeed belts, plastic mesh belts with dividers, belt width: 300 mm, divider height: 100 mm, distance between dividers: 200 mm, plastic mesh belts, belt width: 250 mm, 2 Marelec weighing belts, type: 2MC3/6-3625-CBE, serial number: 4521, year of construction: 06/2014, plastic mesh belts, belt width: 250 mm, 2 sorting belts, plastic mesh belt, belt width: 250 mm, elevating belt,	6000



Nr	Title	Description	Start €
		plastic belt with dividers, belt width: 600 mm, divider height: 150 mm, distance between dividers: 360 mm, elevating height: 1700 mm, total dimensions: 10000 mm x 2300 mm x 1850 mm. Including 2 pallets with plastic belts and parts, dimensions: (2x) 1200 mm x 800 mm x 1000 mm.	
12	NN cabinet	S/s mobile cabinet, dimensions: 2000 mm x 1030 mm x 2140 mm.	150
13	Yara / Packo	Yara multi freezing belt with Packo transport belts, consisting of: Packo elevating belt, plastic belt with dividers, belt width: 450 mm. Packo elevating belt, plastic belt with dividers, belt width: 870 mm. Yaro multi freezing belt, type: CMB 3137, year of construction: 2003, 400 V, 3 Ph, 50 Hz, gas: LIC, clearance: 950 mm x 90 mm, 9 levels, plastic belts, belt width: 940 mm. 2 s/s switch cabinets. Total dimensions: 8300 mm x 2400 mm x 3250 mm.	8500
14	Multivac	Multivac thermoformer, type: R 80, machine number: 048/114, year of construction: 1983, 380 V, 50 Hz, 43 A, 20 kW, film width: 545 mm, dimensions dye: 183 mm x 577 mm and 298 mm x 577 mm, index: 625 mm, top film width: 420 mm, total dimensions: 5800 mm x 1100 mm x 1800 mm.	800
15	CFS Tiromat	CFS Tiromat thermoformer, type: TIROMAT COMPACT M420 3.00, serial number: 787 185 1281, year of construction: April 1999, 400 V, 3 Ph, 50 Hz, 14.26 kW, film width: 420 mm, dimensions dye: (6x) 150 mm x 120 mm, total dimensions: 6150 mm x 1050 mm x 2150 mm.	2000
16	AB Garos	AB Garos vacuum tumbler for 2 meat bins volume: 1000 liter, dimensions: 3100 mm x 1200 mm x 1700 mm.	950
17	Alfa Laval	Alfa Laval centrifugal pump, type: FMOS/095 SSS 1.1 kW, serial number: 072018, year of construction: 2006, 1.1 kW, dimensions: 430 mm x 260 mm x 290 mm.	80
18	Alfa Laval	Alfa Laval centrifugal pump, type: FM-OS/095 SSS 1.1 kW, serial number: 051199, year of construction: 2003, 1.1 kW, dimensions: 430 mm x 260 mm x 290 mm.	80
19	Alfa Laval	Alfa Laval centrifugal pump, type: FM-OS, serial number: 278904, year of construction: 2022, 50 Hz, 1.1 kW, dimensions: 430 mm x 260 mm x 290 mm.	80
20	AB Garos	AB Garos s/s brine tank, dimensions: 1540 mm x 1540 mm x 1840 mm.	300
21	NN brine tank	S/s brine tank, inside dimensions: Ø 1400 mm x 900 mm, total dimensions: 1600 mm x 1450 mm x 1120 mm.	300
22	ABB AB	ABB AB robot, type: IRC5 M2004, serial number: 66Z-51404, year of construction: 11/06/2007, 400 V, 3 Ph, 50/60 Hz, 20 A, weight: 150 kg, 16 suction cups, dimensions robot: 2400 mm x 1350 mm x 2100 mm,	2000



Nr	Title	Description	Start €
		dimensions switch cabinet: 720 mm x 700 mm x 1400 mm.	
23	NN washing tub	S/s washing tub with 6 shower heads, inside dimensions: 1350 mm x 1350 mm x 1000 mm, total dimensions: 1650 mm x 1500 mm x 1330 mm.	800
24	NN slicer	S/s slicer, 5 knives, distance between knives: 135 mm, working width: 670 mm, total dimensions: 1750 mm x 1200 mm x 1670 mm.	750
25	Maja Maschinenfabrik	Maja Maschinenfabrik mobile portioning machine, type: FPS 40, number: 41514, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.6 A, 1.0 kW, Busch vacuum pump, type: RC 0025 E 501, number: 04013900, year of construction: 2004, capacity: 25 m ³ per hour, dimensions chamber: 550 mm x 160 mm x 100 mm, plastic belt, belt width: 200 mm, total dimensions: 2800 mm x 690 mm x 1800 mm.	950
26	Arenco	Arenco deheader used for whitefish, type: CUB, number: 2408, year of construction: 1980, 380 V, 50 Hz, dimensions: 2600 mm x 1200 mm x 1800 mm.	1200
27	Teltek	Teltek checkweigher, type: C60, serial number: 109400, year of construction: 2009, 230 V, 50-60 Hz, minimum weight: 100 gram, maximum weight: 1000 kg, e= 1 gram, pcs/min: 40, plastic belt, belt width: 160 mm, dimensions control unit: 450 mm x 270 mm x 1450 mm, dimensions belt: 1750 mm x 550 mm x 900 mm.	300
28	Baader	Baader whitefish filleting machine, type: 185, machine number: 10 3863 1185, year of construction: 1983, 220 V, 3 Ph, 50 Hz, 43 A, 10 kW, plastic belt, belt width: (2x) 160 mm, s/s mesh outfeed belt, belt width: 365 mm, total dimensions: 7000 mm x 1400 mm x 1900 mm.	5000
29	Carnitech	Carnitech industrial microwave, type: Thawing, identification number: 08-0050, year of construction: 2007, 400 V, 3 Ph, 2x 75 kW, plastic belt, belt width: 460 mm, total dimensions microwave: 11150 mm x 1750 mm x 2660 mm. Including s/s cabinet with Grundfoss pump, dimensions cabinet: 1320 mm x 700 mm x 1920 mm. Galvanized shed with electrical cabinets, dimensions shed: 3380 mm x 4200 mm x 3650 mm.	7500
30	Capro Product AB	Capro Product AB oven, type: G14 L, number: 624, 380 V, 3 Ph, 50 Hz, 8.0 kW, 3 floors, floor dimensions: (3x) 340 mm x 530 mm, total dimensions: 760 mm x 700 mm x 1450 mm.	200
31	Repak	Repak thermoformer, type: RE3, machine number: 18614, year of construction: 2004, 220/380 V, 3 Ph, 50 Hz, 34 A, 15 kW, film width: 420 mm, dye: (2x) 290 mm x 180 mm, plastic outfeed belt, belt width: 380 mm, Busch vacuum pump, type vacuum pump: CB 02350 B, number: 04002605, year of construction: 2004, capacity: 250 m ³ /h, total dimensions: 7800 mm x 1020 mm x 2100 mm.	2500



Nr	Title	Description	Start €
		Including suction device, dimensions: Ø 410 mm x 1110 mm.	
32	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: CVS/MT-VG.1-S, serial number: 1761/00, year of construction: 18/10/00, 400 V, 3 Ph, 50 Hz, plastic infeed belt, belt width: 200, dimensions dye: 240 mm x 170 mm, total dimensions: 2250 mm x 950 mm x 2250 mm. With outfeed belt, plastic belt, belt width: 190 mm, total dimensions: 1500 mm x 320 mm x 950 mm. Including Busch vacuum pump, type: RC01600 and pallet with parts.	1200
33	CFS	CFS thermoformer, type: 660, machine number: 661/0300, year of construction: 2002, 400 V, 50 Hz, 43 A, film width: 460 mm, dimensions dye: (6x) 120 mm x 215 mm, index: 415 mm, top film width: 455 mm, plastic outfeed belt, belt width: 400 mm, with Witt-Gasetechnik gas mixing unit, type: KM 300-2M, Markem coder, type: Smartdate 2, MR labelling machine, type: MR 4328, Busch vacuum pump, type: RA 0305 DE 561 QMXX, total dimensions: 8300 mm x 1500 mm x 2320 mm.	2500
34	Kerres	Kerres smoke-air smoke chamber for fish, inside dimensions: 1100 mm x 3250 mm x 2130 mm, total dimensions: 1700 mm x 3500 mm x 3500 mm. Including switch cabinet, dimensions: 1000 mm x 1190 mm x 300 mm, and smoke generator, dimensions: 750 mm x 1200 mm x 2000 mm.	3500
35	Hackman Metos	Hackman Metos freezer, type: C/C 700, number: 43000, year of construction: 01/08, 230 V, 0.5 kW, refrigerant: R134a / 260-250 gram, dimensions: 850 mm x 710 mm x 2100 mm.	150
36	Porkka	Porkka refrigerator, dimensions: 830 mm x 1020 mm x 2390 mm. Technical condition unknown.	100
37	Haglund Industri ab	Haglund Industri ab refrigerator, dimensions: 780 mm x 1050 mm x 2250 mm. With trolley. Technical condition unknown.	100
38	NN transport belt	Transport belt, plastic belt, belt width: 420 mm, total dimensions: 4850 mm x 730 mm x 480 mm.	200
39	NN sink	S/s double sink, dimensions: 2800 mm x 650 mm x 960 mm.	100
40	NN table	S/s table, dimensions: 2800 mm x 650 mm x 960 mm.	100
41	NN trolley	S/s trolley, dimensions: 2060 mm x 1000 mm x 1000 mm.	100
42	NN table	S/s table, dimensions: 2960 mm x 1380 mm x 780 mm.	100
43	NN table	S/s table, dimensions: 2900 mm x 1400 mm x 900 mm.	100
44	NN table	S/s table, dimensions: 2600 mm x 870 mm x 870 mm.	100
45	NN table	S/s table, dimensions: 2350 mm x 1120 mm x 850 mm.	100
46	NN table	S/s table, dimensions: 6500 mm x 1000 mm x 900 mm.	150
47	NN table	S/s table with plastic worktop, dimensions: 1860 mm x 1160 mm x 920 mm.	100



Nr	Title	Description	Start €
48	NN table	S/s table with plastic worktop ,dimensions: 2300 mm x 1200 mm x 1000 mm.	100
49	NN table	S/s table, dimensions: 2110 mm x 1130 mm x 1290 mm.	50
50	Bradman-Lake	Bradman-Lake end load cartoner, type: SL80, serial number: RF4922-06-03, 415 V, 3 Ph, 50 Hz, 20 A, infeed clearance: 340 mm x 320 mm, with Nordson hot melt unit, unit number: 3100 V - 2EAV2D/R, serial number: AN97C23112, 400/230 V, 3 Ph, 50/60 Hz, 16 A, total dimensions: 5100 mm x 1000 mm x 1200 mm.	1500
51	AB Garos	AB Garos injector/tenderiser, type: GSI 620 CWP, serial number: 11060610.30053, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 25 A, 12 kW, machine weight: 1680 kg, s/s walking beam, walking beam width: 620 mm, clearance: 620 mm x 280 mm, 144 needles, diameter needles: 5 mm, total dimensions: 3100 mm x 1250 mm x 2250 mm. Including s/s mobile filter tub, dimensions filter tub: 1800 mm x 860 mm x 1220 mm.	6000
52	Intech International	Intech International a/s lifter for 200 liter meat bins, type: IL350, serial number: H 16409, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 0.45 kW, lifting height: 2400 mm, total dimensions lift: 1300 mm x 1200 mm x 3550 mm.	800
53	Ilpra	Ilpra traysealer, model: 1401 N, serie: Food Pack, serial number: FP 5591, year of construction: 2009, 400 V, infeed chain conveyor, distance between dividers: 320 mm, film width: 310 mm, dimensions dye: 300 mm x 240 mm, plastic outfeed belt, belt width: 260 mm, total dimensions: 4760 mm x 870 mm x 1650 mm. Including pallet with parts and dyes, dimensions dye: (1x) 210 mm x 160 mm, (1x) 155 mm x 110 mm, (2x) 60 mm x 80 mm.	1800
54	Prestcold	Prestcold cooling unit with Prestcold cooling compressor, model: I2HL, serial number: AUW 01113, dimensions: 1100 mm x 1800 mm.	200
55	APV-Rannie	APV-Rannie homogenizer, number: 1-94-198, dimensions: 1300 mm x 900 mm x 1450 mm.	1500
56	Electrolux	Electrolux planet mixer, model: 215, serial number: 974 72 01, 380/220 V, 3 Ph, 50 Hz, 3 kW, s/s bowl, dimensions bowl: Ø 500 mm x 480 mm, total dimensions: 1000 mm x 650 mm x 1480 mm.	200
57	Tripas	Tripas planet mixer, type: PL-60/20, number: 3919, s/s bowl, dimensions bowl: Ø 410 mm x 350 mm, total dimensions: 930 mm x 620 mm x 1260 mm. Including extra s/s bowl, dimensions extra bowl: Ø 360 mm x 400 mm.	200
58	Kerres	Kerres smoke generator for hot and cold smoke, type: RE831, serial number: 8.0815, year of construction: 1989, 220 V, 0.5 kW, medium: wood chips, dimensions: 680 mm x 400 mm x 1370 mm.	150



Nr	Title	Description	Start €
59	Anker Maschinenbau	Anker Maschinenbau bottle/jar labelling machine, fabrication number: 0095-98-116L, year of construction: 1998, 400 V, 50 Hz, 10 A, s/s belt, belt width: 80 mm, total dimensions: 3500 mm x 1350 mm x 1750 mm. Including switch cabinet	800
60	NN netting machine	Mobile netting machine, diameter clearance: 160 mm, total dimensions: 770 mm x 600 mm x 1670 mm.	100
61	NN netting machine	Mobile netting machine, diameter clearance: 160 mm, total dimensions: 770 mm x 600 mm x 1670 mm.	100
62	NN infeed bunker	S/s mobile infeed bunker with transport screw, screw width: 250 mm, tier: 230 mm, total dimensions: 3150 mm x 1520 mm x 1350 mm.	150
63	Tronrud Engineering	Tronrud Engineering case packer, type: CP30, serial number: TE1002350, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 25 A, weight: 2700 kg, capacity: 30 cases / minute, plastic infeed belt, belt width: (2x) 30 mm, clearance: 340 mm x 380 mm, plastic outfeed belt, belt width: 330 mm, total dimensions: 4650 mm x 5650 mm x 2570 mm.	9000
64	Katridg Pak Co. Anyl-ray	Katridg Pak Co. Anyl-ray mobile fat analyser, model: M201-4, serial number: F-8, year of construction: 08-1987, 220 V, 50 Hz, 1 Ph, 1.0 A, 1000 Amps max, dimensions pipe: 200 mm x 200 mm x 230 mm, total dimensions: 670 mm x 500 mm x 1720 mm.	50
65	Tiromat Krämer+Grebe GmbH & Co.KG	Tiromat Krämer+Grebe GmbH & Co.KG thermoformer, type: 660, machine number: 664/0271, year of construction: 1995, 230/400 V, 50 Hz, 45/50 A, film width: 442 mm, plastic outfeed belt, belt width: 370 mm, total dimensions: 8600 mm x 1100 mm x 1950 mm, pallet with parts, dimensions dye: (2x) 300 mm x 200 mm and (4x) 150 mm x 200 mm.	2500
66	Formcook AB	Formcook AB combi cooker, model: COMBI 650 1108 EFS, year of construction: 2011, plastic belt, belt width: 630 mm, s/s mesh belt, belt width: 630 mm, total dimensions: 7900 mm x 1550 mm x 2150 mm.	8000
67	VEÅ AB	Boiler installation consisting of: VEÅ AB steam boiler, type: ÅNGPANNA VEÅ UNIVEX 32 H-13, manufacturing number: 880025, year of construction: 1988, steam generation: 3000 kg/h, nominal output: 1965 kW, steam evaporation: 1.111 kg/s, design pressure: 13 bar, design temperature: 195 °C, with Weishaupt GmbH burner, type: WM-G10/3-A, number: 5867560, year of construction: 2009, maximum: 1000 kW, gas type: N, total dimensions: 4800 mm x 2500 mm x 3400 mm. VEÅ AB storage tank with switch cabinet and pallet with parts, type: MATARVATTENTANK 2.5 m³ MFD AVGASARE, year of construction: 1988, design temperature: 150 °C, design temperature: 4 bar, dimensions: 2800 mm x 1500	4000



Nr	Title	Description	Start €
		mm x 2000 mm, Switch cabinet, dimensions switch cabinet: 600 mm x 300 mm x 1100 mm, Pallet box with parts, dimensions: 1200 mm x 800 mm x 400 mm. VEÅ AB boiler tank, type: UTBLÅSNINGSKÄRL Ø500-1, manufacturing number: 030290, year of construction: 2003, design temperature: 160 °C, design temperature: 5 bar, dimensions: 600 mm x 600 mm x 1400 mm. BWT water softening installation consisting of 2 composite tanks and Pentair panel, model: VC 9000 MECH., dimensions: 900 mm x 500 mm x 1600 mm. Insulated vessel, dimensions: 750 mm x 650 mm x 900 mm. 2 Lowara circulation pumps, type: 10SV08F030T/D, capacity: 5 - 14 m ³ per hour, 3.22 kW, dimensions: 300 mm x 250 mm x 900 mm.	
68	Foodco AB	Foodco AB continuous cooling tunnel, type: FCF/C 600, number: 0115-1, 230 / 400 V, 50 Hz, 30 A, 13 kW, s/s mesh belt, belt width: 600 mm, 11 floors, dimensions cooling tunnel: 6800 mm x 2050 mm x 2750 mm, dimensions switch cabinets: 770 mm x 310 mm x 830 mm and 1400 mm x 400 mm x 1800 mm, pallet with fan and belt, dimensions: 1200 mm x 1000 mm x 500 mm.	6000
69	Nimo KG	Nimo KG lifter for pallet boxes, type: SK 800 MK-L, number: 9630, year of construction: 2001, maximum loading capacity: 500 kg, lifting height: 6000 mm, total dimensions: 1760 mm x 1850 mm x 7250 mm.	900
70	K. Zettelmeier	K. Zettelmeier transport belt, s/s frame, plastic mesh belt, belt width: 1000 mm, total dimensions: 6100 mm x 1200 mm x 940 mm. Without transport rollies.	400
71	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 590 mm, elevating height: 2300 mm, total dimensions: 5400 mm x 2450 mm x 1550 mm.	500
72	Isakssons	Issaksons s/s tub, dimensions: 2200 mm x 1200 mm x 960 mm.	100
73	Stork	Stork belt fryer, s/s mesh belt, belt width: 1000 mm, total dimensions: 8850 mm x 2300 mm x 2510 mm. Including 2 s/s switch cabinets, dimensions switch cabinets: 1200 mm x 400 mm x 2250 mm and 800 mm x 600 mm x 2000 mm and 2 S/s oil tanks, dimensions: (2x) 1300 mm x 1200 mm x 2350 mm.	6500
74	Scanio a/s	Scanio a/s lifter for meat bins / pallet boxes, type: K16, serial number: 4553, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 5.2 A, 2.2 kW, capacity: 1000 kg, lifting height: 2360 mm, total dimensions: 2450 mm x 1250 mm x 3830 mm.	1200
75	Carnitech	Carnitech lifter for pallet boxes, type: L120, identification number: 07-4605, year of construction: 2007, 400 V, 3 Ph, 2.2 kW, lifting height: 2460 mm, total dimensions: 2000 mm x 1700 mm x 3600 mm.	1500



Nr	Title	Description	Start €
76	NN lifter for pallet boxes	Lifter for pallet boxes, clearance: 1200 mm x 1200 mm x 840 mm, lifting height: 3080, total dimensions: 1870 mm x 1750 mm x 4500 mm.	1200
77	Nimo KG	Nimo KG lifter for pallet boxes, type: SK 800 MK, number: 9151, clearance: 930 mm x 900 mm x 890 mm, lifting height: 2900 mm, total dimensions: 1560 mm x 1800 mm x 4300 mm.	1200
78	Industrilyften	Industrilyften tilting device for pallet boxes, type: 160, machine number: IL1000HAT, clearance: 1300 mm x 1000 mm x 860 mm, tilting height: 1200 mm, total dimensions: 1800 mm x 1300 mm x 1870 mm.	1200
79	Nimo KG	Nimo KG lifting and tilting device for pallet boxes, type: SK800MK, fabric number: 7936, 380 V, 50 Hz, 1.5 kW, maximum weight: 800 kg, tilting height: 3000 mm, total dimensions: 1400 mm x 2000 mm x 4200 mm.	1200
80	Nimo KG	Nimo KG lift for 200 liter meat bins, type: SKV 300 C3T-V, serial number: 12826, year of construction: 2019, maximum load: 350 kg, 400 V, 3 Ph, 50 Hz, 14 A, lifting height: 2200 mm, total dimensions: 1500 mm x 1350 mm x 2850 mm.	1200
81	Nimo KG	Nimo KG lifter for pallet boxes, type: SK 800 MK-L, number: 9724, year of construction: 2001, maximum loading capacity: 500 kg, lifting height: 6000 mm, total dimensions: 1760 mm x 1850 mm x 7250 mm.	1200
82	Österbergs Förpackningsmaskiner AB	Österbergs Förpackningsmaskiner AB sleeve wrapping and shrinking machine, type: B5, serial number: 7286, year of construction: 2006, 400 V, 13.5 kW, plastic infeed mesh belt, belt width: 330 mm, film width: 340 mm, s/s outfeed mesh belt, belt width: 440 mm, clearance: 400 mm x 250 mm, total dimensions: 2300 mm x 1100 mm x 2120 mm.	800
83	Frescold	Frescold cooling compressor, type: NRL5-100-360Y, number: 8Q001006, 380-420 / 440-480 V, 50 / 60 Hz, capacity: 360/432 m ³ per hour, dimensions: 1700 mm x 1300 mm x 1900 mm.	250
84	Carnitech	Carnitech fat analyser, type: CT 3601, number: 05-0002, year of construction: 2005, 400 V, 3 Ph, 50 Hz, plastic belt, total dimensions: 550 mm x 2200 mm x 1550 mm.	1200
85	Rovema	Rovema vertical bag form-, fill-, and seal machine, type: KS, machine number: 1372 19/6, year of construction: 1967, film width: 185, dimensions filling pipe: 60 mm x 30 mm, seal width: 175 mm, total dimensions: 1250 mm x 650 mm x 1850 mm.	150
86	Band-A-Matic	Band-A-Matic mobile binding machine, clearance: 720 mm x 620 mm, dimensions: 1150 mm x 680 mm x 1600 mm.	150
87	Cryovac	Cryovac shrink tunnel, model: ST 90, serial number: 28, year of construction: 1989, 380 V, 50 Hz, s/s mesh belt,	800



Nr	Title	Description	Start €
		belt width: 600 mm, clearance: 730 mm x 440 mm, total dimensions: 1900 mm x 650 mm x 1750 mm.	
88	NN vibrating gutter	S/s vibrating gutter, gutter width: 750 mm, total dimensions: 3750 mm x 1300 mm x 1240 mm.	750
89	Nimo KG transportsystem AB	Nimo-KG transportsystem AB batching station with 4 tilting stations for 200 liter meat bins, type: ESV 200 HA K4, number: 9738, year of construction: 2002, maximum load: 350 kg per station, dimensions: 2400 mm x 2850 mm x 1950 mm.	1750
90	Bilwinco A/S	Bilwinco A/S 14 heads multihead weigher on s/s platform, type: BW110-D, number: 5310, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 10 A, weighing range: 50 g - 1000 g, dimensions: 2000 mm x 1520 mm x 2370 mm.	2500
91	Nimo KG	Nimo KG mobile pneumatic tilting device for 3 x 200 liter meat bins used for washing meat bins, type: DV 200 P, serial number: 13144, year of construction: 2020, maximum load: 130 kg, dimensions: 2800 mm x 1150 mm x 1200 mm.	1200
92	Ishida Co., Ltd.	Ishida Co., Ltd. 10 heads multihead weigher on s/s platform, model: CCW-RZ-214W-S/30-WP, number: 24756, year of construction: 1996, 240 V, 1 Ph, 50 Hz, 7 A, dimensions heads: 130 mm x 190 mm x 250 mm, total dimensions: 3600 mm x 5400 mm x 3700 mm.	1500
93	Hobart	Hobart dishwasher with outfeed roller conveyor, model: CN-E-A, serial number: 866707230, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 38.00 A, 21.80 kW, clearance / dimensions basket: 490 mm x 490 mm, plastic rollers, roller width: 500 mm, total dimensions: 4980 mm x 770 mm x 2150 mm. Including s/s trolley.	900
94	NN table	S/s table, dimensions: 1800 mm x 600 mm x 900 mm.	80
95	Rusab	Rusab s/s table, dimensions: 1600 mm x 700 mm x 960 mm.	80
96	NN table	S/s table, dimensions: 1450 mm x 570 mm x 860 mm.	80
97	NN table	S/s table, dimensions: 1800 mm x 600 mm x 890 mm.	80
98	NN table	S/s mobile table, dimensions: 1200 mm x 700 mm x 860 mm.	100
99	NN sink	S/s sink, dimensions: 1500 mm x 850 mm x 990 mm.	80
100	NN table	S/s mobile table, dimensions: 700 mm x 700 mm x 950 mm.	50
101	Dixie-Union Verpackungen GmbH	Dixie-Union Verpackungen GmbH slicer with mobile outfeed belt, type: S 495, number: 495 1461, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 12 A, weight: 1250 kg, plastic belt, belt width: 300 mm, total dimensions: 4000 mm x 1200 mm x 2100 mm. Including 1 knife and 1 knife holder.	900
102	NN table	S/s mobile table, dimensions: 1200 mm x 700 mm x 880 mm.	80



Nr	Title	Description	Start €
103	Adexa	Adexa s/s table, dimensions: 800 mm x 700 mm x 880 mm.	50
104	Henkovac	Henkovac vacuum machine on mobile s/s table, model: T4, serial number: 20201295, year of construction: 2020, 220-240 V, 1 Ph, 50/60 Hz, 5.5 A, Busch vacuum pump, type: KB 0016 E, capacity: 16 m ³ per hour, seal length: 430 mm, dimensions chamber: 450 mm x 420 mm, dimensions Henkovac: 550 mm x 520 mm x 500 mm, dimensions table: 650 mm x 500 mm x 680 mm.	200
105	Idesta	Idesta mobile au-bain marie, inside dimensions: (2x) 500 mm x 300 mm x 220 mm, total dimensions: 800 mm x 620 mm x 910 mm.	100
106	Electrolux	Electrolux mobile au-bain Marie, inside dimensions: (2x) 500 mm x 300 mm x 200 mm, dimensions: 800 mm x 650 mm x 900 mm.	100
107	NN trays	14 pallets with large amount of plastic trays, dimensions each tray: 230 mm x 150 mm x 35 mm.	300
108	BL Products AB	BL Products AB vertical packaging machine, type: BLP-X9/S, serial number: X9/S-008, with Crizaf elevating belt with dividers, model: LD, serial number: 27905, year of construction: 06/2002, Rietschle side channel vacuum pump, type: SAP 150 (01), capacity: 150 m ³ per hour, belt width: 380 mm, distance between dividers: 150 mm, divider height: 100 mm, total dimensions: 3200 mm x 800 mm x 2900 mm.	1200
109	NN transport scooter	Transport scooter, dimensions platform: 630 mm x 540 mm, total dimensions: 1400 mm x 700 mm x 1000 mm.	80
110	NN buffet trolley	Refrigerated buffet trolley, dimensions: 1150 mm x 1300 mm x 1300 mm.	50
111	NN buffet trolley	Refrigerated buffet trolley, dimensions: 1150 mm x 1300 mm x 1300 mm.	50
112	NN press	Steel press, dimensions: 420 mm x 340 mm x 800 mm.	50
113	Rheninghaus	Rheninghaus slicer, model: START AUTO HD, serial number: 2625, 230 V, 1 Ph, 50 Hz, 2.2 A, 0.37 kW, dimensions: 720 mm x 600 mm x 560 mm.	50
114	Handtmann	Handtmann mobile linking machine, dimensions: 1140 mm x 740 mm x 1400 mm.	200
115	Townsend	Townsend mobile linking and hanging line, consisting of: Townsend mobile linker, model: RT 7 +, serial number: 110 A, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 15.9 A, dimensions: 2500 mm x 700 mm x 1700 mm, Mobile hanging line, dimensions: 3900 mm x 600 mm x 1450 mm. Including 6 crates with spare parts.	1500
116	Colimatic	Colimatic thermoformer, model: THERA 650, type: F 420, serial number: 1608, year of construction: 03/2000, 380 V, 3 Ph, 50 Hz, 32 A, plastic belt, belt width: 350 mm, dyes: (1x) 405 mm x 230 mm, index: 310 mm, total	1200



Nr	Title	Description	Start €
		dimensions: 5650 mm x 1100 mm x 1950 mm. Without transport rollies.	
117	NN trolley	S/s trolley, dimensions: 540 mm x 410 mm x 900 mm.	50
118	NN trolley	S/s trolley, dimensions: 730 mm x 450 mm x 970 mm.	50
119	NN trolley	S/s trolley, dimensions: 800 mm x 450 mm x 920 mm.	50
120	NN floors	Pallet with large amount of s/s floors for oven / trolley, dimensions each floor: 450 mm x 600 mm and 400 mm x 600 mm.	100
121	NN forms	2 rollies, pallet and trolley with large amount for forms used for vegetarian hamburgers, dimensions forms: Ø 113 mm x 20 mm, 12 forms per tray, dimensions each tray: 600 mm x 410 mm, 9 floors per trolley, dimensions floors: (9x) 500 mm x 500 mm, dimensions trolleys: (2x) 550 mm x 500 mm x 1750 mm.	300
122	NN trolley	S/s trolley, dimensions: 500 mm x 600 mm x 1950 mm.	50
123	NN trolley	Trolley with 6 floors, floor dimensions: 510 mm x 510 mm, total dimensions: 560 mm x 510 mm x 1600 mm.	25
124	NN trolley	S/s smoke trolley with 5 floors, floor dimensions: 1000 mm x 910 mm, total dimensions: 1000 mm x 1000 mm x 2000 mm.	50
125	NN trolley	S/s trolley, dimensions: 1370 mm x 700 mm x 920 mm.	100
126	NN meat bin	S/s perforated meat bin, volume: 200 liter.	80
127	NN meat bins	2 plastic meat bins, volume: (2x) 200 liter.	120
128	NN meat bins	4 s/s meat bins, volume: (4x) 200 liter.	320
129	NN trolleys	4 s/s trolleys, dimensions: (4x) 650 mm x 600 mm x 1720 mm.	100
130	NN trolleys	12 s/s trolleys, dimensions: (12x) 590 mm x 520 mm x 1820 mm.	600
131	NN trolleys	15 s/s trolleys with 4 floors, floor dimensions: 800 mm x 590 mm, total dimensions: (15x) 800 mm x 650 mm x 1580 mm.	750
132	NN trolleys	20 s/s trolleys with 4 floors, floor dimensions: 800 mm x 590 mm, total dimensions: (20x) 800 mm x 650 mm x 1580 mm.	100
133	NN trolleys	5 s/s trolleys with 4 floors, floor dimensions: 800 mm x 590 mm, total dimensions: (5x) 800 mm x 650 mm x 1580 mm.	250
134	NN trolleys	10 s/s trolleys with 4 floors, floor dimensions: 800 mm x 590 mm, total dimensions: (10x) 800 mm x 650 mm x 1580 mm.	500
135	NN trolleys	15 s/s trolleys with 4 floors, floor dimensions: 800 mm x 590 mm, total dimensions: (15x) 800 mm x 650 mm x 1580 mm.	750
136	NN trolleys	5 s/s trolleys with 4 floors, floor dimensions: 800 mm x 590 mm, total dimensions: (5x) 800 mm x 650 mm x 1580 mm.	250
137	NN crates		25



Nr	Title	Description	Start €
		29 plastic crates, dimensions: (29x) 395 mm x 590 mm x 165 mm.	
138	NN crates	36 plastic crates, dimensions: (36x) 400 mm x 600 mm x 190 mm.	75
139	NN rack	S/s rack, 5 floors, dimensions floors: (5x) 450 mm x 350 mm, total dimensions: 460 mm x 360 mm x 1790 mm.	25
140	NN trolleys	5 s/s trolleys, 18 floors each, dimensions: (6x) 590 mm x 510 mm x 1820 mm. Including approximately 90 s/s plates.	250
141	NN trolley	S/s trolley, 17 floors, dimensions floors: (17x) 560 mm x 330 mm, total dimensions: 600 mm x 390 mm x 1820 mm. Including large amount of s/s floors.	50
142	KMG	KMG vibrating gutter, number: 601501, 220 V, 50 Hz, 12.5 A, gutter length: 1700 mm, gutter width: 200 mm, total dimensions: 1900 mm x 800 mm x 3650 mm.	1500
143	Silkeborg	Silkeborg batter tumbler, number: 5796, dimensions tumbler: Ø 1800 mm x 1400 mm, total dimensions: 3400 mm x 2100 mm x 2800 mm.	1600
144	Polimoon	Polimoon traysealer, model: 1911VG, serial number: 1203007, year of construction: 2003, 220 V, 3 Ph, 50 Hz, 31 A, dye: (2x) 250 mm x 150 mm, film width: 430 mm, total dimensions: 5550 mm x 1000 mm x 1900 mm.	500
145	Ulma	Ulma flowpacker, model: Alaska, machine number: 2504032, year of construction: 1999, 400 V, 50 Hz, infeed belt with dividers, distance between dividers: 400 mm, divider height: 30 mm, film width: 560 mm, plastic belt, belt width: 300 mm, seal width: 330 mm, with PBI Dansensor gas mixer, model: Module TGC-2 335, total dimensions: 5900 mm x 1250 mm x 1900 mm.	2000
146	Nimo KG	Nimo KG lifter for pallet boxes, type: SK 800 MK-L, number: 9631, year of construction: 2001, maximum loading capacity: 800 kg, lifting height: 6000 mm, total dimensions: 1760 mm x 1850 mm x 7250 mm.	1750
147	Nimo KG	Nimo KG lifter for pallet boxes, type: SK 800 MK-L, number: 10749, year of construction: 2008, maximum loading capacity: 800 kg, lifting height: 6000 mm, total dimensions: 1760 mm x 1850 mm x 7250 mm.	1750
148	Nimo KG	Nimo KG lifter for pallet boxes, type: SK 800 MK-L, number: 10415, year of construction: 2006, maximum loading capacity: 800 kg, lifting height: 6000 mm, total dimensions: 1760 mm x 1850 mm x 7250 mm.	1750
149	Tetra Laval	Tetra Laval spiral freezer, type: SVR 600/13.75-100-159, 380 V, 3 Ph, 50 Hz, 17 floors, s/s mesh belt, belt width: 460 mm, infeed height: 1030 mm, outfeed height: 2700 mm, total dimensions: 5850 mm x 2650 mm x 3350 mm. Including evaporator, cooling compressors and Goedhardt roof condenser, type: KOAL-76L/3-6P,	17500



Nr	Title	Description	Start €
		number: 97-3958-010, year of construction 1997, 3 fans, dimensions: 1200 mm x 5500 mm x 1900 mm.	
150	Inter System	Inter System 45° curve roller conveyor, s/s frame, plastic rollers, roller width: 460 mm, total dimensions: 1870 mm x 700 mm x 300 mm.	50
151	Inter System	Inter System 45° curve roller conveyor, s/s frame, plastic rollers, roller width: 460 mm, total dimensions: 1870 mm x 700 mm x 300 mm.	50
152	Inter System	Inter System 45° curve roller conveyor, s/s frame, plastic rollers, roller width: 460 mm, total dimensions: 1870 mm x 700 mm x 300 mm.	50
153	Inter System	Inter System 45° curve roller conveyor, s/s frame, plastic rollers, roller width: 460 mm, total dimensions: 1870 mm x 700 mm x 300 mm.	50
154	Inter System	Inter System 45° curve roller conveyor, s/s frame, plastic rollers, roller width: 460 mm, total dimensions: 1870 mm x 700 mm x 300 mm.	50
155	Eldon	Eldon s/s switch cabinet, dimensions: 600 mm x 210 mm x 800 mm.	50
156	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 580 mm, total dimensions: 5700 mm x 1300 mm x 720 mm.	450
157	FMC	FMC elevating belt, s/s frame, number: 2431-10454, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 0.83/1.44 A, 0.31 kW, plastic belt with dividers, belt width: 380 mm, divider height: 30 mm, distance between dividers: 310 mm, elevating height: 910 mm, total dimensions: 6270 mm x 700 mm x 1110 mm.	500
158	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 450 mm, total dimensions: 4000 mm x 570 mm x 970 mm.	600
159	ENP	ENP transport belt, s/s frame, number: 13989, year of construction: 2009, plastic belt, belt width: 60 mm, total dimensions: 2320 mm x 460 mm x 600 mm.	100
160	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 500 mm x 320 mm x 970 mm.	250
161	NN rollies	7x plastic rollie and 1x s/s rollie, dimensions: (8x) 620 mm x 430 mm x 170 mm.	15
162	NN transport bicycle	Transport bicycle, dimensions platform: 650 mm x 550 mm, total dimensions: 1450 mm x 700 mm x 980 mm.	80
163	Inter System	Inter System transport belt, s/s frame, type: Clino 50, number: 219 006, year of construction: 2003-02-05, plastic belt, belt width: 500 mm, total dimensions: 2300 mm x 850 mm x 700 mm.	300
164	KJ Maskinfabriken A/S	KJ Maskinfabriken A/S mobile elevating belt, type: KA69B-550B, year of construction: 1983, plastic belt, belt width: 495 mm, elevating height: 650 mm, total dimensions: 4400 mm x 880 mm x 770 mm.	500



Nr	Title	Description	Start €
165	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 590 mm, total dimensions: 5600 mm x 750 mm x 860 mm.	500
166	Inter System	Inter System transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 6000 mm x 850 mm x 910 mm.	450
167	Inter System	Inter System transport belt, s/s frame, type: Clino 50, number: 219 003, year of construction: 2003-02-05, plastic belt, belt width: 500 mm, total dimensions: 3200 mm x 900 mm x 650 mm.	350
168	Inter System	Inter System transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 6000 mm x 850 mm x 950 mm.	450
169	Inter System	Inter System transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 3200 mm x 850 mm x 520 mm.	350
170	NN transport belt	Transport belt, plastic belt, belt width: 450 mm, total dimensions: 5750 mm x 880 mm x 1250 mm.	350
171	Inter System	Inter System transport belt, s/s frame, type: Clino 50, number: 219 006, year of construction: 2003-02-05, plastic belt, belt width: 500 mm, total dimensions: 2250 mm x 900 mm x 620 mm.	350
172	Inter System	Inter System elevating belt, s/s frame, plastic belt, belt width: 500 mm, elevating height: 900 mm, total dimensions: 3600 mm x 920 mm x 900 mm.	450
173	Inter System	Inter System transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 3200 mm x 900 mm x 530 mm.	450
174	Inter System	Inter System transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 3200 mm x 900 mm x 530 mm.	450
175	Inter System	Inter System transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 3200 mm x 900 mm x 530 mm.	450
176	Inter System	Inter System transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 2250 mm x 850 mm x 650 mm.	350
177	Inter System	Inter System transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 1700 mm x 850 mm x 840 mm.	350
178	Inter System	Inter System transport belt, s/s frame, type: Clino 50, number: 219 006, year of construction: 2003-02-05, plastic belt, belt width: 500 mm, total dimensions: 2250 mm x 900 mm x 850 mm.	540
179	Cabinplant	Cabinplant transport belt, s/s frame, plastic mesh belt, belt width: 425 mm, total dimensions: 6400 mm x 680 mm x 1330 mm.	600
180	Nikodan Conveyor Systems A/S	Nikodan Conveyor Systems A/S transport belt, s/s frame, 4 plastic mesh belts with dividers, belt width: (4x) 60	500



Nr	Title	Description	Start €
		mm, divider height: 10 mm, distance between dividers: 230 mm, working width: 480 mm, total dimensions: 4040 mm x 640 mm x 1150 mm.	
181	NN evaporator	Evaporator with 2 fans, dimensions: 3300 mm x 700 mm x 1900 mm.	250
182	Asea	Asea transformer, type: OE 424, serial number: 5938 653, total weight: 2900 kg, dimensions: 1700 mm x 1000 mm x 2200 mm.	1250
183	BAGA Aquarent AB	BAGA Aquarent AB water softener, model: BGE22E, serial number: S10-ZGA-C30, 230 V, 50 Hz, 5 W, 8.0 bar, dimensions: 500 mm x 270 mm x 960 mm.	50
184	NN E2 crates	Plastic Euro H1 pallet with 69 plastic E2 crates, dimensions: (69x) 600 mm x 400 x 200 mm.	70
185	S/s frame	S/s mobile frame, dimensions: 730 mm x 480 mm x 300 mm.	50
186	NN floors	Pallet with large amount of perforated floors, dimensions each floor: 1010 mm x 470 mm.	100
187	NN gastronorm bins	Pallet with various 1/1 gastronorm bins.	80
188	NN baskets	Pallet with various s/s baskets.	50
189	NN steel rack	Steel rack, consisting of: 2 uprights and 8 beams, dimensions uprights: (2x) 1050 mm x 100 mm x 3000 mm, length beams: (8x) 1950 mm.	150
190	NN baking tins	5 pallets with approximately 400 aluminium baking tins, dimensions forms: (10x) 200 mm x 90 mm x 75 mm, dimensions baking tin: 585 mm x 450 mm x 75 mm.	500
192	Ingersoll-Rand	Ingersoll-Rand screw air compressor, model: SSR ML37, serial number: 89 M37 E 68888, 380/415 V, 3 Ph, 50 Hz, 85.5/80 A, 44.5 kW, capacity: 6.0 m³ per minute, dimensions: 1850 mm x 1070 mm x 1050 mm.	450
193	Leybold-Heraeus	Leybold-Heraeus vacuum pump, type: SV 580, number: 39237, capacity: 580 m³/h, dimensions: 1400 mm x 900 mm x 1200 mm.	100
194	Goldpack	Goldpack Packaging Systems pallet wrapper, type: OP 133 SA/2005, serial number: 2-1594-08, year of construction: 2008, 230 V, 50 Hz, 1.3 kW, weight: 600 kg, diameter platform: 1650 mm, total dimensions: 3000 mm x 1700 mm x 2500 mm.	500
195	Rische + Herfurth GmbH	Rische + Herfurth GmbH bag sealer, model: POLYSTAR, type: 620 DSM, machine number: 1521, year of construction: 2012, 230 V, 50 Hz, 1.4 A, 320 W, seal length: 450 mm, total dimensions: 610 mm x 210 mm x 180 mm.	100
196	NN table	S/s table, dimensions: 610 mm x 610 mm x 910 mm.	80
197	Key Electronica	Key Electronica impulse sealer, type: 400 ES-2, serial number: AU 15111173, 230-240 V, 50 Hz, 750 W, seal length: 400 mm, total dimensions: 540 mm x 90 mm x 270 mm.	20



Nr	Title	Description	Start €
198	NN table	S/s table with plastic worktop, dimensions: 590 mm x 480 mm x 610 mm.	50
199	Antonson / Intermec	S/s trolley with Antonson weighing scale and Intermec label printer, type scale: 814.051.01, serial number: 53642, 220 V, 50 Hz, 0.315 A, type label printer: 1-F40000-10, serial number: 16210, 100-240 V, 50/60 Hz, 2-1 A, dimensions scale: 330 mm x 300 mm, total dimensions: 1000 x 510 mm x 1470 mm.	50
200	Kongskilde	Kongskilde mobile heater, model: KAI 300 HC, serial number: 191404000020, 230 V, 1 Ph, 50 Hz, 800 W, power: 83.9 kW, fuel: OIL, air flow rate: 4500 m ³ per hour, dimensions: 1700 mm x 700 mm x 1100 mm.	50
201	NN working platform	Steel mobile working platform with stairs, working height: 1950 mm, total dimensions: 1500 mm x 900 mm x 2700 mm.	100
202	NN working platform	Working platform, working height: 1510 mm.	50
203	WIBE	WIBE ladder, working height: 2000 mm.	50
204	NN ladder	Ladder, working height: 2000 mm.	50
205	WIBE	WIBE ladder, 4 steps, model: WTS+ ASP-5, capacity: 150 kg, weight: 11 kg, platform height: 1220 mm, dimensions: 1250 mm x 600 mm x 2000 mm.	50
206	SP Typgodkand	SP Typgodkand ladder, 8 steps, model: TRAPPSTEGE 500 B, number: SP BS B7 60, platform height: 1900 mm, total dimensions: 800 mm x 530 mm x 2550 mm.	50
207	WIBE	WIBE ladder, 7 steps, dimensions: 1150 mm x 540 mm x 2600 mm.	50
208	Skeppshult	Skeppshult ladder, 7 steps, model: PROFFS TRAPPSTEGE 10-STEG, number: 5050-10, weight: 15 kg, platform height: 2310 mm, dimensions: 1700 mm x 590 mm 2500 mm.	70
209	WIBE	WIBE ladder, 7 steps, dimensions: 1150 mm x 540 mm x 2600 mm.	50
210	WIBE	WIBE ladder, 4 steps, model: WTS+ ASP-5, capacity: 150 kg, weight: 11 kg, platform height: 1220 mm, dimensions: 1250 mm x 630 mm x 1980 mm.	50
211	Green It	Green It hand truck, loading capacity: 250 kg, dimensions: 600 mm x 450 mm x 1100 mm.	15
212	NN trolley	S/s trolley, dimensions: 600 mm x 400 mm x 880 mm.	10
213	NN frame	S/s frame, dimensions: 700 mm x 470 mm x 1150 mm.	20
214	NN waste bag holder	S/s waste bag holder, dimensions: 420 mm x 400 mm x 690 mm.	10
215	NN waste bag holder	Waste bag holder, dimensions: 470 mm x 400 mm x 700 mm.	10
216	NN hygiene trolley	Hygiene trolley, dimensions: 1060 mm x 560 mm x 1040 mm.	10
217	NN hygiene trolley	Hygiene trolley, dimensions: 1060 mm x 560 mm x 1100 mm.	10



Nr	Title	Description	Start €
218	NN hygiene trolley	Hygiene trolley, dimensions: 1060 mm x 560 mm x 1100 mm.	10
219	Flextrus	Pallet with 2 Flextrus film rolls, film width: 438 mm, total length per roll: 1550 meter, thickness film: 300 my, total dimensions: 1200 mm x 800 mm x 950mm.	100
220	Güntner	Güntner evaporator with 2 fans, dimensions: 2700 mm x 1550 mm x 600 mm.	200
221	Busch	Busch vacuum pump, type: 4000, number: 508, capacity: 4000 m³/h, dimensions: 1470 mm x 1100 mm x 1820 mm.	800
222	NN vacuum pump	Vacuum pump, type: GRH 1500, dimensions: 1200 mm x 950 mm x 630 mm.	250
223	Pfeiffer	Pfeiffer Vacuum roots pump, type: WKP 2000 A, number: 22016621, year of construction: 07/2002, capacity: 2060 m³ per hour, dimensions: 1750 mm x 1150 mm x 1200 mm.	250
224	Güntner	Güntner evaporator with 1 fan, dimensions: 1020 mm x 800 mm x 590 mm.	100
225	Güntner	Güntner evaporator with 1 fan, type: GGHF 040.1C/17-EW/30P, serial number: 400/3228834.0001, year of construction: 2008, volume: 6 liter, dimensions: 1020 mm x 600 mm x 960 mm.	100
226	Fincoil	Fincoil evaporator with 1 fan, dimensions: 950 mm x 600 mm x 520 mm.	100
227	NN trolley with meat hooks	S/s trolley with 19 s/s meat hooks, length meat hooks: (6x) 900 mm, (10x) 1100 mm, (2x) 1300 mm, (1x) 1500 mm, total dimensions: 1200 mm x 800 mm x 1760 mm.	200
228	NN smoke chamber	Smoke chamber, 16 floors, floor dimensions: 690 mm x 1330 mm, total dimensions: 1450 mm x 1500 mm x 2300 mm.	800
229	NN smoke chamber	Smoke chamber for one trolley, inside dimensions: 1620 mm x 1160 mm x 2180 mm, total dimensions: 1450 mm x 1500 mm x 2300 mm.	800
230	Vemag	Vemag smoke generator for woodchips, model: 504, type: 504, number: 5040649, 380 V, 3Ph, 50 Hz, 5.1 A, dimensions: 1600 mm x 900 mm x 2200 mm.	150
231	NN smoke generator	Smoke generator for woodchips, dimensions: 1000 mm x 700 mm x 1800 mm.	150
232	Prodma	2x Prodma 8-doors steel lockers, dimensions: 400 mm x 250 mm x 1800 mm.	20
233	Prodma	Prodma 18-doors steel locker, dimensions: 750 mm x 400 mm x 1800 mm.	20
234	Prodma	Prodma 32-doors steel locker, dimensions: 980 mm x 400 mm x 1800 mm.	30
235	NN lockers	Steel lockers, dimensions: 1200 mm x 550 mm x 1900 mm.	20
236			100



Nr	Title	Description	Start €
	NN hygiene equipment	2 plastic pallet boxes, 2 wooden pallets with frames and 1 plastic pallet with large amount of soap and paper dispensers.	
237	NN meat hooks	Pallet box with large amount of meat hooks.	200
238	NN cabinets	2 steel cabinets, dimensions: (2x) 1000 mm x 400 mm x 1900 mm.	40
239	NN trolley	S/s trolley with Lenovo computer screen and laptop, dimensions trolley: 1100 mm x 600 mm x 1150 mm.	80
240	NN rack	S/s mobile rack, 5 floors, dimensions floors: 1450 mm x 540 mm, total dimensions: 1450 mm x 540 mm x 1800 mm. Including content.	50
241	Nederman	Nederman extraction device, dimensions: 2100 mm x 1000 mm x 1200 mm.	100
242	Voss	Voss smoke chamber with friction smoke generator for 1 trolley, year of construction: 1992, 380 V, 50 Hz, 18.45 kW, inside dimensions: 860 mm x 700 mm x 1380 mm, total dimensions: 2080 mm x 1050 mm x 2300 mm.	800
243	WIBE	WIBE ladder, 3 steps, platform height: 900 mm, total dimensions: 850 mm x 450 mm x 1530 mm.	20
244	Kerres	Kerres cooking and smoke chamber, inside dimensions: 950 mm x 1000 mm x 1900 mm, total dimensions: 1500 mm x 1130 mm x 2500 mm. Including s/s smoke trolley, 11 floors, dimensions floors: (11x) 840 mm x 770 mm, dimensions trolley: 910 mm x 780 mm x 1700 mm.	800
245	Engels	2 Engels plastic foldable pallet boxes, dimensions: (2x) 1200 mm x 800 mm x 800 mm.	20
246	NN curve conveyor	S-shaped curve conveyor, plastic mesh belt, belt width: 605 mm, elevating height: 1180 mm, total dimensions: 4300 mm x 2000 mm x 1250 mm.	350
247	Proval Innovations	Proval Innovations mobile curve elevating belt, type: BCS2400, serial number: 231008-01, year of construction: 2003, plastic mesh belt, belt width: 200 mm, elevating height: 1370 mm - 1550 mm, total dimensions: 1200 mm x 2200 mm x 1600 mm.	250
248	GEA	GEA roof condenser, type: GAV L08-1X1 C, number: 10048425, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 1200 W, volume: 43.40 liter, dimensions: 2400 mm x 1300 mm x 1700 mm.	450
249	Protech	Protech speed smoker, inside dimensions: 1330 mm x 1360 mm x 2100 mm, total dimensions: 2000 mm x 1600 mm x 2600 mm.	1600
250	Schröter GmbH	Schröter GmbH smoking and cooking chamber, type: W4, year of construction: 08/91, 230/400 V, 50 Hz, 12 kW, steam heated, 135 kg per hour, inside dimensions: 4200 mm x 1600 mm x 2600 mm, total dimensions: 4300 mm x 1750 mm x 2850 mm, Smoke generator for wood chips, dimensions: 720 mm x 650 mm x 1650 mm, 3 pallets with s/s switch cabinet and parts. cooking and smoking	2500



Nr	Title	Description	Start €
		chamber, inside dimensions: 1330 mm x 1360 mm x 2100 mm, total dimensions: 2000 mm x 1600 mm x 2600 mm.	
251	Ishida	Ishida 10 heads multihead weigher, model: CCW-EM-210W-S/50-WP, serial number: 553488, year of construction: Oct 2003, 220 V, 1 Ph, 50 Hz, 7 A, dimensions: 1600 mm x 1600 mm x 1950 mm.	1500
252	Hoegger Alpina AG	Hoegger Alpina AG cutter with lifter for 200 liter meat bins and ejector, type: PBV 330 1110, serial number: 813017, 220/380 V, 110 kW, 150 bar, volume: 330 liter, dimensions: 3300 mm x 2200 mm x 1600 mm.	6000
253	Schoeller Allibert	2 pallets with approximately 160 Schoeller Allibert plastic crates, dimensions each crate: 400 mm x 600 mm x 180 mm.	80
254	Schoeller Allibert	4 pallets with approximately 320 Schoeller Allibert plastic crates, dimensions each crate: 400 mm x 600 mm x 180 mm.	160
255	Schoeller Allibert	6 pallets with approximately 480 Schoeller Allibert plastic crates, dimensions each crate: 400 mm x 600 mm x 180 mm.	240
256	Schoeller Allibert	20 pallets with approximately 1600 Schoeller Allibert plastic crates, dimensions each crate: 400 mm x 600 mm x 180 mm.	700
257	TEKO	3 pallets with large amount of TEK0 top foils, 24 boxes each pallet, diameter each top foil: 95 mm.	90
258	Sky-Light	2 pallets with large amount of Sky-Light plastic lids with spoon, diameter lids: 100 mm.	60
259	TEKO	Pallet with 51 boxes with large amount of TEK0 top foils, diameter each top foil: 95 mm.	30
264	NN extraction hood	S/s extraction hood, dimensions: 3460 mm x 2750 mm x 860 mm.	100
265	Denios	Denios steel storage container, dimensions: 3200 mm x 1500 mm x 3300 mm.	500
266	Denios	Denios steel storage container, dimensions: 4200 mm x 1500 mm x 3300 mm.	500
267	OK Tech	OK Tech rotation oven for 1 trolley, model: B-1300 AE 1-2 Std, number: 0518-337, 400/230 V, 3 Ph, 50 Hz, 70 kW, dimensions: 2150 mm x 1750 mm x 2250 mm.	900
268	Linde Material Handling AB	Linde Material Handling AB reach truck, type: R17X, serial number: 64X115D00200, year of construction: 2007, capacity: 1700 kg, lifting height: 7000 mm, fork length: 1200 mm, total dimensions: 2750 mm x 1260 mm x 2900 mm. Including Micro Power battery charger, type: MTM 48/1258, serial number: 08032342, 380-400 V, 3 Ph, 50 Hz, 16 A, dimensions charger: 510 mm x 380 mm x 980 mm.	750
269	Volvo	Volvo loader, type: 4200, manufacturing number: 3089, empty weight: 5770 kg, capacity: 4200 kg, max mass: 9800 kg, Volvo steel bucket, part number: 98611, weight	4000



Nr	Title	Description	Start €
		bucket: 545 kg , total dimensions: 6500 mm x 2300 mm x 2800 mm.	
270	NN vibrating gutter	S/s vibrating gutter, infeed width: 650 mm, outfeed width: 1300 mm, total dimensions: 1700 mm x 1400 mm x 2250 mm.	450
271	Turatti	Turatti vegetable washer, used for lettuce, width: 570 mm, total dimensions: 4300 mm x 1300 mm x 2150 mm.	1800
272	NON	NON vegetable dryer, consisting of: Infeed belt, plastic sieve belt, belt width: 1500 mm, total dimensions: 2000 mm x 2250 mm x 2000 Memnon vegetable dryer, plastic sieve belt, belt width: 2000 mm, total dimensions: 6130 mm x 2250 mm x 3800 mms/s switch cabinet, dimensions: 2400 mm x 500 mm x 2200 mm.	9000
273	Turatti	Turatti grape destamper, model: 1668.02.60.00, serial number: 018/422.01, year of construction: 05/2019, diameter holes: 20 mm, length drum: 2850 mm, total dimensions: 4100 mm x 1850 mm x 2400 mm.	2500
274	NN sorting belt	Sorting belt, s/s frame, 2x 5 stations, 2 plastic belts, belt width: 340 mm and 250 mm, total dimensions: 4070 mm x 1250 mm x 1710 mm.	1200
275	NN tank	S/s tank, inside dimensions: Ø 750 mm x 660 mm, total dimensions: Ø 800 mm x 1100 mm.	50
276	NN tank	S/s tank with lid, inside dimensions: Ø 750 mm x 660 mm, total dimensions: Ø 800 mm x 1100 mm.	50
277	APV	APV s/s tank, type: TRASH 300 l, inside dimensions: Ø 750 mm x 660 mm, total dimensions: Ø 800 mm x 1100 mm.	50
278	Still	Still battery charger, serial number: 027956-0010-001, year of construction: 11-2006, 400 V, 3 Ph, 50 Hz, 10.02 A, dimensions: 550 mm x 410 mm x 640 mm.	50
279	Still	Still battery charger, serial number: 0279527-0010-001, year of construction: 11-2006, 400 V, 3 Ph, 50 Hz, 10.02 A, dimensions: 550 mm x 410 mm x 640 mm.	50
280	BT Products AB	BT Products AB electric reach truck, type: RR E2CC, number: 972915, year of construction: 2007, lifting capacity: 1600 kg, 48 V, dimensions: 2550 mm x 1350 mm x 3050 mm. Including MicroPower battery charger, type: MTM36-48/80. Technical condition unknown.	750
281	Lansing Bagnall Ltd	Lansing Bagnall Ltd reach truck, model: FRER 11 1.6 TL, serial number: 88070574, fork length: 1200 mm, capacity: 1600 kg, maximum lifting height: 5200 mm, total dimensions: 2350 mm x 1250 mm x 2300 mm. Including Jungheinrich battery charger, type: D400 G 48/100 B-ET.	500
282	Jungheinrich	Jungheinrich reach truck, lifting height: 5900 mm, fork length: 1150 mm, total dimensions: 2600 mm x 1250 mm x 2500 mm. Including Jungheinrich battery charger, type: D400V G 48/105 B-SLT 100.	750



Nr	Title	Description	Start €
283	TKD	TKD mobile scissor lift, maximum weight: 460 kg, dimensions platform: 970 mm x 2500 mm x 2400 mm, total dimensions: 1170 mm x 2860 mm x 2140 mm.	800
284	NN electrical pallet lifter	S/s electrical pallet lifter, fork length: 1160 mm, total dimensions: 1760 mm x 670 mm x 1450 mm. Including MicroPower battery charger, type: BTE 24/40.	350
285	Nissan	Nissan petrol / gas forklift truck, model: PRO1A150, lifting capacity: 1250 kg, truck weight: 2665 kg, dimensions: 3100 mm x 1350 mm x 3050 mm. Technical condition unknown.	1200
286	Skyjack	Skyjack scissor lift, model: SJ4626, serial number: 708997, year of construction: January 2003, machine weight: 2243 kg, drive height: 7900 mm, capacity: 386 kg, maximum wheel load: 1051 kg, maximum speed: 12.5 m/s, dimensions: 2350 mm x 1150 mm x 2250 mm.	800
287	Atlet AB	Atlet AB electric pallet lifter, model: AJN/160SDTFV540, serial number: AJN15017S, year of construction: 2000, maximum lifting height: 5400 mm, fork length: 1150 mm, total dimensions: 2000 mm x 970 mm x 1980 mm.	200
288	Atlet AB	Atlet AB electric pallet lifter, fork length: 1150 mm, total dimensions: 1650 mm x 700 mm x 1430 mm.	150
289	Doleschal	Doleschal double smoking-, cooking-and climate chamber for 4 trolleys, type: UM4-3000, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 126 kW, 215 A, electric heated, inside dimensions: (2x) 1340 mm x 2100 mm x 2050 mm, total dimensions: 3560 mm x 2470 mm x 2880 mm. Including smoke generator for wood chips.	3000
290	Scan-Pack	2 Scan-Pack s/s working platforms, type: 1-1, serial number: 12927/12928, year of construction: 2012-12-05, working height: 1430 mm, total dimensions: 6850 mm x 1060 mm x 2500 mm and 6000 mm x 1620 mm x 1150 mm.	900
291	Kenwei	Kenwei 20 heads multihead weigher, model: JW-A20, 110-220 V, 50/60 Hz, 16 A, 2.0 kW, maximum weight: 2.6500 gram, single weigh range: 10-800 gram, maximum weigh speed: 2x 65 bags per minute, dimensions: 1600 mm x 2000 mm x 2000 mm.	1500
292	Kenwei	Kenwei 20 heads multihead weigher, model: JW-A20, 110-220 V, 50/60 Hz, 16 A, 2.0 kW, maximum weight: 2.6500 gram, single weigh range: 10-800 gram, maximum weigh speed: 2x 65 bags per minute, dimensions: 1600 mm x 2000 mm x 2000 mm.	1500
293	Kenwei	Kenwei 20 heads multihead weigher, model: JW-A20, 110-220 V, 50/60 Hz, 16 A, 2.0 kW, maximum weight: 2.6500 gram, single weigh range: 10-800 gram, maximum weigh speed: 2x 65 bags per minute, dimensions: 1600 mm x 2000 mm x 2000 mm.	1500
294	NN elevating belt		800



Nr	Title	Description	Start €
		Elevating belt, s/s frame, plastic belt with dividers, belt width: 450 mm, divider height: 75 mm, distance between dividers: 260 mm, elevating height: 2450 mm, total dimensions: 7000 mm x 600 mm x 2550 mm.	
295	NN coating machine	Mobile coating machine, plastic belt, belt width: 1270 mm, total dimensions: 2070 mm x 1700 mm x 1700 mm.	450
297	Stainless CONVEYOR ApS	Stainless CONVEYOR ApS transport belt, s/s frame, machine number: SC-3333-1, year of construction: 2008, (2x) 4 plastic belts, belt width: (4x) 100 mm, total dimensions: 1600 mm x 700 mm x 960 mm.	250
298	NN trolley with meat hooks	S/s trolley with 63 meat hooks, dimensions: 1540 mm x 750 mm x 1620 mm.	100
299	NN trolley with meat hooks	S/s trolley with 39 meat hooks, dimensions: 1000 mm x 750 mm x 1950 mm.	80
300	NN stairs	S/s stairs, 7 steps, working height: 1780 mm, total dimensions: 2200 mm x 750 mm x 2900 mm.	350
301	NN lifter for meat bins	S/s lifter for 200 liter meat bins, lifting height: 1800 mm, total dimensions: 1090 mm x 680 mm x 2520 mm.	450
302	NN heat exchanger	S/s plate heat exchanger, dimensions: 2070 mm x 650 mm x 1720 mm.	650
303	Doleschal	Doleschal smoke installation, dimensions: 2450 mm x 1550 mm x 2300 mm. Including large amount of canals.	1500
304	Gasti	Gasti cup filling machine, model: BZ25/2, order number: 790 727B, year of construction: 1999, product: cups with 71.86 mm and 97 mm, output: 8500/16000 per hour, total dimensions: 8100 mm x 1950 mm x 3150 mm. Including 2 trolleys and pallet with various parts.	6500
305	SRC	SRC optical sorter, model: LVS B/W, serial number: 201, plastic belt, belt width: 900 mm, total dimensions: 2900 mm x 1680 mm x 1700 mm. Including inspection system, serial number: 531, 120 V, 50/60 Hz, 1 Ph, 15 A, dimensions: 610 mm x 810 mm x 1930 mm and Key Technology control cabinet, type: G60M - 802940, serial number: 08-200710, year of construction: 2008, 380 V, 50 Hz, dimensions: 1360 mm x 1850 mm x 1980 mm.	1250
306	Europack	Europack wrapping and shrinking line, serial number: 05-10915E, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 45 A, 28 kW, plastic belt, belt width: 650 mm, seal length: 700 mm, clearance: 720 mm x 370 mm, cloth belt, belt width: 610 mm, total dimensions: 5000 mm x 1300 mm x 1950 mm.	1500
307	NN milk tank	S/s cooled milk tank, volume: 1870 liter, dimensions: 9200 mm x 3500 mm x 1540 mm.	450
308	NN platform	S/s platform, 2x 5 steps, working height: 1300 mm, total dimensions: 4200 mm x 820 mm x 2380 mm.	500
309	AMTek	AMTek microwave, model: AMT7510U, serial number: AO439, year of construction: September 2010, 400 V, 3 Ph, 50 Hz, 150 A, 75 kW, microwave frequency: 896 MHz,	8000



Nr	Title	Description	Start €
		maximum voltage inside: 20.000 V, working hours: 61041 hour, plastic mesh belt, belt width: 610 mm, clearance: 650 mm x 280 mm, total dimensions: 9850 mm x 1600 mm x 2300 mm. Including transmitter cabinet, dimensions: 1600 mm x 1120 mm x 2100 mm and 2 pallet with parts.	
310	WIBE	WIBE ladder, 3 steps, model: ABF-5000, weight: 5 kg, platform height: 680 mm, total dimensions: 810 mm x 570 mm x 690 mm.	20
311	Alco food-machines	Alco food-machines hot air tunnel, type: AGU 600/6000-E, serial number: 02725228, year of construction: 2017, 400 V, 50 Hz, 222 A, 148 kW, weight: 4000 kg, s/s mesh belt, belt width: 600 mm, cooking length: 6000 mm, clearance: 680 mm x 250 mm, total dimensions: 7100 mm x 1900 mm x 2700 mm. Including s/s filter tub.	22000
312	Cabinplant	Cabinplant 14 heads multihead weigher, number: 5210, year of construction: 2001.06.25, baskets: 140 mm x 140 mm x 170 mm, total dimensions: 1300 mm x 2070 mm x 2800 mm.	900
313	Nordic Light (Suzhou) Co. Ltd	Nordic Light (Suzhou) Co. Ltd steel pallet wrapper, type: PL 500-LT, serial number: 070600035, diameter platform: 1650 mm, total dimensions: 2650 mm x 1650 mm x 2650 mm	850
314	NN tank	S/s tank, inside dimensions: Ø 1500 mm x 1500 mm, total dimensions: Ø 1650 mm x 2420 mm.	150
315	NN tank	S/s mobile tank, steel frame, dimensions: Ø 900 mm x 2000 mm.	300
316	EMC AB	EMC AB vegetable washer, machine number: 11952, year of construction: 2008, plastic mesh belt, belt width: 450 mm, clearance: 450 mm x 150 mm, total dimensions: 3950 mm x 970 mm x 1450 mm.	1800
317	Foodco	Foodco heating tunnel, s/s mesh belt, belt width: 600 mm, clearance: 630 mm x 40 mm, total dimensions: 4400 mm x 1600 mm x 2200 mm.	2500
318	Serap	Serap shock freezing tunnel, type: CRUST FLOW P, number: P95.05, year of construction: 1997 (revised in 2020), 400 V, 3 Ph, 50 Hz, 1 kW, weight: 1300 kg, plastic belt, belt width: 450 mm, clearance: 440 mm x 110 mm, total dimensions: 4300 mm x 1200 mm x 1700 mm. Including s/s switch cabinet, dimensions: 1000 mm x 920 mm x 1600 mm.	5800
319	NN evaporators	2 evaporators, 2x 4 fans, dimensions: (2x) 3050 mm x 350 mm x 530 mm.	400
320	NN evaporators	2 evaporators, 2x 4 fans, dimensions: (2x) 3050 mm x 350 mm x 530 mm.	400
321	NN evaporators	2 evaporators, 2x 5 fans, dimensions: (2x) 3750 mm x 350 mm x 530 mm.	400
322	NN evaporators		400



Nr	Title	Description	Start €
		2 evaporators, 2x 4 fans, dimensions: (2x) 3050 mm x 350 mm x 530 mm.	
323	NN evaporators	2 evaporators, 2x 3 fans, dimensions: (2x) 2330 mm x 350 mm x 530 mm.	400
324	Searle	Searle evaporator, 2 fans, model: DSR36-6L AL, serial number: 310808, medium: HCFC / HFC (2), dimensions: 1300 mm x 270 mm x 920 mm.	150
325	NN evaporator	Evaporators, 3 fans, dimensions: 2330 mm x 350 mm x 530 mm.	150
326	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 3 fans, type: 101018016 F/008/010/7/2040/A/C/G/3, serial number: 404204482/15.02076, year of construction: 2015, volume: 18.20 liter, dimensions: 3530 mm x 500 mm x 530 mm.	200
327	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 3 fans, type: 101018016 F/008/010/7/2040/A/C/G/3, serial number: 4404204433/15.02059, year of construction: 2015, volume: 18.20 liter, dimensions: 3530 mm x 500 mm x 530 mm.	200
328	AIA	AIA evaporator, 2 fans, model: NE45-125M-XF-8-1/4-EN, year of construction: 2010, dimensions: 1930 mm x 500 mm x 600 mm.	150
329	AIA	AIA evaporator, 2 fans, model: NE45-125M-XD-8-1/4-EN, year of construction: 2010, dimensions: 1930 mm x 500 mm x 600 mm.	150
330	AIA	2 AIA evaporators, 2x 2 fans, model: NE40-124M-XD-7-3/16-EN-EF, year of construction: 2010, dimensions: (2x) 1550 mm x 470 mm x 530 mm.	300
331	AIA	AIA evaporator, 2 fans, model: NE40-124M-XD-7-3/16-EN-EF, year of construction: 2010, dimensions: 550 mm x 470 mm x 530 mm.	150
332	AIA	AIA evaporator, 2 fans, dimensions: 1550 mm x 470 mm x 530 mm.	150
333	AIA	3 AIA evaporators, 3x 1 fan, model: DDB-45-1-B-8M-700-10-EN, year of construction: 2010, dimensions: (3x) 1770 mm x 1580 mm x 590 mm.	450
334	AIA	4 AIA evaporators, 4x 1 fan, model: DDB-45-1-B-8M-700-10-EN, year of construction: 2010, dimensions: (4x) 1600 mm x 1430 mm x 400 mm.	600
335	AIA	4 AIA evaporators, 4x 1 fan, model: DDB-45-1-B-8M-700-10-EN, year of construction: 2010, dimensions: (4x) 1750 mm x 1580 mm x 520 mm.	600
336	BEMA	BEMA switch cabinet, dimensions: 1000 mm x 300 mm x 1000 mm. Including pallet box with control boxes, dimensions pallet box: 1200 mm x 1000 mm x 730 mm.	100
337	Electrolux	Electrolux washing machine, type: FL124, 220 V, 3 Ph, 50 Hz, 35 A, 12500 W, capacity: 15 kg, dimensions: 740 mm x 880 mm x 1400 mm.	100



Nr	Title	Description	Start €
338	Stalam S.p.A.	Stalam S.p.A. industrial microwave, type: Thermal Processing Equipment, model: RF 20 kW, machine number: 2540/1, year of construction: 2020, 380 V, 3 Ph, 50 Hz, 60 A, weight: 3500 kg, plastic mesh belt, belt width: 1400 mm, clearance: 1560 mm x 390 mm, total dimensions: 5700 mm x 2500 mm x 3400 mm.	18000
339	NN milk tank	S/s cooled milk tank, volume: 1200 liter, dimensions: 2200 mm x 1300 mm x 1100 mm.	300
340	Justech AB	Justech AB freezing tunnel, type: LIN-X4, number: 135.3004, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 5 kW, s/s mesh belt, belt width: 680 mm, clearance: 620 mm x 50 mm, total dimensions: 4250 mm x 1750 mm x 1550 mm.	8000
341	SCM Frigo S.p.a. / Bitzer	SCM Frigo S.p.a. cooling compressor rack consisting of 5 Bitzer cooling compressors, type compressors: (3x) 4HTC-15K-40S and (2x) 4HTC-15K-40S, dimensions: 4450 mm x 1000 mm x 2000 mm.	4000
342	Güntner GmbH & Co KG	Güntner GmbH & Co KG roof condenser, type: GMM EC/ 04.2, 4 fans, dimensions: 6450 mm x 1500 mm x 1360 mm.	900
343	IV Produkt	IV Produkt air treatment cabinet, model: Flexomix, order number: 7115-2059, year of construction: 03-2015, 400 V, 3 Ph, 7.3 A, 4.70 kW, dimensions: 3250 mm x 1750 mm x 1200 mm.	500
344	CES Group	CES Group nitrogen freezing tunnel, type: CES-LT-LIN-8mx0.66-PODB, year of construction: 2-12-1998, 380 V, 3 Ph, s/s mesh belt, belt width: 1570 mm, clearance: 1500 mm x 140 mm, total dimensions: 13750 mm x 2300 mm x 1700 mm. Including s/s switch cabinet, dimensions switch cabinet: 2250 mm x 310 mm x 850 mm and Danfoss frequency convertor, dimensions frequency convertor: 250 mm x 200 mm x 500 mm.	7500
345	Grundfos	Grundfos circulation pump, type: CRN26-3, model: A96500559910, capacity: 21.0 m³ per hour, dimensions: 300 mm x 240 mm x 800 mm.	100
346	Grundfos	Grundfos circulation pump, type: CRN64-1 A-F-G-E-EUEE, model: A96407808P10413, capacity: 64 m³ per hour, dimensions: 360 mm x 300 mm x 1000 mm.	100
347	Grundfos	Grundfos circulation pump, dimensions: 250 mm x 250 mm x 700 mm.	100
348	Grundfos	Grundfos circulation pump, type: CRNES-40A-P-G-AUUV, model: 342807304P19814, capacity: 9.5 m³ per hour, dimensions: 250 mm x 250 mm x 800 mm.	100
349	Grundfos	Grundfos circulation pump, model: 96405178 P1 9739, type: TP 8C-120/2 AI-F-A-A00E, capacity: 40 m³ per hour, dimensions: 360 mm x 210 mm x 540 mm.	100
350	Grundfos	Grundfos circulation pump, dimensions: 320 mm x 200 mm x 390 mm.	80



Nr	Title	Description	Start €
351	Grundfos	Grundfos circulation pump, number: 85555708, dimensions: 470 mm x 240 mm x 800 mm.	80
352	Stainless CONVEYOR ApS	Stainless CONVEYOR ApS transport belt, s/s frame, machine number: SC-3333-2, year of construction: 2008, plastic belts, belt width: (2x) 100 mm, total dimensions: 1830 mm x 670 mm x 970 mm.	150
353	Krämer + Grebe	Krämer + Grebe cutter with lifter for 200 liter meat bins and ejector, type: SM 325, serial number: 173/197, year of construction: 1981, steel bowl, volume: 325 liter, type lifter: Beschick. machine number: 17/1/861, year of construction: 1981, total dimensions: 2550 mm x 2400 mm x 1600 mm. Including switch cabinet, dimensions: 1000 mm x 550 mm x 2200 mm.	1250
354	Woods	Woods fan, 220/240-380/420, 1/3 Ph, 50 Hz, 2.0/3.5 A, 0.7 kW, dimensions: 550 mm x 500 mm x 1000 mm.	10
355	NN switch cabinet	Switch cabinet on s/s mobile frame, dimensions: 600 mm x 600 mm x 1900 mm.	10
356	NN transformer	Transformer in steel cabinet, dimensions: 500 mm x 350 mm x 640 mm.	20
357	Hydrokraft	Hydrokraft hydraulic unit, type: V050-DR, number: 1835, capacity: 60 cm ³ per hour, dimensions: 1200 mm x 900 mm x 900 mm.	100
358	NN positive displacement pump	Positive displacement pump, dimensions: 1200 mm x 400 mm x 500 mm.	150
359	NN centrifugal pump	Centrifugal pump, dimensions: 870 mm x 340 mm x 350 mm.	50
360	APV	APV rotary lobe pump, type: DW4/073/15600, year of construction: 2006, dimensions: 1150 mm x 400 mm x 400 mm.	150
361	Noratel	2 Noratel transformers, type: 3UI240-140-23 / 3M50-91-23, serial number: 3-040-500131 / 3-040-500150, year of construction: 2005 / 2004, 230/400 V, 3 Ph, 50/60 Hz, 104/57.7 - 165.1/86.6 A, dimensions: 670 mm x 420 mm x 580 mm and 800 mm x 450 mm x 750 mm.	200
362	Verder	2 Verder peristaltic pumps, type: RL 25 SL / RL 35 SH, number: 27925 / 28116, year of construction: 2016 / 2017, dimensions: 600 mm x 400 mm x 500 mm and 800 mm x 500 mm x 700 mm.	150
363	Lowara	Pallet with various circulation pump, among others, Lowara, dimensions pallet: 1200 mm x 800 mm x 600 mm.	200
364	Alfa Laval	Pallet with 2 Alfa Laval circulation pumps and Ultrafilter GmbH filter, type filter: EQ 0060, total dimensions pallet: 1200 mm x 800 mm x 700 mm.	100
365	NN heat exchanger	Plate heat exchanger, dimensions: 630 mm x 500 mm x 1650 mm.	200
366	NN transport belt		450



Nr	Title	Description	Start €
		Transport belt, s/s frame, plastic belt, belt width: 430 mm, total dimensions: 2630 mm x 900 mm x 1540 mm. One leg missing.	
367	LOBE	LOBE lobe pump on s/s frame, type: Nakakin JM2-ZSM, serial number: 2669, year of construction: 03/2017, dimensions: 720 mm x 220 mm x 1180 mm.	100
368	Alfa Laval	Alfa Laval plate heat exchanger, dimensions: 1370 mm x 600 mm x 1350 mm.	150
369	Pasilac	Pallet with Pasilac centrifugal pump, type: ZMK 2, serial number: 2426-9/81, total dimensions: 1200 mm x 800 mm x 950 mm.	100
370	APV / Pasilac	Pallet with APV and Pasilac Therm heat exchangers, type APV T4, serial number: 37955, year of construction: 1994, type Pasilac: L4, number: 15629, year of construction: 1985, total dimensions pallet: 1200 mm x 800 mm x 950 mm.	80
371	NN tank / centrifugal pump	Pallet with s/s tank, centrifugal pump and various valves, dimensions: 1200 mm x 800 mm x 850 mm.	100
372	NN fans	Pallet with 2 fans, dimensions fans: 820 mm x 800 mm x 840 mm and 600 mm x 500 mm x 750 mm.	60
373	APV Rannie	APV Rannie homogenizer, serial number: 1.89.257, dimensions: 1470 mm x 850 mm x 1350 mm.	1000
374	NN suction device for rest film	S/s suction device for rest film, dimensions: 900 mm x 770 mm x 1400 mm.	80
375	APV	APV centrifugal pump, type: W+ 35/55 175, number: 3027850, year of construction: 2007, dimensions: 920 mm x 460 mm x 520 mm.	50
376	NN tank	S/s tank, dimensions: 1700 mm x 1150 mm x 1350 mm.	150
377	Maso	Maso process pumps, model: PAN-30/S, serial number: 9171286, dimensions: 750 mm x 700 mm x 780 mm.	100
379	Kameleon	Kameleon transport belt, s/s frame, plastic belt, belt width: 200 mm, total dimensions: 1630 mm x 550 mm x 1030 mm.	100
380	Foma	Foma s/s hose reel, number: 8524.200-100 bar, year of construction: 2008, inlet/outlet: 1/2", dimensions: 640 mm x 520 mm x 220 mm.	100
381	Soco System	Soco System roller conveyor, s/s frame, plastic rollers, roller width: 310 mm, total dimensions: 2000 mm x 370 mm x 1000 mm.	100
382	NN tank	S/s tank on mobile s/s frame, total dimensions: 540 mm x 540 mm x 1420 mm.	50
384	Asmico	Asmico s/s switch cabinet, dimensions: 760 mm x 310 mm x 760 mm.	50
385	NN charge container	Mobile s/s charge container for tumbler, dimensions: 1700 mm x 780 mm x 1870 mm.	100
386	Sancini		450



Nr	Title	Description	Start €
		Sancini product pump, machine: CP88.1/06/1.1, serial number: 9368, dimensions: 1700 mm x 980 mm x 2650 mm.	
387	NN hygiene trolley	S/s hygiene trolley, dimensions: 600 mm x 460 mm x 900 mm.	50
388	Protech	Protech cooking and smoking chamber for 2 trolleys, Tarber liquid smoke generator, dimensions smoke chamber: 2700 mm x 2200 mm x 3100 mm, dimensions smoke generator: 900 mm x 500 mm x 1800 mm, dimensions membrane pump and tub: Ø 600 mm x 950 mm, dimensions boiler: 700 mm x 550 mm x 1850 mm.	2000
389	Bongard	Bongard retarder proofer, type: BFC Retarder proofer chamber BFC/BFE, serial number: 9300000000056497, year of construction: 07/2017, 400-440 V, 3 Ph, 50/60 Hz, 12.20 A, 7.8 kW, weight: 533 kg, refrigerant: R404a / 2 kg, dimensions: 1540 mm x 1840 mm x 2000 mm.	900
390	Revent	Revent rotary oven, type: 724 EL, serial number: 17.2442.630, 380/400 V, 3 Ph, 50/60 Hz, 110-115 A, 71-78.3 kW, dimensions: 2400 mm x 1900 mm x 2200 mm.	2000
391	Modine	Modine evaporator, 5 fans, dimensions: 3100 mm x 1000 mm x 300 mm.	450
392	Modine	Modine evaporator, 5 fans, dimensions: 3100 mm x 1000 mm x 300 mm.	450
393	Modine	Modine evaporator, 5 fans, dimensions: 3100 mm x 1000 mm x 300 mm.	450
394	Modine	Modine evaporator, 5 fans, dimensions: 3100 mm x 1000 mm x 300 mm.	450
395	Modine	Modine evaporator, 5 fans, dimensions: 3100 mm x 1000 mm x 300 mm.	450
396	Emerson Copeland	Emerson Copeland condensing unit, model: ZXLE-075E-TFD-454, serial number: 20FZ37120M, year of construction: 2020-06-05, 380/420 V, 3 Ph, 50 Hz, 15.6 A, weight: 126 kg, refrigerant: R449a / 5.0 kg, dimensions: 950 mm x 410 mm x 1250 mm.	150
397	Emerson Copeland	Emerson Copeland condensing unit, model: ZXLE-075E-TFD-454, serial number: 19LZ33467 M, year of construction: 2019-12-03, 380/420 V, 3 Ph, 50 Hz, 15.6 A, weight: 126 kg, refrigerant: R449a / 5.0 kg, dimensions: 950 mm x 410 mm x 1250 mm.	150
398	Emerson Copeland	Emerson Copeland condensing unit, model: ZXLE-075E-TFD-454, serial number: 18EZ21091 M, year of construction: 2018-05-11, 380/420 V, 3 Ph, 50 Hz, 15.6 A, weight: 126 kg, refrigerant: R449a / 5.0 kg, dimensions: 950 mm x 410 mm x 1250 mm.	150
399	Emerson Copeland	Emerson Copeland condensing unit, model: ZXLE-075E-TFD-454, serial number: 19LZ33449 M, year of construction: 2019-12-03, 380/420 V, 3 Ph, 50 Hz, 15.6 A,	150



Nr	Title	Description	Start €
		weight: 126 kg, refrigerant: R449a / 5.0 kg, dimensions: 950 mm x 410 mm x 1250 mm.	
400	Emerson Copeland	Emerson Copeland condensing unit, model: ZXLE-075E-TFD-454, serial number: 18HZ231063 M, year of construction: 2018-08-11, 380/420 V, 3 Ph, 50 Hz, 15.6 A, weight: 126 kg, refrigerant: R449a / 5.0 kg, dimensions: 950 mm x 410 mm x 1250 mm.	150
401	NN cooling panels	Cooling panels for complete cooling room, dimensions room: 30 meter x 30 meter x 6 meter. Including 2 cooling doors, dimensions doors: 1400 mm x 2100 mm and 2720 mm x 2880 mm.	1500
402	NN pallet rack	Steel pallet rack, 10 rows, 1 row consisting of: 11 uprights and 40 beams, dimensions uprights: 1030 mm x 4000 mm, length beams: 2830 mm, total dimensions rows: (10x) 29000 mm x 1030 mm x 4000 mm.	750

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

