



**Industrial
Auctions**

**2272: Online auction machinery for the food industry at
former location Geertsen Vlees in Tegelen (NL)**

END DATE

10 September 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	10 September 2026 from 14:00 hrs.
Viewing days	08 September 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	17 September 2026 from 09:00 till 16:00 hrs.
Pick up address	Kaldenkerkerweg 5 5932 CS Tegelen Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Moor Filtertechniek	Moor Filtertechniek sodium removal system for water, type: Poseidon 8-2, serial number: 17171817, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 35 A, weight: 3000 kg, maximum operating temperature: 40 °C, maximum water temperature: 25 °C, water pressure min/max: 1.0-3.0 bar, total dimensions: 3900 mm x 1840 mm x 2250 mm.	2500
2	Moor Filtertechniek	Moor Filtertechniek sodium removal system for water, type: Poseidon 8-2, serial number: 20171070-1, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 35 A, weight: 3000 kg, maximum operating temperature: 40 °C, maximum water temperature: 25 °C, water pressure min/max: 1.0-3.0 bar, total dimensions: 3900 mm x 1840 mm x 2250 mm.	2500
3	Cintex	Cintex metal detector, model: Sentry, serial number: CXMD01-05960D, year of construction: 06-2007, 85-265 V, 50-60 Hz, clearance: 350 mm x 115 mm, plastic mesh belt, belt width: 305 mm, total dimensions: 1250 mm x 1000 mm x 1510 mm.	750
4	Loma Systems	Loma Systems metal detector, model: IQ3+E ST, serial number: QEU35-15-38270D, year of construction: 25-05-2017, 85-265 V, 50-60 Hz, 0.5-1.0 A, plastic belt, belt width: 285 mm, clearance: 350 mm x 120 mm, total dimensions: 800 mm x 800 mm x 1250 mm.	1500
5	OCS checkweighers GmbH / Ceia	OCS checkweighers GmbH checkweigher with Ceia metal detector, type checkweigher: HC, serial number: 1006008, year of construction: 2013, 230 V, 50 Hz, temperature range: +5/+40 °C, maximum weight: 450 gram, minimum weight: 100 gram, e=d= 0.5 gram, weighing speed: 250 pieces per minute, belt speed: 1.25 m/s, plastic belt, belt width: (2x) 195 mm, type metal detector: THS, serial number: 21000248041, clearance: 300 mm x 110 mm, total dimensions: 1600 mm x 850 mm x 1900 mm.	500
6	Cintex	Cintex metal detector, model: KH30, serial number: 82497, year of construction: 2003, 240 V, 50/60 Hz, plastic mesh belt, belt width: 305 mm, clearance: 360 mm x 125 mm, total dimensions: 1650 mm x 850 mm x 1150 mm.	750
7	Youngsunpack Europe	Youngsunpack Europe mobile box closing machine, type: MH-FJ-1AW, serial number: 210825CS2-655, year of construction: 08/2021, 220 V, 1 Ph, 50 Hz, 400 W, roller width: 680 mm, total dimensions: 1550 mm x 890 mm x 1700 mm.	500
8	VWS Nederland B.V.	VWS Nederland B.V. labelling machine, type: LP400 Gyro-R, model: 4.3/300, serial number: LP180801100-240 V, 50-60 Hz, 2 A, plastic belt, belt width: 475 mm, total dimensions: 1600 mm x 950 mm x 2250 mm.	750
9	Anritsu Corp.	Anritsu Corp. metal detector, type: KD8016AW, serial number: K 020379, 100-230 V, 1 Ph, 50/60 Hz, maximum product weight: 5 kg, plastic belt, belt width: 220 mm,	500



Nr	Title	Description	Start €
		clearance: 295 mm x 180 mm, total dimensions: 820 mm x 570 mm x 1380 mm.	
10	Cyklop	Cyklop box closing machine, model: CT-108SDF, serial number: C11026188, year of construction: 2012, 230 V, 50 Hz, roller width: 670 mm, total dimensions: 2000 mm x 950 mm x 2040 mm.	500
11	Hydroton	Hydroton hydraulic pump, type: H100-7/7/7-180(ID16537), serial number: 18972-16537 / 100728, working pressure: 180 bar, dimensions: 1000 mm x 500 mm x 850 mm.	500
12	VWS Nederland B.V.	VWS Nederland B.V. weighing belt, model: Octopus Automatic XL, serial number: 200312, year of construction: 2020, 230 V, 50-60 Hz, 10 A, plastic belt, belt width: 455 mm, total dimensions: 1450 mm x 720 mm x 1080 mm.	500
13	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 245 mm, total dimensions: 2150 mm x 950 mm x 990 mm.	500
14	NN elevating belt	Elevating belt on s/s frame, plastic mesh belt, belt width: 390 mm, elevating height: 450 mm, total dimensions: 1950 mm x 600 mm x 1340 mm.	300
15	Viscon B.V.	Viscon B.V. 180° curved conveyor on s/s frame, plastic mesh belt, belt width: 245 mm, total dimensions: 2300 mm x 1430 mm x 850 mm.	500
16	NN fork guard kerb barriers	Pallet with large amount of fork guard kerb barriers, dimensions: 165 mm x 100 mm, various lengths, total dimensions: 2000 mm x 1200 mm x 700 mm. Including crate with plugs, dimensions: 600 mm x 400 mm x 300 mm.	250
17	Kohlhoff	Kohlhoff hygiene station, type: HC Primus 2, machine number: 84418, year of construction: 2011, 230 V, 50 Hz, dimensions: 500 mm x 680 mm x 165 mm. Including: sink, paper dispenser, soap dispenser, shoe brush.	750
18	NN transport belt	Pallet with transport belt, s/s frame, plastic belt, belt width: 300 mm, belt dimensions: 1550 mm x 600 mm x 940 mm, total dimensions: 1180 mm x 1730 mm x 1140 mm. Including extra belts.	250
19	Taks Tuinbouwtechniek	Taks Tuinbouwtechniek weighing system used for crates, working width scale: 405 mm x 600 mm, plastic rollers, roller width: 405 mm, plastic belt, belt width: 400 mm, AllScales weighing scale, weighing range: 200 - 30.000 gram, e = 10 gram, total dimensions: 1300 mm x 950 mm x 1750 mm.	300
20	Taks Tuinbouwtechniek	Taks Tuinbouwtechniek weighing system used for crates, working width scale: 405 mm x 600 mm, plastic rollers, roller width: 405 mm, plastic belt, belt width: 400 mm, CAS weighing scale, type: BW-30, serial number: 021001789, year of construction: 10/2002, weighing range: 200 - 30.000 gram, e = 10 gram, total dimensions: 1300 mm x 950 mm x 1750 mm.	300
21	Taks Tuinbouwtechniek	Taks Tuinbouwtechniek weighing system used for crates, working width scale: 405 mm x 600 mm, plastic rollers,	300



Nr	Title	Description	Start €
		roller width: 405 mm, plastic belt, belt width: 400 mm, CAS weighing scale, type: BW-30, serial number: 021001787, year of construction: 10/2002, weighing range: 200 - 30.000 gram, e = 10 gram, total dimensions: 1300 mm x 950 mm x 1750 mm.	
22	Taks Tuinbouwtechniek	Taks Tuinbouwtechniek weighing system used for crates, working width scale: 405 mm x 600 mm, plastic rollers, roller width: 405 mm, plastic belt, belt width: 400 mm, CAS weighing scale, type: BW-30, serial number: 021001785, year of construction: 10/2002, weighing range: 200 - 30.000 gram, e = 10 gram, total dimensions: 1300 mm x 950 mm x 1750 mm.	300
23	Viscon B.V.	Viscon B.V. weighing station used for crates, Ohaus / Mettler Toledo weighing scale, model: D30BR, serial number: B851948239, capacity: 30 kg, working width: 450 mm x 600 mm, plastic rollers, roller width: 450 mm, belt width: 450 mm, total dimensions: 900 mm x 1350 mm x 2200 mm.	100
24	Viscon B.V.	Viscon B.V. weighing station used for crates, type: Weegtafel, serial number: 62675-11-1, year of construction: 2003, Ohaus / Mettler Toledo weighing scale, model: D30BR, serial number: B720142836, weighing range: 100 - 15.000 gram, working width: 450 mm x 600 mm, plastic rollers, roller width: 450 mm, belt width: 450 mm, total dimensions: 900 mm x 1350 mm	100
25	Viscon B.V.	Viscon B.V. weighing station used for crates, type: Weegtafel, serial number: 62675-11-6, year of construction: 2003, Weda weighing scale, type: DEXAL, serial number: 9982542, weighing range: 100 - 15.000 gram, working width: 450 mm x 600 mm, plastic rollers, roller width: 450 mm, belt width: 450 mm, total dimensions: 900 mm x 1350 mm	100
26	Viscon B.V.	Viscon B.V. weighing station used for crates, type: Weegtafel, serial number: 62675-11-4, year of construction: 2003, Weda weighing scale, type: DEXAL, serial number: 9982115, weighing range: 100 - 15.000 gram, working width: 450 mm x 600 mm, plastic rollers, roller width: 450 mm, belt width: 450 mm, total dimensions: 900 mm x 1350 mm	100
27	Viscon B.V.	Viscon B.V. weighing station used for crates, type: Weegtafel, serial number: 62675-11-5, year of construction: 2003, Weda weighing scale, type: DEXAL, serial number: 9982118, weighing range: 100 - 15.000 gram, working width: 450 mm x 600 mm, plastic rollers, roller width: 450 mm, belt width: 450 mm, total dimensions: 900 mm x 1350 mm	100
28	Viscon B.V.	Viscon B.V. weighing station used for crates, Ohaus / Mettler Toledo weighing scale, model: D30BR, serial	100



Nr	Title	Description	Start €
		number: B851948237, capacity: 30 kg, working width: 450 mm x 600 mm, plastic rollers, roller width: 450 mm, belt width: 450 mm, total dimensions: 900 mm x 1350 mm x 2200 mm.	
29	Metra	Metra s/s turning table, serial number: 110, year of construction: 1981, dimensions: Ø 1500 mm x 870 mm.	300
30	Odink & Koenderink	Odink & Koenderink fuse box, serial number: 30B21089, year of construction: 28/10/1992, dimensions: 980 mm x 840 mm x 240 mm. Including additional fuse box, dimensions: 900 mm x 330 mm x 190 mm. Technical condition unknown.	100
31	Smeva	Smeva cooling compressor rack, type: MX4H 37.0BTS-C, serial number: Ub227194PD, year of construction: 07/2007, 400 V, 3 Ph, 50 Hz, 16.92 kW, refrigerant: R507, 4 Copeland scroll compressors, model: ZB45KCE-TFD-551, total dimensions: 1200 mm x 800 mm x 1900 mm.	500
32	Brema	Brema ice storage, model: BIN200*G160-280-510-TM, year of construction: 2014, dimensions: 870 mm x 790 mm x 1130 mm.	200
33	Tesy	Tesy boiler, model: TESH EV 9 S 200 65 A, capacity: 195 liter, maximum temperature: 95 °C, weight: 75 kg, dimensions: Ø 700 mm x 1270 mm.	150
34	Torrex	Torrex X-Ray screening system, model: Torrex 2, serial number: Z058 / B041032, year of construction: 06/1991, inside dimensions: 740 mm x 630 mm x 330 mm, total dimensions: 960 mm x 790 mm x 1855 mm.	150
35	Koat B.V.	Koat B.V. roller conveyor, steel rollers, roller width: 700 mm, total dimensions: 2130 mm x 770 mm x 790 mm.	150
36	Koat B.V.	Koat B.V. roller conveyor, steel rollers, roller width: 700 mm, total dimensions: 2000 mm x 810 mm x 900 mm. Missing some rollers.	150
37	Bizerba	Bizerba weighing and labelling machine, type: GLM-I, serial number: 10216866, 230 V, 50 Hz, 2.4 A, weighing range: 20-6.000 gram, capacity: 60 pcs/min, plastic belt, belt width: (1x) 260 mm and (6x) 130 mm, total dimensions: 3900 mm x 1270 mm x 1400 mm.	3000
38	NN crate washer	Crate washer, rubber belt, belt width: 705 mm, clearance: 755 mm x 830 mm, total dimensions: 3900 mm x 1270 mm x 1400 mm. Incomplete, technical condition unknown.	500
39	KA-GE-Lyften	KA-GE-Lyften lifter for 200 liter meat bins, type: SKY 200 MKRT, serial number: 2565, elevating height: 1250 mm, total dimensions: 1550 mm x 1260 mm x 2500 mm.	1000
40	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 390 mm, total dimensions: 4050 mm x 450 mm x 80 mm.	50
41	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 290 mm, total dimensions: 3550 mm x 350 mm x 70 mm.	50
42	NN roller conveyor		200



Nr	Title	Description	Start €
		Various roller conveyors, roller width among others: 440 mm / 420 mm / 490 mm, total dimensions: 3050 mm x 800 mm x 1450 mm.	
43	NN roller conveyor system	Roller conveyor system, plastic rollers, roller width: 405 mm, total dimensions: 3050 mm x 870 mm x 850 mm.	300
44	NN roller conveyor	Various roller conveyors, plastic rollers, roller width among others: 435 mm / 340 mm / 320 mm / 390 mm, total dimensions: 2600 mm x 1400 mm x 1360 mm.	500
45	NN roller conveyor system	Roller conveyor system, plastic rollers, roller width: 445 mm / 495 mm, total dimensions: 2250 mm x 800 mm x 1400 mm.	500
46	TGW	TGW roller conveyor system, consisting of: (3x) 45° curved roller conveyor, steel rollers, roller width: 550 mm, (5x) roller conveyor, steel rollers, roller width: 550 mm, total dimensions: 2200 mm x 1000 mm x 1600 mm.	500
47	NN roller conveyor	Roller conveyor, steel rollers, roller width: 600 mm, total dimensions: 3510 mm x 700 mm x 900 mm.	200
48	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 770 mm, total length: approximately 7250 mm, total dimensions: 3000 mm x 820 mm x 220 mm.	100
49	NN roller conveyor	Roller conveyor system, plastic rollers, roller width: 410 mm, total dimensions: 3050 mm x 600 mm x 780 mm.	500
50	Haulotte Group	Haulotte Group lifting platform, type: STAR 6, serial number: ME109818, year of construction: 2012, 0.9 kW, weight: 810 kg, dimensions: 1550 mm x 750 mm x 1750. Technical condition unknown.	500
51	NN floor scrubbing machine	Floor scrubbing machine, type: X6, working width: approximately 550 mm, dimensions: 1350 mm x 600 mm x 1070 mm. Technical condition unknown.	50
52	CWZ	CWZ floor scrubbing machine, type: X2d, dimensions: 1200 mm x 450 mm x 950 mm. Incomplete, technical condition unknown.	50
53	Leventi	Leventi oven with hood, serial number: 989110022, inside dimensions: 550 mm x 620 mm x 820 mm, 6 floors, floor dimensions: 410 mm x 600 mm, total dimensions: 980 mm x 800 mm x 2080 mm. On s/s frame with 10 floors.	250
54	Leventi	Leventi oven, inside dimensions: 550 mm x 640 mm x 770 mm, 12 floors, floor dimensions: (12x) 410 mm x 555 mm, total dimensions: 980 mm x 850 mm x 1800 mm. On s/s frame with 10 floors.	250
55	NN showcase	Showcase for bread, 4 floors, floor dimensions: (4x) 920 mm x 600 mm, total dimensions: 1030 mm x 900 mm x 1950 mm.	50
56	Carrier	Carrier air conditioning unit with condenser, dimensions air conditioning: 970 mm x 970 mm x 300 mm, condenser dimensions: 940 mm x 680 mm x 350 mm, total dimensions: 1200 mm x 970 mm x 800 mm.	50
57	CWZ		50



Nr	Title	Description	Start €
		CWZ floor scrubbing machine, type: X2d, working width: approximately 500 mm, dimensions: 1250 mm x 550 mm x 960 mm. Incomplete, technical condition unknown.	
58	CWZ	CWZ floor scrubbing machine, type: X2d, working width: approximately 500 mm, dimensions: 1250 mm x 550 mm x 960 mm. Incomplete, technical condition unknown.	50
59	CWZ	CWZ floor scrubbing machine, type: X2d, working width: approximately 500 mm, dimensions: 1250 mm x 550 mm x 960 mm. Incomplete, technical condition unknown.	50
60	Well Land	Well Land floor scrubbing machine, type: FD86, working width: 850 mm, total dimensions: 1600 mm x 1050 mm x 1350 mm. Missing brushes, technical condition unknown.	100
61	CWZ	CWZ floor scrubbing machine, type: X2d, working width: approximately 500 mm, dimensions: 1250 mm x 550 mm x 960 mm. Incomplete, technical condition unknown.	50
62	Minerva Omega Group s.r.l	Minerva Omega Group s.r.l hamburger forming machine, type: Hamburgatrice, model: C/E653, serial number: 12E2117, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 2.1 A, 0.75 kW, weight: 59 kg, diameter form: 90 mm, total dimensions: 1400 mm x 1000 mm x 1070 mm. Incomplete.	250
63	Heinrich Frey Maschinenbau GmbH	Heinrich Frey Maschinenbau GmbH mobile sausage cutter, type: WS 400, year of construction: 2012, diameter infeed: 40 mm, total dimensions: 800 mm x 800 mm x 1400 mm.	1000
64	Rema Groupe	Rema Groupe floor scrubbing machine, model: jade 66, working width: 660 mm, total dimensions: 1400 mm x 1000 mm x 1070 mm. Technical condition unknown.	50
65	NN office drawer	Office drawer, dimensions: 260 mm x 780 mm x 540 mm.	5
66	Copeland	Copeland condenser, model: Easycool, type: OMQ-45D-TFD, serial number: 06H322957, dimensions: 1250 mm x 600 mm x 720 mm.	50
67	Bosch	Bosch refrigerator-freezer, inside dimensions: 540 mm x 450 mm x 780 mm and 480 mm x 450 mm x 620 mm, total dimensions: 600 mm x 600 mm x 1700 mm.	25
68	Bizerba	Bizerba checkweigher with top and bottom labeller, type: GLM-I, number: 11155857, 400 V, 3 Ph, 50 Hz 2.4 A, total dimensions: 3200 mm x 900 mm x 1100 mm.	3000
69	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, type: B 845, serial number: 295398 00000042, year of construction: 08-2010, 220-240 V, 50 Hz, 3.50 A, 510 W, refrigerant: R404A, dimensions: 1000 mm x 870 mm x 2100 mm.	50
70	Mitsubishi	Mitsubishi condenser, model: FDC250VS, serial number: F28400526RF, year of construction: 2012, 380-415 V, 3 Ph, 50 Hz, refrigerant: R410A, dimensions: 1000 mm x 350 mm x 1500 mm.	50
71	MIWE	MIWE electric oven on s/s mobile cabinet, type: EC 6.0604, serial number: 9604556, year of construction: 2007, 400/230 V, 3 Ph, 50 Hz, inside dimensions: 750 mm x 480 mm x 520 mm, 6 floors inside, 12 floors in cabinet, floor	100



Nr	Title	Description	Start €
		dimensions: (12x) 615 mm x 840 mm, total dimensions: 950 mm x 900 mm x 1900 mm.	
72	Rational	Rational mobile ClimaPlus Combi combi steamer, model: CPC 201, serial number: E21CD04021107117, 400 V, 3 Ph, 50-60 Hz, 38 kW, dimensions: 660 mm x 470 mm x 1540 mm.	1500
73	Krause	Krause mobile ladder, working height: 1660 mm, total dimensions: 1900 mm x 950 mm x 2650 mm.	100
74	W.V.S. Bvba	W.V.S. Bvba vertical bag form-, fill-, and seal machine, type: R08B175, serial number: 033R08B1750501, year of construction: 2005, pipe diameter: 150 mm, seal length: 265 mm, film width: 540 mm, total dimensions: 1400 mm x 1800 mm x 2400 mm. Including transport belt width dividers, plastic belt, belt width: 330 mm, divider height: 50 mm, distance between dividers: 95 mm / 195 mm, total dimensions: 1550 mm x 800 mm x 700 mm. Also including elevating belt with dividers, plastic belt, belt width: 315 mm, divider height: 100 mm, distance between dividers: 300 mm, elevating height: 2650 mm, total dimensions: 3600 mm x 650 mm x 1700 mm.	750
75	NN transport belt	Transport belt on s/s frame, plastic belt, belt width: 300 mm, total dimensions: 8100 mm x 500 mm x 950 mm.	500
76	NN roller conveyer	9 roller conveyors, plastic rollers, roller width: 290 mm, total dimensions: (9x) 3000 mm x 340 mm x 65 mm.	250
77	TGW	Pallet with approximately 22 TGW stands for conveyors, dimensions each: 415 mm x 180 mm x 750 mm, total dimensions: 1200 mm x 800 mm x 1050 mm.	100
78	Record	Record flowpacker, model: scorpion E, serial number: 09-02-120, year of construction: 2002, 380 V, 3 Ph, 50/60 Hz, 4000 W, plastic outfeed belt, belt width: 180 mm, infeed belt with dividers, divider height: 30 mm, distance between dividers: 340 mm, total dimensions: 5100 mm x 1400 mm x 2100 mm. Including box with parts.	1500
79	Record	Record flowpacker, model: Panda 1000, serial number: 03.96/196, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 4000 W, plastic outfeed belt, belt width: 200 mm, infeed belt with dividers, divider height: 40 mm, distance between dividers: 320 mm, total dimensions: 7500 mm x 1450 mm x 1700 mm.	1250
80	Maschinenbau Helmers GmbH	Maschinenbau Helmers GmbH box stacker, type: Kistenaufstapler, machine number: 1012307, year of construction: 2015, working width: 385 mm x 580 mm, total dimensions: 1720 mm x 1020 mm x 2900 mm.	100
81	Busch	Busch vacuum pump, type: RA 0100 F 503, serial number: D15190450, vmax: 100 m³/h, weight: 73 kg, dimensions: 700 mm x 400 mm x 300 mm.	100
82	Busch		250



Nr	Title	Description	Start €
		Busch vacuum pump, type: WP 1000 D 2V1 MYXX, serial number: C0244000475, year of construction: 2002, dimensions: 980 mm x 350 mm x 330 mm.	
83	Thomas Rietschle	Thomas Rietschle vacuum pump, type: VC 150 (20), serial number: 046007772170005, 4.0/4.8 kW, capacity: 150/180 m ³ /h, dimensions: 750 mm x 440 mm x 450 mm.	100
84	Busch	Busch vacuum pump, type: RA 0063 E 501, serial number: 527915/GMAU/PI, year of construction: 1998, capacity: 63 m ³ /h, dimensions: 620 mm x 420 mm x 300 mm.	150
85	Busch	Busch vacuum pump, type: RA 0100 F 503, serial number: D15301811, year of construction: 2015, Vmax: 100 m ³ /h, weight: 73 kg, dimensions: 700 mm x 380 mm x 280 mm.	150
86	Aquaforte	4 Aquaforte sieves, model: UltraSieve, dimensions: (2x) 680 mm x 380 mm x 950 mm and (2x) 370 mm x 640 mm x 1100 mm.	400
87	Aquafil	Aquafil filter, model: SmartpondFilter, filter width: 755 mm, total dimensions: 1200 mm x 1000 mm x 700 mm. Including extra filter rolls.	500
88	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 390 mm, dimensions each: 1810 mm x 440 mm x 70 mm, total dimensions: 1900 mm x 880 mm x 480 mm.	300
89	Grundfoss	Grundfoss centrifugal pump, type: CR64-3 A-F-A-E-HQQE, model: A96123533P1053318.5 kW, capacity: 64 m ³ /h, dimensions: 1600 mm x 530 mm x 610 mm.	500
90	Frigovent	Frigovent air curtain, type: FLC-AC 275, serial number: 44 983, 230 V, 5.2 A, 1.2 kW, dimensions: 3000 mm x 600 mm x 400 mm.	200
91	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: (18x) 20 mm, working width: 500 mm, total dimensions: 1700 mm x 1650 mm x 2070 mm.	500
92	NN UV sanitizer	UV sanitizer system, clearance: 340 mm x 70 mm, working width UV lights: (2x) 380 mm x 110 mm, missing belt, belt width: approximately 65 mm, total dimensions: 3150 mm x 900 mm x 1420 mm. Including infeed belt, dimensions: 3050 mm x 360 mm x 950 mm. Missing belt, technical condition unknown.	500
93	Ecoma / Handtmann	Ecoma dosing system, type: GPT6HS, serial number: 204455, year of construction: 2022, 400V, 50 Hz, 1 A, 0.5 kW, plastic belt, belt width: 80 mm, clearance: 120 mm x 200 mm, working width: approximately Ø 55 mm, with Handtmann external power supply unit, type: Externe Versorgungseinheit, model: 718, serial number: 23100210, year of construction: 2021, total dimensions: 2900 mm x 900 mm x 1740 mm. Including additional parts.	35000
94	NN double transport belt	Double transport belt on s/s frame, plastic mesh belt, belt width: 225 mm, total dimensions: 2450 mm x 1670 mm x 1100 mm.	500
95	Tavil		100



Nr	Title	Description	Start €
		Tavil elevating belt on s/s frame, belt width: approximately: 230 mm, elevating height: 450 mm, total dimensions: 3200 mm x 800 mm x 1400 mm. Missing belt.	
96	Tavil	Tavil 90° curved elevating belt on s/s frame, belt width: approximately: 230 mm, elevating height: 250 mm, total dimensions: 2600 mm x 1050 mm x 1100 mm. Missing belt.	100
97	Tavil	Tavil 90° curved elevating belt on s/s frame, belt width: approximately: 230 mm, elevating height: 600 mm, total dimensions: 2200 mm x 900 mm x 1400 mm. Missing belt.	100
98	NN transport belt	Transport belt with rejector, plastic belt, belt width: 430 mm, rejector width: 390 mm, total dimensions: 880 mm x 1150 mm x 650 mm.	100
99	Siat	Siat box closing machine, type: SK2-S, serial number: 50982, year of construction: 2006, 380 V, 3 Ph, 50 Hz, 1.08 A, 260 W, plastic belt, belt width (2x) 75 mm, total dimensions: 1200 mm x 760 mm x 1500 mm. Incomplete.	250
100	Nieros	Nieros sole cleaner, type: DR/1000, serial number: N3B47-13, year of construction: 11/2011, 400 V, 3 Ph, 50 Hz, 0.45 kW, brush length: (2x) 800 mm, total dimensions: 1900 mm x 800 mm x 1420 mm.	750
101	DEBAG	DEBAG double stacked oven, type: Dila 5, serial number: D 317091, year of construction: 11/2012, 400 V, 50 Hz, 14.5/16 A, 9.5 kW, inside dimensions: (2x) 700 mm x 440 mm x 440 mm, total dimensions: 1150 mm x 950 mm x 2100 mm.	150
102	Meiko	Meiko dishwasher, type DV 120 B, machine number: 58.795, 220 V, 3 Ph, 50 Hz, 38 A, 14 kW, inside dimensions: 520 mm x 520 mm, total dimensions: 850 mm x 800 mm x 1375 mm. Missing back panel.	100
103	NN infeed bunker	S/s infeed bunker, dimensions: 1000 mm x 1000 mm x 1050 mm.	20
104	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: (2x) 200 mm, total dimensions: 3000 mm x 1700 mm x 1120 mm.	200
105	Silver King	Silver King milk dispenser, model: SKMAJ2, serial number: SBED163572A, 230 V, 50 Hz, 1.4 A, refrigerant: 134A, inside dimensions: (2x) 290 mm x 260 mm x 500 mm, total dimensions: 720 mm x 440 mm x 1000 mm.	50
106	Silver King	Silver King milk dispenser, model: SKMAJ2, serial number: SBED163469A, 230 V, 50 Hz, 1.4 A, refrigerant: 134A, inside dimensions: (2x) 290 mm x 260 mm x 500 mm, total dimensions: 720 mm x 440 mm x 1000 mm.	50
107	Beelonia	Beelonia cooking vessel, dimensions inside: 1100 mm x 700 mm x 400 mm, total dimensions: 1530 mm x 1100 mm x 1150 mm.	400
108	Rühle	Rühle mobile traysealer, type: VR 1, number: 0149, year of construction: 2005, 230 V, 50 Hz, 1.5 kW, dye: 300 mm x 250 mm, total dimensions: 700 mm x 600 mm x 1700 mm.	500



Nr	Title	Description	Start €
109	MPE	MPE mobile traysealer, model: SL 1200, serial number: 1109, year of construction: 2013, 415 V, 3 Ph, 50 Hz, dimensions dye: 190 mm x 145 mm, total dimensions: 2750 mm x 780 mm x 1230 mm. Damaged.	300
110	NN cabinet for rejector	S/s cabinet for rejector, clearance: 295 mm x 245 mm, total dimensions: 450 mm x 330 mm x 1100 mm.	10
111	NN filter	Filter, dimensions pipe: Ø 65 mm Ø 50 mm and Ø 25 mm, total dimensions: 490 mm x 280 mm x 1600 mm.	15
112	Kronen	Kronen mobile vegetable slicer, type: SPIRELLO S021-1001, serial number: 021-023, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 0.3 kW, dimensions: 1000 mm x 600 mm x 1200 mm.	1800
113	Eillert B.V.	Eillert B.V. mobile slicer, type G3300, plastic belt, belt width: 240 mm, total dimensions: 2100 mm x 900 mm x 2250 mm. Kronen control system.	750
114	Nowicki	Nowicki injector, type: MH-280, number: 00501014, year of construction: 2001, 400 V, 3 Ph, 1.05 kW, weight: 1260 kg, clearance: 595 mm x 270 mm, s/s walking beam, total dimensions: 2800 mm x 1200 mm x 2150 mm. Including Nowicki filter tub, type: FBN-28012, number: 91601014, year of construction: 2001, 400 V, 3 Ph, weight: 185 kg, dimensions: 1880 mm x 800 mm x 850 mm and switch cabinet, dimensions: 1120 mm x 350 mm x 820 mm.	2000
115	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 2020 mm x 440 mm x 910 mm.	100
116	TBS-Pack GmbH	TBS-Pack GmbH mobile flow packer, model: FWH-400, serial number: 160229, 220 V, 3.2 kW, seal width: 200 mm, plastic belt, belt width: 180 mm, total dimensions: 3000 mm x 850 mm x 1520 mm.	1000
117	Alco Food Machines GmbH	Alco Food Machines GmbH mobile battering machine, type: ADT 400, serial number: 00707209, year of construction: 1998, 400 V, s/s mesh belt, belt width: 400 mm, total dimensions: 2300 mm x 1000 mm x 1200 mm.	600
118	Zoin Refrigerazione Srl	Zoin Refrigerazione Srl mobile refrigerated showcase, model: HILL 100, serial number: 0636/18, year of construction: 2018, 230 V, 50 Hz, refrigerant: R404/0.300 kg, dimensions: 1070 mm x 800 mm x 1300 mm.	100
119	Comenda	Comenda plate washer, type: LAV 1000, model: P1 13931/11/00, 380 V, 3 Ph, 50 Hz, 43 A, 28.84 kW, clearance: 385 mm x 35 mm, total dimensions: 2460 mm x 900 mm x 1950 mm.	300
120	Reepack	Reepack traysealer, model: REEFLEX, serial number: 0400050, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 21 A, dye: (1x) 290 mm x 225 mm, plastic rollers, roller width: 480 mm, total dimensions: 2300 mm x 900 mm x 1780 mm.	1000
121	NN bag-filling machine	Bag-filling machine, diameter filling pipe: 60 mm, clearance bag holder: 130 mm x 40 mm, total dimensions: 1100 mm x 900 mm x 1800 mm.	50



Nr	Title	Description	Start €
122	NN infeed bunker	S/s mobile infeed bunker, dimensions: 800 mm x 750 mm x 1400 mm.	25
123	SAS NIJAL	SAS NIJAL mobile twisting and cutting machine for sausages, machine: Torsadeuse Coupeuse Automatique, type: T14, serial number: 1680405, year of construction: AVR-05, dimensions: 1500 mm x 1200 mm x 1770 mm.	500
124	Fabbri Group	Fabbri Group packaging machine, model: Elix21-B.283.XS, serial number: 1/765, year of construction: 2017, 230 V, 1 Ph, 50/60 Hz, 8.7+1.3 A, weight: 170 kg, plastic string belt, belt width: 300 mm, plastic belt, belt width: 335 mm, total dimensions: 1000 mm x 1200 mm x 1350 mm.	2000
125	NN tank	S/s tank with 3 valves, dimensions: 1300 mm x 600 mm x 1000 mm.	50
126	Daikin	Daikin outside airco unit, model: RXM42N2V1B9, serial number: J006146, year of construction: 2019/04, dimensions: 900 mm x 370 mm x 750 mm.	50
127	NN cabinet	S/s mobile cabinet, dimensions: 800 mm x 800 mm x 900 mm.	10
128	Ganzhorn + Stirn	Ganzhorn + Stirn filling machine, number: 452.67, output: Ø 20, dimensions funnel: Ø 320 mm x 670 mm, total dimensions: 700 mm x 600 mm x 1800 mm.	50
129	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: Mustang, type: 0721, machine number: 072104.73231.0450, year of construction: 1987, 220/380 V, 50 Hz, 1.1/26 A, dimensions chamber: 105 mm x 105 mm, total dimensions: 1750 mm x 920 mm x 1150 mm.	1000
130	Alipack	Alipack labelling machine, serial number: ET 780, year of construction: 2002, 220 V, 50/60 Hz, dimensions: 900 mm x 850 mm x 1660 mm.	50
131	Hobart	Hobart mixer, inside dimensions: 400 mm x 400 mm x 350 mm, total dimensions: 1050 mm x 700 mm x 1500 mm.	500
132	Ziegra	Ziegra ice machine, type: ZBE 750 EV, serial number: 105484, 400 V, 3 Ph, 50 Hz, 6 A, refrigerant: R 404A, dimensions: 800 mm x 650 mm x 1570 mm.	400
133	Electrolux	Electrolux washing machine, model: W3105H, serial number: 00595/0001427, 400 V, 3 Ph, 50 Hz, 16 A, capacity: 10 kg, dimensions: 850 mm x 750 mm x 1250 mm.	300
134	Safeline/Mettler Toledo	Safeline/Mettler Toledo metal detector with rejector, model: V4-RAD, 100/240 Vac, 50/60 Hz, 350 W, plastic belt, belt width: 170 mm, clearance: 200 mm x 70 mm, total dimensions: 1600 mm x 950 mm x 1000 mm.	800
135	Hinst	Hinst complete stainless steel, electric heated, washing machine for machine parts, type: 2-Kammer-TS-Anlage number: 98416, year of construction: 1998, inside dimensions: (2x) 800 mm x 880 mm x 850 mm, total dimensions: 2300 mm x 1500 mm x 2200 mm.	300
136	S.A. Tiffon	S.A. Tiffon cooled grinder, number: 322, year of construction: 1988-6, Ø plate: 80 mm, total dimensions:	500



Nr	Title	Description	Start €
		530 mm x 450 mm x 550 mm. Including forming attachment.	
137	NN grinder	Cooled grinder, ø plate: 80 mm, total dimensions: 420 mm x 530 mm x 550 mm. Including forming attachment.	400
138	Karcher/Nederman	Karcher/Nederman high pressure cleaner with s/s hose reel and plastic hose, type Karcher: HD 6/16 ST-H, serial number: 011480, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 3.8 kW, weight: 88 kg, dimensions: 650 mm x 200 mm x 450 mm, with Nederman hose reel and spray pistol, year of construction: 2016, number: 00/09/45, dimensions: 500 mm x 250 mm x 650 mm.	50
139	Alco	Alco mobile steaker, type: ASC 1000 N, serial number: 01748225, year of construction: 2014, 400 V, 50 Hz, 4 kW, weight: 380 kg, s/s mesh belt, belt width: 1600 mm x 1300 mm x 1250 mm.	1500
140	Karcher/Rapid	Karcher/Rapid high pressure cleaner with s/s hose reel and plastic hose, type Karcher: HD 6/16 ST-H, serial number: 011480, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 3.8 kW, weight: 88 kg, dimensions: 750 mm x 600 mm x 500 mm, with Rapid hose reel and spray pistol: 9.20.08/E 09 022, year of construction: 2000, number: 00/09/45, dimensions: 6540 mm x 200 mm x 450 mm.	50
141	Wiesheu GmbH	Wiesheu GmbH mobile oven with hood, type: B8E2TS200, serial number: 98098, year of construction: 2004-06, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.4 kW, 8 floors, floor dimensions: 600 mm x 400 mm, total dimensions: 1150 mm x 950 mm x 2050 mm.	200
142	Sagi	Sagi mobile refrigerator, dimensions inside: (2x) 650 mm x 535 mm, total dimensions: 1500 mm x 820 mm x 2020 mm.	250
143	DEBAG	DEBAG double stacked oven, type: Dila 5, serial number: D 301967/D 301968, year of construction: 01/2014, 400 V, 50 Hz, 14.5/16 A, 9.5 kW, inside dimensions: (2x) 700 mm x 440 mm x 440 mm, total dimensions: 1150 mm x 950 mm x 2100 mm.	200
144	Fri-jado	Fri-jado rotisserie grill on s/s cabinet, model: STG5-P, serial number: 100060677, 230/400 V, 50/60 Hz, 9 A, 6100 W, dimensions: 850 mm x 730 mm x 1600 mm.	100
145	NN table	Aluminium table, dimensions: 500 mm x 500 mm x 850 mm.	5
146	NN tub	S/s mobile tub, inside dimensions: 1500 mm x 700 mm x 350 mm, total dimensions: 1650 mm x 760 mm x 730 mm.	250
147	Vakona	Vakona mobile tiltable vacuum mixer, type: 125 LBH, number: 2662, year of construction: 1984, 380 V, 50 Hz, 1.95/ 1.1 A, 0.37 kW, inside dimensions: Ø 590 mm x 470 mm, total dimensions: 920 mm x 720 mm x 1300 mm.	200
148	Zanolli	Zanolli mobile tunnel oven, model: Synthesis 12/100 VE/ MC DIG, serial number: 16074668, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 73 A, 44.8 kW, weight: 468 kg, s/s	2400



Nr	Title	Description	Start €
		belt, belt width: 1000 mm, clearance: 1000 mm x 70 mm, total dimensions: 2500 mm x 1800 mm x 1250 mm.	
149	NN hose reel	Hose reel with hose, dimensions: 800 mm x 600 mm.	50
150	Adelmann	S/s mobile tub with large amount Adelmann ham moulds, number: 720, mould dimensions: 250 mm x 165 mm x 130 mm, total dimensions tub: 1250 mm x 920 mm x 150 mm.	150
151	L'unite Hermetique	L'unite Hermetique cooling compressor, model: TAJ4519T HR, 380/440 V, 3 Ph, 50/60 Hz, refrigerant: R22/R502, dimensions: 650 mm x 520 mm x 1020.	150
152	CombiSteel	CombiSteel slicer, model: 7455.0145, serial number: 202212056, 230 V, 50 Hz, 150 W, dimensions: 500 mm x 370 mm x 400 mm.	150
153	Visel	Visel 2-digit electronic display, model: TD2, serial number: 67, year of construction: 08/2018, dimensions: 320 mm x 250 mm x 120 mm. Including 3 controllers.	2
154	Safescan	Safescan counterfeit money detector, model: 155-S, 12 V, 1 A, 10 W, dimensions: 170 mm x 130 mm 80 mm.	5
155	Cashmaster	Cashmaster weighing scale for money, serial number: 165/12219, dimensions: 300 mm x 180 mm x 150 mm.	5
156	NN table	S/s table with plate top, dimensions: 1500 mm x 2530 mm x 900 mm.	450
157	Phillips	Phillips gas discharge lamp, type: HDK 400 1C, serial number: 9102 512 415, 230 V, 50 Hz, 2 A, 400 W, dimensions: Ø 525 mm x 460 mm.	10
158	Canon	Canon printer, type: K30354, 100/240 V, 0.55 A, 50/60 Hz, dimensions: 460 mm x 370 mm x 160 mm.	10
159	JSP	5 safety caps	10
160	NN transport belt	Transport belt, plastic belt, belt width: 290 mm, total dimensions: 4350 mm x 500 mm x 600 mm.	300
161	Combisteel	Combisteel refrigerated showcase, model: 7450.0815, serial number: 21080377, 230 V, 50 Hz, 3.9 A, 710 Watt, refrigerant: R290, net weight: 275 kg, dimensions shelf: (1x) 1950 mm x 300 mm, (1x) 1950 mm x 390 mm, total dimensions: 2020 mm x 700 mm x 1200 mm.	150
162	NN chainmail apron	S/s chainmail apron.	50
163	Espera	Espera labelling machine, model: ES 7000, model labeller: ESD 504, plastic belt, belt with: (2x) 145 mm, total dimensions: 2000 mm x 750 mm x 1800 mm. Including Espera control panel, model: ESC 964 and 2 frames for control panel, model: ESV 104, dimensions: (2x) 680 mm x 470 mm x 1100 mm and (1x) 680 mm x 470 mm x 1370 mm.	700
164	Creemers Compressors BV	Creemers Compressors BV air compressor with air dryer, model: EDU 1415, type: 406, serial number: 013/15020/57, refrigerant: R134a, 220-230 V, 1 Ph, 50 Hz, 0.28 kW, dimensions: 580 mm x 450 mm x 550 mm.	50



Nr	Title	Description	Start €
165	Airpress	Airpress mobile compressor, model: HL 310-25, serial number: 3850270, year of construction: 2021, 230 V, 50 Hz, 6 A, 1.5 kW, volume: 24 liter, weight: 27 kg, dimensions: 600 mm x 250 mm x 550 mm.	200
166	AuVeSo	AuVeSo checkweigher, type: UES - 6 / K, number: 120301, year of construction: 2012, minimum weight: 100 gram, maximum weight: 800 gram, target weight: 2000 gram till 10000 gram, capacity: 100 per minute, temperature: 10 till 40° Celsius, 6 bar, 230/400 V, 50 Hz, 6 A, plastic belt, belt width: 200 mm, total dimensions: 1000 mm x 700 mm x 1700 mm. Technical condition unknown.	50
167	Amitek	Amitek saladette, model: Saladette AK300S GN1/6, serial number: 28070379, year of construction: 2018, 230 V, 1 Ph, 50 Hz, weight: 122 kg, temperature: 2-8 °C, dimensions inside: (3x) 590 mm x 335 mm, total dimensions: 1370 mm x 700 mm x 1000 mm.	100
168	NN aluminium rack	Aluminium rack, 4 floors, dimensions: 440 mm x 1900 mm x 1780 mm.	20
169	NN tub	Mobile s/s tub, inside dimensions: 990 mm x 2000 mm x 600 mm, total dimensions: 1070 mm x 760 mm x 800 mm.	250
170	Pimak	Pimak chicken grill on mobile table, model: M006, year of construction: 2023, 400 V, 50/60 Hz, 7 kW, dimensions table: 1200 mm x 700 mm x 850 mm, dimensions grill: 1070 mm x 610 mm x 940 mm. Vacuum machine and crate not included.	200
171	Digi/Tereoka Seiko Co. LTD	Digi/Tereoka Seiko Co. LTD weigh-, wrap- and label machine, model: AW-4600 FX, serial number: 13164829, year of construction: 2013, 380/440 V, 3 Ph, 50/60 Hz, 0.9 kW, min 20 g, max 3/6 kg, e=1/2g, dimensions: 950 mm x 930 mm x 1450 mm.	500
172	Hobeka	Hobeka mixer, dimensions inside: ø 550 mm x 400 mm, total dimensions: 780 mm x 720 mm x 1220 mm.	500
173	NN rack	Mobile s/s rack, (3x) 3 floors, floor dimensions: 615 mm x 420 mm, total dimensions: 635 mm x 1400 mm x 1300 mm.	50
174	NN rack	Mobile s/s rack, (3x) 5 floors, dimensions: 630 mm x 1400 mm x 1630 mm.	50
175	NN rejector belt	Rejector belt on s/s frame, clearance: 250 mm x 105 mm. Missing belt.	100
176	NN table with plastic top	S/s table with plastic top, dimensions: 600 mm x 1500 mm x 880 mm.	100
177	NN transport belt	S/s mobile transport belt, dimensions: 3600 mm x 550 mm x 950 mm. Incomplete, belt and motor are missing.	300
178	C.M.I.A. - BODSON	C.M.I.A. - BODSON mobile skinning machine, type: D112, serial number: 327, year of construction: 11-06-82, 220/380 V, working width: 440 mm, total dimensions: 710 mm x 450 mm x 1000 mm. Incomplete.	250
179	Leventi	Leventi mobile bread oven, type: bakermatic, serial number: 07110078, year of construction: 2007, 380/415 V,	100



Nr	Title	Description	Start €
		3 Ph, 50/60 Hz, 6.5 kW, dimensions: 1700 mm x 850 mm x 1500 mm.	
180	NN plates	S/s roll container with large amount of plates.	50
181	NN rack	Mobile s/s rack, 10 floors, dimensions floors: (10x) 615 mm x 410mm, total dimensions: 630 mm x 945 mm x 1630 mm.	50
182	Reich	Reich bandsaw, type: UNIVERSAL 300, number: 300 1229, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 2.5 kW, 5.3 A, dimensions: 800 mm x 700 mm x 1630 mm.	750
183	Scholl	Scholl mobile heaters trolley with au bain-marie, dimensions: 620 mm x 1300 mm x 1000 mm.	40
184	Eltra	Eltra mobile cooking vessel, inside dimensions: Ø 530 mm x height: 540 mm, total dimensions: 800 mm, 700 mm, 950 mm.	500
185	KOMET TS 100	KOMET mobile traysealer, type: TS 100, machine number: 331 00220 19, year of construction: 2019, 400 V, 3Ph, 50 Hz, 3,5 kW, film width: 420 mm, total dimensions: 940 mm x 650 mm x 1540 mm.	2000
186	NN table	S/s table, dimensions: 600 mm x 1200 mm x 830 mm.	200
187	Alto-Shaam	Alto-Shaam combi steamer, 7 floors, dimensions each floor: 540 mm x 330 mm, total dimensions: 950 mm x 900 mm x 1650 mm.	500
188	MCM	MCM rotisserie grill, model: BD46, serial number: 16-34, 400 V, 50 Hz, 6.9 kW, dimensions: 800 mm x 940 mm x 890 mm.	150
189	Multivac	Multivac mobile mob dip tank, type: SE60, serial number: 104882, year of construction: 2005, 400 V, 50 Hz, 3 Ph, 9 kW, 14 A, inside dimensions: 400 mm x 600 mm x 340 mm, total dimensions: 800 mm x 720 mm x 1230 mm.	1500
190	NN tub	S/s tub, inside dimensions: 1300 mm x 905 mm x 700 mm, total dimensions: 1360 mm x 970 mm x 830 mm.	200
191	NN tub	Mobile s/s tub, inside dimensions: 1300 mm x 590 mm x 400 mm, total dimensions: 1400 mm x 650 mm x 580 mm.	200
192	NN apron washer	Apron washer with s/s apron hanger, dimensions: 600 mm x 1055 mm x 1830 mm.	200
193	Tenderstar	Tenderstar mobile tenderizer, model: T.S.E., serial number: 200296, year of construction: 2000, 220/380 V, 3 Ph, 50 Hz, 6.4/3.7 A, 0.9 kW, working width: 400 mm, total dimensions: 920 mm x 850 mm x 1790 mm.	300
194	Krups	Krups hand mixer, type: GN5021, dimensions box: 170 mm x 260 mm x 200 mm.	10
195	Tristar	Tristar coffee machine, type: CM-1244, dimensions box: 220 mm x 240 mm x 510 mm.	2
196	Tarrington House	Tarrington House raclette grill, type: RG2081 RE, 230 V, 50 Hz, 2000 W, dimensions box: 200 mm x 620 mm x 320 mm.	20
197	NN rack	Mobile s/s rack, 5 floors, floor dimensions: (5x) 630 mm x 520 mm, total dimensions: 650 mm x 580 mm x 1370 mm.	100
198	NN tub		200



Nr	Title	Description	Start €
		Mobile s/s tub, inside dimensions: 1450 mm x 630 mm x 400 mm, total dimensions: 1610 mm x 700 mm x 880 mm.	
199	NN filling machine	3 heads mobile filling machine, 3 funnels, dimensions funnel: Ø 200 mm x 500 mm, diameter output: 20 mm, total dimensions: 1220 mm x 950 mm x 1800 mm.	250
200	Regal	Regal denester with vibration gutter, type: 14000, serial number: 139, year of construction: 9-98, 240 V, 1 Ph, 50 Hz, dimensions gutter: (2x) 360 mm x 70 mm, dimensions funnel output: 90 mm x 90 mm x 230 mm, dimensions funnel input: 40 mm x 30 mm x 450 mm, total dimensions: 1200 mm x 600 mm x 2100 mm.	250
201	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH warming cabinet, type: HBB10K-02, serial number: HBB10-0116-0099, year of construction: 2016, 230 V, 1 Ph, 50/60 Hz, 11.5 A, 2.65 kW, 10 floors, dimensions each floor: 600 mm x 410 mm, total dimensions: 850 mm x 750 mm x 1720 mm.	100
202	NN tub	Mobile s/s tub, inside dimensions: 1300 mm x 600 mm x 400 mm, total dimensions: 1370 mm x 660 mm x 820 mm.	200
203	NN frame	S/s frame, dimensions: 970 mm x 500 mm x 1215 mm.	20
204	Gamko	Gamko refrigerated cabinet, type: GM/212MU, year of construction: 2011, 220-240 V, 50 Hz, 3.8 A, refrigerant: R134A, dimensions: 1700 mm x 580 mm x 860 mm.	75
205	Mobepack Sistem	Mobepack Sistem knife sharpener, model: 11G-40, serial number: 04-01-092, year of construction: 2005, 380 V, 1 Ph, weight: 80 kg, dimensions: 600 mm x 570 mm x 800 mm. Incomplete.	20
206	Betec	Betec au bain-marie, dimensions inside: 700 mm x 510 mm x 230 mm, total dimensions: 900 mm x 850 mm x 850 mm.	75
207	Imerial-Werke GmbH	Imerial-Werke GmbH 4-pits stove with oven, type: EHWF4010, fabrication number: 132/8310, year of construction: 1983, 380 V, 16000 Watt, electric heated, dimensions: 900 mm x 750 mm x 860 mm.	25
208	NN autoclave	Autoclave, inside dimensions: 500 mm x 400 mm x 330 mm, diameter rings: 100 mm, total dimensions: 700 mm x 500 mm x 860 mm.	100
209	Bizerba	Bizerba slicer on s/s table, dimensions: 800 mm x 800 mm x 1400 mm.	300
210	Moduline	Moduline mobile oven, type: RB051E, number: 130854002E, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 5 floors, dimensions each floor: 535 mm x 390 mm, total dimensions: 810 mm x 780 mm x 1640 mm.	100
211	Rhewa	Rhewa weighing scale, min: 40/100 g, max: 6/15 Kg, e=2/5 g, dimensions scale: 500 mm x 400 mm, total dimensions: 500 mm x 470 mm x 700 mm. Defect.	10
212	MK	MK mobile labelling machine, type: VST 2011-H-G, number: 200414103805001, year of construction: 20/07/2004, dimensions: 1250 mm x 900 mm x 1900 mm.	100
213	Tool-Temp		40



Nr	Title	Description	Start €
		Tool-Temp temperature control unit, type: TT-162 E, serial number: 25-05688-4, (3x) 380/415 V, 50 Hz, 12'850 Watt, dimensions: 600 mm x 305 mm x 710 mm.	
214	D&T Products	D&T Products coffee machine, type: FD520, 230 V, 50 Hz, 2800 W, 6 bar, dimensions: 450 mm x 360 mm x 700 mm.	5
215	Grassair	Part for Grassair dryer, type: ADC-SFX, serial number: 1057367/1, year of construction: 2000, 230 V, 50-60 Hz, dimensions: 340 mm x 340 mm x 100 mm.	20
216	Tool-Temp	Tool-Temp temperature control unit, type: TT-157 E, serial number: 24-04522-10, (3x) 380/415 V, 50 Hz, 9'850 Watt, dimensions: 610 mm x 230 mm x 525 mm.	50
217	Wiesheu GmbH	Wiesheu GmbH mobile oven, 6 floors, dimensions each floor: 530 mm x 320 mm, total dimensions: 910 mm x 800 mm x 1650 mm.	100
218	NN paraffin bath	Mobile paraffin bath, dimensions: 1250 mm x 600 mm x 1050 mm.	25
219	Bizerba	Bizerba slicer, type: SE 12 US, number: 10564281, year of construction: 2009, dimensions: 700 mm x 500 mm x 650 mm.	150
220	J&J service AB	J&J service AB mobile elevating belt, number: 1080, year of construction: 2020, plastic belt with dividers, belt width: 210 mm, dividers height: 60 mm, distance between dividers: 300 mm, elevating height: 1900 mm, total dimensions: 1550 mm x 600 mm x 1960 mm.	1600
221	DIVUS	DIVUS scale and scanner, dimensions scale: 300 mm x 270 mm x 100 mm, total dimensions: 630 mm x 600 mm x 1700 mm.	25
222	NN battering machine	Mobile battering machine, s/s mesh belt, belt width: 400 mm, total dimensions: 1500 mm x 900 mm x 1340 mm.	1500
223	Sayl	Sayl showcase, model: 24 TP1051C, 230 V, 50 Hz, 1.5 A, dimensions inside: (8x) 170 mm x 150 mm, total dimensions: 800 mm x 700 mm x 250 mm.	60
224	Sayl	Sayl showcase, model: 24 TP1052C, 230 V, 50 Hz, 1.5 A, dimensions inside: (8x) 170 mm x 150 mm, total dimensions: 800 mm x 700 mm x 250 mm.	60
225	Brüel	Pallet box with parts for Brüel crate washer.	10
226	Neuruppin/ Heimlich/Gloria	Large amount of Neuruppin/Heimlich/Gloria fire extinguishers on pallet.	10
227	Weber	Parts for Weber thermoformer, dimensions: (3x) 800 mm x 400 mm x 470 mm.	50
228	Brüel	Pallet box with parts for Brüel crate washer.	10
229	Kreyenborg GmbH	Kreyenborg GmbH screen changer, type: K-SWE-050, machine number: 18489/A, year of construction: 1999, dimensions: 1200 mm x 600 mm x 1650 mm.	25
230	Pulsar	Pulsar mobile diaphragm metering pump, model: 25HJ, serial number: F457752-1, max capacity: 1.3 liter per hour,	25



Nr	Title	Description	Start €
		max pressure: 17.2 bar, dimensions: 1300 mm x 600 mm x 1200 mm.	
231	PI Electronique	PI Electronique label printer, type: TP16A, number: 109050501175, dimensions: 215 mm x 140 mm x 150 mm.	10
232	Jac	Jac mobile bread slicer, model: SLD 450/10, machine number: 11/0154/01, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 41 knives, distance between knives: 11 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	250
233	Kärcher	Kärcher floor scrubbing machine, type: BD 550, number: 014635, year of construction: 1998, 230 V, 1 Ph, 50 Hz, 1900 W, 16 A, dimensions: 1400 mm x 800 mm x 1100 mm. Missing brush.	200
234	Jac	Jac mobile bread slicer, model: SLD 450/10, machine number: 08/3645/01, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 41 knives, distance between knives: 10 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	250
235	Nilfisk	Nilfisk vacuum cleaner, dimensions: 700 mm x 700 mm x 1230 mm.	5
236	NN sandblaster	10 gallon sandblaster, model: XH-T1010, serial number: T11602-023, year of construction: 2016, dimensions: 500 mm x 500 mm x 900 mm.	10
237	Kärcher	Kärcher floor scrubbing machine, type: BD 450 BAT, number: 010343, year of construction: 1994, 24 V, 950 W, dimensions: 1200 mm x 700 mm x 900 mm. Missing brush.	50
238	Reima	Reima floor scrubbing machine, dimensions: 1150 mm x 500 mm x 1100 mm.	150
239	NN grinder	Mobile s/s grinder, model: JY42, number: 250726, weight: 120 kg, 220 V, 4 kW, plate diameter: 130 mm, total dimensions: 1100 mm x 610 mm x 910mm. Never used.	750
240	NN grinder	Mobile s/s grinder, model: JY52, number: 250726, weight: 150 kg, 220 V, 5,5 Kw, plate diameter: 130 mm, total dimensions: 1100 mm x 650 mm x 960 mm. Never used.	750
241	Burlodge	Burlodge hostess cart, serial number: BLC 104014, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 12 A, 7400 W, refrigerant: R134a/300 g, dimensions: 750 mm x 800 mm x 1450 mm.	20
242	Brüel	4 crates with parts for Brüel crate washer.	10
243	Brüel	Parts for Brüel crate washer, among others 60 meters of plastic chain.	10
244	Burlodge	Burlodge hostess cart, serial number: BLC 104018, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 12 A, 7400 W, refrigerant: R134a/300 g, dimensions: 750 mm x 800 mm x 1450 mm.	20
245	BBC Technologies	BBC Technologies mobile denester, model: 30581, serial number: 117538, dye: 150 mm x 120 mm, total dimensions: 1750 mm x 1040 mm x 1540 mm.	250



Nr	Title	Description	Start €
246	Höfelmeyer	Höfelmeyer indicator for weighing scale, model: HKW2843HE-C7.55-A-3.75-S, serial number: 6113276, year of construction: 2018, 400 V, 50 Hz, 1.55 kVA, weighing range: 150 gram - 2500 gram, dimensions: 800 mm x 870 mm x 1850 mm.	50
247	Christen & Co.	Christen & Co. mobile weighing scale, type: 3G, maximum capacity: 150 kg, dimensions scale: 600 mm x 660 mm, total dimensions: 900 mm x 630 mm x 2040 mm.	25
248	NN tub	S/s tub, inside dimensions: 1300 mm x 905 mm x 700 mm, total dimensions: 1360 mm x 970 mm x 830 mm.	200
249	NN tub	S/s tub, inside dimensions: 1300 mm x 905 mm x 700 mm, total dimensions: 1360 mm x 970 mm x 830 mm.	200
250	NN tub	Mobile s/s tub, inside dimensions: 1360 mm x 605 mm x 460 mm, total dimensions: 1500 mm x 680 mm x 881 mm.	200
251	NN tub	Mobile s/s tub, inside dimensions: 1400 mm x 790 mm x 200 mm, total dimensions: 1540 mm x 840 mm x 900 mm.	200
252	NN tub	Mobile s/s tub, inside dimensions: 1900 mm x 800 mm x 420 mm, total dimensions: 2050 mm x 860 mm x 930 mm.	200
253	NN tub	Mobile s/s tub, inside dimensions: 1290 mm x 600 mm x 400 mm, total dimensions: 1400 mm x 670 mm x 880 mm.	200
254	NN tub	Mobile s/s tub, inside dimensions: 1330 mm x 720 mm x 350 mm, total dimensions: 1400 mm x 750 mm x 920 mm.	200
255	NN tub	Mobile s/s tub, inside dimensions: 1560 mm x 700 mm x 350 mm, total dimensions: 1700 mm x 750 mm x 800 mm.	200
256	NN tub	Mobile s/s tub, inside dimensions: 1570 mm x 700 mm x 350 mm, total dimensions: 1700 mm x 750 mm x 800 mm.	200
257	NN tub	Mobile s/s tub, inside dimensions: 1430 mm x 600 mm x 300 mm, total dimensions: 1600 mm x 650 mm x 830 mm.	200
258	NN conveyor parts	Pallet with conveyor parts, of which among others a plastic mesh belt, belt width: 250 mm, total dimensions: 1200 mm x 800 mm x 500 mm.	100
259	Foss Analytical A/S	Foss Analytical A/S food analyser, model: FoodScan, type: 77810, serial number: 0508200504, 100-240 V, 50-60 Hz, 2.0 A, dimensions: 560 mm x 420 mm x 500 mm.	500
260	Weber / Textor	Pallet with Textor and Weber parts, dimensions: 1200 mm x 800 mm x 400 mm.	500
261	Multivac	Multivac labelling machine, type: L300, serial number: 212455, year of construction: 2015, 230 V, 50 Hz, plastic belt, belt width: (2x) 135 mm, working width: 280 mm, with Zodiac thermal transfer overprinter, type: Zodiac HS, total dimensions: 1050 mm x 1270 mm x 1760 mm.	1500
262	NN transport belt	Transport belt, plastic belt, belt width: 480 mm, total dimensions: 1300 mm x 1150 mm x 820 mm.	100
263	NN transport belt	Transport belt, plastic belt, belt width: 480 mm, total dimensions: 1300 mm x 850 mm x 820 mm.	100
264	NN transport belt	Transport belt, plastic belt, belt width: 500 mm, total dimensions: 1320 mm x 780 mm x 850 mm..	100



Nr	Title	Description	Start €
265	Zomerdam	Zomerdam inliner, serial number: 9264-100-L-4X3, year of construction: 2005, 380 V, 5 A, 1.9 kW, plastic belts, belt width: (4x) 105 mm / (4x) 80 mm, (1x) 560 mm, total dimensions: 2300 mm x 700 mm x 1200 mm	500
266	BluePrint Automation	BluePrint Automation elevating belt, plastic belt, belt width: 430 mm, elevating height: 120 mm, total dimensions: 1050 mm x 750 mm x 720 mm.	50
267	Loma Systems	Loma Systems metal detector, model: Blue IQ3+ ST, serial number: QPB35-15-35672D, year of construction: 24/11/2016, 110-240 V, 1 Ph, 50-60 Hz, 0.5-1.0 A, plastic belt, belt width: 290 mm, clearance: 30 mm x 120 mm, total dimensions: 950 mm x 800 mm x 1250 mm.	1500
268	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 200 mm, total dimensions: 1900 mm x 800 mm x 650 mm.	100
269	NN tub	S/s tub, inside dimensions: 1200 mm x 960 mm x 720 mm, total dimensions: 1270 mm x 1010 mm x 870 mm.	150
270	NN tub	S/s tub, inside dimensions: 1200 mm x 960 mm x 720 mm, total dimensions: 1270 mm x 1010 mm x 870 mm.	150
271	NN tub	S/s tub, inside dimensions: 1200 mm x 960 mm x 720 mm, total dimensions: 1270 mm x 1010 mm x 870 mm.	150
272	Multivac	Multivac transport belt, year of construction: 1988, number: 0429205880320, plastic belt, belt width: 245 mm, total dimensions: 1050 mm x 480 mm x 800 mm.	50
273	Spako	Spako smoking chamber, inside dimensions: 950 mm x 720 mm x 1380 mm, 7 floors, floor dimensions: 810 mm x 665 mm, total dimensions: 1050 mm x 480 mm x 800 mm.	1000
274	Wiegand	Wiegand binding machine, type: Rollmatic, serial number: R 20 E/ 043302, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 1 kW, diameter: 190 mm, total dimensions: 625 mm x 850 mm x 1300 mm.	500
275	Mobile Containing	Mobile Containing mobile plate dispenser, serial number: 135851, year of construction: 2008, plate dimensions: Ø 190-240 mm, total dimensions: 570 mm x 500 mm x 1020 mm.	50
276	Henkovac	Henkovac mobile vacuum machine, type: H 2000, serial number: 203067717, 220-380 V, 8.7-8.9 A, 2.5 kW, seal length: (2x) 500 mm, chamber dimensions: 500 mm x 510 mm, with Busch vacuum pump, type: 063-122, serial number: 240701, total dimensions: 690 mm x 590 mm x 1120 mm.	500
277	Röscherwerke GmbH	Röscherwerke GmbH mobile tiltable vacuum tumbler, model: Röschermatic, type: MM 300, serial number: 705 0047, 380/220 V, 50 Hz, 1.5 kW, inside dimensions: Ø 670 mm x 660 mm, total dimensions: 1000 mm x 850 mm x 1640 mm. Without vacuum pump. Including agitator.	500
278	Spako	Spako cooking kettle, type: R2001, serial number: 12939, year of construction: 1989, fuel: gas, inside dimensions: Ø	400



Nr	Title	Description	Start €
		700 mm x 520 mm, total dimensions: 1250 mm x 950 mm x 1030 mm.	
279	Pökomat	Pökomat mobile injector, plastic belt, belt width: 260 mm, 9 needles, total dimensions: 1300 mm x 500 mm x 1700 mm.	400
280	Hydac	Hydac hydraulic pump, type: 71B4 3287255, serial number: 08-2753090, dimensions: 420 mm x 300 mm x 220 mm.	100
281	Multivac	Multivac sous vide device, type: MV1-27, serial number: 10209183, 230 V, 50-60 Hz, 9.2 A, inside dimensions: 365 mm x 300 mm x 200 mm, total dimensions: 570 mm x 330 mm x 430 mm.	50
282	Tipper Tie	Tipper Tie table model clipper, model: TCNV 200B, serial number: 2328.3266.123, year of construction: 2013, weight: 10 kg, dimensions: 300 mm x 200 mm x 860 mm.	150
283	Hoppecke	3 Hoppecke battery chargers, model: Trak air, type: E230 G24/50 B-F14 HO-HF, serial number: 53205245, year of construction: 04/2011, 230 V, 50/60 Hz, dimensions: (3x) 600 mm x 370 mm x 340 mm, total dimensions: 1200 mm x 1000 mm x 600 mm.	500
284	NN sorting station	Sorting station with 6 rejectors, plastic belt, belt width: 200 mm, total dimensions: 2750 mm x 1600 mm x 1450 mm.	150
285	Delta Technics Engineering	Delta Technics Engineering evaporator, model: FMF6504/2, serial number: CEN161299-11, 400 V, 50 Hz, dimensions: 3600 mm x 950 mm x 900 mm.	300
286	NN Fan	Isolated frame with fan, dimensions: 1200 mm x 1000 mm x 940 mm. Technical condition unknown.	25
287	Systemate Numafa BV	Systemate Numafa BV elevating belt with dividers, type: 09.10.000.011, serial number: SCBA 100252, year of construction: 2002, plastic belt, belt width: 290 mm, divider width: (2x) 100 mm, divider height: 25 mm, distance between dividers: 200 mm, total dimensions: 3300 mm x 800 mm x 2300 mm.	500
288	NN transport belt	S-shaped transport belt, belt width: 80 mm, total dimensions: 2500 mm x 1700 mm x 1100 mm.	200
289	Mark	Mark evaporator, type: ECOFAN W 42 + Th, serial number: K8I00194, dimensions: 2000 mm x 1250 mm x 900 mm. Technical condition unknown.	300
290	GEA	GEA heat exchanger, type: VT40 LOCIN, fabrication: 171/6881, year of construction: 1996, volume: 469/467 liter, estimated weight: 4000 kg, dimensions: 3500 mm x 600 mm x 1900 mm.	1000
291	NN compressor/condensing unit	Compressor/ condensing unit, 380 V, 1 Ph, 50 Hz, 4 fans, dimensions: 2150 mm x 1850 mm x 1750 mm.	400
292	NN switch cabinet	Switch cabinet, dimensions: 2000 mm x 900 mm x 410 mm and 400 mm x 500 mm x 250 mm.	100
293	NN transport belt	Transport belt, plastic mesh belt, belt width: (2x) 175 mm, total dimensions: 2000 mm x 850 mm x 1800 mm.	200
294			50



Nr	Title	Description	Start €
	Delta Technics Engineering	Delta Technics Engineering evaporator, model: DSP-65, serial number: 01007, year of construction: 2007, 230 V, 50 Hz, 5 fans, dimensions: 2700 mm x 950 mm x 300 mm.	
295	Sabroe	Sabroe screw compressor, type: SAB 128, serial number: 11228, year of construction: 1997, dimensions: 1500 mm x 2300 mm x 1900 mm.	500
296	Webomatic	Webomatic traysealer, type: TL 500, machine number: F 9015UI144, 400 V, 3 Ph, 50 Hz, 14.5 A, 7.5 kW, plastic belt, belt width: 550 mm, dye: (2x) 245 mm x 175 mm, total dimensions: 2500 mm x 970 mm x 1600 mm.	4000
297	Nikodan	Nikodan transport belt with dividers, type: INDEX-BAND, number: 15340-2000, year of construction: 2015, plastic belt, belt width: (9x) 50 mm, distance between dividers: 300 mm, divider height: 50 mm, total dimensions: 4100 mm x 850 mm x 1220 mm.	500
300	Rietschle	Rietschle vacuum pump, type: VFS 201 (01), number: 2182775, capacity: 200 m ³ per hour, dimensions: 1100 mm x 300 mm x 600 mm.	50
301	Soehnle	Soehnle floor weighing scale with indicators, 220 V, 50 Hz, maximum 600 kg, minimum 10 kg, e=d= 0.2 kg, dimensions: 1500 mm x 1250 mm x 80 mm.	200
302	Busch	Busch vacuum pump, type: SV 1040 C 000 INXX, serial number: C0944000056, year of construction: 2009, 120 mbar, dimensions: 550 mm x 300 mm x 450 mm.	50
304	Bizerba	Bizerba hook weighing scale with indicator, maximum weight: 150 kg, minimum weight: 5 kg, e= 0.1 kg, dimensions: 600 mm x 700 mm x 1400 mm.	150
305	Coeman	Coeman box closing machine, model: GEM-45, serial number: 90004672, 380 V, 50 Hz, 1 A, 184 W, roller width: 500 mm, total dimensions: 900 mm x 800 mm x 900 mm. Missing legs.	50
306	GEA Food Solutions Germany GmbH	GEA Food Solutions Germany GmbH labelling unit, type: LPM 108-12 LI, serial number: 18861281, year of construction: 2018, 30 V, 50-60 Hz, 12 A. dimensions: 850 mm x 350 mm x 600 mm.	50
307	Denios AG	2 Denios AG drip trays, type: FK 20, serial number: 110011991-000100-002, year of construction: 2002, volume: 200 liter, dimensions: (2x) 1650 mm x 430 mm x 350 mm.	20
308	Denios AG	2 Denios AG drip trays, type: FK 20, serial number: 110011991-000100-001, year of construction: 2002, dimensions: (2x) 1650 mm x 430 mm x 350 mm.	20
309	Cafe Bar	Cafe Bar coffee machine, model: CB932NL/BK/L, 230 V, 50 Hz, 2.31 kW, dimensions: 500 mm x 250 mm x 460 mm.	2
310	Prior	Prior weighing scale, type: LA-DP, number: 520, maximum weight: 25 kg, dimensions: 800 mm x 600 mm x 1700 mm.	40
311	Estil	Mobile pump unit with hose reel, plastic hose, dimensions: 1100 mm x 1050 mm x 1150 mm.	50



Nr	Title	Description	Start €
312	WEDA	WEDA mobile weighing scale, type: 529, fabrication number: 8513, maximum weight: 25 kg, minimum weight: 2.5 kg, e=d= 50 gram, dimensions scale: 520 mm x 480 mm, total dimension: 800 mm x 520 mm x 1700 mm.	40
313	NN transport belts	Plastic crate with various plastic belts, belt width: (2x) 150 mm and (3x) 130 mm.	20
314	Rietschle	Rietschle vacuum pump, type: VFS 201 (01), number: 1211506, year of construction: 1989, 220/380 V, 3 Ph, 50 Hz, 5.5 kW, capacity: 200 m³/h, 0.5 mbar, 1450 rpm, dimensions: 1060 mm x 650 mm x 500 mm.	150
315	Bell-Mark	Bell-Mark coding attachment for thermoformer, type: EasyPrint mlp, dimensions: 500 mm x 300 mm x 595 mm.	50
316	Edwards	Edwards vacuum pump, model: EH500A, total dimensions: 800 mm x 300 mm x 310 mm.	350
317	Rietschle	Rietschle vacuum pump, type: VCH 140 (05), serial number: 2363164, year of construction: 2003, capacity: 140 m³ per hour, dimensions: 700 mm x 400 mm x 300 mm. Incomplete. Technical condition unknown.	25
318	NN part for clipper	Part for clipper, dimensions: 1300 mm x 1000 mm x 570 mm.	10
319	NN parts for thermoformer	Pallet with 2 presses for thermoformer, dimensions: (2x) 1000 mm x 720 mm x 130 mm. Never used.	100
320	Leybold	Leybold vacuum pump, dimensions: 1000 mm x 600 mm x 500 mm.	75
321	Frymaster	Frymaster universal holding cabinet, model: UHCP4TP, serial number: 0802UH0388, 230 V, 1 Ph, 50/60 Hz, 13.3 A, 3050 W, 4 floors, dimensions each floor: 600 mm x 450 mm x 60 mm, total dimensions: 645 mm x 550 mm x 645 mm.	50
322	Busch	Busch vacuum pump, type: 100-131, number: 70661, capacity: 100 m³/hour, vacuum: 0.5 mbar, dimensions: 850 mm x 650 mm x 350 mm.	100
323	Busch	Busch vacuum pump, type: CB 0220 D, number: 110041131, year of construction: 2011, capacity: 220 m³/h, 0.5 mbar, dimensions: 1100 mm x 250 mm x 580 mm.	150
324	Merrychef	Merrychef Microcook, model number: MICROCOOK HD2025, serial number: 1412213091534, 220-230 V, 50 Hz, 14.1 A, 3.12 kW, dimensions inside: 540 mm x 360 mm x 200 mm, total dimensions: 650 mm x 520 mm x 480 mm.	100
325	Rietschle	Rietschle vacuum pump, type: VFS 201 (01), serial number: 2072761, year of construction: 1999, 230/400 V, 50 Hz, 19.7/11.4 A, 5.5 kW, rates per minute: 1250, capacity: 200 m³/h, dimensions: 1100 mm x 300 mm x 570 mm.	150
326	NN vacuum pump	Vacuum pump, dimensions: 350 mm x 310 mm x 240 mm.	10
327	Soehnle	Soehnle weighing with indicator, serial number: 7390.131700580, 100-240 V, 50-60 Hz, 400 mA, maximum weight: 6/15 kg, minimum weight: 40/100 gram, e= 2/5 gram, dimensions weighing scale: 310 mm x 270 mm x 80 mm.	40



Nr	Title	Description	Start €
328	GEA	GEA control panel, dimensions: 350 mm x 550 mm x 150 mm.	50
329	NN control panel	Control panel, dimensions: 400 mm x 250 mm x 300 mm.	50
330	Gasetechnik	Gasetechnik gas mixing station, type: KM100-3MEM, serial number: 57573, year of construction: 2003, gas: c02/02/n2, pn/max: 5 bar, dimensions: 400 mm x 320 mm x 200 mm.	50
331	NN machine parts.	2 boxes with machine parts, dimensions: 210 mm x 130 mm x 300 mm.	200
332	Woodhead L.P.	Woodhead L.P. cable reel, serial number: 816758757 AB, 600 VAC, 30 A, dimensions: 450 mm x 400 mm x 250 mm.	25
333	Kanon Loading Equipment B.V.	Kanon Loading Equipment B.V. steel cable reel, type: CR01, serial number: CR010734, year of construction: 2019, dimensions: 300 mm x 250 mm x 350 mm.	25
334	Kanon Loading Equipment B.V.	Kanon Loading Equipment B.V. steel cable reel, type: CR01, serial number: CR010733, year of construction: 2019, dimensions: 300 mm x 250 mm x 350 mm.	25
335	L Systems	L Systems insect killer, model: FTC40, serial number: WV-0514000162, 230 V, 50 Hz, 50 W, dimensions: 700 mm x 180 mm x 350 mm.	5
336	Multivac	Multivac gas mixing station, type: KM100-2M, number: 12610, year of construction: 1990, dimensions: 360 mm x 320 mm x 260 mm.	50
337	Sick	Large amount of Sick sensors.	200
338	Bizerba	Bizerba slicer, model: VS 12, number: 2203346, year of construction: 2005, 230/400 V, 3 Ph, 50 Hz, 1.2/0.68 A, 0.270 kW, dimensions: 600 mm x 540 mm x 420 mm. Defect.	25
339	Thermo Allen Coding	Thermo Allen Coding coding machine, dimensions: 550 mm x 200 mm x 200 mm.	25
340	Witt-Gasetechnik GmbH & Co. KG	Witt-Gasetechnik GmbH & Co. KG gas mixing station, type: KM 100-2 M, serial number: 28070, year of construction: 1997, gas: CO2/N2, dimensions: 400 mm x 310 mm x 300 mm.	50
341	NN press	S/s press, dimensions press: 90 mm x 70 mm, total dimensions: 200 mm x 200 mm x 400 mm.	25
342	Avery Dennison	Avery Dennison label printer, type: 6405, serial number: 0831631001-6405, 100-240 V, 50-60 Hz, 3.2 A, dimensions: 500 mm x 320 mm x 310 mm.	5
343	Armour&Danforth	Armour&Danforth; impact drill, type: TMX675-017, 230 V, 50 Hz, 820 Watt dimensions: 275 mm x 70 mm x 250 mm.	25
344	Armour&Danforth	Armour&Danforth; impact drill, type: TMX675-017, 230 V, 50 Hz, 820 Watt dimensions: 275 mm x 70 mm x 250 mm.	25
345	NN dicer	Manual dicer, dimensions: 550 mm x 220 mm x 600 mm.	50
346	Nilfisk	Nilfisk floor scrubbing machine, model: Scrubber-Dryer BA 611D, serial number: 3510131101235, 100-240 Vac, 50-60 Hz, 1.3 kW, dimensions: 1400 mm x 800 mm x 1080 mm.	150
347	GF Piping Systems	GF Piping Systems ultrasonic level sensor.	200



Nr	Title	Description	Start €
348	Ballerstaedt	Ballerstaedt press, type: PN, number: 23780, year of construction: 2003, 220 V, 0.35 kW, diameter dye: 100 mm, total dimensions: 560 mm x 350 mm x 700 mm.	100
349	Gardner Denver	Gardner Denver vacuum pump, type: VFS 201 (01) 100921-0117, number: 1783802, year of construction: 1996, capacity: 200 m ³ per hour, dimensions: 980 mm x 300 mm x 440 mm.	50
350	NN dosing unit	Dosing unit, diameter pipe: 75 mm and (6x) 90 mm, total dimensions: 880 mm x 450 mm x 980 mm.	100
351	Berkel / Soehnle	Berkel floor weighing scale and Soehnle indicator, dimensions: 1250 mm x 1000 mm x 160 mm. Incomplete.	200
352	Digi	Digi weighing scale & printer, type: SM-500EP, serial number: 09903694, 230 V, 50/60 V, 0.4 A, minimum weight: 40 gram, maximum weight: 6/15 kg, e=d=2/5 gram, scale dimensions: 360 mm x 255 mm, total dimensions: 450 mm x 400 mm x 600 mm.	50
353	Edwards	Edwards mechanical booster vacuum pump, model: EH500, serial number: 016931802, weight: 74 kg, dimensions: 800 mm x 300 mm x 350 mm.	300
354	Rietschle	Rietschle vacuum pump, type: VFS 220.80 (01), serial number: 1571811, year of construction: 1994, capacity: 200/80 m ³ per hour, dimensions: 1060 mm x 350 mm x 580 mm.	50
355	Rietschle	Rietschle vacuum pump, type: VFS 201 (01), serial number: 2636069, year of construction: 2006, 230/400 V, 50 Hz, 19.7/11.4 A, 1450 rates per minute, capacity: 200 m ³ per hour, dimensions: 960 mm x 300 mm x 600 mm.	50
356	Busch	Busch vacuum pump, type: RA 0100 B5M, number: 195004154, capacity: 100 m ³ per hour, dimensions: 800 mm x 350 mm x 400 mm.	50
357	ADE	ADE slicer, dimensions: 700 mm x 550 mm x 500 mm.	50
358	Busch	Busch vacuum pump, type: RC 0063 E 501, number: 060119488, year of construction: 2006, capacity: 60 m ³ per hour, dimensions: 600 mm x 400 mm x 300 mm.	75
359	Busch	Busch vacuum pump, dimensions: 800 mm x 380 mm x 400 mm.	50
360	Roxell	Roxell dosing unit, diameter pipe: 85 mm, total dimensions: 1060 mm x 250 mm x 210 mm.	25
361	Roxell	Roxell dosing unit, serial number: 351745, diameter pipe: 100 mm and 85 mm, total dimensions: 810 mm x 250 mm x 390 mm.	25
362	Hameg AG	Hameg AG oscilloscope, type: HM 312, dimensions: 400 mm x 200 mm x 300 mm.	10
363	Rietschle	Rietschle vacuum pump, type: VFS 220 80 (01), year of construction: 2008, 1450 rates per minute, capacity: 220 / 80 m ³ per hour, dimensions: 960 mm x 430 mm x 620 mm.	50
364	Rietschle		75



Nr	Title	Description	Start €
		Rietschle vacuum pump, type: VFS 220.80 (01), number: 2751336, year of construction: 2007, capacity: 220/80 m ³ per hour, dimensions: 1030 mm x 600 mm x 700 mm.	
365	NN pump	Pump, dimensions: 1000 mm x 500 mm x 300 mm.	50
366	Rietschle	Rietschle vacuum pump, type: VFS 201 (01), serial number: 1697924, year of construction: 1995, 1450 rates per minute, capacity: 200 m ³ per hour, dimensions: 960 mm x 430 mm x 620 mm.	50
367	Rietschle	Rietschle vacuum pump, type: VFS 220 80 (01), year of construction: 2008, 1450 rates per minute, capacity: 220 / 80 m ³ per hour, dimensions: 960 mm x 430 mm x 620 mm.	50
368	Busch	Busch vacuum pump, dimensions: 980 mm x 350 mm x 630 mm.	50
369	Busch	Busch vacuum pump, type: RA 0100 B 5M1, number: 02023463, capacity: 100 m ³ per hour, dimensions: 900 mm x 370 mm x 360 mm.	50
370	NN curve conveyor	90°curve conveyor, mesh width: 200 mm, total dimensions: 1600 mm x 1050 mm x 600 mm.	100
371	NN curve conveyor	90°curve conveyor, mesh width: 200 mm, total dimensions: 1600 mm x 1050 mm x 600 mm.	100
372	Bizerba	Bizerba weighing scale with indicator, model indicator: KF II, serial number: 11387841, 120-240 V, 50/60 Hz, 0.7-0.35 A, type weighing scale: 18 K D97-09-027, number: 1881255, maximum weight: 6 kg, minimum weight: 40 gram, e= 2 gram, dimensions scale: 370 mm x 300 mm and dimensions indicator: 440 mm x 300 mm x 130 mm.	50
373	VEB Wägetechnik Rapido Radebeul	VEB Wägetechnik Rapido Radebeu weighing scale, model: Nagema Rapido, serial number: 35-012/012, year of construction: 1986, weight: 310, minimum weight: 10 kg, maximum weight: 300 kg, e: 0.2 kg, dimensions scale: 780 mm x 780 mm, total dimensions: 1370 mm x 780 mm x 1950 mm.	25
374	NN trolley	Steel trolley, dimensions: 950 mm x 600 mm x 1080 mm.	5
375	NN trolley	Steel trolley, dimensions: 950 mm x 600 mm x 1080 mm.	5
376	Busch	Busch vacuum pump, type: RA 0063 E 5Z1, number: 060102583, year of construction: 2006, capacity: 63 m ³ per hour, dimensions: 600 mm x 400 mm x 260 mm.	50
377	Alfaco	Alfaco steel server cabinet, dimensions: 1000 mm x 800 mm x 2000 mm.	20
378	Busch	Busch vacuum pump, CB 0220 D 1, number: 070005001, capacity: 220 m ³ per hour, dimensions: 1100 mm x 300 mm x 600 mm.	100
379	GGG	GGG conveyor toaster, model: TCT-01, serial number: CKGGG202105N1-029, 220-240 V, 50 Hz, 1940 W, s/s mesh belt, belt width: 250 mm, total dimensions: 520 mm x 440 mm x 420 mm.	100
380	Vepabins		90



Nr	Title	Description	Start €
		18 Vepabins self-extinguishing wastepaper basket, dimensions: Ø 340 mm x 470 mm.	
381	Vepabins	24 Vepabins self-extinguishing wastepaper basket, dimensions: Ø 340 mm x 470 mm.	120
382	Sesotec GmbH	Sesotec GmbH metal detector head, type: GLS 600/150/125/Q, serial number: 11304012120-H, 100-240 V, 50/60 Hz, 0.25/0.12 A, clearance: 600 mm x 150 mm, total dimensions: 980 mm x 320 mm x 480 mm.	500
383	KORKMAZ	KORKMAZ roots pump, type: EH 500 HYD, serial number: A08032019, weight: 75 kg, dimensions: 770 mm x 540 mm x 370 mm.	200
384	Rietschle	Rietschle vacuum pump, type: VSH 201 (01), capacity: 200 m³ per hour, dimensions: 950 mm x 320 mm 570 mm.	250
385	Gefra	Gefra mobile conical rounder, type: RCSR, number: 8193550007, 380 V, 50 Hz, dimensions: 1000 mm x 1000 mm x 1600 mm.	250
386	NN trolley	S/s trolley, dimensions: 1400 mm x 750 mm x 1000 mm.	40
387	NN trolley	S/s trolley, dimensions: 1400 mm x 750 mm x 1000 mm.	40
388	Rietschle	Rietschle vacuum pump, type: VFS 220.80 (01), capacity: 220/80 m³ per hour, dimensions: 1050 mm x 330 mm x 600 mm.	250
389	NN trolley	Trolley, dimensions: 360 mm x 880 mm x 1300 mm.	10
390	NN trolley	Trolley, dimensions: 360 mm x 880 mm x 1300 mm.	10
391	Berkel	Berkel hook weighing scale, number: 50682, year of construction: 1979, capacity: 150 kg, dimensions: 740 mm x 660 mm x 1400 mm.	20
392	NN pressure vessel for foam	Pressure vessel for foam, dimensions: 400 mm x 350 mm x 1000 mm.	25
393	Busch	Busch vacuum pump, type: RA 0100 F 503, serial number: D16061178, vmax: 100 m³/h, weight: 73 kg, dimensions: 700 mm x 420 mm x 270 mm.	100
394	Busch	Busch vacuum pump, type: RA 0063 E 5Z1, serial number: 04037235, year of construction: 2004, capacity: 63 m³/h, dimensions: 610 mm x 430 mm x 300 mm.	100
395	Busch	Busch vacuum pump, type: WV 1000 B 001 KDAA, serial number: C0940000057, year of construction: 2009, dimensions: 1050 mm x 450 mm x 450 mm.	250
396	Becker	Becker vacuum pump, type: U4.165F / K HI-OXY, serial number: H2763129, year of construction: 2014, 50/60 Hz, 4.0/4.8 kW, 162/190 m³/h, dimensions: 920 mm x 550 mm x 750 mm.	200
400	Frima	Frima VarioCookingCentre roasting pan, type: VCC 311+, serial number: ES1PH11108009686, dimensions: 1550 mm x 950 mm x 1100 mm.	2500
401	NN writing desk	S/s writing desk, inside dimensions: 600 mm x 500 mm x 150 mm, total dimensions: 610 mm x 510 mm x 1260 mm.	20
402	NN table		150



Nr	Title	Description	Start €
		S/s table with plastic work top, dimensions: 1400 mm x 600 mm x 880 mm.	
404	NN knife holders	3 s/s knife holders.	75
405	NN bin	S/s bin, inside dimensions: 1185 mm x 950 mm x 720 mm, total dimensions: 1250 mm x 1020 mm x 880 mm.	300
406	Electrolux	Electrolux washing machine, model: W3105H, serial number: 00595/0001408, 400 V, 3 Ph, 50 Hz, 16 A, capacity: 10 kg, dimensions: 850 mm x 750 mm x 1250 mm.	250
407	NN clipper	NN clipper, total dimensions: 600 mm x 300 mm x 350 mm.	40
408	NN wall frame	Wall mounted s/s frame, dimensions: 570 mm x 480 mm x 350 mm.	5
409	Bizerba	Bizerba slicer, type: VS 8 A, number: 1625229, year of construction: 1998, 230/400 V, 3 Ph, 50 Hz, 1.7/1.2 A, dimensions: 650 mm x 600 mm x 500 mm.	200
410	NN table	S/s mobile table, dimensions: 1900 mm x 1000 mm x 870 mm.	300
411	ButcherBoy	ButcherBoy grinder, plate diameter: 95 mm, total dimensions: 1020 mm x 520 mm x 620 mm.	480
412	Unika	Unika grinder, model: S-32, serial number: 1999/0503, 220/380 V, 7.4 A, 3 kW, 158 RPM, plate diameter: 100 mm, total dimensions: 1100 mm x 560 mm x 600 mm.	480
413	NN grill	S/s grill, 400 V, 3 Ph, 50/60 Hz, 4.3 A, 3 kW, grill dimensions: 690 mm x 570 mm, drawer dimensions: 600 mm x 510 mm x 140 mm, total dimensions: 700 mm x 650 mm x 400 mm.	40
414	Bastra	Bastra smoke generator, type: 150, serial number: 15010335, year of construction: 2006, 400 V, 3 Ph, 50 Hz, total dimensions: 760 mm x 600 mm x 1300 mm.	400
415	Turbovac	Turbovac mobile vacuum machine, type: H 1900 H L, machine number: 199123740, 380 V, 3 Ph, 50 Hz, 9 A, 3.8 kW, seal length: 600 mm, chamber dimensions: 600 mm x 450 mm, Busch vacuum pump, total dimensions: 700 mm x 600 mm x 1050 mm.	500
416	Mado	Mado mobile mixer-grinder, type: MEW 621, number: 30620, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 12.4 A, 5.5 kW, dimensions: 1100 mm x 800 mm x 1550 mm.	1500
417	NN bandsaw	Bandsaw, dimensions: 1000 mm x 900 mm x 1850 mm.	750
418	Maja	Maja ice machine, inside dimensions: 515 mm x 500 mm x 470 mm, total dimensions: 850 mm x 700 mm x 1350 mm.	750
419	Winterhalter	Winterhalter dishwasher, type: GR 62-3, serial number: 2990, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, water temperature: maximum 60 °C, inside dimensions: 650 mm x 570 mm x 480 mm, total dimensions: 780 mm x 720 mm x 1600 mm. Technical condition unknown.	100
420	Maja	Maja skinning machine, working width: 295 mm, total dimensions: 750 mm x 550 mm x 1000 mm.	200
421	Alexanderwerk		200



Nr	Title	Description	Start €
		Alexanderwerk skinning machine, type: ESM350 SKS, working width: 295 mm, total dimensions: 750 mm x 550 mm x 1000 mm.	
422	NN chair	2 plastic chairs, dimensions: 770 mm x 700 mm x 900 mm.	10
423	Empac	Empac netting machine, type: GIRPLUS, serial number: 1614507, year of construction: 1999, 230/380 V, diameter pipe: 200 mm, film width: 90 mm, total dimensions: 2000 mm x 1050 mm x 2060 mm. Including crate with large amount of nets, dimensions crate: 1100 mm x 1000 mm x 1950 mm and pallet with parts.	1500
424	Berdob	Berdob grinder, plate diameter: 100 mm, total dimensions: 400 mm x 500 mm x 500 mm.	200
425	Berdob	Berdob grinder, plate diameter: 100 mm, total dimensions: 400 mm x 500 mm x 500 mm.	200
426	Torrey	Torrey weighing scale, model: L-EQ 5/10, dimensions scale: 245 mm x 295 mm, total dimensions: 250 mm x 250 mm x 130 mm.	10
427	Turn-O-Matic	2 Turn-O-Matic boxes with in total 8 ticket rolls.	10
428	NN cutting block	Wooden cutting block on s/s fame, dimensions: 600 mm x 600 mm x 820 mm.	100
429	NN cabinet	S/s mobile cabinet with 6 floors, floor dimensions: (6x) 910 mm x 700 mm, total dimensions: 1000 mm x 800 mm x 1400 mm.	200
430	NN cabinet	S/s cabinet, inside dimensions: 680 mm x 440 mm x 1610 mm, total dimensions: 1200 mm x 520 mm x 1830 mm. Including content.	200
431	Rentokil	Rentokil insect killer, dimensions: 550 mm x 160 mm x 300 mm.	5
432	Tender Star	Tender Star tenderizer, number: 922456, working width: 300 mm, total dimensions: 600 mm x 390 mm x 1000 mm.	200
433	NN gastronorm trays	Gastronorm trays, various sizes, 27 pieces.	50
434	Wiesheu	Wiesheu temperature controller, type: K4, year of construction: 05/2003, 220 V, dimensions: 250 mm x 170 mm x 200 mm	20
435	Tender Star	Tender Star tenderizer, number: 922457, working width: 300 mm, total dimensions: 600 mm x 390 mm x 1000 mm. Incomplete.	40
436	CombiSteel	CombiSteel ventilator, model: 7-7-1400, 230 V, 50 Hz, 1.15 A, 245 W,	10
437	NN wall frame	Wall mounted s/s frame, dimensions: 650 mm x 400 mm x 380 mm.	5
438	Carboma	Carboma refrigerated showcase used for sushi, model: RD-B-1.0, serial number: 14109471, year of construction: 23-01-2014, 230 V, 50 Hz, 200 W, refrigerant: R 134a, inside dimensions: 700 mm x 300 mm x 180 mm, total dimensions: 1100 mm x 350 mm x 270 mm.	50



Nr	Title	Description	Start €
439	NN grill	Grill, dimensions plate: 600 mm x 340 mm, total dimensions: 870 mm x 670 mm x 1600 mm.	30
440	NN hand dryer	S/s hand dryer, model: 7270.0010, year of construction: 06/2018, 220-240 V, 50/60 Hz, 1800 W, dimensions: 310 mm x 280 mm x 150 mm.	10
441	Caterchef	Caterchef heating lamp, type: SD800-107, model: 688250, serial number: C1842003001, year of construction: 2020.03, 230 V, 1 Ph, 50 Hz, 250 W, dimensions: 540 mm x 250 mm x 1710 mm.	5
442	STAR 10 S.p.a.	STAR 10 S.p.a. kebab grill, model: GY-INO 10E, serial number: 246473, year of construction: 10/2007, 230 V, 1 Ph, 3 kW, diameter plate: 160 mm, total dimensions: 500 mm x 420 mm x 600 mm.	40
443	Muvero	Muvero cooking vessel, inside dimensions: 1000 mm x 700 mm x 400 mm, total dimensions: 1250 mm x 1200 mm x 1100 mm.	450
444	KOBI	S/s trolley with KOBI ham moulds, dimensions: (7x) 460 mm x 190 mm x 180 mm and (24x) 350 mm x 105 mm x 100 mm, total dimensions: 1070 mm x 780 mm x 800 mm.	500
445	Stephan	Stephan universal machine, machine number: 721497.01, year of construction: 1995, volume: 72 liter, dimensions: 1100 mm x 800 mm x 1700 mm.	2000
446	La Minerva	La Minerva grinder, type: C/E660, serial number: 95E1282, year of construction: 1995, 380/220 V, 3 Ph, 50 Hz, 9.4/16.3 A, total dimensions: 900 mm x 600 mm x 1400 mm.	800
447	NN table	S/s table, dimensions: 2500 mm x 1520 mm x 890 mm.	400
448	CombiSteel	CombiSteel electric Fry Top, model: 7455.1060, serial number: 202403006, 380 V, 3 Ph, 50 Hz, 5 kW, net weight: 33 kg, dimensions grill: 590 mm x 400 mm, total dimensions: 600 mm x 520 mm x 315 mm.	75
449	Bauknecht	Bauknecht build-in oven, dimensions: 600 mm x 560 mm x 590 mm. Inside glass broken.	10
450	Mado	Mado sharpening machine, type: MNS 630 D, number: 50 528 88, 220/380 V, 50 Hz, 1.7/1.0 A, 510 W, 1130 rpm, width grinding stone: 30, width sand grinder: 50 mm, total dimensions: 500 mm x 350 mm x 320 mm.	150
451	NN drip tray	S/s drip tray, dimensions: 480 mm x 460 mm x 120 mm.	5
452	Robot Coupe S.A.	Robot Coupe S.A. blender, type: R201, number: 2/4974, year of construction: 1993, 220 V, 50 Hz, 3.5 A, 750 Watt, dimensions: 280 mm x 200 mm x 500 mm.	100
453	Kern	Kern weighing scale, type: WTB 1L-4NM, serial number: WF20018390, maximum weight: 1500 gram, minimum weight: 10 gram, e= 0.5 gram, dimensions: 315 mm x 280 mm.	40
454	Kern	Kern weighing scale, type: WTB 1L-4NM, serial number: WF19018230, maximum weight: 1500 gram, minimum weight: 10 gram, e= 0.5 gram, dimensions: 315 mm x 280 mm.	40



Nr	Title	Description	Start €
455	NN sink	S/s sink with faucet, dimensions: 470 mm x 410 mm x 510 mm.	50
456	NN sink	S/s sink with faucet, dimensions: 470 mm x 410 mm x 510 mm.	50
457	Küppersbusch	Küppersbusch mobile cooking vessel, type: KSV 0247, 400 V, 3 Ph, 50 Hz, 23.1 kW, inside dimensions: Ø 700 mm x 440 mm, total dimensions: 1000 mm x 1000 mm x 1000 mm.	800
458	Multivac	Multivac mobile tray sealer, type: GALAXY, model: TS355, machine number: 879, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 23 A, 8.75 kW, dye: (2x) 250 mm x 180 mm, film width: 460 mm, Busch vacuum pump, total dimensions: 1250 mm x 710 mm x 1800 mm.	800
459	Hobart	Hobart mixer, model: PF 401, serial number: 95-778063, 380 V, 50 Hz, 3 Ph, 2.4 A, dimensions: 850 mm x 700 mm x 1250 mm.\	400
460	NN table	S/s table, dimensions: 2000 mm x 1000 mm x 830 mm.	300
461	Carrier	Carrier outside airco unit with inside unit, model: 38QHGO18D8S, dimensions: 900 mm x 320 mm x 550 mm and 800 mm x 270 mm x 200 mm.	75
462	NN conveyor	Conveyor, s/s frame, plastic mesh belt, belt width: 245 mm, total dimensions: 2100 mm x 600 mm x 1100 mm.	450
463	Yamato Scale GmbH	Yamato Scale GmbH 8 heads multihead weigher, model: ADW-508MWH, serial number: WG000496, 220-240 V, 1 Ph, 50/60 Hz, 5 A, weighing range: 20-2000 g, maximum speed: 100 pieces per minute, dimensions: 1950 mm x 1500 mm x 2400 mm.	1500
464	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 500 mm, total dimensions: 1800 mm x 650 mm x 2800 mm.	250
465	Pentair	Manifold with 16 Pentair valves, dimensions: 1400 mm x 1300 mm x 1500 mm.	75
466	Convotherm	Convotherm oven, type: OES6.06 mini, serial number: XS8OG4769, 400 V, 3 Ph, 50/60 Hz, 11.8 A, 5.7 kW, water pressure: 200-600kPa, total dimensions: 840 mm x 550 mm x 500 mm.	400
467	Küppersbusch GmbH	Küppersbusch GmbH combi steamer, 10 floors, dimensions each floor: 500 mm x 330 mm, total dimensions: 950 mm x 850 mm x 1000 mm.	250
468	NN pressure spray	Mobile pressure spray, dimensions tank: Ø 240 mm x 490 mm, total dimensions: 450 mm x 350 mm x 1000 mm.	75
469	Nieros	Nieros sink with faucet, dimensions: 540 mm x 420 mm x 1200 mm.	100
470	NN meat bin	S/s meat bin, inside dimensions: 510 mm x 450 mm x 510 mm, total dimensions: 620 mm x 520 mm x 540 mm.	150
471	Wiesheu GmbH	Wiesheu GmbH convection oven, type: B8 IS500, serial number: 96436, year of construction: 2004-03, 400 V, 3 Ph, 50/60 Hz, 26.6 A, 18.4 kW, 10 floors, dimensions each floor:	300



Nr	Title	Description	Start €
		615 mm x 370 mm, total dimensions: 1050 mm x 930 mm x 2050 mm.	
472	Hendi Engineering bv	Hendi Engineering bv gas heated stove, year of construction: 1996, 4.8 kW, 50 Mbar, dimensions ? : 440 mm x 395 mm, total dimensions: 450 mm x 400 mm x 860 mm.	40
473	MOES Machines	MOES Machines mixer, type: PL, serial number: 74467, bowl dimensions: Ø 360 mm x 310 mm, total dimensions: 700 mm x 650 mm x 1140 mm. Including whisk.	250
474	NN trolley	S/s trolley, working width: 260 mm, total dimensions: 950 mm x 470 mm x 1000 mm.	40
475	Tender Star	Tender Star tenderizer, serial number: 921890, working width: 300 mm, total dimensions: 600 mm x 380 mm x 1660 mm.	650
476	Thermoelectric	Thermoelectric refrigerator, total dimensions: 450 mm x 400 mm x 540 mm.	40
477	Thermoelectric	Thermoelectric refrigerator, model: MB-40A, 230 V, 50 Hz, 65 W, refrigerant: R134a, volume: 40 liter, total dimensions: 450 mm x 400 mm x 540 mm.	40
478	Thermoelectric	Thermoelectric refrigerator, total dimensions: 450 mm x 400 mm x 540 mm.	40
479	NN refrigerator	Refrigerator and freezer, model: 200770MC, 220/240 V, 50 Hz, 4.9 A, 67 kW, 660 W, refrigerant: R600a, net volume: (2x) 368 liter, 8 floors, floor dimensions: (8x) 500 mm x 370 mm, total dimensions: 1200 mm x 600 mm x 1980 mm.	75
480	JAC	JAC mobile bread slicer, model: SFNP 450/10, machine number: 18100004, year of construction: 02/01/2018, 400 V, 3 Ph, 50/60 Hz, 1.5 A, 0.49 kW, weight: 210 Kg, working width: 415 mm, total dimensions: 740 mm x 600 mm x 1220 mm.	130
481	PBI Dansensor	PBI Dansensor leak tester, model: LeakPointer, serial number: 71090381, year of construction: 2009, 207/253 V, 50/60 Hz, 1000 VA, chamber dimensions: 510 mm x 4151 mm x 115 mm, total dimensions: 750 mm x 610 mm x 500 mm.	400
482	Nissei Freezer	Nissei Freezer mobile ice cream machine, model: NA3338WEGK, serial number: B8150019, 400 V, 3 Ph, 50 Hz, 3.6 A, refrigerant: R-404A/730 g, total dimensions: 900 mm x 600 mm x 1570 mm.	950
483	Sterling Fluid Systems	2 Sterling Fluid Systems centrifugal pumps, model: ZLND065250(251), year of construction: 2005, dimensions: (2x) 1100 mm x 500 mm x 600 mm.	300
484	Engelen Heere	Engelen Heere pressure fryer, model: PFE-600, serial number: 1612291, year of construction: 12.2016, 380 V, 3 Ph, 50/60 Hz, 13.5 kW, oil capacity: 25 liter, dimensions: 960 mm x 460 mm x 1200 mm. Including 4 baskets with 4 floors, dimensions each floor: 295 mm x 240 mm.	650
485			300



Nr	Title	Description	Start €
	Sterling Fluid Systems	2 Sterling Fluid Systems centrifugal pumps, model: ZLND065250(251), year of construction: 2005, dimensions: (2x) 1100 mm x 500 mm x 600 mm.	
486	NN compressor/condensing unit	Compressor/ condensing unit, 380 V, 1 Ph, 50 Hz, 4 fans, dimensions: 2150 mm x 1850 mm x 1750 mm.	400
487	Scancool	Scancool refrigerator, type: DKS 121, 4 floors, dimensions each floor: 410 mm x 380 mm, total dimensions: 530 mm x 500 mm x 800 mm. Never used.	920
488	Culligan	Culligan drink water dispenser, serial number: 2004012547, 230 V, 50 Hz, 0.6 A, 140 W, dimensions: 420 mm x 340 mm x 1100 mm.	40
489	Oasis	Oasis drink water dispenser, serial number: 1632P58046, 220-240 Vac, 50/60 Hz, 0.8 A, 100 W, dimensions: 370 mm x 320 mm x 1120 mm.	40
490	Pentair	S/s manifold with 12 Pentair valves, dimensions: 1500 mm x 1150 mm x 1100 mm.	75
491	Eloma	Eloma combi steamer, type: Genius 10-11, number: 141401 708071, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 17.1 kW, 11 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 950 mm x 920 mm x 1150 mm.	350
492	Küppersbusch GmbH	Küppersbusch GmbH combi steamer, model: CCE 110, 230 V, 3 Ph, 50 Hz, 10 floors, dimensions each floor: 550 mm x 325 mm, total dimensions: 1000 mm x 850 mm x 980 mm.	250
493	Label-Aire A/S	Label-Aire A/S mobile labelling machine, model: 3138NV, serial number: 0356491503, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 3.15 A, total dimensions: 1200 mm x 850 mm x 2100 mm.	100
494	Gram Equipment	Gram Equipment ice cream extruder/forming, cutting with stick inserter, type: CUTTER, clearance input: 650 mm x 100 mm, dimensions pipe: 100 mm x 40 mm, total dimensions: 1400 mm x 1000 mm x 1850 mm.	100
495	NN wall frame	Wall mounted s/s frame, dimensions: 590 mm x 335 mm x 120 mm.	5
496	Mettler Toledo	Mettler Toledo weighing scale, type: IND449, serial number: 2990083, 100-240 V, 50/60 Hz, 300 mA, scale dimensions: 600 mm x 450 mm. Including s/s box, total dimensions: 1230 mm x 900 mm x 950 mm.	200
497	GROTE	GROTE mobile slicer, model: S/A - 522, serial number: 1044653, Ø infeed: (4x) 125 mm, total dimensions: 1900 mm x 1250 mm x 2000 mm.	750
498	NN cage	S/s cage, dimensions: 1220 mm x 930 mm x 950 mm.	300
499	NN cage	S/s cage, dimensions: 1250 mm x 920 mm x 950 mm.	300
500	CombiSteel	Combisteel salad bar, model: 7950.0405, serial number: 75Q287495 7147 2401, 3 floors, floor dimensions: (3x) 450 mm x 300 mm, total dimensions: 810 mm x 1370 mm x 1300 mm.	200
501		Fine Inter Korea Co., LTD automatic 2 lanes checkweigher with 2 rejectors, model: FAC-5900 W325 R225, serial	400



Nr	Title	Description	Start €
	Fine Inter Korea Co., LTD	number: E-194020, year of construction: 05/2019, 220 V, 260 W, minimum weight: 8g, maximum weight: 1200g, max weigh speed: 50 ea/min, plastic belt, belt width: (6x) 200 mm, dimensions rejectors: 1050 mm x 600 mm x 960 mm, total dimensions checkweigher: 1150 mm x 900 mm x 1450 mm.	
502	NN curved conveyor,	90° curved conveyor, plastic mesh belt, belt width: 245 mm, total dimensions: 1800 mm x 1200 mm x 550 mm.	400
503	Craftland	Thermo bodywarmer, size S and craftland safety boots.	5
504	Virtus	Virtus toaster, dimensions: 350 mm x 230 mm x 260 mm.	5
505	Combisteel BV	Combisteel BV saladette, model: 7950.0100, serial number: 170800083, year of construction: 09-2017, refrigerant: R600a, 230 V, 50 Hz, weight: 120 kg, dimensions inside: (3x) 345 mm x 580 mm, total dimensions: 1380 mm x 700 mm x 1000 mm.	100
506	JAC	JAC mobile bread slicer, model: SFNP 450/10, machine number: 18100217, year of construction: 15/01/2018, 400 V, 3 Ph, 50/60 Hz, 1.5 A, 0.49 kW, weight: 210 Kg, working width: 415 mm, total dimensions: 740 mm x 600 mm x 1220 mm.	100
507	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH mobile bread slicer, type: GMH450, serial number: 0508512, year of construction: 2012, 230 V, 1 Ph, 3 A, 750 W, working width: 390 mm, total dimensions: 750 mm x 680 mm x 1250 mm.	100
508	Cold design	Cold design mobile refrigerated showcase, type: PICKER ECO, production number: 1723000317, year of construction: 2017, 230 V, 50 Hz, 230 W, weight: 67 Kg, dimensions inside: 410 mm x 410 mm x 300 mm, total dimensions: 600 mm x 500 mm x 850 mm.	75
509	Cold design	Cold design mobile refrigerated showcase, type: PICKER ECO, production number: 1723000304, year of construction: 2017, 230 V, 50 Hz, 230 W, weight: 67 Kg, dimensions inside: 410 mm x 410 mm x 300 mm, total dimensions: 600 mm x 500 mm x 850 mm.	75
510	KBS Kältechnik GmbH	KBS Kältechnik GmbH saladette, model: S903, serial number: 369386, year of construction: 04-2013, refrigerant: R134a, 230 V, 50 Hz, 1.6 A, weight: 107 kg, dimensions inside: (3x) 570 mm x 320 mm, total dimensions: 1370 mm x 700 mm x 850 mm.	75
511	Frima	Frima VarioCookingCenter double roasting pan, model: VCC 112 +, serial number: E11PG11058008538, 220 V, 3 Ph, 17 kW, volume: (2x) 16 liter, total dimensions: 1200 mm x 800 mm x 1100 mm.	1500
512	LUMEN GmbH/ LUNA	LUMEN GmbH/LUNA mobile milkshake machine, model: L 12 HL-S (SB), number: 7813, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 8.5 A, 3.5 kW, refrigerant: R404A, dimensions: 7700 mm x 580 mm x 1500 mm.	450
513	Scancool		90



Nr	Title	Description	Start €
		Scancool refrigerator, type: DKS 121, 4 floors, dimensions each floor: 410 mm x 380 mm, total dimensions: 530 mm x 500 mm x 800 mm. Never used.	
514	Scancool	Scancool refrigerator, type: DKS 121, 4 floors, dimensions each floor: 410 mm x 380 mm, total dimensions: 530 mm x 500 mm x 800 mm. Never used.	90
515	Scancool	Scancool refrigerator, type: DKS 121, 4 floors, dimensions each floor: 410 mm x 380 mm, total dimensions: 530 mm x 500 mm x 800 mm. Never used.	90
516	DEBAG	DEBAG double stacked oven, type: DiLa 5 and DiLa 10, number: D 320962 and D 320963, year of construction: 07/2012, 400 V, 50 Hz, 31.5/32 A, 20.5 kW, dimensions inside: 695 mm x 415 mm, total dimensions: 1100 mm x 920 mm x 2120 mm.	350
517	Dadaux	Dadaux mobile skewering machine, type: MAB, number: 4031, year of construction: 2016, 230 V, 50 Hz, plastic belt with dividers, belt width: 200 mm, distance between dividers: 85 mm, divider height: 2 mm, total dimensions: 900 mm x 600 mm x 900 mm.	500
518	Giorik	Giorik oven, model: EPE04R, number: 004453/05/10, 400 V, 3 Ph, 50 Hz, 6 kW, 4 floors, dimensions each floor: 605 mm x 380 mm, total dimensions: 800 mm x 770 mm x 1520 mm.	150
519	GS1	10 GS1 plastic euro pallets, dimensions: (10x) 1200 mm x 800 mm x 160 mm.	100
520	Top Cold	Top Cold freezer, model: APA 600, number: 22800146 12000028, 220/240 V, 50 Hz, 1.5 A, 260 W, refrigerant: R290/ 0.140 kg, 6 floors, dimensions each floor: 630 mm x 500 mm, total dimensions: 750 mm x 720 mm x 1850 mm. Never used.	450
521	Top Cold	Top Cold freezer, model: APA 600, number: 22800146 12000007, 220/240 V, 50 Hz, 1.5 A, 260 W, refrigerant: R290/ 0.140 kg, 6 floors, dimensions each floor: 630 mm x 500 mm, total dimensions: 750 mm x 720 mm x 1850 mm. Never used.	450
522	KOMET	Komet thermoformer, type: quickvac 2000, number: 399 00040 05, 400 V, 3 Ph, 50 Hz, 6 kW, film width: 315 mm, dimensions dye: (2x) 230 mm x 145 mm, total dimensions: 3050 mm x 800 mm x 1760 mm. Including pallet with parts.	4000
523	Foster	Foster mobile refrigerator, model: EP 26 BSF, serial number: E5565116, 230 V, 1 Ph, 50 Hz, 4.3 A, 559 W, capacity: 673.1 liter, refrigerant: R290/120 g, 16 floors, dimensions each floor: 730 mm x 420 mm, total dimensions: 940 mm x 700 mm x 2300 mm.	450
524	NN Table	NN mobile s/s table, dimensions: 2700 mm x 700 mm x 885 mm.	200
525	GGM Gastro	GGM Gastro refrigerated display cabinet, model: WKS840S, serial number: WKS840S1709101020008, 220/240 V, 50 Hz,	150



Nr	Title	Description	Start €
		10.5 A, refrigerant: R404a, 2200 gram, 8 floors, floor dimensions: (8x) 930 mm x 300 mm, total dimensions: 1950 mm x 660 mm x 2000 mm.	
526	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: XS 3, serial number: 35003450, year of construction: 2012, 100/240 V, 500 kPa, temperature range: +5/+40 °C, maximum weight: 750 gram, minimum weight: 7 gram, e=d= 0.5 gram, T- 675 gram, weighing speed: 120 pieces per minute, belt speed: 75 m/min,	500
528	TKT	TKT insulated trolley, dimensions: 1400 mm x 1000 mm x 1900 mm.	40
529	Foster	Foster mobile refrigerator, model: EP 26 BSF, serial number: E5555271, year of construction: 2019, 230 V, 1 Ph, 50 Hz, 4.3 A, 559 W, capacity: 673.1 liter, refrigerant: R290/120 g, 16 floors, dimensions each floor: 730 mm x 420 mm, total dimensions: 940 mm x 700 mm x 2300 mm.	450
530	Foster	Foster mobile refrigerator, model: EPR 026 BSF, serial number: E5396850, 230 V, 1 Ph, 50 Hz, 4.3 A, 559 W, capacity: 673.1 liter, refrigerant: R290/120 g, 16 floors, dimensions each floor: 730 mm x 420 mm, total dimensions: 940 mm x 700 mm x 2300 mm.	450
531	NN floor weighing scale	S/s floor weighing scale with Bizerba indicator, serial number: 02140589, 100-240 V, 50/60 Hz, 0.6-0.25 A, maximum weight: 1500 kg, minimum weight: 10 kg, e= 0.5 kg, dimensions indicator: 400 mm x 80 mm x 240 mm, dimensions scale: 1500 mm x 1250 mm x 50 mm.	250
532	PFM	PFM flowpacker, model: 300 superinox, infeed belt width dividers, divider height: 40 mm, distance between dividers: 250 mm, plastic outfeed belt, belt width: 150 mm, total dimensions: 3350 mm x 1000 mm x 1800 mm.	800
533	NN transport belt	Transport belt, chain belt, belt width: 20 mm, working width: 160 mm, total dimensions: 4950 mm x 700 mm x 1200 mm.	300
534	Deca	Deca traysealer, type: MECA 900, serial number: S.M. 1201, year of construction: 2001, film width: 270 mm, dimensions dye: (2x) 200 mm x 140 mm, total dimensions: 1400 mm x 800 mm x 1800 mm. Including 2 pallets with parts, dimensions dyes: 220 mm x 150 mm, 280 mm x 180 mm, 320 mm x 270 mm.	250
535	NN fryer	Double fryer, dimensions inside: (2x) 600 mm x 510 mm x 330 mm, total dimensions: 1320 mm x 700 mm x 500 mm.	150
536	Lutetia	Lutetia vacuum tumbler, number: 7257, dimensions: 2650 mm x 1500 mm x 2100 mm. Without vacuum pump.	2000
537	Lutetia	Lutetia vacuum tumbler, dimensions: 2800 mm x 1450 mm x 2100 mm. Without vacuum pump.	2000
538	Meiko	Meiko dishwasher, clearance: 420 mm x 350 mm, total dimensions: 3660 mm x 1000 mm x 1970 mm.	750
539	NN faucet	Faucet.	10



Nr	Title	Description	Start €
540	NN table	S/s table, dimensions: 3000 mm x 1360 mm x 770 mm.	600
541	Wiesheu GmbH	Wiesheu GmbH double stacked oven, type top oven: B4-E2, serial number: 10220913, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, type bottom oven: B4-E2, serial number: 10220914, year of construction: 10/2012, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, total dimensions: 765 mm x 530 mm x 1985 mm.	400
542	Rational	Rational combi steamer, model: iCombi Pro, type: A3/B23, serial number: LM100FG.AXXXX, year of construction: 2021, 230 V, 1 Ph, 50/60 Hz, inside dimensions: 670 mm x 440 mm x 1510 mm, total dimensions: 890 mm x 900 mm x 1810 mm. Including trolley, 20 floors, floor dimensions: 335 mm x 500 mm, trolley dimensions: 740 mm x 580 mm x 1730 mm.	4000
543	Top Cold	Top Cold freezer, model: ACE 430, number: 22801034 4000095, 220/240 V, 50 Hz, 1.5 A, 320 W, refrigerant: R290/ 0.115 kg, 6 floors, dimensions each floor: 475 mm x 385 mm, total dimensions: 620 mm x 620 mm x 1830 mm. Never used.	250
544	Top Cold	Top Cold freezer, model: APA 600, number: 22800146 12000001, 220/240 V, 50 Hz, 1.5 A, 260 W, refrigerant: R290/ 0.140 kg, 6 floors, dimensions each floor: 630 mm x 500 mm, total dimensions: 750 mm x 720 mm x 1850 mm. Never used.	450
545	Wiesheu GmbH	Wiesheu GmbH double stacked oven with hood, type: B4-E2, serial number: 10213737, year of construction: 2012-08, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, and type: B8-R2, serial number: 10213717, year of construction: 2012-08, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.24 kW, dimensions: 920 mm x 910 mm x 2130 mm.	300
546	IL	IL shock freezer, type: 20 T 2/1 POS/NEG REMO, serial number: 1022.0154, 400 V, 3 Ph, 50 Hz, refrigerant: R 404 A, inside dimensions: 960 mm x 670 mm x 2000 mm, total dimensions: 1350 mm x 1250 mm x 2300 mm.	4000
547	Smits Techniek	Smits Techniek dosing and weighing unit, type: EWM120, serial number: 18-13-2011-7, year of construction: 2011, dimensions: 1000 mm x 920 mm x 3900 mm.	150
548	Nikodan	Nikodan transport belt with dividers, type: INDEX-BAND, number: 15340-1000, year of construction: 2015, plastic belt, belt width: (9x) 50 mm, distance between dividers: 300 mm, divider height: 50 mm, total dimensions: 4100 mm x 850 mm x 1220 mm.	500
549	NN refrigerated showcase	Refrigerated showcase, dimensions: 1710 mm x 850 mm x 2090 mm.	75
550	Ishida	Ishida 14-heads multihead weigher, model: CCW-EZ-214/30, serial number: 9617558, year of construction: 02-1997, 230 V, 1 Ph, 50 Hz, 7.3 A, weight: 415 kg, total	1500



Nr	Title	Description	Start €
		dimensions: 1400 mm x 1200 mm x 2250 mm. Including infeed hopper.	
551	NN transport belt	Transport belt on s/s frame, plastic belt, belt width: 570 mm, plastic side belts, belt width: (2x) 80 mm, total dimensions: 3550 mm x 960 mm x 1180 mm.	500
552	NN roller conveyor system	Roller conveyor system, roller width: 410 mm, working width: (3x) 605 mm / (1x) 420 mm, total dimensions: 2050 mm x 1850 mm x 1160 mm.	300
553	NN labelling machine	Mobile labelling machine, belt width: 155 mm , total dimensions: 1700 mm x 1000 mm x 1830 mm. Missig belt.	250
554	EFM	EFM Machinery can filling machine, type: 42 2, serial number: 2136, year of construction: 2009, 1123 working hours, plastic belt, belt width: 80 mm, total dimensions: 3000 mm x 850 mm x 2400 mm.	400
555	Garant	Garant injector, type: Garant 2000, year of construction: 1995/1996/1997, 380 V, 50 Hz, dimensions: 400 mm x 150 mm x 2250 mm.	50
556	NN roller conveyor system	Roller conveyor system, roller width: 415 mm, working width: (3x) 610 mm / (1x) 420 mm, plastic belt, belt width: 500 mm, total dimensions: 1775 mm x 5100 mm x 1120 mm. Roller conveyor damaged.	750
557	Hellings	Hellings 90° curved conveyor, year of construction: 2021, 2 lanes, plastic mesh belt, belt width: (2x) 225 mm, total dimensions: 2600 mm x 1500 mm x 940 mm.	500
558	NN roller conveyor	Roller conveyor, roller width: 420 mm, total dimensions: 4350 mm x 500 mm x 1150 mm.	250
559	Easy Conveyors	Easy Conveyors roller conveyor, roller width: 410 mm, total dimensions: 3160 mm x 550 mm x 1100 mm.	250
560	Automation Systems	Automation Systems transport belt, type: FCO212, year of construction: 2014, 240 V, 10 A, 1 kW, plastic belt, belt width: 210 mm, total dimensions: 1750 mm x 400 mm x 840 mm.	150
561	Carsoe	Carsoe denester system, type: Anytray Cleanline Denester 186x126 _B_S_PTP, serial number: FOD-10666, year of construction: 2020, plastic belt, belt width: 265 mm, dimensions nest: 186 mm x 126 mm, total dimensions: 1940 mm x 600 mm x 1600 mm, including conveyor, plastic mesh belt, belt width: 400 mm, clearance: 200 mm x 210 mm, total dimensions: 1200 mm x 1200 mm x 1900 mm. With switch cabinet, dimensions: 1050 mm x 800 mm x 260 mm.	350
562	Narviflex	Narviflex elevating belt, plastic belt, belt width: 430 mm, elevating height: 250 mm, total dimensions: 1050 mm x 560 mm x 640 mm.	100
563	NN roller conveyor	Roller conveyor, roller width: 310 mm, total dimensions: 1800 mm x 650 mm x 900 mm.	50
564	Blueprint Automation		100



Nr	Title	Description	Start €
		Blueprint Automation transport belt, serial number: VO996-2, plastic belt, belt width: 430 mm, total dimensions: 1100 mm x 700 mm x 720 mm.	
565	Narviflex	Narviflex transport belt, plastic belt, belt width: 405 mm, total dimensions: 2600 mm x 950 mm x 550 mm.	150
566	Tramétex	Tramétex transport belt, type: N60, serial number: 144919-040, year of construction: 2014, plastic belt, belt width: 500 mm, total dimensions: 3770 mm x 780 mm x 870 mm.	250
567	Carsoe	Carsoe transport belt, plastic mesh belt, belt width: 355 mm, total dimensions: 2100 mm x 1050 mm x 1050 mm.	250
568	Carsoe	Carsoe sorting belt, plastic belt, belt width: (3x) 270 mm, total dimensions: 1680 mm x 1250 mm x 1300 mm.	250
575	NN freezer	Freezer, inside dimensions: 1360 mm x 500 mm x 580 mm, total dimensions: 1530 mm x 700 mm x 900 mm.	100
576	NN frame	S/s frame used for weighing and labelling system, table dimensions: 580 mm x 480 mm, total dimensions: 700 mm x 680 mm x 1440 mm.	25
577	NN frame	S/s frame, dimensions: 400 mm x 580 mm x 950 mm.	10
578	Youlift	Youlift pallet lifter, type: WT2500, serial number: 3377302, dimensions: 1550 mm x 550 mm x 1210 mm.	75
579	Frigoblock	Pallet with various parts, of which among others a Frigoblock alternator, type: G17, dimensions: 1200 mm x 800 mm x 600 mm.	50
580	NN table	S/s table with plastic work top, dimensions: 1580 mm x 740 mm x 800 mm.	50
581	NN crates	Pallet with large amount of various crates, crate dimensions among others: 600 mm x 400 mm x 130 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	50
582	NN ladder	Foldable ladder, dimensions: 1310 mm x 430 mm x 1860 mm.	50
583	NN frame	S/s frame, dimensions: 630 mm x 1000 mm x 1060 mm.	50
584	Henkovac	Henkovac mobile dip tank, inside dimensions: 500 mm x 500 mm x 560 mm, total dimensions: 700 mm x 580 mm x 1120 mm.	300
585	NN table	S/s table, dimensions: 700 mm x 550 mm x 800 mm.	25
586	NN bin	S/s bin, total dimensions: 345 mm x 345 mm x 700 mm.	10
587	NN table with roller conveyor	S/s table with roller conveyor, table dimensions: 1200 mm x 1020 mm, plastic rollers, roller width: 240 mm, total dimensions: 1400 mm x 1280 mm x 1000 mm.	250
588	NN rollie	Rollie, dimensions: 600 mm x 400 mm x 150 mm.	5
589	Mewa GmbH	Mewa GmbH weighing scale, scale dimensions: 520 mm x 400 mm, weighing range: 1.000-150.000 gram, total dimensions: 520 mm x 560 mm x 600 mm.	100
590	Melior Ganda	Melior Ganda bowl mixer, bowl dimensions: 660 mm x 320 mm, total dimensions: 1000 mm x 700 mm x 1050 mm.	500
591			500



Nr	Title	Description	Start €
	Bayha & Strackbein GmbH	Bayha & Strackbein GmbH cooking kettle, type: 120 F, serial number: 24.067, year of construction: 11/14, 400 V, 50 Hz, 8 kW, capacity: 120 liter, inside dimensions: Ø 545 mm x 500 mm, total dimensions: 850 mm x 850 mm x 900 mm.	
592	Blanco	Blanco double sink, dimensions: 700 mm x 500 mm x 900 mm.	200
593	Frey	Frey vacuum filling machine, type: Konti C50, serial number: 80880, dimensions: 800 mm x 730 mm x 1590 mm. Incomplete, technical condition unknown.	1000
594	NN vacuum tumbler	Mobile vacuum tumbler, type: VSM 300, serial number: 1524, inside dimensions: Ø 740 mm x 680 mm, total dimensions: 1400 mm x 950 mm x 1750 mm. No vacuum pump included.	1000
595	Townsend	Townsend mobile skinning machine, type: SK11-320, 380 V, 3 Ph, 50 Hz, working width: 500 mm, total dimensions: 830 mm x 750 mm x 1000 mm.	500
596	Treif	Treif dicer, chamber dimensions: 95 mm x 95 mm x 295 mm, total dimensions: 910 mm x 670 mm x 1040 mm.	1000
597	Digi/Tereoka Seiko Co. LTD	Digi/Tereoka Seiko Co. LTD mobile weigh-, wrap- and label machine, model: AW-4600 FX, serial number: 11162016, year of construction: 2011, 380/400/415/440 V, 3 Ph, 50/60 Hz, 0.9 kW, dimensions: 900 mm x 850 mm x 1370 mm.	500
598	NN transport belt	Transport belt on s/s frame, 220 V, 50/60 Hz, 60 W, plastic belt, belt width: 195 mm, total dimensions: 1500 mm x 400 mm x 950 mm.	200
599	NN tub	S/s mobile tub, dimensions: 1230 mm x 560 mm x 1050 mm.	200
600	NN separator	Mobile separator, 380-480 V, mould dimensions: Ø 45 mm x 155 mm, total dimensions: 1200 mm x 525 mm x 1090 mm.	1000
601	Space	Space refrigerated showcase, model: SLIM, serial number: 062609/0011, 230 V, 50 Hz, refrigerant: R404A, inside dimensions: 1180 mm x 860 mm, total dimensions: 1200 mm x 1050 mm x 1150 mm.	50
602	Townsend	Townsend mobile skinning machine, year of construction: 2004, 380 V, 3 Ph, 50 Hz, working width: 505 mm, total dimensions: 950 mm x 600 mm x 980 mm.	200
603	Frey	Frey mobile linker, type: BAS02/SA, serial number: BAS02/SA/T126742, 400 V, 50/60 Hz, 7.6 kW, dimensions: 1430 mm x 900 mm x 1270 mm. Technical condition unknown.	1500
604	Ice-Tek	Ice-Tek ice storage, total dimensions: 770 mm x 800 mm x 1040 mm.	200
605	Berkel	Berkel slicer, type: 834 S, serial number: 635124W, year of construction: 2001, 230 V, 1 Ph, 50 Hz, 220 W, dimensions: 650 mm x 700 mm x 500 mm.	200
606	NN table	S/s table, dimensions: 700 mm x 600 mm x 870 mm.	25



Nr	Title	Description	Start €
607	S.A Nijal	S.A Nijal mobile twisting and cutting machine for sausages, machine: Torsadeuse Coupeuse Automatique, type: Turbotwist P13, serial number: 128 01 98, year of construction: 10/01/1998, dimensions: 1530 mm x 1100 mm x 1730 mm.	500
608	S.A Nijal	S.A Nijal mobile twisting and cutting machine for sausages, machine: Torsadeuse Coupeuse Automatique, type: T14, serial number: 1490239, year of construction: 15/02/1999, dimensions: 1600 mm x 1150 mm x 1670 mm. Including pallet with parts, dimensions: 1500 mm x 1050 mm x 900 mm.	500
609	Nn elevating belt	Elevating belt on s/s frame, plastic belt, belt width: 400 mm, elevating height: 500 mm, total dimensions: 1750 mm x 600 mm x 1250 mm.	200
610	Leventi	Leventi combi steamer, model: BM 8 MM YOU, serial number: 16 12 68302, 400 V, 3 Ph, 50-60 Hz, 18 kW, inside dimensions: 450 mm x 650 mm x 780 mm, 10 floors, floor dimensions: (10x) 400 mm x 600 mm, total dimensions: 900 mm x 820 mm x 1100 mm. Screen broken. Including s/s frame, (2x) 6 floors, dimensions: 920 mm x 620 mm x 740 mm.	400
611	NN cooling compressor	Cooling compressor in s/s frame, dimensions: 560 mm x 550 mm x 610 mm.	100
612	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH rotisserie oven, type: RT - 303 AH, serial number: 306 - 0610 - 1063, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 9 A, 5.0 kW, inside dimensions: 550 mm x 550 mm x 480 mm, working width: 450 mm, total dimensions: 800 mm x 700 mm x 880 mm.	50
613	Food Logistic	Food Logistic dicer, type: 4S84.3, serial number: 202548, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 3 kW, chamber dimensions: 85 mm x 85 mm x 600 mm, total dimensions: 1470 mm x 650 mm x 1080 mm.	500
614	Cryovac	Cryovac vacuum machine, type: VC 14 RH, serial number: A51100, 415 V, 50 Hz, 13 kW, seal length: (2x) 940 mm and (1x) 650 mm, chamber dimensions: 975 mm x 575 mm, plastic belt, belt width: 480 mm, Rietschle vacuum pump, type: VCAH 250 (03), capacity: 250 m³/h, total dimensions: 1420 mm x 850 mm x 1150 mm.	500
615	DIGI / Teraoka	DIGI / Teraoka weighing scale with label printer, type: SM-5500 EV, serial number: 12916379, 220-240 V, 50/60 Hz, weighing range: 40-6.000/15.000 gram, scale dimensions: 370 mm x 285 mm , total dimensions: 400 mm x 450 mm x 580 mm. Screen broken, technical condition unknown.	10
616	DIGI / Teraoka	DIGI / Teraoka weighing scale with label printer, type: SM-5500P , serial number: 15907298, 220-240 V, 50/60 Hz, weighing range: 40-6.000/15.000 gram, scale dimensions:	10



Nr	Title	Description	Start €
		370 mm x 285 mm , total dimensions: 500 mm x 380 mm x 590 mm. Label printer defect.	
617	DIGI / Teraoka	DIGI / Teraoka weighing scale with label printer, type: SM-5500P , serial number: 16903861, 220-240 V, 50/60 Hz, weighing range: 40-6.000/15.000 gram, scale dimensions: 370 mm x 285 mm , total dimensions: 500 mm x 380 mm x 590 mm. Technical condition unknown.	10
618	DIGI / Teraoka	DIGI / Teraoka weighing scale with label printer, type: SM-5500 EV, serial number: 14901043, 220-240 V, 50/60 Hz, weighing range: 40-6.000/15.000 gram, scale dimensions: 370 mm x 285 mm , total dimensions: 400 mm x 450 mm x 580 mm. Screen broken, technical condition unknown.	10
619	Nagema	Nagema lifter for meat bins, type: LFW1000, serial number: 13351310, year of construction: 1990, 380 V, 50 Hz, 3.2 A, 2.11 kVA, lifting height: 1300 mm, total dimensions: 1450 mm x 950 mm x 1900 mm.	500
620	Hidros	Hidros water chiller, model: 1WSK.015S-1A, serial number: 739/100822/06, year of construction: 29/12/06, 400 V, 3 Ph, 50 Hz, 14.1 A, refrigerant: R407C, total dimensions: 1050 mm x 700 mm x 1550 mm.	350
621	Delta Technics Engineering B.V.	Delta Technics Engineering B.V. evaporator, model: FMX408, serial number: CEN060400-17220 V, 50 Hz, dimensions: 1150 mm x 650 mm x 420 mm.	50
622	Ned Air b.v.	Pallet with 3 fans, of which among others Ned Air b.v., dimensions fans: (2x) Ø 1100 mm x 250 mm, and (1x) Ø 1000 mm x 550 mm, total dimensions: 720 mm x 750 mm x 400 mm. Including s/s frame, dimensions: 720 mm x 750 mm x 400 mm.	30
623	Cryovac	Cryovac vacuum machine, type: VC 14 LH, serial number: CVC1412069, year of construction: 1996, 380 V, 50 Hz, 40 A, 13 kW, seal length: 940 mm and 650 mm, chamber dimensions: 975 mm x 610 mm, plastic belt, belt width: 480 mm, total dimensions: 1180 mm x 860 mm x 1150 mm. incomplete, technical condition unknown.	500
624	Ice-Tek	Ice-Tek ice machine, model: GIM 140 / 25N a V230, type: 5340, serial number: 13120031, 220-240 V, 50 Hz, refrigerant: R452A, total dimensions: 670 m x 500 mm x 850 mm.	200
625	N.T.F. SRL	N.T.F. SRL ice machine with ice storage, type: GM 550A-Q, serial number: 2011010519343, year of construction: 2011, 220-240 V, 50 Hz, 1.050 W, refrigerant: R404A, inside dimensions storage: 800 mm x 750 mm x 650 mm, total dimensions: 860 mm x 960 mm x 1600 mm. Technical condition unknown.	500
626	Scotsman	Scotsman ice storage, inside dimensions: 690 mm x 550 mm x 1070 mm, total dimensions: 770 mm x 900 mm x 1260 mm.	200



Nr	Title	Description	Start €
627	Frey	Frey mobile minced meat portioner, type: DMFB90, serial number: DMFB90 126262, plastic belt, belt width: 300 mm, diameter output: 75 mm, total dimensions: 1800 mm x 600 mm x 1300 mm.	4000
628	Mouvex	Mouvex hydraulic unit, type: Hydrive, serial number: 2038000, year of construction: 2021, total dimensions: 1200 mm x 800 mm x 900 mm.	300
629	A.O. Smith	A.O. Smith water boiler, model: BFC 30 N, type: C13/C33/C43/C53/C63, serial number: 050702562802005, 30.1 kW, volume: 368 liter, dimensions: Ø 720 mm x 2000 mm.	250
630	NN frames	Pallet with frames of which some are s/s, dimensions: 1200 mm x 800 mm x 1100 mm.	100
631	Hoshizaki	Hoshizaki ice machine, model: FM-251AFE, serial number: M01102, 220-240 V, 900 W, weight: 86 kg, refrigerant: R404A, dimensions: 720 mm x 560 mm x 940 mm.	350
632	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH rotisserie oven and hot base cabinet, type: HB-306, serial number: 366-1005-0029, year of construction: 2006, 230 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, inside dimensions: (2x) 560 mm x 500 mm x 550 mm, 6 floors, floor dimensions: (6x) 460 mm x 430 mm, total dimensions: 660 mm x 800 mm x 1800 mm.	300
633	Zumex	Zumex mobile juicer, model: ZUMEX SPEED SELF-SERVICE, serial number: 405570, year of construction: 06/2011, 230 V, 50/60 Hz, 0.280 kW, dimensions: 750 mm x 680 mm x 1760 mm.	350
634	Leventi	Leventi combi steamer with hood, model: BM 8 MM YOU, serial number: 15 09 65489, 400 V, 3 Ph, 50-60 Hz, 18 kW, inside dimensions: 460 mm x 600 mm x 820 mm, 10 floors, floor dimensions: 410 mm x 600 mm, total dimensions: 940 mm x 1030 mm x 1550 mm.	300
635	Lips	Lips vault, dimensions: 800 mm x 950 mm x 1500 mm. No key, damaged.	50
636	Mouvex	Mouvex hydraulic unit, type: Hydrive, serial number: 2032016, year of construction: 2021, total dimensions: 1200 mm x 800 mm x 900 mm.	300
637	Minerva Omega	Minerva Omega ice machine, type: compressor, model: GIM 270N / NEK2168GK, serial number: P21 15843, year of construction: 2021, 230 V, 1 Ph, 50 Hz, 3 A, 0.9 kW, weight: 85 KG, dimensions: 620 mm x 510 mm x 640 mm.	300
638	Brema	Brema ice machine, dimensions: 640 mm x 470 mm x 560 mm. Missing cover.	300
639	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH rotisserie oven, inside dimensions: 550 mm x 580 mm x 570 mm, total dimensions: 800 mm x 780 mm x 875 mm.	200
640	Whirlpool	Whirlpool refrigerator, type: ART 491/A+/2, 220-240 V, 50 Hz, 1.35 A, dimensions: 540 mm x 470 mm x 1800 mm.	5
641	NN Pressure sprayer	Pressure sprayer, dimensions: 230 mm x 230 mm x 460 mm.	5



Nr	Title	Description	Start €
642	NN frame	S/s frame, dimensions: 600 mm x 400 mm x 400 mm.	5
643	DIGI / Teraoka	DIGI / Teraoka weighing scale with label printer, type: SM-5500EV, serial number: 12916400, 220-240 V, 50/60 Hz, weighing range: 40-6.000/15.000 gram, scale dimensions: 370 mm x 285 mm , total dimensions: 400 mm x 450 mm x 580 mm.	10
650	Boix Maquinaria S.A.	Boix Maquinaria S.A. carton box forming and closing machine, type: MBS, type: B, serial number: 9263, year of construction: 2004, dimensions boxes: 300 mm x 400 mm, total dimensions: 2900 mm x 1850 mm x 2100 mm. Including Nordson glue unit.	4000
651	Boix Maquinaria S.A.	Boix Maquinaria S.A. box stacker, type: AMP/R, serial number: 3750, year of construction: 2003, plastic belt, total dimensions: 3000 mm x 1800 mm x 1800 mm.	2000
652	Boix Maquinaria S.A.	Boix Maquinaria S.A. carton box forming and closing machine, type: MBS, type: B, serial number: 4054, year of construction: 1996, dimensions boxes: 600 mm x 400 mm, total dimensions: 2900 mm x 1850 mm x 2100 mm. Including Nordson glue unit.	4000
653	Boix Maquinaria S.A.	Boix Maquinaria S.A. box stacker, type: AMP/R, serial number: 3757, year of construction: 2003, plastic belt, total dimensions: 3000 mm x 1800 mm x 1800 mm.	2000
654	Boix Maquinaria S.A.	Boix Maquinaria S.A. carton box forming and closing machine, type: FP-4, type: EC, serial number: 2521, year of construction: 1997, dimensions boxes: 300 mm x 400 mm, total dimensions: 5400 mm x 2000 mm x 2400 mm. Including Nordson glue unit.	4000
655	Boix Maquinaria S.A.	Boix Maquinaria S.A. box stacker, type: AMP/R, serial number: 3831, year of construction: 2004, plastic belt, total dimensions: 3000 mm x 1800 mm x 1800 mm.	2000
656	Boix Maquinaria S.A.	Boix Maquinaria S.A. carton box forming and closing machine, type: MBS, type: B, serial number: 9114, year of construction: 2002, dimensions boxes: 300 mm x 400 mm, total dimensions: 2900 mm x 1850 mm x 2100 mm. Including Nordson glue unit.	4000
657	Boix Maquinaria S.A.	Boix Maquinaria S.A. box stacker, type: AMP/R, serial number: 3691, year of construction: 2001, plastic belt, total dimensions: 3000 mm x 1800 mm x 1800 mm.	2000
658	Boix Maquinaria S.A.	Boix Maquinaria S.A. carton box forming and closing machine, type: SLF-800, serial number: 001, year of construction: 2013, dimensions boxes: 600 mm x 400 mm, total dimensions: 9800 mm x 4100 mm x 3500 mm. Including Nordson glue unit. Lot already dismantled.	10000
659	Boix Maquinaria S.A.	Boix Maquinaria S.A. box stacker, type: AMP/R, serial number: 3251, year of construction: 1995, plastic belt, total dimensions: 3000 mm x 1800 mm x 1800 mm.	2000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

