



**Industrial
Auctions**

**2275: Online auction machinery for the food industry in
Daugavpils (LV)**

END DATE

14 September 2026 13:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	14 September 2026 from 13:00 hrs.
Viewing days	10 September 2026 from 09:00 till 16:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	22 September 2026 from 09:00 till 16:00 hrs.
Pick up address	Višķu 17B LV-5410 Daugavpils Latvia
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Gustav Mueller & Co Kg	Gustav Mueller & Co Kg mobile traysealer, model: BS 47, serial number: 00047, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 3.9 kW, s/s pin conveyor, belt width: 550 mm, film width: 400 mm, dimensions dye: 250 mm x 310 mm, Busch vacuum pump, type: RA 0100 F 5R3, serial number: D1747921, capacity: 100 m ³ per hour, total dimensions: 2520 mm x 1000 mm x 1720 mm.	1500
2	Lindfors Estonia OU	Lindfors Estonia OU merging transport belt, s/s frame, number: 4107.15, year of construction: 04.16, 0.37 kW, plastic mesh belt, belt width (2x) 300 mm, total dimensions: 2040 mm x 1100 mm x 1190 mm.	250
3	Inwestpol	Inwestpol injector and tenderizer, 80 needles, clearance: 500 mm x 200 mm, plastic mesh belt, belt width: 500 mm, total dimensions: 2050 mm x 940 mm x 2115 mm. Including s/s filter tub, dimensions filter tub: 2020 mm x 780 mm x 1130 mm.	1250
4	Garos	Garos meat press, type: GHS 622, machine number: 15011045, dimensions chamber: Ø 120 mm x 500 mm, max bar: 6.0, weight: 100 kg, total dimensions: 2400 mm x 900 mm x 1170 mm.	750
5	Cryovac	Cryovac belt vacuum machine, model: VS 90, serial number: A03301434, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 20 A, 7 kW, 6 bar, plastic belt, belt width: 660 mm, plastic rollers, roller width: 660 mm, seal length: (2x) 950 mm, Busch vacuum pump, type: WV 1000 B OZI KDX, serial number: C0010000289, capacity: 1000 m ³ per hour, total dimensions: 3250 mm x 1380 mm x 1910 mm. Including s/s suction device for rest film, dimensions: 800 mm x 920 mm x 1330 mm.	5000
6	Cryovac	Cryovac shrink tunnel, model: ST77 RHS, serial number: A51600417, year of construction: 2000, 380/415 V, 50 Hz, 16 A, 4 kW, 6 bar, clearance: 840 mm x 300 mm, s/s mesh belt, belt width: 700 mm, total dimensions: 1300 mm x 1500 mm x 1900 mm.	1750
7	PFM S.P.A.	PFM S.P.A. vertical bag form-, fill-, seal machine with barcode printer, model: ZENITH EW INOX POLY, serial number: C.7765, year of construction: 2005, 380 V, 18.4 A, 10.3 kW, weight: 950 kg, bag length: 350 mm, printer model: LINX TT10, total dimensions: 2050 mm x 1430 mm x 2000 mm. Technical condition unknown.	750
8	Shanghai Chengting Packing Machine Co.,Ltd	Shanghai Chengting Packing Machine Co.,Ltd weiging- and packaging line, consisting of:Elevating belt, dimensions: 2000 mm x 900 mm x 3850 mm;Multihead weigher dimensions: 1300 mm x 1300 mm x 1500 mm;S/ s platform, dimensions: 2000 mm x 3100 mm x 2600 mm;Dispenser, dimensions: 1200 mm x 530 mm x 1180 mm;Shanghai Chengting Packing Machine Co.,Ltd horizontal packing machine, type: CTS2600, year of	10000



Nr	Title	Description	Start €
		construction: 2022.7.30, 380 V, weight: 4 T, speed: 20-40 r/min, dimensions: (1x) 2450 mm x 1300 mm x 1500 mm, (1x): 3700 mm x 1300 mm x 2200 mm, (1x): 3450 mm x 1300 mm x 2300 mm;Dust collector, dimensions: 650 mm x 650 mm x 1400 mm.	
9	NN tumbler	Vacuum tumbler, dimensions barrel: Ø 870 mm x 1000 mm, total dimensions: 1920 mm x 1100 mm x 1800 mm. Incomplete, control panel and vacuum pump missing.	2000
10	NN tumbler	Vacuum tumbler, dimensions barrel: Ø 870 mm x 1000 mm, total dimensions: 1800 mm x 1100 mm x 1800 mm. Incomplete, control panel and vacuum pump missing.	2000
11	Robot Coupe	Robot Coupe mobile cutter, model: R 60 11000 W, serial number: Z3340113011, 400 V, 3 Ph, 50 Hz, 26 A, 7600/11000 W, volume: 60 liter, dimensions: 820 mm x 905 mm x 1380 mm.	750
12	Doleschal	Doleschal cooking chamber, type: UM1-1500 K, number: 19000601, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 4 floors, dimensions floors: (4x) 930 mm x 680 mm, total dimensions: 1800 mm x 1150 mm x 2800 mm.	2500
13	Koneteollisuus OY	Koneteollisuus OY mobile grinder, model: LM-32/L, number: 134057, 380-420 V, 3 Ph, 50 Hz, 6.7 A, 3.0 kW, weight: 95 kg, diameter plate: 100 mm, total dimensions: 500 mm x 1080 mm x 1160 mm.	850
14	Shanghai Papa Industrial Co.,Ltd	Shanghai Papa Industrial Co.,Ltd mobile extruder, model: P307, 220/380 V, 50/60 Hz, 0.6 kW, weight: 180 kg, dimensions: 390 mm x 740 mm x 1160 mm.	200
15	NN rotating oven	Rotating electric hot air oven with 4 s/s trolleys, 16 floors, 30 baking tray each trolley, floor dimensions: (16x) 610 mm x 815 mm, baking tray dimensions: (30x) 595 mm x 395 mm, trolley dimensions: (4x) 690 mm x 710 mm x 1750 mm, total dimensions oven: 1900 mm x 2500 mm x 2430 mm.	2000
16	Varlet	Varlet skinning machine for fish, type: V778, machine number: 870, year of construction: 1991, 415 V, 2/7 A, plastic belt, belt width: 440 mm, working width: (2x) 200 mm, total dimensions: 800 mm x 2100 mm x 1240 mm.	2000
17	Dixie Union	Dixie Union thermoformer, type: DV 2000, number: 357 1050, year of construction: 1986, 380 V, 50 Hz, 20 A, bottom film width: 322 mm, top film width: 305 mm, dye: (6x) 200 mm x 83 mm x 120 mm, 2 Busch vacuum pumps, type: RA 0040 E / RA 0100 F 5R3, capacity: 40 / 100 m³ per hour, total dimensions: 3500 mm x 800 mm x 1725 mm. Including suction device for rest film and pallet with plastic film, pallet dimensions: 1200 mm x 800 mm x 470 mm.	2000
18	Shanghai Tianhe Pharmaceutical Machinery Co. Ltd	Shanghai Tianhe Pharmaceutical Machinery Co. Ltd rotary tablet press, model: ZP-17, serial number: 897, year of construction: 04.2023, 2.2 kW, max. pressure: 50	500



Nr	Title	Description	Start €
		kN, max. diameter: 20 mm, dimensions: 650 mm x 720 mm x 1530 mm. Including extra tablet press forms.	
19	Shanghai Tianhe Pharmaceutical Machinery Co. Ltd	Shanghai Tianhe Pharmaceutical Machinery Co. Ltd rotary tablet press, model: ZP-17, serial number: 896, year of construction: 04.2023, 2.2 kW, max. pressure: 50 kN, max. diameter: 20 mm, dimensions: 650 mm x 720 mm x 1530 mm. Including extra tablet press forms.	500
20	Atlas Copco	Atlas Copco air compressor, type: GA 11 SP, serial number: All 240668, year of construction: 1998, 11 kW, weight: 365 kg, max. working pressure 7.5 bar, dimensions: 930 mm x 800 mm x 1150 mm.	750
21	Shanghai Tianhe Pharmaceutical Machinery Co. Ltd	Shanghai Tianhe Pharmaceutical Machinery Co. Ltd rotary tablet press, model: ZP-17E, serial number: 236, year of construction: 05.2021, 380 V, 50-60 Hz, 2.2 kW, max. pressure: 50 kN, max. diameter: 20 mm, max. thickness: 7 mm, dimensions: 780 mm x 970 mm x 1860 mm. Including extra tablet press forms.	500
22	Mekorak Engineering Oy	Mekorak Engineering Oy mobile rotary tray closing machine, type: OK 1, serial number: 16092019, year of construction: 2019, 400 V, 50 Hz, 10 A, 2 kW, dimensions: 2860 mm x 1670 mm x 1730 mm.	1000
23	Funk Kälte Mit System	Funk Kälte Mit System flake ice machine, type: F120, number: 0447/11, year of construction: 2011, 230 V, 50 Hz, 5.3 A, 0.8 kW, refrigerant: R404A / 1.0 kg, dimensions: 700 mm x 700 mm x 1025 mm.	500
24	Satmec Oy	Satmec Oy tray denester, model: ALUKA-700, serial number: 0702-07, year of construction: 2002, plastic belt, belt width: 160 mm, total dimensions: 2570 mm x 780 mm x 1850 mm.	250
25	Rational	Rational combi steamer, type: CD 201, serial number: 20186101756, 380 V, 3 Ph, 50 Hz, 36 kW, inside dimensions: 400 mm x 700 mm x 1350 mm, total dimensions: 970 mm x 960 mm x 1800 mm.	850
26	OMP Possenti	OMP Possenti ham press with netting machine, type ham press: F PFT5, serial number: 0017, ø mould: 140 mm, total dimensions: 2750 mm x 460 mm x 1770 mm, type netting machine: F CRAT, serial number: 042, dimensions: 640 mm x 480 mm x 2050 mm.	750
27	Townsend	Townsend sausage linking, model: NL 21, dimensions: 3250 mm x 800 mm x 1800 mm.	1500
28	Ishida Europe Ltd	Ishida Europe Ltd traysealer, model: QX775-R-DEEP, serial number: 560288, year of construction: 07/2010, 415 V, 3 Ph, 50 Hz, 16 A, weight: 830 kg, total dimensions: 4240 mm x 800 mm x 1900 mm. Including 1 trolley for dye's and 3 trolleys with extra dye's, dimensions dye's: (2x) 320 mm x 260 mm and 2 (4x) 160 mm x 260 mm, dimensions trolleys: (2x) 1540 mm x 800	1500



Nr	Title	Description	Start €
		mm x 1500 mm, (1x) 1200 mm x 700 mm x 1210 mm and (1x) 1540 mm x 1200 mm x 1480 mm.	
29	ABM Company srl	ABM Company srl hamburger forming machine, model: F2000PLUS, serial number: 8987, year of construction: 11.2024, 230 V, 1 Ph, 50 Hz, 3.5 A, plastic belt, belt width: 145 mm, total dimensions: 1050 mm x 650 mm x 630 mm. Incomplete, form missing.	350
30	Krämer + Grebe GmbH & Co. KG	Krämer + Grebe GmbH & Co. KG cutter, type: SM 45, machine number: 258/603/1 88, year of construction: 1988, 380/220 V, 3 Ph, 50 Hz, 20 A, steel bowl, volume: 45 liter, dimensions: 1300 mm x 1050 mm x 1250 mm.	750
31	Koneteollisuus Oy	Koneteollisuus Oy clipper, model: KT-MS, dimensions 175 mm x 210 mm x 940 mm.	100
32	NN turning table	S/s turning table, diameter top: 1150 mm, total dimensions: ø 1150 mm x 790 mm.	750
33	Schutten Machines BV	Schutten Machines BV gas injection and labelling machine, model: GLM-500-2, serial number: 15008, year of construction: 2015, dimensions: 1850 mm x 1870 mm x 1860 mm, dimensions switch cabinet: 2000 mm x 700 mm x 430 mm.	3500
34	Taizhou Hulk Food Machinery Co.,Ltd	Taizhou Hulk Food Machinery Co.,Ltd forming rollers machine, model: BG-F800, serial number: 201609026, year of construction: 2017.01.05, 1,5 kW, weight: 1000 kg, capacity: 600 kg per hour, rollers width: (2x) 595 mm, total dimensions: 1700 mm x 1300 mm x 1640 mm.	750
35	Garos	Garos meat press, type: GHL 222, serial number: 92012, dimensions chamber: ø 120 mm x 360 mm, total dimensions: 2250 mm x 710 mm x 1155 mm.	650
36	Rocla	Rocla OYJ electric pallet lifter, type: T20ac, serial number: 5825410, year of construction: 2008, 24 V, capacity: 2000 kg, weight without battery: 500 kg, weight battery: 322 kg, fork length: 1150 mm, total dimensions: 1900 mm x 800 mm x 1700 mm. Including Varta electronic battery charger.	500
37	Metos	Metos mobile cooking vessel, type: VIKING 4CS, number: 845016/63, 380 V, 3 Ph, 50 Hz, 14 A, 9 kW, maximum temperature: 120°C, volume: 40 liter, dimensions: 1000 mm x 650 mm x 1260 mm.	300
38	InterVac Vakuumtechnik GmbH	InterVac Vakuumtechnik GmbH mobile vacuum machine, type: INV 20, number: 2444, year of construction: 2009, 230/400 V, 50 Hz, 1.5 kW, seal length: (2x) 500 mm, weight: 195 kg, Busch vacuum pump, type: RA 0063 F 5K3, number: 080085449, year of construction: 2008, capacity: 63 m³ per hour, total dimensions: 740 mm x 720 mm x 1100 mm.	500
39	Fomaco	Fomaco injector, model: FGM 20 40, machine number: 1988 1983, 40 needles, s/s belt, belt width: 240 mm, total dimensions: 1300 mm x 600 mm x 1900 mm.	900



Nr	Title	Description	Start €
40	NN transport belt	Transport belt, plastic belt, belt width: 600 mm, total dimensions: 2000 mm x 820 mm x 810 mm.	200
41	NN honey extractor	Honey extractor, dimensions: 1220 mm x 1540 mm x 1580 mm. Including tub, dimensions: 460 mm x 1640 mm x 310 mm.	500
42	NN curve conveyor	90° curve conveyor, s/s frame, plastic belt, belt width: 220 mm, total dimensions: 1830 mm x 900 mm x 880 mm.	450
43	NN infeed bunker	S/s mobile infeed bunker with vibrating gutter, dimensions: 1400 mm x 1000 mm x 900 mm.	200
44	Nieros	Nieros sole cleaner, type: URK, serial number: N3C50-04, year of construction: 12/2012, 400 V, 3 Ph, 50 Hz, 0.71 kW, brush length: (2x) 900 mm, total dimensions: 1600 mm x 960 mm x 1620. Incomplete.	500
45	Lindfors	Lindfors roller conveyor, s/s frame, s/s rollers, roller width: 580 mm, total dimensions: 2135 mm x 660 mm x 750 mm.	50
46	NN scales	Pallet with 5 s/s weighing scales, dimensions: 1500 mm x 1400 mm x 130 mm; 920 mm x 800 mm x 100 mm; 890 mm x 1000 mm x 120 mm; 500 mm x 400 mm x 100 mm; 340 mm x 260 mm x 90 mm, total dimensions: 1500 mm x 1400 mm x 380 mm. Incomplete, technical condition unknown.	150
47	Tekno Stamap srl	Tekno Stamap srl bowl mixer, model: C-L240UE4053C, serial number: 1059210101, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 2.2 kW, weight: 280 kg, inside dimensions bowl: Ø 300 mm x 300 mm, total dimensions mixer: 700 mm x 1030 mm x 1530 mm.	300
48	NN turning table	S/s turning table, diameter top: 950 mm, total dimensions: 950 mm x 1050 mm x 775 mm.	250
49	Shanghai Tianhe Pharmaceutical Machinery Co. Ltd	Shanghai Tianhe Pharmaceutical Machinery Co. Ltd rotary tablet press, model: ZP-17, serial number: 890, year of construction: 06.2021, 2.2 kW, max. pressure: 50 kN, max. diameter: 20 mm, dimensions: 1000 mm x 1200 mm x 1350 mm. Incomplete, for spare parts.	500
50	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning machine, type: ASE 453, number: 369, 400 V, 50 Hz, 0.4 kW, working width: 395 mm, total dimensions: 700 mm x 600 mm x 1030 mm.	400
51	Metos	Metos cooking vessel, type: Viking Basic 100S, serial number: 10911201310030, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 1 A, 0.5 kW, maximum pressure: 1 bar, maximum temperature: 120 °C, volume: 100 liter, dimensions: 1200 mm x 1000 mm x 1100 mm. Incomplete.	300
52	Lefa	Lefa smoke chamber, with 2 s/s trolleys, 5 floors, floor dimensions: (5x) 810 mm x 760 mm, trolley dimensions:	850



Nr	Title	Description	Start €
		(2x) 815 mm x 800 mm x 1500 mm, smoke chamber dimensions: 1460 mm x 1150 mm x 2150 mm.	
53	Jorgense	Jorgensen depositor, number: 60851/1 1024-51, year of construction: 1989, with Tekfa A/S scale, model: 7761, number: 881028, 220 V, 50 Hz, 12 V, total dimensions: 750 mm x 900 mm x 1840 mm.	750
54	NN vacuum dryer	Vacuum dryer, inside dimensions: Ø 820 mm x 1080 mm, Busch vacuum pump, type: RC 0100 E 503, number: 1027721, capacity: 100 m3/h, total dimensions: 1100 mm x 1600 mm x 2000 mm.	500
55	Palmia	Palmia double shaft paddle mixer-grinder, plate diameter: 150 mm, total dimensions: 2200 mm x 1150 mm x 1820 mm.	1250
56	Fimatec Oy	Fimatec Oy mixing tank, number: 20793, year of construction: 1992, 0.37 kW, volume: 500 liter, dimensions: 1000 mm x 1080 mm x 1600 mm.	500
57	Giga Firenze	Giga Firenze combi steamer, model: G 5 EL, serial number: 0685190, 5 floors, dimensions each floor: 530 mm x 320 mm, inside dimensions: 630 mm x 360 mm x 340 mm, 5.4 kW, total dimensions: 800 mm x 680 mm x 510 mm.	250
58	Vevor	Vevor double horizontal self-suction filler, model: G2WY, filling range: 100-1000, dimensions: 1030 mm x 480 mm x 510 mm.	100
59	Soehle Industrial Solutions GmbH	Soehle Industrial Solutions GmbH weighing scale and indicator, type: 9055, serial number: 9055.021706962, 100-240 V, 50-60 Hz, 400 mA, maximum weight: 30 kg, d= 10 g, dimensions scale: 310 mm x 275 mm, total dimensions: 310 mm x 275 mm x 100 mm.	50
60	NN table	Mobile s/s table with drain, dimensions: 2000 mm x 1400 mm x 900 mm.	150
61	NN table	Mobile s/s table with drain, dimensions: 2000 mm x 1400 mm x 880 mm.	150
62	GGM Gastro International GmbH	GGM Gastro International GmbH tenderizer/stripper, model: FKA100E, serial number: AS54FKA100E25010004, 220-240 V, 1 Ph, 50/60 Hz, 1.8 A, 350 W, working width: 170 mm, total dimensions: 500 mm x 230 mm x 430 mm.	350
63	NN table	Mobile s/s table with drain, dimensions: 1770 mm x 770 mm x 930 mm.	150
64	Metos	Metos cooking vessel with agitator, type: Proveno Combi 300E M SGL, serial number: 10911212170040, year of construction: 2012, 400/230 V, 3 Ph, 50 Hz, 83 A, 49.5 kW, volume: 300 liter, dimensions: 1650 mm x 1300 mm x 1300 mm.	750
65	Electrolux	Electrolux dishwasher with infeed- and outfeed table, model: DW Driven Turntable 90, Kurva 90, serial number: 221 70 1, clearance: 550 mm x 400 mm, total	750



Nr	Title	Description	Start €
		dimensions: 1720 mm x 850 mm x 1950 mm, infeed table, dimensions: 1300 mm x 650 mm x 880 mm and 2200 mm x 1430 mm x 1790 mm and outfeed table, dimensions: 1470 mm x 850 mm x 880 mm.	
66	NN lifter for meat bins	S/s lifter for 200 liter meat bins, dimensions: 3150 mm x 1150 mm x 1000 mm.	450
67	Marel A/S	Marel A/S mobile splitting machine, type: Splitter 200/200, serial number: A040210, year of construction: 2006, 230-400 V, 3 Ph, 0.75 kW, plastic mesh belt, belt width: (2x) 200 mm , ø saw blade: 400 mm, total dimensions: 2325 mm x 900 mm x 1700 mm.	1500
68	Pesutekno Oy	Pesutekno Oy dishwasher, type: Tuhti 02, number: 012001, 400 V, 3 Ph, 50 Hz, 22 A, 16.9 kW, dimensions: 800 mm x 800 mm x 1680 mm.	350
69	Seydelmann	Seydelmann cutter, type: K326 Ras 90157-1, steel bowl, bowl volume: 326 liters, cutter dimensions: 3700 mm x 2400 mm x 2150 mm, dimensions switch cabinet: 1880 mm x 1500 mm x 260 mm.	3000
70	Pigo	Pigo vibrating gutter, gutter width: 740 mm, total dimensions: 2025 mm x 1230 mm x 860 mm.	200
71	Inject Star	Inject Star vacuum tumbler, type: MC-20/40/80, number: 427, year of construction: 2001, 230 V, 1Ph, 50 Hz, 0.4 kW, inside dimensions: (2x) Ø 340 mm x 370 mm, total dimensions: 1000 mm x 450 mm x 1250 mm.	1000
72	Graseby	Graseby checkweigher, type: E30, serial number: B52883, year of construction: 03.1996, 240 V, 1 Ph, 50 Hz, 5 A, pressure: 5 bar, belt width: 200 mm, total dimensions: 2140 mm x 800 mm x 1770 mm. Missing belts.	500
73	Memmert	Memmert heating and drying oven, model: B30, serial number: 790 380, 220 V, 800 W, max 120°C, 9 floors, floor dimensions: 400 mm x 320 mm, inside dimensions: 400 mm x 320 mm x 400 mm, total dimensions: 515 mm x 540 mm x 680 mm.	200
74	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH heated showcase, type: HT-1400, serial number: 14-0606-0618, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 11.5 A, 5.64 kW, dimensions: 1410 mm x 770 mm x 515 mm.	50
75	Separation and Sorting Technology GmbH	Separation and Sorting Technology GmbH metal detector, type: Ecoline 1000/400/500/350/175/289/143, serial number: 11344015499-H, 230 V, 1 Ph, 50 Hz, 0,75 A, plastic belt, belt width: 400 mm, clearance: 500 mm x 300 mm, total dimensions: 1000 mm x 1000 mm x 1290 mm.	1250
76	Marel	Marel portion cutter, type: X-300 servo MX, serial number: 1204, year of construction: 2000, 400 V, 3 Ph, 4 kW, plastic belt, belt width: 290 mm, total dimensions: 3270 mm x 1200 mm x 1800 mm.	1950



Nr	Title	Description	Start €
77	Tractel S.A.S.	Tractel S.A.S. electric chain hoist, serial number: M101146, year of construction: 2011, 230/400 V, 3 Ph, 50 Hz, 0.4/0.13 kW, capacity: 250 kg, dimensions: 3330 mm x 1000 mm x 350 mm.	100
78	NN mixing tub	S/s tub with agitator, inside dimensions: 1450 mm x 930 mm x 700 mm, total dimensions: 1700 mm x 1020 mm x 1230 mm.	500
79	Multivac	Multivac knife sharpener, type: GM600, serial number: 285637, year of construction: 2019, 400/230 V, 50 Hz, 3 Ph, 2 kW, 3 A, dimensions: 1800 mm x 900 mm x 1920 mm.	1500
80	Carnitech	Carnitech mobile elevating belt with dividers, type: PM45, year of construction: 2006, 230/400 V, 3 Ph, 50 Hz, 1.3/0.75 A, 0.25 kW, s/s frame, plastic belt, belt width: 195 mm, elevating height: 1600 mm, distance between dividers: 450 mm, divider height: 90 mm, total dimensions: 3000 mm x 1000 mm x 2000 mm.	950
81	Dietatec	Dietatec double tiltable cooking vessel with agitator, model: EC 300 FS; EC 200 FS, serial number: 20140605; 20140604, year of construction: 2014, 380/415 V, 3 Ph, 77/62 A, 51/35.5 kW, volume: 300/200 liters, total dimensions: 3100 mm x 1350 mm x 1000 mm. Incomplete.	1000
82	Koneteollisuus OY	Koneteollisuus OY band saw, model: KT-325, dimensions saw table: 650 mm x 480 mm, total dimensions: 800 mm x 580 mm x 1670 mm.	250
83	Carnitech	Carnitech trimming line for fish consisting of: loader, dimensions: 1550 mm x 1600 mm x 2650 mm; de-iceing/ buffer total dimensions: 4500 mm x 1220 mm x 2050 mm; trimming line with pin bone remover, trimming line type: PM 45, year of construction: 2008, plastic belt, belt width: 610 mm, plastic belt, belt width: 250 mm, pin bone remover, type: CT 2612 01, year of construction: 2008, total dimensions: 1550 mm x 1600 mm x 2650 mm. Technical condition unknown.	3500
84	NN smoke generator	Smoke generator for wood chips, dimensions: 1150 mm x 700 mm x 1550 mm.	450
85	Stefani	Stefani evaporator, model: SHCP 035/4 E6 E 4S D, serial number: 153549000001, year of construction: 2015, motor (4x) 230 V, 1 Ph, 50 Hz, 4 fans, weight: 95 kg, dimensions: 2400 mm x 500 mm x 500 mm.	200
86	NN smoke stick washer	Smoke stick washer, inside dimensions: 1200 mm x 520 mm, total dimensions: 2500 mm x 950 mm x 1240 mm.	500
87	NN table	S/s table, dimensions: 1840 mm x 840 mm x 860 mm.	200
88	K-PZ Waagen	S/s floor weighing scale with K-PZ Waagen indicator, type: KPZ 52E-9-1, number: A12108994, maximum weight: 300 kg, minimum weight: 2 kg, e=: 0.1 kg, T=-	300



Nr	Title	Description	Start €
		300 kg, dimensions: 800 mm x 1100 mm x 100 mm. Including ramp.	
89	Palmia	Steel worm for Palmia grinder, dimensions: Ø 380 mm x 1360 mm.	100
90	NN table	S/s table, dimensions: 2950 mm x 1455 mm x 1450 mm.	200
91	NN smoke sticks	S/s trolley with large amount of aluminium smoke sticks, Y-shaped, length: 960 mm, dimensions trolley: 1200 mm x 720 mm x 990 mm.	300
92	NN smoke sticks	S/s trolley with large amount of aluminium smoke sticks, Y-shaped, length: 1000 mm, dimensions trolley: 750 mm x 550 mm x 1150 mm.	200
93	NN smoke sticks	S/s trolley with large amount of aluminium smoke sticks, Y-shaped, length: 1000 mm, dimensions trolley: 1000 mm x 570 mm x 1070 mm.	200
94	NN smoke sticks	S/s trolley with large amount of aluminium smoke sticks, Y-shaped, length: 1000 mm, dimensions trolley: 530 mm x 620 mm x 1110 mm.	200
95	NN smoke sticks	S/s trolley with large amount of aluminium smoke sticks, Y-shaped, length: 1000 mm, dimensions trolley: 530 mm x 620 mm x 1110 mm.	200
96	NN defrosting trolleys	3 s/s defrosting trolleys, 8 floors, floor dimensions: (8x) 750 mm x 600 mm, distance between floors: 180 mm, total dimensions: (3x) 880 mm x 640 mm x 1810 mm.	150
97	Estri	Estri dryer, model: ESTRITC 8330, serial number: R253-083301207372, year of construction: 2012/03, 400 V, 3 Ph, 50 Hz, capacity: 7 kg, dimensions: 830 mm x 630 mm x 900 mm.	250
98	Koneteollisuus Oy	Koneteollisuus Oy laboratory mill, type: KT-3303, number: 135655, 230 V, 1.6 A, 0.18 kW, 1 Ph, 50 Hz, 2800 rpm, dimensions: 360 mm x 180 mm x 570 mm.	100
99	NN meat presses	2 s/s meat presses, 10 floors, dimensions floors: (10x) 890 mm x 960 mm, distance between floors: 100 mm, total dimensions: (2x) 980 mm x 1000 mm x 1940 mm.	500
100	Hackman Metos LTD	Hackman Metos LTD oven, model: CVP 21E-CE, serial number: 2019828, 400 V 3 Ph, 50 Hz, 31.1 kW, 20 floors, floor dimensions: (20x) 550 mm x 330 mm, total dimensions: 960 mm x 860 mm x 2000 mm.	1000
101	Analla Foodtech	2 Analla Foodtech s/s meat presses, 8 floors, dimensions each floor: 970 mm x 890 mm, distance between floors: 90 mm, total dimensions: (2x) 980 mm x 995 mm x 1900 mm.	250
102	Metos	Metos pressure steamer, type: Futuramarvel SE24, serial number: 10910702210020, 400/230 V, 3 Ph, 50 Hz, 36 kW, 52 A, (2x) 6 floors, dimensions each floor: 550 mm x 320 mm, total dimensions: 1200 mm x 800 mm x 1570 mm.	150
103	Crystal Vaaka Oy	Crystal Vaaka Oy weighing scale with label printer, type: Crystal Color, number: 962538, 230 V, 50/60 Hz, 0.4 A,	25



Nr	Title	Description	Start €
		maximum weight: 6 kg, minimum weight: 40 g, e= 2 g, T=-4 kg, dimensions scale: 400 mm x 300 mm, total dimensions: 400 mm x 500 mm x 720 mm.	
104	NN sole cleaner	Sole cleaner, dimensions: 950 mm x 1200 mm x 1600 mm. Technical condition unknown, missing 2 brushes.	400
105	A Pack System	A Pack System mobile vertical bag form, fill and sealing machine, film width: 200 mm, total dimensions: 750 mm x 750 mm x 1800 mm. Incomplete.	1250
106	NN autoclave trolleys	2 s/s autoclave trolleys with 25 s/s baskets, dimensions baskets: 950 mm x 970 mm x 140 mm and 920 mm x 940 mm x 200 mm, dimensions trolleys: 1060 mm x 1000 mm x 1600 mm and 880 mm x 1000 mm x 1400 mm.	300
107	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: 3000 DC, type: 124, number: 124 0160, 380 V, 3 Ph, 50 Hz, 30,5 A, dimensions: 2300 mm x 1300 mm x 2400 mm.	1250
108	Pökomat	Pökomat mobile injector, type: P16/320, serial number: 4115, year of construction: 1998, 400 V, 3.5 A, 1500 W, weight: 210 kg, 16 needles, plastic mesh belt, belt width: 300 mm, total dimensions: 1580 mm x 620 mm x 2050 mm.	1500
109	Ing.- Buro Schmid Maschinenbau	Ing.- Buro Schmid Maschinenbau traysealer, type: 462 VGA, machine number: 795, year of construction: 04/89, 380 V, 5 kW, 6 bar, dye: 290 mm x 230 mm, film width: 265 mm, Busch vacuum pump, type: 063-136, serial number: 184432, capacity: 63 m3/h, total dimensions: 900 mm x 900 mm x 1400 mm.	500
110	Marel	Marel mobile double skinning machine for fish, model: MS1710, type: 9830844AA, machine number: 10392514, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 5 A, plastic belt, belt width: 355 mm, working width: (2x) 365 mm, skinning machine dimensions: 1430 mm x 1740 mm x 1260 mm. Including s/s trolley, dimensions: 1700 mm x 600 mm x 1420 mm. Missing belt.	2500
111	Carnitech	Carnitech mobile skinning machine for fish, type: CBF 495, number: 1016070, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.75 kW, plastic belt, belt width: 360 mm, working width: 445 mm, total dimensions: 800 mm x 1300 mm x 1400 mm. Incomplete.	750
112	Mettler-Toledo	Mettler-Toledo Garvens GmbH automatic scales, type: XE 40 DMS, serial number: 14004405, year of construction: 2012, 230 V, 50 Hz, belt width: 400 mm, maximum weight: 40 kg, minimum weight: 0.1 kg, d= 0.01 kg, T=- 36 kg, total dimensions: 800 mm x 1000 mm x 1480 mm. Incomplete, technical condition unknown.	100
113	Koneteollisuus OY	Koneteollisuus OY scaler, type: FISH SCALER, model: KT-S, number: 167560, 220-240 V, 1 Ph, 50/60 Hz, 1.3 A, 0.18	150



Nr	Title	Description	Start €
		kW, weight: 9 kg, dimensions: 210 mm x 400 mm x 260 mm.	
114	Koneteollisuus OY	Koneteollisuus OY scaler, model: KT-S, dimensions: 210 mm x 400 mm x 260 mm.	150
115	Metos	Metos cooking vessel with agitator, number: A174603/A174604, volume: 120 liter, dimensions: 1350 mm x 840 mm x 1400 mm. Incomplete, technical condition unknown.	750
116	HL Hydronics Ab	HL Hydronics Ab pressure maintenance unit with 2 expansion vessels, pressurization unit serial number: 990, year of construction: 2021, degasser serial number: 1319, year of construction: 2021, pressurization unit dimensions: 600 mm x 250 mm x 770 mm, degasser dimensions: 600 mm x 250 mm x 770 mm, expansion vessels dimensions: (2x) 850 mm x 730 mm x 1430 mm.	750
117	HL Hydronics Ab	HL Hydronics Ab pressure maintenance unit with 2 expansion vessels, pressurization unit serial number: 1158, year of construction: 2022, dimensions: 600 mm x 250 mm x 770 mm, expansion vessels dimensions: (2x) 850 mm x 730 mm x 1430 mm.	600
118	NN meat presses	5 s/s meat presses, (2x) 9 floors, dimensions each floor: 9900 mm x 980, distance between floors: 120 mm, total dimensions: (2x) 990 mm x 995 mm x 1890 mm, (3x) 7 floors, dimensions each floor: 900 mm x 970 mm, distance between floors: 90 mm, total dimensions: (3x) 900 mm x 970 mm.	1250
119	NN tank	S/s tank, volume: 525 liter, dimensions: 1000 mm x 1000 mm x 1800 mm.	400
120	Walki Westpak	2 pallets with 16 rolls of Walki Westpak plastic film rolls, type: WESTrip 4616 R, date of manufacture: 24.04.2023, film width: 620 mm, weight: 437/438kg, total dimensions: (2x) 800 mm x 1200 mm x 800 mm.	400
121	Walki Westpak	2 pallets with 16 rolls of Walki Westpak plastic film rolls, type: WESTrip 4616 R, date of manufacture: 24.04.2023, film width: 620 mm, weight: 438/439 kg, total dimensions: (2x) 800 mm x 1200 mm x 800 mm.	400
122	Walki Westpak	2 pallets with 16 rolls of Walki Westpak plastic film rolls, type: WESTrip 4616 R, date of manufacture: 24.04.2023, film width: 620 mm, weight: 440/439 kg, total dimensions: (2x) 800 mm x 1200 mm x 800 mm.	400
123	Walki Westpak	2 pallets with 16 rolls of Walki Westpak plastic film rolls, type: WESTrip 4616 R, date of manufacture: 24.04.2023, film width: 620 mm, weight: 422/442 kg, total dimensions: (2x) 800 mm x 1200 mm x 800 mm.	400
124	Walki Westpak	2 pallets with 14 rolls of Walki Westpak plastic film rolls, type: WESTrip 4616 R, date of manufacture: 24.04.2023, film width: 620 mm, weight: 440/330 kg, total dimensions: (2x) 800 mm x 1200 mm x 800 mm.	300



Nr	Title	Description	Start €
125	Walki Westpak	4 pallets with 32 rolls of Walki Westpak plastic film rolls, type: WESTrip 4616 R, date of manufacture: 24.04.2023, film width: 620 mm, weight: 440/330 kg, total dimensions: (4x) 800 mm x 1200 mm x 800 mm.	800
126	Shanghai Sanplus Plastic Co.,Ltd	Shanghai Sanplus Plastic Co.,Ltd 10 boxes with plastic re-closable zipper, type: MD-13TK, quantity: 4.600 m, total dimensions: 800 mm x 1200 mm x 1630 mm.	250
127	Shanghai Sanplus Plastic Co.,Ltd	Shanghai Sanplus Plastic Co.,Ltd 10 boxes with plastic re-closable zipper, type: MD-13TK, quantity: 4.600 m, total dimensions: 800 mm x 1200 mm x 1630 mm.	250
128	Amcor Flexibles Valkeakoski Oy	12 rolls of Amcor Flexibles Valkeakoski Oy plastic film, type: VAC M 85, date of manufacture: 18.12.21, film width: 342 mm, weight: (12x) 23 kg, total dimensions: 800 mm x 1200 mm x 860 mm.	200
129	Shanghai Lattine Co.	Shanghai Lattine Co., Ltd turning table, model: SP1200, serial number: 160711269, 220 V, 1 Ph, 50 Hz, 200 W, diameter top: 1200 mm, total dimensions: 1680 mm x 1265 mm x 1130 mm.	500
130	NN brine mixer	Brine mixer, inside dimensions: Ø 1150 mm x 700 mm, total dimensions: 1180 mm x 1550 mm x 2500 mm. Including s/s stairs, dimensions: 750 mm x 1110 mm x 610 mm.	500
131	Ilpra	Ilpra chain transport belt, distance between dividers: 360 mm, total dimensions: 1800 mm x 700 mm x 1060 mm.	300
132	Electrolux	Electrolux 4 pits infrared stove, model: RIV/E2, serial number: 2210001, year of construction: 2002, 400 V, 50/60 Hz, 8.8 kW, dimensions: 700 mm x 700 mm x 930 mm.	75
133	Bosch Groep	Bosch Groep vertical bag form-, fill-, and sealing machine with belt weighing scale, type: SVB 3600, number: 432, year of construction: 1988, dimensions: (1x) 1540 mm x 2400 mm x 2570 mm, (1x): 1260 mm x 1000 mm x 1600 mm, (1x): 1650 mm x 1130 mm x 1790 mm, (1x): 1000 mm x 1200 mm x 400 mm, (1x): 1000 mm x 1200 mm x 1260 mm, (1x): 1000 mm x 1200 mm x 700 mm, (1x): 630 mm x 600 mm x 1700 mm. Incomplete.	750
134	Espera	Espera checkweigher, type: ESD 203, serial number: 10006 0502, belt width: 125 mm, type terminal: ESC 903, terminal dimensions: 400 mm x 400 mm x 1300 mm, total dimensions: 1630 mm x 500 mm x 1720 mm.	450
135	NN table	S/s table, dimensions: 1200 mm x 900 mm x 650 mm.	100
136	Espera	Espera weighing and labelling machine, belt width: 110 mm, total dimensions: 1200 mm x 700 mm x 1700 mm. Incomplete, technical condition unknown.	350
137	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1000 mm x 995 mm, total dimensions: (10x) 1010 mm x 1000 mm x 1995 mm.	750



Nr	Title	Description	Start €
138	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1010 mm x 995 mm, total dimensions: (10x) 1015 mm x 1000 mm x 2000 mm.	750
139	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1000 mm x 995 mm, total dimensions: (10x) 1010 mm x 1000 mm x 2020 mm.	750
140	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1000 mm x 995 mm, total dimensions: (10x) 1005 mm x 1000 mm x 1995 mm.	750
141	NN smoke trolleys	7 s/s smoke trolleys, 6 floors each, dimensions each floor: 1015 mm x 995 mm, total dimensions: (10x) 1020 mm x 1000 mm x 2000 mm.	525
142	NN smoke trolleys	8 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (10x) 1010 mm x 1000 mm x 1995 mm.	600
143	TTM	TTM s/s mixer, type: SPmm-80, number: SP-67/04/TTM, year of construction: 2004, 3 Ph, 400 V, 2.5-4.0 A, 1.1 kW, weight: 72 kg, inside dimensions: Ø 490 mm x 450 mm, total dimensions: 900 mm x 1100 mm x 1220 mm.	200
144	Bizerba	Bizerba weighing scale, type: MCI-W, number: 705032, 220 V, 50 Hz, maximum weight: 60 kg, minimum weight: 0.4 kg, e= 0.02 kg, T= 60 kg, dimensions scale: 800 mm x 600 mm, total dimensions: 800 mm x 640 mm x 750 mm.	75
145	Electrolux	Electrolux mobile counter, model: Neutral unit FX 11 N DG-SC, serial number: 01908001, 230 V, 1 Ph, 50/60 Hz, dimensions: 1120 mm x 650 mm x 740 mm.	200
146	NN smoke sticks	Wooden pallet box with large amount of aluminium smoke sticks, Y-profile, length: 1000 mm, dimensions pallet box: 1200 mm x 1000 mm x 1030 mm.	200
147	NN table	Mobile table, dimensions: 930 mm x 720 mm x 1300 mm.	75
148	Annala Foodtech	Annala Foodtech mobile portioning machine, dimensions: 2800 mm x 800 mm x 1350 mm.	200
149	Scotsman Frimont S.p.A.	Scotsman Frimont S.p.A. ice machine with ice bunker, model: AF 10 ASE 0600, serial number: DA 021302 98, 230 V, 50 Hz, 10 A, 380 W, refrigerant: R134a/0.320 kg, dimensions: 600 mm x 620 mm x 1130 mm. Top cover is damaged.	450
150	Unox S.p.A.	Unox S.p.A. combi steamer, model: XEVC-0711-EPRM, serial number: 2024K0125571, 380-415 V; 220-240 V, 3 Ph, 50/60 Hz, 11.7 kW, 7 floors, weight: 82 kg, dimensions each floor: 290 mm x 535 mm, total dimensions: 750 mm x 830 mm x 1580 mm.	350
151	L'unite Hermetique	L'unite Hermetique cooling compressor, type:TFH2480Z, serial number: 52 J0908 90 115443 A, 400 V, 3 Ph, 50/60 Hz, refrigerant: R404A, dimensions: 620 mm x 520 mm x 1470 mm.	50
152	Ceia		750



Nr	Title	Description	Start €
		Ceia metal detector, model: THS/SL, serial number: 20400239001, 115-230 V, 50/60 Hz, 60 W, plastic string belt, belt width: 150 mm, clearance: 250 mm x 200 mm, total dimensions: 1950 mm x 1240 mm x 1510 mm.	
153	H. Wolff	H. Wolff homoginizer, type: LRS III, machine number: 84-456, year of construction: 1984, 380 V, 50 Hz, 4.48 kW, total dimensions: 1430 mm x 1555 mm x 1500 mm.	950
154	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, type: 144/0, machine number: 03518, year of construction: 1970, 380 V, 3 Ph, 50 Hz, 14.5 A, dimensions chamber: 130 mm x 140 mm x 750 mm, total dimensions: 2300 mm x 1130 mm x 1610 mm.	950
155	Vemag	Vemag vacuum filling machine, model: ROBBY, type: 136, number: 136 0075, year of construction: 2004, 3 PH, 50/60 Hz, 400-460 V, 11 A, dimensions: 1110 mm x 870 mm x 1660 mm.	2500
156	Denios	Denios mobile lifter for tubs, type: Fasslifter FL 16-SK F, serial number: 111049889-000100-001, year of construction: 2016, lifting height: 2000 mm, lifting capacity: 300 kg, total dimensions: 1200 mm x 1100 mm x 2135 mm.	200
157	Weiler Beehive Europe, Ltd	Weiler Beehive Europe, Ltd grinder, type: SH 11, serial number: 12304, year of construction: 2012, 280 V, 22 kW, 42.3 A, plate diameter: 280 mm, dimensions grinder: 920 mm x 1000 mm x 1500 mm, dimensions switch cabinet: 800 mm x 310 mm x 1000 mm. Incomplete.	1250
158	NN curve conveyor	90° curve conveyor, s/s frame, s/s mesh belt, belt width: 450 mm, total dimensions: 3200 mm x 1400 mm x 850 mm. Missing 1 leg.	150
159	NN sink	S/s double sink, dimensions: 2900 mm x 700 mm x 900 mm.	75
160	Inject Star	Inject Star cooling aggregate for tumblers with L'unite Hermetique cooling compressor, type: TFH4540F-HR, number: 4 664 30-231, refrigerant: R22, dimensions: 1200 mm x 800 mm x 1300 mm. Inject Star cooling aggregate for tumblers with L'unite Hermetique cooling compressor, type: TFH4540F-HR, number: 4 664 30-231, refrigerant: R22, dimensions: 1200 mm x 800 mm x 1300 mm.	250
161	Hamac Hansella	Hamac Hansella vertical bag form-, fill-, and seal machine with feeding conveyor and Safeline metal detector, type: 175H, number: 615, year of construction: 1969-70, model Safeline: 50H, 100-240 V, 50/60 Hz, 330 W, total dimensions: 1620 mm x 1400 mm x 2300 mm, dimensions conveyor: 1400 mm x 2220 mm x 1100 mm. Technical condition unknown.	250
162	Townsend		1250



Nr	Title	Description	Start €
		Townsend sausage linking machine, model: NL 21, serial number: 7305, year of construction: 2005, 400 V, 50 Hz, 3 Ph, 7,5/5,6 kW, 32 A, dimensions: 3500 mm x 850 mm x 1850 mm.	
163	Marel	Marel checkweigher, model: mwu-dldp-3001450, type: 0007-007, serial number: A126367, year of construction: 2015, dual lane, dual platform, total dimensions: 1850 mm x 1000 mm x 1630 mm. Incomplete, missing belts.	750
164	NN infeed bunkers	2 s/s infeed bunkers, dimensions: (2x) 1160 mm x 820 mm x 1210 mm. 1x mobile and incomplete.	75
165	NN table	Mobile s/s drain table, dimensions: 1370 mm x 1030 mm x 1210 mm.	75
166	NN depositor	2 head depositor, dimensions: 680 mm x 730 mm x 620 mm.	30
167	Vemag	Vemag mobile portioning machine, type: 701, number: 7010038, year of construction: 2003, 400-460 V, 3 Ph, 50/60 Hz, 2 A, plastic belt, belt width: 190 mm, total dimensions: 1500 mm x 860 mm x 1660 mm. Missing belt.	750
168	NN roller conveyor	Roller conveyor, s/s frame, s/s rollers, roller width: 520 mm, total dimensions: 1600 mm x 1250 mm x 980 mm. Missing 5 rollers.	100
169	King packaging machinery	King packaging machinery, glass can seamer, model: ISC200, serial number: 35, 2.2 kW, 400 V, plastic belt, belt width: 100 mm, total dimensions: 1100 mm x 2900 mm x 1900 mm.	1200
170	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH mobile weighing scale, type: SPIDER SW, serial number: 2558987, 230 V, 50 Hz, 70 mA, maximum weight: 30/60 kg, minimum weight: 200/400 g, e= 10/20 g, dimensions scale: 500 mm x 650 mm, total dimensions: 1600 mm x 600 mm x 900 mm.	50
171	Toyota	Toyota electric pallet lifter, model: 7SM12F, number: 727860/2004, 24 V, capacity: 1200 kg, weight without battery: 786 kg, weight battery: 250/150 kg, fork length: 1150 mm, total dimensions: 2440 mm x 800 mm x 1940 mm. Including electronic battery charger.	750
172	NN strip cutter	Strip cutter, 34 knives, distance between knives: 10 mm, total dimensions: 1200 mm x 1450 mm x 2000 mm.	500
173	NN drying belt	Mobile drying belt, s/s mesh belt, belt width: 450 mm, total dimensions: 1800 mm x 800 mm x 1960 mm.	750
174	NN meat bins	6 s/s meat bins, volume: (6x) 200 liter.	450
175	NN tumbler installation	Vacuum tumbler installation with 2 s/s vacuum tumblers, dimensions barrel: (2x) ø 1000 mm x 1000 mm, total dimensions tumbler: (2x) 1270 mm x 1580 mm x 1670 mm, Busch vacuum pump, type: 063-136-64965, capacity: 63 m³ per hour, hydraulic pump, dimensions of vacuum and hydraulic unit: 970 mm x 560 mm x 1260 mm. Incomplete, no control panel.	950



Nr	Title	Description	Start €
176	Selbach	Selbach water bath cooling unit, type: BK90 Medi, serial number: PG 175197, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 3.7 A, 650 W, refrigerant: R 134a, 430 gram, dimensions: 370 mm x 720 mm x 480 mm.	50
177	Polimoon	Polimoon traysealer, model: 1711VG, serial number: 0403036, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 21 A, clearance: 360 mm x 130 mm, dimensions dye: 300 mm x 250 mm, Busch vacuum pump, type pump: 100-132, serial number: 141533, capacity: 100 m/h, total dimensions: 2050 mm x 880 mm x 1790 mm.	1500
178	Busch	Busch vacuum pump, type-machine number: 4370151074, year of construction: 1974, capacity: 400 m ³ /h, dimensions: 1400 mm x 700 mm x 1000 mm.	50
179	Bizerba	Bizerba mobile automatic slicer, type: A 404, number: 1937275, year of construction: 2001, 230 V, 1 Ph, 50 Hz, 3.1 A, dimensions: 1100 mm x 700 mm x 1400 mm.	1250
180	NN table	S/s mobile table, dimensions: 1980 mm x 960 mm x 1330 mm.	75
181	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	150
182	Instru Data Oy	Instru Data Oy weighing scale with label printer, type: Crystal Color, number: 962250, 230 V, 50/60 Hz, 0.4 A, maximum weight: 6 kg, minimum weight: 40 g, e= 2 g, T=-4 kg, dimensions scale: 400 mm x 300 mm, total dimensions: 400 mm x 500 mm x 540 mm.	50
183	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	225
184	Lehikoinen Oy	Lehikoinen Oy weighing scale with label printer, model: LEHI 2002 IP, serial number: 02629, 220 V, 50 Hz, 1.6 A, 65 W, maximum weight: 15 kg, minimum weight: 40 g, e= 2/5 g, T=-5.998 kg, dimensions scale: 365 mm x 270 mm, total dimensions: 415 mm x 380 mm x 685 mm.	50
185	Crystal Vaaka	Crystal Vaaka weighing scale with label printer, type: Crystal Color, number: 962363, 230 V, 50/60 Hz, maximum weight: 15 kg, minimum weight: 100 g, e= 5 g, T=-10 kg, dimensions scale: 400 mm x 300 mm, total dimensions: 500 mm x 300 mm x 715 mm.	50
186	ELS	ELS labelling unit, model: ELS-520, machine number: 4417, year of construction: 2000, 230 V, 50/60 Hz, 1500 VA, dimensions: 1300 mm x 700 mm x 720 mm.	125
187	Soehle	Soehle weighing scale and indicator, type: S20-2760, number: 98113002, serial number: 108891, 230 V, 50/60 Hz, maximum weight: 7.5 - 15 kg, minimum weight: 40 - 100 g, e= 2 - 5 g, dimensions scale: 310 mm x 270 mm, total dimensions: 310 mm x 270 mm x 160 mm.	75
188	Dynopack Maschinenbau GmbH	Dynopack Maschinenbau GmbH traysealer, type: 320 VG, machine number: 022, year of construction: 2-93, 220 V, 6 kW, 6 bar, dye: 325 mm x 260 mm, film width: 325 mm, total dimensions: 1100 mm x 1200 mm x 1700 mm.	750
189	Koneteollisuus OY		950



Nr	Title	Description	Start €
		Koneteollisuus OY grinder, model: LM-160, number: 75640, plate diameter: 160 mm, dimensions: 1850 mm x 1180 mm x 2000 mm.	
190	NN trolley	S/s heated trolley, dimensions: 1540 mm x 650 mm x 1160 mm.	150
191	Redsail	Redsail Laser laser cutter, model: M900, serial number: LEBT3367, year of construction: 15-2017, 220 V, 1 Ph, 50 Hz, 10 A, dimensions 1500 mm x 1100 mm x 1020 mm. Technical condition unknown.	450
192	Stephan	Stephan mobile universal machine, model: UMK 40, number: 2401519, 380 V, 3 Ph, 10/9 A, 4/3.3 kW, volume: 40 liter, dimensions: 860 mm x 600 mm x 1230 mm.	500
193	Veltia	Veltia hand dryer, model: HD, product number: 8436037631243, serial number: 0121082NBL0002, year of construction: 08/03/2012, 220-240 V, 50/60 Hz, 1760 W, dimensions: 290 mm x 185 mm x 615 mm.	25
194	Rühle	Rühle mobile vacuum tumbler, inside dimensions: diameter 600 mm x 630 mm, Busch vacuum pump, type: 009-316, serial number: 337911, total dimensions: 1220 mm x 860 mm x 1580 mm. Incomplete.	750
195	Rosenlew	Rosenlew drying cabinet, model: KK401, serial number: 905 039, 230 V, 50 Hz, 2050 W, 4 floors, floor dimensions: 550 mm x 500 mm, total dimensions: 600 mm x 600 mm x 1860 mm.	50
196	NN refrigerated showcase	Mobile refrigerated showcase, inside dimensions: 640 mm x 500 mm x 220 mm, total dimensions: 1060 mm x 800 mm x 1170 mm.	150
197	CB	CB breaking saw, type: NF 0.75/2-7w, serial number: 298589, 380/220 V, 50 Hz, 2.9/5.1A, 1300 W, 2770 rpm, dimensions: 750 mm x 300 mm x 250 mm.	150
198	Freund	Freund breaking saw, type: K 23-03, year of construction: 1999, 400 V, 50 Hz, 2.7 A, 1300 W, 1320 rpm, dimensions: 660 mm x 180 mm x 170 mm. Without blade.	150
199	Freund	Freund breaking saw, type: 03, 380 V, 50 Hz, 2.3 A, 1100 W, 2900 rpm, dimensions: 590 mm x 240 mm x 240 mm. Without blade.	150
200	Dieta	Dieta mobile heated showcase, type: DIE/200, number: 388, 230 V, 1 Ph, 50 Hz, 7 kW, inside dimensions: 980 mm x 500 mm x 220 mm, total dimensions: 1060 mm x 1200 mm x 1170 mm.	150
201	SHG	SHG microwave, model: 1100, serial number: 70201424, 220 V, 50 Hz, 4.5 A, 950 W, dimensions: 500 mm x 400 mm x 310 mm.	50
202	NN ham moulds	9 s/s ham moulds, inside dimensions: 1000 mm x 100 mm x 50 mm, dimensions: (9x) 1000 mm x 135 mm x 50 mm.	20



Nr	Title	Description	Start €
203	NN ham moulds	Pallet with 66 s/s ham moulds, inside dimensions 70 mm x 70 mm x 390 mm, total dimensions: 800 mm x 550 mm x 500 mm.	100
204	NN labelling machine	Labelling machine, year of construction: 2019, 400 V, 2.2 kW, total dimensions: 2250 mm x 600 mm x 1450 mm.	2500
205	NN smoke sticks	S/s trolley with large amount of Y-shaped smoke sticks, length smoke sticks 940 mm, dimensions trolley: 650 mm x 500 mm x 1100 mm.	100
206	Cryovac	Cryovac vacuum machine, model: VC 12, number: 02040, year of construction: 1990, 380 V, 50 Hz, dimensions chamber: 980 mm x 580 mm x 220 mm, seal length: (2x) 950 mm and (1x) 700 mm, total dimensions: 1200 mm x 850 mm x 1070 mm. Vacuum pump is missing, technical condition unknown.	750
207	NN counter	Mobile counter, dimensions: 1060 mm x 800 mm x 750 mm.	200
208	Formax	Formax SNS scanner, model: SNS Scanner, serial number: KIKT60, 230 V, 1 Ph, 50/60 Hz, 7 A, clearance: 240 mm x 190 mm, dimensions: 2600 mm x 850 mm x 1900 mm.	1500
209	PKO Kylmälaitteet Oy	PKO Kylmälaitteet Oy refrigerated showcase, model: PU KP 12/750, serial number: 9231, year of construction: 1998, 230 V, 1 Ph, 50 Hz, 0.5 kW, refrigerant: R134a / 110 gram, inside dimensions: 1040 mm x 500 mm x 210 mm, total dimensions: 1200 mm x 1050 mm x 1200 mm.	150
210	Dieta	Dieta gentle steam cooker, model GSX-2, serial number 001203, 380-415 V, 3 Ph, 42 kW, 62 A, 6 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 1200 mm x 850 mm x 1350 mm.	150
211	Mewag	Mewag dip tank, type: SA350E, number: 6511707, year of construction: 1988, 380 V, 3 Ph, 50 Hz, 30/31.5 kW, s/s rollers, roller width: (2x) 400 mm, clearance: 700 mm x 300 mm, total dimensions: 1300 mm x 1100 mm x 1750 mm.	450
212	NN table	S/s table, plastic worktop, dimensions: 3000 mm x 1200 mm x 1000 mm. Missing 1 worktop.	125
213	Fomaco	Fomaco injector, model: FGM 26/52, machine number: 1815, year of construction: 1982, 26 needles, s/s belt, belt width: 340 mm, clearance: 350 mm x 250 mm, total dimensions: 2100 mm x 700 mm x 1750 mm.	1500
214	Busch	Busch vacuum pump, type: 160-132, number: 35143, capacity: 160 m ³ per hour, dimensions: 900 mm x 600 mm x 870 mm.	500
215	NN smoke sticks	S/s trolley with large amount of Y-shaped smoke sticks, length smoke sticks 940 mm, total dimensions: 1000 mm x 560 mm x 870 mm.	100
216	Food Mixer	Food Mixer bowl mixer, model: B100, serial number: 2007001, 380 V, 3 Ph, 50 Hz, 3/4 kW, weight: 551 kg, inside dimensions bowl: Ø 520 mm x 480 mm, total	750



Nr	Title	Description	Start €
		dimensions mixer: 740 mm x 1205 mm x 1620 mm. Including 3 extra s/s bowls, dimensions: (3x) 630 mm x 700 mm x 930 mm.	
217	NN autoclave trolleys	3 s/s autoclave trolleys with 24 baskets, dimensions baskets: 870 mm x 970 mm x 200 mm, dimensions trolleys: (3x) 900 mm x 1000 mm x 1500 mm.	450
218	ITEC	ITEC boot cleaner, type: 2381, serial number: 119, year of construction: 04/98, 400 V, 3 Ph, 50 Hz, 0.75 kW, brush length: (3x) 300 mm, total dimensions: 750 mm x 820 mm x 1100 mm. Incomplete, two brushes missing.	300
219	NN table	S/s table with plastic work top, dimensions: 1010 mm x 1010 mm x 950 mm.	50
220	GW Steffens	6 GW Steffens bowl cutter blades, type: SY 300, radius: 298 mm, thickness: 5,5 mm, shaft/hex 90 mm, total dimensions: 410 mm x 230 mm x 33 mm.	20
221	NN parts for grinder	Several s/s parts for grinder, $\varnothing$ knife: 200 mm.	15
222	Marel	Marel checkweigher, type: INW3 X300, serial number: A024046, year of construction: 2004, 380/480 V, 3 Ph, 10 A, 1.2 kW, plastic belt, belt width: 280 mm, total dimensions: 1740 mm x 840 mm x 1500 mm. Incomplete, for spare parts.	750
223	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type VC999 03 i F, machine number 0399 978, 400 V, 3 Ph, 50 Hz, 9 kW, 15 A, 5-6 bar, seal length: (2x) 450 mm and 960 mm, Rietschle vacuum pump, type: CLFH 220 (20), year of construction: 1998, capacity: 220 m ³ per hour, total dimensions: 1100 mm x 775 mm x 1020 mm.	400
224	Jauslin	4 Jauslin bowl cutter blades, type: 269/60, radius: 269 mm, thickness: 4 mm, shaft/hex 60 mm, total dimensions: 345 mm x 210 mm x 16 mm.	15
225	Cuttermesser Tourix	3 Cuttermesser Tourix bowl cutter blades, type: 160, radius: 269 mm, thickness: 3.5 mm, shaft/hex 60 mm, total dimensions: 335 mm x 145 mm x 10.5 mm.	15
226	Seydelmann	6 Seydelmann bowl cutter blades, type: 301 B, radius: 298 mm, thickness: 4.5 mm, shaft/hex 90 mm, total dimensions: 380 mm x 210 mm x 27 mm.	20
227	GW Steffens	GW Steffens bowl cutter blade, type: SY 120, radius: 240 mm, thickness: 3,5 mm, shaft/hex 60 mm, total dimensions: 310 mm x 170 mm x 3.5 mm.	15
228	Merging	Merging transport belt, plastic belt, belt width (2x) 190 mm, total dimensions: 1560 mm x 880 mm x 1710 mm.	250
229	Merging	Merging transport belt, plastic belt, belt width (2x) 190 mm, total dimensions: 1560 mm x 880 mm x 1710 mm.	250
230	GW Steffens	5 GW Steffens bowl cutter blades, type: SY 200, radius: 276 mm, thickness: 4 mm, shaft/hex 70 mm, total dimensions: 360 mm x 205 mm x 20 mm.	15
231	GW Steffens		25



Nr	Title	Description	Start €
		8 GW Steffens bowl cutter blades, type: SY 325, radius: 325 mm, thickness: 4,5 mm, shaft/hex 90 mm, total dimensions: 420 mm x 235 mm x 36 mm.	
232	Zico	6 Zico bowl cutter blades, type: A 885 (350R - 500L), radius: 350 mm, thickness: 6 mm, shaft/hex 70 mm, total dimensions: 490 mm x 235 mm x 36 mm.	20
233	Zico	6 Zico bowl cutter blades, type: A 885 (350R - 500L), radius: 350 mm, thickness: 6 mm, shaft/hex 70 mm, total dimensions: 490 mm x 235 mm x 36 mm.	15
234	Zico	6 Zico bowl cutter blades, type: A 885 (350R - 500L), radius: 350 mm, thickness: 6 mm, shaft/hex 70 mm, total dimensions: 490 mm x 235 mm x 36 mm.	15
235	Zico	6 Zico bowl cutter blades, type: A 885 (350R - 500L), radius: 350 mm, thickness: 6 mm, shaft/hex 70 mm, total dimensions: 490 mm x 235 mm x 36 mm.	15
236	Zico	6 Zico bowl cutter blades, type: A 885 (350R - 500L), radius: 350 mm, thickness: 6 mm, shaft/hex 70 mm, total dimensions: 490 mm x 235 mm x 36 mm.	15
237	Tray Pack Engineering	Tray Pack Engineering s/s mesh belt with sprayers, type: VK735-5, year of construction: 2012, 0.18 kW, belt width: 400 mm, total dimensions: 5250 mm x 600 mm x 500 mm.	250
238	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 305 mm, total dimensions: 2200 mm x 670 mm x 1240 mm.	250
239	GW Steffens	6 GW Steffens bowl cutter blades, type: SY 335, radius: 335 mm, thickness: 5 mm, shaft/hex 90 mm, total dimensions: 430 mm x 245 mm x 30 mm.	15
240	NN smoke stick washer	Smoke stick washer, inside dimensions: Ø 980 mm x 1340 mm, total dimensions: 1700 mm x 1200 mm x 1950 mm. Incomplete, technical condition unknown.	150
241	NN conveyor line	Conveyor line, consisting of various transport belts. Total dimensions: (1x) 2300 mm x 1300 mm x 1500 mm, (1x) 2700 mm x 1010 mm x 1840 mm, (1x) 2250 mm x 1300 mm x 850 mm, (1x) 900 mm x 1000 mm x 1200 mm, (1x) 3000 mm x 2550 mm x 1420 mm, (1x) 2100 mm x 2100 mm x 700 mm, (1x) 3350 mm x 1000 mm x 2200 mm, (1x) 6300 mm x 1050 mm x 650 mm, (1x) 3600 mm x 1350 mm x 1000 mm, (1x) 1400 mm x 1000 mm x 1000 mm. New, never used. Incomplete.	1250
242	NN brine mixer	Brine mixer, inside tub dimensions: Ø 960 mm x 840 mm, total dimensions: 1050 mm x 1280 mm x 1740 mm.	500
243	Antti Lindfors OY	Antti Lindfors OY mobile transport belt, type: LK-356, number: 1652, year of construction: 2003-11, 0.18 kW, s/s frame, plastic belt, belt width: 355 mm, total dimensions: 1800 mm x 960 mm x 1870 mm.	250
244	NN plate	Grinder plate, plate diameter: 412 mm, centre hole: Ø 75 mm.	20



Nr	Title	Description	Start €
245	Fincoil	Fincoil evaporator, type: PBD-CA-G-212-8-1150-SSA-Qc, year of construction: 15/12/97, 400 V, 3 Ph, 50 Hz, 2 fans, dimensions: 2410 mm x 1680 mm x 450 mm.	150
246	CFS Bakel B.V.	CFS Bakel B.V. automatic skewer machine, type: STI600, machine number: 278, year of construction: 2010, weight: 85 kg, dimensions: 1200 mm x 620 mm x 1100 mm.	750
247	Supervac	Supervac vacuum machine, type: GK 189/G/BTS, machine number: 83113705, 380 V, 50 Hz, 11 A, seal length: (2x) 665 mm, Busch vacuum pump, type: 100-112, total dimensions: 900 mm x 860 mm x 1000 mm.	500
248	Antti Lindfors OY	Antti Lindfors Oy tray denester, year of construction: 2005, 0.75 kW, dimensions: 2900 mm x 1300 mm x 2100 mm.	500
249	Satmec Oy	Satmec Oy fillet filling, type: FILETÄYTTÖ, serial number: 0201-04, year of construction: 2001, plastic belt with dividers, belt width: 115 mm, distance between dividers: 65 mm, divider height: 20 mm, total dimensions: 2400 mm x 800 mm x 1700 mm.	750
250	Rühle	Rühle dicer, type: MR 100-S, number: 313, year of construction: 1988, dimensions chamber: 100 mm x 100 mm , total dimensions: 1050 mm x 560 mm x 1000 mm. Without knife and grids.	450
251	NN smoke sticks	S/s trolley with large amount of Y-shaped smoke sticks, length smoke sticks 940 mm, dimensions trolley: 1000 mm x 710 mm x 820 mm.	100
252	Hollstein & Fuhrmann GmbH. KG	Hollstein & Fuhrmann GmbH. KG s/s tilting device for drums, type: EL 3, serial number: 3 62, 380 V, dimensions: 1060 mm x 1330 mm x 1380 mm.	450
253	Koneteollisuus OY	Koneteollisuus OY grinder, model: LM-32/L, number: 74000, diameter plate: 100 mm, total dimensions: 800 mm x 500 mm x 1000 mm.	1500
254	Metos	Metos fryer, type: Prince 85LCE, serial number: 155447/07, 3 Ph, 230/400 V, 50 Hz, 10.5 kW, 15.2 A, dimensions fryer: 790 mm x 530 mm, total dimensions: 850 mm x 850 mm x 950 mm.	250
255	Digi	Digi label printer, model DP-90, serial number: 07950614 AC 220-240 V, 50/60 Hz, 0.4 A, 35 W, dimensions: 350 mm x 220 mm x 300 mm.	25
256	Carel	Carel electronic steam humidifiers, model: CDC, serial number: 023961, dimensions: 365 mm x 225 mm x 750 mm.	75
257	Kerres	Kerres smoke-air smoke chamber for 2 trolleys, type: U2800, 52 kW, steam: approximately 120 kg/h, heaters: 5-7 bar, steam: 0.3-0.5 bar, steam valves compressed air: 5-8 bar, water: 4 bar, dimensions: 2050 mm x 2300 mm x 2780 mm.	1500



Nr	Title	Description	Start €
258	Intermec Technologies Corporation	Intermec Technologies Corporation label printer, model PF4i, serial number: 33720821093, year of construction: 2008.12.20, 100-240 V, 50/60 Hz, 2-1 A, dimensions 400 mm x 235 mm x 175 mm.	25
259	Valentin	Valentin label printer, type: COMPA 104/8, serial number: 09532302, 110-230 V, 50-60 Hz, 2.5 A, dimensions: 350 mm x 240 mm x 280 mm.	25
260	Sato	Sato label printer, model: CL412, serial number: 60670036, 100-120/200-240 V, 50/60 Hz, 3.15 A, dimensions: 430 mm x 270 mm x 320 mm.	25
261	Koneteollisuus OY	Koneteollisuus OY manual minced meat former for grinder, type: LM-42A/130A, dimensions 320 mm x 305 mm x 155 mm.	40
262	Electrolux	Electrolux freezer, model: ESQC41F, serial number: 22000001, 230 V, 50 Hz, 850 W, refrigerant: R134A-0.330 kg, volume: 400 liter, total dimensions: 600 mm x 680 mm x 2030 mm.	200
263	Koneteollisuus OY	2 Koneteollisuus Oy grinder plates, plate diameter: 250 mm, Ø centre hole: 60 mm, hole plate 6.5 mm and 3 mm.	30
264	NN smoke trolleys	4 s/s smoke trolleys, dimensions: (4x) 1000 mm x 990 mm x 1950 mm.	300
265	Christ	4 Christ grinder plate, plate diameter: 250 mm, Ø centre hole: 70 mm, plate perforations 2 mm / 3.2 mm / 4.0 mm / 5.0 mm.	60
266	Cryovac	Pallet with parts from Cryovac hot water dip tank, dimensions: 1200 mm x 800 mm x 860 mm.	100
267	Brush	Brush diesel generator, machine number: 462363, output: 140 kW, 400 V, 3 Ph, 50 Hz, 202 A, dimensions: 3530 mm x 1450 mm x 1830 mm.	1750
268	Kwik Lok	Kwik Lok bag blower and closing machine, type: 1003A, model-hand: A, serial number: 65031-2000, dimensions 980 mm x 490 mm x 1000 mm.	75
269	NN smoke trolleys	2 s/s smoke trolleys, 16 floors, floor dimensions: (16x) 955 mm x 1010 mm, total dimensions: (2x) 1050 mm x 1020 mm x 1965 mm.	150
270	Lindfors	Lindfors driven roller conveyor, type: POS 2, number: 931729, 0.25 kW, year of construction: 1993, s/s frame, s/s rollers, roller width: 580 mm, total dimensions: 4140 mm x 880 mm x 1430 mm.	350
271	NN smoke sticks	S/s trolley with large amount of Y-shaped smoke sticks, length smoke sticks 940 mm, total dimensions: 1000 mm x 560 mm x 940 mm.	100
272	Nestan/Festo	Nestan/Festo depositor, manufacturing number: 8012, year of construction: 03.1999, 230 V, 50 Hz, 2 A, dimensions: 1190 mm x 850 mm x 1670 mm.	500
273	NN fire hoses	Steel container trolley with 6 Fire hose reels, total dimensions: 660 mm x 8300 mm x 1550 mm.	25



Nr	Title	Description	Start €
274	Stork	Pallet with parts for Stork forming machine, dimensions: 800 mm x 580 mm x 600 mm.	100
275	NN parts	Plastic crate with parts for forming machine, dimensions: 900 mm x 400 mm x 360 mm.	50
276	NN smoke trolleys	8 s/s smoke trolleys, dimensions: (8x) 1000 mm x 990 mm x 1950 mm.	600
277	Metos	Metos freezer, model: A700L TN RC, serial number: 5081514, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 6 A, 115 W, refrigerant: R134A, 2 floors, floor dimensions: 520 mm x 650 mm, total dimensions: 680 mm x 800 mm x 2070 mm. Cooling centrally regulated.	250
278	NN smoke trolleys	4 s/s smoke trolleys, 10 floors, dimensions floors: (10x) 990 mm x 865 mm, total dimensions: (4x) 990 mm x 995 mm x 1905 mm.	300
279	VB Techno	VB Techno weighing and dosing machine, dimensions: 380 mm x 260 mm x 530 mm.	200
280	Antti Lindfors OY	Antti Lindfors OY mobile elevating belt, type: Lamellik, number: 53408, year of construction: 2010, 0.55 kW, 200 kg, s/s frame, plastic belt, belt width: 510 mm, elevating height: 1950 mm, total dimensions: 5300 mm x 1600 mm x 2000 mm.	950
281	Fomaco	Fomaco injector, model: FGM 48F SC, machine number: 8358, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 18.0 A, s/s mesh belt, belt width: 400 mm, total dimensions: 2250 mm x 800 mm x 2300 mm. Including s/s filter tub, dimensions: 600 mm x 1700 mm x 830 mm.	1500
282	KT	KT bandsaw, model: KT-1100, number: 96457, 380 V, 3 Ph, 50 Hz, 9 A, 4 kW, s/s rollers, dimensions table: 1600 mm x 1300 mm, total dimensions: 2100 mm x 1500 mm x 2200 mm.	1000
283	NN table	Mobile s/s table with roller conveyor, steel rollers, roller width: 360 mm, total dimensions: 1750 mm x 900 mm x 840 mm.	100
284	G. Mondini spa	G. Mondini spa traysealer with denester and infeed belt, type infeed belt: C/T, serial number: 679/90, year of construction: 15/10/1990, 380 V, 3 Ph, 50 Hz, chain belt, dimensions: 2780 mm x 450 mm x 1600 mm, type traysealer: AC/G, serial number: 679/90, serial numbers: 15/10/1990, 380 V, 3 Ph, 50 Hz, film width: 170 mm, dye: (3x) 150 mm x 120 mm, total dimensions: 2250 mm x 750 mm x 1900 mm. Including 2 pallets with film.	2250
285	Küpperbusch	Küpperbusch combi steamer, type: KEG 0107, 230/400 V, 3 Ph, 50 Hz, 37.4 kW, inside dimensions: 450 mm x 660 mm x 1350 mm, total dimensions: 950 mm x 870 mm x 1810 mm.	750
286	Pökelmaschinen Ges.m.b.H.	Pökelmaschinen Ges.m.b.H. injector, type: BI-183 / 800 - C - COOL, number: BI 183-110, year of construction: 2006, 3x 400 V, 50 Hz, 6-10 bar, dimensions: 2785 mm x	7500



Nr	Title	Description	Start €
		1500 mm x 2700 mm, with mixing tank, type: RMT-1000, number: RMT 1000-103, year of construction: 2006, dimensions: 1340 mm x 1680 mm x 2330 mm, filter unit, type: LFS-183-COOL, number: LFSC183-025, year of construction: 2006, dimensions: 2090 mm x 845 mm x 1060 mm and chiller, dimensions: 1235 mm x 960 mm x 1230 mm.	
287	Pohjaranta Oy	Pohjaranta Oy vacuum tumbler, type: VKP-1 1000, number: 104-00, year of construction: 2004, inside dimensions tub: Ø 1000 mm x 1350 mm, total dimensions tumbler: 1860 mm x 1350 mm x 1800 mm, Busch vacuum pump, type: RA 0040 F 503, capacity: 40 m³ per hour, dimensions vacuum unit: 1040 mm x 530 mm x 1500 mm.	1500
288	Pohjaranta Oy	Pohjaranta Oy vacuum tumbler, type: Maserounti, number: 95285, 400 V, 4000 W, inside dimensions tub: Ø 1000 mm x 1350 mm, total dimensions tumbler: 1870 mm x 1250 mm x 2080 mm, Busch vacuum pump, type pump: RA 0040 F 503, capacity: 40 m³ per hour, dimensions vacuum unit: 990 mm x 380 mm x 1480 mm.	1500
289	IGO Ljubljana	IGO Ljubljana double jacketed tank, type: EHK-300, number: 33-138, year of construction: 1983, 380-220 V, 3 Ph, 50 Hz, 45.6 A, volume: 300 liter, total dimensions: 1420 mm x 1350 mm x 1500 mm.	750
290	Daub & Verhoeven	Daub & Verhoeven mixer with 1 s/s bowl, machine number: 5758, dimensions mixer: 1930 mm x 1130 mm x 1420 mm, inside dimensions bowl: Ø 1100 mm x 620 mm, total dimensions bowl: 1260 mm x 1150 mm x 930 mm.	850
291	Canax s.r.o.	Canax s.r.o. can seamer, 230 V, 1 Ph, 50 Hz, 2.48 A, 0.37 kW, can diameter: 99 mm, can height: 20-400 mm, total dimensions: 500 mm x 450 mm x 1500 mm.	450
292	F.Krenn GmbH	F.Krenn GmbH mobile autoclave, type: Autoklav, year of construction: 2011, 400 V, 50 Hz, 20 A, 12 kW, volume: 120 Ltr, maximum pressure: 1.6 bar, maximum temperature: 125 °C, dimensions: 940 mm x 1250 mm x 1250 mm.	950
293	Antti Lindfors Oy	Antti Lindfors Oy tray denester and tray closing machine, type: OK, year of construction: 2005, 400 V, 16 A, dimensions: 5100 mm x 1400 mm x 2180 mm.	750
294	Strojarne Potravinarskeho Priemvslu	Strojarne Potravinarskeho Priemvslu double spiral mixer, type: UNIM 160, machine number: 253, year of construction: 1990, 380 V, 3 Ph, 50 Hz, 16 A, dimensions inside: 700 mm x 660 mm x 400 mm, total dimensions: 1560 mm x 8200 mm x 1550 mm.	850
295	Kometos	Kometos depositor, type: Nestan 2xD70-75, number: 51207, year of construction: 2013, 230 V, 16 A,	250



Nr	Title	Description	Start €
		dimensions: 800 mm x 1200 mm x 2170 mm. Incomplete.	
296	NN table	S/s mobile infeed table, dimensions: 1400 mm x 1070 mm x 1420 mm.	250
297	Redsail	Redsail Laser laser cutter, model: X700, serial number: REDSAIL2992, year of construction: 12-2016, 220 V, 1 Ph, 50 Hz, 10 A, dimensions 1360 mm x 900 mm x 950 mm.	750
298	Metos	Metos heated counter, type: Proff WT-1200-DRLW-DRLW-TDRR, serial number: 10960305060430, 230 V, 50 Hz, 2.2 kW, 10 A, dimensions: 1200 mm x 720 mm x 930 mm.	250
299	Fuji Machinery Co.Ltd	Fuji Machinery Co.Ltd flowpacker, model: FW3710B-R, serial number: 010218, year of construction: 1989, 200 VAC, 50/60 Hz, 3.045 kW, plastic belt, belt width: 220 mm, film width: 450 mm, Witt Gasetechnik gas mixing station, type: KM 100 2 MRAI, total dimensions flowpacker: 2700 mm x 1100 mm x 1720 mm, dimensions infeed conveyor: 2300 mm x 530 mm x 500 mm.	1000
300	Küpperbusch	Küpperbusch combi steamer, type: KEG, 230/400 V, 3 Ph, 50 Hz, 37.4 kW, inside dimensions: 450 mm x 660 mm x 1350 mm, total dimensions: 950 mm x 870 mm x 1820 mm.	750
301	Emsens	Emsens automatic skewer machine, type: TRADITION, serial number: 030716331, year of construction: 2007, skewer machine dimensions: 1777 mm x 1200 mm x 1460 mm, conveyors dimensions: 1000 mm x 1200 mm x 900 mm.	1250
302	Dixie Union	Dixie Union thermoformer, type: Evolution, identification number: Evo.0196, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 28 A, index: 340 mm, bottom film width: 423 mm, top film width: 405 mm, dye: (4x2x) Ø 95 mm, total dimensions: 6150 mm x 1000 mm x 2050 mm.	2750
303	Dixie Union	Dixie Union thermoformer, type: DV 2300, identification number: 345 1501, year of construction: 1992, 380 V, 50 Hz, 40 A, plastic outfeed belt, belt width: (2x) 180 mm, with 2 Rietschle vacuum pumps, total dimensions: 6100 mm x 1000 mm x 1850 mm. Technical condition unknown.	1750
304	Ilpra	Ilpra traysealer, model: 1403 V/G, serial machine: Foodpack, serial number: FP7177, year of construction: 2008, 380 V, film width: 400 mm, dye: (8x) 170 mm x 150 mm, total dimensions traysealer: 4200 mm x 1400 mm x 1400 mm, Kumpiapu outfeed belt, type: FNB-8SS, serial number: 440X3110, belt width: 440 mm, total dimensions outfeed belt: 1500 mm x 800 mm x 1000 mm, infeed conveyor with tray denester, belt width: 80 mm, 320 mm and 400 mm, total dimensions tray	5000



Nr	Title	Description	Start €
		denester: 2900 mm x 1300 mm x 1860 mm. Technical condition unknown.	
305	NN smoke trolley washer	Smoke trolley washer, inside dimensions: 1100 mm x 1100 mm x 2400 mm, total dimensions: 5800 mm x 2400 mm x 2450 mm.	1000
306	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: FCAS 3451, number: 83017, 380 V, dimensions: 1100 mm x 1450 mm x 1940 mm.	1750
307	Hackman	Hackman triple deck oven, model: PUK-122/NK/A, number: H2366, 380/220 V, 3 Ph, 50 Hz, 18.2 A, 8.5 kW, inside dimensions: (2x) 660 mm x 550 mm x 320 mm and (1x) 660 mm x 550 mm x 180 mm, total dimensions: 900 mm x 650 mm x 1530 mm.	250
308	Metos	Metos pressure steamer, type: Futuramarvel SE14, serial number: 10911301310030, year of construction: 2013, 400/230 V, 3 Ph, 50 Hz, 6 floors, dimensions floors: (6x) 530 mm x 330 mm, total dimensions: 800 mm x 720 mm x 1440 mm.	500
309	NN tray denester	Tray denester, plastic mesh belt, belt width: 150 mm, total dimensions: 2500 mm x 960 mm x 2050 mm.	500
310	NN rack	S/s rack, 2 floors, total dimensions: 1510 mm x 360 mm x 740 mm.	100
311	NN combi steamer	Combi steamer with trolley, total dimensions: 1250 mm x 1200 mm x 1760 mm.	400
312	Garvens Automation GmbH	Garvens Automation GmbH checkweigher, type: VS 2, serial number: 8999, year of construction: 1995, 230 V, 50 Hz, capacity: 200 gram, plastic belt, belt width: (2x) 120 mm, total dimensions: 930 mm x 700 mm x 1250 mm. Incomplete, 1 missing belt.	650
313	NN table	S/s table with 2 plastic work tops, dimensions: 1600 mm x 1250 mm x 890 mm.	100
314	Koneteollisuus	Koneteollisuus mobile vacuum machine, type: 300 AA II, number: 30111244, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 8 A, 2 kW, seal length: (2x) 530 mm, dimensions chamber: 530 mm x 495 mm, Busch vacuum pump, type: RA 0063, number: 0105003, capacity: 63 m ³ per hour, total dimensions: 700 mm x 680 mm x 1080 mm.	450
315	Bobet Materiel	Bobet Materiel sole cleaner, type: LBX 300, year of construction: 1990, brush length: (2x) 400 mm, clearance: 300 mm x 150 mm, total dimensions: 1000 mm x 730 mm x 1100 mm.	350
316	Bobet Materiel	Bobet Materiel sole cleaner, type: LBX 300, year of construction: 1990, brush length: (2x) 400 mm, clearance: 300 mm x 150 mm, total dimensions: 1000 mm x 730 mm x 1100 mm.	350
317	Bobet Materiel	Bobet Materiel sole cleaner, brush length: (1x) 400 mm, clearance: 300 mm x 150 mm, total dimensions: 1000	350



Nr	Title	Description	Start €
		mm x 730 mm x 1100 mm. Incomplete, missing one brush.	
318	NN heat exchanger	S/s tube heat exchanger, dimensions: 1140 mm x 420 mm x 1050 mm.	450
319	Scanio	Scanio fat analyser, type: Scanalyser, machine number: 24, year of construction: 1987, 3x380 V, 50 Hz, 3.5 A, 1.6 kW, dimensions: 720 mm x 800 mm x 1850 mm.	350
320	NN trolley	S/s trolley, 6 floors, floor dimensions (6x) 500 mm x 500 mm, total dimensions 550 mm x 550 mm x 1590 mm.	25
321	NN bandsaw	Bandsaw, 380 V, 3 Ph, 50 Hz, 1.8 kW, dimensions: 650 mm x 550 mm x 1620 mm.	500
322	NN leg cutter	Mobile leg cutter, dimensions: 1200 mm x 600 mm x 1370 mm.	250
323	Hako	Hako floor scrubber, type: Hakomatic B43, number: 7406644923, 24 V, 900 W, weight: 97 kg, dimensions: 1000 mm x 700 mm x 940 mm.	75
324	Rhoss	Rhoss chiller, model: A3300407020, serial number: 4010302236, 400 V, 50 Hz, 11.9 kW, refrigerant: R 407C, dimensions: 1800 mm x 700 mm x 1700 mm.	400
325	Olis Italia s.r.l	Olis Italia s.r.l frying cart with cooling segment, gas heated, model: 710 FR/G, serial number: 29788, year of construction: 12/05/93, 6 kW, inside dimensions fryer: 300 mm x 170 mm x 150 mm, total dimensions: 1520 mm x 750 mm x 1050 mm.	150
326	Handtmann	Handtmann mobile linking machine, type: 30-4, number: 8497, year of construction: 1985, 380/220 V, 50 Hz, 8.8/15 A, 4 kW, dimensions: 1130 mm x 640 mm x 1280 mm.	500
327	NN hood	S/s hood, dimensions: 1500 mm x 1700 mm x 570 mm.	150
328	Korkmaz	Korkmaz kebab grill, model: KM 80, serial number: 1678, year of construction: 2023/12, 220-240 V, 50 - 60 Hz, 10 A, dimensions: 820 mm x 920 mm x 1200 mm.	500
329	Teuva-Keitin	Teuva-Keitin cooking vessel, model: SR 6, 220-380 V, 182 A, 12000 W, volume: 110 liter, dimensions: 1000 mm x 840 mm x 1870 mm.	150
330	NN meat bins	6 s/s meat bins, volume: (6x) 200 liter.	450
331	NN tub	S/s tub with drain, dimensions: 1090 mm x 1280 mm x 820 mm.	100
332	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 3550 mm x 870 mm x 1100 mm.	250
333	NN smoke sticks	Wooden pallet box with large amount of aluminium smoke sticks, Y-profile, length: 970 mm, dimensions pallet box: 1200 mm x 800 mm x 550 mm.	75
334	NN lifter	Mobile lifter, dimensions platform: 500 mm x 500 mm, total dimensions: 850 mm x 540 mm x 1300 mm.	200
335	Miele	Miele dishwasher, type: GG 01, model: G 7859, serial number: 07951340, year of construction: 2011-11, 400	25



Nr	Title	Description	Start €
		V, 3 Ph, 50 Hz, 16 A, 9.1 kW, dimensions: 640 mm x 600 mm x 1150 mm.	
336	NN dryer	Dryer, model: DC 2200, inside dimensions: 630 mm x 620 mm x 1280 mm, 6 floors, floor dimensions: (6x) 630 mm x 620 mm, total dimensions: 810 mm x 770 mm x 1900 mm.	200
337	NN rack	S/s rack, 3 floors, dimensions: 1150 mm x 350 mm x 650 mm.	50
338	Kramer Grebe	Kramer Grebe bone saw, type: H.M 1,5, machine number: 13726, 220/380 V, 4.5/2.6 A, 1.1 kW, diameter saw blade: 300 mm, total dimensions: 660 mm x 700 mm x 1300 mm.	200
339	Custom Automation Oy	Custom Automation Oy sauce bag dispenser, model: KPA1, year of construction: 2009, 240 V, 0.5 kW, 6 bar, dimensions: 1700 mm x 1100 mm x 2010 mm.	950
340	SPP	SPP grinding machine, type: PR-1, machine number: 038-88, 380 V, 1.6 kW, year of construction: 1993, weight: 191 kg, diameter saw blade: 300 mm, total dimensions: 740 mm x 470 mm x 1210 mm.	200
341	NN tub	S/s tub with drain, dimensions: 1090 mm x 1280 mm x 820 mm.	100
342	NN can seamer	Semiautomatic glass can seamer, 400 V, 1.8 kW, diameter can: 88 mm, total dimensions: 800 mm x 750 mm x 1200 mm.	750
343	Hocker	Hocker sole cleaner, type: DSOWM-800, machine number: 1121390-1, 400 V, 3 Ph, 2 x 0.25 kW, brush length: (2x) 750 mm, total dimensions: 2100 mm x 1060 mm x 1200.	450
344	NN gas stove	2-pits gas stove, dimensions: 400 mm x 760 mm x 940 mm.	50
345	SPP	SPP bone saw, type: 350, machine number: 332200, year of construction: 1994, 380 V, 1.5 kW, weight: 120 kg, diameter saw blade: 350 mm, total dimensions: 940 mm x 520 mm x 1050 mm.	180
346	NN rack	S/s rack, 2 floors, total dimensions: 1510 mm x 360 mm x 490 mm.	100
347	NN cabinet	S/s cabinet with sink, dimensions 600 mm x 630 mm x 2020 mm.	75
348	Comarme	Comarme box closing machine, model: GEM-50RC, serial number: ZC016478, year of construction: 1998, 380 V, 50 Hz, 0.8 A, 184 W, s/s rollers, roller width: 500 mm, total dimensions: 1650 mm x 850 mm x 1200 mm.	50
349	GRT	GRT automatic donut machine, model: GRT-T100, 220 V, 50 Hz, 6 kW, weight: 55 kg, dimensions: 1100 mm x 550 mm x 650 mm.	1000
350	Veromatic International B.V.	Veromatic International B.V. coffee machine, model: Coffefresh 2000, serial number: 9611-4761, year of	100



Nr	Title	Description	Start €
		construction: 1996, 230 V, 50 Hz, 2400 W, dimensions: 460 mm x 350 mm x 1600 mm.	
351	Etna B.V.	Etna B.V. coffee machine, model: LA25FI/AM, 230 V, 50 Hz, 2.46 kW, dimensions: 670 mm x 570 mm x 168 mm.	150
352	Stratasys Ltd.	Stratasys Ltd. 3D printer, model: Objet30 V2, serial number: 2240521, year of construction: 2013, 100-120/200-240 V, 50-60 Hz, 7/3.5 A, dimensions: 830 mm x 620 mm x 600 mm.	500
353	NN tubs	2 s/s mobile tubs for vacuum tumbler, inside dimensions: (2x) Ø 1000 mm x 1000 mm, total dimensions: Ø 1120 mm x 1600 mm.	600
354	NN depositor	Mobile depositor, dimensions: 990 mm x 450 mm x 2000 mm	150
355	Dometic	Dometic freezer, model: MF 125, serial number: 5142072, 220-240 V, 50 Hz, 10 A, 200 W, volume: 113 liter, refrigerant: R404a, dimensions: 600 mm x 560 mm x 890 mm.	200
356	Metos	Metos pressure steamer, type: Futuramarvel SE24, serial number: 10911210300050, year of construction: 2012, 400/230 V, 3 Ph, 50 Hz, 36 kW, 52 A, (2x) 6 floors, floor dimensions: (6x) 550 mm x 320 mm, total dimensions: 1200 mm x 800 mm x 1570 mm.	750
357	Sühner	Sühner injector, 20 needles, clearance: 300 mm x 230 mm, total dimensions: 1270 mm x 560 mm x 1800 mm. Incomplete, technical condition unknown.	950
358	Koppens BV	Koppens BV mobile breaching machine, type: CR 400, machine number: CR 400-18, 380 V, 3 Ph, 50 Hz, 63 A, s/s mesh belt, belt width: 400 mm, plastic belts, belt width: (2x) 400 mm, total dimensions: 2020 mm x 730 mm x 2140 mm. Motor and gear missing.	1500
359	Electrolux	Electrolux oven, type: ARS4CS, serial number: 834412725, 380 V 3 Ph, 50 Hz, 19 floors, floor dimensions: (19x) 530 mm x 330 mm, total dimensions: 850 mm x 800 mm x 1700 mm.	750
360	Alfa Laval Artec	Alfa Laval Artec evaporator, model: A CCS 38, year of construction: 1992, 2 fans, dimensions: 1670 mm x 560 mm x 760 mm.	200
361	Metos/Hackman	Metos/Hackman oven, type: CHEF 5, number: 29810398, 230/400 V, 3 Ph, 50 Hz, 11 A, 7.5 kW, 5 floors, floor dimensions: (5x) 580 mm x 480 mm, total dimensions: 800 mm x 800 mm x 550 mm.	300
362	NN tub	S/s tub with drain, dimensions: 1090 mm x 1280 mm x 820 mm.	100
363	NN pizza oven	Double stacked pizza oven, model: FE-44/A, serial number: 1167, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 12 A, 12 kW, weight: 200 kg, inside dimensions: (2x) 720 mm x 700 mm x 140 mm, total dimensions: 1000 mm x 940 mm x 1600 mm.	350



Nr	Title	Description	Start €
364	Metos	Metos oven, type: Finnchef 4, number: 845204/52, year of construction: 1985, 380 V, 3 Ph, 50 Hz, 9.8 A, 6.25 kW, 3 floors, floor dimensions: (3x) 650 mm x 530 mm, total dimensions: 1100 mm x 700 mm x 1050 mm.	250
365	NN trash cans	6 s/s trash cans, dimensions: (6x) 280 mm x 170 mm x 400 mm.	20
366	NN roller conveyor	Mobile extendable roller conveyor, s/s rollers, roller width: 500 mm, total dimensions: 1400 mm x 640 mm x 660 mm.	150
367	Koneteollisuus OY	Koneteollisuus OY mobile elevating belt with dividers, s/s frame, plastic belt, belt width: 240 mm, distance between dividers: 210 mm, divider height: 10 mm, elevating height: from 550 mm to 800 mm, total dimensions: 1400 mm x 500 mm x 850 mm.	450
368	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: (2x) 150 mm, total dimensions: 820 mm x 740 mm x 1350 mm.	150
369	Teraoka	Teraoka label printer with Grupo Epelsa,S.L. weighing scale, label printer model: DPS-3600, serial number: 99008534, 220 V, 50-60 Hz, 40 W, weighing scale model: Silver III, serial number: 9976291, max. weight: 15 kg, min. weight: 100 g, e= 5 g, dimensions scale: 300 mm x 300 mm, total dimensions: 420 mm x 420 mm x 700 mm.	250
370	NN curve conveyor	S-shaped curve conveyor, s/s frame, plastic mesh belt, belt width: 115 mm, total dimensions: 1650 mm x 680 mm x 1000 mm.	200
371	Robopac	Robopac mobile box closing machine, model: ROBOTAPE 50 M, serial number: KN/049732, year of construction: 04/2002, 400 V, 3 Ph, 50 Hz, 1.6 A, 0.6 kW, weight: 144 kg, plastic belt, belt width: (2x) 80 mm, s/s rollers, roller width: 285 mm, total dimensions: 1650 mm x 1030 mm x 1420 mm. Missing taper.	75
372	NN trolleys	3 s/s trolleys, 15 floors, floor dimensions: (15x) 1450 mm x 400 mm, total dimensions: (3x) 480 mm x 1450 mm x 1730 mm.	225
373	Joni Foodline AS	Joni Foodline AS cooking vessel with agitator, type: Multi-Mix Kettle, number: 011456-623, year of construction: 2001, 400/230 V, 3 Ph, 50/60 Hz, 29 A, 20 kW, electric heated, -5 till 125°C, volume: 120 liter, dimensions 1330 mm x 850 mm x 1030 mm. Defect.	950
374	Metos	Metos mixer, type: R.60, number: 4596, 380 V, 4 A, s/s bowl, bowl dimensions: Ø 440 mm x 440 mm, total dimensions: 980 mm x 580 mm x 1370 mm.	250
375	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 510 mm, total dimensions: 2500 mm x 650 mm x 900 mm. Incomplete.	350
376	Willett	Willett labelling machine, model: 2600i, serial number: 97 41 00 205 07, 110-120 V/ 210-240 V, 50/60 Hz, 5 A/	500



Nr	Title	Description	Start €
		2.5 A, 400 W, pressure: 8 bar, Sato barcode printer, model: M-8400S, serial number: 90304001, 220-240 V, 50-60 Hz, 3.5 A, total dimensions 1220 mm x 1210 mm x 1960 mm.	
377	Guangzhou Xuzhong Food Machinery	Guangzhou Xuzhong Food Machinery cutter, model: SZ-300, 220 V, 50 Hz, 1.5 kW, s/s bowl, inside dimensions: Ø 600 mm x 120 mm, total dimensions: 800 mm x 700 mm x 1200 mm.	350
378	NN evaporator	Evaporator, dimensions: 1005 mm x 555 mm x 245 mm.	100
379	NN tub	S/s tub with drain, dimensions: 1090 mm x 1280 mm x 820 mm.	100
380	Metos	Metos F.R.C. blast chiller, model: BF051DG ABB BF051-, serial number: FR020040214, year of construction: 2013/09, 230 V, 1 Ph, 50 Hz, 6.2 A, 1.20 kW, refrigerant: R404a, 0.85 kg, 5 floors, dimensions each floor: 370 mm x 600 mm, total dimensions: 800 mm x 740 mm x 1370 mm.	450
381	Dieta Tecnodom S.P.A	Dieta Tecnodom S.P.A refrigerator / freezer, model: A207EKOPN, serial number: 201941324G, year of construction: 7/2019, 220-240 V, 1 Ph, 50 Hz, 1.4 A, refrigerant: R 452a, dimensions: 710 mm x 800 mm x 2030 mm.	250
382	NN mesh belt	S/s mesh belt, belt width: 1260 mm.	250
383	Inox Baltic	Inox Baltic refrigerated counter, serial number: IB 736, year of construction: 2015, 230 V, 1 Ph, 50 Hz, refrigerant: R134a, dimensions: 1600 mm x 670 mm x 880 mm.	175
384	Annala Foodtech	Annala Foodtech mobile coating machine, type: GELATIINIPINNOITUSLAITE, serial number: 4444-1, year of construction: 2018, 230/400 V, 6.8 kW, 6 bar, plastic belt, belt width: (2x) 400 mm, total dimensions: 1840 mm x 1600 mm x 1600 mm.	750
385	CRS Plus	CRS Plus pick and place robot, 350 V, 60/50 Hz, dimensions arm: 850 mm x 470 mm x 660 mm, dimensions cabinet: 570 mm x 500 mm x 220 mm.	150
386	NN sink	S/s sink with faucet, dimensions: 1600 mm x 700 mm x 1150 mm.	100
387	Frascold S.p.A.	Frascold S.p.A. cooling compressor, type: Q 7 28 Y, number: 0B000347, capacity: 27.88/34.46 m³ per hour, dimensions: 1080 mm x 430 mm x 1700 mm.	750
388	GWS	2 steel GWS 3-doors lockers, dimensions: (2x) 1200 mm x 500 mm x 1850 mm. Without keys.	75
389	NN lockers	2 steel 3-doors lockers, dimensions: (2x) 900 mm x 630 mm x 1800 mm.	75
390	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	150
391	DWM Copeland	DWM Copeland cooling compressor, type: D4DA3-2000-EWM 92E, serial number: 92F 84077, year of construction: 1992, 380-420 V, 3 Ph, 50 Hz, 32.0 A,	750



Nr	Title	Description	Start €
		capacity: 56.0 m ³ per hour, dimensions: 750 mm x 620 mm x 1700 mm.	
392	NN depositor	Mobile depositor, dimensions: 1180 mm x 840 mm x 1910 mm.	250
393	AB Akerlund & Rausing	AB Akerlund & Rausing depositor, type: LKF-101, manufacturing number: 3678-12, foot control, dimensions: 900 mm x 830 mm x 1440 mm.	250
394	Delta	Delta bread slicer, type: D.T, machine number: 2804, 380 V, 34 knives, distance between knives: 10 mm, total dimensions: 610 mm x 540 mm x 1160 mm.	80
395	NN fire hose reel	S/s fire hose reel, dimensions: 600 mm x 550 mm x 1000 mm.	100
396	Talpet	Talpet drying cabinet, dimensions: 1200 mm x 630 mm x 1980 mm.	300
397	NN oxygen analyser	Oxygen analyser, model: OXZ-710H, dimensions: 500 mm x 500 mm x 1300 mm.	200
398	Royal Catering	Royal Catering s/s tomato cutter, type RCTC-5, serial number: 201620172059, cutting thickness: 5,5 mm, blades: 10 units, dimensions: 420 mm x 200 mm x 200 mm.	25
399	DWM Copeland	DWM Copeland cooling compressor, dimensions: 1100 mm x 700 mm x 1750 mm.	750
400	NN tub	Mobile s/s tub, dimensions: 1440 mm x 680 mm x 600 mm.	100
401	Guangzhou Lingchuang	Guangzhou Lingchuang cooking vessel, model: LC-TZL-380, 380 V, 3 Ph, 50 Hz, 9 kW, inside dimensions: Ø 490 mm x 490 mm, total dimensions: 600 mm x 550 mm x 840 mm.	75
402	Lock	Lock metal detector, type: 9/HDS/25/718/220, serial number: 64909, belt width: 1200 mm, clearance: 1200 mm x 30 mm, total dimensions: 1700 mm x 1700 mm x 1230 mm.	750
403	NN meat bin	S/s meat bin, volume: 200 liter.	75
404	Lumbeck & Wolter	6 Lumbeck & Wolter grinder plates, size: 32, plate diameter: 100 mm, Ø centre hole: 13 mm, hole plate: 3.0 mm, thickness: (2x) 9 mm, (4x) 10 mm, total dimensions: 160 mm x 110 mm x 100 mm.	100
405	DWM Copeland	DWM Copeland cooling compressor, model: D2DB3-75X-AWM/D, serial number: 1703395, year of construction: 1999, 380-420 V, 3 Ph, 50 Hz, 15.4 A, capacity: 28.0 m ³ /h, dimensions: 850 mm x 500 mm x 800 mm.	450
406	NN rotisserie oven	Mobile rotisserie oven for ducks, model: YXD-808, serial number: YXD00, year of construction: Sept-14-2012, 380 V, 50-60 Hz, 6 kW, temperature range: 60-300°C, inside dimensions: 650 mm x 450 mm x 730 mm, total dimensions: 850 mm x 840 mm x 1600 mm.	200
407	NN frame	S/s frame, dimensions: 1260 mm x 550 mm x 1100 mm.	70



Nr	Title	Description	Start €
408	NN au-bain marie	Mobile au-bain marie, inside dimensions: 1020 mm x 540 mm x 320 mm, total dimensions: 1100 mm x 650 mm x 950 mm.	75
409	Dito-Sama	Dito-Sama peeler, model: T10, number: C2007, 220/380 V, 3 Ph, 50 Hz, 1.7/1 A, 510 W, dimensions: 600 mm x 400 mm x 1100 mm.	200
410	RTL	RTL 4-pits stove, model: RTL 21104, number: 8505/263, 380 V, 20 A, 10 kW, electrically heated, dimensions: 850 mm x 700 mm x 850 mm.	150
411	NN flattener	Flattener, plastic belts, belt width: (2x) 680 mm, total dimensions: 1040 mm x 610 mm x 1140 mm.	250
412	interVac Vakuumtechnik GmbH	interVac Vakuumtechnik GmbH mobile dip tank, type: TB 70, number: 2413, year of construction: 2008, 230/400 V, 50 Hz, 9 kW, weight: 60 kg, plastic rollers, roller width: 390 mm, inside dimensions 500 mm x 350 mm x 240 mm, total dimensions: 1310 mm x 640 mm x 1180 mm.	250
413	NN smoke trolleys	2 s/s smoke trolleys, 8 floors, floor dimensions (8x) 1000 mm x 1000 mm, total dimensions: (2x) 1050 mm x 1005 mm x 1985 mm.	150
414	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	100
415	NN sink	S/s sink, foot control, dimensions: 500 mm x 350 mm x 1300 mm.	50
416	NN smoke trolleys	3 s/s smoke trolleys, 6 floors, floor dimensions (6x) 995 mm x 920 mm, total dimensions: (3x) 1005 mm x 1000 mm x 1960 mm.	225
417	NN tubs	2 s/s tubs with drain, dimensions: (2x) 1090 mm x 1280 mm x 830 mm.	200
418	NN tubs	3 s/s mobile tubs for vacuum tumbler, inside dimensions: Ø (3x) 1000 mm x 1000 mm, total dimensions: (3x) Ø 1120 mm x 1600 mm.	900
419	Koneteollisuus O	Koneteollisuus Oy bandsaw, model: KT-1100, number: 107966, 380 V, 3 Ph, 50 Hz, 8 A, 3.5 kW, dimensions table: 1650 mm x 1060 mm, total dimensions: 2100 mm x 1400 mm x 2100 mm.	750
420	Rieber	Rieber exchange dispenser, type: WE-810 H, number: 89010261/1/00007, year of construction: 16.09.2006, 230 V, 1 Ph, 50 Hz, 1732 W, inside dimensions: 280 mm x 620 mm x 550 mm, total dimensions: 500 mm x 1000 mm x 900 mm.	100
421	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: 2000 DC, type: 132, number: 1320154-1, 380 V, 3 Ph, 50 Hz, 42 A, dimensions: 2200 mm x 1300 mm x 2400 mm.	1500
422	NN filling table	S/s bucket filling table with switch cabinet, dimensions table: 1600 mm x 740 mm x 1640 mm. With switch cabinet, dimensions: 1600 mm x 740 mm x 1640 mm.	250
423	NN table	S/s table, dimensions: 1120 mm x 945 mm x 885 mm.	150



Nr	Title	Description	Start €
424	Koneteollisuus OY	Koneteollisuus OY grinder, type: LM-22/P, number: 164482, year of construction: 2016, 380-420 V, 3 Ph, 3.4 A, 1.5 kW, weight: 40 kg, plate diameter: 80 mm, dimensions: 500 mm x 470 mm x 455 mm.	250
425	Crystal Vaaka	Crystal Vaaka floor weighing scale, type: 9600 SCALE, 230 V, 50/60 Hz, 0.1 A, dimensions: 930 mm x 995 mm x 110 mm.	250
426	NN scale	Scale, dimensions 680 mm x 580 mm x 230 mm.	10
427	NN grinder	Grinder, maximum plate diameter: 100 mm, total dimensions: 540 mm x 360 mm x 330 mm. Incomplete, missing knives and plates.	100
428	Wodschow & CO.	Wodschow & CO. Mixer, type: R.27, number: 2082, 380 V, 2 A, s/s bowl, dimensions bowl: Ø 350 mm x 330 mm, total dimensions: 850 mm x 520 mm x 1150 mm. Including whisk, flat beater and spiral.	200
429	Metos	Metos 4-pits stove with oven, dimensions: 920 mm x 700 mm x 870 mm.	100
430	Metos	Metos 4-pits stove, type: 22A, number: 9393, 380 V, 3 Ph, 21 A, 12 kW, dimensions: 910 mm x 800 mm x 810 mm.	100
431	Turbo Tools (Hull) LTD.	Turbo Tools (Hull) LTD. depositor, serial number: NMTD172989, dimensions: 660 mm x 1400 mm x 2100 mm.	500
432	Electrolux	Electrolux fryer, dimensions fryer: 680 mm x 540 mm, total dimensions: 1200 mm x 820 mm x 850 mm.	250
433	Baltic Master	Baltic Master double grill, dimensions grill plates: (2x) 400 mm x 320 mm, total dimensions: 950 mm x 500 mm x 820 mm.	200
434	Bosch Groep	Bosch Groep vertical bag form-, fill-, and sealing machine, type: 175 H 320, number: 609, year of construction: 1979, dimensions: (1x) 1600 mm x 1400 mm x 2400 mm, (1x): 800 mm x 1200 mm x 1000 mm, (1x): 1000 mm x 1200 mm x 1000 mm, (1x): 1000 mm x 1500 mm x 1160 mm, (1x): 1000 mm x 1400 mm x 270 mm. Incomplete.	550
435	Lumbeck & Wolte	3 Lumbeck & Wolter grinder plates, plate diameter: (3x) 150 mm.	50
436	Blecher	9 Blecher tissue paper cutting log saw blade, diameter 610 mm, thickness 4.76 mm, secondary bevel length 190 mm, primary level 2 x 7,0°, bore hole 68.26 mm, tapped holes 4/ 1/4"/203,2 mm. 4/ 11/102 mm. 4/ 11/108 mm., 1.2379 high chrom/high carbon X153CrMoV12 = standard steel quality with very good ability for hardening and, because of a 12% chromium alloy, excellent cutting longevity and wear resistance, total dimensions: 730 mm x 730 mm x 230 mm.	150
437	Rational	Rational dissociated convection system, consisting of: convection docking station and 3 insulated neutral	950



Nr	Title	Description	Start €
		shuttles, convection docking station, type: DS-ONE 20/30 CC, serial number: 0002/2010, 400 V, 3 Ph, 50 Hz, 9850 W, refrigerant: R-404A / 1200 gram, shuttle, type: TT DS-ONE 30 EN, GN, serial number: 0001/2010; 0006/2010; 0002/2010, docking station dimensions: 730 mm x 380 mm x 2000 mm, shuttle dimensions: (3x) 800 mm x 900 mm x 1630 mm.	
438	Rational	Rational Production s.r.l dissociated convection system. consisting of: convection docking station and 3 insulated neutral shuttles, convection docking station, type: DS-ONE 20/30 CC, serial number: 0001/2010, 400 V, 3 Ph, 50 Hz, 9850 W, refrigerant: R-404A / 1200 gram, shuttle, type: TT DS-ONE 30 EN, GN, serial number: 0005/2010; 0004/2010; 0003/2010, docking station dimensions: 730 mm x 380 mm x 2000 mm, shuttle dimensions: (3x) 800 mm x 900 mm x 1630 mm.	950
439	Koneikko Oy	Koneikko Oy depositor, type: ANNOSTELIJA, serial number: 138, year of construction: 2013, 230 V, 16 A, dimensions: 1070 mm x 710 mm x 2060 mm. Incomplete.	500
440	Econoseal	Econoseal horizontal cartoner, type: E-2000, model: 8006, serial number: 8493, year of construction: 08.08.2005, standard carton size range: 25 mm x 19 mm x 64 mm - 305 mm x 102 mm x 305 mm, 220 V, 50 Hz, 10 A, 5.5 bar, total dimensions: 2350 mm x 1170 mm x 1800 mm.	750
441	Kaukora Oy	Kaukora Oy boiler, model: JASPI VLM 500 DN32, serial number: 2018086, 500 L, 1.0 MPa, 2 x 4.5 kW, 230 / 400 V, 50 Hz, year of construction: 2019, total dimensions: 750 mm x 740 mm x 2000 mm.	100
442	Metos	Metos mixer, type: R.20, number: 22029, year of construction: 1989, 380 V, 3 Ph, 50 Hz, 2.1 A, total dimensions: 430 mm x 610 mm x 1430 mm.	250
443	Lumbeck & Wolte	2 Lumbeck & Wolter grinder plates, plate diameter: (2x) 150 mm.	35
444	TVM	TVM mobile portioning machine, type: TVM Portio 4000, serial number: 03-01.26983 231, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 2.5 A, 4-8 bar, 380 kg, dimensions: 1660 mm x 1070 mm x 2510 mm. Incomplete, missing mould and outfeed belt.	950
445	Bamach	Bamach air filter, dimensions: 900 mm x 900 mm x 450 mm.	25
446	Soehnle	Soehnle floor weighing scale with indicator, model indicator: S20_2760, maximum weight: 600 kg, minimum weight: 4000 gram, e= 200 gram, dimensions scale: 1100 mm x 840 mm x 90 mm.	100
447	NN floor weighing scale		250



Nr	Title	Description	Start €
		Floor weighing scale with CV Scales indicator, maximum weight: 1500 kg, minimum weight: 25 kg, e= 0.5 kg, dimensions: 1600 mm x 1500 mm x 270 mm.	
448	Crystal Vaaka Solotop Oy	Crystal Vaaka Solotop Oy floor weighing scale with indicator, type indicator: 9600 scale, 230 V, 50/60 Hz, 0.1 A, maximum weight: 300 kg, minimum weight: 2 kg, e= 100 gram, dimensions scale: 760 mm x 670 mm x 990 mm.	100
449	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH skinning machine, type: ASE 553, number: 910, 380 V, 50 Hz, 0.4 kW, working width: 500 mm, total dimensions: 760 mm x 670 mm x 990 mm.	350
450	NN clipper	Clipper, dimensions 400 mm x 200 mm x 920 mm.	25
451	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EVM 3002, number: 44313, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 430 mm, total dimensions: 850 mm x 540 mm x 990 mm.	450
452	Koneteollisuus Oy	Koneteollisuus Oy clipper, model: KT-MS, number: 66566, dimensions 200 mm x 200 mm x 910 mm.	300
453	Nieros	Nieros sole cleaner, type: HL-ACR, serial number: N3T43-04, year of construction: 2006/10, 400 V, 3 Ph, 50 Hz, 0.55 kW, brush width: 140 mm, brush length: 450 mm, total dimensions: 820 mm x 800 mm x 1240 mm.	150
454	NN breaking saw	Breaking saw, type: NF 0.37/2-7m, number: 271854 5, 380/220 V, 50 Hz, 2.2/3.8 A, 0.8 kW, 2840 rpm, dimensions: 600 mm x 300 mm x 230 mm.	430
455	Menu System AG	Menu System AG cooking plate, type: MS-I-10/S, serial number: 9908511, 400 V, 3 Ph, 50/60 Hz, 6 kW, 9 A.	25
456	NN smoke sticks	Plastic pallet box with large amount of aluminium smoke sticks, Y-profile, length: 940 mm, dimensions pallet box: 1200 mm x 1000 mm x 700 mm.	300
457	Scotsman	Scotsman ice bunker, model: AF-20-AE, serial number: 7190, 220 V, 50 Hz, 4.5 A, refrigerant: Freon 12, 400 gram, inside dimensions: 500 mm x 500 mm x 870 mm, total dimensions: 950 mm x 650 mm x 1150 mm.	500
458	Scotsman	Scotsman ice machine, model: ACM-85-AF, serial number: TM21312, 220 V, 50 Hz, 450 W, refrigerant: R12, 0.40 kg, inside dimensions: 270 mm x 400 mm x 400 mm, total dimensions: 500 mm x 450 mm x 800 mm.	250
459	Europack	Europack table model vacuum machine, type: IMA.02, machine number: 93202, 220 V, 1 Ph, 50 Hz, 17 A, 21 m3/h, seal length: 400 mm, dimensions chamber: 420 mm x 470 mm, vacuum pump, total dimensions: 600 mm x 470 mm x 420 mm.	150
460	Multivac	Multivac vacuum machine, type: A69, machine number: 236, year of construction: 1974, 220 V, 50 Hz, 10 A, 0.5 kW, seal length: 450 mm, dimensions chamber: 450 mm x 450 mm, Busch vacuum pump, type: 063-122, capacity:	200



Nr	Title	Description	Start €
		63 m ³ per hour, total dimensions: 700 mm x 570 mm x 1140 mm.	
461	Turbovac B.V.	Turbovac B.V. mobile vacuum machine, type: SB 500, machine number: 89065634, 220/380 V, 3 Ph, 50 Hz, 8.9/8.7 A, 2.5 kW, Busch vacuum pump, type: 063-122, capacity: 63 m ³ per hour, seal length: (2x) 500 mm, chamber dimensions: 550 mm x 510 mm, total dimensions: 690 mm x 620 mm x 1050 mm.	300
462	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type VC999 01 DK, machine number: 01881059, 380 V, 3 Ph, 50 Hz, 4 kW, with vacuum pump, total dimensions 820 mm x 700 mm x 1040 mm	500
463	Lavezzini	Lavezzini mobile vacuum machine, model: LAPACK 500, serial number: 990411626, year of construction: 1999, 380 V, 50 Hz, 1.5 kW, seal length: 500 mm, dimensions chamber: 600 mm x 510 mm, Sogevac-Leybold vacuum pump, total dimensions: 820 mm x 650 mm x 1480 mm.	400
464	Metos	Metos lifter, dimensions platform: 720 mm x 560 mm, total dimensions: 920 mm x 650 mm x 1480 mm.	250
465	Geneglace	Geneglace ice machine on steel frame, type: F 90, number: 87520, year of construction: 10.05.88, refrigerant: R 22, ice machine total dimensions: 1660 mm x 1300 mm x 2570 mm. Including Contardo evaporator, 2 fans, evaporator dimensions: 1500 mm x 1000 mm x 700 mm.	1000
466	Mécapac	Mécapac traysealer, dye: 300 mm x 230 mm, total dimensions: 700 mm x 700 mm x 750 mm.	150
467	CBEmballage S.A.	CBEmballage S.A. sealing machine, type: Unipack S2, number: 832, year of construction: 1999, 230 V, 4.5 A, film width: 423 mm, seal length: 430 mm and 500 mm, total dimensions: 1150 mm x 600 mm x 350 mm.	50
468	NN meat press	S/s meat press, ø outfeed: 115 mm, total dimensions: 2100 mm x 460 mm x 1020 mm.	450
469	Scanvaegt	Scanvaegt weighing scale, indicator type: 8406, serial number: BEF01664E, load receptor type: 1025.30, serial number: BEF016, 115-230 V, 50/60 Hz, maximum weight: 60 kg, minimum weight: 0.4 kg, e= 0.02 kg, dimensions scale: 600 mm x 500 mm, total dimensions: 610 mm x 650 mm x 1350 mm.	150
470	Key Technology	Key Technology vibrating gutter, model: SH01-045461, number: W2008124-020816, year of construction: 2017, s/s gutter, dimensions: 2640 mm x 1200 mm x 1300 mm.	1250
471	Cryovac	Cryovac s/s trolley, model: BD 06, serial number: 55300034, dimensions: 1500 mm x 850 mm x 1700 mm.	125
472	NN meat hooks	Pallet with large amount of s/s meat hooks, length hooks: 1700 mm and 1500 mm.	75
473	NN meat hooks	2 s/s meat hooks, length: (2x) 1530 mm.	10
474	Hackman Metos		400



Nr	Title	Description	Start €
		Hackman Metos combi steamer, type: MINI, number: 242208, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 23 A, 16 kW, 7 floors, dimensions each floor: 450 mm x 570 mm, distance between floors: 100 mm, total dimensions: 1050 mm x 950 mm x 1150 mm.	
475	Metos	Metos pressure steamer, type: Finnmarvel GTS 2R, number: 846528 / 12, year of construction: 1986, 380 V, 3 Ph, 50 Hz, 46 A, 30 kW, 9 floors each, dimensions each floor: 660 mm x 540 mm, total dimensions: 1000 mm x 930 mm x 1950 mm.	250
476	Metos	Metos refrigerator, type: C/P Ri 1000, number: 42722, 230 V, 2.1 kW, refrigerant: R-134a, 310 gram, inside dimensions: 800 mm x 750 mm x 1750 mm, total dimensions: 930 mm x 900 mm x 2350 mm.	250
477	Amsco Finn-Aqua Oy	Amsco Finn-Aqua Oy autoclave, type: 34-E, number: 41028, year of construction: 1996, 400 V, 4.6 kW, volume: 37 dm ³ , maximum pressure: 3.0 bar, maximum temperature: 143 °C, dimensions: 520 mm x 460 mm x 750 mm.	500
478	Extor	Extor dust collector, model: 3500-2FVA, serial number: 06084, 400 V, 4.8 A, 2.2 kW, weight: 237 kg, dimensions: 1550 mm x 1200 mm x 2200 mm.	450
479	Lumbeck & Wolter	3 Lumbeck & Wolter grinder plates, plate diameter: (3x) 150 mm.	50
480	A.E.B. s.r.l.	A.E.B. s.r.l. mobile manual injector, 3 needles, year of construction: 2004, inside dimensions: Ø 220 mm x 450 mm, total dimensions: 340 mm x 300 mm x 730 mm.	250
481	Metos	Metos refrigerated showcase, dimensions: 800 mm x 650 mm x 1400 mm.	100
482	Sollas holland B.V.	Sollas holland B.V. hot air shrinker, type: ELS, serial number: 041-004, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 8 A, belt width: (2x) 30 mm, adjustable clearance: max 100 mm x 100 mm, total dimensions: 1000 mm x 1100 mm x 1680 mm.	250
483	Lumbeck & Wolter	3 Lumbeck & Wolter grinder plates, plate diameter: (3x) 150 mm.	50
484	Metos	Metos s/s sink, dimensions: 1200 mm x 900 mm x 890 mm.	75
485	Metos	Metos mobile counter, s/s work top, dimensions: 1200 mm x 870 mm x 900 mm.	100
486	Demag	Demag electric chain hoist, type: DKUN5-500 K V1 F4, serial number: 61609178, year of construction: 1995, 380-400 V, 3 Ph, 50 Hz, 1.5/1.6 A, 0.85/0.2 kW, capacity: 1000 kg, lifting height: 2.5 meter, dimensions: 540 mm x 570 mm x 300 mm.	125
487	Turbo	Turbo heated showcase, type: HT1, number: 96432, 230 V, 50 Hz, 7.88 A, 1813 W, dimensions: 800 mm x 460 mm x 500 mm.	150



Nr	Title	Description	Start €
488	Turbo	Turbo heated showcase, type: HT1, number: 96387, 230 V, 50 Hz, 7.88 A, 1813 W, dimensions: 800 mm x 460 mm x 500 mm.	150
489	NN refrigerated showcase	Refrigerated showcase, dimensions: 1200 mm x 620 mm x 1600 mm.	250
490	Metos	Metos heated showcase, inside dimensions: 600 mm x 530 mm x 430 mm, total dimensions: 800 mm x 620 mm x 500 mm.	50
491	Fast Food Systems	Fast Food Systems refrigerated showcase, dimensions: 1080 mm x 780 mm x 790 mm.	90
492	Demag	Demag electric chain hoist, type: DKUN5-500 KV1F4, serial number: 61518749, year of construction: 1994, 380-400 V, 3 Ph, 50 Hz, 1.5/1.6 A, 0.85/0.2 kW, capacity: 1000 kg, lifting height: 2.5 meter, dimensions: 540 mm x 570 mm x 300 mm.	125
493	NN refrigerated showcase	Mobile refrigerated showcase, inside dimensions: 950 mm x 510 mm x 160 mm, total dimensions: 1200 mm x 800 mm x 1460 mm.	100
494	Metos	Metos refrigerator, inside dimensions: 640 mm x 510 mm x 160 mm, total dimensions: 800 mm x 650 mm x 900 mm.	150
495	NN refrigerated showcase	Refrigerated showcase, inside dimensions: 1040 mm x 510 mm x 160 mm, total dimensions: 1200 mm x 640 mm x 1600 mm.	150
496	Metos	Metos refrigerated showcase, dimensions: 800 mm x 650 mm x 1500 mm.	75
497	Pesutekno OY	Pesutekno OY washing machine, 380 V, 50 Hz, 25 A, inside dimensions: 500 mm x 500 mm x 500 mm, total dimensions: 730 mm x 630 mm x 1430 mm.	125
498	Kromo	Kromo dishwasher, model: HOOD 110, serial number: DWC1021267, year of construction: 2009, 380-415 V, 3 Ph, 50 Hz, 18.7 A, 10120 W, water pressure: 200-500 kPa, inside dimensions: 500 mm x 500 mm, total dimensions: 800 mm x 700 mm x 1450 mm.	500
499	Robot Coupe	Robot Coupe mobile vegetable slicer, model: CL 55 D, serial number: X31901168 11, 400 V, 3 Ph, 50 Hz, 1.4 A, 900 W, dimensions: 720 mm x 370 mm x 1400 mm.	150
500	Franke	Franke dishwasher, model: DEKO 190, machine number: 96071180.F03, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 11 A, 7.5 kW, dimensions 600 mm x 675 mm x 1315 mm.	400
501	Franke	Franke dishwasher, model: DEKO 190, machine number: 96181180.F01, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 11 A, 7.5 kW, dimensions 600 mm x 675 mm x 1315 mm.	400
502	Technopack	Technopack clipper, model: PT400.5829.313, dimensions: 1100 mm x 300 mm x 800 mm.	100
503	AR-VE Oy		250



Nr	Title	Description	Start €
		AR-VE Oy pressure vessel, type: HL 25, number: 9064, maximum pressure: 6 bar, inside dimensions: Ø 250 mm x 400 mm, total dimensions: 400 mm x 280 mm x 610 mm.	
504	Cubigel S.A.	2 Cubigel S.A. cooling compressors, model: CL45TN3L, serial number: 270982, 220-240 V, 50 Hz, dimensions: (2x) 420 mm x 300 mm x 260 mm.	60
505	NN tubs	2 s/s tubs with drain, dimensions: (2x) 1090 mm x 1280 mm x 830 mm.	200
506	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH barbecue skewer machine, type: GFW 3600, serial number: 26, year of construction: 2014, 400 V, 3 Ph, weight: 1200 kg, dimensions: 4210 mm x 1930 mm x 1780 mm.	1250
507	Prestcold	Prestcold cooling compressor, type: HJ, serial number: F1244, 380/440 V, 3 Ph, 50 Hz, dimensions: 630 mm x 430 mm x 370 mm.	40
508	Franke	Franke dishwasher, model: DEKO 190, serial number: 02371181.FI02, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 2.3 A, 1.4 kW, inside dimensions: 530 mm x 430 mm x 330 mm, total dimensions: 690 mm x 600 mm x 1300 mm.	400
509	NN neck cutter	Hydraulic neck cutter, dimensions: 480 mm x 920 mm x 760 mm.	400
510	DWM Copeland	2 DWM Copeland cooling compressors, type: D4RH1-2500-AWM 84H; D4RJ1-3000-AWM/D 89E, serial number: S84H 85367; 89E97653, year of construction: 1984 / 1989, 380-420 V, 3 Ph, 50 Hz, 44.5 / 55.5 A, capacity: 71.0 / 84.5 m ³ per hour, total dimensions: (2x) 550 mm x 700 mm x 450 mm.	700
511	Frascold	Frascold cooling compressor, type: A054Y, number: 0A0241735, year of construction: 2002, capacity: 3.95 m ³ per hour, dimensions: 630 mm x 460 mm x 500 mm.	50
512	Prescold LTD	Prescold LTD cooling compressor, model: R500, serial number: AUW02703, 360/420 V, 3 Ph, 50 Hz, dimensions: 720 mm x 250 mm x 480 mm.	50
513	Allweiler AG	Allweiler AG centrifugal pump, type: NHT40-250/01, number: M.13329/001, year of construction: 2002, 2.4 kW, capacity: 14.5 m ³ per hour, dimensions: 570 mm x 340 mm x 400 mm.	150
514	NN circulation pump	Circulation pump, dimensions: 1250 mm x 540 mm x 660 mm.	200
515	Electrolux	Electrolux fryer, dimensions: 960 mm x 760 mm x 890 mm.	175
516	Metos	Metos s/s mobile table, dimensions: 900 mm x 500 mm x 715 mm.	150
517	Metos	Metos s/s trolley, 6 floors, floor dimensions (6x) 550 mm x 500 mm, total dimensions: 560 mm x 560 mm x 1470 mm.	25



Nr	Title	Description	Start €
518	Busch	Pallet with 2 Busch vacuum pumps, type: 063, capacity: 63 m ³ per hour, dimensions: 700 mm x 380 mm x 300 mm and 610 mm x 400 mm x 300 mm.	150
519	Rietschle	Rietschle vacuum pump, type: CLF 180 V, number: 31085, capacity: 180 m ³ /h, dimensions: 1000 mm x 650 mm x 450 mm.	200
520	Busch	Busch vacuum pump, type: 251-512-165, capacity: 250 m ³ per hour, dimensions: 1100 mm x 650 mm x 600 mm.	200
521	NN table	S/s mobile table, dimensions: 1980 mm x 960 mm x 900 mm.	200
522	Nieros	Nieros hygiene station with sole cleaner, tourniquet and hand disinfection, type: URK, serial number: N3F14-20, year of construction: 04/2015, 400 V, 3 Ph, 50 Hz, 0.71 kW, brush length: (2x) 900 mm, total dimensions: 1880 mm x 1000 mm x 1600 mm.	2250
523	NN tub	Plastic tub, dimensions: 1200 mm x 800 mm x 870 mm.	50
524	Shanghai Tianhe Pharmaceutical Machinery Co.	Shanghai Tianhe Pharmaceutical Machinery Co., Ltd high speed mixer/granulator, model: SHK 200, serial number: 148, year of construction: 08.2018, 19 kW, capacity: 25-75 dm ³ , dimensions: 2250 mm x 870 mm x 1810 mm.	2000
525	Busch	Busch vacuum pump, type: 160-60 348686, capacity: 160 m ³ per hour, dimensions: 900 mm x 620 mm x 450 mm.	250
526	Watson	Watson pump on s/s trolley, model: 704S/R, dimensions: 600 mm x 400 mm x 1130 mm.	50
527	NN centrifugal pump	Centrifugal pump, dimensions: 960 mm x 400 mm x 420 mm.	50
528	NN grill trolley	Kebab grill trolley, dimensions: 1070 mm x 960 mm x 2010 mm.	100
529	NN piston compressor	Piston compressor on steel frame, total dimensions: 850 mm x 400 mm x 810 mm.	50
530	SCA-Gamet	SCA-Gamet hydraulic unit, type: 2585, number: 19510, volume: 50 liter, dimensions: 460 mm x 400 mm x 700 mm.	75
531	NN elevating screw	Mobile elevating screw with sieve, s/s screw, screw width: 140 mm, tier: 65 mm, elevating height: 1040 mm, sieve: 2 mm, total dimensions: 1930 mm x 710 mm x 1960 mm.	250
532	Formeca	Formeca horizontal carton erector, type: CF-8, product number: 1255.2, year of construction: 2005, 230 V, Busch vacuum pump, type: SV 1008 A, number: 050000567, year of construction: 2005, 220/240 V, 50/60 Hz, dimensions: 1550 mm x 2020 mm x 1600 mm.	950
533	NN lifter	S/s lifter for 200 liter meat bins, lifting height: 1900 mm, total dimensions: 1200 mm x 1060 mm x 2550 mm.	650
534	NN chain conveyor	Chain conveyor, s/s frame, distance between chains: 130 mm, total dimensions: 2200 mm x 650 mm x 1360 mm.	125



Nr	Title	Description	Start €
535	Atlas Copco	Atlas Copco air compressor, type: GA 15 FF, serial number: All 228971, year of construction: 1997, 15 kW, weight: 450 kg, max. working pressure 7.5 bar, dimensions: 1100 mm x 780 mm x 1160 mm.	700
536	Busch	Busch vacuum pump, type: WV 1000 B 001 KDRO, serial number: OD01960101, capacity: 1000 m ³ /h, dimensions: 1030 mm x 420 mm x 580 mm.	150
537	Handtmann	Handtmann part for AL system linking attachment, type: 93-32, number: 1336, dimensions: 320 mm x 400 mm x 120 mm.	200
538	Handtmann	Handtmann part for AL system linking attachment, dimensions: 420 mm x 370 mm x 530 mm.	200
539	NN tub	Mobile s/s tub, dimensions: 1750 mm x 800 mm x 600 mm.	100
540	Electrolux	Electrolux combi steamer, model: AOS101EAH1, serial number: 816000004, year of construction: 04.2008, 380-400 V, 3 Ph, 50/60 Hz, 17.5 kW, 8 floors, floor dimensions: (8x) 320 mm x 530 mm, distance between floors: 80 mm, total dimensions: 900 mm x 900 mm x 1100 mm.	500
541	Bear	Bear mixer, type: R 20, number: 9514, 380 V, 3 Ph, 50 Hz, 1.5 A, s/s bowl, whisk, volume: 20 liter, dimensions: 610 mm x 350 mm x 800 mm.	150
542	Videojet	Videojet inkjet printer, model: 1240, serial number: 22161004C55ZH, 100-120/200-240 V, 50/60 Hz, 1 Ph, 2 A, 80 W, dimensions: 800 mm x 600 mm x 1660 mm.	150
543	Fomaco	Fomaco injector, model: FGM 40/160F M2, machine number: 13738-2012, 400 V, 3 Ph, 50 Hz, 8 kW, , plastic mesh belt, belt width: 335 mm, total dimensions: 2200 mm x 1000 mm x 2300 mm. Including s/s tool trolley, dimensions tool trolley: 2100 mm x 560 mm x 1190 mm. Incomplete, needles missing.	650
544	NN trolley	S/s trolley for combisteamer, 20 floors, floor dimensions: (20x) 670 mm x 530 mm, total dimensions: 1000 mm x 860 mm x 1610 mm.	30
545	Haato Varaajat	Haato Varaajat water heater, model: 2-HK300-R, 230-400 V, 8.7-4.3 A, 2-3 kW, volume: 300 liter, dimensions: 600 mm x 600 mm x 1950 mm.	75
546	NN trolleys	2 s/s trolleys for combisteamer, 16 floors, floor dimensions: (16x) 510 mm x 330 mm, total dimensions: (2x) 660 mm x 500 mm x 1700 mm.	60
547	NN trolley	S/s trolley, dimensions: 1720 mm x 800 mm x 900 mm.	30
548	NN plates	11 s/s plates for cooking / smoking trolleys, plate dimensions: (11x) 1000 mm x 900 mm.	50
549	NN baskets	34 s/s baskets, dimensions: (34x) 900 mm x 450 mm x 100 mm.	60
550	Mesmec	Mesmec deboning table with plastic working tops and transport belt, model: MKK 600-3600, year of	500



Nr	Title	Description	Start €
		construction: 2013, 50 Hz, 0.55 kW, plastic mesh belt, belt width: 610 mm, total dimensions: 2400 mm x 1190 mm x 1235 mm.	
551	NN tanks	2 s/s tanks, volume: 500 liter, dimensions: (2x) Ø 800 mm x 1480 mm.	300
552	NN light fixtures	6 pallets and 5 boxes with large amount of light fixtures.	500
553	Koneteollisuus OY	Koneteollisuus OY grinder, model: LM-10/K, number: 3529, 380 V, 3 Ph, 50 Hz, plate diameter: 70 mm, total dimensions: 550 mm x 420 mm x 470 mm.	175
554	Holac	Holac dicer, type: HA 120, machine number: 12 001 01, year of construction: 1980, 4.5 kW, dimensions chamber: 115 mm x 115 mm, total dimensions: 1800 mm x 850 mm x 1650 mm.	500
555	NN deboning table	S/s deboning table with plastic worktop and 2 transport belts, plastic belt, belt width: 210 mm, dimensions: 7300 mm x 1790 mm x 950 mm. Missing 1 worktop.	850
556	NN tubs	4 s/s tubs, dimensions: (4x) 1170 mm x 950 mm x 840 mm.	400
557	Garos	Garos injector and tenderizer, type: GNP 88/576, serial number: 93007, s/s mesh belt, belt width: 520 mm, 88 needles, dimensions: 2500 mm x 950 mm x 2100 mm. Technical condition unknown.	1250
558	Marel	Marel checkweigher, type: INW-300, serial number: 1003, year of construction: 2000, 400 V, 3 Ph, 1.0 kW, plastic belt, belt width: 340 mm, total dimensions: 1650 mm x 1000 mm x 1450 mm.	500
559	APV	APV Paraflow plate heat exchanger, type: HMB, number: 678, dimensions: 2400 mm x 700 mm x 1880 mm.	950
560	Harvest Saver	Harvest Saver tray dryer, model: #R-5, serial number: #121, 15 floors, floor dimensions: 980 mm x 610 mm x 45 mm, total dimensions: 1530 mm x 850 mm x 1550 mm.	750
561	APV	APV plate heat exchanger, type: HX, number: 103, dimensions: 1950 mm x 620 mm x 1550 mm.	750
562	Koneteollisuus OY	Koneteollisuus OY tenderizer, type: KT-PK, number: 147249, year of construction: 03 12, 380-420 V, 3 Ph, 50 Hz, 1.0 A, 0.37 kW, working width: 150 mm, weight: 32 kg, total dimensions: 470 mm x 430 mm x 400 mm.	150
563	NN cooling door	Cooling door, door dimensions: 640 mm x 50 mm x 2050 mm, total dimensions: 730 mm x 2080 mm x 50 mm.	75
564	Huurre	Huurre cooling door, type: M1 70, year of construction: 1989, door dimensions: 760 mm x 80 mm x 2050 mm, total dimensions: 830 mm x 80 mm x 2113 mm.	50
565	NN cooling door	Cooling door, door dimensions: 690 mm x 60 mm x 1950 mm, total dimensions: 690 mm x 1950 mm x 60 mm.	50
566	Huurre		50



Nr	Title	Description	Start €
		Huurre cooling door, type: M1 70, year of construction: 1989, door dimensions: 760 mm x 80 mm x 2055 mm, total dimensions: 820 mm x 2118 mm x 80 mm.	
567	ISA	ISA refrigerated showcase, model: SLIM, type: Market Murali, serial number: 3110749296, year of construction: 06.07.2011, 230 V, 50 Hz, 17.2 A, 3500 W, refrigerant: R404a, 0.950 kg, 4 floors, dimensions each floor: 1840 mm x 300 mm, total dimensions: 1900 mm x 640 mm x 2200 mm.	50
568	NN curve conveyor	90° curve conveyor for crate washing, clearance: 500 mm x 500 mm, total dimensions: 1100 mm x 1150 mm x 1400 mm. Missing belt.	150
569	Promens Iberia S.A.	3 Promens Iberia S.A. plastic tubs, dimensions: (3x) 1200 mm x 800 mm x 870 mm.	150
570	Bankeryds Maskin AB	Bankeryds Maskin AB mobile band saw, type: BM 25, number: 5468, 380 V, 3 Ph, 50 Hz, 2.8 A, 1.1 kW, dimensions table 520 mm x 600 mm, total dimensions 720 mm x 700 mm x 1600 mm.	450
571	Handtmann	2 Handtmann parts for AL system sausage filling line, dimensions (2x): 860 mm x 110 mm x 70 mm.	300
572	Telfafill	Telfafill mobile depositor, model: TF5500SWDUO/013, number: 1057502, dimensions: 720 mm x 1400 mm x 2300 mm.	500
573	Bankeryds Maskin AB	Bankeryds Maskin AB bandsaw, type: BM 6, number: 7281, 380 V, 3 Ph, 50 Hz, 4 kW, 1420 rpm.	750
574	NN batcher	Mobile batcher, dimensions: 810 mm x 1330 mm x 1800 mm.	450
575	NN tub	Mobile s/s tub with drain, dimensions: 1210 mm x 1010 mm x 980 mm.	100
576	Wexiodisk AB	Wexiodisk AB dishwasher, type: WD-4, number 95597, year of construction 1995, 400 V, 3 PH, 50 Hz, 10 A, 5.55 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 600 mm x 625 mm x 1230 mm.	250
577	Albin Motor Ab	Albin Motor Ab lobe pump, type: SLP440, serial number: 137356, dimensions: 1300 mm x 500 mm x 960 mm.	150
578	Electrolux	Electrolux bowl mixer, type: 1986 R40, number: 10227, 380 V, 3 Ph, 50 Hz, 2.8 A, 1.5 kW, dimensions: 560 mm x 900 mm x 1230 mm.	150
579	Annala Foodtech	Annala Foodtech mobile butter cutter, dimensions: 1100 mm x 650 mm x 1440 mm.	250
580	Ishida	Ishida 14-heads multihead weigher, model: CCW-Z-214W-S/30-PB, serial number: 19034, year of construction: May 1992, 220 V, 50 Hz, 7.6 A, total dimensions: 1360 mm x 1180 mm x 1900 mm. Incomplete, for spare parts.	1250
581	Annala Foodtech	Annala Foodtech water heater, type: VEDENLAMMITIN, year of construction: 2015, 230/400 V, 10.5 kW, 100 kg, dimensions: 1100 mm x 600 mm x 2000 mm.	175



Nr	Title	Description	Start €
582	Porkka	Porkka freezer, type: FUR720F-SS F 720 SS, number: 200413-131964.020, 230 V, 50 Hz, 560 W, refrigerant: R-404A, 4 floors, floor dimensions: 650 mm x 525 mm, total dimensions: 850 mm x 670 mm x 2035 mm.	150
583	Inject Star	Inject Star vibrating hopper, dimensions: 1200 mm x 1000 mm x 1560 mm.	250
584	NN tray denester	Tray denester, dimensions: 1550 mm x 1900 mm x 2520 mm. Incomplete, for spare parts.	950
585	Inject Star	Inject Star brine preparation unit, type: CLB-1100, number: K-135, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 4 kW, capacity: 1100 liter, dimensions: 2020 mm x 1520 mm x 1660 mm.	1950
586	Ekopatter Oy	Ekopatter Oy plate heat exchanger, type: TK-7, serial number: 1836/1, year of construction: 1983, dimensions: 2190 mm x 2100 mm x 360 mm.	500
587	Hackman Metos LTD	Hackman Metos LTD combi steamer, model: CVP 21E S2, serial number: 1051015, 400 V 3 Ph, 50 Hz, 30 kW, 20 floors, floor dimensions: 540 mm x 320 mm, total dimensions: 950 mm x 840 mm x 2000 mm.	1000
588	NN meat bins	5 s/s meat bins, volume: (5x) 200 liter.	375
589	NN table	Mobile s/s table with plastic top, dimensions plastic top: (2x) 1110 mm x 715 mm, total dimensions: 1480 mm x 800 mm x 1500 mm.	125
590	NN tubs	2 mobile s/s tubs with drain, dimensions: (2x) 1010 mm x 1220 mm x 955 mm.	200
591	Annala Foodtech	Annala Foodtech flattener, type: NAUHAKULJETIN/ LITISTAJA, serial number: 2339, year of construction: 2006, 380 V, weight: 120 kg, 1.12 kW, belt width: 600 mm, total dimensions: 940 mm x 800 mm x 1320 mm.	500
592	Albin Pump Ab	Albin Pump Ab mobile pump, model: 115, serial number: 20939, dimensions: 750 mm x 700 mm x 1080 mm.	350
593	Annala Foodtech	Annala Foodtech mobile tray denester, type: VUOKARITITTÄJÄ, serial number: 2438, year of construction: 2016, 230/380 V, 0,15 kW, 6 bar, weight: 100 kg, dimensions: 1310 mm x 700 mm x 1410 mm.	250
594	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 580 mm, output conveyor s/s mesh belt, belt width: 600 mm, total dimensions: 3300 mm x 850 mm x 1940 mm.	750
595	Hämeen Tehdaspalvelu Oy	Hämeen Tehdaspalvelu Oy mobile transport belt, serial number: 1046, year of construction: 1989, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 1550 mm x 500 mm x 780 mm.	150
596	Supertape	Supertape box closing machine, type: SO-7000, number: 81-7677, 220 V, 50 Hz, 2 A, roller width: 495 mm, total dimensions: 880 mm x 1670 mm x 1660 mm.	350
597	Meiko	Meiko crate washer, type: K200KVP, serial number: 0040437, year of construction: 06.2003, 400 V, 3 Ph, 50	750



Nr	Title	Description	Start €
		Hz, 63 A, 41 kW, clearance: 510 mm x 450 mm, total dimensions: 2940 mm x 970 mm x 2000 mm.	
598	Ekopatter Oy	Ekopatter Oy plate heat exchanger, type: TK-8, serial number: 1836/2, year of construction: 1983, dimensions: 1355 mm x 1065 mm x 410 mm.	500
599	NN tilting device	S/s tilting device for pallet boxes, total dimensions: 1500 mm x 1700 mm x 1600 mm.	650
600	NN tilting device	S/s tilting device for pallet boxes, total dimensions: 2020 mm x 1500 mm x 1530 mm.	850
601	Pulsotronic	Pulsotronic metal detector, type: M-Pulse 2 BD-HD 350 x 150, serial number: 90006199, year of construction: 2016, 115/230 V, 1 Ph, 50/60 Hz, max 16 A, plastic mesh belt, belt width: 300 mm, clearance: 340 mm x 120 mm, total dimensions: 1200 mm x 820 mm x 1365 mm.	750
602	Koneteollisuus OY	Koneteollisuus OY tenderizer, type: KT-PK, number: 147710, year of construction: 04 12, 380-420 V, 3 Ph, 50 Hz, 1.0 A, 0.37 kW, working width: 150 mm, weight: 32 kg, total dimensions: 450 mm x 440 mm x 400 mm.	150
603	Jungheinrich	Jungheinrich electric pallet lifter, type: ECE 225, serial number: 91552806, year of construction: 2010, 24 V, 2.8 kW, capacity: 2500 kg, weight without battery: 790 kg, weight battery: 300 kg, fork length: 2400 mm, total dimensions: 3700 mm x 880 mm x 2000 mm. Including Exide battery charger.	750
604	Jungheinrich	Jungheinrich electric pallet lifter, type: ECE 225, serial number: 91544384, year of construction: 2009, 24 V, 2.8 kW, capacity: 2500 kg, weight without battery: 775 kg, weight battery: 302 kg, fork length: 2400 mm, total dimensions: 3700 mm x 880 mm x 2000 mm. Including Exide battery charger.	750
605	NN portioning machine	Mobile portioning machine, working width: 130 mm, plastic belt, belt width: 130 mm, total dimensions: 1200 mm x 405 mm x 1130 mm. Screen is broken.	650
606	Annala Foodtech	Annala Foodtech mobile elevating belt with infeed bunker, type: KOLAKULJETIN, serial number: 2328, year of construction: 2005, 380 V, 0.37 kW, weight: 100 kg, s/s frame, plastic belt with dividers, belt width: 150 mm, divider height: 40 mm, distance between dividers: 190 mm, elevating height: 1200 mm, total dimensions: 2200 mm x 600 mm x 1270 mm.	550
607	Ab Bygg- och Transportekonomi	Ab Bygg- och Transportekonomi mobile lifter, type: BTSV 800 P/1, serial number: 122911, year of construction: 1981, weight: 200 kg, lifting height: 1800 mm, capacity: 800 kg, total dimensions: 1600 mm x 810 mm x 2200 mm. Incomplete	250
608	Orfer Oy	Orfer Oy transport belt, model: TARKASTUSKULJETIN 2, type: 57.45.020, serial number: AP05029020/A034943, year of construction: 2005, s/s frame, plastic belt, belt	150



Nr	Title	Description	Start €
		width: 300 mm, total dimensions: 1050 mm x 660 mm x 1100 mm.	
609	NN kebab knife	Kebab knife, blade $\varnothing$ 80 mm, dimensions: 300 mm x 200 mm x 100 mm.	50
610	Ingersoll-Dresser pumps	Ingersoll-Dresser pumps pump, type: 50-32CP x160, number: 0153 695, year of construction: 1995, 24.0 bar, dimensions: 1400 mm x 1200 mm x 590 mm.	250
611	Orfer Oy	Orfer Oy transport belt, model: TUOTEKULJETIN 2, serial number: AP04031216/A029638, year of construction: 2006, s/s frame, plastic belt, belt width: 370 mm, total dimensions: 2400 mm x 550 mm x 350 mm.	200
612	Orfer Oy	Orfer Oy manual depositor, model: ANNOSTELUSILO, serial number: AP04031225/A027879, year of construction: 2005, dimensions: 1100 mm x 540 mm x 1870 mm.	250
613	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 300 mm, outfeed conveyor, plastic belt, belt width: 300 mm, elevating height: 1900 mm, total dimensions: 3080 mm x 1300 mm x 1900 mm.	750
614	Invensys	Invensys centrifugal pump, type: W+10/8 90, serial number: 3009424, year of construction: 2003, dimensions: 1600 mm x 250 mm x 310 mm.	250
615	NN elevating belt	Elevating belt, s/s frame, plastic mesh belt with dividers, belt width: 300 mm, divider height: (2x) 20 mm, distance between dividers: 300 mm, total dimensions: 1840 mm x 430 mm x 1060 mm.	550
616	NN curve conveyor	45° Curve conveyor, s/s frame, plastic belt, belt width 255 mm, total dimensions 1900 mm x 550 mm x 950 mm.	150
617	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 350 mm, elevating height: 2400 mm, total dimensions: 2700 mm x 600 mm x 2400 mm.	550
618	NN cooling door	Cooling door, door dimensions: 2600 x 1880 mm, thickness: 90 mm.	100
619	NN curve conveyor	45° curve mobile elevating belt, s/s frame, plastic mesh belt, belt width: 380 mm, elevating height: 1640 mm, total dimensions: 4800 mm x 900 mm x 1660 mm.	300
620	Annala Foodtech	Annala Foodtech mobile elevating belt with infeed bunker, type: NAUHAKULJETIN, serial number: 2418, year of construction: 2014, 380 V, 0.75 kW, weight: 100 kg, s/s frame, plastic belt and dividers, belt width: 500 mm, divider height: 5 mm, distance between dividers: 195 mm, elevating height: 1280 mm, total dimensions: 2370 mm x 840 mm x 1430 mm.	550
621	NN mesh belt	S/s mesh belt, belt width: 660 mm, total dimensions: 800 mm x 1700 mm x 1020 mm.	250
622	NN mesh belt	S/s mesh belt, belt width: 660 mm, total dimensions: 800 mm x 1700 mm x 840 mm.	250



Nr	Title	Description	Start €
623	NN mesh belt	S/s mesh belt, belt width: 660 mm, total dimensions: 800 mm x 1400 mm x 820 mm.	250
624	Tmi Ruostumattomat Teräslaitteet	Tmi Ruostumattomat Teräslaitteet cooking vessel with lift, serial number: 6677, year of construction: 11.1978, volume: 40 liter, 1.2 bar, RTL lift, model: RTL 1804/HL, dimensions: 960 mm x 710 mm x 1170 mm.	650
625	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	225
626	Heinrich GmbH	Heinrich GmbH automatic casing sealer, model: Termo-Fix, machine number: HM020518, year of construction: 2018, 230 V, 50 Hz, press air: 7 bar, dimensions: 480 mm x 400 mm x 1260 mm.	350
627	Heinrich GmbH	Heinrich GmbH automatic casing sealer, model: Termo-Fix, machine number: HM020218, year of construction: 2018, 230 V, 50 Hz, press air: 7 bar, dimensions: 480 mm x 400 mm x 1260 mm.	350
628	Wexiodisk AB	Wexiodisk AB dishwasher, type: WD-6, number: 1020621, year of construction 2010, 400 V, 3 Ph, 50 Hz, 16 A, 10.8 kW, crate dimensions: 500 mm x 500 mm x 105 mm, total dimensions: 715 mm x 710 mm x 1420 mm.	500
629	Meiko	Meiko crate washer, type: K 200 KVP, serial number: 10082076, year of construction: 08.2006, 400 V, 3 Ph, 50 Hz, 49 A, 31 kW, clearance: 510 mm x 450 mm, total dimensions: 3200 mm x 960 mm x 1870 mm.	750
630	NN tub	Mobile s/s tub with drain, dimensions: 1650 mm x 1050 mm x 880 mm.	100
631	Bankeryds Maskin AB	Bankeryds Maskin AB band saw, type: BM 8, number: 7260, 380 V, 3 Ph, 50 Hz, dimensions table: 1650 mm x 1120 mm, total dimensions 2140 mm x 1260 mm x 1900 mm.	750
632	NN trolleys	3 steel trolleys, (3) x 14 floors, floor dimensions: 450 mm x 500 mm, distance between floors: 110 mm, with 39 baking trays, baking tray dimensions: 440 mm x 760 mm, total dimensions: (3x) 510 mm x 760 mm x 1700 mm.	150
633	NN trolleys	2 steel trolleys, (1) x 15 floors, floor dimensions: 490 mm x 530 mm, distance between floors: 100 mm, (1) x 13 floors, floor dimensions: 460 mm x 450 mm, distance between floors: 100 mm, baking tray dimensions: 440 mm x 760 mm, total dimensions: (1) 545 mm x 760 mm x 1790 mm; (1) 510 mm x 760 mm x 1450 mm.	100
634	CO.MA. s.p.a.	CO.MA. s.p.a. 2 plate heat exchangers, model: 41KI 16T/6R/700L/P3/N5/V2.3800, serial number: 686/00002/2017; 686/00003/2017, year of construction: 24/03/2017, total dimensions: 1230 mm x 1180 mm x 750 mm.	450
635	NN fryer	Fryer, dimensions: 1170 mm x 1070 mm x 1430 mm.	50
636	Cornelius	Cornelius soda dispenser, type: Sodadis dispenser Loop UV 3H, serial number: 221012FA03375, year of	25



Nr	Title	Description	Start €
		construction: 2010, 1 Ph, 230 V, 50 Hz, 365 W, 30 bar, refrigerant: R134a, 0.150 kg, total dimensions: 340 mm x 620 mm x 490 mm.	
637	Handtmann	Handtmann parts for AL system sausage filling line, dimensions: 900 mm x 500 mm x 250 mm.	150
638	Custom Automation Oy	Custom Automation Oy transport belt, year of construction: 2010, 230 V, 0.60 kW, s/s frame, plastic mesh belt, belt width: 380 mm, total dimensions: 5730 mm x 1050 mm x 820 mm.	100
639	NN tubs	2 mobile s/s tubs with drain, dimensions: (2x) 1650 mm x 1050 mm x 840 mm.	200
640	Metos	Metos trolley, type: Cantina BM-2HL, serial number: 2008T40S470020, 1 Ph, 230 V, 50 Hz, 2.0 kW, 8.7 A, dimensions: 960 mm x 780 mm x 950 mm.	50
641	NN tubs	2 mobile s/s tubs with drain, dimensions: (2x) 1650 mm x 1050 mm x 840 mm.	200
642	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG mobile vacuum machine, type: VC999 K6A, machine number: 16140573, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 25 A, 9 kW, VC999 vacuum pump, type: 9603030/10, serial number: 1322135, year of construction: 2013, 205/245 m ³ per hour, seal length: (2x) 490 mm and (1x) 940 mm, dimensions chamber: 940 mm x 530 mm, total dimensions: 1300 mm x 920 mm x 1070 mm.	1250
643	CO.MA. s.p.a.	CO.MA. s.p.a. 2 plate heat exchangers, model: 41KI 12T/6R/640L/P3/N4/V2.2500, serial number: 686/00005/2017; 686/00006/2017, year of construction: 24/03/2017, total dimensions: 1200 mm x 1030 mm x 630 mm.	450
644	NN frame	S/s frame for combi steamer, (2x) 6 floors, dimensions each floor: 660 mm x 330 mm, distance between floors: 70 mm, total dimensions: 855 mm x 720 mm x 680 mm.	75
645	NN skewer machine	Automatic skewer machine, total dimensions: 1600 mm x 750 mm x 330 mm.	100
646	Aquaplus Vertriebs GmbH Flintbek	Aquaplus Vertriebs GmbH Flintbek blast chiller, serial number: APST01 82018, 220 V, 4 A, 850 W, inside dimensions: 390 mm x 640 mm x 65 mm, total dimensions: 990 mm x 500 mm x 470 mm.	125
647	Carso	Carso mobile portioning machine, dimensions: 600 mm x 450 mm x 1000 mm.	150
648	NN tub	Mobile s/s tub with drain, dimensions: 1650 mm x 1050 mm x 840 mm.	100
649	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, type: VS 1, serial number: 130358, year of construction: 1998, 230 V, 50 Hz, capacity: 2500 gram, plastic belts, belt width: (2x) 200 mm, (1x) 250 mm, total dimensions: 1400 mm x 1000 mm x 1375 mm.	450
650	NN depositor		350



Nr	Title	Description	Start €
		Depositor with chain conveyor, distance between chains: max. 170 mm, dimensions: 1450 mm x 1780 mm x 2060 mm.	
651	Nutripack	Pallet with Nutripack plastic trays, dimensions tray: 310 mm x 235 mm x 22 mm, total dimensions: 1200 mm x 800 mm x 1650 mm.	75
652	Fuji Machinery Co.Ltd	Fuji Machinery Co.Ltd flowpacker, model: FW3710B-R, serial number: 002210, year of construction: 1988, 200 VAC, 50/60 Hz, 3.045 kW, dimensions flowpacker: 2150 mm x 1000 mm x 1500 mm, dimensions infeed conveyor: 2930 mm x 400 mm x 350 mm.	1250
653	CFS	CFS Germany GmbH thermoformer, type: Juniorpak 320, machine number: 905/1004, year of construction: 2007, 400 V, 3 PH, 50 Hz, 26 A, 17 kW, bottom film width: 320 mm, top film width: 316 mm, dye: 275 mm x 285 mm x 100 mm, plastic outfeed belt, belt width: 255 mm, total dimensions: 4760 mm x 1100 mm x 1920 mm.	2500
654	Etipack	Etipack mobile labelling machine, model: SURPRISE25, number: 06/000000620, year of construction: 2006, 230 V, 50+60 Hz, 0.30 A, dimensions: 780 mm x 1030 mm x 1830 mm.	500
655	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 385 mm, distance between dividers: 210 mm, divider height: 40 mm, total dimensions: 770 mm x 860 mm x 1380 mm.	150
656	Custom Automation Oy	Custom Automation Oy transport belt, model: RSOY PK1, year of construction: 2015, 230 V, 10 A, 0.20 kW, s/s frame, plastic belt, belt width: 295 mm, total dimensions: 800 mm x 430 mm x 870 mm.	150
657	Etipack	Etipack labelling machine, model: Strong 200, serial number: 14/000001389, 100-240 V, 50-60 Hz, 2.0 A, 70 W, dimensions: 1000 mm x 800 mm x 580 mm.	150
658	Videojet	Videojet mobile inkjet printer, model: EXCEL/170i, serial number: I94A32302, 220 V, 1 Ph, 50/60 Hz, 1 A, dimensions: 750 mm x 750 mm x 1790 mm.	100
659	Videojet	Videojet mobile inkjet printer, model: EXCEL/170i, serial number: 000800024WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 750 mm x 750 mm x 1650 mm.	100
660	Videojet	Videojet mobile inkjet printer, model: EXCEL/170i, serial number: 001520029WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 750 mm x 750 mm x 1650 mm.	100
661	Collamat	Collamat labelling machine, type: C9110/20/30, serial number: 1531, year of construction: 02/09, 110-240 V, 10/5 A, total dimensions: 1000 mm x 1000 mm x 1800 mm.	150
662	Videojet	Videojet mobile inkjet printer, model: EXCEL/273se, serial number: 990410023WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 750 mm x 750 mm x 1750 mm.	150



Nr	Title	Description	Start €
663	Videojet	Videojet mobile inkjet printer, model: EXCEL/170i, 220 V, serial number: I91L01119, , 1 Ph, 50/60 Hz, 2 A, dimensions: 700 mm x 710 mm x 1620 mm.	150
664	Videojet	Videojet mobile inkjet printer, model: EXCEL/270i, dimensions: 800 mm x 750 mm x 1200 mm.	150
665	Videojet	Videojet inkjet printer, model: EXCEL/170i, serial number: I981390033WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 510 mm x 360 mm x 750 mm.	75
666	Videojet	Videojet inkjet printer, model: EXCEL/170i, serial number: 011280039WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 510 mm x 360 mm x 750 mm.	75
667	Videojet	Videojet inkjet printer, model: EXCEL/170i, serial number: 993360038WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 510 mm x 360 mm x 750 mm.	75
668	NN smoke trolleys	3 s/s smoke trolleys, 6 floors, floor dimensions (6x) 970 mm x 930 mm, total dimensions: (3x) 990 mm x 1000 mm x 2000 mm.	225
669	Dieta	Dieta tiltable cooking vessel with agitator, model: PX 300 FS, serial number: 20101202, year of construction: 2010, 380-415 V, 3 Ph, 52.5 kW, 76 A, volume: 300 liter, dimensions: 1700 mm x 1430 mm x 1100 mm. Incomplete.	750
670	Markem	Markem 2 inkjet printers, model: 9096S/9064, serial number: 050110/080185, 115-125/230-250 V, 1 Ph, 50/60 Hz, 6.3-5 A, dimensions: 1200 mm x 530 mm x 230 mm.	150
671	Schutten	Schutten tray separator, plastic mesh belt, belt width: 655 mm, total dimensions: 1400 mm x 970 mm x 1400 mm.	500
672	Schutten	Schutten ejecter, dimensions: 1000 mm x 1200 mm x 470 mm.	150
673	Electrolux	Electrolux fry top, model: QRE400, serial number: 91700004, 380-400 V, 3 Ph, 50/60 Hz, 4.1-4.5 kW, dimensions: 400 mm x 820 mm x 370 mm.	150
674	NN tilting device	S/s tilting device for meat bins, dimensions: 1770 mm x 1370 mm x 1600 mm. Incomplete.	500
675	Fillflex	Fillflex mobile filling machine, model: F5500aSD T/W1,5 S2/018 S2, number: 4747, dimensions: 1160 mm x 600 mm x 1960 mm. Incomplete, missing screen.	500
676	Telfafill	Telfafill mobile filling machine, model: TF5500C806/28220, number: 1054215, dimensions: 640 mm x 730 mm x 1420 mm. Incomplete, missing screen.	250
677	Metos	Metos refrigerator, model: GNC660RL 1-R, serial number: MT08-181, year of construction: may 2012, 220-240 V, 50 Hz, 850 W, refrigerant: R-404a, weight: 93 kg, volume: 400 L, 3 floors, floor dimensions: 450 mm x 530 mm, total dimensions: 670 mm x 700 mm x 2000 mm.	200



Nr	Title	Description	Start €
678	Svenska BakePartner AB	Svenska BakePartner AB double stack pizza oven, model: PM 732E, serial number: 64 71 69, 400 V, 3 Ph, 50/60 Hz, 19 kW, inside dimensions: (2x) 1070 mm x 710 mm x 140 mm, total dimensions: 1480 mmx 1010 mm x 1735 mm.	750
679	Louis Hoffmann	Louis Hoffmann injector, model: Inject-Junior BI 10/71, s/s belt, belt width: 290 mm, clearance: 300 mm x 180 mm, 10-needles, total dimensions: 1300 mm x 600 mm x 1850 mm.	750
680	NN table	S/s table, dimensions: 1065 mm x 1480 mm x 760 mm.	150
681	NN tubs	3 mobile s/s tubs with drain, dimensions: (3x) 1650 mm x 1050 mm x 840 mm.	300
682	Handtmann	Handtmann vacuum filling machine, type: VF300 B, number: 1229, 380 V, 3 Ph, 50 Hz, 23.6 A, 9.5 kW, Becker vacuum pump, total dimensions: 1250 mm x 1350 mm x 2240 mm.	1950
683	Vemag	Vemag vacuum filling machine, model: ROBOT HP 15 C, type: 143/350 B-1, number: 1430681, year of construction: 1998, 220-240 V / 64 A, 400-460 V / 37 A, 575 V, 3 PH, 50/60 Hz, dimensions: 1300 mm x 1200 mm x 2240 mm.	1500
684	Metos	Metos refrigerator, type: A700L TN, serial number: 5066241, year of construction: 2006, 230 V, 50 Hz, 0.77 kW, refrigerant: R-134a, 265 gram, 4 floors, floor dimensions: 520 mm x 650 mm, total dimensions: 700 mm x 800 mm x 2100 mm.	250
685	NN smoke sticks	Plastic pallet box with large amount of aluminium smoke sticks, Y-profile, length: 940 mm, dimensions pallet box: 1200 mm x 1000 mm x 760 mm.	300
686	Knecht	Knecht knife sharpener, dimensions: 1200 mm x 800 mm x 1550 mm, DGS filter, dimensions: 1300 mm x 600 mm x 700 mm. Incomplete, technical condition unknown.	150
687	Burlodge	Burlodge serving trolley for portioned meals on trays, type: NOVAFLEX, serial number: BLC 106607, year of construction: 6.10.2009, 400 V, 3 Ph, 50 Hz, 12.5 A, 7.6 kW, transport trolley dimensions: 1170 mm x 780 mm x 1620 mm, loading trolley dimensions: 780 mm x 800 mm x 1040 mm.	75
688	NN tubs	2 plastic tubs, dimensions: (2x) 770 mm x 920 mm x 725 mm.	100
689	Rieber	Rieber thermo trolley, type: TWF-C 1x20-EN/GN, number: 88440901 00178, year of construction: 01.03.2005, 10 floors, floor dimensions: (10x) 700 mm x 530 mm, total dimensions: 810 mm x 940 mm x 1590 mm.	75
690	Suhner AG	Suhner AG injector, type: WS 30, machine number: 8530228, 380 V, 50 Hz, s/s belt width: 440 mm, total dimensions: 1600 mm x 800 mm x 2100 mm. Incomplete, technical condition unknown.	350



Nr	Title	Description	Start €
691	Robopac	Robopac pallet wrapper, model: ECOPLAT TP FRD, serial number: KN/098484, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 4 A, 0.9 kW, weight: 530 kg, dimensions: 2500 mm x 1750 mm x 2550 mm.	800
692	Lutetia	Lutetia cooking chamber, type: DGV 1, serial number: 2050, year of construction: 2014, 400 V, 50 Hz, 4 kW, weight: 800 kg, 14 floors, dimensions floors: 980 mm x 915 mm, dimensions switch cabinet: 750 mm x 535 mm x 450 mm, total dimensions: 1450 mm x 1500 mm x 3000 mm.	1250
693	Cryovac	Cryovac dip tank, type: C 106 E, serial number: 04 387, year of construction: 1986, 380 V, 50 Hz, clearance: 440 mm x 250 mm x 1350 mm, total dimensions: 1000 mm x 2200 mm x 2900 mm. Cryovac diptank, type: C 106 E, serial number: 04 387, year of construction: 1986, 380 V, 50 Hz, clearance: 440 mm x 250 mm x 1350 mm, total dimensions: 1000 mm x 2200 mm x 2900 mm.	750
694	NN trolleys	3 steel trolleys, (2) x 17 floors, (1) x 16 floors, floor dimensions: 640 mm x 515 mm, with 49 baking trays, baking tray dimensions: 640 mm x 515 mm, total dimensions: (3x) 650 mm x 570 mm x 1500 mm.	225
695	Dieta	Dieta gentle pressure steamer, model GSX-1, serial number 060114, year of construction: 2006, 380-415 V, 3 Ph, 25 kW, 36 A, 6 floors, dimensions floors 540 mm x 320 mm, total dimensions 605 mm x 855 mm x 1380 mm.	250
696	Dieta	Dieta gentle pressure steamer, model GSX-1, serial number 050812, year of construction: 2005, 400 V, 3 Ph, 22 kW, 32 A, 6 floors, dimensions floors 540 mm x 320 mm, total dimensions: 605 mm x 855 mm x 1380 mm.	250
697	Dialight	30 Dialight led lamps, 22 W, dimensions pallet: 1220 mm x 860 mm x 590 mm.	75
698	Dieta	Dieta tiltable cooking vessel with agitator, model: EXM 155, serial number: 040605, 380-415 V, 3 Ph, 30 kW, 49 A, volume: 140 liter, dimensions: 1400 mm x 1000 mm x 1400 mm.	750
699	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, model: VF20-300, number: 2644-1, dimensions: 1600 mm x 1300 mm x 1970 mm. Including linking attachment, model linking attachment: 34-2, number: 3869.	950
700	NN mixer	S/s mixer, inside tub dimensions: Ø 600 mm x 550 mm, total dimensions: 960 mm x 630 mm x 1235 mm.	300
701	NN trolleys	3 steel trolleys, 7 floors, floor dimensions: (7x) 1200 mm x 475 mm, total dimensions: (2x) 570 mm x 1200 mm x 1720 mm, (1x) 530 mm x 1200 mm x 1690 mm.	225
702	Fomaco		850



Nr	Title	Description	Start €
		Fomaco mobile injector, machine number: 1518, year of construction: 1981, 26 needles, s/s belt, belt width: 340 mm, total dimensions: 2200 mm x 900 mm x 2000 mm.	
703	Ice Tech	Ice Tech ice machine with ice bunker, model: SK 45 A V2, serial number: 17617192, 220-240 V, 50 Hz, 3.15 A, 490 W, refrigerant: R404A/230 g, dimensions: 435 mm x 600 mm x 715 mm. Missing cover.	250
704	Termet	15 Termet Oy reserve water tanks, year of construction: 2004, dimensions: (15x) Ø 586 mm x 590 mm.	150
705	Mafo Machinefabriek Oldenzaal B.V	Mafo Machinefabriek Oldenzaal B.V crate washer, clearance: 400 mm x 390 mm, total dimensions: 4500 mm x 930 mm x 1830 mm.	2250
706	Lindfors	Lindfors elevating belt, s/s frame, belt width: 110 mm, total dimensions: 1800 mm x 360 mm x 1150 mm. Missing belt.	350
707	Porkka	Porkka blast chiller/freezer, refrigerant: R404a, 9 floors, floor dimensions: 320 mm x 460 mm, total dimensions: 870 mm x 770 mm x 2030 mm. Cooling centrally regulated.	450
708	Cryovac	Cryovac dip tank, type: SF4, serial number: 010, 13.5 kW, inside dimensions 760 mm x 420 mm x 350 mm, total dimensions: 850 mm x 750 mm x 1385 mm.	300
709	NN trash cans	6 plastic trash cans, dimensions: (6x) 520 mm x 380 mm x 670 mm.	60
710	NN trolleys	4 s/s trolleys for combisteamer, 19 floors, dimensions floors: (19x) 450 mm x 500 mm, total dimensions: (4x) 520 mm x 530 mm x 1825 mm.	400
711	Hermann Waldner GmbH & Co. KG	Hermann Waldner GmbH & Co. KG mobile depositor, type: MultiDos, machine number: 2371, year of construction: 2010, 230 / 400 V, 50 Hz, 18 kW, 32 A, weight: 750 kg, fillings: 3240 per hour, total dimensions: 3080 mm x 1420 mm x 2270 mm.	5000
712	NN trolley	S/s trolley, 2 floors, floor dimensions: 870 mm x 570 mm, total dimensions: 940 mm x 650 mm x 1100 mm.	50
713	Restmec Ou	Restmec Ou refrigerator, model: PA 800, serial number: 090506RA124, 230 V, 1 Ph, 50 Hz, 0.4 kW, refrigerant: R134a / 210 gram, inside dimensions: 690 mm x 510 mm x 160 mm, total dimensions: 800 mm x 670 mm x 880 mm.	150
714	Sotiri D. Prodanas	Sotiri D. Prodanas 4 kebab grills, Incomplete, used for spare parts, total dimensions: 1000 mm x 1200 mm x 1250 mm.	300
715	Sotiri D. Prodanas	Sotiri D. Prodanas 4 kebab grills, Incomplete, used for spare parts, total dimensions: 1000 mm x 1200 mm x 1250 mm.	300
716	NN trolley	S/s trolley, 28 floors, floors dimensions: 950 mm x 980 mm, total dimensions: 1040 mm x 1000 mm x 1975 mm.	75
717	Haklift Oy		500



Nr	Title	Description	Start €
		Haklift Oy electric pallet lifter, model: CDD10B-III PINK100030, serial number: 2108286, year of construction: 2021, capacity: 1000 kg, weight: 445 kg, fork length: 1150 mm, lifting height: 3000 mm, total dimensions: 1720 mm x 800 mm x 2080 mm.	
718	NN meat hooks	Wooden pallet box with large amount s/s meat hooks, approximately 550 pieces, 5 hooks per hanger, peg length: 40 mm, dimensions each hook: 225 mm x 40 mm x 140 mm, dimensions pallet box: 600 mm x 800 mm x 540 mm.	550
719	NN meat hooks	Wooden pallet box with large amount s/s meat hooks, approximately 180 pieces, 4 hooks per hanger, peg length: 40 mm, dimensions each hook: 160 mm x 40 mm x 150 mm, dimensions pallet box: 710 mm x 750 mm x 400 mm.	180
720	NN meat hooks	Plastic crate with s/s meat hooks, approximately 100 pieces, 3 hooks per hanger, peg length: 45 mm, dimensions each hook: 200 mm x 45 mm x 140 mm, dimensions plastic crate 600 mm x 400 mm x 185 mm.	100
721	Electrolux	Electrolux mobile plate dispenser, model: PLATE DISPENSER 185-260 HEATED, number: 1693 25 00 01, 220-240 V, 1 Ph, 50/60 Hz, 1.45 kW, dimensions: 440 mm x 730 mm x 960 mm.	150
722	Sirman SPA	3 Sirman SPA manual burger press, model: SA 130, serial number: IEBJJA0652; 17V05838; 18IE002517, weight (3x) 7.00 kg, total dimensions: (3x) 260 mm x 280 mm x 270 mm.	150
723	NN burger press	Manual burger press, dimensions: 210 mm x 300 mm x 280 mm.	50
724	Seffelaar & Looyen b.v	Seffelaar & Looyen b.v. mobile flattener, number: 82042, belt width: (2x) 250 mm, total dimensions: 1400 mm x 670 mm x 1440 mm.	950
725	Orfer Oy	Orfer Oy transport belt with s/s frame, serial number: AP05038110/A031446, year of construction: 2005, plastic belt width: 80 mm, total dimensions 3400 mm x 440 mm x 1040 mm.	250
726	NN trolleys	2 s/s trolleys, 25 floors, floor dimensions: 955 mm x 1000 mm, total dimensions: (2x) 1020 mm x 1020 mm x 1935 mm.	150
727	NN piston filler	Rotary piston filler, 400 V, 1,8 kW, total dimensions: 1100 mm x 1000 mm x 1700 mm.	1500
728	BT	BT Products Ab electric pallet lifter, model: LPE200/8, number: 6289107, year of construction: 2014, capacity: 2000 kg, fork length: 1145 mm, total dimensions: 1930 mm x 730 mm x 1350 mm. Technical condition unknown.	600
729	BT	BT Products Ab electric pallet lifter, model: LPE200/8, number: 6272287, year of construction: 2013, capacity:	600

Nr	Title	Description	Start €
		2000 kg, fork length: 1145 mm, total dimensions: 1930 mm x 730 mm x 1350 mm. Technical condition unknown.	
730	Küpperbusch	Küpperbusch combi steamer, type: KEG0082, 230/400 V, 3 Ph, 50 Hz, 36.9 kW, 15 floors, dimensions each floor: 530 mm x 325 mm, total dimensions: 1020 mm x 900 mm x 1810 mm.	650
731	Rational	Rational combi steamer, type: CD 201, serial number: 20193121220, 380 V, 3 Ph, 50 Hz, 36.6 kW, inside dimensions: 420 mm x 620 mm x 1360 mm, total dimensions: 950 mm x 950 mm x 1800 mm.	1500
732	NN meat bins	6 s/s meat bins, volume: (6x) 200 liter.	450
733	NN meat bins	6 s/s meat bins, volume: (6x) 200 liter.	450
734	NN meat bins	6 s/s meat bins, volume: (6x) 200 liter.	450
735	NN meat bins	6 s/s meat bins, volume: (6x) 200 liter.	450
736	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	150
737	EFA	EFA circular saw, type: EFA 19, machine number: 19/06, ø saw blade: 265 mm, 6 psi, 900 rpm, dimensions: 550 mm x 270 mm x 340 mm.	125
738	Wiegand	Wiegand knife sharpener, type: 225, 400 V, 3 Ph, 50 Hz, 0.37 kW, dimensions: 650 mm x 520 mm x 1100 mm.	200
739	NN defrosting trolleys	4 s/s defrosting trolleys, 8 floors, floor dimensions: (8x) 750 mm x 600 mm, distance between floors: 180 mm, total dimensions: (4x) 810 mm x 620 mm x 1860 mm.	200
740	Pozzi Proge.Co S.r.l.	Pozzi Proge.Co S.r.l. machine for closing and pressing all types of moulds for ham, type: PRESSA STAMPI AUTOMATICA, model: PS 10LO, serial number: 008, year of construction: 2006, 400 V, 3 Ph, pressure: 6 bar, s/s mesh belt, belt width: 345 mm, dimensions: 2100 mm x 800 mm x 2120 mm.	1250
741	NN shaping machine	Mobile shaping machine, roller width: 75 mm, total dimensions: 1110 mm x 680 mm x 1220 mm.	350
742	S/s tilting device	S/s tilting device for drums, dimensions: 1430 mm x 930 mm x 1250 mm.	250
743	Garos	Garos tenderizer, type: GNP 336, serial number: 569026, plastic belt width: 320 mm, clearance: 340 mm x 200 mm, total dimensions: 1300 mm x 600 mm x 1940 mm.	950
744	NN trolleys	7 s/s trolleys, 26 floors, floor dimensions: 950 mm x 1000 mm, total dimensions: (7x) 1010 mm x 1040 mm x 1975 mm.	500
745	NN roller conveyor	Mobile roller conveyor, s/s frame, s/s rollers, roller width 570 mm, total dimensions 2985 mm x 620 mm x 785 mm.	200
746	NN shakers	4 pallets with shakers, approximately 5500 pieces, dimensions pallet: (3x) 950 mm x 1200 mm x 1950 mm, (1x) 950 mm x 1200 mm x 1520 mm.	5000
747	NN tubs	3 mobile s/s tubs with drain, dimensions: (2x) 825 mm x 755 mm x 960 mm, (1x) 825 mm x 755 mm x 870 mm.	300



Nr	Title	Description	Start €
748	NN tub	Mobile s/s tub with drain, dimensions: 655 mm x 805 mm x 935 mm.	75
749	Steris Finn-Aqua	Steris Finn-Aqua autoclave, type: 46-E, number: 41057, year of construction: 1997, 400 V, 10 kW, volume: 98 dm ³ , maximum pressure: 3.0 bar, maximum temperature: 143 °C, dimensions: 800 mm x 700 mm x 1090 mm.	600
750	Biobase	Biobase cleanroom air shower, dimensions: 1500 mm x 1000 mm x 2045 mm.	750
751	Garos	Garos s/s tub with centrifugal pump, type: GH 108, serial number: 61001, dimensions: 1300 mm x 1100 mm x 1100 mm. Technical condition unknown.	500
752	NN cooking vessel	Tiltable cooking vessel, inside dimensions: ø 1170 mm x 650 mm, total dimensions: 1550 mm x 1450 mm x 1100 mm.	500
753	NN elevating belt	Elevating belt, plastic belt, belt width: 390 mm, total dimensions: 2200 mm x 700 mm x 1200 mm.	250
754	Shanghai Tianhe Pharmaceutical Machinery Co., Ltd	Shanghai Tianhe Pharmaceutical Machinery Co., Ltd mobile vacuum conveyor, dimensions: 1300 mm x 590 mm x 1400 mm.	300
755	Dieta	Dieta tiltable cooking vessel with agitator, model: EM 55, serial number: 060914, year of construction: 2006, 380-415 V, 3 Ph, 20 kW, 35 A, volume: 50 liter, dimensions: 1250 mm x 940 mm x 1400 mm.	750
756	Taizhou Hulk Food Machinery Co, Ltd	Taizhou Hulk Food Machinery Co, Ltd flowpacker with inkjet printer, model: JY-ZB400, 5 kW, weight: 600 kg, Domino inkjet printer, model: Ax 150i, total dimensions: 3950 mm x 970 mm x 1880 mm.	800
757	NN cleanroom air shower	Cleanroom air shower, dimensions: 1500 mm x 2530 mm x 2270 mm.	750
758	IMC	IMC peeler, 380/420 V, 3 Ph, 50 Hz, 0.62 kW, dimensions: 450 mm x 600 mm x 1200 mm.	300
759	NN mixer	Heated mixing tank with transfer pump, inside dimensions: ø 440 mm x 320 mm, total dimensions: 535 mm x 900 mm x 1520 mm.	500
760	NN smoke trolleys	5 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (5x) 1015 mm x 1000 mm x 2005 mm.	375
761	NN smoke trolleys	5 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (5x) 1015 mm x 1000 mm x 2005 mm.	375
762	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (10x) 1015 mm x 1000 mm x 2005 mm.	750
763	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (10x) 1015 mm x 1000 mm x 2005 mm.	750



Nr	Title	Description	Start €
764	NN smoke trolleys	5 s/s smoke trolleys, 6 floors each, dimensions each floor: 1010 mm x 995 mm, total dimensions: (5x) 1015 mm x 1000 mm x 2005 mm.	375
765	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (10x) 1015 mm x 1000 mm x 2005 mm.	750
766	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (10x) 1015 mm x 1000 mm x 2005 mm.	750
767	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1015 mm x 995 mm, total dimensions: (10x) 1020 mm x 1000 mm x 2005 mm.	750
768	Nilma	Nilma S.p.A. vegetable washer, type: TUBOVER, number: 0411236, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 0.7 kW, volume: 91 liter, dimensions: 560 mm x 760 mm x 880 mm.	350
769	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1015 mm x 995 mm, total dimensions: (10x) 1020 mm x 1000 mm x 2000 mm.	750
770	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (10x) 1015 mm x 1000 mm x 2005 mm.	750
771	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (10x) 1015 mm x 1000 mm x 2005 mm.	750
772	NN smoke trolleys	16 s/s smoke trolleys, 6 floors each, dimensions each floor: 1005 mm x 995 mm, total dimensions: (16x) 1015 mm x 1000 mm x 2005 mm.	1200
773	NN smoke trolleys	8 s/s smoke trolleys, 6 floors each, dimensions each floor: 1010 mm x 995 mm, total dimensions: (8x) 1015 mm x 1000 mm x 2005 mm.	600
775	Shanghai Tianhe Pharmaceutical Machinery Co., Ltd	Shanghai Tianhe Pharmaceutical Machinery Co., Ltd multi-direction movement mixer, model: HDJ 800, serial number: 7751, year of construction: 05.2021, 7.5 kW, capacity: 560 litres, max. feeder 320 kg, dimensions: 2650 mm x 2300 mm x 1800 mm.	2000
776	NN mixer	Mixer/tumbler, model: EYH-6000, number: 221145, year of construction: 05.2021, 13 kW, capacity: 6000 litres, dimensions frame: 2270 mm x 4160 mm x 1600 mm, dimensions tank: 1800 mm x 4300 mm x 1800 mm.	2000
777	CFS Palazzolo S.p.A.	CFS Palazzolo S.p.A. thermoformer, type: SFC COMPACT M340 3.11, machine number: 788.120.1537, year of construction: 2002, 400 V, 3 PH, 50 Hz, 38.06 A, 26.37 kW, bottom film width: 343 mm, top film width: 332 mm, dye: (4x) 140 mm x 90 mm x 55 mm, total dimensions: 7800 mm x 1100 mm x 2000 mm.	3500
778	Freemantle		1250



Nr	Title	Description	Start €
		Freemantle mobile sleever, model: S11, serial number: 37347, year of construction: August 2010, 415 V, 3 Ph, dimensions: 3500 mm x 1400 mm x 1700 mm.	
779	Annala Foodtech	Annala Foodtech mixer, type: SEKOITIN, serial number: 2345, year of construction: 2007, 380 V, 4 kW, weight: 180 kg, dimensions: 1900 mm x 900 mm x 1620 mm.	1000
780	Wolfking Danmark A/S	Wolfking Danmark A/S vacuum double shaft paddle mixer, type: TSM. 1000L, number: 54165, dimensions mixer: 2400 mm x 1780 mm x 2520 mm, Wolfking Danmark A/S switch cabinet, type: TSM-CO2 number: 54166, 380 V, 3 Ph, 50 Hz, 25 A, 10 kW, dimensions switch cabinet: 800 mm x 300 mm x 1200 mm. Without vacuum pump.	5000
781	Linde Gas Ag	Linde Gas Ag cryogenic tunnel, type: SC Mini, machine number: 036, year of construction: 22.09.2004, film width: 550 mm, total dimensions: 4660 mm x 1300 mm x 2100 mm. Missing gas reducers	2500
782	NN tilting device	Tilting device for 200 liter meat bins, dimensions: 1200 mm x 1400 mm x 1650 mm. Technical condition unknown.	500
783	Ishida Co., Ltd	Ishida Co., Ltd 10-heads multihead weigher, model: CCW-RZ-210W-S/30-WP, number: 23499, year of construction: 04.1995, 230 V, 50 Hz, 7 A, total dimensions: 1200 mm x 1230 mm x 1900 mm.	2500
784	Electrolux	Electrolux refrigerator, model: RS06FX1F, serial number: 10507012, 230 V, 1 Ph, 50 Hz, 3.6 A, 0.46 kW, refrigerant: R404a, 0.27 kg, dimensions: 780 mm x 730 mm x 1990 mm.	200
785	Leonhardt	Leonhardt mobile sieve, type: L-400, number: 0520/038, year of construction: 1977, Ø sieve: 3 mm. Including 2 additional sieves: 8 mm and 0.5 mm.	500
786	NN meat bin	S/s meat bin, volume: 200 liter.	50
787	ADA	ADA mobile depositor, 6 heads, dimensions each head 6 mm, total dimensions 2560 mm x 560 mm x 1950 mm. Technical condition unknown.	750
788	NN meat hooks	Steel container with 200 roller meat hooks, dimensions hooks: 440 mm x 145 mm x 50 mm, dimensions pallet box: 1200 mm x 1000 mm x 1000 mm.	400
789	TipperTie Technopack	2 TipperTie Technopack clippers, model: TCNV 75, numbers: 2076.2137.507 & 2076.666.123, air pressure: 6 bar, dimensions: (2x) 200 mm x 270 mm x 870 mm.	300
790	Hobart	Hobart dishwasher, model: UX60EBB, serial number: 86371453, year of construction 1998, 400 V, 3 Ph, 50 Hz, 39.5 A, 23.2 kW, inside dimensions: 1100 mm x 650 mm x 800 mm, total dimensions: 1380 mm x 850 mm x 1900 mm.	750
791	Metos	Metos damper plate, type: DAMPOLAATTA L-800, number: 10661/74, year of construction: 1979, 220 V, 1	50



Nr	Title	Description	Start €
		Ph, 50 Hz, 3.6 A, 0.8 kW, dimensions: 800 mm x 500 mm x 120 mm.	
792	Omega	Omega bandsaw, type: SO 200, number: 3279, 380 V, 50 Hz, dimensions saw table: 340 mm x 340 mm, total dimensions: 600 mm x 380 mm x 800 mm.	50
793	Staubli	Staubli robot, type: RX90B L, machine number: F99/5A81A1/A/01, year of construction: 01-2000, capacity: 3.5 kg, weight: 109 kg, dimensions: 1200 mm x 800 mm x 2050 mm.	750
794	Metos	Metos s/s sink, dimensions: 600 mm x 670 mm x 2100 mm.	50
795	Fendo ky	Fendo ky mobile strip cutter, type: F-19 S, number: 37350, 380 V, 3 Ph, 50 Hz, 4.4 A, 1.5 kW, working width: 190 mm, distance between knives: 12 mm, total dimensions: 800 mm x 480 mm x 1200 mm.	750
796	Handtmann	Handtmann meat ball forming device, type: 79-0, number: 15432, 400 V, 3 Ph, 50 Hz, 2.4 A, 0.55 kW, dimensions: 760 mm x 1130 mm x 1255 mm.	1500
797	Dynopack Maschinenbau GmbH	Dynopack Maschinenbau GmbH traysealer, type: 402 VG, machine number: 983, year of construction: 04.94, 380 V, 6 kW, 6 bar, dye: 290 mm x 230 mm, film width: 265 mm. Including 1 extra dye, dimensions dye: (2x) 250 mm x 150 mm, total dimensions: 950 mm x 980 mm x 1510 mm.	850
798	NN defrosting trolleys	3 s/s defrosting trolleys, 8 floors, floor dimensions: (8x) 750 mm x 600 mm, distance between floors: 180 mm, total dimensions: (3x) 880 mm x 640 mm x 1820 mm.	150
799	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999/07 DK, machine number: 0787827, 380 V, 3 Ph, 50 Hz, 25 A, 10 kW, Rietschle vacuum pump, seal length: (2x) 440 mm and (1x) 950 mm, dimensions chamber: 1050 mm x 500 mm, s/s rollers, roller width: 470 mm, total dimensions: 1300 mm x 920 mm x 1070 mm.	750
800	Electrolux	Electrolux sandwich panini grill, model: HSPP, number: 9FRJ 603601 000938 0001, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 9 A, 5 kW, dimensions: 350 mm x 600 mm x 600 mm.	200
801	Electrolux	Electrolux sandwich panini grill, model: HSPPEU, serial number: 3210016, year of construction: 5-2013, 400 V, 3 Ph, 50 Hz, 9 A, 5 kW, dimensions: 350 mm x 600 mm x 600 mm.	200
802	Electrolux	Electrolux sandwich panini grill, model: HSPP, number: 9FRJ 603601 001002 0004, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 9 A, 5 kW, dimensions: 350 mm x 600 mm x 600 mm.	200
803	NN ice container	S/s container for ice, inside dimensions: 3000 mm x 780 mm x 1200 mm, total dimensions: 3250 mm x 900 mm x 2700 mm.	200



Nr	Title	Description	Start €
804	Dito-Sama	Dito-Sama peeler, model: T10, number: C23741, 380 V, 3 Ph, 50 Hz, 1 A, 370 W, dimensions: 475 mm x 550 mm x 1130 mm.	150
805	Metos	Metos pressure steamer, type Futuramarvel SE14, serial number 10910208020010, 400/230 V, 3 Ph, 50 Hz, 24 kW, 35 A, 6 floors, dimensions floors 530 mm x 330 mm, total dimensions 860 mm x 725 mm x 1450 mm.	200
806	Metos F.R.C	Metos F.R.C. blast chiller, model: BF051DG-P ABB BF051-, serial number: FR020035388, year of construction: 2012/12, 230 V, 1 Ph, 50 Hz, 1.5 A, 0.25 kW, refrigerant: R404a, 5 floors, dimensions each floor: 600 mm x 370 mm, total dimensions: 790 mm x 700 mm x 880 mm.	250
807	Metos F.R.C.	Metos F.R.C. blast chiller, model: BC051AF-P, serial number: F20080704000055, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 1.1 A, 250 W, refrigerant: R404A, 5 floors, dimensions each floor: 600 mm x 370 mm, total dimensions: 790 mm x 700 mm x 880 mm.	250
808	NN tilting device	S/s mobile tilting device for drums, dimensions: 1930 mm x 1270 mm x 2090 mm.	650
809	H.Maurer + Sohne	H.Maurer + Sohne smoke generator for wood chips, model: Goliath II, dimensions: 850 mm x 690 mm x 1820 mm.	200
810	DSS	DSS mobile slicer, type: DRP-300A, year of construction: 07.2020, 380 V, 3 Ph, 50 Hz, 1.5 kW, clearance: 120 mm x 120 mm, total dimensions: 1400 mm x 580 mm x 1250 mm.	1250
811	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 1070 mm x 670 mm x 1360 mm.	125
812	NN dividing belt	Line dividing belt, s/s belt, plastic string belt, belt width: 150 mm, total dimensions: 900 mm x 800 mm x 1520 mm.	150
813	NN meat hooks	13 s/s meat hooks, length: (13x) 1640 mm.	150
814	Loma Systems	Loma Systems metal detector with rejector, model: SuperScan Micro ISC, serial number: MD2387IF, year of construction: October 1995, 220 V, 50 Hz, 2A, 380 W, clearance: 350 mm x 130 mm, total dimensions: 1530 mm x 1140 mm x 930 mm. Damaged.	950
815	Schmid Maschinenbau GmbH	Schmid Maschinenbau GmbH traysealer, type: 320 VG, machine number: 003, year of construction: 10.1991, 380 V, 6 kW, 6 bar, dye: 290 mm x 230 mm, film width: 380 mm, Busch vacuum pump, type: 063-136, serial number: 330002, total dimensions: 1100 mm x 1200 mm x 1770 mm.	500
816	Kometos	Kometos mobile depositor, dimensions: 850 mm x 850 mm x 2000 mm.	250
817	Christ		15



Nr	Title	Description	Start €
		4 Christ bowl cutter blades, type: ALP 500, radius: 382 mm, thickness: 5.9 mm, shaft/hex 99 mm, total dimensions: 390 mm x 210 mm x 24 mm.	
818	Verbufa	Verbufa hamburger forming machine, type: 51666-A-0040, serial number: 212730-2, year of construction: 09/2011, 230 V, 50 Hz, 10 A, 1.25 kW, weight: 125 kg, plastic belt, belt width: 400 mm, total dimensions: 1200 mm x 750 mm x 1220 mm.	500
819	Dieta	Dieta tiltable steam heated cooking vessel with agitator, type: SM 45, serial number: 960906, 208-240 V, 1 Ph, 2 kW, 13 A, maximum pressure: 1 bar, maximum temperature: 120 °C, volume: 98 liter, dimensions: 1400 mm x 900 mm x 1400 mm. Incomplete, technical condition unknown.	950
820	Fincoil	Fincoil evaporator, 3 fans, type:FMPGE-103/8-4Y-Q, number: 155897-008-2, year of construction: 17/01/97, 400 V, 3 Ph, 50 Hz, 3x0.56 kW, 1.0 A, dimensions: 3500 mm x 1200 mm x 500 mm.	175
821	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 1200 mm, total dimensions: 1300 mm x 1150 mm x 1000 mm.	75
822	MV-Jäähdytys Oy	MV-Jäähdytys Oy refrigerated showcase, type: KYLMÄBUFFA 8, refrigerant: R134A /270 gram, inside dimensions: 950 mm x 510 mm x 160 mm, total dimensions: 1200 mm x 670 mm x 1340 mm.	50
823	NN mobile tubs	3 s/s mobile tubs for tumbler, inside dimensions: (3x) Ø 1000 mm x 1150 mm, total dimensions: (3x) Ø 1020 mm x 1370 mm. Without lids.	150
824	NN tubs	4 s/s mobile tubs for tumbler, inside dimensions: (4x) Ø 1000 mm x 1150 mm, total dimensions: (4x) Ø 1020 mm x 1370 mm. Missing lids.	200
825	Holac	Holac dicer with lifter for 200 liter meat bins, dimensions chamber: 115 mm x 115 mm, total dimensions: 2100 mm x 950 mm x 1750 mm. Missing cover.	950
826	NN autoclave trolley	S/s autoclave trolley with 8 baskets, dimensions baskets: 780 mm x 970 mm x 200 mm, dimensions trolley: 1000 mm x 800 mm x 1400 mm.	150
827	NN trolley	S/s trolley with parts, dimensions trolley: 610 mm x 510 mm x 980 mm.	50
828	Vemag	Vemag vacuum filling machine, type: 117, serial number: 117 028, 380 V, 3 Ph, 50 Hz, 20 A, dimensions: 1160 mm x 1020 mm x 1630 mm.	1250
829	NN meat hooks	Wooden pallet box with 180 meat hooks, dimensions hooks: 440 mm x 145 mm x 50 mm, dimensions pallet box: 800 mm x 1200 mm x 540 mm.	350
830	NN meat hooks	Wooden pallet box with 164 meat hooks, dimensions hooks: 440 mm x 145 mm x 50 mm, dimensions pallet box: 800 mm x 1200 mm x 540 mm.	300



Nr	Title	Description	Start €
831	NN meat hooks	Wooden pallet box with 322 roller meat hooks, dimensions hooks: 360 mm x 115 mm x 50 mm, dimensions pallet box: 800 mm x 1200 mm x 540 mm.	500
832	NN meat hooks	Steel container with 300 meat hooks, dimensions hooks: 360 mm x 115 mm x 50 mm, dimensions pallet box: 1000 mm x 1200 mm x 1000 mm.	500
833	Electrolux	Electrolux refrigerated mobile counter, model: Cold well GN 1/1 / Neutral unit FX 15 N DG-SC, serial number: 01908003 / 01908001, 230 V, 1 Ph, 50/60 Hz, 0.5 kW, refrigerant: R404A / 200 gram, inside dimensions: 500 mm x 300 mm x 200 mm, total dimensions: 1500 mm x 650 mm x 750 mm.	150
834	Sew-Eurodrive	Sew-Eurodrive electric chain hoist, type: AK 306-82, number: 001 203, year of construction: 1980, 380 V, 3 Ph, 50 Hz, 3.8/1.9 A, 1.2/0.3 kW, capacity: 600/1200 kg, dimensions: 800 mm x 600 mm x 400 mm.	75
835	Weber Eistechnik GmbH	Weber Eistechnik GmbH ice machine, type: WER 665, number: 235, year of construction: 04/2000, 400 V, 3 Ph, 50 Hz, maximum working pressure: 26 bar, 0-20 °C, refrigerant: 404A, working width: 350 mm, total dimensions: 1000 mm x 1050 mm x 570 mm. Missing top cover.	500
836	NN depositor	Depositor, dimensions 640 mm x 400 mm x 1450 mm.	200
837	NN brine dispenser	Brine dispenser, inside dimensions: Ø 1100 mm x 1200 mm, total dimensions: 1700 mm x 1300 mm x 2400 mm.	500
838	NN circular saw	Circular saw, diameter saw blade: 500 mm, total dimensions: 1400 mm x 1000 mm x 1500 mm.	500
839	Franke Medical Oy	Franke Medical Oy dishwasher, model: DEKO 190, serial number: O 1L13TA90FI, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 11 A, 7.5 kW, inside dimensions: 540 mm x 360 mm x 560 mm, total dimensions: 635 mm x 600 mm x 1455 mm.	150
840	Jungheinrich	Jungheinrich electric pallet lifter, type: EJC 112, serial number: 90352867, year of construction: 2009, 24 V, 1.0 kW, capacity: 1200 kg, weight without battery: 643 kg, weight battery: 159 kg, dimensions: 2000 mm x 820 mm x 1910 mm. Including Exide battery charger.	650
841	NN smoke trolleys	4 s/s smoke trolleys, 6 floors each, dimensions each floor: 995 mm x 920 mm, total dimensions: (4x) 1000 mm x 1000 mm x 2000 mm.	300
842	Pompe f.b.m.	Pompe f.b.m. pump, type: N2610, number: 86318, dimensions: 1700 mm x 690 mm x 750 mm.	175
843	Sahveli	Sahveli skewer machine, model: KSM-180, serial number: 004, year of construction: 2018, 230 V, 50 Hz, 0.75 kW, weight: 145 kg, dimensions: 950 mm x 580 mm x 660 mm. Incomplete, technical condition unknown.	25
844	NN inkjet printers	2 inkjet printers, model: T-W, serial number: 6593F-K/ 6600F-K, dimensions: 350 mm x 470 mm x 145 mm.	50



Nr	Title	Description	Start €
845	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell lobe pump on s/s frame, model: 134, serial number: 201502-97, dimensions: 1600 mm x 1900 mm x 1200 mm.	750
846	Inauen Maschinen AG	Inauen Maschinen AG mobile traysealer, type: VC999/TS 10 N, machine number: 4106129, year of construction: 2006, 400 V, 4 kW, 6-8 bar, 50 Hz, dye: (2x) 195 mm x 130 mm, film width: 360 mm, Rietschle vacuum pump, type: VCA 40 (10), machine number: 06 2610514, 1,1 kW, 40 m3/h, total dimensions: 1100 mm x 1300 mm x 1800 mm. Including pallet with film.	3500
847	Rosenlew	Rosenlew refrigerator, model: RJKL 901, type: RS19051, serial number: 03200478, 230 V, 50 Hz, 10 A, 105 W, volume: 354 liter, refrigerant: R600a, 40 gram, dimensions: 610 mm x 600 mm x 1900 mm.	75
848	NN diaphragm	Mobile diaphragm, inside dimensions: 470 mm x 500 mm x 600 mm, diameter output: 70 mm, total dimensions: 1800 mm x 1000 mm x 1700 mm.	4000
849	Metos	Metos double cooking vessel, type: STAND.5423/1, number: 1468/133/55, 380/22 V, 3 Ph, 18.1 A, 12 kW, inside dimensions: Ø 410 mm x 500 mm and Ø 410 mm x 360 mm, total dimensions: 1260 mm x 560 mm x 1400 mm.	950
850	Fincoil	Fincoil evaporator, type: PB-4-8-8c-1400-SS, year of construction: 05/11/97, motor (2X) 400 V, 3 Ph, 50 Hz, 0.65/0.52 kW, 1.75/1.00 (+20°C), 2.1/1.2 (-30°C) A, 2 fans, electric defrost: 400 V, 3 Ph, 9.00 kW, weight: 170 kg, dimensions: 2450 mm x 1100 mm x 1200 mm.	250
851	Christian Wagner Metallwarenfabrik Esslingen/N	Christian Wagner Metallwarenfabrik Esslingen/N autoclave, type: KA 120/16, number: 17085, year of construction: 1977, 3 x 220/380 V, 9 kW, volume: 120 Ltr, maximum pressure: 1.6 bar, maximum temperature: 128 °C, dimensions: 850 mm x 900 mm x 1300 mm.	500
852	Shanghai Tianhe Pharmaceutical Machinery Co. Ltd	Shanghai Tianhe Pharmaceutical Machinery Co. Ltd tablet vibro sifter machine, model: CFQ-1, serial number: 232, year of construction: 5.2021, 220 V, 50 Hz, 75 W, weight: 38 kg, dimensions: 340 mm x 310 mm x 1050 mm.	150
853	Shanghai Tianhe Pharmaceutical Machinery Co. Ltd	Shanghai Tianhe Pharmaceutical Machinery Co. Ltd tablet vibro sifter machine, model: CFQ-1, serial number: 230, year of construction: 5.2021, 220 V, 50 Hz, 75 W, weight: 38 kg, dimensions: 340 mm x 310 mm x 1000 mm.	150
854	Fincoil	Fincoil evaporator, type: PB-4-8Y-1400-SS, number: 902836-001, motor (2X) 400 V, 3 Ph, 50 Hz, 1.01/0.77 kW, 1.98/1.26 A (-30°C), 2 fans, electric defrost: 400 V, 3 Ph, 9.00 kW, dimensions: 2450 mm x 810 mm x 1000 mm.	250
855	NN table	S/s table, dimensions: 700 mm x 700 mm x 520 mm.	25



Nr	Title	Description	Start €
856	Shanghai Tianhe Pharmaceutical Machinery Co.,Ltd	Shanghai Tianhe Pharmaceutical Machinery Co.,Ltd mobile semi-automatic capsule filling machine, model: CGN-208D, serial number: 281, year of construction: 02.2023, 3 kW, weight: 330 kg, Pusch vacuum pump, type: XD-040, number: 2302010, 1.1 kW, capacity: 40 m ³ per hour, dimensions: 1350 mm x 700 mm x 1600 mm. Including pallet with additional loading rings, dimensions: 800 mm x 800 mm x 340 mm.	1250
857	NN sink	S/s cabinet with double sink, dimensions: 1200 mm x 600 mm x 1100 mm.	75
858	Digi Europe Ltd UK	Digi Europe Ltd UK label printer with Teraoka Seiko Co.,LTD weighing scale, label printer model: CM 700, serial number: 090553701, 100-240 V, 50-60 Hz, 0.2 A, dimensions: 310 mm x 400 mm x 660 mm, weighing scale model: S-WP, serial number: 09608210, maximum 15 kg, dimensions scale: 220 mm x 300 mm, total dimensions: 300 mm x 340 mm x 120 mm.	150
859	Alfa Laval Vantaa Oy	Alfa Laval Vantaa Oy evaporator, type: FMPCA-223-7-3-500-700-12b-Q-, year of construction: 9/2009, motor (3x) 400 V, 3 Ph, 50 Hz, 0.29/0.16 kW, 0.75/0.39 (+20°C), 0.90/0.47 (-30°C) A, 3 fans, weight: 225 kg, dimensions: 3830 mm x 1300 mm x 500 mm.	350
860	Sharpx Ab Sweden	Sharpx Ab Sweden knife sharpener, type: SHX1/SHX2, serial number: 01-1000, 230 V, 50 Hz, dimensions: 380 mm x 240 mm x 260 mm.	100
861	Poly-clip System	Poly-clip System manual clipper, type: SCH-7210, number: 19920, dimensions: 200 mm x 370 mm x 910 mm. Including 4 boxes of clips.	150
862	Koneteollisuus Oy	Koneteollisuus Oy table model clipper, model: KT-MS, dimensions 175 mm x 210 mm x 875 mm.	100
863	Whizard	Whizard knife sharpener, model: 210, serial number: 21091010390, 220 V, 1 Ph, dimensions: 260 mm x 500 mm x 450 mm.	50
864	Fincoil	Fincoil evaporator, type: PC-104-7-3-254-1400, year of construction: 2/2004, motor (3X) 230 V, 1 Ph, 50 Hz, 0.07 kW, 0.42 (+20°C), 0.50 (-30°C) A, 3 fans, electric defrost: 230 V, 1 Ph, 1.41 kW, weight: 35 kg, dimensions: 1520 mm x 630 mm x 420 mm.	300
865	Stefani	Stefani evaporator, model: SHID 050/2 A6 E 4S D, serial number: 153566100002, year of construction: 2015, motor (2x) 230 V, 1 Ph, 50 Hz , 2 fans, weight: 91 kg, dimensions: 2300 mm x 1000 mm x 1800 mm.	450
866	Hallde	Hallde vegetable slicer, type: RG-50, serial number: 1205398, 220-240 V, 1 Ph, 50/60 Hz, 5.5 A, 1 kW, 550 rpm, dimensions: 260 mm x 340 mm x 465 mm.	75
867	La Prestigiosa	La Prestigiosa pasta machine, model: 2500, serial number: 939, year of construction: 1999, 380 V, 2.8 A,	150



Nr	Title	Description	Start €
		1.1 kW, dimensions: 470 mm x 900 mm x 1325 mm. Incomplete, technical condition unknown.	
868	NN pasta machine	Pasta machine, dimensions: 475 mm x 610 mm x 1480 mm. Incomplete, technical condition unknown.	150
869	Alfa-Laval	Alfa-Laval circulation pump, type: FM-1A, number: 31439-16527, capacity: 20 m³/h, dimensions 520 mm x 470 mm x 290 mm.	50
870	Rallio Oy	Rallio Oy circulation pump, type: K 210, serial number: 1029, 1.5 kW, capacity: 15000 L/h, dimensions 960 mm x 650 mm x 280 mm.	25
871	Nilfisk	Nilfisk floor scrubber, model: BA 450, serial number: 011603050, 24 V, 1200 W, weight: 134 kg, dimensions: 700 mm x 1300 mm x 1060 mm.	75
872	Tennant NV	Tennant NV floor scrubber, model: 606901, serial number: 606901-10000009, 24 V, 1200 W, 50 A, weight: 261 kg, dimensions: 580 mm x 485 mm x 760 mm.	150
873	NN filter	Mobile filter, dimensions: 580 mm x 485 mm x 760 mm.	75
874	Kongsilde Maskinfabrik A/S	Kongsilde Maskinfabrik A/S grain vacs/suction blower, type: SUC 150 E, serial number: 13230053, 400 V, 3 Ph, 50 Hz, 22.5 A, dimensions: 1960 mm x 800 mm x 1470 mm.	1250
875	NN mixing tank	S/s mixing tank, volume: 500 liter, dimensions: 900 mm x 900 mm x 2000 mm.	400
876	TipperTie Technopack	TipperTie Technopack clipper, model: TCNV 75, serial number: 2076.2131.507, air pressure: 6 bar, dimensions: 200 mm x 270 mm x 870 mm.	150
877	Koneteollisuus Oy	4 Koneteollisuus Oy electric insect killer, model: BT-40W, year of construction: 03.2021, 220/240 V, 50/60 Hz, 45 W, dimensions: 680 mm x 440 mm x 385 mm.	100
878	NN lifter	S/s mobile lifter for kebab rolls, dimensions 1630 mm x 1120 mm x 570 mm.	250
879	NN baking trays	Wooden pallet with large amount of baking trays, approximately 358 pieces, baking tray dimensions: 450 mm x 580 mm, total dimensions: 1000 mm x 1200 mm x 660 mm.	100
880	Shanghai Tianhe Pharmaceutical Machinery Co. Ltd	Shanghai Tianhe Pharmaceutical Machinery Co. Ltd dust collector, model: X CJ-36, serial number: 640, year of construction: 5.2021, 1.1 kW, extraction rate: 135 m³/h, max. vacuum: 16 Pa, weight: 55 kg, dimensions: 400 mm x 730 mm x 1160 mm.	150
881	Jujoma Oy	Jujoma Oy packaging machine with Videojet printer , packaging machine type: AmerChain Continuous, serial number: JI00110, year of construction: 2011, 400 V, 50 Hz, 2200 W, printer model: DATAFLEX+, dimensions: 3400 mm x 1000 mm x 1280 mm.	950
882	BW	5 BW bowl cutter blades, type: SY 300, radius: 298 mm, thickness: 4.7 mm, shaft/hex 90 mm, total dimensions: 390 mm x 220 mm x 24 mm.	20



Nr	Title	Description	Start €
883	Silex	4 Silex bowl cutter blades, type: SEYDEL 300, radius: 320 mm, thickness: 5,2 mm, shaft/hex 90 mm, total dimensions: 405 mm x 222 mm x 23 mm.	20
884	NN cutter blades	6 bowl cutter blades, radius: 320 mm, thickness: 6 mm, shaft/hex 55 mm, total dimensions: 310 mm x 215 mm x 38 mm.	20
885	Mono Pumps	Mono Pumps mobile pump, dimensions: 1000 mm x 400 mm x 1000 mm.	750
886	NN cutter blades	6 bowl cutter blades, radius: 320 mm, thickness: 6 mm, shaft/hex 55 mm, total dimensions: 310 mm x 225 mm x 38 mm.	20
887	Poly-clip System	Pallet with 6 boxes of Poly-clip System clips, type: 18-12 5x2,50 LR, number: 219452, 59 rolls of clips, 3000 units per roll, dimensions: 850 mm x 1260 mm x 730 mm.	250
888	Poly-clip System	4 boxes of Poly-clip System loops, type: GS 20 S3, number: 219209, 32 rolls of loops, 2500 units per roll, dimensions: 800 mm x 390 mm x 590 mm.	175
889	Quanzhou Guanduo Electric Technology Co., Ltd	Quanzhou Guanduo Electric Technology Co., Ltd current transformer, model: DG-3KW, year of construction: 07.2023, 50/60 Hz, 3 kW, input voltage: 380 V, output voltage: 220 V, dimensions: 330 mm x 320 mm x 440 mm.	75
890	NN trolleys	4 s/s trolleys, (1) x 8 floors, (3) x 17 floors, floor dimensions: 405 mm x 590 mm, distance between floors: 95 mm, total dimensions: (1) 450 mm x 600 mm x 940 mm; (3x) 460 mm x 595 mm x 1745 mm. Including approximately 55 s/s plates.	300
891	Poly-clip System	2 boxes of Poly-clip System loops, type: Gurtschlaufen/ banded loops 19, number: 19253, 14 rolls of loops, 3000 units per roll, dimensions: 400 mm x 400 mm x 570 mm.	75
892	Inauen Maschinen AG	Inauen Maschinen AG mobile dip tank, type: VC999/ TANK 85.47 E, machine number: 95T91 635, 380 V, 3 Ph, 50 Hz, 20.6 kW, 31.5 A, pressure: 6-8 bar, s/s rollers, roller width: (2x) 470 mm, inside dimensions: 1000 mm x 470 mm x 350 mm, dip tank dimensions: 1300 mm x 1100 mm x 1660 mm, table dimensions: 1000 mm x 600 mm x 750 mm.	850
893	Vemag	Housing and worm for Vemag vacuum filling machine, total dimensions: 375 mm x 150 mm x 150 mm.	75
894	Alfa Laval Vantaa Oy	Alfa Laval Vantaa Oy evaporator, type: FMPCA-222-7-2-500-900-10b-Q-, year of construction: 8/2009, motor (2x) 400 V, 3 Ph, 50 Hz, 0.29/0.16 kW, 0.75/0.39 (+20°C), 0.90/0.47 (-30°C) A, 2 fans, weight: 150 kg, dimensions: 2500 mm x 1500 mm x 500 mm.	350
895	Vemag	Housing for Vemag vacuum filling machines, dimensions: Ø 150 mm x 425 mm.	50
896	Vemag	Housing for Vemag vacuum filling machines, dimensions: Ø 150 mm x 425 mm.	50



Nr	Title	Description	Start €
897	Vemag	Housing for Vemag vacuum filling machines, dimensions: Ø 150 mm x 425 mm.	50
898	NN meat hooks	Steel container trolleys with 320 meat hooks, dimensions hooks: 360 mm x 115 mm x 50 mm, dimensions trolleys: 680 mm x 800 mm x 1755 mm.	500
899	NN meat hooks	Steel container trolleys with 320 meat hooks, dimensions hooks: 360 mm x 115 mm x 50 mm, dimensions trolleys: 680 mm x 800 mm x 1755 mm.	500
900	NN meat hooks	Steel container trolleys with 282 meat hooks, dimensions hooks: 360 mm x 115 mm x 50 mm, dimensions trolleys: 680 mm x 800 mm x 1755 mm.	450
901	CO.MA. s.p.a.	CO.MA. s.p.a. 2 plate heat exchangers, model: 41KI 16T/ 6R/700L/P3/N5/V2.3800, serial number: 686/00001/2017; 686/00004/2017, year of construction: 24/03/2017, total dimensions: 1280 mm x 1200 mm x 900 mm.	450
902	NN meat hooks	Steel container with 150 roller meat hooks, dimensions hooks: 440 mm x 145 mm x 50 mm, dimensions pallet box: 1000 mm x 1200 mm x 960 mm.	250
903	NN meat hooks	Plastic crate with 10 meat hooks, dimensions hooks: 360 mm x 115 mm x 50 mm, dimensions plastic crate: 315 mm x 420 mm x 180 mm.	15
904	NN meat hooks	Plastic crate with 20 meat hooks, dimensions hooks: 360 mm x 115 mm x 50 mm, dimensions plastic crate: 320 mm x 430 mm x 320 mm.	30
905	NN meat hooks	Plastic crate with 30 meat hooks, dimensions hooks: 360 mm x 115 mm x 50 mm, dimensions plastic crate: 390 mm x 600 mm x 210 mm.	45
906	NN meat hooks	Plastic crate with 10 meat hooks, dimensions hooks: 440 mm x 145 mm x 50 mm, dimensions plastic crate: 300 mm x 400 mm x 300 mm.	15
907	NN smoke sticks	Plastic pallet box with large amount of aluminium smoke sticks, Y-profile, length: 1000 mm, dimensions pallet box: 1200 mm x 1000 mm x 800 mm.	300
908	NN meat hooks	Plastic crate with 30 meat hooks, dimensions hooks: 440 mm x 145 mm x 50 mm, dimensions plastic crate: 420 mm x 600 mm x 350 mm.	45
909	NN jars	4 pallets and 4 boxes with black plastic jars with lids, approximately 480 pieces, jar volume: 8000 ml, neck diameter: 120 mm, pallets dimensions: (4x) 800 mm x 1200 mm x 1900 mm, boxes dimensions: (4x) 390 mm x 500 mm x 320 mm.	500
910	NN jars	2 pallets and 2 boxes with black plastic jars with lids, approximately 240 pieces, jar volume: 8000 ml, neck diameter: 120 mm, pallets dimensions: (2x) 800 mm x 1200 mm x 1900 mm, boxes dimensions: (2x) 390 mm x 500 mm x 320 mm.	250
911	NN jars		125



Nr	Title	Description	Start €
		1 pallet and 2 boxes with black plastic jars with lids, approximately 280 pieces, jars volume: 4000 ml, neck diameter: 120 mm, pallet dimensions: 800 mm x 1200 mm x 2200 mm, boxes dimensions: (2x) 390 mm x 500 mm x 320 mm.	
912	Poly-clip System	Poly-clip System clips, type: S 625 YE, number: 219095, approximately 174812 clips, total dimensions boxes: 580 mm x 190 mm x 525 mm.	50
913	Poly-clip System	2 boxes Poly-clip System clips, type: S 526, number: 219175, approximately 65728 clips, dimensions boxes: (2x) 285 mm x 190 mm x 130 mm.	25
914	Tipper Tie	3 boxes Tipper Tie clips, type: T 75, approximately 58350 clips, dimensions boxes: (3x) 245 mm x 180 mm x 100 mm.	25
915	Tipper Tie	Tipper Tie clips, type: G 400, approximately 19600 clips, dimensions box: 260 mm x 380 mm x 210 mm.	25
916	TipperTie Technopack	TipperTie Technopack clips, type: E 200, approximately 100800 clips, total dimensions boxes: 500 mm x 370 mm x 210 mm.	25
917	Poly-clip System	Poly-clip System clips, type: S 632, number: 219104, approximately 13563 clips, dimensions box: 290 mm x 195 mm x 130 mm.	10
918	Instru Vaaka Oy	Instru Vaaka Oy weighing scale with label printer, type: Crystal Myymala-Vaaka, number: 874172, 220 V, 50 Hz, 0.3/0.95 A, maximum weight: 4/10 kg, minimum weight: 40 g, e= 2/5 g, T=-4 kg, dimensions scale: 490 mm x 210 mm, total dimensions: 390 mm x 390 mm x 615 mm.	75
919	Mekorak	Mekorak mobile depositor with Metter Toledo weighing scales , type: MI250K50M, number: 30102014, year of construction: 2014, 400 V, 50 Hz, 16 A, 2 kW, weight: 178 kg, elevating belt with dividers, plastic belt, belt width: 200 mm, distance between dividers: 95 mm, divider height: 25 mm, weighing scale model: IND560 Harsh/ Analog, serial number: B435979763-6JR, 100-240 V, 50/60 Hz, 750 mA, total dimensions: 2900 mm x 1060 mm x 2000 mm.	1250
920	HTK	HTK traysealer, number: 0243, plastic belt, belt width: (2x) 200 mm, dimensions dye: 225 mm x 300 mm, total dimensions: 1400 mm x 1500 mm x 1700 mm.	600
921	Inotec GmbH	Inotec GmbH sausage slicer, type: WT97-RNSVA, machine number: 7046, year of construction: 2001, 400 V, 50 Hz, 3 Ph, 2.5 kW, dimensions: 2550 mm x 750 mm x 1880 mm.	1250
922	Annala Foodtech	Annala Foodtech mobile tilting device for 200 liter meat bins, type: KAATOLAITE, serial number: 2301, year of construction: 2003, 380 V, 0.75 kW, capacity: 250 kg, weight: 150 kg, dimensions: 1650 mm x 1170 mm x 1900 mm.	950



Nr	Title	Description	Start €
923	Forsfood	Forsfood depositor with A&D Instruments Ltd weighing scales, type: ANNOST LAITE, number: 1869, 400 V, 3 Ph, 0.37 kW, weighing scale model: AD-4401A, serial number: 3B3916833, dimensions: 1970 mm x 1170 mm x 1700 mm.	1250
924	Electrolux	Electrolux tiltable cooking vessel with agitator, model: EPB 200, serial number: 703 19049, 400 V, 3 Ph, 50 Hz, 62 A, 41.5 kW, volume: 200 liter, dimensions: 1500 mm x 1100 mm x 1150 mm.	500
925	Barriquand	Barriquand scissor lift, lift dimensions: 1050 mm x 400 mm, total dimensions: 1200 mm x 1300 mm x 1000 mm.	500
926	Radwag	Radwag floor weighing scale with indicator, model indicator: PUE C/41 H, serial number: 588552, 85-265 V, 50/60 Hz, 0.2 A, scale dimensions: 1250 mm x 1500 mm, total dimensions: 1470 mm x 1500 mm x 330 mm.	250
927	Vemag	Vemag filling device 8-fold with pneumatic cutter, dimensions: 1200 mm x 800 mm x 800 mm.	150
928	NN vibrating gutter	Vibrating gutter, gutter width: 600 mm, total dimensions: 1700 mm x 1150 mm x 1135 mm.	750
929	Mekorak	Mekorak mobile sleever , type: AKV250, number: 01082015, year of construction: 2015, 230 V, 50 Hz, 16 A, 3 kW, weight: 250 kg, dimensions: 3750 mm x 1250 mm x 1650 mm.	1500
930	Supervac	Supervac mobile vacuum machine, type: GK 130/2, machine number: 0050-0360, year of construction: 2000, 230/400 V, 50 Hz, 3 A, 1.5 kW, seal length: (2x) 430 mm, Busch vacuum pump, type: RA 0040 E 5Z1, number: 00009553, total dimensions: 820 mm x 660 mm x 1000 mm.	950
931	Seewer Rondo	Seewer Rondo hopper with transport belt, model: HWTS, machine number: A72222018, belt width: 415 mm, dimensions: 1400 mm x 1600 mm x 1840 mm.	350
932	Baader	Baader separator, type: 603-504, serial number: 121543, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 9.5 A, 4,2 kW, total dimensions: 2340 mm x 1040 mm x 1540 mm. Including s/s tool trolley, dimensions tool trolley: 1650 mm x 700 mm x 1170 mm. Incomplete.	1750
933	Machinefabriek Amersfoort b.v.	Machinefabriek Amersfoort b.v. bone separator, type: HS 200, number: 022, year of construction: 1989, dimensions: 5030 mm x 1400 mm x 2300 mm. Including s/s tool trolley, dimensions tool trolley: 660 mm x 560 mm x 760 mm.	1250
934	Epta S.p.A.	Epta S.p.A. mobile refrigerated display, serial number: LI271144, year of construction: 04.03.11, 230 V, 50 Hz, 3.17 A, 475 W, refrigerant: R404A, 0.4 kg, inside dimensions: 1400 mm x 830 mm x 380 mm , dimensions: 1500 mm x 1050 mm x 1000 mm.	75
935			1500



Nr	Title	Description	Start €
	Cabinplant International A/S	Cabinplant International A/S 12-heads multihead weigher, dimensions: 1000 mm x 1110 mm x 2400 mm.	
936	NN autoclave trolleys	4 s/s autoclave trolleys, 13 floors each, dimensions each floor: 970 mm x 810 mm, distance between floors: 55 mm, total dimensions: (4x) 815 mm x 1045 mm x 1130 mm.	300
937	NN autoclave trolleys	4 s/s autoclave trolleys, 13 floors each, dimensions each floor: 970 mm x 810 mm, distance between floors: 55 mm, total dimensions: (4x) 815 mm x 1045 mm x 1130 mm.	300
938	NN autoclave trolleys	3 s/s autoclave trolleys, 13 floors each, dimensions each floor: 970 mm x 810 mm, distance between floors: 55 mm, total dimensions: (3x) 815 mm x 1045 mm x 1130 mm.	225
939	NN autoclave trolleys	2 s/s autoclave trolleys, 13 floors each, dimensions each floor: 970 mm x 810 mm, distance between floors: 55 mm, total dimensions: (2x) 815 mm x 1045 mm x 1130 mm.	150
940	NN autoclave frames	3 s/s autoclave frames, (2x) 17 floors each, dimensions each floor: 480 mm x 1000 mm, distance between floors: 65 mm, total dimensions: (3x) 1010 mm x 1010 mm x 1650 mm.	150
941	NN autoclave frames	3 s/s autoclave frame, (2x) 17 floors each, dimensions each floor: 480 mm x 1000 mm, distance between floors: 65 mm, total dimensions: (3x) 1010 mm x 1010 mm x 1650 mm.	150
942	NN autoclave frames	2 s/s autoclave frame, (2x) 17 floors each, dimensions each floor: 480 mm x 1000 mm, distance between floors: 65 mm, total dimensions: (2x) 1010 mm x 1010 mm x 1340 mm.	100
943	EBM Papst	EBM Papst boot dryer for 30 pairs of boots, model: G2E140-PI28-147, 230 V, 50/60 Hz, 0.8/0.89 A, 185/205 W, dimensions: 2000 mm x 1670 mm x 300 mm.	100
944	EBM	EBM boot dryer for 30 pairs of boots, model: RGE-180-4/60, year of construction: 02/88, 220 V, 50 Hz, 0.47 A, 110 W, dimensions: 2000 mm x 1670 mm x 300 mm.	100
945	Dieta	Dieta tiltable steam heated cooking vessel with agitator, model: EM 50, serial number: 031002, 380-415 V, 3 Ph, 16 kW, 29 A, maximum pressure: 1 bar, maximum temperature: 120 °C, volume: 50 liter, dimensions: 1150 mm x 850 mm x 1400 mm.	950
946	Dieta	Dieta tiltable steam heated cooking vessel with agitator, model: EM 200, serial number: 020405, 380-415 V, 3 Ph, 44 kW, 71 A, maximum pressure: 1 bar, maximum temperature: 120 °C, volume: 200 liter, dimensions: 1450 mm x 900 mm x 1400 mm.	950
947	Dieta		500



Nr	Title	Description	Start €
		Dieta tiltable steam heated cooking vessel with agitator, model: EM 215, serial number: 071203, year of construction: 2007, 380-415 V, 3 Ph, 38 kW, 55 A, maximum pressure: 1 bar, maximum temperature: 120 °C, volume: 215 liter, dimensions: 1370 mm x 900 mm x 1400 mm. Incomplete.	
948	NN rack	S/s rack, 4 floors, total dimensions: 1270 mm x 360 mm x 1760 mm.	100
949	Dieta	Dieta tiltable steam heated cooking vessel with agitator, model: PMX 150 FS, serial number: 20121109, year of construction: 2012, 380-415 V, 3 Ph, 30 kW, 46 A, maximum pressure: 1.5 bar, maximum temperature: 128 °C, volume: 150 liter, dimensions: 1450 mm x 1150 mm x 1170 mm. Incomplete.	850
950	Dieta	Dieta tiltable steam heated cooking vessel with agitator, model: PMX 150 FS, serial number: 20121108, year of construction: 2012, 380-415 V, 3 Ph, 30 kW, 46 A, maximum pressure: 1.5 bar, maximum temperature: 128 °C, volume: 150 liter, dimensions: 1450 mm x 1150 mm x 1170 mm. Incomplete.	950
951	NN roller conveyor	Mobile roller conveyor, s/s frame, plastic rollers, roller width: 490 mm, total dimensions: 4000 mm x 570 mm x 960 mm.	150
952	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 40 mm, total dimensions: 1100 mm x 500 mm x 950 mm.	150
953	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4FES-3Y-40S, serial number: 1685002459, 220-240 / 380-420 V, 3 Ph, 50 Hz, 16.9 / 9.5 A, capacity: 18.1 m³ per hour, total dimensions 1050 mm x 550 mm x 1150 mm.	500
954	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 2DC-2.2Y-40S, serial number: 1272801619, 220-240 / 380-420 V, 3 Ph, 50 Hz, 11.9 / 6.9 A, capacity: 13.4 m³ per hour, total dimensions 800 mm x 500 mm x 1100 mm.	500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, leaving small margins at the top and bottom. There are no vertical margin lines, text, or other markings on the page.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

