



**Industrial
Auctions**

2277: Online auction machinery for vegetable and meat processing in Oosterhout (NL)

END DATE

15 September 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	15 September 2026 from 14:00 hrs.
Viewing days	14 September 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	22 September 2026 from 09:00 till 16:00 hrs.
Pick up address	Denariusstraat 20 4903 RC Oosterhout Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Handtmann	Handtmann vacuum filling machine, type: VF610, number: 20307, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 5.1 A, 3.5 kW, Busch vacuum pump, model: R5 KC 0016 E, dimensions: 800 mm x 900 mm x 1730 mm. Including attachment.	8000
2	Poly-Clip System	Poly-Clip System mobile automatic double clipper, type: FCA 3430, number: 726/08, 400 V, 3 Ph, 50/60 Hz, 4 A, 28 kW, dimensions: 1200 mm x 1150 mm x 1900 mm.	8000
3	Multivac	Multivac mobile traysealer, type: T200, serial number: 230387, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 20 A, 4 dyes, dye dimensions: (4x) 156 mm x 112 mm, film width: 391 mm, Busch vacuum pump, type: RA 0063 F 503, capacity: 63 m ³ per hour, total dimensions: 1320 mm x 770 mm x 1620 mm.	4000
4	Bayha & Strackbein GmbH	Bayha & Strackbein GmbH gas heated cooking vessel, type: 8110-3, year of construction: 2011, 230 V, 50 Hz, 0.150 kw, volume: 300 liter, dimensions: 1100 mm x 1470 mm x 1000 mm.	1500
5	K+G Wetter	K+G Wetter mixer-grinder, model: MWW E 130, number: 419/1185, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 40 A, 19 kW, plate diameter: 130 mm, total dimensions: 1400 mm x 1050 mm x 1500 mm.	5000
6	Multivac	Multivac thermoformer, type: R105, serial number: 128952, year of construction: 04/2009, 220 V, 3 Ph, 50 Hz, 35 A, 6 kW, Busch vacuum pump, model: RA 0100 F 503, bottom film width: 288 mm, top film width: 284 mm, dye dimensions: (8x) 47 mm x 103 mm, index: 270 mm, total dimensions: 3440 mm x 1050 mm x 1800 mm. Including Multivac suction device, type: ASE530, dimensions: 760 mm x 700 mm x 1630 mm.	10000
7	Baader	Baader separator, type: 601-412, number: 120997, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 14.0 A, plastic belt, belt width: 200 mm, drum diameter: 215 mm, perforations: 3 mm, total dimensions: 1400 mm x 1100 mm x 2200 mm, Including tool trolley, dimensions: 1050 mm x 750 mm x 1100 mm, and tub with parts, dimensions tub: 930 mm x 860 mm x 850 mm.	6000
8	Rühle	Rühle cooled tiltable vacuum tumbler with lifter for 200 liter meat bins, type: MGR 1500, number: 0016, year of construction: 2011, 400 V, 3 Ph, 50/60 Hz, volume: 1500 liter (maximum load: 900 liter), two mixing arms, Busch vacuum pump, capacity: 40 m ³ per hour, Rivacold cooling compressor, refrigerant: R404A, weight: 3100 kg, dimensions: 3150 mm x 2550 mm x 2770 mm.	15000



Nr	Title	Description	Start €
9	Grasselli	Grasselli horizontal slicer, model: KSL, serial number: X11R00/733, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 8.8 A, 5.8 kW, plastic belt, belt width: 375 mm, working width: 345 mm, distance between knives: 5 mm, total dimensions: 1550 mm x 1850 mm x 1300 mm.	20000
10	Magurit	Magurit frozen block cutter, model: Fromat 053, working width: 500 mm, total dimensions: 1900 mm x 1160 mm x 1800 mm.	10000
11	Stephan	Stephan micro cutter, type: MCH20, number: 724.044.01, year of construction: 1998, 400 V, 50 Hz, 26 A, 15 kW, knife: 0.7 mm, total dimensions: 1450 mm x 930 mm x 920 mm.	6000
12	Grasselli	Grasselli horizontal slicer, model: KSL, serial number: Y24008/269, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 6 A, 1.8 kW, plastic belt, belt width: 380 mm, working width: 315 mm, distance between knives: 7.5 mm, total dimensions: 1550 mm x 1600 mm x 1400 mm.	15000
13	Bizerba	Bizerba mobile automatic slicer, model: A650, number: 11424795, year of construction: 2017, 380 V, 3 Ph, 47-63 Hz, 15 A, 2.3 kW, chamber dimensions: 1000 mm x 200 mm x 150 mm, s/s mesh outfeed belt, belt width: 300 mm, total dimensions: 2430 mm x 850 mm x 2130 mm.	20000
14	Cato	Cato sausage peeler, type: PTF, number: 381, year of construction: 2014, 400 V, 50 Hz, 3.5 kW, weight: 260 kg, sausage diameter: 140 mm, total dimensions: 1600 mm x 700 mm x 1300 mm.	5000
15	Fortress	Fortress mobile metal detector, model: Phantom, serial number: EL-1248, year of construction: 2012, plastic mesh belt, belt width: 500 mm, clearance: 550 mm x 275 mm, total dimensions: 2300 mm x 1000 mm x 1530 mm.	2000
16	Kilia	Kilia bowl cutter, model: 3000 RS Express, volume: 65 liter, dimensions: 1170 mm x 1100 mm x 1200 mm.	4000
17	Kohlhoff	Kohlhoff hygiene hygiene station with sole cleaner, hand disinfection unit and tourniquette, model: DLSO-SL1100+EK400, number: 801848, year of construction: 12/2012, 400 V, 3 Ph, 0.8 kW, brush length: (2x) 700 mm, total dimensions: 1425 mm x 950 mm x 1800 mm.	2000
18	Multivac	Multivac traysealer, type: T700, serial number: 135159, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 18 A, 4.2 kW, film width: 303 mm, plastic mesh belt, belt width: 200 mm, plastic infeed belt, belt width: 250 mm, dimensions dye: (4x) 127 mm x 227 mm, plastic outfeed belt, belt width: 125 mm, total	15000



Nr	Title	Description	Start €
		dimensions: 4850 mm x 850 mm x 2010 mm. Including s/s tool trolley, dimensions: 1400 mm x 1000 mm x 1450 mm and pallet with various parts.	
19	Webomatic	Webomatic traysealer with outfeed belt, type: TL 500-02, machine number: F 9015 X1178, year of construction: 2015, 400 V, 3 Ph, 50 Hz, weight: 1050 kg, dye: (2x) 275 mm x 175 mm, film width: 300 mm, plastic belt, belt width: (2x) 150 mm, Busch vacuum pump, type: RA 0160 D 551, capacity: 160 m ³ per hour, dimensions: 3000 mm x 1000 mm x 1700 mm.	9500
20	Rühle	Rühle mobile cooled vacuum tumbler, model: MPR220, volume: 220 liter, dimensions: 1250 mm x 1000 mm x 1650 mm.	5000
21	Asca	Asca mobile autoclave, number: D0305 50413/542, year of construction: 2005, basket dimensions: 500 mm x 450 mm, total dimensions: 1100 mm x 1000 mm x 1250 mm.	2250
22	Intervac	Intervac mobile double chamber vacuum machine, type: INV 11/11, number: 2466, year of construction: 2009, 230/400 V, 50 Hz, 2.5 kW, weight: 385 kg, dimensions chamber: (2x) 620 mm x 665 mm, seal length: (4x) 620 mm, Busch vacuum pump, type: RA 0100 F 5R3, year of construction: 2008, capacity: 100 m ³ per hour, total dimensions: 1560 mm x 900 mm x 1250 mm.	1500
23	Multivac	Multivac thermoformer, type: R 530, machine number: 1881, year of construction: 1999, 440 V, 3 Ph, 50 Hz, 44 A, 19 kW, dye: (2x) 330 mm x 378 mm, total dimensions: 7700 mm x 1100 mm x 2000 mm, with Busch vacuum, type: RA 0250 C 4Z1 CUZZ, number: 0L01850101, year of construction: 1997, capacity: 250 m ³ per hour, and 2 extra dyes: (4x) 330 mm x 180 mm and (2x) 682 mm x 180 mm.	9000
24	CFS	CFS thermoformer, type: CFS Compact M360 2.11, machine number: 785.138.1667, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 21 A, 13.11 kW, 6B.400NL-1 Air, 2B.75L-H Water, weight: 2600 kg, dye dimensions: (5x) 205 mm x 60 mm, plastic film width: 362 mm, Busch vacuum pump, type: RC 0250 C 4Z1 QNZZ, number: C0004000020, year of construction: 2000, capacity: 250 m ³ /h, 20 mBar, total dimensions: 7300 mm x 1100 mm x 1970 mm.	4500
25	Multivac	Multivac thermoformer, type: R245, serial number: 158205, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 7.5 kW, dye: (1x) 500 mm x 364 mm, index: 565 mm, film width: 424 mm, plastic mesh belt, belt width: 380 mm, total dimensions: 5800 mm x 1150	25000



Nr	Title	Description	Start €
		mm x 2200 mm. Including dye: (2x) 360 mm x 240 mm and box with parts. Without vacuum pump.	
26	Hobart	Hobart dishwasher, model: AUPT-10A, serial number: 86605793, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 36.1 A, 23.5 kW, inside dimensions: 1200 mm x 600 mm x 700 mm, total dimensions: 1480 mm x 900 mm x 1500 mm.	2000
27	Mado	Mado mobile grinder, model: 620, 230/400 V, 3 Ph, 50 Hz, 15.2/8.8 A, 4.0 kW, plate diameter: 100 mm, total dimensions: 1100 mm x 850 mm x 1350 mm.	3000
28	Stephan	Stephan microcutter, type: MCH 20 S, number: 2756406, year of construction: 1990, 380 V, 50 Hz, 28 A, 15 kW, dimensions: 1400 mm x 900 mm x 1250 mm.	4500
29	Urschel	Urschel mobile dicer, model: GK, number: 1218, working width: 140 mm, distance between knives: 10 mm, total dimensions: 1500 mm x 600 mm x 1300 mm.	5000
30	Multivac	Multivac mobile traysealer, type: T350, serial number: 15, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 30 A, 7.5 kW, film width: 280 mm, plastic mesh belt, belt width: 200 mm, dimensions dye: (2x) 135 mm x 170 mm, total dimensions: 3900 mm x 1200 mm x 2100 mm. Missing vacuum pump.	5000
31	Baader	Baader separator with lifter for 200 liter meat bins and infeed hopper, model: 605, type: 1905, year of construction: 1999, 400 V, 3 Ph, 50 Hz, drum perforations: 3 mm, dimensions separator: 1700 mm x 1600 mm x 1600 mm, lifter for 200 liter meat bins, lifting height: 2700 mm, total dimensions lifter: 3650 mm x 1100 mm x 1100 mm, dimensions infeed hopper: 2300 mm x 1700 mm x 1950 mm. 601 operating hours.	29500
32	HFE Vacuum Systems	HFE Vacuum Systems mobile vacuum machine, type: PX-60, serial number: 20110146, year of construction: 2011, 380/400 V, 3 Ph, 50 Hz, 7.2 A, dimensions chamber: (1x) 500 mm x 515 mm, seal length: (2x) 500 mm, Busch vacuum pump, type: RA 0063 F 5K3, capacity: 63 m ³ per hour, total dimensions: 700 mm x 700 mm x 1000 mm.	950
33	Iozelli	Iozelli mixer-grinder, type: TCN 130 AE, number: 7026, 400 V, 50 Hz, 5.5 A, 4 kW, plate diameter: 130 mm, total dimensions: 950 mm x 750 mm x 1170 mm.	2500
34	Stephan	Stephan mobile micro cutter, type: MCH-D 180, machine number: M07093, year of construction: 2007, 400 V, 50 Hz, 128 A, 75 kW, dimensions: 2200 mm x 1120 mm x 900 mm.	20000
35			2500



Nr	Title	Description	Start €
	Bayha & Strackbein GmbH	Bayha & Strackbein GmbH smoking chamber for 1 trolley, type: 850 C, volume 1000 liter, 400 V, 3 Ph, total dimensions: 1220 mm x 940 mm x 2260 mm. With 1 smoke trolley.	
36	Steen	Steen mobile skinning machine with foot control, type: ST 111, serial number: 827211094A, 380 V, 50-60 Hz, 1.35 A, 550 W, working width: 295 mm, total dimensions: 700 mm x 470 mm x 990 mm.	800
37	Steen	Steen mobile skinning machine with foot control, type: ST 111, serial number: 827/1815B, 380 V, 50-60 Hz, 1.35 A, 550 W, working width: 295 mm, total dimensions: 700 mm x 470 mm x 1070 mm.	800
38	Alco-food-machines GmbH & Co. KG	Alco-food-machines GmbH & Co. KG mobile coating machine, type: ADT 400, serial number: 02212214, year of construction: 2005, 400 V, 0.9 kW, s/s mesh belt, belt width: 400 mm, total dimensions: 2250 mm x 900 mm x 1680 mm.	3500
39	Frey	Frey mobile sausage cutter, type: WS420SB, number: WS420SB 218102, year of construction: 2022, diameter: 40 mm, total dimensions: 650 mm x 800 mm x 1570 mm.	9000
40	PND Fruit Processing Machinery	PND Fruit Processing Machinery peeling machine, serial number: PL4AV 279 FR, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 6 A, 3 kW, plastic belt, belt width: 200 mm, total dimensions: 3400 mm x 1500 mm x 2300 mm.	9000
41	Frey	Frey mobile piston filling machine, type: Kompakta 2, number: K2 30 03329094, 400 V, 50 Hz, dimensions: 770 mm x 700 mm x 1200 mm.	2000
42	Maja maschinenfabrik	Maja maschinenfabrik mobile skinning and derinding machine, type: ESB 441, number: 37593, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, plastic belt, belt width: 370 mm, working width: 375 mm, total dimensions: 950 mm x 800 mm x 1250 mm.	1500
43	Grasselli S.p.A.	Grasselli S.p.A. mobile slicer, model: NSA600, serial number: S23R03/1043, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 9.4 A, 4 kW, plastic belt, belt width: 600 mm, distance between knives: 5 mm, total dimensions: 2200 mm x 1300 mm x 1600 mm. Including spare belt.	9000
44	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Divider-E, type: 2400, machine number: 240002.61240.0796, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 7 A, dimensions chamber: 1000 mm x 220 mm x 200 mm, plastic belt, belt width: 440 mm, total dimensions: 3220 mm x 930 mm x 1500 mm.	2000
45	Kolbe	Kolbe mobile mixer-grinder, type: MWE 52, number: 0078, year of construction: 2002, 230/400 V, 50 Hz,	3000



Nr	Title	Description	Start €
		plate diameter: 130 mm, total dimensions: 750 mm x 1300 mm x 1330 mm.	
46	Kolbe	Kolbe mobile portioning machine, type: PM 150, number: 75 0032, year of construction: 2006, 230/400 V, 3 Ph, 50 Hz, 0.87 A, 0.25 kW, working width: 160 mm, plastic belt, belt width: 200 mm, total dimensions: 1350 mm x 650 mm x 1370 mm.	1500
47	Butcher Boy	Butcher Boy band saw, model: SA14 S, serial number: S342, 380 V, 3 Ph, 50 Hz, 2.9 A, 1.5 HP, table dimensions: 885 mm x 690 mm, total dimensions: 885 mm x 850 mm x 1830 mm. Including extra blades.	700
48	Rühle	Rühle mobile dicer, type: SR1T, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 4.4 A, 2.1 kW, chamber dimensions: 340 mm x 100 mm x 100 mm, distance between knives: 12 mm x 12 mm, total dimensions: 1050 mm x 700 mm x 1050 mm.	2500
49	Grasselli	Grasselli slicer, model: SL600, serial number: S31000/334, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 9.4 A, 5 kW, working width: 360 mm + 220 mm, total dimensions: 1200 mm x 1000 mm x 1800 mm. No knives.	4500
50	Weber	Weber slicer, type: CCS 302-UB, number: 413, year of construction: 09-2005, 400 V, 50 Hz, 7 kW, 6 bar, clearance: 320 mm x 130 mm, plastic belt, belt width: 320 mm, total dimensions: 3200 mm x 840 mm x 2080 mm.	8000
51	FAM	FAM slicer, type: TS-1D, number: 7140, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 13 A, 3.5 kW, weight: 450 kg, plastic belt, belt width: (2x) 95 mm, clearance: 95 mm x 95 mm, total dimensions: 3150 mm x 900 mm x 1380 mm.	12500
52	Frima	Frima VarioCooking Centre, type: VCC 112+, serial number: E11PJ16128026237, 400 V, 3 Ph, 50/60 Hz, total dimensions: 1400 mm x 900 mm x 1300 mm.	2500
53	Maja maschinenfabrik	Maja maschinenfabrik ice machine, type: RVE 1500, number: 1486, working width: 665 mm, total dimensions: 1700 mm x 510 mm x 470 mm.	1800
54	Bizerba	Bizerba table model grinder, type: FW70, plate diameter: 70 mm, total dimensions: 350 mm x 370 mm x 410 mm.	250
55	Omas Food machinery	Omas Food machinery table model strip cutter, model: TAG 96EB, number: D3221, year of construction: 2002, 230 V, 1 Ph, 50 Hz, 8 A, working width: 155 mm, total dimensions: 500 mm x 200 mm x 550 mm.	350
56	Stephanal	Stephanal table model skinning machine, type: Cretel SE 360, number: A.601.87.11, 220/380 V, 3 Ph, 50 Hz,	350



Nr	Title	Description	Start €
		2.34/1.35 A, 0.55 kW, working width: 325 mm, total dimensions: 525 mm x 430 mm x 330 mm.	
57	Skinning corporation bvba	Skinning corporation bvba table model skinning machine, working width: 330 mm, total dimensions: 750 mm x 250 mm x 250 mm.	450
58	Stephan	Stephan universal machine, type: Cut 18, number: 731534, year of construction: 2006, 400 V, 50 Hz, 3.8/4.7 A, 1.5/1.9 kW, dimensions: 500 mm x 320 mm x 700 mm.	1500
59	Webomatic	Webomatic mobile double chamber vacuum machine, type: CD 110, number: 528BC165, 220/380 V, 50 Hz, 8.7/5.0 A, 2.2 kW, dimensions chamber: 700 mm x 500 mm, seal length: (4x) 500 mm, with Busch vacuum pump, type: 100-132, capacity: 100 m ³ /h, total dimensions: 1100 mm x 900 mm x 1000 mm.	2500
60	Weber GmbH	Weber GmbH flake ice machine, type: WIS 1500, number: 400, year of construction: 2010, 400 V, 50 Hz, refrigerant: R404 A, 6 kg, 28 bar, 14-16 A, 5.1 kW, roller width: 510 mm, Bock cooling compressor, type: HGX34P/255-4, number: AR29115A014, dimensions: 1200 mm x 1200 mm x 1400 mm.	3000
61	Berkel	Berkel table model steaker, model: 705, serial number: 9234 1323 00903, 220 V, 1 Ph, 50 Hz, 4.0 A, 1/2 HP, working width: 185 mm, total dimensions: 400 mm x 350 mm x 400 mm.	270
62	Bizerba	Bizerba table model steaker, working width: 190 mm, total dimensions: 450 mm x 200 mm x 450 mm.	270
63	Van Den Bosch Antwerpen	Van Den Bosch Antwerpen forming attachment, dye: 90 mm x 65 mm, total dimensions: 500 mm x 310 mm x 250 mm.	40
64	NN balancer	Balancer, serial number: 0073501, year of construction: 2018, weight: 2.2 kg, dimensions: 150 mm x 150 mm x 100 mm.	40
65	Bizerba	Bizerba table model steaker, type: BME.L, number: 616447, 220 V, 50 Hz, 2 A, working width: 190 mm, total dimensions: 450 mm x 200 mm x 450 mm.	150
66	Webomatic	Webomatic vacuum machine, type: EASY-PACK, serial number: 05EA630, 230 V, 50 Hz, 4.1 A, 0.55 kW, 16 m ³ per hour, chamber dimensions: 360 mm x 370 mm, seal length: 370 mm, total dimensions: 500 mm x 400 mm x 370 mm.	370
67	HFE vacuum systems BV	HFE vacuum systems BV vacuum machine, type: GASTRO ECO, serial number: 20091114, year of construction: 2009, 220-240 V, 1 Ph, 50 Hz, 4 A, chamber dimensions: 360 mm x 380 mm, seal length: 350 mm, total dimensions: 500 mm x 420 mm x 330 mm.	370
68	Henkelman		750



Nr	Title	Description	Start €
		Henkelman vacuum machine, type: Lynx 42, machine number: HOL10160016, year of construction: 2016, 220/230 V, 1 Ph, 50/60 Hz, 5 A, 0.7 kW, chamber: 430 mm x 370 mm, seal length: 430 mm, total dimensions: 520 mm x 500 mm x 400 mm.	
69	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH vertical slicer with outfeed conveyor, model: Divider 440, machine number: 56 0102.61966.104444, year of construction: 2008, 380-480 V, 3 Ph, 50/60 Hz, 6.3 A, 4.8 kW, weight: 820 kg, dimensions chamber: 250 mm x 180 mm x 700 mm, plastic belt, belt width: 300 mm, total dimensions: 2000 mm x 950 mm x 2400 mm, 2000 mm x 750 mm x 1300 mm.	8500
70	Maja-Maschinenfabrik	Maja-Maschinenfabrik ice machine, type: SA 215 S, serial number: I-39719, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 1.31 kW, 6.7 A, refrigerant: R404A, 1.5 kg, dimensions: 780 mm x 600 mm x 800 mm.	1250
71	Wolfking	Wolfking grinder, type: Y/D-REV, number: 54106, 380 V, 3 Ph, 50 Hz, 55 A, 32 kW, diameter plate: 250 mm, total dimensions: 1700 mm x 1300 mm x 1550 mm.	5000
72	Tallers Cato S.A.	Tallers Cato S.A. grinder, type: PSA130, number: 128, year of construction: 2008, 380 V, 50 Hz, 478 kW, weight: 255 kg, plate diameter: 130 mm, total dimensions: 1300 mm x 700 mm x 1250 mm.	3000
73	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, type: F-line F260, serial number: F260PT1092964, year of construction: 2014, 400 V, 50/60 Hz, 10.45 kW, dimensions: 1700 mm x 1300 mm x 2100 mm.	25000
74	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH mobile kebab filling machine, type: Kebap-line, model: KL6, serial number: KL6 1071214, year of construction: 2014, 400 V, 50/60 Hz, 0.95 kW, 6 stations, station diameter: Ø 300 mm, total dimensions: 2000 mm x 950 mm x 1180 mm.	10000
75	FAM	FAM mobile vegetable slicer, model: Centris, type: 400C Optitec, number: 11791, year of construction: 2019, 380-460 V, 3 Ph, 50/60 Hz, 42 A, 15 kW, working width: 104 mm, weight: 555 kg, dimensions: 1700 mm x 1100 mm x 1500 mm.	15000
76	Henkelman	Henkelman mobile traysealer, type: Vortex, machine number: V0812010, year of construction: 2008, mould code: 0721005000, 400 V, 3 Ph, 50 Hz, 4 kW, 6 A, dimensions dye: (2x) 187 mm x 137 mm, Busch vacuum pump, type: RB 0021 B 37.4, year of construction: 2008, capacity: 21 m ³ per hour, total dimensions: 930 mm x 600 mm x 1600 mm.	3000
77	Stephan		3500



Nr	Title	Description	Start €
		Stephan universal machine, inside dimensions: Ø 500 mm x 300 mm, total dimensions: 900 mm x 600 mm x 1200 mm.	
78	NN tub	S/s tub, inside dimensions: Ø 600 mm x 250 mm, total dimensions: 690 mm x 820 mm.	200
79	NN meat bins	2 s/s meat bins, volume: 200 liter.	200
80	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning and derinding machine, type: ESB 4434/1, serial number: M-51812, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 1.97 A, 0.75 kW, plastic belt, belt width: 385 mm, working width: 360 mm, total dimensions: 1700 mm x 850 mm x 1250 mm.	2000
81	Rühle	Rühle frozen block cutter, type: GR20, serial number: 60050004, year of construction: 2021, 400 V, 3 Ph, 50/60 Hz, 7 A, 3 kW, working width: 490 mm, total dimensions: 1500 mm x 800 mm x 1900 mm.	12500
82	Multivac	Multivac mobile double chamber vacuum machine, type: C500, dimensions chamber: 740 mm x 680 mm, seal length: (4x) 650 mm, with Busch vacuum pump, type: RA 0250 D 5Z1 GQZZ, total dimensions: 1600 mm x 1050 mm x 1350 mm.	4500
83	Henneken	Henneken mobile flattener, model: HP 415, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 1.1 kW, weight: 332 kg, plastic belt, belt width: 415 mm, total dimensions: 2100 mm x 850 mm x 1230 mm.	6000
84	Desa	Desa mobile mixer, inside dimensions: 620 mm x 490 mm, total dimensions: 700 mm x 700 mm x 1100 mm.	1000
85	Inject Star	Inject Star vacuum tumbler, type: HSL-750-TC-10, number: 272, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 3.8 kW, volume: 750 liter, weight: 760 kg, dimensions: 1800 mm x 1000 mm x 1780 mm. Inject star vacuum pump, type: TVAP, 380 V, 3 Ph, 50 Hz, 0.75 kW, dimensions: 710 mm x 360 mm x 460 mm.	2500
86	Kolbe	Kolbe bandsaw, type: K 220, serial number: 95 0896, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 3.1 A, 1.1 kW, 77 kg, table dimensions: 580 mm x 410 mm, total dimensions: 630 mm x 500 mm x 1000 mm.	700
87	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH mobile double jacketed cooled vacuum tumbler, type: GPM 130K, machine number: 27156, year of construction: 2001, 400 V, 16 A, 1 kW, volume: 130 liter, Becker vacuum pump, total dimensions: 1270 mm x 900 mm x 1300 mm.	3500
88	Alco-food-machines GmbH & Co. KG	Alco-food-machines GmbH & Co. KG mobile coating machine, s/s mesh belt, belt width: 400 mm, total dimensions: 2800 mm x 1100 mm x 1350 mm.	7000
89	Ramon	Ramon mobile mixer, s/s bowl, volume: 100 liter, total dimensions: 1000 mm x 620 mm x 1000 mm.	900



Nr	Title	Description	Start €
90	Ramon	Ramon mobile mixer, s/s bowl, bowl dimensions: Ø 520 mm x 270 mm, total dimensions: 750 mm x 550 mm x 900 mm.	600
91	Roschermatic	Roschermatic mobile tumbler, volume: 150 liter, total dimensions: 900 mm x 1100 mm x 1500 mm.	900
92	Urschel	Urschel mobile vegetable slicer, model: OV, with V-shaped belt, belt width: 70 mm, total dimensions: 1800 mm x 700 mm x 1400 mm.	5000
93	Eillert	Eillert mobile washing machine, model: GWB1000x350, number: 587, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 2.75 kW, steel mesh belt, belt width: 305 mm, total dimensions: 1800 mm x 1100 mm x 1700 mm.	4500
94	Baader	Baader separator, type: 603-508, number: 121297, year of construction: 2004, 400 V, 3 Ph, 50 Hz, perforations: Ø 2 mm, total dimensions: 1100 mm x 1250 mm x 1600 mm.	9500
95	Henkovac	Henkovac mobile vacuum machine, type: 2000, chamber dimensions: 610 mm x 510 mm x 180 mm, seal length: 500 mm, Busch vacuum pump, type: RA 0063 F 503, capacity: 63 m³ per hour, dimensions: 700 mm x 700 mm x 1050 mm.	550
96	Treif	Treif dicer with lifter for 200 liter meat bins, model: Raptor 150 C, machine number: 415003.77261.104162, year of construction: 2008, 380-480 V, 3 Ph, 50 Hz, 13-10 A, 8.0 kW, weight: 1850 kg, dimensions chamber: 150 mm x 150 mm, total dimensions: 4200 mm x 1250 mm x 2500 mm.	19500
97	Soehnle	Soehnle weighing scale and indicator, maximum weight: 30/60 kg, minimum weight: 0.2/0.4 kg, e= 0.01/0.02 kg, scale dimensions: 530 mm x 400 mm x 80 mm.	170
98	Solia Alexanderwerk	Solia Alexanderwerk peeler, model: K 85, 400 V, 3 Ph 50 Hz, 0.45 kW, capacity: 160 kg/h, weight: 40 kg, inside dimensions: Ø 350 mm x 230 mm, total dimensions: 660 mm x 500 mm x 750 mm.	400
99	Stephanal	Stephanal mobile mixer, type: 12086, machine number: R10200-129, 380 V, 3 Ph, 50 Hz, 3.5/2 A, 1/0.7 kW, dimensions bowl: Ø 540 mm x 400 mm, total dimensions: 1000 mm x 800 mm x 1290 mm.	1400
100	Frey	Frey piston filler, type: Kompakta-2, number: K240 070386, 400 V, 50 Hz, dimensions: 700 mm x 750 mm x 1250 mm.	1500
101	Alco-food-machines GmbH & Co. KG	Alco-food-machines GmbH & Co. KG mobile coating machine, type: ADT 1000 NH, serial number: 02293227, year of construction: 2016, 400 V, 50 Hz, 16 A, 3 kW, weight: 700 kg, s/s mesh belt, belt width:	14500



Nr	Title	Description	Start €
		1000 mm, total dimensions: 3000 mm x 1600 mm x 1300 mm.	
102	Seffelaar & Looyen BV	Seffelaar & Looyen BV mobile flattener, plastic belt, belt width: 250 mm, total dimensions: 1370 mm x 750 mm x 1400 mm.	1500
103	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile slicer, model: FOX-CE/RS, 400 V, 3 Ph, dimensions chamber: 650 mm x 175 mm x 140 mm, total dimensions: 1850 mm x 700 mm x 1300 mm.	1500
104	Bizerba	Bizerba mobile automatic slicer, model: A510, serial number: 10770583, year of construction: 2011, 380/415 V, 3 Ph, 47/63 Hz, 4.15 A, 2.3 kW, s/s mesh belt, belt width: 300 mm, total dimensions: 2500 mm x 900 mm x 1950 mm. Technical condition unknown, control panel broken.	4500
105	Robot Coupe	Robot Coupe centrifuge, type: ES 10 A, serial number: F6340116411, 400 V, 3 Ph, 50 Hz, 370 W, dimensions: Ø 500 mm x 1000 mm.	750
106	Duurland Kiremko	Duurland Kiremko peeler, model: K12, serial number: 9712013, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 0.37 kW, diameter infeed: 250 mm, inside dimensions drum: Ø 370 mm x 250 mm, total dimensions: 550 mm x 500 mm x 1080 mm.	750
107	Ekomex	Ekomex double shaft paddle mixer with lifter for 200 liter meat bins, type lifter: ZM 200, serial number: 101060335, year of construction: 2006, type mixer: ML350, serial number: 03060306, year of construction: 2006, 400 V, 50 Hz, 2.0/2.4 kW, inside dimensions: 640 mm x 1100 mm x 540 mm, total dimensions: 1600 mm x 2000 mm x 2300 mm.	4500
108	CFS	CFS bowl cutter with lifter for 200 liter meat bins and ejector, type: CMV 500, number: 213/301, year of construction: 1991, overhauled in: 2007, 400 V, 3 Ph, 50 Hz, s/s bowl, volume: 500 liter, dimensions: 3100 mm x 2750 mm x 1950 mm. S/s switch cabinet, dimensions: 1700 mm x 1600 mm x 650 mm. Transport wheels are not included.	15000
109	Select	Select optical sorting machine, type: AGROSELECTOR 6T-3, machine number: 1129, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 0.75 kW, weight: 500 kg, V-shaped infeed belt, belt width: 70 mm, 3-way outfeed, plastic belt, belt width: 940 mm, total dimensions: 3150 mm x 1300 mm x 2000 mm. With vibrating infeed gutter, gutter width: 120 mm, total dimensions vibrating gutter: 1600 mm x 750 mm x 2100 mm.	15000
110	Urschel	Urschel mobile vegetable slicer, model: ETRS, serial number: 370, year of construction: 2015, V-shape	19500



Nr	Title	Description	Start €
		belt, belt width: (2x) 100 mm, chamber dimensions: 1600 mm x 100 mm x 100 mm, total dimensions: 2500 mm x 900 mm x 1600 mm.	
111	Rühle	Rühle injector with lifter for E2 crates, type: IR 56, number: 0586, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 7.5 kW, 16 A, 56 needles, s/s walking beam, width: 350 mm, clearance: 350 mm x 170 mm, total dimensions: 1800 mm x 1000 mm x 2050 mm.	8500
112	Grasselli	Grasselli strip cutter, model: ST200-T1, serial number: Z32R11/255, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 1.02 A, 0.37 kW, plastic mesh belt, belt width: 200 mm, working width: 200 mm, distance between knives: 10 mm, total dimensions: 1100 mm x 400 mm x 1020 mm.	1900
113	NN meat press	Meat press, diameter: 280 mm, total dimensions: 800 mm x 500 mm x 820 mm.	500
114	Kolbe	Kolbe band saw, model: K330, table dimensions: 770 mm x 580 mm, total dimensions: 770 mm x 720 mm x 1620 mm.	1300
115	Domino	4 Domino inkjet printers, type: A520i, 100-240 V, 50-60 Hz, 4 A, dimensions: (4x) 440 mm x 400 mm x 450 mm.	400
116	T&S	T&S cooking vessel, inside dimensions: 800 mm x 600 mm x 500 mm, total dimensions: 1480 mm x 820 mm x 1120 mm.	1200
117	Rühle	Rühle mobile dicer, dimensions chamber: 340 mm x 100 mm x 100 mm, total dimensions: 1000 mm x 600 mm x 1080 mm	1800
118	Diosna	Diosna spiral mixer, type: SP 180 A D, machine number: 9421-090, 380 V, 3 Ph, 50 Hz, 21 A, s/s bowl, volume: 180 liter, total dimensions: 1500 mm x 920 mm x 1550 mm.	2500
119	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH metal detector and checkweigher with 2 rejectors, type: XS 3, number: 35005541, year of construction: 2014, 100-240 V, 50-60 Hz, maximum weight: 3000 g, minimum weight: 20 g, e= 0.5 g, d= 0.5 g, T= -2700 g, maximum belt speed: 40 m/min, plastic belt, belt width: 300 mm, clearance: 350 mm x 106 mm, td: 2550 mm x 1300 mm x 1600 mm.	9000
120	Freund	Freund circle saw, saw diameter: 280 mm, total dimensions: 720 mm x 500 mm x 350 mm. With Tecna balancer, type: 9368, serial number: 05 038825, weight: 13.6 kg, capacity: 55/65 kg.	550
121	Foss analytical AB	Foss analytical AB analyser, model: FoodScan, serial number: 91715430, year of construction: 2011, 100-240 V, 50-60 Hz, dimensions: 430 mm x 550 mm x 490 mm.	9500



Nr	Title	Description	Start €
122	Winterhalter	Winterhalter dishwasher, model: GS 20, inside dimensions: 500 mm x 450 mm, total dimensions: 600 mm x 600 mm x 720 mm.	200
123	Bakon	Bakon mobile whipped cream machine, model: TOP CREAM, dimensions: 460 mm x 600 mm x 1000 mm.	650
124	CRM	CRM ice machine, model: Extragel 15-25 CA, serial number: 01/107, 380 V, 3 Ph, 1.6 kW, refrigerant: R404, dimensions: 650 mm x 470 mm x 1010 mm.	950
125	Ramon	Ramon piston filler, model: 20, number: AZ 1480, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 2.05 A, 0,75 kW, total dimensions: 600 mm x 450 mm x 1150 mm.	950
126	Dadaux	Dadaux piston filler, type: P25LF, number: 9631, year of construction: 12.2000, 380 V, 50 Hz, total dimensions: 500 mm x 500 mm x 1150 mm.	950
127	Duurland	Duurland peeler, type: 255, number: 299, 380 V, 1.1 KW, inside diameter: 500 mm, total dimensions: 600 mm x 800 mm x 1250 mm.	950
128	Machinefabriek Duurland Amsterdam	Machinefabriek Duurland Amsterdam vegetable cutter/ slicer, dimensions: 1150 mm x 900 mm x 1300 mm.	1250
129	Mareno	Mareno cooking vessel, 400 V, 3 Ph, 50/60 Hz, inside dimensions: Ø 600 mm x 430 mm, total dimensions: 1000 mm x 800 mm x 1000 mm.	1000
130	Multivac	Multivac mobile double chamber vacuum machine, type: C500, serial number: 155219, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 6 kW, 28/32 A, dimensions chamber: 850 mm x 700 mm, seal length: (4x) 665 mm, with Busch vacuum pump, type: RA 0250 D 5Z1 CUZZ, capacity: 250 m³ per hour, total dimensions: 1650 mm x 1050 mm x 1350 mm.	5500
131	Marel	Marel portion cutter, type: I-CUT 36, serial number: E011407, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 18 A, 8 kW, plastic belt, belt width: 300 mm, total dimensions: 3100 mm x 1300 mm x 1830 mm.	7500
132	Mado	Mado cutter on s/s mobile table, type: MTK 661, number: 30484, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 4.6/5.9 A, 2.1/2.8 kW, s/s bowl, diameter bowl: 500 mm, total dimensions: 900 mm x 600 mm x 1050 mm.	1500
133	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile slice and portion cutter, model: ZEBRA, machine number: 450007.60194.110244, year of construction: 2011, 230/400 V, 3 Ph, 50 Hz, 8.8 A, 4.4/5.98 kW, weight: 790 kg, 38 knives, distance between knives: 16 mm, total dimensions: 1250 mm x 1000 mm x 1600 mm.	6500
134	Selo Group	Selo Group mobile flattener, type: SP-250, number: SL250010, year of construction: 2000, 400 V, 3 Ph, 50	2000



Nr	Title	Description	Start €
		Hz, 1.4 A, 0.3 kW, coat belt, belt width: 250 mm, total dimensions: 1400 mm x 800 mm x 1400 mm.	
135	Kronen	Kronen mobile slicer, type: GS 10, serial number: 1483, year of construction: 2008, 230 V, 50/60 Hz, 1 Ph, 1.8 Kw, belt width: 135 mm, total dimensions: 1500 mm x 660 mm x 1360 mm. Without belt and knife.	5000
136	Grasselli S.p.A.	Grasselli S.p.A. mobile skinning machine, model: RST520-M/6, serial number: S21011/M347, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 0.75 kW, working width: 480 mm, total dimensions: 750 mm x 730 mm x 950 mm.	1250
137	Urschel	Urschel vegetable slicer with down holder, type: OV, serial number: 1054, 400 V, 3 Ph, plastic infeed belt, chamber dimensions: 70 mm x 70 mm, distance between knives: 70 mm, total dimensions: 1850 mm x 950 mm x 1250 mm.	8000
138	Innotec	Innotec mobile strip cutter, type: MST 91-300, machine number: 70201, year of construction: 1997, 400 V, 50 Hz, clearance: 270 mm x 150 mm, distance between knives: 55 mm, total dimensions: 1050 mm x 630 mm x 1300 mm.	1500
139	Glass	Glass mobile tumbler, inside dimensions: Ø 590 mm x 550 mm, total dimensions: 750 mm x 750 mm x 1400 mm. Without vacuum pump.	1300
140	Henkelman	Henkelman mobile double chamber vacuum machine with gas flush, type: 600, number: 60709053, year of construction: 1997, 400 V, 50 Hz, 3 Ph, 3,5 kW, 7 A, chamber: (2x) 600 mm x 500 mm, seal length: (4x) 730 mm, total dimensions: 1530 mm x 950 mm x 1400 mm.	1500
141	Townsend	Townsend mobile peeler, model: 2800 BL, type: 9833929, serial number: 10401452, year of construction: 2017, 400 V, 50 Hz, 3 Ph, dimensions infeed table: 1300 mm x 720 mm x 1200 mm, dimensions peeler: 900 mm x 700 mm x 1400 mm.	7500
142	Steen	Steen mobile separator, type: 828, number: 828/0414A, 50-60 Hz, 500 W, 2,9 A, clearance: 150 mm x Ø 50 mm, total dimensions: 1150 mm x 660 mm x 1100 mm.	5500
143	Kronen	Kronen mobile vegetable slicer, type: GS 10, serial number: 189, year of construction: 2004, 230 V, 50/60 Hz, 1 Ph, 1.8 kW, plastic belt, belt width: 130 mm, diameter knife: 460 mm, total dimensions: 1550 mm x 600 mm x 1380 mm.	5000
144	Rühle	Rühle dicer, model: SR 2 BiTurbo, year of construction: 2018, dimensions chamber: 120 mm x 120 mm x 450 mm, plastic outfeed belt, belt width:	6000



Nr	Title	Description	Start €
		260 mm, total dimensions: 1600 mm x 1400 mm x 1500 mm. Including Doojee tablet.	
145	Eillert	Eillert mobile vegetable slicer, type: BI 1000 A, serial number: 102-9909, year of construction: 1999, 400 V, 3 Ph, 3.8 A, knife width: 115 mm, knife set: 5 mm x 5 mm, clearance: Ø 250 mm, total dimensions: 2300 mm x 1400 mm x 1900 mm. Without knives.	5000
146	Urschel	Urschel mobile dicer, distance between knife: 12 mm, working width: 155 mm, total dimensions: 1500 mm x 750 mm x 1300 mm.	5000
147	Inauen Maschinen AG	Inauen Maschinen AG mobile thermoformer, type: RS compact, machine number: 4405011, 400 V, 3 Ph, 50 Hz, 7 kW, 6-8 bar, film width: 325 mm, dye: (2x) 215 mm x 140 mm, outfeed belt width: 260 mm, Gardner Denver vacuum pump, type: VC 100 (75), number: 2670038, year of construction: 2006, capacity: 100 m³ per hour, total dimensions: 3300 mm x 950 mm x 1850 mm. Including pallet with parts and dye set 1.1 and 3.1.	9500
148	Hepro GmbH	Hepro GmbH mobile industrial asparagus peeling machine, type: HSM 180, machine number: 0049 0602 631, year of construction: 2006, 230 V, 1 Ph, 50 Hz, 0.3 kW, clearance: 60 mm x 55 mm, total dimensions: 2550 mm x 600 mm x 1420 mm.	3000
149	FAM	FAM mobile vegetable slicer, type: MC 3D, number: 000191, 400 V, 2.2 kW, dimensions: 1400 mm x 1100 mm x 1800 mm.	3000
150	Jeros A/S	Jeros A/S washing machine, type: 8130, model: 8130001045000, machine number: 070765, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 27 A, 18 kW, inside dimensions: 1280 mm x 640 mm x 650 mm, total dimensions: 1500 mm x 760 mm x 1690 mm.	2000
151	NN mobile breading machine	S/s mobile breading machine, s/s mesh belt, belt width: 400 mm, plastic rollers, roller width: 400 mm, total dimensions: 1820 mm x 620 mm x 2150 mm. With s/s mobile battering machine, s/s mesh belt, belt width: 400 mm, total dimensions: 1500 mm x 620 mm x 1500 mm.	5000
152	Krumbein	Krumbein mobile horizontal slicer, type: Schneidemaschine HGS 1/1 400, serial number: X 381 E, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 9 A, working width: 460 mm, plastic belt, belt width: 400 mm, total dimensions: 1750 mm x 750 mm x 1400 mm.	5000
153	Inotec	Inotec mobile sausage cutter, type: WT99-IS, serial number: 1 000 000 006, year of construction: 2016, 2 Ph, 200/240/400/460 V 50/60 Hz, 1.8 kW, 290 kg,	14000



Nr	Title	Description	Start €
		plastic belt, belt width: 350 mm, total dimensions: 1000 mm x 850 mm x 1640 mm.	
154	Multivac	Multivac mobile traysealer, type: T200, serial number: 146915, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 20 A, 3.8 kW, dye: (2x) 275 mm x 175 mm, Busch vacuum pump, type: RA 0063 F 503, number: 110014477, capacity: 63 m³ per hour, total dimensions: 1270 mm x 800 mm x 1610 mm.	4500
155	FAM	FAM mobile vegetable slicer, model: Centris, type: 315, number: 10983, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.7 A, 0.75 kW, weight: 135 kg, dimensions: 1090 mm x 600 mm x 1530 mm.	8500
156	Bizerba	Bizerba automatic slicer, type: A 404, number: 2066935, year of construction: 2002, 230 V, 1 Ph, 50 Hz, 3.1 A, dimensions: 1000 mm x 800 mm x 1370 mm.	2500
157	Kronen	Kronen mobile vegetable slicer, type: KUJ V, serial number: 891, year of construction: 2014, 230 V, 1 Ph, 50/60 Hz, 1.3 kW, distance between knives: 10 mm x 10 mm, total dimensions: 1100 mm x 1000 mm x 1500 mm.	6000
158	Tetra Laval Food Koppens B.V.	Tetra Laval Food Koppens B.V. mobile forming machine, type: VM 400 HSE, machine number: 1933, year of construction: 1997, 400 V, 50 Hz, 3 Ph, 16.57 A, 7.67 kW, weight: 1186 kg, dye: (4x) 120 mm x 55 mm, total dimensions: 2350 mm x 860 mm x 2125 mm. Dye incomplete.	9500
159	Winterhalter	Winterhalter dishwasher, type: GS 660, seriennummer: 434023, 400 V, 3 Ph, 50 Hz, 16.5 A, 9.8 kW, inside dimensions: 1280 mm x 720 mm x 950 mm, total dimensions: 1420 mm x 880 mm x 1770 mm.	1400
160	Robot Coupe	Robot Coupe vegetable slicer, model: CL 60 E, serial number: M6840130511, 400 V, 3 Ph, 50 Hz, 2.7/3.4 A, 1100/1500 W, dimensions: 700 mm x 500 mm 1400 mm.	1400
161	Ulma	Ulma traysealer, model: TAURUS 300, number: 7130141, year of construction: 2011, 400 V, 50 Hz, 19 A, 5 kW, belt width: 450 mm, film width: 450 mm, dye: (2x) 190 mm x 147 mm, total dimensions: 3400 mm x 1100 mm x 1800 mm.	8000
162	Magurit	Magurit flaker, model: Starcutter, working width: 540 mm, total dimensions: 2200 mm x 1060 mm x 1220 mm.	8000
163	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH portion slicer, model: FALCON conti, machine number: 461004.61938.106098, year of construction: 2009, 380-480 V, 3 Ph, 50/60 Hz, 22-18 A, 8.6 kW, weight: 750 kg, plastic belt, belt width: 222 mm, total	15000



Nr	Title	Description	Start €
		dimensions: 2850 mm x 1300 mm x 1850 mm, 1650 mm x 830 mm x 1450 mm.	
164	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH mobile tumbler, type: GPA 300, serial number: 27581, year of construction: 2002, 230 V, 1 Ph, 50 Hz, 10 A, 1 kW, volume: 300 liter, total dimensions: 1550 mm x 1450 mm x 1750 mm.	2000
165	Henkelman	Henkelman mobile double chamber vacuum machine, type: Polar 2-75 KK, machine number: P401109054, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 17 A, 5.5 kW, dimensions chamber: (2x) 680 mm x 880 mm, seal length: (4x) 620 mm, with Busch vacuum pump, type: RA 0160 D 5Z1 GQXX, number: C1128000840, year of construction: 2011, capacity: 160 m³/hour, total dimensions: 1550 mm x 1200 mm x 1350 mm.	4500
166	Henkelman	Henkelman mobile dip tank, model: ST-100, 400 V, 3 Ph, 50 Hz, 15 kW, inside dimensions: 800 mm x 600 mm x 300 mm, total dimensions: 880 mm x 800 mm x 1320 mm.	1500
167	Kohlhoff Hygienetechnik GmbH & Co. KG	Kohlhoff Hygienetechnik GmbH & Co. KG hand disinfection with tourniquette, type: EK-800-Twin, machine number: 800123, year of construction: 07/2012, 230 V, 1 Ph, 0.4 kW, dimensions: 1400 mm x 800 mm x 1580 mm. Incomplete.	1500
168	Günther	Günther injector, type: PI 72 M, machine number: 24161, 380 V, 32 A, 72 needles, plastic mesh belt, belt width: 440 mm, clearance: 450 mm x 220 mm, total dimensions: 1970 mm x 950 mm x 2300 mm. Including s/s mobile filter tub, dimensions: 1400 mm x 700 mm x 800.	5000
169	Alexanderwerk	Alexanderwerk cutter, type: SKN 45 SS, machine number: 4127, 380 V, 50 Hz, 1500/3000 rpm, volume: 45 liter, dimensions: 1200 mm x 950 mm x 1150 mm.	3500
170	FMT	FMT mobile vegetable slicer, type: BS-1500, serial number: 9001-01, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 16 A, 1.65 kW, plastic belt, belt width: 125 mm, clearance: 140 mm x 125 mm, total dimensions: 1400 mm x 650 mm x 1500 mm. Including 2 extra knife sets.	4000
171	Turbo Systems Ltd	Turbo Systems Ltd mobile depositor, type: D150P, machine number: D150P5808728, year of construction: 2008, dimensions: 1300 mm x 650 mm x 1800 mm.	1250
172	Bizerba	Bizerba automatic slicer, type: A 404, number: 10699653, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 3.1 A, dimensions: 1160 mm x 850 mm x 760 mm.	3000
173	Kronen	Kronen mobile dicer, model: UJ, type: würlfler, number: 91-27-10, 380 V, 50 Hz, working width: 90	1800



Nr	Title	Description	Start €
		mm, knife set: 3 mm x 3 mm, total dimensions: 700 mm x 700 mm x 1300 mm.	
174	KT	KT mobile mixer-grinder, 400 V, 3 Ph, plate diameter: 100 mm, total dimensions: 900 mm x 750 mm x 1460 mm.	1500
175	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300, serial number: 1937-1, 380 V, 50 Hz, Sogevac vacuum pump, type: SV16FP 960160FP, number: 31002019596, year of construction: 2019, capacity: 19 m ³ per hour, dimensions: 1800 mm x 1450 mm x 2100 mm. With attachment.	7000
176	Handtmann	Handtmann mobile linking and hanging line, consisting of: Handtmann linking machine, type: 216-21, number: 1451, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 2.5 kW, 3.6 A, dimensions: 1900 mm x 850 mm x 1130 mm. Handtmann mobile hanging line, type: 220-16, number: 1625, year of construction: 2006, dimensions: 2570 mm x 500 mm x 1300 mm.	4000
177	Omet	Omet mixer-grinder with lifter for 200 liter meat bins, model: TCS-A 150-200, number: 0103E09, year of construction: 1996, 380 V, 3 Ph, 50 Hz, 16.5 kW, diameter plate: 150 mm, total dimensions: 2200 mm x 1400 mm x 1680 mm.	3500
178	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 1284, 380 V, 50 Hz, 17.4 A, 7 kW, filling, portioning and linking, Becker vacuum pump, number: B 2135957, total dimensions: 1600 mm x 1400 mm x 2200 mm. Including crate with parts.	5000
179	Poly-clip System GmbH & Co.KG	Poly-clip System GmbH & Co.KG mobile double clipper, type: FCA 3462, number: 317, year of construction: 1999, 400 V, 60 Hz, 16 A, 5-7 bar, belt width: 115 mm, total dimensions: 1600 mm x 1500 mm x 1100 mm.	5000
180	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 3801, year of construction: 1997, 400 V, 50 Hz, 6.5 kW, 17 A, with Becker pump, dimensions: 1800 mm x 1400 mm x 2300 mm.	5500
181	Poly-clip System GmbH & Co.KG	Poly-clip System GmbH & Co.KG mobile automatic double clipper, type: RCA, number: 125/01, 5-7 bar, dimensions: 1160 mm x 1000 mm x 1900 mm.	2500
182	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine, type: Konti-A50, machine number: KA800434886, 400 V, 50 Hz, 4.25 kW, Busch vacuum pump, type: KC 0016	4500



Nr	Title	Description	Start €
		E 320, capacity: 16 m ³ per hour, total dimensions: 900 mm x 800 mm x 1800 mm.	
183	Poly-clip System GmbH & Co.KG	Poly-clip System GmbH & Co.KG mobile automatic double clipper, type: RCA, number: 118/01, 5-7 bar, dimensions: 1160 mm x 1000 mm x 1900 mm.	3000
184	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine, type: KONTI-E80, machine number: KE 80 35 04 97, 400 V, 50 Hz, dimensions: 1050 mm x 650 mm x 1650 mm.	3000
185	NN portioning machine	Mobile forming machine, diameter: 40 mm, s/s mesh belt, belt width: 160 mm, total dimensions: 2400 mm x 550 mm x 1500 mm.	700
186	Meissner GmbH & Co. KG	Meissner GmbH & Co. kg cutter with lifter for 200 liter meat bins, type: RSM-200, machine number: 169041, 380 V, 145 A, 76 kW, volume 200 liter, plastic ejector, s/s bowl and s/s knives, dimensions cutter: 2800 mm x 2500 mm x 1840 mm. With s/s switch cabinet: 1400 mm x 400 mm x 1860 mm.	9500
187	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 1576, 380 V, 50 Hz, 7 kW, 17.4 A, Becker vacuum pump, type: U 1.16SA-31, number: B 2358929, year of construction: 2008, 50/60 Hz, 0.52/0.65 kW, capacity: 16/19 m ³ per hour, dimensions: 1600 mm x 1300 mm x 1900 mm.	5500
188	TAP Machinebouw BV	TAP Machinebouw BV mobile hamburger forming machine, type: TVM140PN, serial number: 089-08606, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 0.35 kW, s/s mesh belt, belt width: 200 mm, diameter form: 100/ 130/ 100 x 80/ 60 mm, total dimensions: 1600 mm x 500 mm x 1250 mm. Including crate with parts	3000
189	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300B, number: 2311, code: 160/35, 400 V, 50 Hz, Becker vacuum pump type: U 1.16SA-31, dimensions: 1700 mm x 1300 mm x 2010 mm.	6500
190	Loma Systems	Loma Systems mobile pipeline metal detector, model: IQ3+, serial number: EPL110210-15521D, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 1.2 A, diameter pipe: 55 mm, total dimensions: 1000 mm x 700 mm x 350 mm.	1500
191	Dadaux	Dadaux grinder on mobile s/s frame, type: TX98NEW, number: 7979, year of construction: 07/17, 400 V, 50 Hz, diameter plate: 98 mm, total dimensions: 800 mm x 580 mm x 1300 mm.	1200
192	Rühle	Rühle mobile tumbler, inside dimensions: 570 mm x 470 mm, total dimensions: 1050 mm x 800 mm x 1300 mm.	1300



Nr	Title	Description	Start €
193	Jeros	Jeros dishwasher, model: 8115, number: 1132, 400 V, 50 Hz, 14 kW, inside dimensions: 800 mm x 630 mm x 500 mm, total dimensions: 950 mm x 750 mm, 1700 mm.	1500
194	Urschel	Urschel mobile dicer, model: H-A, serial number: 754, distance between knives: 19 mm, working width: 150 mm, total dimensions: 1750 mm x 800 mm x 1360 mm.	6000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

