



General terms and conditions of the online auction

End date	16 September 2026 from 14:00 hrs.
Viewing days	10 September 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	23 September 2026 from 09:00 till 16:00 hrs.
Pick up address	Tribseeser Ch 1 18507 Grimmen Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	AGS-Schüttgut-Technik GmbH & Co.KG	AGS-Schüttgut-Technik GmbH & Co.KG big-bag unloading system, number: 13-3-0461-P, year of construction: 2013, dimensions: 2000 mm x 1800 mm x 3900 mm. Including forklift attachment for big bags, dimensions: 1800 mm x 800 mm x 220 mm. S/s control cabinet, dimensions: 400 mm x 250 mm x 550 mm, switch cabinet, dimension: 1000 mm x 400 mm x 1200 mm.	1950
2	NN vacuum pump	Vacuum pump, dimensions: 900 mm x 600 mm x 1200 mm.	200
3	Klarmann	Klarmann s/s tank with infeed hopper, mixing arm and various AWH valves, type: Behälter 1.1, number: 9255.000.000/14823, year of construction: 2018, weight: 633 kg, capacity: 6000 liter, dimensions: Ø 2000 mm x 5835 mm.	3000
4	Klarmann	Klarmann s/s tank with infeed hopper, mixing arm and various AWH valves, type: Behälter 1.2, number: 9270.000.000/14823, year of construction: 2018, weight: 632 kg, capacity: 6000 liter, dimensions: Ø 2000 mm x 5835 mm.	3000
5	Flottweg Separation Technology	Flottweg Separation Technology decanter, type: Decanter ZSE-4/401, number: 200014205, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 160/114 A, 58 kW, maximum bowl speed: 3500 rpm, maximum sediment density: 1.6 kg/dm ³ , minimum/maximum product temperature: 0/100° celcius, dimensions: 5000 mm x 1700 mm x 2150 mm. Including switch cabinet, dimensions: 1200 mm x 600 mm x 2200 mm.	25000
6	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH hygienic twin screw pump, type: VARIOTWIN 104.53-1, number: P951912, year of construction: 2018, dimensions: 2800 mm x 800 mm x 1050 mm.	750
7	AWH	6 AWH valves, type: Vmove 1 AIR/SPRING DN 25-100, working pressure: 5/10 bar.	90
8	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH twin screw pump, type: TWIN 104.53-1, number: P951909, year of construction: 2018, dimensions: 1300 mm x 450 mm x 650 mm.	600
9	Klarmann	Klarmann s/s tank with mixing arm and various AWH valves, type: RWB 6000 liter, number: 50276/6490.000.000, year of construction: 2013, capacity: 6000 liter, dimensions: Ø 2000 mm x 4450 mm.	3000
10	Klarmann	Klarmann s/s tank with mixing arm and various AWH valves, type: RWB 6000 liter, number: 50276/6490.000.000, year of construction: 2013, capacity: 6000 liter, dimensions: Ø 2000 mm x 4450 mm.	3000
11	Flottweg Separation Technology	Flottweg Separation Technology decanter, type: Decanter ZSE-4/401, number: 014.353.18, year of construction: 2013, 400 V, 50 Hz, 160 A, 60 kW, maximum bowl speed: 3500 rpm, maximum sediment density: 1.6 kg/dm ³ ,	20000



Nr	Title	Description	Start €
		minimum/maximum product temperature: 0/100° celcius, weight: 5640 kg, dimensions: 5000 mm x 1700 mm x 2200 mm. Including switch cabinet, dimensions: 1600 mm x 600 mm x 2200 mm.	
12	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH hygienic twin screw pump, type: VARIOTWIN 104.53-1, number: P950355, year of construction: 2018, dimensions: 2800 mm x 800 mm x 1050 mm.	750
13	AWH	6 AWH valves, type: Vmove 1 AIR/SPRING DN 25-100, working pressure: 5/10 bar.	90
14	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH twin screw pump, type: TWIN 104.53-1, number: P950410, year of construction: 2018, dimensions: 1300 mm x 450 mm x 650 mm.	600
15	Klarmann	Klarmann s/s tank with mixing arm and various AWH valves, type: RWB 6000 liter, number: 50276/6490.000.000, year of construction: 2013, capacity: 6000 liter, dimensions: Ø 2000 mm x 4450 mm.	3000
16	Klarmann	Klarmann s/s tank with mixing arm and various AWH valves, type: RWB 6000 liter, number: 50276/6490.000.000, year of construction: 2013, capacity: 6000 liter, dimensions: Ø 2000 mm x 4450 mm.	3000
17	Flottweg Separation Technology	Flottweg Separation Technology decanter, type: Decanter Z4E-4/401, number: 012.486.18, year of construction: 2013, 400 V, 50 Hz, 125 A, 45 kW, maximum bowl speed: 4200 rpm, maximum sediment density: 1.6 kg/dm ³ , minimum/maximum product temperature: 0/100° celcius, weight: 2708 kg, dimensions: 3900 mm x 1400 mm x 2200 mm. Including switch cabinet, dimensions: 1600 mm x 600 mm x 2200 mm.	20000
18	Seepex GmbH	Seepex GmbH screw pump, type: BTE 35-12, number: 279104, dimensions: 4300 mm x 800 mm x 900 mm.	500
19	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH twin screw pump, type: TWIN 104.53-1, number: P952550, year of construction: 2018, dimensions: 1300 mm x 450 mm x 650 mm.	750
20	AWH	3 AWH valves, type: Vmove 1 AIR/SPRING DN 25-100, working pressure: 5/10 bar.	45
21	Klarmann	Klarmann s/s tank with mixing arm and various AWH valves, type: Behälter 4.1, number: 9260.000.000/14823, year of construction: 2018, weight: 625.5 kg, capacity: 6000 liter, dimensions: Ø 2000 mm x 5835 mm.	3000
22	Klarmann	Klarmann s/s tank with mixing arm and various AWH valves, type: Behälter 4.1, number: 9270.000.000/14823, year of construction: 2018, weight: 625 kg, capacity: 6000 liter, dimensions: Ø 2000 mm x 5835 mm.	3000
23	Flottweg Separation Technology	Flottweg Separation Technology sedicanter, type: SEDICANTER S4E-3/408, number: 012.429.17, year of construction: 2012, 400 V, 50 Hz, 160 A, 65 kW, maximum bowl speed: 5000 rpm, maximum sediment density: 1.5	25000



Nr	Title	Description	Start €
		kg/dm ³ , minimum/maximum product temperature: 0/100° celcius, weight: 2589 kg, dimensions: 3400 mm x 1600 mm x 2400 mm. Dimensions switch cabinet: (1x) 350 mm x 250 mm x 450 mm, (1x) 1200 mm x 600 mm x 2200 mm.	
24	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH twin screw pump, dimensions: 1650 mm x 700 mm x 800 mm.	500
25	AWH	6 AWH valves, type: Vmove 1 AIR/SPRING DN 25-100, working pressure: 5/10 bar.	90
26	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH twin screw pump, type: TWIN 70.29, number: P952435, year of construction: 2018, dimensions: 900 mm x 300 mm x 550 mm.	600
27	Jürgen Lührke GmbH	Jürgen Lührke GmbH s/s flowboard, dimensions: 1300 mm x 1300 mm x 1350 mm.	250
28	LOG Hydraulik GmbH	LOG Hydraulik GmbH oil-air lubrication unit, serial number: 111504-003, dimensions: 800 mm x 300 mm x 800 mm.	100
29	Kelvion	Kelvion plate heat exchanger, type: NT25M CDS-16, serial number: 101/11254, year of construction: 2019, weight: 50 kg, dimensions: 400 mm x 200 mm x 600 mm.	200
30	Siemens	2 Siemens flowmeters, type: SITRANS F M MAG 6000, serial number: N1KN205041, 24 V, 50/60 Hz, 10 W, dimensions: (2x) 200 mm x 150 mm x 400 mm.	100
31	Klarmann	Klarmann double jacketed s/s tank with mixing arm, Mettler Toledo PH measurement tool and various AWH valves, type: Behälter 5.1-2, number: 9310.000.000/14823, year of construction: 2018, weight: 195 kg, capacity: 800 liter, dimensions: 1500 mm x 1100 mm x 300 mm.	2500
32	Klarmann	Klarmann s/s tank with mixing arm, type: Behälter 7.1, number: 9375.000.000/14823-1, year of construction: 2019, weight: 850 kg, capacity: 4000 liter, dimensions: 2300 mm x 1800 mm x 4150 mm. Without control panel.	2000
33	Klarmann	Klarmann double jacketed s/s tank with mixing arm type: Behälter 5.1, number: 9305.000.000/14823, year of construction: 2018, weight: 195 kg, capacity: 800 liter, dimensions: 1300 mm x 1150 mm x 2900 mm.	1250
34	AWH	4 AWH valves, type: Vmove 1 AIR/SPRING DN 25-100, working pressure: 5/10 bar.	60
35	Pumpenfabrik Wangen GmbH	Pumpenfabrik Wangen GmbH twin screw pump, type: TWIN 70.29-1, number: P952436, year of construction: 2018, dimensions: 1000 mm x 400 mm x 500 mm.	600
36	AWH	4 AWH valves, type: Vmove 1 AIR/SPRING DN 25-100, working pressure: 5/10 bar.	60
37	Klarmann	Klarmann s/s tank with mixing arm and various AWH valves, type: Behälter 6.1, number: 9680.000.000/14823-1, year of construction: 2019, weight: 660 kg, capacity: 2000 liter, dimensions: 1500 mm x 1500 mm x 4500 mm.	1500
38	NN pump with valves	S/s skid with pump and 3 AWH valves, dimensions: 1100 mm x 750 mm x 1400 mm.	300



Nr	Title	Description	Start €
39	AWAS	AWAS water treatment for food industry wastewater, tub dimensions: (1x) 1300 mm x 1600 mm, (1x) 850 mm x 1600 mm, total dimensions: 2500 mm x 1500 mm x 1950 mm.	500
40	Jürgen Löhcke GmbH	Jürgen Löhcke GmbH CIP unit, type: CIP Anlage 265KW/ 800ltr, serial number: 13-19014, year of construction: 2013, Jorns s/s 814 liter tank, 2 Funke heat exchangers, Endress+Hauser flow meters, steam valves, Pack centrifugal pump, IGEFA heat exchanger and various valves total dimensions: 2700 mm x 2100 mm x 2400 mm. Switch cabinet type: Tableauschrank TP2200, machine number: 2019 02479/9517980, year of construction: 2019, 230 V, 50 Hz, 2/6 A, dimensions: 600 mm x 250 mm x 770 mm.	2000
41	Jorns Apparatebau GmbH	Jorns Apparatebau GmbH s/s CIP tank, factory number: 81894-2, year of construction: 2013, capacity: 3825 liter, dimensions: Ø 1600 mm x 3400 mm.	500
42	Jorns Apparatebau GmbH	Jorns Apparatebau GmbH s/s CIP tank, factory number: 81894-1, year of construction: 2013, capacity: 3825 liter, dimensions: Ø 1600 mm x 3400 mm.	500
43	NN filters	Large amount of filters, filter dimensions: Ø 110 mm x 600 mm.	50
44	NN steam valve	Steam valves, dimensions: 1300 mm x 300 mm x 800 mm.	50
45	Jumag / Weishaupt GmbH	Jumag steam boiler with Wieshaupt GmbH gas burner, type Jumag steam boiler: DG560, serial number: 23830713, year of construction: 2013, volume: 75 liter, maximum pressure: 13 bar, test pressure: 23 bar, maximum temperature: 220° celcius, 400 kW, model Wieshaupt gas burner: WG40N/1-A ZM-LN, serial number: 4018471513, 230 V, 1 Ph, 50 Hz, 10 A, 0.94/0.85 kW, total dimensions: 2000 mm x 2200 mm x 2400 mm.	2500
46	ProMinent Dosiertechnik	ProMinent Dosiertechnik skid with 13 Diaphragm metering pumps, model: optoDrive, dimensions: 4200 mm x 700 mm x 1800 mm. Including 3 vessels with caustic soda and dodium carbonate, dimensions: (3x) Ø 600 mm x 950 mm.	2000
47	NN platform	S/s platform with stairs, 2 emergency showers and eye showers, working height: 2500/3760 mm, total dimensions: 10000 mm x 5900 mm x 4746 mm.	1000
48	Kohlhoff Hygienetechnik GmbH & Co. KG	Kohlhoff Hygienetechnik GmbH & Co. KG hygiene station, type: DL50-SL1100+EK400-WRT, machine number: 803498, year of construction: 05/2013, 400 V, 3 Ph, 4 kW, brush length: (2x) 700 mm, total dimensions: 1800 mm x 1000 mm x 2000 mm.	500
49	System Cleaners A/S	System Cleaners A/S hose reel with soap mixing station, type hose reel: HOSE REEL, number: 50880, year of construction: 2013, 150 bar, dimensions: 750 mm x 440 mm x 450 mm, type soap mixing station: MIMAS FD, number: 50876, year of construction: 2013, dimensions: 450 mm x 200 mm x 400 mm.	75
50			50



Nr	Title	Description	Start €
	NN emergency shower	Emergency shower and eye shower, dimensions: 800 mm x 400 mm x 1500 mm.	
51	System Cleaners A/S	System Cleaners A/S hose reel and soap mixing station with Grundfos pump, type hose reel: HOSE REEL, number: 50878, year of construction: 2013, 150 bar, dimensions: 750 mm x 440 mm x 450 mm, type soap mixing station: CALLISTO 5F D, number: 50875, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 10.6 A, dimensions: 700 mm x 400 mm x 1250 mm.	150
52	NN couplings for pipes	Pallet with large amount of s/s couplings for pipes, various diameters: 100 mm, 75 mm, 660 mm, 50 mm, 40 mm, 20 mm.	75
53	NN couplings for pipes	Pallet with s/s couplings for pipes, pipe diameter: 100 mm.	25
54	NN couplings for pipes	Pallet with couplings for pipes.	50
55	Seepex	S/s skid with Seepex screw pump, type: BCSB 1-12E, number: 781921, year of construction: 2021, dimensions: 1500 mm x 800 mm x 1200 mm.	450
56	NN bag sealing machine	Bag sealing machine, model: PTHW-ISP-650-T, year of construction: 2020/08, 220 V, 1 Ph, 1500 W, seal length: 650 mm, total dimensions: 700 mm x 500 mm x 1150 mm.	75
57	Sensocar S.A. / PCE	Sensocar S.A. weighing scale with PCE indicator, scale model: PL-50 I, maximum capacity: 100 kg, scale dimensions: 500 mm x 400 mm x 120 mm, total dimensions: 800 mm x 600 mm x 700 mm.	100
58	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 290 mm, total dimensions: 2000 mm x 400 mm x 800 mm.	75
59	NN rack	Aluminium rack, 4 floors, floor dimensions: 940 mm x 440 mm, total dimensions: 1000 mm x 500 mm x 1800 mm.	20
60	NN table	S/s table, dimensions: 1400 mm x 700 mm x 840 mm.	75
61	Hielscher Ultrasound Technology	Hielscher Ultrasound Technology mobile sonicator and homogenizer, model: UIP4000hdt, 400 V, 50/60 Hz, 16 A, 4000 W, dimensions: 880 mm x 550 mm x 1950 mm.	2000
62	Hielscher Ultrasound Technology	Hielscher Ultrasound Technology mobile sonicator and homogenizer, model: UIP4000hdt, 400 V, 50/60 Hz, 16 A, 4000 W, dimensions: 880 mm x 550 mm x 1950 mm.	2000
63	System Cleaners A/S	System Cleaners A/S hose reel with soap mixing station, type hose reel: HOSE REEL, number: 50879, year of construction: 2013, 150 bar, dimensions: 750 mm x 440 mm x 450 mm, type soap mixing station: MIMAS FD, number: 50877, year of construction: 2013, dimensions: 450 mm x 200 mm x 400 mm.	75
64	NN drip tray	Plastic drip tray, dimensions: 2450 mm x 1800 mm x 500 mm. Without chemicals.	100
65	NN sink	S/s sink with faucet, paper dispenser and 2 soap dispensers, sink dimensions: 550 mm x 450 mm x 700 mm.	75



Nr	Title	Description	Start €
66	Zarges	Zarges mobile aluminium platform, working height: 1050 mm, total dimensions: 1500 mm x 1250 mm x 2150 mm.	100
67	NN dispenser	Pallet with s/s dispenser and 4 crates, dimensions: 1200 mm x 800 mm x 450 mm.	40
68	Bauknecht	Bauknecht freezer, model: GTE 822 A+++ , serial number: 301806003439, 220/240 V, 1 Ph, 50 Hz, 1 A, refrigerant: R600a, 0.08 kg, dimensions: 1180 mm x 750 mm x 900 mm.	75
69	Miele	Miele freezer, dimensions: 700 mm x 750 mm x 1950 mm.	75
70	Exquisit	Exquisit freezer, model: GS271-NF-H-010E weiss, 220/240 V, 50 Hz, 0.6 A, 100 W, refrigerant: R600a, 35 g, dimensions: 550 mm x 500 mm x 1700 mm.	75
71	NN office equipment	Office equipment, consisting of: 2 cabinets, dimensions: (2x) 1200 mm x 470 mm x 1980 mm, 4 desks, dimensions: (2x) 1600 mm x 800 mm x 770 mm, (2x) 1800 mm x 800 mm x 770 mm, sink, dimensions: 1250 mm x 750 mm x 950 mm, 6 chairs, dimensions: (6x) 550 mm x 500 mm x 900 mm. Without computer and printer.	100
72	NN sink	S/s sink with faucet and 2 soap dispensers, dimensions sink: 600 mm x 500 mm x 500 mm.	50
73	NN emergency shower	Emergency shower and eye shower, dimensions: 800 mm x 400 mm x 1500 mm.	50
74	Jürgen Lührke GmbH / ProMinent Dosiertechnik	Jürgen Lührke GmbH dosing station with ProMinent Dosiertechnik diaphragm metering pump and plastic drip tray, type: Dosierstation Additiv, serial number: 10 2019 02490, year of construction: 2019, dimensions: 560 mm x 560 mm x 1000 mm, dimensions drip tray: 1250 mm x 850 mm x 450 mm.	300
75	Jürgen Lührke GmbH / ProMinent Dosiertechnik	Jürgen Lührke GmbH dosing station with ProMinent Dosiertechnik diaphragm metering pump and Asecos drip tray, dimensions: 560 mm x 560 mm x 1000 mm, dimensions drip tray: 1550 mm x 1400 mm x 800 mm.	300
76	Jürgen Lührke GmbH / ProMinent Dosiertechnik	Jürgen Lührke GmbH dosing station with ProMinent Dosiertechnik diaphragm metering pump and Asecos drip tray, dimensions: 560 mm x 560 mm x 1000 mm, dimensions drip tray: 1550 mm x 1400 mm x 800 mm.	300
77	LP Kolding A/S	LP Kolding A/S s/s tank, type: TANK, number: 1662-11023, year of construction: 2019, capacity: 3000 liter, dimensions: Ø 1500 mm x 3250 mm.	750
78	ALMiG Kompressoren GmbH	ALMiG Kompressoren GmbH screw compressor and pressure vessel, compressor type: FLEX 15, number: S0042790, year of construction: 2017, 15 kw, 2200/8100 rpm, volume flow: 0.52/2.10 m³ per minute, maximum air pressure: 5/13 bar, dimensions: 900 mm x 600 mm x 1380 mm, type pressure vessel: ALM-AC 170, serial number: 3409341-0217-7802, year of construction: 02/2017, dimensions: 800 mm x 350 mm x 2000 mm.	750
79			100



Nr	Title	Description	Start €
	ALMiG Kompressoren GmbH	ALMiG Kompressoren GmbH pressure vessel, type: MB D30603-1.500, number: MB 645580449, year of construction: 2013, volume: 500 liter, maximum air pressure: 11 bar, maximum temperature: 50° celcius, minimum temperature: -10° celcius, dimensions: 900 mm x 600 mm x 2100 mm.	
80	Cosmo	2 Cosmo heating expansion tanks, model: CHG300/2004, maximum pressure: 6 bar, maximum temperature: 70° celcius, minimum temperature: -10° celcius, dimensions: (1x) Ø 600 mm x 1300 mm, (1x) 500 mm x 900 mm.	100
81	NN plate heat exchanger	Plate heat exchanger, dimensions: 670 mm x 1000 mm x 1700 mm.	400
82	Grundfos	2 Grundfos electric circulation pump, types: (1x) MAGNA3 65-150 F 340, (1x) MAGNA3 50-60 F 240, dimensions: (2x) 350 mm x 250 mm x 400 mm.	300
83	NN tank	Cold water tank, dimensions: Ø 1300 mm x 2400 mm.	500
84	Rhoss S.p.A.	Rhoss S.p.A. chiller, model: WKE1100590 WINPACK HE-A TCAEQY 4270, number: RH00175042, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 95.99 kW, refrigerant: R410A, dimensions: 2350 mm x 5000 mm x 2200 mm.	2500
85	Rosoma	Rosoma switch cabinet, type: LPI-Extraktion, serial number: 00315-00-00000, year of construction: 2019, dimensions: 750 mm x 250 mm x 770 mm.	50
86	Denios	Denios plastic drip tray, type: PSE-2, number: 1104604997-000100-001, year of construction: 2010, capacity: 250 liter, dimensions: 1500 mm x 1000 mm x 400 mm. Without chemicals.	75
87	Denios	2 Denios drip trays, type: IBC-Station-S, year of construction: 2019, capacity: 1000 liter, dimensions: (2x) 1600 mm x 1350 mm x 800 mm.	200
88	NN drip tray	Plastic drip tray, dimensions: 2450 mm x 1800 mm x 500 mm. Without chemicals.	100
89	Weber Kunststofftechnik	2 Weber Kunststofftechnik drip trays, year of construction: 2021, capacity: 1000 liter, dimensions: (2x) 2150 mm x 1300 mm x 600 mm.	150
90	Weber Kunststofftechnik	2 Weber Kunststofftechnik drip trays, year of construction: 2021, capacity: 1000 liter, dimensions: (2x) 2150 mm x 1300 mm x 600 mm.	150
91	Asecos	Asecos plastic drip tray, type: Auffangwanne, number: 6071817/1-1, year of construction: 2012, capacity: 60 liter, dimensions: 730 mm x 530 mm x 330 mm.	50
92	Weber Kunststofftechnik	2 Weber Kunststofftechnik drip trays, year of construction: 2021, capacity: 1000 liter, dimensions: (2x) 2150 mm x 1300 mm x 600 mm.	150
93	Weber Kunststofftechnik	2 Weber Kunststofftechnik drip trays, year of construction: 2021, capacity: 1000 liter, dimensions: (2x) 2150 mm x 1300 mm x 600 mm.	150
94	DB lagersysteme		600



Nr	Title	Description	Start €
		4 DB lagersysteme pallet racks, year of construction: 2021, maximum capacity: 2900 kg, dimensions: (4x) 4700 mm x 1100 mm x 3000 mm.	
95	Bauer Südlohn	Bauer Südlohn safety cage for forklift, type: SIKO/M, number: 5303165, year of construction: 2016, dimensions: 950 mm x 850 mm x 1900 mm.	100
96	Jungheinrich	Jungheinrich electric forklift, type: EFG 215, serial number: FN454370, year of construction: 2013, 48 V, 9.0 kW, weight: 3240 kg, capacity: 1500 kg, fork length: 1200 mm, maximum lifting height: 4000 mm, total dimensions: 3000 mm x 1050 mm x 2450 mm. Including Jungheinrich battery charger, type: D4000V G 48/50 B-SLT 100, dimensions: 500 mm x 500 mm x 740 mm.	2000
97	Jungheinrich	Jungheinrich electric pallet lifter, type: EJC 110, serial number: 90378291, year of construction: 2010, 24 V, 1.0 kW, weight: 795 kg, capacity: 1000 kg, fork length: 1150 mm, maximum lifting height: 2900 mm, total dimensions: 1800 mm x 800 mm x 1900 mm. Without battery charger.	750
98	Vikan	Various Vikan cleaning equipment.	50
99	SystemAir GmbH	SystemAir GmbH air handling system consisting of: 4 insulated channel fans, type: (2x) MUB 062 560EC, (2x) MUB 042 450EC, dimensions: (2x) 1070 mm x 700 mm x 700 mm, (2x) 1200 mm x 820 mm x 800 mm, 3 pallets with filters and various parts.	250
100	Kaiser+Kraft	Kaiser+Kraft pallet rack, type: S610-M18*, year of construction: 2022, maximum capacity: 9370 kg, dimensions: 2900 mm x 1100 mm x 3000 mm.	250
101	NN disposable cups and cutlery	2 racks with various disposable cups and cutlery, dimensions: (2x) 1600 mm x 590 mm x 1800 mm.	75
102	Kaiser+Kraft	3 Kaiser+Kraft pallet racks, type: S610-M18*, year of construction: 2022, dimensions: (2x) 4800 mm x 1150 mm x 3000 mm, (1x) 2000 mm x 1150 mm x 3000 mm. Without content.	750
103	Craemer GmbH	18 Craemer GmbH plastic pallets, dimensions: (18x) 1200 mm x 800 mm x 155 mm.	90
104	NN desks	3 desks, dimensions: (1x) Ø 1000 mm x 720 mm, (2x) 1600 mm x 800 mm x 700 mm.	30
105	NN plastic sheets	Pallet with plastic sheets, dimensions: 1200 mm x 1000 mm x 950 mm.	20
106	NN film rolls	Pallet with large amount of blue plastic film rolls, film width: 505 mm, total dimensions: 1200 mm x 800 mm x 1250 mm.	50
107	NN vacuum bags	Pallet with large amount of vacuum bags, bag dimensions: 450 mm x 800 mm, total dimensions: 1200 mm x 800 mm x 1700 mm.	50
108	NN parts	8 racks with large amount of various parts, rack dimensions: (3x) 1000 mm x 500 mm x 2000 mm, (5x) 900 mm x 400 mm x 1800 mm.	500



Nr	Title	Description	Start €
109	NN plastic racks and crates	2 plastic racks with plastic trays, dimensions: (2x) 850 mm x 400 mm x 1850 mm.	50
110	NN plastic hoses	Pallet with various plastic hoses, dimensions: 1500 mm x 1200 mm x 800 mm.	100
111	NN cabinets	3 wooden cabinets, dimensions: (3x) 425 mm x 800 mm x 720 mm.	30
112	NN cabinets	2 cabinets, dimensions: (1x) 1000 mm x 500 mm x 770 mm, (1x) 1100 mm x 580 mm x 600 mm.	50
113	NN valves	Plastic pipe with valves.	15
114	NN locker	Steel locker, dimensions: 900 mm x 750 mm x 2130 mm.	25
115	NN various parts	Rack with various parts, dimensions: 900 mm x 400 mm x 1800 mm.	40
116	NN locker	Steel locker, dimensions: 600 mm x 500 mm x 1750 mm.	25
117	NN racks	2 Steel racks with tools, dimensions: (2x) 1000 mm x 600 mm x 1800 mm.	150
118	Ultrasonic	Ultrasonic flowmeter, model: MESSBAR MB100H v2, dimensions: 470 mm x 340 mm x 150 mm.	50
119	NN cabinet	Plastic cabinet, dimensions: 650 mm x 500 mm x 1800 mm. Including content.	25
120	NN cabinet	Steel cabinet, dimensions: 800 mm x 430 mm x 1850 mm. Including content.	25
121	Danfoss A/S	2 Danfoss A/S frequency converters, model: VLT, serial number: 038326G281 and 053926G371, 380/500 V, 3 Ph, 50/60 Hz, 11.7/9.9 A, 5.5./7.5 kW, dimensions: (2x) 400 mm x 300 mm x 160 mm.	100
122	NN workbench	Steel workbench with wooden top, dimensions: 1500 mm x 700 mm x 1050 mm. Including tools and screws.	50
123	Rako	Pallet with approximately 20 boxes with 17 tiles, each tile: 200 mm x 200 mm, total dimensions: 1200 mm x 800 mm x 1000 mm.	75
124	Zarges / Krause	Zarges / Krause stairs, length: (1x) 2650 mm, (1x) 4400 mm.	75
125	NN benches and table	2 wooden benches, dimensions: (2x) 2200 mm x 250 mm, 1 wooden table, dimensions: (1x) 2200 mm x 500 mm.	15
126	Elcold Freezer ApS. / Christiania bikes	Elcold Freezer ApS. / Christiania bikes Cargo bike with freezer, type: MOBILUX 11, number: 50350511, 12 V, 0.75 A, refrigerant: R290 71GR, dimensions: 2100 mm x 850 mm x 1200 mm. Including battery charger, model: AC1212A, serial number: B0126337, 100/240 V, 50/60 Hz, 12 A.	75
127	Vikan	Vikan hygiene equipment.	30
128	NN hoses	Pallet with plastic hoses, dimensions: 1200 mm x 800 mm x 600 mm.	25
129	NN parts	Pallet box with various parts, among others: Vikan parts, Wangen parts, Flottweg parts	50
130	NN saw	Pallet box with machine parts, dimensions: 600 mm x 400 mm x 550 mm.	50
131		Pallet box with Flottweg spare parts, dimensions: 600 mm x 400 mm x 550 mm.	100



Nr	Title	Description	Start €
	Flottweg Separation Technology		
132	NN heating element	S/s heating element, dimensions: 1050 mm x 400 mm x 500 mm.	50
133	NN hand truck	Steel hand truck, dimensions: 600 mm x 600 mm x 1300 mm.	50
134	Ecosys	Ecosys printer, model: P2040dn, 220/240 V, 50/60 Hz, 4.2 A, dimensions: 600 mm x 600 mm x 600 mm.	50
135	Allpax	Allpax bag sealing machine, model: THW-ISP-650-T, year of construction: 2015/12, 220 V, 1 Ph, 1500 W, seal length: 650 mm, total dimensions: 700 mm x 450 mm x 860 mm.	75
136	Hidrostal	Hidrostal submersible pump, dimensions: 600 mm x 400 mm x 600 mm.	50
137	Vonroc	Vonroc workbench, serial number: 2001014/2021-0246, capacity: 150 kg, dimensions: 600 mm x 500 mm x 850 mm.	25
138	NN cabinet	Wooden cabinet, dimensions: 560 mm x 440 mm x 600 mm.	20
139	Zingel	Zingel s/s sink with faucet, dimensions: 550 mm x 450 mm x 740 mm.	25
140	Euro Kraft	2 EuroKraft stairs, working height: 660 mm, weight: 3.9 kg, dimensions: (2x) 660 mm x 420 mm x 670 mm.	40
141	Kunzer	Kunzer mobile toolbox with various tools, dimensions: 770 mm x 460 mm x 870 mm.	75
142	Pentair	Pentair water softener cylinder, serial number: EW13 203 6885, year of construction: 2013, dimensions: Ø 250 mm x 1100 mm.	30
143	Boie	Boie empty propane gas barrel, capacity: 11 kg, dimensions: Ø 300 mm x 600 mm.	10
144	Siemens / WEG	Siemens motor with gearbox and WEG motor, dimensions: (1x) 700 mm x 600 mm x 330 mm, (1x) 450 mm x 300 mm x 350 mm.	40
145	WEG	WEG motor, dimensions: 600 mm x 300 mm x 450 mm.	40
146	NN worms	Pallet with s/s worm, screw and housing, dimensions: 1400 mm x 800 mm x 300 mm.	50
147	WEG	WEG motor, dimensions: 750 mm x 400 mm x 500 mm.	100
148	NN pump	Pump, dimensions: 750 mm x 250 mm x 290 mm.	50
149	AC-Motoren GmbH	AC-Motoren GmbH motor, type: FWMP 160 MB 2/PHE, serial number: 21060703007017, 2930/3530 rpm, weight: 144 kg, dimensions: 600 mm x 350 mm x 470 mm.	75
150	NN chairs	3 chairs, dimensions: (3x) 500 mm x 550 mm x 900 mm.	15
151	NN electric cables	Pallet with electric cables, dimensions: 1200 mm x 800 mm x 600 mm.	50
152	NN chairs	4 chairs, dimensions: (4x) 450 mm x 550 mm x 840 mm.	20
153	Dini Argeo	Pallet lifter with Dini Argeo weighing scale, model: TPWLKM-4, serial number: 0100509034, maximum	100



Nr	Title	Description	Start €
		capacity: 1000/2000 kg, minimum capacity: 10/20 kg, e= 0.5/1 kg, fork length: 1150 mm, total dimensions: 1600 mm x 550 mm x 1200 mm.	
154	SECO	SECO pallet lifter, model: HPV-25D-PSN, serial number: N20200500185, year of construction: 2020, weight: 58 kg, capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1600 mm x 550 mm x 1200 mm.	50
155	Rosoma	Rosoma control system, consisting of: 2 control panels, dimensions: (2x) 600 mm x 250 mm x 770 mm, 3 switch cabinets, dimensions: (1x) 2200 mm x 550 mm x 2200 mm, (2x) 1200 mm x 550 mm x 2200 mm.	1000
156	Arebos	Arebos heated kettle, model: AR-HE-EA28TW, year of construction: 2021, 220/240 V, 50/60 Hz, 2500 W, capacity: 28 liter, dimensions: Ø 400 mm x 600 mm.	45

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]

[illegible]

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

