



**Industrial  
Auctions**

**2279: Online auction machinery for the food industry  
and refrigeration equipment in Niedzwiedz (PL)**

**END DATE**

**16 September 2026 14:00**

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)



## General terms and conditions of the online auction

|                                      |                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| End date                             | 16 September 2026 from 14:00 hrs.                                                                                                                                                                                                                                                                                                                                                                                  |
| Viewing days                         | 15 September 2026 from 09:00 till 13:00 hrs.                                                                                                                                                                                                                                                                                                                                                                       |
| Organising company                   | Industrial Auctions BV<br>Looyenbeemd 11<br>5652 BH Eindhoven, Netherlands<br>Tel.: +31 (0)40 2409 208<br>E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>                                                                                                                                                                                                                   |
| Buyers premium                       | 18% over the highest bid                                                                                                                                                                                                                                                                                                                                                                                           |
| VAT                                  | 23% over the highest bid including premium                                                                                                                                                                                                                                                                                                                                                                         |
| Pick up days                         | 23 September 2026 from 09:00 till 16:00 hrs.                                                                                                                                                                                                                                                                                                                                                                       |
| Pick up address                      | Niedzwiedz 250<br>34-735 Niedzwiedz<br>Poland                                                                                                                                                                                                                                                                                                                                                                      |
| Pick up instructions                 | You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.                                 |
| Payment details                      | Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number. |
| General terms and conditions of sale | On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.                                                                                                                                                                                                                           |
| Combinations                         | All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.                                                                                                 |
| Prolongation                         | If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.                                                                                                                                                                                                                                                                 |



| Nr | Title         | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Start € |
|----|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 1  | Inotec        | Inotec mixing installation, infeed consisting of: Inotec elevating screw, ø screw: 400 mm, total dimensions: 4350 mm x 1340 mm x 700 mm, infeed belt, plastic belt width: 730 mm, (2x) double shaft paddle mixers, type: IM-2000K, machine number: 0204-IPM00114 & 0204, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 18 kW, volume: 2000 liter each, dimensions: 3850 mm x 2000 mm x 2100 mm and 3850 mm x 1760 mm x 2100 mm, s/s platform with stairs, dimensions: 1860 mm x 1370 mm x 3270 mm, 2 tubes, length: 3450 mm and 2 switch cabinets, dimensions: 600 mm x 510 mm x 2000 mm and 1220 mm x 580 mm x 2000 mm.                  | 30000   |
| 2  | Carnitech     | Carnitech grinder with Carnitech lifter, diameter plate: 400 mm, dimensions grinder: 1450 mm x 2050 mm x 2560 mm, carnitech lifter, type: L25, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 2.1 A, 0.75 kW, dimensions: 1020 mm x 960 mm x 3270 mm. Including s/s trolley with screw and extra parts, dimensions: 1900 mm x 900 mm x 1180 mm, and switch cabinet, dimensions: 950 mm x 610 mm x 2000 mm.                                                                                                                                                                                                                                 | 10000   |
| 3  | Wolfking      | Wolfking grinder with lifter for 200 liter meat bins, type: C.160.1T.72, number: 23223, diameter plate: 160 mm, dimensions grinder: 900 mm x 1900 mm x 1560 mm, dimensions lifter: 1200 mm x 700 mm x 2900 mm.                                                                                                                                                                                                                                                                                                                                                                                                                              | 5000    |
| 4  | Laska         | Laska frozen block cutter with lifter for blocks, type: GFS 510, serial number: Y6242, 220/380 V, 50 Hz, 8.5 kW, dimensions: 1820 mm x 1750 mm x 2030 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 3000    |
| 5  | Güntner Abele | Güntner Abele scalding and dehairing machine, type: NS0R, number: 782 028, 12 kW, drum length: (2x) 1800 mm, total dimensions: 2150 mm x 940 mm x 1320 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 2000    |
| 6  | Scanico       | Scanico freezing tunnel with Guntner condensor and Bitzer Kühlmaschinenbau GmbH compressor rack, s/s mesh belt, belt width: (2x) 600 mm, clearance: 1270 mm x 160 mm, total dimensions: 4300 mm x 3200 mm x 3100 mm. Including Güntner condensor, type: S-GVH 080.1A/3-N(S), serial number: 400/641154.0001, year of construction: 2005, dimensions: 1150 mm x 6100 mm x 1900 mm. Bitzer Kühlmaschinenbau GmbH compressor rack with 4 cooling compressors, type: (4x) S6F-30.2Y-40P, 380-420/440-480 V, 50 Hz, maximum pressure: 19/28 bar, capacity: 101.4/122 m³ per hour, refrigerant: R 404 A, dimensions: 3000 mm x 1140 mm x 1940 mm. | 30000   |
| 7  | Rühle         | Rühle mobile dicer, dimensions chamber: 100 mm x 100 mm x 340 mm, total dimensions: 1000 mm x 700 mm x 1110 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1500    |
| 8  | JWE-Baumann   | JWE-Baumann s/s scalding and dehairing machine, type: Baumann CSDM BM20S, serial number: 5233, year of construction: 2021, drum length: 2000 mm, total                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 3000    |



| Nr | Title                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                              | Start € |
|----|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    |                           | dimensions: 2750 mm x 1070 mm x 1760 mm. Including separator, dimensions: 950 mm x 760 mm x 1100 mm.                                                                                                                                                                                                                                                                                                                                                     |         |
| 9  | Günther Maschinenbau GmbH | Günther Maschinenbau GmbH injector with filter tub, type: PI 26/52, machine number: 35204, year of construction: 2016, 400 V, 16 A, 5.5 kW, 52 needles, plastic mesh belt, belt width: 320 mm, total dimensions: 840 mm x 1740 mm x 2100 mm. Including filter tub, dimensions: 930 mm x 540 mm x 560 mm.                                                                                                                                                 | 4000    |
| 10 | Laska                     | Laska double shaft z-arm mixer with lifter for meat bins, type: Mixer ME 1000 ZNA1, machine number: 13158, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 25.7 A, 55 hp, 12.5 kW, volume: 1000 liter, total dimensions: 1120 mm x 2700 mm x 2020 mm. Laska lifter for 200 liter meat bins, type: BA 24, machine number: 11084, year of construction: 2009, 3.5 A, 55 hp, 1.5 kW, lifting height: 2280 mm, total dimensions: 810 mm x 8950 mm x 3080 mm. | 10000   |
| 11 | Günther Maschinenbau GmbH | Günther Maschinenbau GmbH mobile cooled vacuum tumbler, type: GPA 200K, machine number: 30992, year of construction: 2008, 400 V, 16 A, 2.0 kW, volume: 200 liter, built-in Becker vacuum pump, type: 05.10/25-51 XL, year of construction: 2023, 50/60 Hz, 0.37-0.45 kW, capacity: 10.5/12.5 m³/h, dimensions: 1720 mm x 850 mm x 1760 mm.                                                                                                              | 4000    |
| 12 | Eloma                     | Eloma combi steamer, type: ELH 6-1, serial number: ELN116047, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 11.0 kW, 7 floors, dimensions floors: 530 mm x 330 mm, total dimensions: 930 mm x 870 mm x 1000 mm.                                                                                                                                                                                                                                        | 150     |
| 13 | Palux AG                  | Palux AG combi steamer, model: GXA 6-11, serial number: EL105386, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 11.0 kW, 7 floors, dimensions floors: 530 mm x 330 mm, including s/s rack for plates, total dimensions: 930 mm x 870 mm x 1440 mm.                                                                                                                                                                                                     | 150     |
| 14 | K+G Wetter                | K+G Wetter cutter with rejector, machine number: 261/1042, year of construction: 1996, 380 V, 3 Ph, 50 Hz, 33 kW, 65 A, s/s bowl, volume: 90 litres, dimensions: dimensions: 2050 mm x 1500 mm x 1340 mm.                                                                                                                                                                                                                                                | 3000    |
| 15 | Seydelmann                | Seydelmann bowl cutter with lifter for 200 liter meat bins and ejector, type: K206DC8, machine number: 92089-1, 380 V, 50 Hz, 220 A, s/s bowl, volume: 206 liter, dimensions: 2950 mm x 2850 mm x 1500 mm, dimensions switch cabinet: 1200 mm x 500 mm x 1900 mm.                                                                                                                                                                                        | 20000   |
| 16 | Inotec                    | Inotec paddle mixer, type: IM-3000K, machine number: 300-00196, year of construction: 2005, 230/400 V, 3 Ph, 50 Hz, 89.9 A, 53 kW, capacity: 3000 liter, dimensions: 4200 mm x 1780 mm x 2100 mm. Including s/s screw, dimensions: 5140 mm x 1060 mm x 1090 mm, s/s stairs, dimensions: 4250 mm x 730 mm x 2500 mm and 2 switch                                                                                                                          | 15000   |



| Nr | Title                                        | Description                                                                                                                                                                                                                                                                                                                        | Start € |
|----|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    |                                              | cabinets, dimensions: 1210 mm x 560 mm x 2000 mm and 930 mm x 280 mm x 830 mm.                                                                                                                                                                                                                                                     |         |
| 17 | Bitzer<br>Kühlmaschinenbau<br>GmbH / Ecostar | Bitzer Kühlmaschinenbau GmbH / Ecostar condensing unit with cooling compressor, type cooling compressor: 4CES-9.F3Y-40S, serial number: 1688903268, 220-240 / 265-290 / 380-420 / 440-480 V, 3 Ph, 50/60 Hz, 35.1 A, capacity: 32.5/39.2 m³ per hour, dimensions: 1350 mm x 610 mm x 1420 mm.                                      | 500     |
| 18 | Tecumseh Silensys                            | Tecumseh Silensys condensing unit, model: SILAGD4614ZTZ, serial number: S997930202, 400/440 V, 3 Ph, 50-60 Hz, 22.8/26.1 A, refrigerant: R-404 A, dimensions: 1570 mm x 540 mm x 1290 mm.                                                                                                                                          | 500     |
| 19 | Maja-<br>Maschinenfabrik                     | Maja-Maschinenfabrik flake ice machine, type: RVFE700TLE, machine number: 25771, clearance: 350 mm x 90 mm, total dimensions: 1120 mm x 460 mm x 420 mm.                                                                                                                                                                           | 1000    |
| 20 | Danfoss                                      | Danfoss condensor, type: OP-MPXM108MLP00E, serial number: 121990CG3220, 400 V, 3 Ph, 50 Hz, dimensions: 1400 mm x 480 mm x 970 mm.                                                                                                                                                                                                 | 750     |
| 21 | Storm engineering                            | Storm engineering crate washer, serial number: 20 002 20, year of construction: 2020, 400 V, 50 Hz, 4.31 kW, 325 kg, infeed width: 390 mm, total dimensions: 3430 mm x 970 mm x 1610 mm.                                                                                                                                           | 5000    |
| 22 | Treif Maschinenbau<br>GmbH                   | Treif Maschinenbau GmbH dicer with lifter for 200 liter meat bins, model: Raptor 150 C, machine number: 415003.77261.104392, year of construction: 2008, 380-480 V, 3 Ph, 50/60 Hz, 13-20 A, 8.0 kW, 1850 kg, dimensions chamber: 150 mm x 150 mm, total dimensions: 4000 mm x 1290 mm x 2380 mm. Including pallet with grid sets. | 6000    |
| 23 | Townsend                                     | Townsend mobile skinning machine, type: 7500, serial number: 1467, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 2.8 A, working width: 510 mm, total dimensions: 580 mm x 890 mm x 1020 mm.                                                                                                                                      | 500     |
| 24 | Seydelmann                                   | Seydelmann grinder, type: AE130, machine number: 98298-1, 400 V, 50 Hz, ø plate: 130 mm, total dimensions: 1180 mm x 1030 mm x 1310 mm. Including crate with knives and plates.                                                                                                                                                    | 3500    |
| 25 | Maja-<br>Maschinenfabrik                     | Maja-Maschinenfabrik flake ice machine, type: RVH 6000, serial number: I-40759, year of construction: 2010, 400 V, 3 Ph, 50 hz, 19.98 A, 0.52 kW, refrigerant R404A, dimensions: 1900 mm x 1460 mm x 630 mm. Including Bitzer compressor compressor rack, compressor type: 6G-30.2Y-40P, dimensions: 1550 mm x 800 mm x 1860 mm.   | 2000    |
| 26 | NN transport belts                           | Large amount of plastic transport belts, different belt widths among others: 840 mm, 600 mm, and 125 mm, total dimensions:(2x) 1100 mm x 800 mm x 700 mm.                                                                                                                                                                          | 400     |
| 27 | NN transport belts                           |                                                                                                                                                                                                                                                                                                                                    | 400     |



| Nr | Title                   | Description                                                                                                                                                                                                                                       | Start € |
|----|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    |                         | Pallet with large amount of plastic transport belts, different belt widths among others: 180 mm, 255 mm, 300 mm, 370 mm and 600 mm, total dimensions: 1200 mm x 900 mm x 1200 mm.                                                                 |         |
| 29 | Vemag Maschinenbau GmbH | Vemag Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, model: DP 5, number: 151 0102, year of construction: 2017, 400-460 V, 3 Ph, 50/60 Hz, 10 A, 6 kW, dimensions: 2000 mm x 1240 mm x 2050 mm.                    | 7500    |
| 30 | Handtmann               | Handtmann vacuum filling machine, type: VF608, number: 27077, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 4.3 A, 3.0 kW, dimensions: 860 mm x 730 mm x 1780 mm. Including linking gearbox, type: 34-5, number: 13324573 and crate with parts. | 7000    |
| 31 | Magurit                 | Magurit frozen block cutter, clearance: 320 mm x 500 mm, knife width: 500 mm, total dimensions: 1250 mm x 850 mm 1700 mm. Refurbished in 2025.                                                                                                    | 7500    |
| 32 | Rühle                   | Rühle mobile dicer, type: SR1, dimensions chamber: 100 mm x 100 mm x 335 mm, total dimensions: 990 mm x 680 mm x 1100 mm. Missing grid set.                                                                                                       | 1500    |
| 33 | Bizerba                 | Bizerba slicer, type: A 404, number: 10469409, year of construction: 2008, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, dimensions: 920 mm x 900 mm x 1290 mm. Without outfeed belt.                                                                        | 750     |
| 34 | Palux AG                | Palux AG dishwasher, model: economicPlus, dimensions: 760 mm x 750 mm x 1560 mm.                                                                                                                                                                  | 200     |
| 35 | Hobert                  | Hobart dishwasher, model: UX30ES, serial number: 86303563, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 22.5 A, 13.2 kW, dimensions: 850 mm x 780 mm x 1700 mm.                                                                                | 200     |
| 36 | Maja-Maschinenfabrik    | Maja-Maschinenfabrik flake ice machine, type: SA 320 EL, number: 21354, dimensions: 1200 mm x 800 mm x 1800 mm.                                                                                                                                   | 750     |
| 37 | NN ice bunker           | Ice bunker, dimensions: 1520 mm x 1150 mm x 1770 mm.                                                                                                                                                                                              | 500     |
| 38 | Safeline                | Safeline mobile metal detector, plastic belt, belt width: 635 mm, total dimensions: 1270 mm x 1850 mm x 1020 mm. 1 wheel broken.                                                                                                                  | 1250    |
| 39 | Seydelmann              | Seydelmann grinder, type: AE 130, machine number 06614-1, year of construction: 2006, 400 V, 50 Hz, 39 A, 20 kW, ø plate: 130 mm, total dimensions: 1100 mm x 1040 mm x 1310 mm.                                                                  | 4500    |
| 40 | Rühle                   | Rühle mobile cooled vacuum tumbler, type: MKR 220, number: 0479, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 16 A, 3.8 kW, dimensions: 1230 mm x 980 mm x 1720 mm.                                                                            | 3000    |
| 41 | Mado/Carsø              | Mado/Carsø frame for elevating belt, type: MFB 425, number: 30153, year of construction: 2002, 400 V, 50/60                                                                                                                                       | 200     |



| Nr | Title                | Description                                                                                                                                                                                                                                                                                                                                                                                                                | Start € |
|----|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    |                      | Hz, 0.4/0.55 kW, elevating height: 1080 mm, total dimensions: 1550 mm x 530 mm x 1080 mm.                                                                                                                                                                                                                                                                                                                                  |         |
| 42 | Inauen Maschinen AG  | Inauen Maschinen AG traysealer, type: VC999/TS 1200 N, machine number: 4207029, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 6 kW, 6-8 bar, dye: 280 mm x 340 mm, film width: 410 mm, total dimensions: 4540 mm x 850 mm x 1610 mm.                                                                                                                                                                                     | 3000    |
| 43 | Meissner GmbH        | Meissner GmbH grinder, type: AM 130, number: 429 332, year of construction: 1993, 400 V, 3 Ph, 50 Hz, 29-35 A, plate diameter: 130 mm, total dimensions: 1180 mm x 1150 mm x 1250 mm. Without plates.                                                                                                                                                                                                                      | 3000    |
| 44 | Maja-Maschinenfabrik | Maja-Maschinenfabrik flake ice machine, dimensions: 1700 mm x 510 mm x 470 mm.                                                                                                                                                                                                                                                                                                                                             | 500     |
| 45 | Copeland             | Copeland outdoor condensing unit, type: eazycool, dimensions: 2100 mm x 635 mm x 910 mm.                                                                                                                                                                                                                                                                                                                                   | 500     |
| 46 | Meissner             | Meissner grinder, type: SR 160/2, number: 8301103, year of construction: 2001, 400 V, 3 Ph, 50 Hz, plate diameter: 160 mm, total dimensions: 1520 mm x 1450 mm x 2090 mm, with Danfotech lifter for 200 liter meat bins, type: CH300, serial number: 1585, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 1.9 A, 0.75 kW, maximum weight: 300 kg, lifting height: 2120 mm, dimensions lifter: 750 mm x 1200 mm x 2950 mm. | 7500    |
| 47 | NN bandsaw           | S/s bandsaw, dimensions table: 580 mm x 780 mm, total dimensions: 720 mm x 850 mm x 1680 mm.                                                                                                                                                                                                                                                                                                                               | 400     |
| 48 | Rühle                | Rühle mobile injector with filter unit, 26 needles, s/s belt, belt width: 340 mm, total dimensions: 1280 mm x 570 mm x 1650 mm.                                                                                                                                                                                                                                                                                            | 750     |
| 49 | Wiesheu GmbH         | Wiesheu GmbH combi steamer on s/s frame, type: G6H Heißluft, number: 67558, year of construction: 9/1999, 400 V, 1 Ph, 50 Hz, 7.5 kW, 6 floors inside combi steamer, floor dimensions: 530 mm x 320 mm, 16 floors in s/s frame, floor dimensions: 670 mm x 330 mm, total dimensions: 910 mm x 780 mm x 1380 mm.                                                                                                            | 200     |
| 50 | Trane BVBA           | Trane industrial chiller, model type: CCUH 250, number: JO 753259, dimensions: 2250 mm x 1000 mm x 1650 mm.                                                                                                                                                                                                                                                                                                                | 1250    |
| 51 | Laska                | Laska double shaft paddle mixer with lifter for meat bins, type lift: BA 24, machine number: 16916, year of construction: 2020, 125-150 bar, 350 kg, type mixer: ME 1000 SPB, number: 13994, year of construction: 2012, 3x 400 V, 50 Hz, 18 A, 8.5 kW, volume: 1000 liter, dimensions lifter: 880 mm x 1200 mm x 2770 mm, dimensions mixer: 1780 mm x 2700 mm x 1910 mm.                                                  | 15000   |
| 52 | Rühle                | Rühle frozen block cutter, type: GFR 45/25 S, number: 240, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 5.5 kW, working width: 620 mm, distance between knives: 95 mm, total dimensions: 1370 mm x 620 mm x 1350 mm.                                                                                                                                                                                                    | 3500    |
| 53 |                      |                                                                                                                                                                                                                                                                                                                                                                                                                            | 500     |





| Nr | Title                                      | Description                                                                                                                                                                                                                                                                                                | Start € |
|----|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    | Bitzer<br>Kühlmaschinenbau<br>GmbH         | Bitzer Kühlmaschinenbau GmbH condensing unit, model: Ecostar, type: LHV6/4EC-6F1Y-40S, serial numbers: 1676501454 and 1676407442, 220-240/380-420 V, 3 Ph, 50 Hz, 22.9-13.2 A/107.7-62.2 A, volume: 22.7 m <sup>3</sup> , dimensions: 1350 mm x 610 mm x 1440 mm.                                          |         |
| 54 | Carrier                                    | Carrier condensing unit with 2 Maneurop cooling compressors, model compressors: MT125HU4DVE, serial numbers: RD 10 4353835 & RD 10 4360679, 380-400/460 V, 3 Ph, 50-60 Hz, 27 A, 18.4 bar, refrigerant: R22, dimensions: 1700 mm x 1340 mm x 1110 mm.                                                      | 750     |
| 55 | Webomatic                                  | Webomatic double chamber vacuum machine, s/s rollers, roller width: 810 mm, seal length: (4x) 850 mm, dimensions chambers: (2x) 860 mm x 600 mm, total dimensions: 2270 mm x 1000 mm x 1460 mm. Without vacuum pump.                                                                                       | 1000    |
| 56 | Bizerba                                    | Bizerba mobile grinder, type: FW-N32S/2, number: 10417484, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 5.6 A, diameter plate: 100 mm, total dimensions: 900 mm x 520 mm x 1120 mm.                                                                                                                     | 800     |
| 57 | Bitzer<br>Kühlmaschinenbau<br>GmbH         | Bitzer Kühlmaschinenbau GmbH compressor rack consisting of 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4CES-6Y-40S, capacity: (3x) 32.5/39.2 m <sup>3</sup> per hour, dimensions: 1700 mm x 900 mm 1670 mm.                                                                             | 1500    |
| 58 | CutMax                                     | CutMax frozen block cutter, working width: 445 mm, distance between knives: 115 mm, total dimensions: 1760 mm x 830 mm x 1830 mm.                                                                                                                                                                          | 5000    |
| 59 | Bitzer<br>Kühlmaschinenbau<br>GmbH         | Bitzer Kühlmaschinenbau GmbH cooling compressor, type: CSH 8551-110 Y, serial number: 16460004, 400/460 V, 3 Ph 50/60 Hz, capacity: 315/380 m <sup>3</sup> per hour, dimensions: 1500 mm x 700 mm x 740 mm.                                                                                                | 250     |
| 60 | Riedel/Glen<br>Dimplex<br>Deutschland GmbH | Riedel/Glen Dimplex Deutschland GmbH water chiller, type: PC 1001.1ME5.I, serial number: 833041, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 63.3 A, refrigerant: R407C, 45 kg, dimensions: 2900 mm x 1130 mm x 2000 mm.                                                                               | 1200    |
| 61 | Laska                                      | Laska lifter for 200 liter meat bins, type: BA 24, number: 11523, year of construction: 2005, lifting height: 1920 mm, total dimensions: 880 mm x 1140 mm x 2860 mm.                                                                                                                                       | 1250    |
| 62 | Linde/Bitzer                               | Linde cooling compressor rack with 2 Bitzer compressors, type compressors: (1x) 4VCS-6.2Y-40P, serial number: 1682713086, capacity: 34.7/41.9 m <sup>3</sup> per hour, (1x) 4TCS-8.2Y-40P, serial number: 1676905952, capacity: 41.3/49.9 m <sup>3</sup> per hour, dimensions: 1600 mm x 850 mm x 1050 mm. | 1000    |
| 63 | Rex Technologie                            | Rex Technologie vacuum filling machine with lifter for 200 liter meat bins, type: RVF 738, machine number: 7360151125, 400 V, 50 Hz, 3x 32 A, built-in Busch vacuum                                                                                                                                        | 12500   |





| Nr | Title                        | Description                                                                                                                                                                                                                                                                                                                                                                                                  | Start € |
|----|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    |                              | pump, type: KC 0016E 3ZO, serial number: V18510206, year of construction: 2018, volume: 19 m³/h, dimensions: 2340 mm x 1200 mm x 1930 mm. Including linking and case holding device, dimensions: 560 mm x 370 mm x 320 mm and crate with extra parts.                                                                                                                                                        |         |
| 64 | Copeland Scroll              | Copeland Scroll compressor unit with 2 cooling compressors, model: (2x) ZB45KCE-TFD-551, capacity: (2x) 17.06/20.59 m³ per hour, dimensions: 1600 mm x 800 mm x 700 mm.                                                                                                                                                                                                                                      | 500     |
| 65 | Meissner GmbH                | Meisner GmbH bowl cutter, type: VD65, machine number: 1290152, 380 V, 39 A, 16.5 kW, s/s bowl, volume: 65 liter, dimensions: 1640 mm x 1080 mm x 1200 mm. Missing knives.                                                                                                                                                                                                                                    | 3000    |
| 66 | Copeland Scroll              | Copeland Scroll compressor unit with 2 cooling compressors, model: (2x) ZB45KCE-TFD-591, capacity: (2x) 18.75/22.63 m³ per hour, dimensions: 1600 mm x 800 mm x 700 mm.                                                                                                                                                                                                                                      | 500     |
| 67 | Bitzer Kühlmaschinenbau GmbH | Bitzer Kühlmaschinenbau GmbH compressor rack consisting of 2 Bitzer cooling compressors, type: FS 402, serial number: 15355222, year of construction: 2000, type compressors: 4EC-4.2 Y & 4EC-4.2 Y-40S, serial numbers: 65870369 & 1666600832, 220-240/380-420/265-290/440-480 V, 50-60 Hz, 18.5-10.7/81.4-47 A & 92.7-53.5 A, volume: 22.14/27.4 & 22.7/27.4 m³/h, dimensions: 1700 mm x 850 mm x 1430 mm. | 1000    |
| 68 | Seydelmann                   | Seydelmann bowl cutter, type: K 126 H AC 8, machine number: 16 100-1, 400 V, 50 Hz, 86 kW, weight: 2000 kg, s/s bowl and knives, plastic rejector, dimensions cutter: 2550 mm x 1700 mm x 1750 mm, dimensions switch cabinet: 1600 mm x 520 mm x 2120 mm, including trolley with cutter knives, dimensions: 1150 mm x 600 mm x 1400 mm.                                                                      | 17500   |
| 69 | Copeland Scroll              | Copeland Scroll compressor unit with 2 cooling compressors, model: (2x) ZB45KCE-TFD-591, capacity: (2x) 18.75/22.63 m³ per hour, dimensions: 1600 mm x 800 mm x 700 mm.                                                                                                                                                                                                                                      | 500     |
| 70 | K+G Wetter                   | K+G Wetter grinder, type: MWW E130-443, machine number: 443/1024, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 35 A, 16 kW, plate diameter: 130 mm, dimensions: 1380 mm x 1340 mm x 2420 mm, including Itec lifter for 200 liter meat bins, lifting height: 2000 mm, total dimensions 1930 mm x 1220 mm x 2800 mm and trolley with parts, dimensions: 460 mm x 600 mm x 1130 mm.                          | 10000   |
| 71 | Bitzer Kühlmaschinenbau GmbH | Bitzer Kühlmaschinenbau GmbH cooling compressor, type compressor: ESH725Y-40S, serial number: 1074900350, capacity: 25/30 m³ per hour, dimensions: 885 mm x 650 mm x 650 mm.                                                                                                                                                                                                                                 | 250     |



| Nr | Title                              | Description                                                                                                                                                                                                                                                                                                                                                                          | Start € |
|----|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 72 | Bitzer<br>Kühlmaschinenbau<br>GmbH | Bitzer Kühlmaschinenbau GmbH cooling compressor, type compressor: ESH730Y-40S, serial number: 1070600077, capacity: 30/36 m³ per hour, dimensions: 885 mm x 650 mm x 650 mm.                                                                                                                                                                                                         | 250     |
| 73 | Inotec GmbH                        | Inotec GmbH mobile micro cutter, type: I175CD-75D, machine number: 101-00735, year of construction: 2009, 230/400 V, 3 Ph, 50 Hz, 142 A, 88 kW, diameter plates: 175 mm, total dimensions: 2000 mm x 1160 mm x 1260 mm. Including crate with knives and plates.                                                                                                                      | 7000    |
| 74 | Bitzer<br>Kühlmaschinenbau<br>GmbH | Bitzer Kühlmaschinenbau GmbH cooling compressor, type compressor: ESH725Y-40S, serial number: 10747701602, capacity: 30/36 m³ per hour, dimensions: 885 mm x 650 mm x 650 mm.                                                                                                                                                                                                        | 250     |
| 75 | Bitzer<br>Kühlmaschinenbau<br>GmbH | Bitzer Kühlmaschinenbau GmbH cooling compressor, type compressor: ESH725Y-40S, serial number: 1072100620, capacity: 25.0/30.0 m³ per hour, dimensions: 885 mm x 650 mm x 650 mm.                                                                                                                                                                                                     | 250     |
| 76 | Copeland Scroll                    | Pallet with 9 Copeland Scroll cooling compressors, various models: (7x) ZH30K4E-TFD-524, (1x) ZH21K4E-TFD-524 and (1x) ZB20KCU-TFMN-XXP, dimensions: 1200 mm x 800 mm x 800 mm.                                                                                                                                                                                                      | 450     |
| 77 | Copeland Scroll                    | 2 pallets with 30 Copeland Scroll cooling compressors, various models: (8x) ZH30K4E-TFD-524 and (22x) ZH21K4E-TFD-524, dimensions: (2x) 1200 mm x 800 mm x 800 mm.                                                                                                                                                                                                                   | 1500    |
| 78 | Copeland Scroll                    | 2 pallets with 30 Copeland Scroll cooling compressors, various models: (9x) ZH30K4E-TFD-524 and (21x) ZH21K4E-TFD-524, dimensions: (2x) 1200 mm x 800 mm x 800 mm.                                                                                                                                                                                                                   | 1500    |
| 79 | Copeland Scroll                    | 3 pallets with 45 Copeland Scroll cooling compressors, model: (45x) ZH30K4E-TFD-524 dimensions: (3x) 1200 mm x 800 mm x 800 mm.                                                                                                                                                                                                                                                      | 2250    |
| 80 | Nita Hygiene GmbH<br>/ Elpek       | Nita Hygiene GmbH sole cleaner, brush length: (2x) 1050 mm, dimension: 1350 mm x 850 mm x 1200 mm, with Elpek hand disinfection unit with tourniquette, dimensions: 900 mm x 800 mm x 1500 mm and s/s platform, dimensions: 1200 mm x 800 mm x 250 mm.                                                                                                                               | 1500    |
| 81 | Nita Hygiene GmbH                  | Nita Hygiene GmbH hygiene station with sole cleaner, hand disinfection unit and tourniquette, brush length: (2x) 1040 mm, total dimensions: 1480 mm x 850 mm x 1660 mm.                                                                                                                                                                                                              | 1500    |
| 82 | Treif Maschinenbau<br>GmbH         | Treif Maschinenbau GmbH mobile slicer, model: DIVIDER Orbital+, machine number: 670000.178870.123164, year of construction: 2014, 380-480 V, 3 Ph, 50-60 Hz, weight: 850 kg, dimensions: 2700 mm x 1100 mm x 2200 mm. Including Treif Maschinenbau GmbH knife sharpener, type: HS DIVIDER ORBITAL+, machine number: 024200.164491.127197, year of construction: 2015, weight: 35 kg. | 7500    |
| 83 | Rivacold                           | Rivacold condenser with built-in cooling compressor, type compressor: ZF24KVE-TWD-EV1, serial number: 15204128,                                                                                                                                                                                                                                                                      | 1500    |



| Nr | Title                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Start € |
|----|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    |                         | 400 V, 3 Ph, 50 Hz, refrigerant: R404A, 30 bar, -10/100°C, dimensions condensor: 1710 mm x 960 mm x 1540 mm, Rivacold evaporator, 3 fans, dimensions evaporator: 650 mm x 1750 mm x 480 mm.                                                                                                                                                                                                                                                                                                                            |         |
| 84 | Rivacold                | Rivacold condenser with built-in cooling compressor, type compressor: ZF24KVE-TWD-EV1, serial number: 15274249, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, 30 bar, -10/100°C, dimensions condensor: 1710 mm x 960 mm x 1540 mm, Rivacold evaporator, 3 fans, 230 V, 1 Ph, 50 Hz, dimensions evaporator: 650 mm x 1750 mm x 480 mm.                                                                                                                                                                                        | 1500    |
| 85 | Rivacold                | Rivacold condenser with built-in cooling compressor, type compressor: ZF24KVE-TWD-EV1, serial number: 15223275, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, 30 bar, -10/100°C, dimensions condensor: 1710 mm x 960 mm x 1540 mm, Rivacold evaporator, 3 fans, 230 V, 1 Ph, 50 Hz, dimensions evaporator: 650 mm x 1750 mm x 480 mm.                                                                                                                                                                                        | 1500    |
| 86 | Treif Maschinenbau GmbH | Treif Maschinenbau GmbH dicer with lifter for 200 liter meat bins, type: Twister AT, serial number: 418102.183054.122365, year of construction: 2014, 380/480 V, 3 Ph, 50/60 Hz, 15/25 A, 7 kW, weight: 950 kg, chamber dimensions: 550 mm x 120 mm x 120 mm, plastic belt width: 245 mm, total dimensions: 2400 mm x 1900 mm x 2000 mm. Including Nimo KG lifter for meat bins, type: SKV 300 C3, serial number: 11924, year of construction: 2013, weight: 350 kg, 3x400 V, 3 Ph, 50 Hz, 4 A. Including extra grids. | 10000   |
| 87 | Webomatic               | Webomatic traysealer, type: TL 500, serial number: F 9015VL160, 400 V, 3 Ph, 50 Hz, 6.0 kW, plastic mesh belt, belt width: (2x) 150 mm, dye: (3x) 170 mm x 120 mm, film width: 280 mm, plastic outfeed belt, belt width: 310 mm, with Busch vacuum pump, type: RA 0100 F 503, year of construction: 2013, capacity: 100 m³ per hour, total dimensions: 4000 mm x 1000 mm x 1600 mm. Including pallet box and crate with parts.                                                                                         | 7500    |
| 88 | Rivacold                | Rivacold condenser with built-in cooling compressor, type compressor: ZF18KVE-TFD-EV1, serial number: 14063299, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, 28 bar, -10/100°C, dimensions condensor: 1420 mm x 480 mm x 1210 mm, Rivacold evaporator, 3 fans, 230 V, 1 Ph, 50-60 Hz, dimensions evaporator: 560 mm x 1750 mm x 480 mm.                                                                                                                                                                                     | 1500    |
| 89 | Maja-Maschinenfabrik    | Maja-Maschinenfabrik flake ice machine with bunker, ice machine type: SA660, number: 025 20447, year of construction: 1992, working width: 350 mm, Bitzer Kühlmaschinenbau GmbH cooling compressor type: BHS-351, capacity: 13.3 m³ per hour, total dimensions ice machine: 820 mm x 1090 mm x 1040 mm, dimensions bunker: 1900 mm x 1350 mm x 1750 mm.                                                                                                                                                                | 1450    |
| 90 | Rivacold                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 1500    |



| Nr  | Title                                    | Description                                                                                                                                                                                                                                                                                                                                                                                | Start € |
|-----|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                                          | Rivacold condenser with built-in cooling compressor, type compressor: ZF18KVE-TFD-EV1, serial number: 13321943, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, 28 bar, -10/100°C, dimensions condensor: 1420 mm x 480 mm x 1210 mm, Rivacold evaporator, 3 fans, 230 V, 1 Ph, 50-60 Hz, dimensions evaporator: 560 mm x 1750 mm x 480 mm.                                                         |         |
| 91  | Bitzer<br>Kühlmaschinenbau<br>GmbH&Co.KG | Bitzer Kühlmaschinenbau GmbH&Co.KG cooling compressor, type: 60-70.2, fabrication number: 469 004, year of construction: 09/94, 380 V, 3 Ph, 118 A, 52 kW, 19-25 bar, volume: 219.1 m³/h, dimensions: 1060 mm x 640 mm x 640 mm.                                                                                                                                                           | 400     |
| 92  | Handtmann                                | Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 200B, number: 2793, 380 V, 50 Hz, 17 A, 6,5 kW, dimensions: 1750 mm x 1200 mm x 2250 mm.                                                                                                                                                                                                                    | 3000    |
| 93  | Handtmann                                | Handtmann linking and case holding device, type linking device: 34-4, number: 5618, type case holding device: 60-6, number: 1053, dimensions: 470 mm x 480 mm x 150 mm.                                                                                                                                                                                                                    | 500     |
| 95  | Handtmann                                | Handtmann vacuum filling machine, type: VF608, number: 21284, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 3 kW, dimensions: 860 mm x 700 mm x 1710 mm. Including Handtmann linking and case holding device, type linker: 34-5, number: 13666, type case holder: 60-7, number: 5706, dimensions: 470 mm x 480 mm x 150 mm.                                                              | 7500    |
| 96  | Rühle                                    | Rühle injector with lifter for crates, type: IR 56, number: 0276, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 16 A, 7.5 kW, s/s walking beam, 56 needles, dimensions: 1750 mm x 760 mm x 2020 mm. With tenderizing block.                                                                                                                                                              | 2000    |
| 97  | Tipper Tie<br>technopack GmbH            | Tipper Tie technopack GmbH mobile clipper, model: TC 1590 E-N, dimensions: 1100 mm x 570 mm x 1500 mm.                                                                                                                                                                                                                                                                                     | 1000    |
| 98  | Becker                                   | Becker Vacuum Pump, type: VTLF 500, number: 2423955, year of construction: 2009, 50/60 Hz, 15.0/18.5 kW, capacity 498/600 m³/h, max vacuum : 250/250 mbar, total dimensions : 1450 mm x 680 mm x 620 mm, with Becker side channel blower, type : SV 5.330/1, number: C 1500981, year of construction: 1998, dimensions : 720 mm x 500 mm x 420 mm.                                         | 1250    |
| 99  | Carrier                                  | Carrier compressor rack, type: mini CCP 305-3360+BCM 200-3040, serial number: 200186298, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 120 bar, refrigerant: R744, volume: 180 kg, consisting of 5 Bitzer cooling compressor, (3x) type: 4HTC-20KI-40S, and (2x) 2HHC-2KB-40S, dimensions: 3000 mm x 900 mm x 2000 mm. Including switch cabinet, dimensions: 1200 mm x 410 mm x 2030 mm. | 1500    |
| 100 | Güntner AG & Co.<br>KG                   | Güntner AG & Co. KG roof condensor, type: GFW 000 1/3-S(S)-F4/03/SP, serial number: 400/3905946.0002, year of construction: 2014, 3 fans, dimensions: 4300 mm x 1200                                                                                                                                                                                                                       | 2500    |

| Nr  | Title                      | Description                                                                                                                                                                                                                                                                                                       | Start € |
|-----|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                            | mm x 1700 mm. Including steel frame with Grundfoss circulation pump set, type: MAGNA3D 65-150 F 340, model: D, serial number: 10006500, 230 V, 50/60 Hz, dimensions: 1660 mm x 880 mm x 1380 mm.                                                                                                                  |         |
| 101 | Inotec                     | Inotec micro cutter, type: 175CD-90RW, machine number: 105-01359, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 189 A, 115 kW, dimensions: 1750 mm x 1150 mm x 1580 mm. Including crate with plates, ø plates: 175 mm, and switch cabinet, dimensions: 2070 mm x 750 mm x 2000 mm.                              | 17500   |
| 102 | Tipper Tie technopack GmbH | Tipper Tie technopack GmbH mobile clipper, model: KDCV 70, number: 4282.234.414, 6 bar, dimensions: 1260 mm x 550 mm x 1850 mm.                                                                                                                                                                                   | 1250    |
| 103 | Henneken                   | Henneken vacuum tumbler, Busch vacuum pump, type: RC 0040 E 501, number: 01001459, capacity: 40 m³/h, dimensions: 2300 mm x 1450 mm x 2100 mm.                                                                                                                                                                    | 1500    |
| 104 | K+G Wetter                 | K+G Wetter cutter, type: SM 90, machine number: 261/1013, volume: 90 liter, 380 V, 50 Hz, dimensions: 2180 mm x 1220 mm x 1700 mm.                                                                                                                                                                                | 3500    |
| 105 | Vemag Maschinenbau GmbH    | Vemag Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, model: DP10E, number: 1570086, year of construction: 2014, 400-460 V, 3 Ph, 50/60 Hz, 18 A, 12 kW, dimensions: 2070 mm x 1400 mm x 2040 mm. Including crate with parts and Vemag case holding device.                         | 15000   |
| 106 | Bitzer                     | Bitzer semi-hermetic tandem reciprocating compressor, type: 66F-80.2Y-S, number: 283-01, year of construction: 11/2001, refrigerant, consisting of 2 Bitzer compressors, type: 6F-40.2 Y, number: 15111039, 380-420 V, 3 Ph, 50 Hz, 30 kW, capacity: 151.6 m³/h, 1450 rpm, dimensions: 2200 mm x 700 mm x 900 mm. | 700     |
| 107 | Lutetia                    | Lutetia vacuum tumbler, type: 1, number: 15177, year of construction: 1998, 400 V, 50 Hz, 4 kW, 800 kg, with Busch vacuum pump, type: RC 0040 E 582, number: 482891/GMZZ/03, year of construction: 1997, capacity: 40 m³/h, dimensions: 2160 mm x 1200 mm x 1700 mm.                                              | 3000    |
| 108 | Fessmann                   | Fessmann cooking vessel, type: NOVA 809, number: 197, year of construction: 1993, 220 V, 50 Hz, 6 A, 40.9 kW, volume: 400 liter, gas heated, dimensions: 1300 mm x 1300 mm x 1100 mm.                                                                                                                             | 700     |
| 109 | Fessmann                   | Fessmann cooking vessel, type: K G 809 400L, number: 127, year of construction: 2012, 230 V, 37 kW, volume: 400 liter, gas heated, dimensions: 1300 mm x 1300 mm x 1100 mm.                                                                                                                                       | 1000    |
| 110 | Fessmann                   | Fessmann cooking vessel, type: NOVA 809, number: 305, year of construction: 1993, 220 V, 50 Hz, 6 A, 40.9 kW, volume: 400 liter, gas heated, dimensions: 1300 mm x 1300 mm x 1100 mm.                                                                                                                             | 700     |



| Nr  | Title                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                              | Start € |
|-----|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 111 | Rühle                   | Rühle mobile dicer, model: SR1, dimensions chamber: 100 mm x 100 mm x 340 mm, total dimensions: 1000 mm x 700 mm x 1080 mm.                                                                                                                                                                                                                                                                                                              | 1500    |
| 112 | Rühle                   | Rühle mobile dicer, model: SR1, dimensions chamber: 100 mm x 100 mm x 340 mm, total dimensions: 1000 mm x 700 mm x 1080 mm.                                                                                                                                                                                                                                                                                                              | 1500    |
| 114 | Vemag Maschinenbau GmbH | 2 Vemag Maschinenbau GmbH smoke chambers for 4 smoke trolleys, type: HR 1x4 Wg, serial numbers: 514.6037 & 514.6038, year of construction: 2012, steam heating: 4-6 bar / 200 kW, steam humidification: 0.7 bar / 240 kg/h, compressed air: 6 bar / 4m³/h, water-shower: 3 bar / 5.4 m³ /h, water measuring point: 3 bar / 0.001 m³/h, including Vemag smoke generator for wood chips. Smoke chambers already professionally dismantled. | 15000   |
| 115 | NN smoke trolley        | 12 s/s smoke trolleys, 8 floors each, dimensions: 1060 mm x 1020 mm x 2000 mm.                                                                                                                                                                                                                                                                                                                                                           | 1200    |
| 116 | NN smoke trolleys       | 15 s/s smoke trolleys, 8 floors each, dimensions: 1060 mm x 1020 mm x 2000 mm.                                                                                                                                                                                                                                                                                                                                                           | 1500    |
| 117 | Handtmann               | Handtmann linking gearbox- and case holding device, gearbox type: 34-4, number: 219, type case holding device: 60-7, number: 589, dimensions: 520 mm x 130 mm x 470 mm.                                                                                                                                                                                                                                                                  | 500     |
| 118 | Handtmann               | Handtmann linking gearbox- and case holding device, gearbox type: 34-5, number: 23519, type case holding device: 60-6, number: 12806736, dimensions: 520 mm x 130 mm x 470 mm.                                                                                                                                                                                                                                                           | 500     |
| 119 | Handtmann               | Handtmann linking gearbox- and case holding device, gearbox type: 34-5, number: 20893, dimensions: 520 mm x 130 mm x 470 mm.                                                                                                                                                                                                                                                                                                             | 500     |
| 120 | Handtmann               | Handtmann linking gearbox- and case holding device, gearbox type: 410, number: 16002471, year of construction: 2013, type case holding device: 412, number: 16100284, year of construction: 2012, dimensions: 580 mm x 500 mm x 140 mm.                                                                                                                                                                                                  | 1000    |
| 121 | Handtmann               | Handtmann linking gearbox- and case holding device, gearbox type: 410, number: 16006558, year of construction: 2018, type case holding device: 416, number: 16303246, year of construction: 2018, dimensions: 580 mm x 500 mm x 150 mm.                                                                                                                                                                                                  | 1000    |
| 122 | Risco                   | Risco case holding device, dimensions: 440 mm x 250 mm x 180 mm.                                                                                                                                                                                                                                                                                                                                                                         | 400     |
| 123 | Vemag Maschinenbau GmbH | Vemag Maschinenbau GmbH case holding device, dimensions: 490 mm x 400 mm x 150 mm.                                                                                                                                                                                                                                                                                                                                                       | 400     |
| 124 | Vemag Maschinenbau GmbH | Vemag Maschinenbau GmbH case holding device, dimensions: 490 mm x 400 mm x 150 mm.                                                                                                                                                                                                                                                                                                                                                       | 400     |
| 125 | Risco                   |                                                                                                                                                                                                                                                                                                                                                                                                                                          | 250     |



| Nr  | Title     | Description                                                                                                                          | Start € |
|-----|-----------|--------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |           | Risco twisting unit, type: 2, year of construction: 2008, dimensions: 280 mm x 240 mm x 140 mm.                                      |         |
| 126 | Handtmann | Handtmann linking gearbox, type: 34-4, number: 4929, dimensions: 340 mm x 190 mm x 110 mm.                                           | 250     |
| 127 | Handtmann | Handtmann linking gearbox, type: 34-4, number: 3170, dimensions: 340 mm x 190 mm x 110 mm.                                           | 250     |
| 128 | Handtmann | Handtmann linking gearbox, type: 34-5, number: 12739, dimensions: 340 mm x 190 mm x 110 mm.                                          | 250     |
| 129 | Handtmann | Handtmann linking gearbox, type: 34-5, number: 11037, dimensions: 340 mm x 190 mm x 110 mm.                                          | 250     |
| 130 | Handtmann | Handtmann linking gearbox, type: 34-4, number: 2145, dimensions: 340 mm x 190 mm x 110 mm.                                           | 250     |
| 131 | Freund    | Freund reciprocating saw, type: 03, 380 V, 50 Hz, 2.3 A, 1100 W, 2900 rpm, dimensions: 740 mm x 160 mm x 350 mm.                     | 500     |
| 132 | Freund    | Freund reciprocating saw, type: 11, number: BGAF W4774, 220 V, 50 Hz, 4.1 A, 860 W, 16500 rpm, dimensions: 800 mm x 190 mm x 250 mm. | 500     |



## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]



# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

