



**Industrial
Auctions**

**2285: Online auction machinery for the food industry in
Oirschot (NL)**

END DATE

22 September 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	22 September 2026 from 14:00 hrs.
Viewing days	17 September 2026 from 09:00 till 16:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	29 September 2026 from 09:00 till 16:00 hrs.
Pick up address	De Stad 10 5688 NX Oirschot Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Dreher	Dreher 2-vessel brew system, type: KBA500, year of construction: 2006, 42 kW, volume kettle: 550 liter, dimensions: 3200 mm x 1270 mm x 2750 mm.	2500
2	Dreher	3 Dreher fermenting tanks, type: GW 500, machine number: GW 500 / 2, year of construction: 02.2006, volume: 520 litres each, inside dimensions: (3x) 800 mm x 800 mm x 970 mm, total dimensions: (2x) 950 mm x 920 mm x 1340 mm, (1x) 1060 mm x 910 mm x 1520 mm.	2250
3	Dreher / Brovarni	3 Dreher / Brovarni dispensing tanks, model: 500 L CCT, serial numbers: O-16-7-5, O-16-7-6, O-16-7-8, year of construction: 2017, volume: (3x) 500 litres, weight: (3x) 215 kg, dimensions: (3x) 1100 mm x 1000 mm x 2320 mm.	3000
4	Dreher	Dreher brite tank, volume: 1000 litres, dimensions: 900 mm x 1000 mm x 2800 mm.	1250
5	Dreher	6 Dreher Kombi-tanks, type: KT500, year of construction: 2006, max. 0.5 bar, max. temperature 30 °C., volume: (6x) 500 litres, dimensions: (6x) 900 mm x 1780 mm x 820 mm. Including Dreher cooling unit, serial number: 13J04 202722 4G66831236, refrigerant: R404A, 220-240 V, 50 Hz, 7.9 A, dimensions: 1400 mm x 630 mm x 1140 mm.	4500
6	FIB	5 FIB beer tanks on s/s frame, type: BEERTANK, type number: 70200503, year of construction: 2022, volume: (5x) 540 litres, weight: (5x) 135 kg, dimensions: (2x) 960 mm x 1440 mm x 2070 mm, (1x) 960 mm x 1440 mm x 2300 mm.	2500
7	Gail Maschinenbau GmbH	Gail Maschinenbau GmbH grain mill, type: 103, machine number: 12095, year of construction: 2006, dimensions: 900 mm x 730 mm x 1220 mm.	250
8	NN filling machine	Filling machine for bottles, dimensions: 1160 mm x 470 mm x 1480 mm.	1750
9	NN cabinet	S/s cabinet with 2 sinks and pre-rinse faucet, dimensions: 1000 mm x 600 mm x 1300 mm.	75
10	Serrco	Serrco cooling installation, type: SW-150, year of construction: 2021, 220/240 V, 50 Hz, volume, 150 litres, refrigerant: R134A, dimensions: 720 mm x 610 mm x 930 mm.	500
11	NN bottle washing station	S/s bottle washing station, 3 nozzles, dimensions: 1000 mm x 520 mm x 980 mm.	75
12	NN corking device	Corking device, dimensions: 460 mm x 600 mm x 980 mm.	75
13	NN filling machine	Filling machine, dimensions: 250 mm x 350 mm x 810 mm.	125
14	Dreher	Dreher switch cabinet, 400 V, 50/60 Hz, dimensions: 500 mm x 700 mm x 260 mm.	500
15	NN tubs	9 plastic tubs and 4 plastic buckets, dimensions: 1200 mm x 1000 mm x 1500 mm.	75
16	NN table	Mobile s/s table, dimensions: 1650 mm x 700 mm x 890 mm.	100
17	NN table	S/s table, dimensions: 2280 mm x 700 mm x 800 mm.	100



Nr	Title	Description	Start €
18	NN beer kegs	3 pallet boxes with 42 beer kegs, volume: 20 liters each, dimensions pallet box: (3x) 1200 mm x 1000 mm x 750 mm. Some kegs are still filled.	450
19	NN crate with parts	Pallet box filled with various parts for brewing beer, dimensions: 1200 mm x 1000 mm x 750 mm.	250
20	NN parts	Large amount of various parts for brewing beer.	1500
21	Loma Systems	Loma Systems mobile metal detector, model: IQ3 ST, serial number: Q3W35R25-30293D, year of construction: 2015, 110/240 V, 50/60 Hz, 0.3/0.6 A, plastic mesh belt, belt width: 300 mm, clearance: 190 mm x 350 mm, total dimensions: 1800 mm x 830 mm x 1370 mm.	1250
22	Markem	Markem label printer, machine type: CIM300, serial number: 05C3D 4515, year of construction: 2005, 115/230 V, 1 Ph, 50/60 Hz, 300 VA, dimensions: 800 mm x 700 mm x 2000 mm	75
23	Precision Labelling Systems Limited	Precision Labelling Systems Limited mobile double labeller, serial number: 4721, 240 V, 50 Hz, plastic belt, belt width: 450 mm, total dimensions: 2000 mm x 1000 mm x 1850.	750
24	Ulma	Ulma mobile flowpacker, model: NEVADA BF, serial number: 1600062, year of construction: 2005, 415 V, 50 Hz, 12 A, 3 kW, belt width: 280 mm, plastic belt, belt width: 200 mm, divider height: 30 mm, distance between dividers: 380 mm, seal width: 280 mm, total dimensions: 7350 mm x 1200 mm x 1670 mm.	3500
25	Ulma	Ulma shrink tunnel, model: T-150, serial number: 1530021, year of construction: 2005, 415 V, 50 Hz, 26 A, 17 kW, clearance: 470 mm x 250 mm, rollers width: 400 mm, total dimensions: 1800 mm x 1250 mm x 1500 mm.	750
26	NN tub	S/s tub, total dimensions: 2000 mm x 1200 mm x 1220 mm.	100
27	Multivac	Multivac thermoformer, type: R245, serial number: 140769, year of construction: 2010, 415 V, 3 Ph, 50 Hz, 62/80 A, 22.5 kW, dye: (2x) 620 mm x 230 mm, belt width: 520 mm, index, 700 mm, plastic mesh belt, belt width: 520, including 2 Busch vacuum pumps, type: RA 0100 503 and WP 1000 D 2V1, capacity: 100 and 500 m ³ per hour, total dimensions: 8500 mm x 1300 mm x 2300 mm. Including pallet with chain.	12500
28	Multivac	Multivac thermoformer, type: R535, serial number: 218174, year of construction: 2015, 230/400 V, 3 Ph, 50 Hz, 49/63 A, 18 kW, belt width: (4x) 130 mm, index, 430 mm, plastic mesh belt, belt width: (4x) 110, film holder, film width: 700 mm, dimensions: 1450 mm x 1060 mm x 800 mm, Busch vacuum pump, type: WP 0500 D 4V1, capacity: 500 m ³ per hour, Multivac 4 to 1 inliner, type: MBS200, serial number: 221849, year of construction: 2015, plastic belt: (4x) 110 mm, plastic mesh belt, belt width: 580 mm, inliner dimensions: 1800 mm x 1250 mm 1080, Multivac suction device, dimension suction device: 700 mm x 700 mm x 1650 mm, total dimensions: 8800 mm x 1350 mm x 2300 mm. Including box with extra parts.	15000



Nr	Title	Description	Start €
29	STRØM Hansen	STRØM Hansen teflon grill, type: 6000/600, serial number: 855, year of construction: 1997, 3x400 V, 50 Hz, 272 kW, electric heated, belt width: 645 mm, frying length: 6000 mm, total dimensions: 8000 mm x 1400 mm x 2500 mm. With continuous belt washer and pneumatic belt control.	5000
30	ECONO-PAK GmbH	ECONO-PAK GmbH box closing machine, type: Dozensluiter, machine type: HV, project number: 2560/5, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 21 A, 8 kW, dimensions: 5400 mm x 1400 mm x 1900 mm. Including switch cabinet, dimensions: 1200 mm x 800 mm x 2200 mm.	1500
31	NN tool trolley	Tool trolley, dimensions: 1170 mm x 600 mm x 1520 mm.	75
32	NN transport belt	Mobile transport belt, s/s mesh belt, belt width: 1050 mm, total dimensions: 1300 mm x 1350 mm x 1300 mm.	500
33	Hermann Waldner GmbH & Co. KG	Hermann Waldner GmbH & Co. KG horizontal cooking installation for pressure cooking, model: Pilotanlage 200L, serial number: 2791, year of construction: 2003, 400 V, 3 Ph, 50Hz, 4kW, weight: 1200 kg, 25 rpm, 6/10 bar, capacity: 200 liter, Sterling SIHI vacuum pump, model: LEMB 91 AZ, heat exchanger: 3400 mm x 300 mm x 900 mm, total dimensions: 3050 mm x 1300 mm x 2100 mm.	5000
34	Foss	Foss mobile fat analysing machine, model: MeatMaster Compact, type: 88010, serial number: 520015913, 185-210/210-240/370-420/420-480 V, 3 Ph, 50/60 Hz, 8/4 A, plastic belt, belt width: 650 mm, total dimensions: 5400 mm x 1250 mm x 2620 mm.	1500
35	Rinc Europe	Rinc Europe spreading unit with transport belt used for pizza line, plastic belt, belt width: 650 mm, total dimensions: 5950 mm x 1100 mm x 2290 mm.	500
36	Hermann Waldner GmbH & Co. KG	Hermann Waldner GmbH & Co. KG cup filling and sealing machine, type: DOSOMAT 12.8, machine number: 2077, year of construction: 2004, 230/400 Vac, 50 Hz, 23000 W, 35.0 A, capacity: 16000 fillings/hour, weight: 3100 kg, diameter cups: (8x) 65 mm, Busch vacuum pump, type: KC 0020 D, number: 04025457, year of construction: 2004, capacity: 20 m ³ per hour, total dimensions: 2550 mm 3900 mm x 2350 mm.	5000
37	Leepack	Leepack rotary filling machine for pouches, model number: RP-8T, serial number: LP-S11-016F(P10549), 380 V, 3 Ph, 5.0 kW, 8 stations, seal length: (8x) 260 mm, belt width outfeed belt: 280 mm, total dimensions: 3000 mm x 2200 mm x 2300 mm, Leepack liquid filler, model number: FSP-2000H, serial number: LP-S11-016F(P1005T), dimensions: 1500 mm x 700 mm x 1900 mm. Including pallet with parts, dimensions: 1200 mm x 800 mm x 350 mm.	3000
38	OMGA	OMGA radial arm saw, model: RN 450, number: 174605, year of construction: 1988, 220/380 V, 3 Ph, 50 Hz, 3000 rpm, diameter saw: 250 mm, total dimensions: 1150 mm x 590 mm x 1550 mm.	150
39			750



Nr	Title	Description	Start €
	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning and derinding machine, type: ASB 1400, number: 201, 380 V, 50 Hz, working width: 670 mm, plastic belt, belt width: 660 mm, total dimensions: 2100 mm x 1030 mm x 1200 mm.	
40	GRIMO	GRIMO cable stripping machine, type: MAXI 100, serial number: 0403667, year of construction: 2003, weight: 165 kg, total dimensions: 650 mm x 700 mm x 1300 mm.	100
41	Mesutronic	Mesutronic mobile metal detector with rejector, type: Metron 2.2 C 350/120, serial number: 000708-C, plastic belt, belt width: 300 mm, clearance: 350 mm x 110 mm, total dimensions: 1950 mm x 900 mm x 1070 mm.	800
42	B.V. Machinefabriek H. Jörg	B.V. Machinefabriek H. Jörg angel shear, type: 1000, cutting length: 150 mm, total dimensions: 740 mm x 380 mm x 1530 mm.	50
43	B.V. Machinefabriek H. Jörg	B.V. Machinefabriek H. Jörg bending device, type: 4503, working width: 1020 mm, total dimensions: 1650 mm x 450 mm x 1100 mm.	25
44	Peddinghaus	Peddinghaus metal cutter, model: 2R, cutting width: 300 mm, total dimensions: 600 mm x 400 mm x 1850 mm.	50
45	Hocker	Hocker lifter for 200 liter meat bins, serial number: 1190013, lifting height: 2100 mm, max loading weight: 300 kg, total dimensions: 1470 mm x 1150 mm x 3000 mm.	450
46	Carnitech	Carnitech lifter for 200 liter meat bins, type: L25, year of construction: 2004, 3x400 V, 0.75 kW, 2.1 A, lifting height: 2100 mm, max loading weight: 250 kg, total dimensions: 1470 mm x 850 mm x 2930 mm.	1000
47	Sealpac GmbH	Sealpac GmbH traysealer with tray loader, type tray loader: EL1200-R, serial number: ZEL-0765, year of construction: 2013, 400 V, 3 Ph, 50-60 Hz, 4.5 kW, weight: 1000 kg, tray mould dimensions: (14x) 195 mm x 145 mm, tray loader dimensions: 4160 mm x 1600 mm x 1800 mm, type traysealer: SEALPAC A10, serial number: A10-01-2374, year of construction: 2011, 400 V, 3 Ph, 50-60 Hz, 12 kW, weight: 2700 kg, plastic chain belt, total belt width: 330 mm, traysealer dimensions: 5100 mm x 1000 mm x 2100 mm, outfeed conveyor with lane divider, dimensions: 4250 mm x 800 mm x 1310 mm, type s/s tool trolley: SEALPAC WWW-A10, serial number: 1545, year of construction: 2017, weight: 200 kg, dimensions: 1800 mm x 1000 mm x 1370 mm.	6000
48	True Manufacturing Co	True Manufacturing Co mobile refrigerator, model: GDM-19T, serial number: 681477, 230 V, 50 Hz, 2.8 A, capacity: 539 liter, refrigerant: R134A, 0.227 kg, dimensions: 690 mm x 670 mm x 2080 mm.	75
49	Indesit	Indesit freezer, serial number: 508282103, 220/240 V, 50 Hz, 0.7 A, capacity: 270 liter, refrigerant: R600A, 0.074 kg, dimensions: 650 mm x 600 mm x 1750 mm.	50
50	Indesit		50



Nr	Title	Description	Start €
		Indesit freezer, serial number: 802260300, 220/240 V, 50 Hz, 0.7 A, capacity: 270 liter, refrigerant: R600A, 0.074 kg, dimensions: 650 mm x 600 mm x 1750 mm.	
51	Ceia	Ceia double metal detector with rejector, model: THS/MN and THS/3F, serial number: 20500205018 and 20500205012, clearance: (2x) 350 mm x 140 mm, total dimensions: 2500 mm x 1100 mm x 1200 mm.	750
52	Driver Southall	Driver Southall metal detector and checkweigher with rejector, model: DS300S Combi, serial number: F4376, year of construction: 2015, 230 V, 1 Ph, 50/60 Hz, maximum capacity: 3000 gram, clearance: 350 mm x 90 mm, total dimensions: 2850 mm x 1200 mm x 1950 mm. Missing belts.	1500
53	Challenge RMF	Challenge RMF vacuum tumbler, type: SCM-51-01, dimensions tub: 3800 mm x 1500 mm, total dimensions: 5000 mm x 2300 mm x 2900 mm.	2500
54	NN cooking belt	Cooking belt, s/s mesh belt, belt width: 1200 mm, plastic mesh belt with dividers, belt width: 1200 mm, distance between dividers: 350 mm, divider height: 25 mm, elevating height: 1800 mm, total dimensions: 9000 mm x 2200 mm x 3450 mm.	4000
55	Koppens	Koppens belt fryer, type: BRN 4500/500, serial number: BRN 4500/500-554, 380 V, 3 Ph, 50 Hz, 11.67 A, 3.25 kW, 4200 kg, s/s mesh belt, belt width: 500 mm, total dimensions: 7300 mm x 1550 mm x 3500 mm. Incomplete, missing 1 belt, technical condition unknown, with pallet with parts.	4000
56	Havantec	Havantec mobile skinning and derinding machine, plastic belt, belt width: 500 mm, working width: 500 mm, total dimensions: 1950 mm x 1050 mm x 1270 mm.	1250
57	Marelec	Marelec portion cutter, type: Portio 3A, serial number: 4964, year of construction: 07/2015, plastic mesh belt, belt width: 250 mm, clearance: 300 mm x 190 mm, diameter knife: 400 mm, total dimensions: 3500 mm x 1400 mm x 1620 mm.	8000
58	NN lifter	Lifter for 200 liter meat bins, maximum lifting capacity: 250 kg, lifting height: 1400 mm, total dimensions: 900 mm x 1200 mm x 2150 mm.	300
59	NN boot cleaner	Boot cleaner, dimensions: 850 mm x 950 mm x 1130 mm.	300
60	NN tub	S/s mobile tub, inside dimensions: 800 mm x 500 mm x 230 mm, total dimensions: 850 mm x 550 mm x 1080 mm.	50
61	NN meat bin	S/s meat bin, dimensions: 750 mm x 700 mm x 980 mm.	100
62	NN lockers	S/s lockers, 10 doors, inside dimensions: (10x) 480 mm x 300 mm x 780 mm, total dimensions: 1500 mm x 500 mm x 2000 mm.	100
63	Hygiene equipment	Pallet with large amount of hygiene equipment, among others: Dyson dryer, soap dispensers, paper dispensers.	100
64	Leonhardt	Leonhardt mobile depositor, type: TGS1, number: 0140-1419, year of construction: 2015, 1 head, diameter head: 40 mm, total dimensions: 1400 mm x 620 mm x 1970 mm.	400
65			1500



Nr	Title	Description	Start €
	Gronfa Procestechniek BV	Gronfa Procestechniek BV procesinstallatie, machine number: 19266, year of construction: 2020, 400 V, 40 A, dimensions: 1150 mm x 750 mm x 1500 mm.	
66	Alexanderwerk	Alexanderwerk paddle-mixer grinder, type: MSL 130 L, machine number: 04803037, 400 V, 50 Hz, 30.4 A, 15 kW, plate diameter: 130 mm, total dimensions: 1050 mm x 1000 mm x 1230 mm. Including crate with plates and knives.	3000
67	Itec	Itec hygiene station, type: 23871, serial number: 0652, year of construction: 09/09, 400 V, 3 Ph, 50 Hz, 0.5 kW, brush length: (2x) 1600 mm, total dimensions: 2600 mm x 1000 mm x 1300 mm.	1000
68	Townsend	Townsend mobile backbone cutter, model: BBC 1500, serial number: 103173E196, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 16 kW, weight: 250 kg, clearance: 400 mm x 60 mm, total dimensions: 2200 mm x 1200 mm x 2000 mm. Missing belt.	1250
69	NN locker	Steel locker, 1 door, dimensions: 480 mm x 400 mm x 1950 mm. Key missing.	20
70	Dadaux	Dadaux mobile mixer, type: PHX60L CN VAR, number: 4882, year of construction: 07/16, 400 V, 50 Hz, 55 lp, s/s bowl dimensions: Ø 550 mm x 250 mm, total dimensions: 820 mm x 600 mm x 1180 mm.	750
71	Berkel	Berkel weighing scale, scale: 590 mm x 360 mm, total dimensions: 570 mm x 590 mm x 800 mm.	50
72	NN switch cabinet	S/s switch cabinet, dimensions: 800 mm x 380 mm x 280 mm.	100
73	Elpress	Elpress desinfection bath, type: 83203307, serial number: 43908, year of construction: 2023-9, 230 V, 50 Hz, 16 A, 0.1 kW, pressure: 3 bar, maximum temperature: 40°C, weight: 91 kg, dimensions: 1870 mm x 1200 mm x 450 mm.	500
74	NN apron washer	S/s double apron washer, dimensions: 900 mm x 1130 mm x 1770 mm.	250
75	Bott	Bott tool cabinet, dimensions: 6 drawers, dimensions: 1540 mm x 400 mm x 960 mm.	100
76	Yokohama	4 Yokohama commercial vehicle tyres mounted on steel rims, sizes: 215/65 R16C.	60
77	AK	AK mobile mixer, model: 80 TWO, serial number: 1716, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 1.67 A, 0.75 kW, motor: 2755 r.p.m, s/s bowl: Ø 550 mm x 300 mm, total dimensions: 800 mm x 580 mm x 1020 mm.	1000
78	Schnitzel Master GmbH	Schnitzel Master GmbH mobile meat tenderizer/flattener, type: TURBO, serial number: SMTurbo 0001213001, 400 V, 50 Hz, 16 A, belt width: 320 mm, clearance: 335 mm x 50 mm, total dimensions: 700 mm x 1500 mm x 1230 mm.	1250
79	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 500 mm, elevating height: 900 mm, total dimensions: 2300 mm x 850 mm x 1050 mm.	300
80			1000



Nr	Title	Description	Start €
	Kohlhoff Hygienetechnik GmbH & Co. KG	Kohlhoff Hygienetechnik GmbH & Co. KG double hand disinfection unit with tourniquet, type: SK 800 Twin, dimensions: 1300 mm x 1100 mm x 1550 mm.	
81	NN mesh belt	Plastic mesh belt, belt width: 550 mm.	25
82	NN parts for lathe	Parts for lathe, dimensions: 1000 mm x 1200 mm x 510 mm.	50
83	NN pipes	S/s pipes, dimensions: 1200 mm x 800 mm x 400 mm.	50
84	NN fence	S/s fence, dimensions: 1350 mm x 150 mm x 1000 mm.	20
85	Alinox	Alinox cooling cabinet, type: TR3 GN EVO1 H90, serial number: BN020111581, 230 V, 50 Hz, 2.30 A, refrigerant: R134A, 6 drawers, dimensions: 1610 mm x 700 mm x 730 mm. Including ECOLAB starmaxx cube. Technical condition unknown.	100
86	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 280 mm, elevating height: 1200 mm, total dimensions: 4000 mm x 600 mm x 1200 mm.	500
87	ARI Makina	ARI Makina band saw, model: TES-300, serial number: TES-300/04, year of construction: 2019, 380/400 V, 50/60 Hz, 1.5 kW, 3.5 A, weight: 135 kg, dimensions saw table: 700 mm x 700 mm, total dimensions: 700 mm x 800 mm x 1700 mm.	500
88	Seydelmann	Seydelmann lifter, lifting height: 2200 mm, total dimensions: 1000 mm x 350 mm x 3500 mm.	500
89	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 460 mm, dividers height: 50 mm, distance between dividers: 200 mm, elevating height: 2400 mm, total dimensions: 3450 mm x 800 mm x 3000 mm.	600
90	Kohlhoff Hygienetechnik GmbH & Co. KG	Kohlhoff Hygienetechnik GmbH & Co. KG s/s fence, machine number: 313182 00, year of construction: 08/2020, 230 V, 1 Ph, 0.2 kW, dimensions: 1600 mm x 100 mm x 1300 mm.	50
91	Itec Food Technology	Itec Food Technology hand disinfection, type: 23701/Li, serial number: 0993, year of construction: 04/2015, 230 V, 50/60 Hz, 0.1 kW, dimensions: 400 mm x 200 mm x 500 mm.	100
92	Itec Food Technology	Itec Food Technology s/s tilting device for pallet boxes, type: 27200, series: 216, order number: 260216, year of construction: 10/2016, 400 V, 3 Ph, 50-60 Hz, 1.5 kW, maximum dimensions pallet boxes: 1050 mm x 1000 mm, total dimensions: 1800 mm x 2800 mm x 2200 mm.	2000
93	Elpress	Elpress mobile high pressure cleaner, type: 83302120, serial number: 39284, year of construction: 2022-3, 400 V, 50 Hz, 10 A, 20 bar, 2.2 kW, maximum temperature: 70°C, dimensions: 950 mm x 700 mm x 1100 mm.	400
94	Kohlhoff Hygienetechnik GmbH & Co. KG	Kohlhoff Hygienetechnik GmbH & Co. KG tourniquet, machine type: EDK 800 W-L, machine number: 313182.004, year of construction: 08/2020, 1x230 V, 0.2 kW, dimensions: 800 mm x 900 mm x 900 mm.	200
95	N&N Nadratowski Sp. j.	N&N Nadratowski Sp. j. mobile lifter for 200 liter meat bins, type: PM-2/250, serial number: 1858, year of construction: 2020, 400 V, 50 Hz, 0.75 kW, capacity: 380 kg, weight: 350 kg,	1500



Nr	Title	Description	Start €
		lifting height: 1560 mm, total dimensions: 1450 mm x 1400 mm x 2510 mm.	
96	Itec Food Technology	Itec sink, type: 20580-W, year of construction: 06/2017, 230 V, 50/60 Hz, dimensions: 550 mm x 500 mm x 800 mm.	75
98	NN trolleys	3 s/s Z-shaped trolley, 2 floors, dimensions floor: (2x) 1480 mm x 520 mm, distance between floors: 700 mm, total dimensions: (3x) 1480 mm x 610 mm x 1880 mm.	300
99	NN trolleys	9 s/s Z-shaped smoke trolley, 6 floors, dimensions floor: (6x) 750 mm x 520 mm, distance between floors: 190 mm, total dimensions: (6x) 750 mm x 610 mm x 1790 mm. Including pallet with 7 plates and 3 crates with smoke sticks, stick length: 585 mm.	900
100	Urschel	Urschel Comitroll, model: 2100, dimensions: 1900 mm x 1700 mm x 2050 mm. Including crate with parts.	4500
101	NN vessel	Vessel for oil boiler, dimensions vessel: Ø 640 mm x 1470 mm, volume: approximately 470 liter, total dimensions: 1980 mm x 830 mm x 2320 mm.	50
102	NN vessel	Steel vessel for steam boiler on steel frame, used to storage water to keep pressure on the water level, dimensions vessel: Ø 700 mm x 1400 mm, volume: approximately 530 liter, total dimensions: 1900 mm x 840 mm x 3550 mm.	100
103	NN working table	Steel working table with vice, dimensions: 1500 mm x 1050 mm x 1050 mm.	25
104	NN shutter door	Electric shutter door in wooden crate, door width: 3500 mm, dimensions wooden box: 4060 mm x 550 mm x 860 mm.	400
105	Controlsa	2 Controlsa shutter doors, model: 106 IT, number: 1950/1 & 1949/1, year of construction: 10/2015, 230 V, 50 Hz, 1.5 kW, dimensions: 5200 mm x 1150 mm x 650 mm.	500
106	Marel	Marel elevating belt with infeed hopper, model: tsm-p002-inf 01, type: 008.0049-0081, serial number: E014937, year of construction: 2013, s/s frame, plastic belt with dividers, belt width: 300 mm, distance between dividers: 200 mm, elevating height: 1500 mm, total dimensions: 3200 mm x 1500 mm x 1600 mm.	500
107	DP pumps	DP pumps vertical centrifugal pump, type: DPV 2/18 B, 50 Hz, 1.5 kW, 2900 rpm, capacity: 1.92 m³ per hour, dimensions: 900 mm x 200 mm x 240 mm.	100
108	NN work table	Steel work table with vice, wooden top, dimensions: 2230 mm x 610 mm x 910 mm.	10
109	Krones AG	Krones AG empty bottle inspection machine, type: Linatronic, number: K735875, year of construction: 2012, 400/230 V, 50 Hz, 10 A, dimensions: 4300 mm x 1300 mm x 2500 mm.	950
110	Garvens Automation GmbH	Garvens Automation GmbH checkweigher, type: S3, factory number: 332804, year of construction: 2004, 230 V, 50 Hz, maximum capacity: 3500 g, minimum capacity: 20 g, e= 1 g, d= 0.1 g, T= -3500 g, maximum belt width: 340 mm, total dimensions: 1900 mm x 1050 mm x 1650 mm. Without belt.	400
111	Secomak Ltd		250



Nr	Title	Description	Start €
		Secomak Ltd industrial blower, serial number: 2000075, dimensions: 950 mm x 600 mm x 680 mm.	
112	NN machine legs	Pallet with large amount of machine legs, dimensions: 1200 mm x 800 mm x 350 mm.	50
113	De Jager RVS / Mettler Toledo	De Jager RVS s/s infeed bunker on Mettler Toledo weighing cells, inside dimensions: 1500 mm x 1500 mm x 800 mm, total dimensions: 1900 mm x 1700 mm x 1240 mm.	300
114	AEW Delford Systems Ltd	AEW Delford Systems Ltd bandsaw, model: 400 Bandsaw, serial number: 1335540, year of construction: 25/08/2010, 415 V, 3 Ph, 50 Hz, 10/6 A, weight: 250 kg, dimensions: 1070 mm x 1050 mm x 1900 mm. Without saw.	400
115	Caddie	Caddie trolley, steel frame, dimensions: 700 mm x 1350 mm x 980 mm.	25
116	Caddie	Caddie trolley, steel frame, dimensions: 700 mm x 1350 mm x 980 mm.	25
117	AEW Delford Systems Ltd	AEW Delford Systems Ltd bandsaw, model: 400 M, serial number: 5088, 415 V, 3 Ph, dimensions: 1050 mm x 1050 mm x 1900 mm. Without saw.	400
118	Kortho	Kortho mobile label printer, type: 809518, dimensions: 960 mm x 750 mm x 1670 mm. Cover broken.	20
119	Kortho	Kortho label printer in mobile s/s cabinet, type: 809518, dimensions: 960 mm x 750 mm x 1670 mm.	40
120	Muvero	Muvero frying pan with agitator and scrapers, inside dimensions: ø 1400 mm x 500 mm, total dimensions: 2250 mm x 1600 mm x 2450 mm.	1250
121	Lieder Maschinenbau	Lieder Maschinenbau CIP unit, year of construction: 1986, 380 V, 3 Ph, 50 Hz, 20 A, dimensions: 1900 mm x 1300 mm x 2230 mm.	150
122	Scanio a/s	Scanio a/s tumbler, type: VT5S, serial number: 8115, year of construction: 1997, 415 V, 50 Hz, 10.3 A, 7.4 kW, dimensions: 1340 mm x 2020 mm x 1520 mm. Including switch cabinet, dimensions: 940 mm x 480 mm x 1400 mm. Without drum.	300
123	NN machine parts	S/s machine parts, dimensions: (2x) 1000 mm x 450 mm x 750 mm.	75
124	DC Norris & CO	DC Norris & CO cooking vessel, serial number: 1980, year of construction: 04.04, capacity: 750 liter, dimensions: 4650 mm x 2450 mm x 1900 mm.	1250
125	Protech Food Systems	Protech Food Systems S-shaped conveyor, serial number: ET2002, 1.1 kW, plastic mesh belt, belt width: 305 mm, total dimensions: 3800 mm x 1250 mm x 1000 mm.	200
126	NN curve conveyor	Curve conveyor, plastic mesh belt, belt width: 305 mm, total dimensions: 5500 mm x 1150 mm x 2150 mm.	200
127	Hobart	Hobart crate washer, clearance: 600 mm x 450 mm, belt width: 55 mm, divider height: 17 mm, distance between dividers: 340 mm, total dimensions: 3100 mm x 1000 mm x 1490 mm.	1000
128	Scotnet		150



Nr	Title	Description	Start €
		Scotnet mobile automatic double ham press, model: DST 200 P6, serial number: 07-P6-31, year of construction: 2007, 230 V, 50 Hz, 6 bar, dimensions: 2400 mm x 800 mm x 1100 mm. Incomplete.	
129	Roser	Roser knife basket washing machine, type: 21737, serial number: 0101, year of construction: 2001, 415 V, 19.7 kW, dimensions: 3100 mm x 930 mm x 2160 mm.	500
130	Secomac	Secomac blower on s/s isolated frame, serial number: S 44481, dimensions: 960 mm x 575 mm x 645 mm.	150
131	Meyer Vi-Tech LTD	Meyer Vi-Tech LTD vibrating gutter, number: 350, gutter width: 250 mm, total dimensions: 2140 mm x 500 mm x 600 mm.	150
132	Meyer Vi-Tech LTD	Meyer Vi-Tech LTD vibrating gutter, number: 351, gutter width: 250 mm, total dimensions: 2730 mm x 600 mm x 600 mm.	150
133	Meyer Vi-Tech LTD	Meyer Vi-Tech LTD vibrating gutter, number: 349, gutter width: 250 mm, total dimensions: 2140 mm x 500 mm x 600 mm.	150
134	Meyer Vi-Tech LTD	Meyer Vi-Tech LTD vibrating gutter, number: 348, gutter width: 250 mm, total dimensions: 2730 mm x 600 mm x 600 mm.	150
135	NN frame	S/s frame, dimensions: 2250 mm x 330 mm x 480 mm.	50
136	NN parts for palletizing line	Parts for palletizing line, weight: maximum 1500 Kg, clearance palletizer: 1300 mm x 1000 mm, total dimensions: 1950 mm x 1330 mm x 450 mm. Including Duursma hydraulic unit.	250
137	NN cabinet	S/s cabinet on frame, dimensions cabinet: 1200 mm x 300 mm x 800 mm, total dimensions: 1200 mm x 850 mm x 2000 mm.	50
138	NN cabinet	S/s cabinet on frame, dimensions cabinet: 1200 mm x 300 mm x 800 mm and 450 mm x 560 mm x 670 mm, total dimensions: 1350 mm x 950 mm x 2000 mm.	50
139	Berief GmbH	Berief GmbH lifter for 200 liter meat bins with platform, type: 08060.01.01, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 0.75 kW, lifting height: 1700 mm, total dimensions: 3200 mm x 1400 mm x 2620 mm.	750
140	Stephanal	Stephanal mobile depositor, type: D 90, serial number: R18998, year of construction: 2007, dimensions: 850 mm x 650 mm x 2050 mm. Incomplete.	50
141	SFK Systems A/S	SFK Systems A/S mobile tenderizer, type: KT 110, serial number: 053, year of construction: 2007, 415 V, 3 Ph, 50 Hz, 3.3 A, 1.5 kW, plastic belt, belt width: 350 mm, total dimensions: 1450 mm x 1050 mm x 1330 mm. Incomplete.	150
142	Schröter GmbH	Schröter GmbH cooking chamber, type: K-BA 1 Wg, number: 247-0999/01, year of construction: 11-1999, inside dimensions: 1100 mm x 1100 mm x 2250 mm, total dimensions: 1620 mm x 1520 mm x 3200 mm. Including 2	500



Nr	Title	Description	Start €
		switch cabinets, dimensions: (2x) 1000 mm x 750 mm x 350 mm.	
143	Robbe	Robbe weighing scale, number: 15282, maximum: 60 kg, minimum: 400 gram, dimensions scale: 500 mm x 500 mm, total dimensions: 1000 mm x 850 mm x 1930 mm.	75
144	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/07DK, machine number: 0784452, 380 V, 3 Ph, 50 Hz, 25 A, 9 kW, with Rietschle vacuum pump, total dimensions: 1200 mm x 850 mm x 1100 mm.	200
145	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/03DK, machine number: 0384457, 380 V, 3 Ph, 50 Hz, 9 kW, dimensions chamber: 950 mm x 430 mm x 150 mm, seal length: 950 mm x (2x) 450 mm, Rietschle vacuum pump, type: CLFH 220 V 1011, capacity: 220 m ³ per hour, total dimensions: 1150 mm x 800 mm x 1050 mm.	350
146	GEI Turbo	GEI Turbo mobile 4-heads depositor, type: M102 P, machine number: M102P4707.015 and M102P4707.016, year of construction: 1997, dimensions: 1600 mm x 1100 mm x 2100 mm.	200
147	NN transport belt	Transport belt, plastic belt, belt width: 480 mm, plastic rollers, rollers width: 440 mm, total dimensions: 7850 mm x 1550 mm x 1910 mm.	500
148	Nawi b.v.	Nawi b.v. transport belt, type: 03437, plastic belt, belt width: 465 mm, plastic rollers, rollers width: 530 mm and 440 mm, total dimensions: 7000 mm x 1450 mm x 1940 mm.	500
149	Weber	Weber labelling machine, model: W5100-TT-LH-U-S, serial number: WUK060910178A, plastic belt, belt width: 240 mm, total dimensions: 2000 mm x 1200 mm x 1620 mm.	200
150	Weber	Weber labelling machine, model: W5100-TT-LH-U-S, serial number: WUK060910178C, plastic belt, belt width: 240 mm, total dimensions: 2000 mm x 1200 mm x 1620 mm.	200
151	Weber	Weber labelling machine, model: W5100-TT-LH-U-S, serial number: WUK060910178B, plastic belt, belt width: 240 mm, total dimensions: 2000 mm x 1200 mm x 1620 mm.	200
152	Marel	Marel meat press, type: Presso 600, serial number: 082600-00001, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, weight: 800 kg, diameter form: ø 170 mm, plastic belt, belt width: 600 mm, total dimensions: 3050 mm x 2400 mm x 1800 mm.	500
153	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 490 mm, elevating height: 1620 mm, total dimensions: 5600 mm x 600 mm x 1700 mm.	400
154	NN infeed system	Infeed system, s/s frame, plastic mesh belt with dividers, belt width: (2x) 700 mm, divider height: 15 mm, distance between dividers: 200, elevating height: 1340 mm, total dimensions: 1650 mm x 1630 mm x 1740 mm.	250
155	NN de-boning belt		75



Nr	Title	Description	Start €
		Mobile de-boning conveyor, plastic belt, belt width: 80 mm, divider height: 15 mm, total dimensions: 1900 mm x 800 mm x 1800 mm.	
156	NN traysealer dyes	Trolley with dyes for traysealer, dyes dimensions: 145 mm x 205 mm & 280 mm x 175 mm, total dimensions: 2050 mm x 600 mm x 1500 mm.	50
157	NN trolley	Mobile s/s trolley, dimensions: 750 mm x 500 mm x 600 mm.	25
158	NN forming machine	Mobile s/s forming machine for skinless sausage, dimensions: 1000 mm x 450 mm x 1350 mm.	150
159	Marel	Marel meat press, type: Presso-Automat V4.2, number: 123107, diameter form: 170 mm, plastic belt, belt width: 600 mm, total dimensions: 3050 mm x 2400 mm x 1800 mm.	500
160	Carnitech	Carnitech elevating belt, type: PM45, year of construction: 2005, 4.12 A, plastic mesh belt, belt width: 570 mm, elevating height: 1050 mm, total dimensions: 1000 mm x 900 mm x 1100 mm.	100
161	New Smith	New Smith basket stacker, number: KM2941, 400 V, 3 Ph, 50 Hz, 25 A, capacity: 140 kg, elevating height: 2520 mm, clearance: 800 mm x 470 mm, inside dimensions: 600 mm x 700 mm x 455 mm, total dimensions: 1260 mm x 1000 mm x 3000 mm.	400
162	Strapex	Strapex mobile binding machine, type: MINIMAT, machine number: 9401184, 230 V, 1 Ph, 50 Hz, 3.3 A, dimensions: 900 mm x 590 mm x 800 mm.	100
163	Cryovac	Cryovac transport belt, model: TZ-35, serial number: AQ939, year of construction: 2015, 220 V, 50 Hz, 2.2 A, 0.37 kW, plastic mesh belt, belt width: 440 mm, total dimensions: 2250 mm x 650 mm x 1100 mm.	150
164	NN press	S/s press, working width: 900 mm, total dimensions: 1250 mm x 900 mm x 1900 mm.	150
165	NN mobile packaging machine	Mobile packaging machine, roller width: 785 mm, total dimensions: 1390 mm x 1100 mm x 1750 mm.	150
166	Sugden Ltd	Sugden Ltd top grill, serial number: 7578, year of construction: 2016, grill surface: 420 mm x 260 mm, total dimensions: 1500 mm x 900 mm x 1850 mm. Including switch cabinet.	1500
167	NN injector	Mobile injector, plastic belt, belt width: 260 mm, clearance: 270 mm x 180 mm, 8 needles, total dimensions: 1300 mm x 530 mm x 1670 mm.	250
168	Robatech	Robatech sleever, plastic infeed belt, belt width: 170 mm, Robatech glue unit, type: Concept 4/2 3 phasig, total dimensions: 2800 mm x 950 mm x 1550 mm. Technical condition unknown.	200
169	Lange	Lange water sampler, type: 4010, dimensions: 600 mm x 600 mm x 1300 mm.	75
170	Coolers & condensers	Coolers & condensers s/s evaporator, model: CF 8/13-6R6mm, serial number: SOP0035177-2, 415 V, 3 Ph, 50	150



Nr	Title	Description	Start €
		H ₂ , maximum temperature: 100°C, minimum temperature: -50°C, 1 fan, total dimensions: 1850 mm x 900 mm x 1350 mm.	
171	Coolers & condensers	Coolers & condensers s/s evaporator, model: CF 6/13-4R6mm, serial number: SOP0035179, 415 V, 3 Ph, 50 Hz, maximum temperature: 100°C, minimum temperature: -50°C, 1 fan, total dimensions: 1850 mm x 900 mm x 1350 mm.	150
172	NN brine tanks	2 polythene tanks used for brine, dimensions tanks: Ø 1320 mm x 1310 mm and Ø 1400 mm x 1760 mm, total dimensions: 2700 mm x 1800 mm x 2440 mm.	200
173	Koppens	Koppens mobile forming machine, type: BVE400HD-236, dimensions: 2100 mm x 1000 mm x 2320 mm. Incomplete, technical condition unknown. Including crate with parts.	1500
174	Marel Limited	Marel Limited vertical buffer, model: vertical buffer, serial number: 1970010, year of construction: 10-01-2011, 400 V, 3 Ph, 50 Hz, 6/10 A, weight: 410 Kg, belt width: 400 mm, 7 floors, dye: (24x each floor) Ø 40 mm, total dimensions: 2050 mm x 1200 mm x 1900 mm. Incomplete.	150
175	Cintex LTD	Cintex LTD checkweigher with rejector, type: CS4000, serial number: 81642, year of construction: 2002, 230 V, 1 Ph, 50 Hz, 3 A, plastic belts, belt width: (2x) 205 mm, (1x) 180 mm, total dimensions: 1300 mm x 900 mm x 1570 mm.	300
176	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector with rejector, 100/240 V, 1 Ph, 50/60 Hz, 330 W, plastic mesh belt, belt width: 300 mm, clearance: 350 mm x 110 mm, total dimensions: 1600 mm x 1000 mm x 1170 mm.	250
177	Mado	Mado mobile bandsaw, model: Perfekta Plus, clearance: 120 mm x 120 mm, total dimensions: 1300 mm x 550 mm x 1600 mm.	200
178	Scotnet Solutions	Scotnet Solutions mobile meat press, type: SS500, serial number: 14SS500507, year of construction: 2014, clearance: Ø 180 mm x 320 mm, total dimensions: 2400 mm x 500 mm x 1150 mm.	350
179	Saturn Spraying Systems	Saturn Spraying Systems mobile coating machine, serial number: S3670, s/s mesh belt, belt width: 600 mm, clearance: 630 mm x 60 mm, total dimensions: 1200 mm x 1150 mm x 2280 mm.	750
180	Modernpack Sepamatic	Modernpack Sepamatic separator, type: SEPA 4000T, serial number: 196607, 400 V, 50 Hz, 30 A, 15 kW, diameter drum: 380 mm, perforations drum: 4 mm, total dimensions: 1900 mm x 1600 mm x 1920	3500
181	Haacon	Haacon mobile lifter, platform dimensions: 600 mm x 550 mm, lifting height: 1600 mm, total dimensions: 970 mm x 600 mm x 2000 mm.	200
182	AVC	AVC mobile sleeve wrapper, model: BP.500, serial number: 1301711211, 230 V, 1 Ph, 50 Hz, 16 A, 1.5 kW, weight: 200 kg,	500



Nr	Title	Description	Start €
		aluminium rollers, roller width: 520 mm, total dimensions: 1230 mm x 950 mm x 1800 mm.	
183	NN tub	S/s double tub with drain, inside dimensions: (2x) 415 mm x 300 mm x 490 mm, total dimensions: 660 mm x 465 mm x 810 mm.	25
184	Kohlhoff	Kohlhoff boot cleaning station, type: DSLO 1500, brush length: (2x) 1110 mm, total dimensions: 2600 mm x 880 mm x 1300 mm.	1250
185	Marel Limited	Marel Limited vertical buffer, model: vertical buffer, serial number: 1970011, year of construction: 20-10-2011, 400 V, 3 Ph, 50 Hz, 6/10 A, weight: 410 Kg, belt width: 400 mm, 7 floors, dye: (24x each floor) Ø 40 mm, total dimensions: 2050 mm x 1200 mm x 1900 mm. Incomplete.	150
186	NN cooking vessel	S/s cooking vessel, inside dimensions: 1300 mm x 645 mm x 245 mm, total dimensions: 1800 mm x 970 mm x 1650 mm.	250
187	Rembrandt Packaging	Rembrandt Packaging carton erector, type: RCE-1-T, serial number: 20034015, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 0.5 kW, infeed working width: maximum 910 mm, clearance: 425 mm x 615 mm, distance between belts: 210 mm, total dimensions: 2510 mm x 1700 mm x 1880 mm.	300
189	NN cooking vessel	Tiltable s/s cooking vessel with agitator, inside diameter: Ø 950 mm, clearance: 890 mm x 450 mm, total dimensions: 2200 mm x 1900 mm x 2400 mm. Incomplete.	500
190	TST	TST transport belt, plastic belt with dividers, belt width: 480 mm, divider height: 50 mm, distance between dividers: 175 mm, total dimensions: 1750 mm x 650 mm x 730 mm. Some dividers are broken.	200
191	Nan Tong China Yong Tong Fan Manufacture Co. Ltd	Nan Tong China Yong Tong Fan Manufacture Co. Ltd air chiller, type: Cold Axial Fan, number: 81, year of construction: 20-12, flow rate: 8000 m³ per hour, power: 2.2 kW, dimensions: 1400 mm x 600 mm x 1020 mm, 800 mm x 800 mm x 1100 mm and 900 mm x 650 mm x 1000 mm.	150
192	NN transport belt	Transport belt, plastic mesh belt, belt width: 450 mm, total dimensions: 1580 mm x 620 mm x 1080 mm.	150
193	Officine NE S.p.A.	Officine NE S.p.A. bottle dryer, model: RAI 24, serial number: 78B84, year of construction: 1984, dimensions: 2550 mm x 1550 mm x 1770 mm.	500
194	NN slicer	Mobile pneumatic slicer, clearance: 85 mm x 110 mm x 500 mm, total dimensions: 1300 mm x 600 mm x 1200 mm.	100
195	ENE	ENE transport belt, type: Conveyor 1 01, serial number: 171123, year of construction: 11/2017, 415 V, 50 Hz, 0.18 kW, plastic belt, belt width: 610 mm, total dimensions: 1270 mm x 900 mm x 950 mm.	150
196	SFK Systems	SFK Systems tenderizer, model: KT 110, plastic belt, belt width: 345 mm, working width: 375 mm, total dimensions: 1450 mm x 1320 mm x 1730 mm.	400
197	Converging Solutions		250



Nr	Title	Description	Start €
		Converging Solutions inliner, plastic belts, belt width: (1x) 455 mm, (2x) 60 mm, (2x) 100 mm, total dimensions: 2080 mm x 1000 mm x 1030 mm. Missing 1 belt.	
198	Danfotech	Danfotech hydraulic unit on s/s frame, type: 9/120, serial number: 001, year of construction: 2013, 3x415 V, 50 Hz, 63 A, 22 kW, working pressure: 90 bar, dimensions: 1500 mm x 1140 mm x 1820 mm.	350
199	Zander	Zander air dryer, model: AS0240, serial number: 3011090001, 230 V, 1 Ph, 50 Hz, 4.2 A, 0.9 kW, dimensions: 620 mm x 570 mm x 810 mm. Technical condition unknown.	100
200	CFS	CFS Scanbrine brine mixer, capacity: 1500 liter, total dimensions: 1500 mm x 1400 mm x 1900 mm.	1500
201	Thermo Ramsey	Thermo Ramsey checkweigher with rejector, model: Sentron C, serial number: 5773, year of construction: 2003, 230 V, 50 Hz, 0.6 kVA, maximum weight: 1500 gram, minimum weight: 35 gram, e= 0.5 gram, plastic belt, belt width: 195 mm, total dimensions: 900 mm x 800 mm x 1250 mm. With Thermo Ramsey control panel, dimensions: 500 mm x 430 mm x 1770 mm.	200
202	NN foam unit	S/s mobile foam unit, dimensions: 650 mm x 400 mm x 800 mm.	50
203	NN dyes	Dyes for thermoformer, dye dimensions: (6x) 225 mm x 170 mm and (6x) 230 mm x 80 mm, total dimensions: 800 mm x 460 mm x 220 mm and 910 mm x 490 mm x 170 mm.	75
204	De Jager RVS	De Jager RVS mobile elevating belt, plastic belt with dividers, belt width: 440 mm, divider height: 10 mm, distance between dividers: 480 mm, elevating height: 1300 mm, total dimensions: 3900 mm x 1000 mm x 1400 mm.	400
205	De Jager RVS	De Jager RVS mobile transport belt, plastic belt, belt width: 350 mm, total dimensions: 3000 mm x 1000 mm x 1400 mm.	150
206	Bopack Systems	Bopack Systems mobile labelling machine, model: Applicator, number: 46040, year of construction: 2009, 230 V, 50 Hz, 10 A, weight: 150 kg, dimensions: 1650 mm x 700 mm x 1700 mm. Incomplete.	350
207	NN transport belt	Transport belt, plastic belt, belt width: 400 mm, total dimensions: 1450 mm x 720 mm x 1070 mm.	100
208	Piovan	Piovan hopper, model: T600 1x, number: otr.5634, year of construction: 2004, dimensions: 1850 mm x 1850 mm x 3250 mm.	250
209	NN information board	Information board on s/s mobile frame, dimensions: 2050 mm x 900 mm x 1900 mm.	10
210	Waterkracht	Waterkracht high pressure unit, model: Hydrojet, dimensions: 1160 mm x 760 mm x 900 mm.	200
211	NN pressure vessel	Steel pressure vessel, dimensions: Ø 800 mm x 1900 mm.	100
212	Marel Iceland ehf.	Marel Iceland ehf. Streamline outfeed belt, machine: StreamLine Outfeed, model: KM4113, type: 4635429, serial number: A187510, year of construction: 2019, s/s frame,	250



Nr	Title	Description	Start €
		plastic belt, belt width: 610 mm, total dimensions: 2450 mm x 1600 mm x 1750 mm.	
213	NN trolley for dyes	S/s trolley for dyes, dye: (3x) 115 mm x 160 mm, dimensions: 1200 mm x 750 mm x 1270 mm.	50
214	CFS Slagelse A/S	CFS Slagelse A/S pump grinder, type: PUMP GRINDER 225, machine number: 5000067258 POS. 709, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 42.5 A, 22 kW, plate diameter: 225 mm, total dimensions: 1000 mm x 1700 mm x 1850 mm.	1500
215	Multivac	Multivac mobile top and bottom labelling machine, type: MR 4481 / MR 335, serial number: 177321/A / 177321, 230 V, 50 Hz, plastic belts, belt width: (2x) 85 mm, total dimensions: 1520 mm x 950 mm x 2000 mm.	500
216	Reznor Europe N.V.	Reznor Europe N.V. gas heated air heater, type: EURO-T 20255, serial number: 981100063, dimensions: 520 mm x 900 mm x 1100 mm.	25
217	NN pump	Pump, dimensions: 1200 mm x 800 mm x 800 mm.	75
218	Eagle	Eagle x-ray scanner, clearance: 550 mm x 330 mm, total dimensions: 1950 mm x 1310 mm x 2350 mm. Without belt.	750
219	Sogevac	Sogevac vacuum pump, type: SV 585, 200-230/460 V, 60 Hz, 1800 rpm, capacity: 580 m ³ per hour, dimensions: 1150 mm x 800 mm x 1200 mm.	200
220	NN mixer	Mixer with bottom valve for unloading, s/s bowl, steel mixer, diameter bowl: 1150 mm, height bowl: 620 mm, total dimensions: 1900 mm x 1700 mm x 2280 mm.	500
221	Bartscher/Simix	Bartscher cooking vessel with Simix mobile height adjustable mixer, type: PM11E500, number: 21455MG22, year of construction: 2008, 400 V, 3 Ph, 50 Hz, volume: 500 liter, dimensions cooking vessel: 1150 mm x 1300 mm x 1250 mm, dimensions mobile mixer: 1500 mm x 1400 mm x 2800 mm.	500
222	Bartscher/Simix	Bartscher cooking vessel with Simix mobile height adjustable mixer, type: PM11E500, number: 21460MG22, year of construction: 2008, 400 V, 3 Ph, 50 Hz, volume: 500 liter, dimensions cooking vessel: 1150 mm x 1300 mm x 1250 mm, dimensions mobile mixer: 1500 mm x 1400 mm x 2800 mm.	500
223	Bartscher/Simix	Bartscher cooking vessel with Simix mobile height adjustable mixer, type: PM11E500, number: 22508MN22, year of construction: 2009, 400 V, 3 Ph, 50 Hz, volume: 500 liter, dimensions cooking vessel: 1150 mm x 1300 mm x 1250 mm, dimensions mobile mixer: 1500 mm x 1400 mm x 2800 mm.	500
224	Fomaco	Fomaco injector, type: FGM 48 SC, machine number: 7829, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 17-32 A, 6 bar, (2x) 48 needles, plastic mesh belt, belt width: 400 mm, dimensions injector: 1270 mm x 750 mm x 2200 mm. Including Fomaco mobile filter unit, model: PFS 5/225 CS, machine number: 7831, year of construction: 1999, dimensions filter unit: 1700 mm x 650 mm x 700 mm. Filter unit is incomplete.	500



Nr	Title	Description	Start €
225	Ca.Ve.Co	Ca.Ve.Co mobile traysealer, type: Ypsilon-PN-T VG, serial number: 418, 400 V, 50 Hz, 8 A, 5 kW, dye dimeniosn: (2x) 145 mm x 260 mm, clearance: 475 mm x 110 mm, total dimensions: 2620 mm x 850 mm x 1860 mm.	500
227	Soco Systems	Soco Systems box closing machine, type: T-55, number: 16-133-T55, year of construction: 23/2016, 400 V, 3 Ph, 50 Hz, 2 A, plastic rollers, roller length: 255 mm, total dimensions: 950 mm x 820 mm x 1650 mm.	200
228	CSB-System	CSB-System computer cabinet, model: CSB-Rack, serial number: 20115415, 110-240 V, 50 Hz, 3 A, dimensions: 670 mm x 920 mm x 1790 mm.	75
229	Soco Systems	Soco Systems box closing machine, plastic rollers, roller length: 255 mm, total dimensions: 950 mm x 820 mm x 1650 mm.	200
230	Krones AG	Krones AG 12-heads bottle labelling machine, type: 720-12-6-4-180, machine number: K 790-121, year of construction: 2002, 230/500 V, 3 Ph, 50 Hz, 20 A, belt width: 80 mm, total dimensions: 2750 mm x 2600 mm x 2500 mm. Including 90° curve conveyor, dimensions: 3050 mm x 1850 mm x 2000 mm.	1500
231	Tehabo	Tehabo labelling machine, model: BRU2500, serial number: 2110341, 230 V, plastic string belt, belt width: 100 mm, total dimensions: 1500 mm x 1200 mm x 1980 mm.	350
232	NN transport belt	Transport belt, plastic belt with dividers, plastic belt, belt width: 700 mm, distance between dividers: 600 mm, divider height: 100 mm, total dimensions: 1220 mm x 1330 mm x 1470 mm.	200
233	NP SERVICES LTD	NP SERVICES LTD transport belt, type: 5 MTR D CON, serial number: NPS 048, year of construction: 2006, plastic belt, belt width: 380 mm, total dimensions: 5100 mm x 620 mm x 1160 mm.	750
234	AFA	AFA steam generator, year of construction: 2008, capacity: 357 kW, volume: 900 liter, empty weight: 610 kg, total dimensions: 3300 mm x 2400 mm x 2050 mm, including isolated steel pressure vessel, dimensions: 1800 mm x 800 mm x 1150 mm and pallet with valves, dimensions: 1500 mm x 800 mm x 900 mm.	500
235	DGS Processing solutions	DGS Processing solutions coating belt, 6 nozzles, s/s mesh belt, belt width: 600 mm, total dimensions: 2260 mm x 1100 mm x 1200 mm.	250
236	NN transport belt	Transport belt, plastic wire belt, dimensions: 370 mm x 230 mm x 550 mm. Incomplete.	50
237	R.E.A. s.n.c.	R.E.A. s.n.c. s/s switch cabinet, model: Lco21220/3P, serial number: 140001/6, 230 V, 50 Hz, 8 A, 2 kW, dimensions: 390 mm x 290 mm x 670 mm.	50
238	NN trolley with dye	S/s trolley with dye, dye dimensions: (4x) 150 mm x 195 mm, total dimensions: 710 mm x 360 mm x 160 mm.	75
239	NN dyes		75



Nr	Title	Description	Start €
		Pallet with 2 dyes, dimensions: (2x) 780 mm x 340 mm x 200 mm.	
240	Ravenwood Packaging LTD	Ravenwood Packaging LTD linerless label applicator, model: 500, serial number: 1184, year of construction: 2018, 220/240 V, 1 Ph, 50/60 Hz, 11 A, plastic belts, belt width: (2x) 100 mm, total dimensions: 1320 mm x 870 mm x 1530 mm.	250
241	Bizerba	Bizerba weighing conveyor, maximum capacity: 60 kg, minimum capacity: 0.4 kg, e= 0.02 kg, plastic rollers, roller length: 540 mm, total dimensions: 800 mm x 1100 mm x 1680 mm.	100
242	NN turning table	Turning table, dimensions: Ø 1500 mm x 870 mm. Incomplete. Motor missing.	150
243	Krones Canmatic	Krones Canmatic can labeller, type: 720-18, fabrication number: 073-F84, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 23 A, diameter cans: 80 mm, total dimensions: 2700 mm x 2400 mm x 2400 mm. Including outfeed conveyor for cans, dimensions: 5500 mm x 1300 mm x 400 mm and various pallets with parts.	3500
244	Cryovac	Cryovac vacuum machine with 2 Jansen Techniek transport belts and Busch vacuum pump, cryovac vacuum machine, model: VS20LH, serial number: SN01305, year of construction: 2011, 400 V, 50 Hz, 40 A, 13 kW, seal length: (2x) 960 mm, dimensions chamber: 970 mm x 970 mm x 575 mm, total dimensions: 1400 mm x 1090 mm x 1140 mm, Jansen techniek transport belt, model: Pos. 3, type: S1100 FG PP, year of construction: 2012, plastic mesh belt, belt width: 570 mm, total dimensions: 2700 mm x 960 mm x 1040 mm, Jansen techniek transport belt, model: Pos. 2, type: S1100 FG PP, year of construction: 2012, plastic mesh belt, belt width: (2x) 265 mm, total dimensions: 1250 mm x 1100 mm x 930 mm, Busch vacuum pump, type: 00-212 23405, dimensions: 760 mm x 1330 mm x 1400 mm.	1000
245	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 5100 mm x 680 mm x 740 mm.	500
246	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH portioning line consisting of TVI portioning machine, type: GMS 500, plastic mesh belt, belt width: 300 mm, total dimensions: 1600 mm x 1000 mm x 3100 mm, 2 TVI tray denesters, plastic mesh belts, belt width: (2x) 250 mm, total dimensions: (2x) 5000 mm x 800 mm x 2000 mm, 1 TVI tray denester, type: TDS 300, serial number: 131, year of construction: 2014, 1 x 230 V, 50 Hz, 185 kg, total dimensions: 1600 mm x 900 mm x 1900 mm, double switch cabinet, total dimensions: 1000 mm x 1000 mm x 2200 mm and s/s frame for double weighing scale, total dimensions: 700 mm x 300 mm x 1000 mm. Complete portioning line is incomplete.	1500
247	TVI	TVI portioning machine, type: GMS 500, serial number: 200, year of construction: 2012, weight: 700 kg, 400 V, 3 Ph,	400



Nr	Title	Description	Start €
		dimensions: 1400 mm x 1000 mm x 2900 mm. Incomplete, technical condition unknown.	
248	Syspal	Syspal tilting device for pallet boxes, type: HT300 1026, serial number: K4158, year of construction: 2013, capacity: 700 kg, dimensions: 2620 mm x 2400 mm x 2250 mm.	1250
249	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 500 mm x 500 mm x 800 mm.	10
250	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 450 mm x 960 mm.	5
251	Case Packing Systems	Case Packing Systems sideloader, model: SL 105, year of construction: 2006, infeed belt, s/s frame, plastic belt, belt width: 750 mm, infeed belt, dimensions: (2x) 450 mm, outfeed belt, belt width: 950 mm, total dimensions: 4800 mm x 3000 mm x 2600 mm, 90° roller conveyor with elevating belt, s/s frame, plastic belt, belt width: 450 mm, elevating height: 960 mm, total dimensions: 3400 mm x 850 mm x 1000 mm, 2 spare transport belts and trolley with parts.	3000
252	Marco	Marco checkweigher and grader, model: D135812, serial number: 10217877, year of construction: 2021, 400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 405 mm and 455 mm, total dimensions: 2000 mm x 1200 mm x 1050 mm and 900 mm x 1200 mm x 1600 mm. Incomplete.	750
253	Marco	Marco checkweigher and grader, model: D136151, serial number: 10217880, year of construction: 2021, 400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 405 mm and 455 mm, total dimensions: 2000 mm x 1200 mm x 1050 mm and 900 mm x 1200 mm x 1600 mm. Incomplete.	750
254	NN cage for tilting device	S/s cage for tilting device for pallet boxes, total dimensions: 4200 mm x 1800 mm x 2300 mm.	400
255	CFS	CFS double shaft paddle mixer-grinder, model: TMG 2200/280, number: 372/0107-01, year of construction: 2001, 230/400 V, 50 Hz, diameter plate: 280 mm, total dimensions: 2380 mm x 2500 mm x 3000 mm. Including 2 tool trolleys, dimensions: 700 mm x 650 mm x 1150 mm and 1120 mm x 800 mm x 980 mm. With bone elimination system. Incomplete.	3500
256	Cryovac	Cryovac packaging line consisting of: - Cryovac belt vacuum machine, model number: VS 20 RH, serial number: SN 01303, year of construction: 2011, 400 V, 50 Hz, 40 A, 6 bar 10 Nm ³ /h, dimensions chamber: 980 x 570, seal length: (2x) 950 mm, total dimensions: 1400 mm x 1050 mm x 1150 mm. Incomplete. - Cryovac shrink tunnel, model number: ST98-800 STEAM, serial number: SN02223, year of construction: 2011, s/s mesh belt, belt width: 600 mm, total dimensions: 1550 mm x 960 mm x 1900 mm. - Jansens Techniek outfeed belt, model: Pos. 2, type: S1100 FG PP, year of construction: 2012, plastic mesh belt, belt width: (2x) 2650 mm, total dimensions: 1250 mm x 1100 mm x 940 mm. -	2000



Nr	Title	Description	Start €
		Transport belt, plastic mesh belt, belt width: 620 mm, total dimensions: 1250 mm x 1200 mm x 1180 mm.	
257	NN blower	Mobile blower, dimensions: 600 mm x 680 mm x 820 mm.	50
258	Cryovac	Cryovac bag blower, model: BL 14, serial number: SN01604, year of construction: 20011, 230 V, 50 Hz, 10 A, 0.35 kW, dimensions: 700 mm x 540 mm x 940 mm.	250
259	Cryovac	Cryovac bag blower, model: BL 14, serial number: SN01603, year of construction: 20011, 230 V, 50 Hz, 10 A, 0.35 kW, dimensions: 700 mm x 540 mm x 940 mm.	250
260	Marco	Marco checkweigher and grader, model: D135812, serial number: 10217878, year of construction: 2021, 400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 405 mm and 455 mm, total dimensions: 2000 mm x 1200 mm x 1050 mm and 900 mm x 1200 mm x 1600 mm.	1000
261	Multivac	Multivac labelling machine with 2 top and 1 bottom labeller, type: MR336, machine number: 183111, year of construction: 2014, 230 V, 50/60 Hz, plastic belts, belt width: (2x) 85 mm, total dimensions: 2080 mm x 1280 mm x 2060 mm. Missing inkjet printer.	850
262	NN trolley	S/s trolley, dimensions: 2940 mm x 680 mm x 1000 mm.	100
263	NN frames	2 s/s frames, dimensions: (2x) 600 mm x 450 mm x 1320 mm.	10
264	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 4300 mm x 750 mm x 1570 mm.	400
265	NN plastic tub	Plastic tub on trolley, dimensions: 400 mm x 400 mm x 1000 mm.	10
266	NN frame	S/s frame, dimensions: 300 mm x 300 mm x 1300 mm.	5
267	NN frames	2 s/s frames, dimensions: (2x) 600 mm x 600 mm x 1650 mm.	5
268	NN tub	S/s mobile tub, inside dimensions: 900 mm x 500 mm x 400 mm, total dimensions: 1000 mm x 530 mm x 720 mm.	50
269	Vesa	Vesa lifting system consisting of: 2 lifters, dimensions: 1300 mm x 900 mm x 2800 mm, 1 attachment, dimensions: 1050 mm x 900 mm x 1900 mm, 2 s/s beams, dimensions: 500 mm x 500 mm x 2200 mm, total dimensions pallet: 3000 mm x 2300 mm x 400 mm.	200
270	NN protection frames	8 steel protection frames, various lengths.	25
271	NN transport belt	Transport belt, plastic belt, belt width: 380 mm, total dimensions: 2950 mm x 850 mm x 500 mm.	200
272	NN frames	3 s/s perforated frames, perforations: Ø 5 mm, total dimensions: (3x) 700 mm x 500 mm x 620 mm.	60
273	NN frame	S/s perforated frame, perforations: Ø 3 mm, total dimensions: 510 mm x 320 mm x 200 mm.	20
274	TVI	TVI weighing and controlling unit with rejectors, type: GMI 500 Multitray, year of construction: 2012, 400 V, 50 Hz, 16 A, plastic mesh belt, belt width: (3x) 250 mm, total dimensions: 3600 mm x 1400 mm x 1600 mm. Incomplete.	200
275	Multivac		75



Nr	Title	Description	Start €
		Multivac s/s frame for dyes, type: RS700, serial number: 217552, year of construction: 2015, dimensions: 2300 mm x 600 mm x 1750 mm.	
276	Jex Engineering	Jex Engineering nitrogen freezer for 1 trolley, serial number: CB1000/3/368, year of construction: October 2000, inside dimensions: 1150 mm x 750 mm x 1720 mm, total dimensions: 1550 mm x 1550 mm x 2650 mm.	400
277	R. Dunnink Metaal en handel	R. Dunnink Metaal en handel walz machine, model: 201201, year of construction: 2017, 230 V, 1.2 kW, 4 bar, roller width: 265 mm, belt width: 400 mm and 385 mm, working width: 140 mm, total dimensions: 1730 mm x 1610 mm x 1290 mm, including elevating belt, aluminium frame, plastic belt, belt width: 455 mm, distance between dividers: 430 mm, divider height: 55 mm, elevating height: 900 mm, total dimensions: 3000 mm x 820 mm x 1710 mm.	750
278	NN mesh belt	Mobile s/s mesh belt, belt width: 400 mm, total dimensions: 7050 mm x 980 mm x 1060 mm.	750
279	NN autoclave trolleys	4 autoclave trolleys, plate dimensions: 915 mm x 915 mm x 20 mm, total dimensions: (4x) 1000 mm x 1060 mm x 1300 mm.	200
280	NN autoclave trolleys	13 autoclave trolleys, dimensions: (13x) 1050 mm x 900 mm x 1290 mm.	650
281	NN autoclave trolleys	13 autoclave trolleys, dimensions: (13x) 1050 mm x 900 mm x 1465 mm.	650
282	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 3350 mm x 1100 mm x 2400 mm.	300
283	NN inliner	4 to 1 inliner, plastic belts, belt width: (4x) 80 mm, (12x) 120 mm, (2x) 75 mm, (1x) 660 mm, total dimensions: 2300 mm x 1100 mm x 1150 mm.	250
284	Hellings	Hellings transport belt, year of construction: 2015, s/s frame, plastic belt, belt width: 395 mm, total dimensions: 3000 mm x 700 mm x 845 mm.	100
285	NN transport belt	Transport belt, plastic belt, belt width: 400 mm, total dimensions: 2650 mm x 700 mm x 300 mm.	300
286	Packo	S/s tub with 3 drains and Packo centrifugal pump, type: FP2 740-200/224, serial number: 1017851, capacity: 27 m ³ per hour,, dimension: 2850 mm x 590 mm x 1020 mm.	350
287	Wittkamp	Wittkamp transport belt, type: FB 1000/300, serial number: 0348.22 a, year of construction: 08/2022, 400 V, 16 A, plastic belt, belt width: 300 mm, total dimensions: 1100 mm x 710 mm x 930 mm.	200
289	De Jager BV	De Jager BV s/s vibrating gutter, dimensions: 2250 mm x 780 mm x 1220 mm.	350
290	NN tubs	17 plastic tubs, inside dimensions: (17x) 700 mm x 1030 mm x 460 mm, total dimensions: (17x) 760 mm x 1180 mm x 550 mm.	85
291	NN mesh belt		500



Nr	Title	Description	Start €
		Mobile mesh belt, s/s frame, s/s mesh belt, belt width: 580 mm, total dimensions: 3900 mm x 760 mm x 1850 mm.	
292	NN transport belt	Transport belt, s/s frame, plastic belts, belt width: (2x) 50 mm, total dimensions: 6000 mm x 900 mm x 1370 mm.	400
293	NN transport belt	Transport belt, s/s frame, plastic belts, belt width: (2x) 50 mm, total dimensions: 6000 mm x 900 mm x 1370 mm.	400
294	Glass GmbH & Co. KG	Glass GmbH & Co. KG tiltable vacuum mixer, type: VSM/F 800, machine number: 3171, year of construction: 2009, 400 V, 50 Hz, 4.82 kW, volume: 800 liter, dimensions: 1600 mm x 2800 mm x 2300 mm. Incomplete. Without vacuum pump.	3500
295	Glass GmbH & Co. KG	Glass GmbH & Co. KG tiltable vacuum mixer, type: VSM/F 1000, machine number: 2634, year of construction: 2009, 400 V, 50 Hz, 4.82 kW, volume: 1000 liter, dimensions: 1600 mm x 2800 mm x 2300 mm. Incomplete. Without vacuum pump.	3500
296	Tromp Engineering	Tromp Engineering wet coating machine, type: PR 519 / PR 529, s/s mesh belt, belt width: 600 mm, total dimensions: 1060 mm x 2420 mm x 1800 mm.	500
297	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 510 mm, total dimensions: 3500 mm x 840 mm x 1860 mm.	100
298	Inotec GmbH	Inotec GmbH double shaft paddle mixer, machine type: IM-2500V, machine number: 301-00488, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 58 A, 28 kW, 34 kVA, 6 bar, 200 l/min, dimensions: 4200 mm x 2300 mm x 2200 mm.	12500
299	NN bandsaw	Bandsaw, plastic belt, belt width: 310 mm, total dimensions: 1000 mm x 690 mm x 1680 mm. Incomplete. Without saw.	200
300	NN bandsaw	Bandsaw, number: 11663, dimensions: 1550 mm x 1000 mm x 1560 mm.	150
301	Marel	Marel bandsaw, model: 350 bandsaw, serial number: 1392184, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 10 A, plastic belt with dividers, belt width: 310 mm, total dimensions: 1550 mm x 1000 mm x 1670 mm. Incomplete.	250
302	AEW	AEW bandsaw, plastic belt, belt width: 380 mm, total dimensions: 1860 mm x 1190 mm x 1750 mm. Incomplete. Without saw.	250
303	Modernpack Sepamatic	Modernpack Sepamatic separator, type: SEPA 2000T, serial number: 196313, 400 V, 50 Hz, 22 A, 11 kW, diameter drum: 300 mm, total dimensions: 1560 mm x 1600 mm x 2250 mm.	2500
304	Cat pumps	Cat pumps high pressure plunger pump system, s/s frame, model: 56 / 56.B01, total dimensions: 1700 mm x 800 mm x 1810 mm.	500
305	NN apron washer	S/s apron washer, total dimensions: 1970 mm x 655 mm x 1460 mm.	100
306	Machine Alimentari	Machine Alimentari bandsaw, dimensions table: 1000 mm x 625 mm, total dimensions: 1000 mm x 900 mm x 1450 mm.	300
307	Cryovac		750



Nr	Title	Description	Start €
		Cryovac belt vacuum machine, type: VS 85, plastic belt, belt width: 530 mm, total dimensions: 2700 mm x 1120 mm x 2000 mm. Without vacuum pump.	
308	NN ham press	Mobile ham press, dimensions: 2350 mm x 780 mm x 1420 mm.	250
309	PBI Dansensor	PBI Dansensor gas mixing station, type: module TGC-2 122, serial number: 33030583, year of construction: 2003, 207-253 VAC, 50/60 Hz, dimensions: 460 mm x 360 mm x 300 mm.	10
310	Meurer	Meurer cartoner machine, type: CM/TPB 25, machine number: 27354362/07, year of construction: 12/2007, 415/240 V, 1 Ph, 9 kW, working width: 290 mm, total dimensions: 3600 mm x 2080 mm x 2080 mm.	750
311	Thermo Allen Coding Limited	Thermo Allen Coding Limited mobile packaging machine with date printer, model number: 4ACC, serial number: 030491, 240/110 V, 1 Ph, 50/60 Hz, dimensions: 1330 mm x 670 mm x 1470 mm.	100
312	Stephanal	Stephanal mobile depositor, type: D 92, number: R-16083, dimensions: 1000 mm x 600 mm x 1400 mm. Incomplete.	50
313	Treif	Treif dicer, model: Phoenix 120-CE SP V, number: 3050S7.130295.101489, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 25 A, 9 kW, weight: 2150 KG, dimensions chamber: 120 mm x 120 mm, plastic belt, belt width: 270 mm, total dimensions: 3050 mm x 1500 mm x 2200 mm. Incomplete.	750
314	EPHI	EPHI smart formation conveyor, model: SFC, serial number: SFC-002, year of construction: 2017, 0.3 kW, 6 bar, roller width: 255 mm, total dimensions: 1200 mm x 950 mm x 730 mm.	100
315	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD automatic weigh/wrap/label system, model: AW-600, serial number: 09166180, 220-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e= 1/2 gram, dimensions: 1460 mm x 1250 mm x 1480 mm.	500
316	NN rack	S/s rack, dimensions: 1400 mm x 250 mm x 750 mm.	50
317	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD automatic weigh/wrap/label system, model: AW-4600e, serial number: 10166611, year of construction: 2010, 220-240 V, 1 Ph, 50 Hz, 7.5 A, 1.7 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e=1/2 gram, T=2.999 kg, plastic belts, belt width: 400 mm and 150 mm, total dimensions: 1350 mm x 1250 mm x 1500 mm.	500
318	NN case packer	Case packer, plastic belts, belt widths: (4x) 35 mm and (1x) 350 mm, total dimensions: 2600 mm x 1100 mm x 1750 mm.	200
319	Jenton Dimaco	Jenton Dimaco label verification machine, model: VeriPACK, number: 102460-T601-A001, serial number: 1783-N01, year of construction: 2020, 230 V, 50 Hz, 5 A, plastic belt, belt width: 245 mm and (2x) 115 mm, total dimensions: 1660 mm x 900 mm x 1580 mm.	750
320			500



Nr	Title	Description	Start €
	Stork breeding machine	Stork mobile breeding machine, type TPJ400, belt width 400mm, dimensions: 2500 mm x 900 mm x 1950 mm. Incomplete.	
321	Conveyor Lines	Conveyor Lines transport belt, serial number: 21289 C41A, year of construction: 11-2021, plastic belt, belt width: 300 mm, total dimensions: 3460 mm x 600 mm x 1220 mm.	300
322	Protech	Protech transport belt, plastic mesh belt, belt width: 500 mm, total dimensions: 3100 mm x 950 mm x 1600 mm.	400
323	Tap Machinebouw	Tap Machinebouw mobile depositor, dimensions: 1500 mm x 900 mm x 1500 mm. Incomplete.	150
324	Handtmann	Handtmann mobile hanging line, type: 220-16, number: 991, year of construction: 2001, dimensions: 2580 mm x 580 mm x 1460 mm.	250
325	Blackrow Engineering Co. Ltd	Blackrow Engineering Co. Ltd transport belt, type: 4m x 400mm PU CONVEYOR, number: 5313-1983938, year of construction: 2019, plastic belt, belt width: 400 mm, total dimensions: 4030 mm x 850 mm x 960 mm.	500
326	Koppens Machinefabriek BV	Koppens Machinefabriek BV mobile mesh belt, type: TG 3900 / 600, number: 307, 380 V, 3 Ph, 50 Hz, 0.75 A, 0.18 kW, weight: 175 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 4200 mm x 850 mm x 1150 mm.	750
327	NN tub	Plastic tub for water softener, dimensions: Ø 930 mm x 1300 mm.	20
328	Cipax	Cipax plastic tub, volume: 200 liter, dimensions: Ø 530 mm x 1200 mm.	50
329	ARI	ARI valve, type: JS1049, dimensions: (2x) 310 mm x 360 mm x 200 mm.	40
330	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 435 mm, total dimensions: 2500 mm x 500 mm x 100 mm.	100
332	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 390 mm, infeed clearance: 560 mm x 560 mm, elevating height: 1100 mm, total dimensions: 3000 mm x 750 mm x 1400 mm.	400
333	KBA Metronic GmbH	KBA Metronic GmbH inkjet printer on mobile s/s frame, number: MI2500-011785, year of construction: 2008, 230 V, 50 Hz, 0.5 A, dimensions: 870 mm x 750 mm x 1320 mm.	25
334	Videojet	Videojet inkjet printer on mobile s/s frame, model: 1520, serial number: 1318361C22ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 3 A, 120 W, dimensions: 830 mm x 800 mm x 1500 mm. Incomplete.	10
335	Empteezy	Empteezy post, model: HST 01, serial number: 70557, year of construction: 01-08-2018, dimensions: 110 mm x 900 mm x 2320 mm.	25
336	Proseal	Proseal control system on s/s frame, serial number: 1684, 240 V, 50 Hz, dimensions: 1900 mm x 430 mm x 1400 mm.	50
337	Convotherm	Convotherm oven, type: AR 28, number: 24 0353077, 380 V, 14.5 A, 9.1 kW, 7 floors, dimensions each floor: 530 mm x 430 mm, total dimensions: 640 mm x 590 mm x 660 mm.	50



Nr	Title	Description	Start €
338	Fagor	Fagor roasting pan, type: SB-G910, serial number: 8100971848, year of construction: 07/2017, 230 V, 1 Ph, 50 Hz, 2 A, 18 kW, inside dimensions: 700 mm x 600 mm x 200 mm, total dimensions: 1000 mm x 800 mm x 850 mm.	250
339	KBA Metronic GmbH	KBA Metronic GmbH inkjet printer on mobile s/s frame, number: MI2500-011697, year of construction: 2008, 230 V, 50 Hz, 0.5 A, dimensions: 870 mm x 750 mm x 1320 mm.	25
340	KBA Metronic GmbH	KBA Metronic GmbH inkjet printer on mobile s/s frame, number: MI2500-013076, year of construction: 2009, 230 V, 50 Hz, 0.5 A, dimensions: 870 mm x 750 mm x 1320 mm.	25
341	KBA Metronic GmbH	KBA Metronic GmbH inkjet printer on mobile s/s frame, number: MI2500-013072, year of construction: 2009, 230 V, 50 Hz, 0.5 A, dimensions: 870 mm x 750 mm x 1320 mm.	25
342	KBA Metronic GmbH	KBA Metronic GmbH inkjet printer on s/s frame, number: MI2500-015119, year of construction: 2011, 230 V, 0.5 A, dimensions: 2260 mm x 950 mm x 1430 mm. Missing display.	25
343	KBA Metronic GmbH	KBA Metronic GmbH inkjet printer, number: MI2500-151 01, year of construction: 2005, 230 V, 50 Hz, 0.5 A, dimensions: 300 mm x 330 mm x 660 mm.	25
344	NN transport belt	Transport belt, s/s frame, plastic belt with rollers, belt width: 110 mm, total dimensions: 1970 mm x 380 mm x 930 mm.	150
345	NN transport belt	Transport belt, s/s frame, plastic belt with rollers, belt width: 110 mm, total dimensions: 1970 mm x 380 mm x 930 mm.	150
346	NN transport belt	Transport belt, s/s frame, plastic roller belt, belt width: 110 mm, total dimensions: 1300 mm x 500 mm x 1000 mm.	150
347	NN film unwinding device	Film unwinding device with film roll, film width: 385 mm, total dimensions: 900 mm x 380 mm x 350 mm.	100
348	Jansen Techniek	Jansen Techniek transport belt, type: verdeelbaan, year of construction: 2022, plastic mesh belt, belt width: 655 mm, total dimensions: 2200 mm x 1100 mm x 1170 mm.	400
349	Machinefabriek Geurtsen Deventer B.V.	Machinefabriek Geurtsen Deventer B.V. cutting machine, type: 2012620, serial number: 001, dimensions: 700 mm x 650 mm x 1250 mm.	50
350	CFS	CFS transport belt, s/s frame, s/s mesh belt, belt width: 1000 mm, total dimensions: 1180 mm x 560 mm x 740 mm.	350
351	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 480 mm, total dimensions: 1360 mm x 920 mm x 740 mm.	50
352	Williams Refrigeration	Williams Refrigeration refrigerator, model: CBC1, serial number: 9802171019, 220/240 V, 1 Ph, 50 Hz, 6 A, refrigerant: R404A, 1600 g, 3 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 700 mm x 700 mm x 800 mm.	25
353	NN covers	Pallet with s/s covers for Townsend machine, dimensions: 1200 mm x 800 mm x 500mm.	75
354	Stork		25



Nr	Title	Description	Start €
		2 Stork roller conveyors, plastic rollers, rollers width: 445 mm and 435 mm, total dimensions: 900 mm x 650 mm x 350 mm and 1100 mm x 530 mm x 330 mm.	
355	Carsoe	Carsoe transport belt, Tradband transportor, serial number: SO-12056, year of construction: 2016, 400 V, 3 Ph, 0.37 kW, s/s mesh belt, belt width: 610 mm, total dimensions: 2050 mm x 1030 mm x 1200 mm.	750
356	Kathagen	Kathagen floor scrubbing machine, dimensions: 550 mm x 400 mm x 1160 mm. Incomplete.	50
357	Feltracon	Feltracon box filling machine, serial number: 3279-72K1, year of construction: 2006, clearance funnel: 525 mm x 735 mm, lane width: 250 mm, total dimensions: 2780 mm x 1110 mm x 1580 mm. Including switch cabinet, dimensions: 1170 mm x 940 mm x 2005 mm.	250
358	Rembrandt	Rembrandt mobile case erector, type: RCE-1-T-P, machine number: 20024294, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 0.5 kW, dimensions: 3320 mm x 2400 mm x 2100 mm.	950
359	NN frame	S/s frame, dimensions: 440 mm x 680 mm x 950 mm.	5
360	Packtech b.v	Packtech b.v. case packer, type: Doosopzetter, machine number: 97055/3, year of construction: 1998, 380 V, 3 Ph, 1 kW, maximum working width: 450 mm, total dimensions: 1900 mm x 2600 mm x 1920 mm.	150
361	Herkules Hebeteknik	Herkules Hebeteknik mobile press, type: Herkules-Lift D0S-03, fabrication number: 106, year of construction: 1989, dimensions: 800 mm x 750 mm x 2200 mm.	100
362	Supertape	Supertape box closing machine, type: HF-7, machine number: 95-74301, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 4.5 A, weight: 195 kg, dimensions: 1700 mm x 1050 mm x 2200 mm.	150
363	Nawi B.V.	Nawi B.V. double s/s rotating ritual slaughtering box for calves, type: 18000, year of construction: 2007, dimensions slaughtering box: 2600 mm x 3200 mm x 3000 mm, Nawi hydraulic unit, dimensions: 700 mm x 650 mm x 1000 mm, control panel, dimensions: 380 mm x 220 mm x 600 mm, dimensions switch cabinet: 770 mm x 300 mm x 770 mm. Including s/s hanging tube, dimensions: 1900 mm x 1000 mm x 850 mm and Demag electrical chain hoist, type: DK5-500-K-V, number: 63203412, year of construction: 1991, total dimensions: 600 mm x 600 mm x 250 mm.	7000
369	Rinc Europe	Rinc Europe wet coating machine, s/s mesh belt, belt width: 650 mm, total dimensions: 2300 mm x 1500 mm x 1800 mm.	1500
370	NN turning belt	Mobile turning belt, plastic wire belt, belt width: 570 mm, total dimensions: 1750 mm x 1250 mm x 1330 mm.	500
371	Thermo Ramsey	Thermo Ramsey checkweigher, model: RXM, serial number: 5466, year of construction: 2003, 230 V, 50 Hz, 0.6 kVA, plastic belt, belt width: 140 mm, total dimensions: 1260 mm x 670 mm x 1700 mm.	80
372			200



Nr	Title	Description	Start €
	Herbert Industrial Ltd.	Herbert Industrial Ltd. checkweigher, model: Gemini, serial number: HS 85531, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, capacity: 150 packages/minute, plastic belt, belt width: (2x) 100 mm, total dimensions: 1330 mm x 820 mm x 1730 mm.	
373	Herbert Industrial Ltd.	Herbert Industrial LTD checkweigher, model: Gemini, serial number: HS108029, maximum weight: 2 kg, minimum weight: 0.4 kg, e = 01 kg, plastic belt, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, dimensions: 1400 mm x 800 mm x 1000 mm.	200
374	Herbert Industrial LTD	Herbert Industrial LTD checkweigher, model: GEMINI, serial number: HS85430, maximum weight: 2 kg, minimum weight: 0.1 kg, e = 01 kg, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, plastic belt, belt width: (2x) 100 mm, dimensions: 1400 mm x 800 mm x 1500 mm. Incomplete, technical condition unknown.	150
375	Lock Inspection Systems	Lock Inspection Systems metal detector, serial number: 55685-1, year of construction: 11-13, 200-230 V, 50/60 Hz, 3 A, 206 kg, plastic mesh belt, belt width: 350 mm, clearance: 400 mm x 170 mm, total dimensions: 2300 mm x 900 mm x 1420 mm. Missing rejecter bin.	400
376	NN roller conveyor	S/s roller conveyor, plastic rollers, roller width: 500 mm, total dimensions: 1200 mm x 530 mm x 1000 mm.	150
377	NN sorting table	S/s mobile sorting table, dimensions: 1900 mm x 1400 mm x 1200 mm.	150
378	Delford-Sortaweigh ltd	Delford-Sortaweigh ltd checkweigher, model: INT 800, serial number: INT 054, year of construction: 2003, 230 V, 50 Hz, 3 A, maximum weight: 3000 gram, minimum weight: 40 gram, e= 2 gram, T= 1 kg, plastic belt, belt width: 195 mm, total dimensions: 1150 mm x 700 mm x 1550 mm.	150
379	Herbert Industrial LTD	Herbert Industrial LTD. checkweigher, model: Gemini, serial number: HS108632, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 4.5/0.4 A, capacity: 150 packages/minute, plastic belt, belt width: (2x) 100 mm, total dimensions: 1330 mm x 820 mm x 1730 mm.	200
380	Herbert Industrial LTD	Herbert Industrial LTD checkweigher, model: GEMINI, serial number: HS585530, maximum weight: 2 kg, minimum weight: 0.1 kg, e = 01 kg, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, plastic belt, belt width: (2x) 100 mm, dimensions: 1400 mm x 800 mm x 1500 mm. Incomplete, technical condition unknown.	150
381	Herbert Industrial Ltd.	Herbert checkweigher, model: GEMINI, serial number: HS 85484, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, maximum weight: 4 kg, minimum weight: 0.1 kg, e=d= 02 kg, plastic belts, belt width: (2x) 100 mm, total dimensions: 1250 mm x 800 mm x 1500 mm.	200
382	Dimaco	Dimaco optical sorting machine with rejector, plastic belt, belt width: 300 mm, clearance: 340 mm x 280 mm, total dimensions: 1650 mm x 750 mm x 1660 mm. Display broken.	150
383	Loma Systems	Loma Systems mobile metal detector with rejector, model: SUPERSCAN MICRO ISC, serial number: 895721, year of	250



Nr	Title	Description	Start €
		construction: 1995, 415 V 350 W, 50 Hz, plastic belt, belt width: 275 mm, clearance: 350 mm x 160 mm, total dimensions: 2100 mm x 1100 mm x 1630 mm. Incomplete.	
384	AEW Delford	AEW Delford checkweigher, type: 8060, factory number: 81086, year of construction: 2004, 230 V, 50/60 Hz, maximum: 5500 gram, minimum: 40 gram, e=d= 2 gram, plastic belt, belt width: 200 mm, dimensions scale: 310 mm x 280 mm, total dimensions: 1160 mm x 680 mm x 1500 mm.	150
385	Sidel	Sidel infeed bunker with elevating belt, type: Distributeur de Preformes A3 Elevateur, year of construction: 2001, 400 V, 50/60 Hz, 1.25 kW, 5 A, 345 kg, inside dimensions hopper: 2600 mm x 2000 mm x 1300 mm, elevating belt width divider, plastic belt, belt width: 400 mm, distance between dividers: 200 mm, divider height: 40 mm, elevating height: 4250 mm, total dimensions: 3900 mm x 3400 mm x 4950 mm.	1000
386	Sidel	Sidel sorting conveyor, type: Distributeur De Preformes A3 Chassis + Coffret, machine number: DBGM 5279, year of construction: 2001, 400 V, 50/60 Hz, 5 A, 1.25 kW, 200 kg, infeed height: 3800 mm, outfeed height: 2800 mm, total dimensions: 4350 mm x 1800 mm x 3800 mm. Including 2 steel protection frames.	1000
387	Berief	Berief Teflon belt grill, belt width: 650 mm, total dimensions: 6750 mm x 1700 mm x 2300 mm, switch cabinet, dimensions: 1200 mm x 950 mm x 320 mm. Missing Teflon belt.	3000
388	Royal Pas Reform	Royal Pas Reform mobile semi-automatic egg transfer system, working width: 360 mm, total dimensions: 1200 mm x 800 mm x 1830 mm. Incomplete.	150
389	Royal Pas Reform	Royal Pas Reform infeed bunker with transport belt, plastic belt, belt width: 370 mm, total dimensions: 2800 mm x 930 mm x 940 mm.	250
390	NN hydraulic unit	Hydraulic unit, dimensions: 1050 mm x 900 mm x 820 mm.	75
391	NN hydraulic unit	Hydraulic unit, dimensions: 650 mm x 430 mm x 650 mm.	50
392	Digi Europe	Digi Europe checkweigher, model: HI-700, serial number: 090456008, 230 V, 1 Ph, 50 Hz, 1.15/0.4 A, maximum weight: 3 kg, minimum weight: 50 gram, e= 1 gram, d= 1 gram, 4 bar, dimensions: 900 mm x 600 mm x 1450 mm. Incomplete, technical condition unknown.	150
393	Mettler Toledo	Mobile s/s table with Mettler Toledo weighing scale, dimensions: 2040 mm x 1300 mm x 1520 mm.	250
394	Herbert Industrial LTD	Herbert Industrial LTD checkweigher, model: GEMINI, serial number: HS82830, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, plastic belt, belt width: (2x) 100 mm, total dimensions: 1450 mm x 950 mm x 1730 mm. Incomplete, technical condition unknown.	75
395	Ishida/Safeline	Ishida/Safeline metal detector, checkweigher and rejector, type: DACS-W-012-SB/WP I, number: 550713, year of construction: 08-2000, 240 V, 1 Ph, 50 Hz, 2 A, plastic belt,	250



Nr	Title	Description	Start €
		belt width: 220 mm, clearance: 270 mm x 100 mm, total dimensions: 1850 mm x 950 mm x 1450 mm.	
396	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector with rejector, plastic mesh belt, belt width: 300 mm, clearance: 355 mm x 110 mm, total dimensions: 1300 mm x 1100 mm x 1100 mm.	250
397	Consol Converging Solutions	Consol Converging Solutions infeed belt, plastic mesh belt, belt width: 520 mm, total dimensions: 1200 mm x 2100 mm x 1350 mm.	350
398	AER	(3x) AER transport belt and roller conveyor, plastic mesh belts, belt width: 500 mm, plastic rollers, roller width: 500 mm, total dimensions: 3150 mm x 800 mm x 1500 mm. Including pallet with s/s legs, dimensions: 1200 mm x 1000 mm x 500 mm.	500
399	VP Vacuum Pump SpA	VP Vacuum Pump SpA mobile dye set for traysealer, model: STGV801, serial number: 123230209, dye: 300 mm x 160 mm, total dimensions: 1250 mm x 530 mm x 1300 mm.	75
400	NN dye cleaner	Trolley with cleaner for dyes, dimensions: 700 mm x 500 mm x 1100 mm.	50
401	Profill	Profill s/s infeed hopper, dimensions: 1300 mm x 800 mm x 1660 mm.	50
402	Meyn	Meyn forming machine for "Pommes Duchess Potatoes", type: PD-B, machine number: 34965, year of construction: 1991, approximate belt width: 450 mm, total dimensions: 1440 mm x 780 mm x 1080 mm.	100
403	Smiths	Smiths X-ray scanner, type: Eagle Pack TN100925, serial number: 100925, year of construction: DEC 2006, 220 V, 50/60 Hz, 20.0/16.0 A, dimensions: 1130 mm x 800 mm x 2100 mm. Without belt.	400
404	Sterling Sihi GmbH	Sterling Sihi GmbH pump, year of construction: 2016, dimensions: 1620 mm x 530 mm x 400 mm.	100
405	NN filter	S/s mobile filter, dimensions: 1530 mm x 750 mm x 700 mm.	200
406	Serpack	Serpack tray denester, clearance: (5x) 185 mm x 155 mm, plastic mesh belt, belt width: 180 mm, total dimensions: 1500 mm x 900 mm x 1820 mm.	100
407	NN casing spooler	Casing spooler, dimensions: 570 mm x 390 mm x 350 mm. Incomplete.	50
408	Alfa Laval	Alfa Laval plate heat exchanger, type: M10-MFG, serial number: 30105-44445, year of construction: 2006, volume: 69.6/70.6 liter, PS: 0/0.10 bar, TS: 0/140 °C, PT: 14.3 bar, total dimensions: 1800 mm x 560 mm x 1680 mm.	350
409	NN floor weighing scale	Floor weighing scale, dimensions: 1500 mm x 1450 mm x 300 mm.	100
410	NovoTraqua	Plastic tank with NovoTraqua cooling water treatment, dimensions tank: 900 mm x 680 mm x 1150 mm, total dimensions: 1450 mm x 1400 mm x 1400 mm.	50
411	NN tub	Tub for water softening with Sera tank, volume: 500 liter, dimensions: 1200 mm x 1200 mm x 2100 mm.	75



Nr	Title	Description	Start €
412	Isco	Isco refrigerator, model: 6700FR, 230 V, 50 Hz, 20 A, inside dimensions: 520 mm x 540 mm x 610 mm, total dimensions: 640 mm x 600 mm x 1400 mm.	50
413	NN pneumatic parts	Pallet with large amount of pneumatic parts, dimensions: 1750 mm x 1250 mm x 300 mm.	75
414	Attec Food Technology	Attec Food Technology film wrapping machine, type: FWAL, number: 11917, year of construction: 1998, seal length: 1050 mm, plastic belt, belt width: 1000 mm, total dimensions: 1400 mm x 1120 mm x 1860 mm.	1000
415	NN depositor	Mobile depositor, dimensions: 1100 mm x 620 mm x 1500 mm. Incomplete.	100
416	Bran & Lubbe	Bran & Lubbe dosing pump, type: N-K11, number: 51-72557, dimensions: 550 mm x 230 mm x 1000 mm.	10
417	NN turning table	Mobile turning table with plastic top, diameter top: 1220 mm, total dimensions: ø 1220 mm x 950 mm.	250
418	NN mesh belt	Mobile mesh belt, s/s belt, belt width: 400 mmm, total dimensions: 2450 mm x 800 mm x 1100 mm.	250
419	Loma Systems	Mobile Loma Systems metal detector with elevating belt, type: IQ4, serial number: Q4W35-20-41471D, year of construction: 09-01-2018, 110-240 V, 50/60 Hz, s/s frame, plastic belt, belt width: 320 mm, clearance: 305 mm x 170 mm, elevating height: 1000 mm, total dimensions: 2800 mm x 780 mm x 2060 mm.	750
420	Collamat	Collamat top and bottom labelling machine on s/s frame, consisting of; Collamat labeller and Collamat label printer, - type labeller: E 86, serial number: E 0029, year of construction: 04/07, type label printer: C8610/20, serial number: 1366, year of construction: 04/07, 110/240 V, 305 W, total dimensions: 1900 mm x 900 mm x 2060 mm.	400
421	NN trolley	S/s trolley for traysealer dyes, dimensions: 760 mm x 580 mm x 1300 mm.	50
422	NN trolley with dye	S/s trolley with dye, dimensions dye: (4x) 245 mm x 128 mm.	25
423	NN trolley with dye	S/s trolley with dye, dimensions dye: (16x) 65 mm x 118 mm.	25
424	HM	HM mobile weighing scale, type: ISCI-R, serial number: ISCI1009, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, dimensions: 600 mm x 450 mm x 1300 mm.	20
425	NN switch cabinet	S/s switch cabinet, dimensions: 1850 mm x 800 mm x 600 mm.	100
426	Videojet	Videojet inkjet printer on mobile s/s frame, model: Excel/ 170i, serial number: 033160027WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, capacity: 3.4 m³ hour, dimensions: 900 mm x 750 mm x 2150 mm.	25
427	Townsend	Townsend 3-way valve, type: 3weg-klep, serial number: F15e291, year of construction: 2006, dimensions: 1250 mm x 600 mm x 1200 mm.	50



Nr	Title	Description	Start €
428	Loma Systems	Loma Systems mobile pipeline metal detector, serial number: DPL40362-34647, year of construction: 17-05-2004, 220 V, 1 Ph, 60 Hz, 2.0 A, clearance: 90 mm x 90 mm, total dimensions: 900 mm x 500 mm x 1270 mm.	200
429	MR Etikettiertechnik GmbH	MR Etikettiertechnik GmbH checkweigher with rejector, model: DACS-W-012-SB/WP-I-N(CTS), serial number: 560215, year of construction: 04/2010, 240 V, 1 Ph, 50 Hz, 2 A, plastic belt, belt width: 220 mm, total dimensions: 1900 mm x 970 mm x 1650 mm.	400
430	Mettler Toledo/ Ishida	Mettler Toledo/ Ishida metal detector, checkweigher and double rejector, model: DASS-W-030-SB/W P-I, serial number: 500733, year of construction: 08-1999, 240 V, 1 Ph, 50 Hz, 2 A, weighing range: 3000 G, clearance: 350 mm x 130 mm, total dimensions: 2500 mm x 800 mm x 1600 mm. Incomplete.	150
431	Goring Kerr	Goring Kerr metal detector, plastic belt, belt width: 300 mm, clearance: 350 mm x 100 mm, total dimensions: 1600 mm x 800 mm x 1850 mm.	200
432	Safeline / Ishida	Safeline / Ishida metal detector and checkweigher with rejector, model Safeline: 30 H, 100-240 V, 50/60 Hz, 300 W, model checkweigher: DACS-W-012-SB/WP I, serial number: 500732, year of construction: sept 1999, 240 V, 1 Ph, 50 Hz, 2 A, weighing range: 1200 gram, total dimensions: 1800 mm x 900 mm x 1680 mm. Incomplete, technical condition unknown.	200
433	Sartorius	Sartorius checkweigher and metal detector with rejector, plastic belt, belt width: (3x) 230 mm, clearance: 230 mm x 135 mm, total dimensions: 2300 mm x 1300 mm x 1900 mm.	750
434	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD mobile semi automatic weigh, wrap and labelling machine, model: AW-3600CP, serial number: 05160908, 380-415/220-240 V, 1/3 Ph, 50/60 Hz, 6 A, 1.4 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e=1/2 gram, T=-2.999 kg, dimensions: 1060 mm x 850 mm x 1660 mm.	150
435	Steen	Steen mobile skinning machine, type: ST600 KIP, serial number: 247211293A, 380 V, 50 Hz, plastic belt, belt width: 430 mm, total dimensions: 1850 mm x 900 mm x 1650 mm. Incomplete.	250
436	NN elevating belt	Mobile elevating belt with dividers, V-shaped plastic belt, divider height: 25 mm, divider width: (2x)280 mm, distance between dividers: 295 mm, elevating height: 1600 mm, total dimensions: 3200 mm x 1220 mm x 2250 mm.	300
437	Steen	Steen mobile skinning machine, type: ST600/K, serial number: 247100393A, 380 V, 50 Hz, 1200 W, 3.2 A, plastic belt, belt width: 430 mm, total dimensions: 2750 mm x 650 mm x 1600 mm. Incomplete.	400
438	Selo		150



Nr	Title	Description	Start €
		Selo mobile ergolift, fork length: 800 mm x 350 mm, lifting height: 1000 mm, total dimensions: 1250 mm x 600 mm x 1950 mm. Missing cover.	
439	NN turning table	S/s turning table with plastic top, dimensions: Ø 1010 mm x 860 mm.	250
440	Saimo	Saimo checkweigher, model: 30A-350x150, serial number: P0911178, year of construction: 11/2009, 240 V, 50 Hz, 0.4 kW, maximum capacity: 3000 gram, plastic belt, belt width: 250 mm, total dimensions: 700 mm x 500 mm x 1800 mm.	50
441	Herbert	Herbert checkweigher, model: CW3310, serial number: SO 14584/1/10, year of construction: 2010, 240 V, 50 Hz, plastic belt, belt width: 375 mm, total dimensions: 930 mm x 820 mm x 1440 mm.	150
442	NN roller conveyor	Mobile de-elevating roller conveyor, s/s rollers, roller length: 790 mm, de-elevating height: from 1000 mm to 800 mm, total dimensions: 1170 mm x 850 mm x 1350 mm.	150
443	Townsend	Townsend mobile skinning machine, type: SK 11-320, serial number: 11311, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 3.0 A, 1.5 kW, working width: 500 mm, total dimensions: 800 mm x 800 mm x 970 mm.	1000
444	Townsend	Townsend mobile skinning machine, type: SK 11-320, serial number: 10302, year of construction: 2008, 380 V, 3 Ph, 50 Hz, 3.0 A, 0.75 kW, working width: 500 mm, total dimensions: 800 mm x 800 mm x 970 mm. Incomplete.	1000
445	Townsend	Townsend mobile skinning machine, working width: 500 mm, total dimensions: 800 mm x 710 mm x 980 mm. Incomplete.	300
446	Townsend	Townsend mobile skinning machine, working width: 500 mm, total dimensions: 800 mm x 770 mm x 980 mm. Technical condition unknown.	750
447	NN rack	S/s rack, dimensions: 1100 mm x 550 mm x 2020 mm.	50
448	Marel Inc	Marel Inc mobile skinning and derinding machine, model: SK 15-350 INCH, type: 9833265, serial number: 10398702, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.5 A, 5 kA, weight: 356 kg, plastic mesh belt, belt width: 350 mm, working width: 360 mm, total dimensions: 2100 mm x 900 mm x 1240 mm. Technical condition unknown.	1750
449	Marel Inc	Marel Inc mobile skinning and derinding machine, model: SK 15-350 INCH, type: 9833263, serial number: 10398701, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.5 A, 5 kA, weight: 356 kg, plastic mesh belt, belt width: 350 mm, working width: 360 mm, total dimensions: 2100 mm x 900 mm x 1240 mm. Incomplete.	1500
450	NN crates	Pallet with plastic crates, dimensions each crate: 600 mm x 395 mm x 75 mm, total dimensions: 1200 mm x 800 mm x 920 mm.	25
451	NN crates	Pallet with approximately 30 crates, dimensions each crate: 760 mm x 460 mm x 180 mm, total dimensions: 1200 mm x 1000 mm x 1860 mm.	20



Nr	Title	Description	Start €
452	NN crates	Pallet with approximately 20 crates, dimensions each crate: 760 mm x 460 mm x 180 mm, total dimensions: 1200 mm x 1000 mm x 1860 mm.	20
453	NN crates	2 pallets with large amount of various plastic crates, dimensions: (2x) 1200 mm x 1000 mm x 1500 mm.	20
454	Tschu-Tschu-Bahnen	Tschu-Tschu-Bahnen electric train, type: EH, number: W09HEF23260T08001, year of construction: 2003, 48 V, weight: 4000 kg, 3 cabins, 29 passenger seats, dimensions each cabin: (1x) 3800 mm x 2550 mm x 1600 mm, (1x) 4200 mm x 2550 mm x 1600 mm, (1x) 4200 mm x 2550 mm x 1600 mm, total dimensions: 14100 mm x 2550 mm x 1600 mm. Including Micomp light Lade Technik, battery charger, 48 V, 100 A, dimensions charger: 500 mm x 370 mm x 700 mm.	4500
455	NN office table	Office table, dimensions: 1800 mm x 900 mm x 730 mm.	50
456	NN sink	S/s sink, dimensions: 850 mm x 400 mm x 1200 mm.	50
457	NN table	S/s table, dimensions: 1400 mm x 900 mm x 780 mm.	75
458	NN scrapers	6 s/s scrapers.	60
459	NN sink	S/s sink, dimensions: 500 mm x 420 mm x 630 mm. Including soap dispenser.	25
460	NN chairs	2 chairs, dimensions: (2x) 650 mm x 600 mm x 630 mm.	20
461	BT Products AB	BT Products AB pallet lifter,type: HLE 10/3, serial number: 480990, fork length: 1180 mm, total dimensions: 1650 mm x 550 mm x 1300 mm.	100
462	BT Products AB	BT Products AB pallet lifter,type: LHM230WS, serial number: 3612060, fork length: 1180 mm, total dimensions: 1650 mm x 550 mm x 1300 mm.	100
463	Ological	2 Ological water dispensers, model: DC201A-01, 220-240 V, refrigerant: R134a/36 gram, dimensions: (2x) 400 mm x 250 mm x 1350 mm.	150
464	Bizerba	Bizerba label printer, number: 02189227, 230 V, 50 Hz, 3.5 A, dimensions: 550 mm x 350 mm x 400 mm.	10
465	Mettler Toledo	Mettler Toledo weighing scale with indicator, type: PBA430-A3, serial number: 3085416, 100-240 V, 50/60 Hz, 300 mA, dimensions scale: 300 mm x 240 mm, dimensions indicator: 290 mm x 190 mm x 140 mm.	50
466	NN trolley	S/s trolley with plastic tub, dimensions: 1200 mm x 600 mm x 1400 mm.	75
467	NN table	S/s table with plastic top, dimensions: 680 mm x 440 mm x 880 mm.	75
468	Bizerba	Bizerba weighing scale with label printer on s/s trolley, number: 10801470, 230 V, 50 Hz, 3.5 A, dimensions weighing scale: 500 mm x 400 mm, total dimensions: 800 mm x 750 mm x 1700 mm.	150
469	Elpress	Elpress mobile sink, type: 83207010, serial number: 17445, year of construction: 22.11.12, 230 V, 50 Hz, 16 A, 3.5 kW, 3 bar, 95 kg, 1 faucet, dimensions: 650 mm x 750 mm x 1600 mm.	100



Nr	Title	Description	Start €
470	NN frame for sink	Mobile frame for sink, dimensions: 650 mm x 750 mm x 1600 mm.	50
471	NN frame for sink	Mobile frame for sink, dimensions: 650 mm x 750 mm x 1600 mm.	50
472	Schröter	Schröter s/s switch cabinet, dimensions: 750 mm x 450 mm x 1000 mm.	50
473	NN switch cabinet	S/s switch cabinet, dimensions: 800 mm x 330 mm x 1200 mm.	50
474	NN switch cabinet	Plastic switch cabinet, dimensions: 1050 mm x 800 mm x 350 mm.	50
475	Espera	Espera display, type: EBC, serial number: EBC 3296, year of construction: 2006, 230 V, 50/60 Hz, dimensions: 300 mm x 250 mm x 100 mm.	20
476	Honeywell	Honeywell switch cabinet, dimensions: 600 mm x 800 mm x 260 mm.	75
478	Miller's Bakery Machinery	Miller's Bakery Machinery mixer, type: BAT40, serial number: MPM 52/02, 415 V, 50 Hz, 3 A, 1.1 kW, dimensions: 850 mm x 420 mm x 1200 mm. Incomplete, missing whisk and bowl.	150
479	NN labelling machine	Pallet with labelling machine, dimensions: 1200 mm x 800 mm x 500 mm.	100
480	NN blowers	Pallet with 3 blowers, dimensions: 1200 mm x 1000 mm x 500 mm.	60
481	Luceo	Luceo inspection machine, type: LABELSECURE, number: 03LS-008, year of construction: 11/09/2011, 230 V, 1 Ph, 50 Hz, 1.4 kW, plastic belt, belt width: 305 mm, clearance: 310 mm x 110 mm, total dimensions: 1200 mm x 850 mm x 2000 mm.	500
482	Endoline	Parts for Endoline box closing machine.	50
483	NN plates for plate heat exchanger	S/s plates for plate heat exchanger, number: 152963, plate dimensions: 715 mm x 215 mm.	40
484	Laska parts for grinder	S/s trolley with worms for grinder, dimensions worm: 1200 mm x 300 mm and 850 mm x 170 mm, total dimensions: 1500 mm x 500 mm x 1030 mm.	75
485	Marel Meat Processing	Marel Meat Processing mobile skinning and derinding machine, model: SK15-34 26 Inch, type: 9813403, serial number: 10114564, year of construction: 2013, 415 V, 3 Ph, 50 Hz, 4 A, 5 kA, plastic mesh belt, belt width: 655 mm, working width: 665 mm, total dimensions: 2220 mm x 1150 mm x 1240 mm. Incomplete.	1500
486	NN tub	Plastic tub with circulation pump, inside dimensions: 1950 mm x 1180 mm x 370 mm, total dimensions: 2700 mm x 1300 mm x 700 mm.	25
487	Townsend	Townsend mobile skinning and derinding machine, working width: 310 mm, plastic mesh belt, belt width: 355 mm, total dimensions: 2000 mm x 840 mm x 1450 mm.	1500
488	Proseal		500



Nr	Title	Description	Start €
		2 Dolav pallet boxes and crate with dyes and grippers for Proseal traysealers, dimensions pallet boxes: (2x) 1200 mm x 1000 mm x 750 mm.	
489	NN dye's	Wooden pallet box and pallet with various dye's for traysealer, dimensions pallet box: 1200 mm x 1200 mm x 850 mm dimensions pallet: 1200 mm x 800 mm x 450 mm.	50
490	Polyketting	Polyketting mobile s/s turning table, diameter: 1200 mm, height: 750 mm.	400
491	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1500 mm x 150 mm. Without indicator.	100
492	NN frame	S/s frame, dimensions: 2070 mm x 620 mm x 700 mm.	25
493	Kentmaster	Kentmaster saw, dimensions: 850 mm x 300 mm x 400 mm.	100
494	Jarvis	Jarvis saw, dimensions: 850 mm x 300 mm x 400 mm.	100
495	NN motors	Plastic pallet box with various motors, dimensions: 1200 mm x 1000 mm x 750 mm.	150
496	NN motors	Plastic pallet box with various motors, dimensions: 1200 mm x 1000 mm x 750 mm.	150
497	NN vacuum pump	Vacuum pump, dimensions: 700 mm x 450 mm x 280 mm.	50
498	Becker	Becker vacuum pump, type: U 1.16SA, number: B 2751662, capacity: 16/19 m ³ per hour, dimensions: 340 mm x 280 mm x 200 mm.	50
499	Becker	Becker vacuum pump, type: 0 1.16SA-31, number: B 2522213, year of construction: 2011, 50/60 Hz, 0.52/0.65 kW, capacity: 16/19 m ³ per hour, dimensions: 340 mm x 300 mm x 340 mm.	50
500	Becker	Becker vacuum pump, type: 0 1.16SA-31, number: B 2356857, year of construction: 2008, 50/60 Hz, 0.52/0.65 kW, capacity: 16/19 m ³ per hour, dimensions: 340 mm x 300 mm x 340 mm.	50
501	Kartridgpak	Crate with 3 parts for Kartridgpak fat analyser, dimensions: 600 mm x 400 mm x 300 mm.	60
502	NN cylinders	3 cylinders, cylinder length: (1x) 1500 mm, (2x) 1300 mm.	60
503	NN fans	Pallet with various fans, dimensions: 1200 mm x 1000 mm x 400 mm.	10
504	NN ham moulds	Wooden pallet box with various s/s ham moulds, dimensions moulds: 800 mm x 120 mm x 100 mm, total dimensions pallet box: 1200 mm x 1000 mm x 800 mm.	50
505	NN dye's	Wooden pallet box and pallet with various dye's for traysealer, dimensions pallet box: 1200 mm x 1200 mm x 850 mm dimensions pallet: 1200 mm x 800 mm x 450 mm.	50
506	NN heating elements	Box with large amount of heating elements.	100
507	NN switch cabinet	S/s switch cabinet, dimensions: 1850 mm x 800 mm x 600 mm.	100
508	NN switch cabinet	S/s switch cabinet, dimensions: 2000 mm x 800 mm x 600 mm.	100



Nr	Title	Description	Start €
509	Ansul	Crate with 5 Ansul fire suppression system vessels, liquid: R-102, dimensions: 800 mm x 600 mm x 800 mm.	50
510	Lincoln Electric	Lincoln electric mobile welding machine, type: Invertec V300-TC, serial number: I2 98 03 00887, 400 V, 3 Ph, 50/60 Hz, 28.5 A, dimensions: 850 mm x 400 mm x 800 mm.	500
511	NN parts	Pallet with large amount of parts, dimensions: 1250 mm x 800 mm x 550 mm.	25
512	Trans-Tech Hysek GmbH	5 Trans-Tech Hysek GmbH can invertors, clearance: 150 mm x 80 mm, dimensions: 380 mm x 195 mm x 200 mm, 240 mm x 390 mm x 260 mm, 600 mm x 300 mm x 180 mm, 380 mm x 180 mm x 200 mm, 380 mm x 200 mm x 200 mm.	25
513	NN frame for slicer	S/s frame for slicer, dimensions: 480 mm x 260 mm x 300 mm. Incomplete.	5
514	Weda	Weda indicator, dimensions: 270 mm x 130 mm x 200 mm.	5
515	Microwa AG	Microwa AG weighing machine, type: 6641 Prozentwaage, number: 67116, dimensions: 370 mm x 230 mm x 440 mm.	5
516	NN fan covers	5 covers for fans, dimensions: (3x) Ø 620 mm x 100 mm, (2x) Ø 840 mm x 110 mm.	10
517	NN part for clipper	Part for clipper, dimensions: 500 mm x 280 mm x 630 mm.	10
518	Pfeiffer	Pfeiffer vacuum pump, type: OnTool DryPump, serial number: 53005526, year of construction: 11/2014, 230 V, 3 Ph, 50/60 Hz, weight: 121 Kg.	50
519	NN parts	Pallet with parts, dimensions pallet: 1200 mm x 800 mm x 450 mm.	25
520	Ultrakust	3 Ultrakust hygrophil meters, dimensions: (3x) 450 mm x 350 mm x 200 mm.	120
521	NN cable protection hoses	Pallet with cable protection hoses, dimensions: 1200 mm x 800 mm x 500 mm.	50
522	Grasselli S.p.A.	2 Grasselli S.p.A. rolls for skinning and derinding machine, dimensions: (2x) Ø 180 mm x 650 mm.	50
523	Boska Holland	Boska Holland cheese slicer, working width: 475 mm, total dimensions: 680 mm x 410 mm x 90 mm.	10
524	Witt Gasetechnik	Witt Gasetechnik gas mixing unit, type: KM60-2V, serial number: 789, year of construction: 1982, gas: N2/CO2, dimensions: 260 mm x 400 mm x 310 mm.	25
525	Magnehelic	Magnehelic pressure meter, dimensions: 350 mm x 300 mm x 180 mm.	5
526	NN valve and gearbox	Valve and gearbox, dimensions: 800 mm x 600 mm x 350 mm.	50
527	ASI	ASI hydraulic unit, dimensions: 500 mm x 350 mm x 900 mm.	150
528	Ultrakust / Bartec	5 Ultrakust / Bartec hygrophil meters, dimensions: (5x) 400 mm x 200 mm x 300 mm, total dimensions: 1200 mm x 800 mm x 500 mm.	100
529	NN tubs	(2x) Plastic tubs (1x) with metering pump, volume: 100 liter, 60 liter.	10
530	Frey		100



Nr	Title	Description	Start €
		4 Frey Maschinenbau GmbH casing closing machines, type: Clipex, machine number: CX 0230222, CX 0052137, CX 0100833 and CX 0470562, 220 V, 50/60 Hz, 0.7 kW, dimensions: (4x) 400 mm x 160 mm x 300 mm.	
531	Nilfisk	Nilfisk floor scrubber, dimensions: 800 mm x 400 mm x 1800 mm.	150
532	NN switch cabinet	Switch cabinet, dimensions: 500 mm x 200 mm x 500 mm.	10
533	PMB	PMB packaging machine, type: FASTPACK MK II, 220/240 V, 50 Hz, 530 W, dimensions: 480 mm x 600 mm x 420 mm and 380 mm x 620 mm x 300 mm. Technical condition unknown.	25
534	Vikan	10 Vikan lids for waste bins.	10
536	NN filter	S/s filter, dimensions: 900 mm x 730 mm x 1100 mm.	10
537	NN adapters	3 crates with adapters, dimensions: (2x) 600 mm x 400 mm x 400 mm, (1x) 800 mm x 400 mm x 600 mm.	45
538	NN casing spoolers	2 casing spoolers, dimensions: (2x) 520 mm x 350 mm x 400 mm. Incomplete.	150
539	NN casing spoolers	2 casing spoolers, dimensions: (2x) 520 mm x 350 mm x 400 mm. Incomplete.	150
540	NN casing spoolers	2 casing spoolers, dimensions: (2x) 520 mm x 350 mm x 400 mm.	100
541	NN casing spoolers	3 casing spoolers, dimensions: (3x) 520 mm x 350 mm x 400 mm.	150
542	NN chains	2 plastic chains, chain width: 40 mm, total dimensions: 1200 mm x 800 mm x 250 mm.	50
543	NN pumps	Pallet with various pumps, dimensions pallet: 1200 mm x 800 mm x 200 mm.	50
544	Cryovac	3 Cryovac sealing machines, model number: (3x) BW 18 E, year of construction: 2009, 24 V, 50 Hz, 0.2 A, dimensions: (3x) 470 mm x 180 mm x 135 mm.	10
545	NN valves	Pallet with various valves, dimensions pallet: 1200 mm x 800 mm x 500 mm.	50
546	Ari	Ari valve.	25
547	Newcount	Newcount s/s frame, type: VD400IP65, year of construction: 2009.	25
548	Scanvaegt	Scanvaegt weighing scale, type: TW156, dimensions: 600 mm x 500 mm x 700 mm. Without indicator.	25
549	Aja / Buvv-Brown	Pallet with 2 Aja weighing scales, dimensions scales: 240 mm x 240 mm, 1 scale missing, Weighing scale without indicator, dimensions: 800 mm x 600 mm, Buvv-Brown weighing scale, dimensions scale: 185 mm x 230 mm. Incomplete, technical condition unknown.	25
550	NN weighing scale	Weighing scale, dimensions: 600 mm x 750 mm x 1470 mm.	10
551	NN weighing scale	S/s weighing scale, dimensions: 500 mm x 400 mm x 80 mm. Without indicator.	25
552	Scanvaegt		25



Nr	Title	Description	Start €
		Scanvaegt indicator for weighing scale, type: 816, serial number: BQD00314 B, 110-260 V, 50-60 Hz, dimensions: 600 mm x 460 mm x 200 mm.	
553	Berkel	Berkel weighing scale, model: 280 ED, serial number: 063229, 220 V, 50 Hz, maximum weight: 150 kg, minimum weight: 2.5 kg, e = 0.05 kg, T = -150 kg, dimensions: 500 mm x 700 mm x 1250 mm.	25
554	Ohaus / Avery Berkel	Pallet with 2 Ohaus and 1 Avery Berkel weighing scales, Ohaus weighing scales, model: (2x) D60WL, capacity: 60 kg, Avery Berkel weighing scale, model: HL275, dimensions pallet: 1200 mm x 600 mm x 600 mm. Incomplete, technical condition unknown.	50
555	Scanvaegt	Scanvaegt weighing scale, type: 1025.30, serial number: 97166210, type indicator: 8312, serial number: 97147147B, 230 V, maximum weight: 30 kg, minimum weight: 0.2 kg, e=dd=dT= 0.01 kg, dimensions: 640 mm x 600 mm x 680 mm. Incomplete.	10
556	Multivac	Multivac gas mixing station, dimensions: 360 mm x 320 mm x 260 mm.	25
557	Swedot	Swedot label printer, type: 1952, serial number: 1574, dimensions: 350 mm x 200 mm x 170 mm.	10
558	Wilux	Wilux thermoprinter with Berkel weighing scale, dimensions thermoprinter: 285 mm x 285 mm x 300 mm, dimensions scale: 600 mm x 500 mm.	10
559	Sampos	Sampos cash register, model: ECR-1810, dimensions: 430 mm x 400 mm x 270 mm.	10
560	Elotec	Pallet with Elotec lights, dimensions pallet: 1200 mm x 800 mm x 500 mm.	25
561	Philips	Philips industrial light, type: HDK/400, 220 V, 50 Hz, 2.15 A, dimensions: 400 mm x 500 mm x 200 mm.	10
562	Bakon	Bakon jelly machine, model: JELLY JUNIOR, serial number: 1.02.2365, year of construction: 1997, 220 V, 50 Hz, 2000 W, dimensions: 500 mm x 250 mm x 400 mm.	50
563	Coppens	Coppens packaging machine, machine number: 47590000162, dimensions dye: 215 mm x 145 mm, total dimensions: 770 mm x 400 mm x 250 mm.	10
564	NN tub	Plastic tub, dimensions: Ø 550 mm x 1050 mm.	10
565	Termotecnica Pericoli	2 Termotecnica Pericoli fans, dimensions: 1200 mm x 440 mm x 550 mm.	10
566	TSC	TSC label printer, model: TTP-346M, serial number: 34M0220034, dimensions: 500 mm x 270 mm x 300 mm.	10
567	NN pipe	S/s pipe, dimensions: 400 mm x 400 mm x 750 mm.	10
568	Hulme Martin	Hulme martin heat sealer, number: 305CTD/1187, 220/240 V, 50 Hz, 2 A, seal length: 300 mm, total dimensions: 440 mm x 230 mm x 230 mm.	10
569	NN motors	Plastic pallet box with various motors, dimensions: 1200 mm x 1000 mm x 750 mm.	150



Nr	Title	Description	Start €
570	NN motors	Plastic pallet box with various motors, dimensions: 1200 mm x 1000 mm x 750 mm.	100
571	NN valves	Plastic pallet box with valves, dimensions: 1200 mm x 1000 mm x 750 mm.	100
572	NN motors & pumps	Pallet with 2 motors, 2 centrifugal pumps and 1 vacuum pump, dimensions: 1200 mm x 1000 mm x 600 mm.	100
573	A&D weighing	A&D Weighing indicator for weighing scale, type: AD-4328, year of construction: 1999, minimum: 10 Kg, maximum: 600 Kg, dimensions: 600 mm x 400 mm x 200 mm.	10
574	NN film wrapping machine	Film wrapping machine, 230 V, 50 Hz, 350 W, film width: 400 mm, total dimensions: 500 mm x 720 mm x 280 mm.	5
575	NN film wrapping machine	Film wrapping machine, 230 V, 50 Hz, 350 W, film width: 400 mm, total dimensions: 500 mm x 720 mm x 280 mm.	5
576	Verder BV	Verder BV multistage pump, type: VPS-351L, capacity: 25 m ³ per hour, dimensions: 1950 mm x 330 mm x 400 mm.	150
577	Lowara	Lowara multistage pump, type: 10SV20F075T/D, capacity: 5/14 m ³ per hour, dimensions: 1400 mm x 350 mm x 300 mm.	150
579	NN forks for forklift	Pallet with 2 steel forks for forklift, dimensions: (2x) 1060 mm x 540 mm x 90 mm.	100
580	Sharp	Sharp microwave, type: R239(W), serial number: 071054358, 230 V, 50 Hz, 1.25 kW, dimensions: 460 mm x 320 mm x 260 mm.	5
581	N&N Jerzy Nadratowski	N&N Jerzy Nadratowski vacuum tumbler, type: MV - 300, serial number: 051, year of construction: 2008, 400 V, 50 Hz, 2.3 kW, weight: 380 kg, Busch vacuum pump, type: RC 0021 B 303, number: 080038619, capacity: 21 m ³ per hour, volume: 300 liter, dimensions: 1250 mm x 1450 mm x 1800 mm. Without lid.	500
583	NN mesh belt	Mobile s/s mesh belt, belt width: 400 mm, total dimensions: 3000 mm x 820 mm x 2100 mm.	500
584	NN frames	3 s/s frames, dimensions: (3x) 450 mm x 280 mm x 150 mm.	15
585	NN coat hangers	Plastic board with coat hangers, dimensions: 800 mm x 350 mm x 100 mm.	10
586	NN cabinet	S/s cabinet, dimensions: 400 mm x 180 mm x 550 mm.	5
587	NN frames	2 s/s frames, dimensions: (2x) 530 mm x 330 mm x 200 mm.	10
588	NN bins	2 s/s bins, dimensions: (2x) 390 mm x 330 mm x 600 mm.	20
589	Bosgraaf	Pallet box with various Bosgraaf hygiene equipment, dimensions: 1200 mm x 1000 mm x 1000 mm.	100
590	NN crates	Pallet with approximately 20 crates, dimensions each crate: 760 mm x 460 mm x 180 mm, total dimensions: 1200 mm x 1000 mm x 1860 mm.	20
591	NN cabinet	S/s cabinet, dimensions: 880 mm x 810 mm x 1850 mm.	50
592	Espera	Espera display, dimensions: 390 mm x 450 mm x 340 mm.	5
593	Zebra Technologies Corporation	Zebra Technologies Corporation S4M label printer, serial number: 03J114801430, dimensions: 450 mm x 260 mm x 300 mm.	5



Nr	Title	Description	Start €
594	Sunroc Corp.	Sunroc Corp. water dispenser, model: CCTAC, serial number: 022703635, 220-240 V, 1 Ph, 50 Hz, 0.75 A.	5
595	NN lifting device	S/s lifting device for pallet boxes, dimensions: 1450 mm x 1350 mm x 1100 mm.	400
596	NN netting machine	Netting machine, dimensions: 680 mm x 870 mm x 1970 mm. Incomplete.	50
597	NN table	S/s table, dimensions: 820 mm x 610 mm x 600 mm.	25
598	NN trolleys	8 s/s trolleys, 18 floors, floor dimensions: (18x) 555 mm x 330 mm, total dimensions: (8x) 620 mm x 450 mm x 1620 mm.	120
599	NN trolley	S/s trolley, 20 floors, floor dimensions: 680 mm x 530 mm, total dimensions: 680 mm x 590 mm x 1760 mm. Some floors are damaged.	10
600	NN trolley	S/s trolley, 20 floors, floor dimensions: 740 mm x 255 mm, total dimensions: 870 mm x 600 mm x 1900 mm.	20
601	NN trolleys	2 s/s trolleys, 20 floors each, floor dimensions: 600 mm x 335 mm, total dimensions: (2x) 770 mm x 600 mm x 2000 mm.	30
602	NN trolley	S/s trolley, 20 floors, floor dimensions: 680 mm x 530 mm, total dimensions: 680 mm x 590 mm x 1760 mm. Some floors are damaged.	10
603	NN spacers	5 pallets with plastic spacers, tray dimensions: 1200 mm x 1040 mm x 55 mm.	150
604	NN crates	Pallet with 29 plastic crates, dimensions each crate: 600 mm x 395 mm x 145 mm.	25
605	NN switch cabinet	S/s switch cabinet on frame, dimensions: 800 mm x 1400 mm x 2300 mm.	50
606	NN switch cabinets	3 switch cabinets, dimensions: (1x) 750 mm x 600 mm x 240 mm, (1x) 740 mm x 510 mm x 260 mm, (1x) 740 mm x 510 mm x 260 mm.	75
607	NN switch cabinet	S/s switch cabinet, dimensions: 520 mm x 320 mm x 700 mm.	50
608	NN switch cabinet	Switch cabinet, dimensions: 1200 mm x 2100 mm x 590 mm.	50
609	NN ham forms	11 pallet boxes with large amount of ham forms, dimensions each form: 800 mm x 400 mm x 160 mm.	2200
610	NN ham forms	6 pallet boxes with large amount of ham forms, dimensions each form: 800 mm x 400 mm x 160 mm.	1200
611	NN ham forms	6 pallet boxes with large amount of ham forms, dimensions each form: 800 mm x 400 mm x 160 mm.	1200
612	ACB	ACB 90° curve conveyor, plastic mesh belt, belt width: 300 mm, total dimensions: 1400 mm x 1700 mm x 1050 mm.	500
613	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 600 mm, elevating height: 1310 mm, total dimensions: 3170 mm x 760 mm x 1450 mm.	400
614	Multivac	Boxes with parts for Multivac.	100
615	Conveyor lines	Conveyor lines transport belt, s/s frame, serial number: 21299 C38, year of construction: 07/02/2022, plastic belt,	700



Nr	Title	Description	Start €
		belt width: 300 mm, total dimensions: 6000 mm x 270 mm x 1150 mm.	
616	Wittkamp	Wittkamp elevating belt, type: FB 300/5000, serial number: 0005.14c, year of construction: 09/2014, 400 V, 16 A, s/s frame, plastic belt, belt width: 600 mm, elevating height: 1140 mm, total dimensions: 5000 mm x 800 mm x 1500 mm.	1000
617	NN mixing tank	Mixing tank, inside dimensions: Ø 740 mm x 730 mm, total dimensions: 760 mm x 760 mm x 1500 mm.	350
618	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 1600 mm x 700 mm x 700 mm.	150
619	NN extraction hood	S/s extraction hood, dimensions: 1400 mm x 450 mm x 910 mm.	50
620	Wittkamp	Wittkamp transport belt, plastic belt, belt width: 250 mm, total dimensions: 3950 mm x 600 mm x 350 mm.	500
621	Arcall	Arcall mobile transport belt, type: CV1, serial number: CE33544, year of construction: 03/2012, s/s mesh belt, belt width: 1000 mm, total dimensions: 3600 mm x 1800 mm x 1230 mm.	1500
622	NN frame for transport belt	S/s frame for transport belt, dimensions: 2750 mm x 500 mm x 300 mm. Without belt and motor.	100
623	Wittkamp	Wittkamp transport belt, type: SE 250/6600, serial number: 0871.19b, year of construction: 05/2019, 400 V, 16 A, 6 bar, plastic belt, belt width: 250 mm, total dimensions: 3950 mm x 600 mm x 350 mm.	500
624	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 370 mm, total dimensions: 1310 mm x 740 mm x 800 mm.	200
625	EFA Schmidt & Wezel GmbH & Co. KG	EFA Schmidt & Wezel GmbH & Co. KG Maschinenfabrik circular saw, type: EFA 17, number: 323, 880 W, 6 bar, dimensions: 480 mm x 300 mm x 270 mm.	100
626	Sprematec	Sprematec tenderizer, roll length: 690 mm, dimensions: 1780 mm x 820 mm x 1550 mm. Incomplete.	500
627	MINIPACK-TORRE S.p.A.	MINIPACK-TORRE S.p.A. mobile traysealer, model: TSM95, serial number: 000196, year of construction: 2000, 220-230 V, 50-60 Hz, 8.0 A, 2000 W, film width: 380 mm, with Busch vacuum pump, type: RB 0015 B, capacity: 15 m³ per hour, dimensions: 610 mm x 720 mm x 720 mm.	300
628	Hovmand A/S	Hovmand A/S lifter, model: Impact 70 M Angled, serial number: 28853, year of construction: 03/20, dimensions: 480 mm x 610 mm x 1920 mm.	75
629	Packline	Packline lifter, serial number: 1283, max. load: 250 kg, dimensions: 640 mm x 1540 mm x 2060 mm.	100
630	Safeline/Mettler Toledo	Safeline/Mettler Toledo metal detector, model: V4-RAD, 100-240 VAC, 50/60 Hz, 340 W, clearance: 460 mm x 120 mm, plastic belt, belt width: 440 mm, total dimensions: 10700 mm x 1100 mm x 1400 mm.	750
631	Inox Meccanica	Inox Meccanica press, stuffing and automatic clipping machine, type: Pic 99B, number: 1822, year of construction: 2007, 380 V, 1 Ph, 50 Hz, plastic belt, belt width: 200 mm,	400



Nr	Title	Description	Start €
		total dimensions: 4700 mm x 1300 mm x 2100 mm. Incomplete, technical condition unknown.	
650	NN transport belt	Mobile transport belt, s/s mesh belt, belt width: 600 mm, total dimensions: 1030 mm x 770 mm x 1000 mm.	150
651	NN transport belt	Mobile transport belt, plastic roller belt, belt width: 800 mm, total dimensions: 1900 mm x 880 mm x 950 mm.	150
652	NN table	S/s table, dimensions: 1800 mm x 800 mm x 880 mm.	100
653	INOX MECCANICA	INOX MECCANICA s/s rack, 7 floors, (7x) floor dimensions: 930 mm x 990 mm, total dimensions: 1000 mm x 1000 mm x 1980 mm.	200
654	NN rack	S/s rack, 4 floors, (4x) floors dimensions: 930 mm x 990 mm, total dimensions: 1020 mm x 1000 mm x 1770 mm.	75
655	NN rack	S/s rack, 6 floors, (6x) floors dimensions: 950 mm x 1030 mm, total dimensions: 1040 mm x 1040 mm x 1900 mm.	75
656	NN rack	S/s rack, 16 floors, (16x) floors dimensions: 950 mm x 1030 mm, total dimensions: 1030 mm x 1030 mm x 1900 mm.	75
657	NN racks	2 s/s racks, 7 floors, (14x) floors dimensions: 950 mm x 990 mm, total dimensions: 1030 mm x 1000 mm x 1770 mm.	150
658	NN rack	S/s racks, 7 floors, (7x) floors dimensions: 1190 mm x 900 mm, total dimensions: 1200 mm x 1000 mm x 1920 mm.	75
659	NN rack	S/s racks, 16 floors, (16x) floors dimensions: 950 mm x 1050 mm, total dimensions: 1040 mm x 1030 mm x 1900 mm.	75
660	NN rack	S/s racks, dimensions: 900 mm x 900 mm x 720 mm.	25
661	NN meat bin	S/s meat bin, dimensions: 710 mm x 680 mm x 590 mm.	25
662	NN meat bin	S/s meat bin, dimensions: 710 mm x 680 mm x 590 mm.	50
663	NN meat bin	S/s meat bin, dimensions: 900 mm x 830 mm x 590 mm.	50
664	NN table	Mobile s/s table, dimensions: 770 mm x mm x 750 mm x 930 mm.	75
665	NN rack	S/s racks, dimensions: 1270 mm x 1270 mm x 530 mm.	75
666	NN stand	S/s stand, dimensions: 1170 mm x 550 mm x 1250 mm.	25
667	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic mesh belt, belt width: 700 mm, divider height: 50 mm, distance between dividers: 600 mm, elevating height: 2200 mm, total dimensions: 5700 mm x 900 mm x 2400 mm.	500
668	ENE ltd	ENE ltd S-shaped conveyor, type: S Bend Conv., serial number: 302725, year of constructions: 2006, s/s frame, plastic mesh belt, belt width: 450 mm, total dimensions: (1x) 2850 mm x 1600 mm x 740 mm, (1x) 2300 mm x 2500 mm x 740 mm.	400
669	NN transport belt system	Transport belt system, maximum belt width: 500 mm, total dimensions: (5x) 6000 mm x 550 mm x 330 mm, (6x) 3000 mm x 550 mm x 330 mm, (2x) 1200 mm x 550 mm x 330 mm, (1x) 2300 mm x 550 mm x 330 mm, (1x) 2000 mm x 550 mm x 330 mm.	500
670	NN rack	S/s racks, dimensions: 750 mm x 340 mm x 350 mm.	10
671	NN rack	Mobile s/s racks, dimensions: 380 mm x 450 mm x 660 mm.	10
672	NN stairs	S/s stairs, dimensions: 600 mm x 1300 mm x 380 mm.	15



Nr	Title	Description	Start €
673	NN tub	S/s tub with platform, inside dimensions tub: 4700 mm x 1400 mm x 1500 mm, total dimensions: 5700 mm x 2800 mm x 1500 mm, length legs: 2750 mm.	750
674	Carnitech	Carnitech 3-lane sorting belt, s/s frame, type: PM45 number: CN24440.00, year of construction: 2005, 4 plastic mesh belts, belt width: (1x) 350 mm, (2x) 200 mm, (1x) 200 mm, 7 places for ergo steps, total dimensions: 8000 mm x 1250 mm x 1950 mm.	600
675	NN trolleys with bins	8 s/s trolleys with large amount of s/s bins with drains, diameter drains: 6 mm, dimensions bins: 750 mm x 440 mm x 100 mm, dimensions trolleys: (5x) 550 mm x 820 mm x 1660 mm and (3x) 550 mm x 820 mm x 1780 mm.	400
676	NN trolleys with bins	3 s/s trolleys with 28 s/s bins, dimensions bins: (28x) 520 mm x 640 mm x 65 mm, dimensions trolleys: (3x) 600 mm x 720 mm x 1780 mm.	150
677	NN frame	S/s frame, dimensions: 800 mm x 630 mm x 1030 mm.	25
678	NN frame	S/s frame, dimensions: 700 mm x 690 mm x 1520 mm.	25
679	Schütz	10 Schütz IBC tanks, dimensions: (10x) 1200 mm x 1000 mm x 1150 mm.	250
680	NN frame	S/s frame for crates, crate clearance: 610 mm x 405 mm, total dimensions: 1300 mm x 850 mm x 1330 mm.	50
681	NN writing desk	S/s writing desk, dimensions: 900 mm x 560 mm x 1040 mm.	25
682	NN rollie	Aluminium rollie, dimensions: 750 mm x 460 mm x 750 mm.	20
683	NN tables	5 s/s tables with drains, dimensions: (5x) 600 mm x 600 mm x 860 mm.	75
684	NN tool trolley	S/s tool trolley, dimensions: 1360 mm x 770 mm x 1430 mm.	25
685	NN trolley	S/s trolley, dimensions: 780 mm x 700 mm x 1700 mm.	30
686	NN rack	Steel rack, dimensions: 1150 mm x 850 mm x 1700 mm.	10
687	NN pressure vessel	Steel pressure vessel, dimensions: Ø 600 mm x 2200 mm.	75
688	NN part of hanging line	2 conveyors for hanging line, total dimensions: 3700 mm x 1400 mm x 700 mm.	150
689	NN outfeed station	S/s outfeed station with double slide used for ice machine, outfeed slides: (2x) 355 mm x 300 mm, total dimensions: 1580 mm x 1015 mm x 1300 mm.	100
690	NN platform	S/s platform, working height: 560 mm, total dimensions: 1150 mm x 900 mm x 1320 mm.	100
691	NN table	S/s table, dimensions: 1900 mm x 900 mm x 820 mm.	75
692	NN filter tubs	3 filter tubs, dimensions: Ø 860 mm x 1100 mm, Ø 1300 mm x 1100 mm, Ø 400 mm x 600 mm. 1 tub is broken.	10
693	NN table	S/s table, dimensions: 5000 mm x 650 mm x 800 mm.	150
694	NON Food Machinery	NON Food Machinery s/s turning table, type: 3540019000, serial number: 25.5.89, year of construction: 1989, Ø top: 1750 mm, total dimensions: Ø 1750 mm x 730 mm.	150
695	NN rollies	2 steel rollies, dimensions: (2x) 800 mm x 600 mm x 170 mm.	5
696	NN floor weighing scale	S/s floor weighing scale, dimensions: 1500 mm x 1500 mm x 70 mm and 1720 mm x 1250 mm x 70 mm.	100



Nr	Title	Description	Start €
697	NN trolley	Aluminium trolley, dimensions: 1400 mm x 620 mm x 930 mm.	10
698	NN table	S/s table, dimensions: 1200 mm x 700 mm x 950 mm.	75
699	Sealpac	3 s/s racks for Sealpac dyes, dimensions racks: (1x) 3900 mm x 1300 mm x 1350 mm and (2x) 3700 mm x 780 mm x 1740 mm.	300
700	NN rack for dyes	S/s rack for dyes, dimensions: 1200 mm x 800 mm x 1500 mm.	50
701	NN table	S/s table, dimensions: 810 mm x 600 mm x 660 mm.	25
702	NN boot rack	S/s mobile boot rack, 10 pairs, dimensions: 800 mm x 370 mm x 2200 mm. 1 peg is missing.	100
703	NN platform	S/s platform with steel step, dimensions: 1000 mm x 720 mm x 600 mm.	25
704	NN rollie	Rollie, dimensions: 470 mm x 760 mm x 170 mm.	5
705	NN rollie	S/s rollie, dimensions: 415 mm x 620 mm x 180 mm.	5
706	NN waste containers	2 plastic waste containers, dimensions: (2x) 750 mm x 600 mm x 1050 mm.	50
707	NN waste containers	2 plastic waste containers, dimensions: (2x) 750 mm x 600 mm x 1050 mm.	50
708	NN waste containers	2 plastic waste containers, dimensions: (2x) 750 mm x 600 mm x 1050 mm.	50
709	NN rack	S/s rack, dimensions: 850 mm x 850 mm x 825 mm.	25
710	NN table	S/s table, dimensions: 660 mm x 660 mm x 750 mm.	50
711	NN frame	S/s frame, dimensions: 600 mm x 400 mm x 1150 mm.	25
712	NN frames	5 s/s frames, dimensions: (1x) 720 mm x 310 mm x 280 mm, (1x) 720 mm x 310 mm x 240 mm, (1x) 720 mm x 310 mm x 160 mm, (2x) 720 mm x 310 mm x 90 mm.	25
713	NN frame	S/s frame, dimensions: 1300 mm x 420 mm x 600 mm.	30
714	NN frame	S/s frame, dimensions: 600 mm x 400 mm x 800 mm.	25
715	NN frame	S/s frame, dimensions: 1020 mm x 720 mm x 150 mm.	10
716	NN stand	S/s stand, dimensions: 2000 mm x 2200 mm x 1220 mm.	25
717	NN table	S/s table, dimensions: 550 mm x 450 mm x 470 mm.	25
718	NN writing desk	S/s writing desk, dimensions: 500 mm x 500 mm x 1080 mm.	25
719	NN table	Mobile s/s table, dimensions: 450 mm x 400 mm x 840 mm.	25
720	NN stairs	S/s stairs, dimensions: 680 mm x 450 mm x 530 mm.	15
721	NN hand cart	Mobile s/s hand cart, dimensions: 870 mm x 1500 mm x 1050 mm.	30
722	NN rollie	Rollie, dimensions: 760 mm x 470 mm x 180 mm.	5
723	NN tank	S/s tank with hopper, dimensions: 1500 mm x 1500 mm x 3500 mm.	200
724	NN tank	2 s/s tanks with hopper, (2x) dimensions: 1350 mm x 1200 mm x 2550 mm.	200
725	NN trolley with lids	Trolley with s/s lids, dimensions: 650 mm x 1100 mm x 1400 mm.	75
726	Holac	Holac dicer, clearance: 150 mm x 150 mm, total dimensions: 2200 mm x 1500 mm x 2250 mm. Incomplete.	750



Nr	Title	Description	Start €
727	NN trolley	Trolley, dimensions: 980 mm x 720 mm x 930 mm.	50
728	NN table	Mobile s/s table, dimensions: 2250 mm x 720 mm x 1030 mm.	75
729	NN trolley's	6 trolley's, (6x) dimensions: 700 mm x 800 mm x 1800 mm.	120
730	NN trolley	S/s trolley, dimensions: 1200 mm x 700 mm x 950 mm.	50
731	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 230 mm, total dimensions: 710 mm x 800 mm x 950 mm.	50
732	NN frame for transport belt	Mobile s/s frame for transport belt, dimensions: 1700 mm x 1030 mm x 1600 mm.	150
733	NN 90° curve conveyor	90° curve conveyor, plastic mesh belt, belt width: 300 mm, total dimensions: 2600 mm x 1550 mm x 950 mm.	300
734	ACB	ACB 90° curve conveyor, plastic mesh belt, belt width: 380 mm, total dimensions: 2150 mm x 1000 mm x 910 mm.	300
735	Sprematech	Sprematech mobile transport belt, numer: 105021, year of construction: 02/2008, belt width: 1090 mm, total dimensions: 5300 mm x 1350 mm x 1350 mm.	500
737	NN plastic belt	Plastic belt, belt width: 1090 mm, total dimensions: 1200 mm x 650 mm x 720 mm.	50
738	NN roof condenser	Roof condenser, type: PS, serial number: 10035194, year of construction: 2010, 1600 W, 400 V, 3 Ph, 50 Hz, dimensions: 2620 mm x 2620 mm x 1150 mm.	500
739	NN stands	S/s stands, (2x) dimensions: 600 mm x 130 mm x 740 mm.	20
744	NN hopper	S/s hopper dimensions: 2100 mm x 2200 mm x 2330 mm.	400
746	NN bag holder	Mobile s/s bag holder, dimensions: 500 mm x 720 mm x 1900 mm.	25
747	NN frame	S/s frame, dimensions: 1230 mm x 900 mm x 1150 mm.	50
748	NN frame	S/s frame, dimensions: 1190 mm x 790 mm x 1260 mm.	50
749	NN frame	Mobile s/s frame, dimensions: 1200 mm x 700 mm x 1180 mm.	50
750	NN table	S/s table, dimensions: 1400 mm x 900 mm x 1200 mm.	75
751	NN table	S/s table, dimensions: 2000 mm x 800 mm x 1050 mm.	50
752	NN table	S/s table with dip tray, dimensions: 2320 mm x 1450 mm x 910 mm.	75
753	NN frame	S/s frame, dimensions: 2400 mm x 1580 mm x 860 mm.	250
754	NN frame	S/s frame, dimensions: 2400 mm x 1460 mm x 850 mm.	250
755	NN frame	S/s frame, dimensions: 2400 mm x 1460 mm x 850 mm.	250
756	NN table	Aluminium table, dimensions: 2000 mm x 1000 mm x 850 mm.	50
757	Alfa Laval	Alfa Laval evaporator, type: THOR-A 216-7-80-400-NC6, serial number: 601909-3110883-140682, year of construction: 2011, 400 V, 3 Ph, 50 Hz, refrigerant: GLYCOL, weight: 76 kg, dimensions: 1300 mm x 1000 mm x 800 mm.	100
758	NN writing desk	S/s writing desk, dimensions: 740 mm x 600 mm x 300 mm.	25
759	NN table	S/s table, dimensions: 900 mm x 550 mm x 1000 mm.	25
760	NN trolley	S/s trolley, dimensions: 1650 mm x 580 mm x 920 mm.	10
761	NN writing desk	S/s writing desk, dimensions: 530 mm x 560 mm x 1100 mm.	25
762	NN writing desk	S/s writing desk, dimensions: 530 mm x 560 mm x 1100 mm.	25



Nr	Title	Description	Start €
763	NN table	Aluminium table, dimensions: 3700 mm x 1100 mm x 850 mm.	100
764	Soco System	Soco System roller conveyor, steel frame, plastic rollers, roller width: 410 mm, total dimensions: 2950 mm x 480 mm x 750 mm.	25
765	NN writing desk	S/s writing desk, dimensions: 700 mm x 500 mm x 1200 mm.	25
766	NN table	S/s table, dimensions: 840 mm x 500 mm x 1220 mm.	50
767	NN writing desks	S/s writing desk, dimensions: 700 mm x 500 mm x 1200 mm.	25
768	NN writing desks	S/s writing desk, dimensions: 700 mm x 500 mm x 1200 mm.	25
769	NN frame	S/s frame, dimensions: 1250 mm x 840 mm x 900 mm.	50
770	NN frame	S/s frame, dimensions: 1250 mm x 850 mm x 900 mm.	50
771	NN frame	S/s frame, dimensions: 1300 mm x 860 mm x 760 mm.	50
772	NN table with buckets	S/s table with 3 s/s buckets, dimensions: 2500 mm x 500 mm x 1100 mm.	50
773	NN frame	S/s frame, dimensions: 2200 mm x 580 mm x 960 mm.	50
774	NN table	Mobile s/s table, dimensions: 1850 mm x 1200 mm x 1060 mm.	50
775	NN table	S/s table, dimensions: 1200 mm x 600 mm x 840 mm.	50
776	NN writing desk	S/s writing desk, dimensions: 1350 mm x 600 mm x 1220 mm.	25
777	NN table	S/s table, dimensions: 800 mm x 400 mm x 770 mm.	50
778	NN frame	S/s frame, dimensions: 600 mm x 410 mm x 730 mm.	10
779	NN table	S/s table, dimensions: 900 mm x 600 mm x 1050 mm.	25
780	NN writing desk	S/s writing desk, dimensions: 700 mm x 500 mm x 1200 mm.	25
781	NN writing desks	S/s writing desks, dimensions: 700 mm x 500 mm x 1200 mm.	25
782	NN writing desks	S/s writing desk, dimensions: 700 mm x 500 mm x 1200 mm.	25
783	NN writing desk	S/s writing desk, dimensions: 900 mm x 560 mm x 1100 mm.	25
784	NN table	S/s table, dimensions: 1800 mm x 1120 mm x 1000 mm.	50
785	NN trolleys	2 steel trolleys, dimensions: (1x) 960 mm x 560 mm x 840 mm, (1x) 960 mm x 560 mm x 960 mm.	10
786	NN trolley	Steel trolley with wooden top, dimensions: 1150 mm x 700 mm x 920 mm.	10
787	NN trolley	S/s trolley, dimensions: 820 mm x 600 mm x 1100 mm.	25
788	NN trolley	Steel trolley, dimensions: 800 mm x 600 mm x 1050 mm.	5
789	NN trolley	Aluminium trolley, dimensions: 1200 mm x 600 mm x 1000 mm.	25
790	NN frame	S/s frame, dimensions: 2200 mm x 1000 mm x 200 mm.	25
791	NN trolley	S/s trolley, 2 floors, dimensions: 550 mm x 800 mm x 850 mm.	25
792	NN trolley	S/s trolley, dimensions: 650 mm x 600 mm x 1150 mm.	25
793	NN trolley	S/s trolley, dimensions: 660 mm x 900 mm x 850 mm.	25
794	NN gutter	Mobile s/s gutter, gutter width: 480 mm, total dimensions: 1130 mm x 670 mm x 1450 mm.	25
795	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 600 mm x 1000 mm.	50



Nr	Title	Description	Start €
796	NN waste bin holders	2 s/s waste bag holders, dimensions: (2x) 500 mm x 500 mm x 1000 mm.	10
797	NN waste bag holders	3 s/s waste bag holders, dimensions: (3x) 600 mm x 600 mm x 900 mm.	15
798	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 600 mm x 600 mm x 900 mm.	10
799	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 700 mm x 700 mm x 1000 mm.	10
800	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 700 mm x 700 mm x 1000 mm.	10
801	NN cabinet	S/s mobile cabinet, dimensions: 600 mm x 760 mm x 1760 mm.	50
802	NN frame	S/s frame, dimensions: 700 mm x 1100 mm x 240 mm.	25
803	NN waste bag holder	S/s waste bag holder, dimensions: 850 mm x 750 mm x 1300 mm.	10
804	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 455 mm, divider height: 50 mm, distance between dividers: 490 mm, total dimensions: 6400 mm x 1000 mm x 1250 mm.	400
805	De Jager RVS	De Jager RVS mobile transport belt, type: 30130520, year of construction: 01/2014, maximum belt width: 600 mm, total dimensions: 9600 mm x 1050 mm x 1620 mm. Without belt.	300
806	NN deboning belt	Deboning belt, number: S083 5350, year of construction: 1996, s/s frame, plastic belt, belt width: 640 mm, plastic rollers, roller width: 440 mm, total dimensions: 12700 mm x 1620 mm x 1410 mm.	500
807	Koppens B.V.	Koppens B.V. forming line, consisting of: Koppens B.V. forming machine with double infeed hopper, type: VM 600HD-TWR, machine number: 666, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 16.48 A, 7.68 kW, weight: 1425 kg, dye: 30 mm, total dimensions forming machine: 3400 mm x 2000 mm x 2440 mm, infeed bunker, dimensions: 4700 mm x 1900 mm x 1900 mm, 2 hydraulic units, dimensions: (2x) 1300 mm x 870 mm x 1700 mm, pallet with switch cabinets and extra forms, dye: 40 mm x 25 mm and 40 mm x 90 mm, dimensions pallet: 1200 mm x 800 mm x 500 mm.	2500
808	NN platform	S/s platform for multihead weigher with stairs, platform dimensions: 2900 mm x 2500 mm x 1600 mm, dimensions stairs: 2200 mm x 900 mm x 2750 mm.	750
810	NN air handling unit	Air handling unit, dimensions: 3200 mm x 2100 mm x 4000 mm.	250
811	NN cage	S/s double cage for lifter, dimensions: 2050 mm x 1380 mm x 4100 mm.	250
812	NN cooking racks	6 s/s cooking racks, dimensions: (6x) 1000 mm x 1000 mm x 2050 mm.	300
813	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 380 mm, divider height: 50 mm, distance between dividers: 150 mm, total dimensions: 5900 mm x 800 mm x 1650 mm.	300



Nr	Title	Description	Start €
814	NN trolley	S/s trolley with parts for slicer, dimensions: 1350 mm x 700 mm x 1600 mm.	25
815	NN frame	Mobile s/s frame, dimensions: 950 mm x 650 mm x 930 mm.	10
816	NN table	S/s table, dimensions: 1300 mm x 1150 mm x 1050 mm.	100
817	NN table	S/s mobile table with writing desk, dimensions: 540 mm x 650 mm x 1220 mm.	25
818	NN tool trolley	S/s tool trolley, dimensions: 1350 mm x 1050 mm x 1170 mm.	150
819	GEA Goedhart	GEA Goedhart evaporator, 2 fans, type: VCI-B 126310 G, manufacturing number: PJV120314, VK1200284/320207000, year of construction: 2012, volume: 94 dm ³ , PS: 28 bar, TS: +55/-18 °C, PT: 40 bar, refrigerant: R507 Dx, dimensions: 2900 mm x 1050 mm x 1100 mm.	300
820	NN cleaning trolleys for battering machines	2 s/s cleaning trolleys for battering machines, dimensions: (2x) 750 mm x 750 mm x 1650 mm.	50
821	NN cooking rack	S/s cooking rack, dimensions: 1020 mm x 1000 mm x 1680 mm.	50
822	NN trolley	S/s trolley, dimensions: 1010 mm x 1000 mm x 2000 mm.	50
823	NN trolleys for plates	6 s/s trolleys for plates, 20 floors, dimensions each floor: 600 mm x 400 mm, distance between floors: 70 mm, total dimensions: (6x) 635 mm x 460 mm x 1780 mm.	150
824	NN trolleys	2 s/s trolleys, dimensions: (2x) 1480 mm x 700 mm x 1430 mm.	50
825	NN trolley	S/s trolley, dimensions: 1800 mm x 650 mm x 1170 mm.	25
826	NN platform	S/s platform, working height: 1130 mm, total dimensions: 2700 mm x 1700 mm x 2080 mm.	300
827	CFS	CFS s/s platform, type: PLATFORM, machine number: 500006/262. POS. 717, year of construction: 2009, working height: 1300 mm, total dimensions: 2400 mm x 2000 mm x 2420 mm.	300
828	NN autoclave baskets	10 steel round autoclave baskets, diameter: (2x) 1070 mm / height: (2x) 500 mm and diameter: (8x) 900 mm / height: (8x) 750 mm.	250
829	NN pallets	38 plastic pallets, dimensions: 1200 mm x 1000 mm x 180 mm.	200
830	NN table	S/s table with frame, dimensions: 600 mm x 840 mm x 2000 mm.	25
831	NN table	S/s table with frame, dimensions: 600 mm x 840 mm x 2000 mm.	25
832	NN platform	Mobile s/s platform, working height: 1000 mm, total dimensions: 2100 mm x 1000 mm x 2000 mm.	100
833	NN racks	4 s/s racks with 9 floors, dimensions floors: 500 mm x 990 mm, dimensions racks: (4x) 1050 mm x 1050 mm x 1930 mm.	200
834	NN trolley	S/s trolley, dimensions: 650 mm x 350 mm x 1800 mm.	50
835	NN rollie	S/s rollie, dimensions: 420 mm x 1150 mm x 250 mm.	10



Nr	Title	Description	Start €
836	NN frame	S/s frame, dimensions: 1130 mm x 840 mm x 1750 mm.	10
837	NN rack	Galvanized rack, dimensions: 1200 mm x 800 mm x 1800 mm.	25
838	NN frame	Galvanized frame, dimensions: 1230 mm x 1000 mm x 900 mm.	10
839	NN blower	Blower, dimensions: 500 mm x 1340 mm x 580 mm.	25
840	NN frame	S/s frame, dimensions: 1140 mm x 740 mm x 710 mm.	10
850	E.S.A. Group Odor Technology	E.S.A. Group Odor Technology gas washing installation, consisting of: 4 plastic gas washing tanks, dimensions: (3x) 3000 mm x 4200 mm x 4450 mm, (1x) 3200 mm x 2900 mm x 4450 mm, blower, dimensions: 2700 mm x 3700 mm x 2850 mm, switch cabinet, dimensions: 1800 mm x 500 mm x 2200 mm, 4 plastic cabinets with Prominent dosing pump, capacity: 13.5 liter per hour, dimensions cabinets: (4x) 700 mm x 550 mm x 1000 mm.	1500
851	NN IBC containers	7 IBC containers, dimensions: (7x) 1000 mm x 1150 mm x 1150 mm.	210
852	Multivac	Multivac thermoformer, type: R570, serial number: 102300, year of construction: 2005, 400 V, 50 Hz, 3 Ph, 19.5 kW, film width: 500 mm, dimensions dye: (4x) 120 mm x 200 mm, total dimensions: 8200 mm x 1200 mm x 2050 mm. Incomplete. Without vacuum pump.	7500
870	Multivac	Multivac thermoformer, model: R 570, serial number: 3739, year of construction: 2004, 415 V, 3 Ph, 50 Hz, 54 A, 17.5 kW, dye: (6x) 185 mm x 140 mm, belt width: 520 mm, index: 480 mm, plastic outfeed belt, belt width: 480 mm, total dimensions: 7900 mm x 1200 mm x 2140 mm. Incomplete.	7500
871	WMH	WMH 4 lane elevating belt, s/s frame, plastic belts, belt width: (4x) 255 mm, elevating height: 1600 mm, total dimensions: 5700 mm x 1500 mm x 2450 mm.	500
872	WMH	WMH 4 lane elevating belt, type: M0873, serial number: 10405-11, year of construction: Jan 2017, 230 V, s/s frame, plastic belts, belt width: (4x) 255 mm, elevating height: 1600 mm, total dimensions: 5700 mm x 1500 mm x 2450 mm.	500
873	Laska	Laska vacuum cutter with double lifter for 200 liter meat bins and ejector, model: KUX750VAC, serial number: 12110, year of construction: 2007, 3x380 V, 50 Hz, 273 kW, weight: 7900 kg, s/s bowl, capacity: 750 liter, bowl speed: 4,7,10,14, knife speed: 60-3300 rpm, Busch vacuum pump, model: RA 0165 D 503, capacity: 165 m ³ per hour, dimensions pump: 1000 mm x 500 mm x 500 mm, switch cabinet, cabinet dimensions: 2450 mm x 550 mm x 2050 mm, cutter dimensions: 4300 mm x 3400 mm x 2250 mm.	50000
874	Seydelmann	Seydelmann cutter with ejector, model: K120U, serial number: 99268-1, year of construction: 1999, 3x400 V, 50 Hz, 97 A, volume: 120 liter, weight: 1385 kg, switch cabinet, dimensions: 1000 mm x 800 mm x 450 mm, total dimensions: 2050 mm x 1400 mm x 1700 mm.	17500



Nr	Title	Description	Start €
875	Variovac	Variovac tumbler, type: VV5-1000, number: 013, 380 V, 3 Ph, 50 Hz, 7.2 A, 3.2 kW, dimensions: 1730 mm x 2050 mm x 1900 mm.	2000
876	Karl Schnell	Karl Schnell emulsifier with lifter, model: FD9, serial number: 31315, year of construction: 2002, 3x400 V, 50 Hz, 200 kW, weight: 5800 mm, volume: 570 liter, capacity: 4500 kg/h, diameter hole plate: 225 mm, knife speed: 3000 rpm, infeed height: 1850 mm, Elmo Rietschle liquid ring vacuum pump, model:F 2BV5 111, total dimensions: 3850 mm x 2800 mm x 2850 mm.	17500
877	Hillerslev	Hillerslev washing machine for meat bins, type: Washing Machine for Vemag trollies, serial number: 3665A-2020, year of construction: 2020, 3x400 V, 50 Hz, 14.5 kW, capacity: 40 trollies per hour, heating: direct steam, dimensions: 11800 mm x 1900 mm x 2650 mm.	7500
878	Grunwald	Grunwald filling- and closing machine, type: Foodliner 12000/8, serial number: WK43/07, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 15 kW, weight: 3500 kg, capacity: 18000-22000 cups/hour, diameter cups: 55/65 mm, total dimensions: 4250 mm x 2000 mm x 1800 mm. Including outfeed belt, dimensions: 2700 mm x 700 mm x 1500 mm, 2 pallet boxes with parts, dimensions: (2x) 1200 mm x 1000 mm x 750 mm, switch cabinet, dimensions: 1200 mm x 350 mm x 2100 mm.	5000
879	Skindeasy alginate	Skindeasy alginate line, type: Skindeasy, serial number: 48201, year of construction: 2015, 3 x 400 V, 50 Hz, 0.4 kW, dimensions: 1800 mm x 650 mm x 1400 mm.	750
880	Boldt Systems	Boldt Systems mobile metal detector, model: BFCM 12.07, serial number: BFO 14-022.02, year of construction: 2014, clearance: 350 mm x 120 mm, total dimensions: 2500 mm x 1350 mm x 2400 mm.	1000
882	NN switch cabinet	Switch cabinet, type: IPC06-20-04, dimensions: 750 mm x 500 mm x 800 mm.	50
883	NN switch cabinet	Switch cabinet, type: IPC06-20-04, dimensions: 750 mm x 500 mm x 800 mm.	50
884	Alkar	Alkar cooking and smoking chamber for 1 trolley, type: 1000, serial number: 8000531108E1E075, 400 V, 3 Ph, 50 Hz, 2/3.7 A, heating: electric, inside dimensions: 1420 mm x 1310 mm x 1870 mm, total dimensions: 2010 mm x 1550 mm x 2960 mm. Including smoke generator and generator for blocks, serial number: 8000531108E1E075, 400 - 220 V, 1 Ph, 50 Hz, dimensions: 840 mm x 550 mm x 970 mm and 1150 mm x 1100 mm x 1800 mm.	2500
885	Terlet	Terlet double stirring and cooking kettles, model: stirring kettles, serial number: 0511170 001 001, year of construction: 2006, 400 V, 50 Hz, weight: 1500 kg, dimensions: 2900 mm x 5700 mm x 2600 mm. Including mobile Carnitech lifter for 200 liter meat bins, type: L25,	5500



Nr	Title	Description	Start €
		number: 1-4209, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 2.1 A, 0.75 kW, and pallet with switch cabinet.	
887	Nirotech	Nirotech boot washer, hand sensor controlled, brush length: 380 mm, total dimensions: 1200 mm x 650 mm x 1300 mm.	200
888	Loma Systems	Loma Systems metal detector with rejector, model: IQ4 Metal Detector, serial number: Q4W35-20-47098D, year of construction: 2019, 110/240 V, 1 Ph, 50/60 Hz, 0.5/1.0 A, plastic belt, belt width: 300 mm, clearance: 360 mm x 190 mm, total dimensions: 2000 mm x 1100 mm x 1550 mm.	1500
889	Scanvaegt	Scanvaegt floor weighing scale with indicator, indicator type: 411, serial number: A066513, year of construction: 2009, scale dimensions: 850 mm x 850 mm, total dimensions: 1050 mm x 1150 mm x 1300 mm.	400
890	Höfelmeyer	Höfelmeyer floor weighing scale with indicator, scale dimensions: 1000 mm x 1000 mm, total dimensions: 1300 mm x 1300 mm x 150 mm.	400
891	Chefcut	Chefcut mobile pineapple cutter, model: CC001, serial number: 012011-0011, dimensions: 950 mm x 500 mm x 950 mm, including 3 extra knife sets.	400
892	GTI Food & Pharma	GTI Food & Pharma mobile MF diphtheria filtration system, year of construction: 2002, with Ian Fellows Tld. Indicator, type: Lucid, serial number: 76711, 230 Vac, double jacketed tank, capacity: 280 liter, dimensions: 2200 mm x 1200 mm x 2200 mm.	3000
893	Syspal	Syspal tumbler for 200 and 300 liter meat bins, type: TT2 1001, serial number: K5224, year of construction: 2015, 3 x 415 V, 50 Hz, 4 kW, compressor air: 6 bar, working load: 350 kg, weight: 850 kg, total dimensions: 1800 mm x 1700 mm x 2000 mm.	7500
894	Höfelmeyer	Höfelmeyer scale on s/s frame, scale type: HWZ01-50KG-C3-Y25000, indicator type: HTF:SY01/HTF300M, serial number: 1705905/6112730, 230 V, 50/60 Hz, scale dimensions: 500 mm x 400 mm, total dimensions: 600 mm x 500 mm x 1350 mm.	150
895	Höfelmeyer	Höfelmeyer scale on s/s frame, scale type: HWZ01-50KG-C3-Y25000, serial number: 104291, indicator type: HTF:SY01/HTF315, serial number: 2000309/6113846, 110/230 V, 50/60 Hz, scale dimensions: 500 mm x 400 mm, total dimensions: 600 mm x 500 mm x 1350 mm.	150
896	Simo	Simo grinding and mixing line, consisting of: Simo mixer with lifter for 200 liter meat bins, type: 2AM 100L-92-08624, 380 V, 3 Ph, 50 Hz, 13 kW, volume: 100 liter, dimensions: 2400 mm x 1300 mm x 2950 mm, Simo meat pump, type: 250-120V1700, diameter screw: 250 mm, dimensions meat pump: 2500 mm x 1400 mm x 2600 mm, Simo grinder, diameter plate: 300 mm, dimensions grinder: 1200 mm x 800 mm x 2300 mm.	5500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal black lines, resembling notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]



This image shows a full page of white paper with horizontal black lines, resembling notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

