



**Industrial
Auctions**

**2287: Online auction machinery for the food industry in
Brokstedt (DE)**

END DATE

23 September 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	23 September 2026 from 14:00 hrs.
Viewing days	22 September 2026 from 09:00 till 12:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	30 September 2026 from 09:00 till 16:00 hrs.
Pick up address	Osterfeld 14 24616 Brokstedt Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Sealpac GmbH	Sealpac GmbH traysealer type: SEALPAC A7, serial number: A7 01 2639, year of construction: 2013, 400 V, 50-60 Hz, weight: 1800 kg, plastic wire belt, dimensions: 8700 mm x 1100 mm x 2000 mm.	12900
2	Koppens	Koppens belt fryer, type: BR 2000/400, machine number: BR 2000/400-851, 380 V, 3 Ph, 50 Hz, 74.1 A, 47.1 A 46.95 kW, weight: 1305 kg, s/s mesh belt, dimensions: 4500 mm x 1150 mm x 3300 mm.	6400
3	Krämer + Grebe	Krämer + Grebe bowl cutter with lifter for 200 liter meat bins and ejector, type: VSM325, machine number: 173/283, 400 V, 3 Ph, 50 Hz, 120 kW, capacity: 325 liter, s/s bowl, dimensions: 3000 mm x 2800 mm x 1900 mm. Including switch cabinet.	8900
4	Fillpac GmbH & Co KG	Fillpac GmbH & Co KG 3-head filling machine for sauces, dips and salads, type: FM-03, number: WA 13.842, year of construction: 2014, 400 V, 50 Hz, 32 A, dimensions: 1500 mm x 1450 mm x 1900 mm.	4900
5	Variovac	Variovac thermoformer, type: OPTIMUS, serial number: OL2389, year of construction: 2024, 230/400 V, 30 A, 20 kW, 6 bar, foil width: 422 mm, total dimensions: 6500 mm x 1100 mm x 1800 mm.	29500
6	Marel	Marel portioning and grading line consisting of: Marel transport belt, type: Conveyor, serial number: A044403, year of construction: 2007, 380-480 V, 3 Ph, 0.8 kW, plastic mesh belt, belt width: 250 mm, total dimensions: 1580 mm x 790 mm x 1020 mm. Marel checkweigher, type: INW3 X600xi, serial number: A028794, year of construction: 2004, 380/480 V, 3 Ph, 10 A, 1.2 kW, plastic belt, belt width: 280 mm, total dimensions: 2000 mm x 1200 mm x 1400 mm. Marel double lane portioning machine, type: IPM3 x600, serial number: A028868, year of construction: 2004, 380-480 V, 3 Ph, 50-60 Hz, 16 A, plastic belt, belt width: (2x) 280 mm, total dimensions: 2750 mm x 1200 mm x 1620 mm. Transport belt, s/s frame, plastic belt, belt width: 420 mm, total dimensions: 800 mm x 800 mm x 1020 mm. Scanvaegt checkweigher, type: Process Weigher 4717.425.10, serial number: BO100017, year of construction: 2009, 400 V, 3 Ph, 50/60 Hz, 16 A, weight: 120 kg, plastic belt, belt width: 425 mm, total dimensions: 930 mm x 880 mm x 1800 mm. Grading and sorting belt with 4 stations, plastic belt, belt width: 425 mm, total dimensions: 2000 mm x 800 mm x 1220 mm. 2 s/s trolleys for tools, dimensions: (2x) 1100 mm x 1360 mm x 2200 mm.	5400
7	Emsens	Emsens netting machine for small products, model: MF01, serial number: 09.17.002, year of construction: 2017, diameter up to: 100 mm, length: 280 mm, dimensions: 3000 mm x 1200 mm x 1800 mm.	4700



Nr	Title	Description	Start €
8	Seydelmann	Seydelmann bowl cutter, type: K60Ras, machine number: 96264-1, 400 V, 50 Hz, 40 A, volume: 60 liter, dimensions: 1280 mm x 1100 mm x 1160 mm. Including switch cabinet and extra blades.	5900
9	Dorit	Dorit vacuum tumbler, type: VV4-700, serial number: 269, 380 V, 3 Ph, 50 Hz, 4.2 A, 1.8 kW, volume: 700 liter, Busch vacuum pump, type: 025-132, dimensions: 2100 mm x 1300 mm x 1800 mm.	3600
10	FAM n.v.	FAM n.v. slicer, type: CHD-3D, serial number: 6239, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 7.5 kW, weight: 475 kg, distance between knives: 15 mm, total dimensions: 1030 mm x 1760 mm x 2120 mm.	4800
11	Graef GmbH & Co. KG	Graef GmbH & Co. KG automatic slicer, type: VA802 400V, serial number: 6334771, year of construction: 2008, 400 V, 50 Hz, 2.4 A, 500 W, dimensions: 860 mm x 640 mm x 500 mm.	450
12	Rex Technologie GmbH	Rex Technologie GmbH vacuum filling machine with lifter for 200 liter meat bins, type: RVF 420, serial number: 42030150423, year of construction: 2023, 50/60 Hz, 3x35 A, with Busch vacuum pump, type: KC 0016 E 320, serial number: CZM122131393, year of construction: 2022, capacity: 19 m ³ /h, total dimensions: 2000 mm x 1300 mm x 2200 mm. Including Rex Technologie GmbH transport belt, plastic belt, belt width: 320 mm, total dimensions: 1150 mm x 800 mm x 950 mm, meat portioning machine and 2 s/s 200 liter meat bins.	23000
13	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF616, number: 29150, year of construction: 2011, 400 V, 50/60 Hz, 7.2 A, 6.0 kW, Busch vacuum pump, type: KC 0016 E 320, capacity: 19 m ³ per hour, dimensions: 2000 mm x 1400 mm x 2000 mm.	11800
14	Seydelmann	Seydelmann grinder, type: AD114, number: 95299-1, 400 V, 50 Hz, 25 A, diameter plate: 114 mm, total dimensions: 960 mm x 870 mm x 1280 mm. Including extra plates.	3900
15	Vemag	Vemag vacuum filling machine, model: HP 15 E, number: 1620063, year of construction: 2007, 400-460 V, 3 Ph, 50/60 Hz, 37 A, 25 kW, Busch vacuum pump, dimensions: 1280 mm x 1200 mm x 2350 mm.	5400
16	TipperTie Alpina	TipperTie Alpina mobile automatic double clipper, type: Swipper 15/12, plastic outfeed belt, belt width: (2x) 75 mm, total dimensions: 1150 mm x 1000 mm x 1600 mm.	4500
17	Schröder	Schröder curing press, type: PSM500, number: PSM25499, 400 V, 50 Hz, 2.5 A, 1.2 kW, plastic belt, belt width: 650 mm, roller length: 650 mm, dimensions infeed: 665 mm x 135 mm, total dimensions: 1620 mm x 1000 mm x 1870 mm.	950
18	Schröder	Schröder injector, type: IMAX 420, number: 420.1026.03, year of construction: 2003, 400/440 V, 50/60 Hz, 18 A,	3500



Nr	Title	Description	Start €
		9.5 kW, walking beam, total dimensions: 2300 mm x 1100 mm x 2350 mm. With Schröder filter tub, dimensions: 1550 mm x 650 mm x 1250 mm, trolley with parts for walking beam, dimensions trolley: 2200 mm x 1000 mm x 1050 mm, and infeed slide, dimensions infeed slide: 1600 mm x 1200 mm x 1300 mm.	
19	Handtmann	Handtmann linking and hanging line, type linking machine: 216-22, number: 713, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 3.6 A, 2.5 kW, dimensions: 1500 mm x 750 mm x 1450 mm, type hanging line: 241-16, number: 10800735, year of construction: 2010, dimensions: 2800 mm x 740 mm x 1650 mm.	2900
20	NN depositor	S/s depositor, dimensions: 1300 mm x 710 mm x 1200 mm.	3900
21	Wiesheu GmbH	Wiesheu GmbH double stacked oven, model top oven: B4-E2, serial number: 10201187, year of construction: 2012-05, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, dimensions inside: 660 mm x 400 mm, model bottom oven: B8-E2, serial number: 10201163, year of construction: 2012-05, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.4 kW, total dimensions: 1250 mm x 950 mm x 2250 mm. Including loading trolley, serial number: 10207282, year of construction: 2012-07, dimensions: 740 mm x 600 mm x 1950 mm.	490
22	Wiesheu GmbH	Wiesheu GmbH double stacked oven, model top oven: B4-E2, serial number: 10204287, year of construction: 2012-06, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, dimensions inside: 660 mm x 400 mm, model bottom oven: B8-E2, serial number: 10204309, year of construction: 2012-06, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.4 kW, total dimensions: 1250 mm x 950 mm x 2250 mm. Including loading trolley, serial number: 10207281, year of construction: 2012-07, dimensions: 740 mm x 600 mm x 1950 mm.	490
23	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG friction smoke generator, type: RF, factory number: 214-0907, year of construction: 11/2007, 230/400 V, 9.5 kW, dimensions: 1850 mm x 1350 mm x 1930 mm. Including switch cabinet.	490
24	Wiesheu GmbH	Wiesheu GmbH mobile oven, type: M8E2IS600, serial number: 10121747, year of construction: 2008-06, 400 V, 3 Ph, 50 Hz, 13.3 A, 9.2 kW, 4 floors, dimensions floors: (4x) 635 mm x 370 mm, total dimensions: 1000 mm x 950 mm x 1400 mm.	450
25	Roeder	Roeder mobile s/s tiltable braising pan, inside dimensions: 680 mm x 660 mm x 180 mm, total dimensions: 1150 mm x 950 mm x 1250 mm. Missing wheel.	300
26	Nock	Nock mobile skinning machine, type: V460N, number: 1134380, year of construction: 2011, 400 V, 3 Ph, 50 Hz,	1200



Nr	Title	Description	Start €
		6.3 A, 0.75 kW, working width: 430 mm, total dimensions: 750 mm x 650 mm x 950 mm.	
27	EFA	2 EFA splitting saws, type: SB 326 E, serial number: 153, year of construction: 2019, 420 V, 3 Ph, 50 Hz, 2500 W, 55 A, Weight: 85 kg, total dimensions: 1450 mm x 500 mm x 530 mm.	1700
29	NN case tubing machine	Case tubing machine, dimensions: 860 mm x 600 mm x 1500 mm.	100
30	Nock	Nock mobile skinning machine, type: V460, number: 3026810, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.75 kW, working width: 430 mm, total dimensions: 750 mm x 650 mm x 950 mm.	1100
31	Mado	Mado bandsaw, type: MKB649D, machine number: 30074, dimensions table: 410 mm x 540 mm, total dimensions: 500 mm x 580 mm x 1480 mm.	400
32	Bizerba	Bizerba weighing scale with label printer on s/s platform, number: 1599827, 230 V, 50 Hz, 0.6 A, dimensions: 550 mm x 550 mm x 1380 mm.	120
33	Mettler Toledo	Mettler Toledo weighing scale with indicator, type indicator: ICS4x9-1, serial number: 3350686, 100/240 V, 50/60 Hz, 300 mA, dimensions: 600 mm x 170 mm x 760 mm.	120
34	Townsend	Townsend mobile skinning machine, model: 1520, serial number: 211, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 330 mm, total dimensions: 700 mm x 610 mm x 1030 mm.	350
35	Linx	Linx mobile inkjet printer, model: 6200, serial number: LP72034, year of construction: 1998, dimensions: 450 mm x 500 mm x 1070 mm.	300
36	NN rollies	20 s/s rollies, rollie dimensions: 620 mm x 420 mm x 150 mm, total dimensions: 1200 mm x 800 mm x 1550 mm.	390
37	NN rollies	20 s/s rollies, rollie dimensions: 620 mm x 420 mm x 150 mm, total dimensions: 1200 mm x 800 mm x 1550 mm.	390
38	Boekels	Boekels metal detector with rejector, type: 25x9, number: 94.20.103, year of construction: 11/94, 220 V, 50 Hz, 156 Khz, plastic belt, belt width: 160 mm, clearance: 250 mm x 100 mm, dimensions: 2000 mm x 950 mm x 1300 mm.	300
39	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic clipper, type: SFC 700 Drilling, serial number: 136/GU 08, 220 V, 3 Ph, 50/60 Hz, 0.6 A, 0.2 kW, plastic belt, belt width: 70 mm, diameter pipe: 55, total dimensions: 1220 mm x 1200 mm x 1400 mm.	600
40	MR-Selbstklebe-Technik	MR-Selbstklebe-Technik mobile labelling belt, model: MR 323 TL 2019 DA 4322 BD, machine number: 8096/92, 220 V, 50 Hz, plastic belts, belt width: (2x) 80 mm, total dimensions: 2100 mm x 1000 mm x 1750 mm.	210
41	Handtmann		2600



Nr	Title	Description	Start €
		Handtmann collating belt, type: 311-01, year of construction: 2018, 575 V, 3 Ph, 50/60 Hz, 3.7 A, 3.5 kW, plastic belt, belt width: 330 mm, clearance: 230 mm x 90 mm, total dimensions: 2860 mm x 900 mm x 1100 mm.	
42	Seydelmann	Seydelmann mixer-grinder with lifter for meat bins, type: MG 160 TBv, serial number: 81 147-1, diameter plate: 160 mm, total dimensions: 2260 mm x 2140 mm x 1870 mm. Missing plates.	4800
43	Kerres	Kerres smoke-air smoke chamber for 1 trolley, inside dimensions: 980 mm x 960 mm x 1600 mm, total dimensions: 1700 mm x 1320 mm x 2500 mm. Including s/s smoke trolley, 5 floors, dimensions trolley: 910 mm x 930 mm x 1550 mm.	1900
44	Toledo/Schember	Toledo weighing scale, model: 8139, serial number: 4120732-4SL, 120 V, 50/60 Hz, 0.15 kW with Schember indicator, type: 320-3, number: 45478, minimum / maximum weight: 5 kg / 250 kg, e=d= 100 g, scale dimensions: 1000 mm x 1000 mm, total dimensions: 1350 mm x 1000 mm x 1670 mm.	250
45	NN trolleys	2 trolleys, dimensions: (1x) 810 mm x 730 mm x 1750 mm, (1x) 810 mm x 700 mm x 1500 mm.	10
46	Edwards	Edwards vacuum pump, model: EH500IND, serial number: 066377778, 50 Hz, capacity: 505 m ³ per hour, total dimensions: 820 mm x 380 mm x 400 mm.	250
47	Bizerba	Bizerba automatic slicer, type: V58 A, machine number: 461044, 280/380 V, 3 Ph, 50 Hz, 1.7/1.2 A, 0.410 kW, dimensions: 700 mm x 700 mm x 500 mm.	350
48	NN vacuum pump	Vacuum pump on mobile s/s frame, dimensions: 1260 mm x 460 mm x 1000 mm.	750
49	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine for fish, type: ESB 4434/2P, serial number: M-49396, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 2.15 A, 0.75 kW, plastic belt, belt width: 385 mm, working width: 460 mm, total dimensions: 1320 mm x 850 mm x 1250 mm.	700
50	NN brine mixer	S/s brine mixer, inside dimensions: Ø 600 mm x 750 mm, total dimensions: 1100 mm x 800 mm x 1670 mm.	380
51	Bizerba	Bizerba mobile automatic slicer, model: A 404 FB, number: 10626109, year of construction: 2010, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, s/s mesh belt, belt width: 250 mm, total dimensions: 1000 mm x 1650 mm x 1280 mm.	1400
52	Handtmann	Handtmann linking attachment, type: 34-4, number: 674, dimensions: 190 mm x 320 mm x 120 mm.	390
53	Handtmann	Handtmann linking attachment, dimensions: 190 mm x 320 mm x 120 mm.	390
54	Handtmann	Handtmann linking attachment, model: 34-4, number: 3026, dimensions: 190 mm x 320 mm x 120 mm.	390
55	Handtmann	Handtmann linking attachment, model: 34-5, number: 21241, dimensions: 190 mm x 320 mm x 120 mm.	390



Nr	Title	Description	Start €
56	Günther	Günther injector, type: PI8/16, machine number: 22520, 380 V, 8 A, plastic mesh belt, belt width: 240 mm, 16 needles, total dimensions: 1350 mm x 450 mm x 1650 mm.	400
57	Maja-Maschinenfabrik GmbH	Maja-Maschinenfabrik GmbH flake ice machine, type: SA 215 S, serial number: I-39693, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 6.7 A, 1.31 kW, refrigerant: R 404A, 1.5 kg, working width: 165 mm, total dimensions: 800 mm x 800 mm x 1560 mm.	1000
58	Dynopack Maschinenbau GmbH	Dynopack Maschinenbau GmbH mobile traysealer, type: 500 VG, machine number: D0045, year of construction: 12-99, dye: (4x) 132 mm x 95 mm, total dimensions: 750 mm x 900 mm x 1580 mm.	1100
59	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 2710, machine number: 271000.68701.0262, year of construction: 1997, 400/220 V, 50 Hz, 2.8/10 A, 1.0 kW, weight: 180 kg, chamber dimensions: 90 mm x 90 mm, total dimensions: 970 mm x 720 mm x 1030 mm. Including crate with extra parts.	1900
60	Mado	Mado bandsaw, type: MKB 651, serial number: 9630742, 230/400 V, 3 Ph, 50 Hz, 6.2/3.7 A, 1.5 kW, table dimensions: 780 mm x 670 mm, total dimensions: 780 mm x 740 mm x 1640 mm.	990
61	Multivac	Multivac mobile double chamber vacuum machine, dimensions chamber: (2x) 470 mm x 620 mm, seal length: (4x) 470 mm, with Rietschle vacuum pump, type: VCH 140 (5), total dimensions: 1240 mm x 920 mm x 1000 mm.	2800
62	Bizerba	Bizerba mobile grinder, model: FW-N98S/5, number: 1573083, 400 V, 3 Ph, 50 Hz, 5.6 A, plate diameter: Ø 98 mm, total dimensions: 930 mm x 550 mm x 1150 mm. Including extra plates.	800
63	Steinberg	Steinberg weighing scale, model: SBS-TW-30C, serial number: 3054 20190189, year of construction: 2020, max: 30 kg, min: 5 gram, dimensions: 270 mm x 310 mm x 120 mm.	20
64	Apexa / Bartscher	Apexa / Bartscher soup kettles, Apexa type: C E 2000, number: 1000.054, 220/240 V, 475 W, Bartscher type: RDS-100, number: 100061, 230/240 V, 50/60 Hz, 400 W, dimensions: (2x) Ø 340 mm x 350 mm.	25
65	Bizerba	Bizerba mobile automatic slicer, type: A 404, 230 V, 3 Ph, 50 Hz, 1.8/1.1 A, s/s mesh belt, belt width: 250 mm, total dimensions: 15080 mm x 1080 mm x 1480 mm. Including knife sharpener.	950
66	NN fryer	Double deep fryer, inside dimensions: 450 mm x 550 mm x 150 mm, total dimensions: 560 mm x 500 mm x 360 mm.	30
67	NN grill		30



Nr	Title	Description	Start €
		Grill, model: 5-S, gas heated, grill dimensions: 930 mm x 440 mm, total dimensions: 1050 mm x 650 mm x 870 mm.	
68	NN au bain-marie	Au bain-marie, model: BM40, number: 32127, year of construction: 01/97, 230 V, 1 Ph, 50 Hz, 1.2 kW, inside dimensions: 500 mm x 300 mm x 140 mm, total dimensions: 600 mm x 400 mm x 330 mm.	50
69	Palux	Palux deep fryer, type: 602280, number: 364519, year of construction: 2001, 400 V, 3 Ph, 50/60 Hz, 6.0 kW, inside dimensions: 340 mm x 220 mm x 150 mm, total dimensions: 600 mm x 400 mm x 300 mm.	50
70	NN knives	Plastic crate with large amount of knives, dimensions: 600 mm x 400 mm x 200 mm.	30
71	Cyklop	Cyklop mobile strapping machine, type: CD80, machine number: 02302077, 230 V, 50 Hz, 1 KVA, clearance: 870 mm x 605 mm, total dimensions: 1430 mm x 600 mm x 1550 mm.	450
72	TVM	TVM mobile portioning machine, type: TVM Portio 4000, serial number: 10.26844.229, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2.5 A, 4-8 bar, 380 kg, Busch vacuum pump, type: RC 0025 E 501, number: 00045179, capacity: 25 m ³ per hour, plastic outfeed belt, belt width: 200 mm, total dimensions: 1500 mm x 720 mm x 1900 mm. With trolley with parts, dimensions trolley: 820 mm x 620 mm x 1670 mm.	1200
73	Vemag	Vemag mobile transport belt, type: CRIMPER RC100, s/s frame, plastic belt, belt width: 200 mm, total dimensions: 1000 mm x 440 mm x 710 mm.	120
74	Bizerba	Bizerba weighing scale with label printer, type: SW 800 G, number: 1300880, 230 V, 50 Hz, 250 mA, dimensions scale: 500 mm x 400 mm, total dimensions: 500 mm x 600 mm x 1280 mm.	50
75	Hellmut Kühn	Hellmut Kühn vegetable slicer, type: 1/77, fabrication number: 16684, 220 V, 1 Ph, 50 Hz, 1.8 A, 0.22 kW, U/min 2700 mm, dimensions: 300 mm x 450 mm x 520 mm. Incomplete, missing knife.	150
76	Oertzen	Oertzen high pressure washer, type: Supermagnum 220 dimensions: 560 mm x 1160 mm x 840 mm.	240
77	Busch	Busch vacuum pump, type: 160-132, number: 39312, capacity: 160 m ³ per hour, dimensions: 800 mm x 500 mm x 620 mm.	500
78	NN meat bins	2 s/s meat bins, volume: 200 liter.	120
79	NN meat bins	2 s/s meat bins, volume: 200 liter.	120
80	NN meat bins	2 s/s meat bins, volume: 200 liter.	120
81	NN meat bins	2 s/s meat bins, volume: 200 liter.	120
82	NN meat bins	2 s/s meat bins, volume: 200 liter.	120
83	NN meat bins	2 s/s meat bins, volume: 200 liter.	120



Nr	Title	Description	Start €
84	NN tub	S/s mobile tub, dimensions: 1970 mm x 670 mm x 820 mm.	180
85	Bizerba	Bizerba grinder, model: FW-N 22/2, number: 2044600, year of construction: 2002, 230/400 V, 50 Hz, 6.9/4 A, plate diameter: 83 mm, total dimensions: 450 mm x 450 mm x 480 mm.	520
86	Bizerba	Bizerba bandsaw, model: FK 23, number: 10558004, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 2.3 A, table dimensions: 500 mm x 530 mm, total dimensions: 520 mm x 530 mm x 850 mm.	490
87	Leybold-Heraeus Varovac	Leybold-Heraeus Varovac vacuum pump, type: S 100 F, fabrication number: 10606 A891100011, volume flow rate: 100 m ³ per hour, dimensions: 700 mm x 500 mm x 400 mm.	200
88	ENT GmbH	ENT GmbH mobile infeed hopper with vibrating gutter, type: Schwingrinne, machine number: 11 119, year of construction: 2011, hopper dimensions: 550 mm x 550 mm x 300 mm, gutter width: 200 mm, total dimensions: 1000 mm x 1000 mm x 2000 mm.	390
89	NN tank	S/s double jacketed tank with drain, inside dimensions: Ø 600 mm x 530 mm, total dimensions: 900 mm x 880 mm x 880 mm.	300
90	Bizerba	Bizerba weighing scale, scale type: 175, number: 167180, year of construction: 1984, scale dimensions: 500 mm x 530 mm, indicator type: ITU, number: 10212215, 230 V, 50/60 Hz, 0.18 A, total dimensions: 800 mm x 600 mm x 1650 mm.	170
91	NN pressure vessel	Mobile steel pressure vessel with spraying pistol, vessel dimensions: Ø 450 mm x 450 mm, total dimensions: 700 mm x 500 mm x 920 mm.	80
92	Bizerba	Bizerba weighing scale with label printer on s/s platforms, number: 1638147, dimensions weighing scale : 500 mm x 400 mm x 110 mm, dimensions label printer: 320 mm x 430 mm x 410 mm.	120
93	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG traysealer, type: TS200N, machine number: 48160023, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 1.6 kW, tray dimensions: (2x) 150mm x 200 mm, total dimensions: 800 mm x 1000 mm x 1400 mm.	1500
94	Apple Engineering Ltd	Apple Engineering Ltd mobile depositor, model: MR 150, serial number: 27712, year of construction: 2001, 5 bar, dimensions filling tub: Ø 250 mm x 450 mm, outfeed diameter: 18 mm, total dimensions: 1050 mm x 540 mm x 1570 mm.	700
95	Vendo	2 Vendo vending machines, 12 floors, dimensions: (2x) 2000 mm x 900 mm x 1850 mm. Including pallet with parts.	3900
96	Bizerba		140



Nr	Title	Description	Start €
		Bizerba weighing scale with label printer on s/s platforms, number: 1709077, dimensions weighing scale : 500 mm x 400 mm x 110 mm, total dimensions: 500 mm x 400 mm x 1410 mm.	
97	Bartscher GmbH	Bartscher GmbH refrigerated display, type: DU-2C, serial number: 00011, 230 V, 1 Ph, 50 Hz, 500 W, refrigerant: R134a, 350 g, dimensions: 850 mm x 780 mm x 680 mm.	170
98	Vemag	Vemag mobile sausage cutter, type: TM203, machine number: 2030987, year of construction: 2017, 400 V, 50 Hz, 3 kW, weight: 225 kg, dimensions: 700 mm x 700 mm x 1700 mm.	4200
100	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG vacuum machine, type: VC999 07S, machine number: 07182625, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 7 kW, VC999 vacuum pump, type: LC.205HV 9603030/10, serial number: 1800840, year of construction: 2018, capacity: 205 m ³ per hour, seal length: (2x) 440 mm and (2x) 960 mm, dimensions chamber: 980 mm x 450 mm, total dimensions: 1280 mm x 800 mm x 1080 mm.	1500
101	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH skinning machine, type: AS 550, number: 197, 380 V, 50 Hz, 0.4 kW, working width: 500 mm, total dimensions: 750 mm x 580 mm x 980 mm.	280
102	Collischan	Collischan checkweigher with rejector, type: TC8420, number: 9614, year of construction: 2007, weight: 250 kg, 230 V, 50 Hz, 0.4 kW, plastic belt, belt width: 155 mm, total dimensions: 1300 mm x 600 mm x 1500 mm.	500
103	Thermo	Thermo metal detector with rejector, plastic mesh belt, belt width: 300 mm, clearance: 345 mm x 100 mm, total dimensions: 1100 mm x 900 mm x 1050 mm.	900
104	ACD	2 ACD drive controllers, serial numbers: 122400004108 and 115900003512, 400 V, 3 Ph, 50/60 Hz, 15 A, dimensions: (2x) 410 mm x 65 mm x 260 mm.	380
105	Handtmann	Handtmann case holding device, type: 60-7, number: 1490, dimensions: 340 mm x 130 mm x 450 mm.	980
107	Rational	Rational combi steamer, 6 floors, floor dimensions: 330 mm x 530 mm, total dimensions: 850 mm x 920 mm x 1080 mm.	900
108	Variovac	Variovac traysealer with gas flush, type: 828 VGS, serial number: 021-121, machine number: 0139, year of construction: 1999, 400 V, 16 A, 3 kW, dye dimensions: (4x) 150 mm x 180 mm, Busch vacuum pump, type: RA 0063, capacity: 63 m ³ per hour, total dimensions: 630 mm x 960 mm x 1420 mm.	1300
109	DYNO	DYNO traysealer, type: 461-3, machine number: 102, year of construction: 1977, 220 V, 50 Hz, 2 kW, diameter dye: 95 mm, total dimensions: 400 mm x 520 mm x 550 mm.	100
110	MGM		100



Nr	Title	Description	Start €
		MGM traysealer, type: SAV MAXI, serial number: 13384, year of construction: 2013, 230 V, 3 A, dye: 215 mm x 165 mm, total dimensions: 350 mm x 550 mm x 510 mm.	
111	Korimat	Korimat autoclave, type: KA240/2.5, fabrication number: 301401, year of construction: 2014, 230 V, 21 kW, pressure: 20 bar, volume 240 liter, maximum temperature: 138°C, dimensions: 880 mm x 1460 mm x 1400 mm.	3500
112	Korimat	Korimat autoclave, year of construction: 2013, dimensions: 880 mm x 1460 mm x 1440 mm.	3500
114	Cyklop	Cyklop mobile strapping machine, type: CD80, machine number: 00312892, year of construction: 02/2001, 230 V, 50 Hz, 1 KVA, clearance: 870 mm x 605 mm, total dimensions: 1430 mm x 600 mm x 1550 mm.	400
115	Bayha & Strackbein GmbH	Bayha & Strackbein GmbH cooking vessel, type: 9310, number: 9310/2/0115, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 12.6 kW, inside dimensions: 600 mm x 800 mm x 420 mm, total dimensions: 840 mm x 1400 mm x 1030 mm.	550
116	Busch	Busch vacuum pump, type: RA 0305 D 5H3, number: C1817000806, year of construction: 2018, capacity: 360 m ³ per hour, dimensions: 1000 mm x 500 mm x 420 mm.	690
117	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 80, machine number: 05204.65071.1082-1, year of construction: 1982, 380/220 V, 3 Ph, 50 Hz, 1.9/16 A, chamber: 90 mm x 90 mm, total dimensions: 1050 mm x 600 mm x 980 mm.	850
118	Grasselli	Grasselli mobile skinning machine, model: RST520-M, serial number: 01 4R04/M1280, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 2.3 A, 0.9 kW, working width: 480 mm, total dimensions: 700 mm x 700 mm x 930 mm.	1150
119	Grasselli	Grasselli mobile skinning machine, model: RST520-M, serial number: T04R04IM1656, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 2.3 A, 0.9 kW, working width: 480 mm, total dimensions: 700 mm x 700 mm x 930 mm.	1350
120	Herman Waldner GmbH & Co.KG	Herman Waldner GmbH & Co.KG mobile traysealer, type: VG3025, number: 16112310, year of construction: 2010, 230 V, 50 Hz, 15/16 A, dimensions dye: (6x) 110 mm x 80 mm, film width: 320 mm, built-in vacuum pump, total dimensions: 900 mm x 570 mm x 1400 mm.	600
121	Busch	Busch vacuum pump, type: WV 2000 C 001 XXXX, number: C0604000083, year of construction: 2006, dimensions: 1350 mm x 540 mm x 650 mm.	650
122	NN apron washer	S/s apron washer, dimensions: 1250 mm x 500 mm x 1920 mm.	200
123	NN apron washer	S/s apron washer, dimensions: 1400 mm x 600 mm x 1800 mm.	250
124	Townsend		600



Nr	Title	Description	Start €
		Part for Townsend sausage linking and hanging line, model: NL-17, sausage length: 45 mm.	
125	Townsend	Part for Townsend sausage linking and hanging line, model: NL-17, sausage length: 40 mm.	600
126	Townsend	Part for Townsend sausage linking and hanging line, model: NL-17, sausage length: 210 mm.	600
127	Schröter GmbH & Co KG	Schröter GmbH & Co KG smoke generator, type: 50, dimensions: 800 mm x 650 mm x 1600 mm.	700
128	Winterhalter	Winterhalter crate washer, type: KTS 1900, number: 380 881, year of construction: 08/1998, 400 V, 50 Hz, 29.2/21 A, 20/15 kW, working width: 600 mm, total dimensions: 2700 mm x 900 mm x 1850 mm.	500
129	Wilhelm Fessmann	Wilhelm Fessmann cooking kettle, type: K E1 809 4001, number: 143, year of construction: 2002, 230 V, 50 Hz, 24.2 kW, inside dimensions: 810 mm x 1100 mm x 440 mm, total dimensions: 1300 mm x 1300 mm x 1100 mm.	800
130	Eberhardt	Eberhardt mixer with 2 mobile mixing tubs, type: Maximat, serial number: MAAN 160-2851809, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 20.96 A, 8.73 kW, inside dimensions mixing tubs: (2x) Ø 860 mm x 480 mm, total dimensions mixing tubs: (2x) 1050 mm x 900 mm x 840 mm, total dimensions mixer: 1500 mm x 900 mm x 1200 mm.	3600
131	NN crates	164 E1 crates, crate dimensions: 600 mm x 400 mm x 120 mm, total dimensions: (3x) 1200 mm x 800 mm x 1800 mm.	100
132	Laska	Laska cutter, steel bowl, bowl dimensions: Ø 760 mm x 120 mm, total dimensions: 1380 mm x 1000 mm x 1100 mm. Dimensions switch cabinet: 1000 mm x 800 mm x 300 mm.	1900
133	Laska	Laska cutter, steel bowl, volume: 45 liter, dimensions: 1450 mm x 1100 mm x 1300 mm.	1300
134	NN crates	Pallet with 26 Plastic crates, dimensions each crate: 400 mm x 600 mm x 200 mm.	20
135	Eloma	Eloma combi steamer, type: Multimax B 20-11, serial number: EL0740985 ELN115781, year of construction: 05/2013, 400 V, 3 Ph, 50 Hz, 45 kW, dimensions: 1040 mm x 930 mm x 1960 mm. Including s/s trolley, 20 floors, dimensions each floor: 540 mm x 330 mm,	1500
136	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, model: HUSKY E, machine number: 471001.70021.101366, year of construction: 2006, 380/480 V, 3 Ph, 50/60 Hz, 16 A, 2 kW, weight: 389 kg, dimensions chamber: 95 mm x 95 mm, total dimensions: 2260 mm x 850 mm x 1200 mm. Including pallet with parts.	2900
137	Kaeser Kompressoren GmbH	Kaeser Kompressoren GmbH air compressor, type: EPC 840-250, serial number: 1244, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 4 kW, 1500 rpm, maximum	280



Nr	Title	Description	Start €
		pressure: 10 bar, dimensions: 1700 mm x 600 mm x 1140 mm.	
138	NN trolley for smoke sticks	S/s trolley for smoke sticks, dimensions: 1020 mm x 580 mm x 1090 mm.	130
139	NN trolley for smoke sticks	S/s trolley for smoke sticks, dimensions: 1020 mm x 580 mm x 1090 mm.	130
140	Sigma	Sigma cash register, model: CR 880 alpha, serial number: 15493, 230 V, 1 Ph, 50 Hz, 28 W, dimensions: 320 mm x 400 mm x 200 mm.	5
141	WAS	2 WAS insect killers, number: 3490030, 220-240 V, 50/60 Hz, 30 W, dimensions: (2x) 510 mm x 140 mm x 310 mm.	40
142	Silex Elektrogeräte GmbH grill	Silex Elektrogeräte GmbH grill, type: S-161, serial number: 71972, year of construction: 05/00, 400 V, 3 Ph, 50/60 Hz, 15 A, 6.0 kW, grill dimensions: 340 mm x 340 mm, total dimensions: 420 mm x 650 mm x 440 mm.	50
143	Juno	Juno frying machine, type: 5062-3, 400 V, 3 Ph, 50 Hz, dimensions: 3400 mm x 1500 mm x 1200 mm. Missing 1 cover.	900
144	NN extraction hood	S/s extraction hood, dimensions: 2400 mm x 450 mm x 2200 mm.	250
145	NN hooks for hanging line	3 plastic crates with large amount of hooks for hanging line, dimensions:	50
146	Vakona	Vakona injector, 1 needle, dimensions: 180 mm x 400 mm x 230 mm.	150
147	Handtmann	Handtmann case spooling device, model: 78-5, number: 196, 220/240 V, 50 Hz, 0.3 A, 0.05/0.06 kW, dimensions: 450 mm x 180 mm x 220 mm.	200
148	Junger	Junger electric sausage warmer, inside dimensions: (2x) 305 mm x 255 mm x 130 mm, total dimensions: 760 mm x 330 mm x 290 mm.	50
149	Bartscher GmbH	Bartscher GmbH electric sausage cutter, type: SW-228-2, 230 V, 50 Hz, 135 W, dimensions: 185 mm x 225 mm x 330 mm.	30
150	Vemag	Worm and housing for Vemag vacuum filling machine.	290
151	Vemag	Worm and housing for Vemag vacuum filling machine.	290
152	NN sole cleaner	Sole cleaner, brush length: 340 mm, total dimensions: 300 mm x 640 mm x 1130 mm.	150
153	Kärcher	Kärcher high pressure washer, type: HD 7/10 CXF, serial number: 012140, year of construction: 2020, 400 V 3 Ph, 50 Hz, 3 kW, weight: 33 kg, dimensions: 360 mm x 440 mm x 940 mm.	80
154	Rhewa	Rhewa weighing scale with Squix label printer, type: 82c ² , factory number: 201398, maximum capacity: 60/150 kg, minimum capacity: 0.4/1 kg, e= 0.02/0.05 kg, scale dimensions: 800 mm x 600 mm, total dimensions: 800 mm x 750 mm x 680 mm, with Cab Produktechnik GmbH & Co. KG label printer, model: Squix 4.3/300P, serial	190



Nr	Title	Description	Start €
		number: 0051428, 100/240 V, 1 Ph, 50/60 Hz, 2 A, dimensions: 630 mm x 370 mm x 360 mm and Datalogic hand scanner with display, dimensions: 750 mm x 550 mm x 720 mm.	
155	Mado	Mado grinder, type: MEW 615, number: 30939, year of construction: 2008, 230/400 V, 3 Ph, 50 Hz, 5.4/3.2 A, 1.45 kW, plate diameter: 80 mm, total dimensions: 460 mm x 500 mm x 460 mm. Including extra knife and plates.	700
156	NN trays	2 crates with s/s trays, tray dimensions: 350 mm x 140 mm x 90 mm, total dimensions: (2x) 600 mm x 400 mm x 280 mm.	50
157	Koncept Tech	Pallet with Koncept Tech hole plates for micro cutter, hole plates: 10-12 mm, diameter plates: 400 mm, total dimensions: 800 mm x 600 mm x 500 mm.	400
158	NN smoke sticks	S/s trolley with approximately 40 s/s y shaped smoke sticks, length sticks: 1000 mm, total dimensions: 600 mm x 400 mm x 1140 mm.	100
159	Reich	Reich cooking vessel, type: KO 300 E/Ö, year of construction: 1981, 220 V, 16.2 kW, inside dimensions: 930 mm x 650 mm x 550 mm, total dimensions: 1100 mm x 1200 mm x 1100 mm.	550
160	Lutetia	Lutetia vacuum tumbler with steam injection, type: 40, serial number: 16544, year of construction: 2004, volume: 2200 liter, 400 V, 50 Hz, 6.6 A, total dimensions: 3300 mm x 1700 mm x 1100 mm.	5000
161	Anritsu	Anritsu 10-lanes linear weigher, model: KE7410AW, serial number: K089039, year of construction: 15.11.1999, 230 V, 50/60 Hz, 700 VA, capacity: 70 packs per minute, total dimensions: 2000 mm x 1000 mm x 1740 mm. Including pallet with extra parts.	750
162	Holac Maschinenbau GmbH	Holac Maschinenbau GmbH mobile dicer, type: AUT 125, number: MS 211.01.02, 5.2 kW, dimensions chamber: 115 mm x 115 mm, total dimensions: 1820 mm x 1000 mm x 1550 mm.	700
163	Nimo KG	Nimo KG lifter for pallets, type: LP 1000 H, number: 10491, year of construction: 2007, maximum load: 1000 kg, total dimensions: 1500 mm x 1100 mm x 2370 mm.	600
164	Laska	Laska lifter for 200 liter meat bins, type: BA 27, machine number: 21229, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 1.5 kW, 3.5 A, weight: 350 kg, dimensions: 950 mm x 1300 mm x 3400 mm.	3000
165	Laska	Laska lifter for 200 liter meat bins, type: BA 27, machine number: 21227, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 1.5 kW, 3.5 A, weight: 350 kg, dimensions: 950 mm x 1300 mm x 3400 mm.	3000
166	Steiner Apparatebau GmbH	Steiner Apparatebau GmbH tiltable double jacketed cooking vessel with agitator and scrapers, machine type:	3900



Nr	Title	Description	Start €
		HK400, machine number: 03-950, year of construction: 2003, 400 V, volume: 800 liter, volume jacket: 26 liter, temperature range: 100C / 183C, total dimensions: 2750 mm x 1600 mm x 2150 mm.	
167	Soehnle	Soehnle weighing scale, type: S20-2763, serial number: D93-09-155, year of construction: 1999, maximum capacity: 60 kg, minimum capacity: 400 g, e= 20 g, dimensions: 520 mm x 400 mm x 100 mm.	70
168	NN frame	S/s frame, dimensions: 400 mm x 250 mm x 1440 mm.	20
169	NN fryer	Double deep Fryer, model: FOE-6+6, number: 91121709, 220 V, 50 Hz, 3.5 kW, inside dimensions: (2x) 235 mm x 295 mm x 200 mm, total dimensions: 540 mm x 430 mm x 350 mm.	90
170	Handtmann	Handtmann case holding device, dimensions: 230 mm x 140 mm x 520 mm.	290
171	Panasonic	Panasonic microwave, model: NE-1846, inside dimensions: 330 mm x 300 mm x 160 mm, total dimensions: 420 mm x 530 mm x 340 mm.	30
172	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG belt vacuum machine with Inauen Maschinen AG suction device for rest film, plastic belt, belt width: 610 mm, dimensions vacuum machine: 2850 mm x 1300 mm x 1600 mm, dimensions suction device: 1000 mm x 1000 mm x 2000 mm.	2900
173	Busch	Busch vacuum pump, type: 400-218 24124, vacuum: 15 mbar, type oil: SAE 30, capacity: 400 m ³ per hour, 12 liter.	1100
174	NN injector	Injector, 48 needles, clearance: 340 mm x 230 mm, total dimensions: 1600 mm x 760 mm x 1940 mm.	2800
175	DMP Possenti	DMP Possenti vacuum tumbler, inside dimensions: Ø 1250 mm x 1700 mm, Busch vacuum pump, type: 025-138, total dimensions: 2600 mm x 1400 mm x 2000 mm.	2100
176	NN tumbler	Vacuum tumbler, inside dimensions: Ø 1000 mm x 1600 mm, Busch vacuum pump, type: 025-138, total dimensions: 2200 mm x 1100 mm x 2000 mm. Dimensions switch cabinet: 600 mm x 400 mm x 250 mm.	2000
177	Jungheinrich	Jungheinrich gas forklift, type: TFG 2,0-A, serial number: BC 0149, year of construction: 1988, weight: 3200 kg, capacity: 2000 kg, fork length: 1100 mm, total dimensions: 3300 mm x 1000 mm x 2700 mm. Technical condition unknown.	1500
178	HTS Ges.mbH	HTS Ges.mbH vacuum filling machine with lifter for meat bins, type: HTS 200, machine number: 1212340200, year of construction: 2012, 12 kW, dimensions: 1520 mm x 1100 mm x 2680 mm.	2500
179	Kilia	Kilia cutter, type: 651 Ex. 2000 S, machine number: 58811322, year of construction: 1988, 380 V, 32/42 A, 16/20 kW, steel bowl, volume: 65 liter, dimensions: 1400	1200



Nr	Title	Description	Start €
		mm x 1200 mm x 1300 mm. Dimensions switch cabinet: 600 mm x 400 mm x 250 mm.	
180	Kerres	Kerres cooking chamber, steam heated, inside dimensions: 950 mm x 1070 mm x 1930 mm, total dimensions: 1180 mm x 1550 mm x 2540 mm.	2400
181	NN platform	S/s platform, 3 steps, dimensions: 2000 mm x 500 mm x 1660 mm.	50
182	Reiser	Reiser elevating belt, plastic mesh belt, belt width: 1220 mm, total dimensions: 2350 mm x 1450 mm x 1080 mm.	490
183	NN mixer	Double shaft paddle mixer, model: MM2700, serial number: 381/0106, year of construction: 2001, 400 V, 50 Hz, dimensions: 1680 mm x 2850 mm x 2440 mm.	9500
184	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 1000 mm, distance between dividers: 540 mm, divider height: 35 mm, total dimensions: 2100 mm x 1120 mm x 170 mm.	250
185	NN smoke sticks	Pallet with 200 smoke sticks, length: 100 mm, total dimensions: 1200 mm x 800 mm x 340 mm.	390
186	Stuckenberger Maschinenbau	Stuckenberger Maschinenbau mobile transport belt with depositor, plastic belt, belt width: 190 mm, total dimensions: 1700 mm x 800 mm x 1550 mm.	1900
187	Steiner Apparatebau GmbH	Steiner Apparatebau GmbH double jacketed cooking vessel, type: SK100, number: 08-1239, year of construction: 07-2008, 400 V, volume: 140 liter, dimensions: 1550 mm x 1100 mm x 1730 mm. Missing agitator.	1200
188	Kilia	Kilia grinder, type: AW D 114 2000S, machine number: 79011854, year of construction: 1990, 380 V, 19.5/25 A, 8.5/11 kW, diameter plate: 114 mm, total dimensions: 900 mm x 1150 mm x 1550 mm.	1400
189	Multivac	Multivac thermoformer, type: R 230, machine number: 2060, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 36 A, 14 kW, dye: (2x) 180 mm x 143 mm, top film width: 356 mm, total dimensions: 6800 mm x 1300 mm x 2000 mm.	5900
190	NN tables	2 s/s tables, dimensions: 1270 mm x 890 mm x 930 mm and 910 mm x 890 mm x 930 mm.	100
191	NN forms for liver cheese	Plastic pallet box with 47 s/s forms used for liver cheese, dimensions each form: 930 mm x 100 mm x 80 mm.	600
192	Schröter GmbH & Co. KG	Schröter GmbH & Co. KG switch cabinet for smoke chamber, dimensions: 600 mm x 350 mm x 1200 mm.	200
193	Safety-Kleen Deutschland GmbH	Safety-Kleen Deutschland GmbH industrial cleaner, type: WR-I, serial number: 300 031, year of construction: 1993, 220/380 V, 4 kW, diameter washing basket: 850 mm, total dimensions: 1400 mm x 980 mm x 1090 mm.	500
194	Senking	Senking braising pan, inside dimensions: 860 mm x 660 mm x 160 mm, total dimensions: 1300 mm x 1070 mm x 870 mm.	150



Nr	Title	Description	Start €
195	Genie Industries	Genie Industries aerial lift, model: PLC-30AC, serial number: 1487-14880-8, 220 V, 50 Hz, 4.5 A, maximum load: 300 lbs, dimensions platform: 620 mm x 620 mm, total dimensions: 3100 mm x 3400 mm x 2300 mm.	500
196	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 0122701, year of construction: 1999, 400/230 V, 3 Ph, 1.5 kW, weight: 450 kg, chain conveyor with dividers, distance between dividers: 160 mm, dye: (2x) 130 mm x 160 mm, film width: 230 mm, total dimensions: 5400 mm x 950 mm x 1800 mm.	1900
197	Trinitas Trading	Trinitas Trading transport belt, s/s mesh belt, belt width: 770 mm, total dimensions: 2150 mm x 1040 mm x 1470 mm.	300
198	NN transport belt	Transport belt, plastic belt, belt width: 190 mm, total dimensions: 3000 mm x 600 mm x 900 mm.	300
199	Seydelmann	Seydelmann mobile elevating belt, type: Förderband K, machine number: 02157, year of construction: 2002, 400 V, 50 Hz, 0.7 A, 0.37 kW, plastic belt, belt width: 700 mm, elevating height: 950 mm, total dimensions: 5700 mm x 1000 mm x 1200 mm.	1300
200	Multivac	Multivac thermoformer, type: R5100, number: 462/10, year of construction: 1982, 380 V, 50 Hz, 35/36 A, 15 kW, dye: 270 mm x 200 mm, total dimensions: 4150 mm x 950 mm x 1650 mm. Including 2 crates with parts.	2500
201	NN waste bag holders	S/s waste bag holder, dimensions: 400 mm x 500 mm x 700 mm.	20
202	NN plastic crates	Pallet with 40 plastic crates, dimensions each crate: 600 mm x 400 mm x 200 mm.	50
203	Hobart GmbH	Hobart GmbH industrial washing machine, model: FUX-SAF, serial number: 86008012, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 36 A, 15.2 kW, s/s belt, belt width: 550 mm, clearance: 600 mm x 500 mm, total dimensions: 5700 mm x 1000 mm x 2200 mm.	2100
204	Hayssen	Hayssen horizontal form, fill and seal machine used for cheese, model: RT-250, serial number: R85507, year of construction: 9-20-96, 380 V, 3 PH, 50 Hz, 35 A, plastic belt, belt width: 230 mm, roller width: 370 mm, total dimensions: 3800 mm x 1200 mm x 1900 mm.	500
205	Busch	Busch vacuum pump, number: 0407072, 230/400 V, 50/60 Hz, 5.5 kW, dimensions: 1100 mm x 500 mm x 600 mm.	50
206	NN smoke trolleys	4 s/s smoke trolleys, 6 floors, total dimensions: (4x) 1030 mm x 1030 mm x 1980 mm. 1 trolley without wheels.	600
207	Schur Packaging Systems a/s	Schur Packaging Systems a/s mobile sealing machine, type: 425 UR, number: 2167 F944, plastic belt, belt width: 210 mm, total dimensions: 4000 mm x 900 mm x 1620 mm.	1400
208	NN crates		750



Nr	Title	Description	Start €
		Large amount of plastic E2 crates, dimensions each crate: 600 mm x 400 mm x 200 mm.	
209	Bitzer Kühlmaschinenbau GmbH / Compact Kältetechnik GmbH	Compact Kältetechnik GmbH compressor rack, type: XB 2-147, serial number: 210-00, year of construction: 09/00, 28/16 bar, refrigerant: R404A, consisting of (2x) Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (1x) 4HE-18Y-40P, (1x) 4H-15.2 Y, 380 / 420 / 440 / 480 V, 3 Ph, 50/60 Hz, capacity: 73.6/88.8 m³ per hour, dimensions: 1300 mm x 960 mm x 1260 mm.	1500
210	Bitzer Kühlmaschinenbau GmbH	3 Bitzer Kühlmaschinenbau GmbH pressure vessels on steel frame, type: (3x) FS 562, serial numbers: 15895439, 15895440, 15895441, year of construction: 2000, 28 bar, total dimensions: 1400 mm x 650 mm x 1170 mm.	1000
211	Rittal	Rittal switch cabinet, dimensions: 1600 mm x 400 mm x 2000 mm.	350
212	GEA Küba Kältetechnik GmbH/ Kelvion	2 GEA Küba Kältetechnik GmbH evaporators, (1x) type: SGA 71, number: 154870/0600/2000/6774487, year of construction: 2000, 230/400 V, 3 Ph, 50/60 Hz, 300 W, dimensions: 920 mm x 780 mm x 540 mm, (1x) type: DPA 031, number: 154870/0300/2000/6775423, year of construction: 2000, 230 V, 1 Ph, 50 Hz, 195 W, dimensions: 980 mm x 1000 mm x 200 mm.	250
213	GEA Küba Kältetechnik GmbH/ Kelvion	4 GEA Küba Kältetechnik GmbH evaporators, (1x) type: SGBE 31, number: 154870/0900/2000/6774489, year of construction: 2000, 230/400 V, 1 Ph, 50/60 Hz, 1476 W, dimensions: 660 mm x 480 mm x 430 mm, (1x) type: SGBE 081, number: 10028131/2009/00292309/1, year of construction: 2009, 230/400 V, 1 Ph, 50/60 Hz, 3765 W, dimensions: 1070 mm x 750 mm x 520 mm, (1x) type: SGBE 81, number: P376777602/2000/6777602, year of construction: 2000, 230/400 V, 3 Ph, 50/60 Hz, 2830 W, dimensions: 1070 mm x 750 mm x 520 mm, (1x) dimensions: 660 mm x 480 mm x 430 mm.	400
214	GEA Küba Kältetechnik GmbH/ Kelvion	2 GEA Küba Kältetechnik GmbH evaporators, type: (2x) SGA 61, number: 154870/0500/2000/6774485, year of construction: 2000, 230 V, 1 Ph, 50/60 Hz, 107 W, dimensions: (2x) 820 mm x 750 mm x 520 mm.	200
215	GEA Küba Kältetechnik GmbH	2 GEA Küba Kältetechnik GmbH evaporators, (1x) type: SGBE 71, number: 154870/1300/2000/6774493, year of construction: 2000, 230/400 V, 3 Ph, 50/60 Hz, 2320 W, dimensions: 910 mm x 640 mm x 520 mm, (1x) number: 154870/1300/2000/6774491, year of construction: 2000, 230/400 V, 3 Ph, 50/60 Hz, 1737 W, dimensions: 810 mm x 680 mm x 520 mm.	200
216	GEA Küba Kältetechnik GmbH/ Kelvion	1 GEA Küba Kältetechnik GmbH evaporator, type: SGA 81, number: 6553511, 400 V, 3 Ph, 50/60 Hz, 300 W, dimensions: 1050 mm x 810 mm x 520 mm, (1x) Kelvion evaporator, type: SGBE 072 D, number:	200



Nr	Title	Description	Start €
		5100754967/200221213/60/2018/16, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 3630 W, dimensions: 1580 mm x 860 mm x 520 mm.	
217	NN pump	Pump for Germa injector, dimensions: 350 mm x 200 mm x 250 mm.	100
218	Handtmann	Handtmann linking attachment, type: 34-4, serial number: 803, dimensions: 340 mm x 200 mm x 130 mm.	700
219	Handtmann	Handtmann case spooling device, model: 78-6, number: 686, 230 V, 50 Hz, 0.67, 0.18 kW, dimensions: 500 mm x 250 mm x 250 mm.	500
220	Jumo	Jumo microprocessor, type: MPF-88, factory number: 87051356/1, dimensions: 250 mm x 400 mm x 340 mm.	100
221	NN perforated drum	Perforated drum for Baader 696, perforations: Ø 5 mm, total dimensions: Ø 165 mm x 400 mm.	900
222	Videojet	Videojet mobile inkjet printer, model: EXCEL/100, serial number: E92K08016, 220 V, 50/60 Hz, 3.4 A, 6.0 bar, dimensions: 510 mm x 200 mm x 810 mm.	150
223	Maschinenfabrik Dornhan	Maschinenfabrik Dornhan wooden top grinder, type: MHR39D, serial number: 30032, 220/380 V, 3 Ph, 50 Hz, 1.5/0.9 A, 400 W, dimensions: 400 mm x 140 mm x 140 mm.	10
224	Seydelmann	4 parts for Seydelmann 300 liter cutter, diameter: 180 mm.	100
225	Vemag	Vacuum pump for Vemag Old DC vacuum fillers drive unit, type: DA 1.45/4-20, year of construction: 1997, 1.6 kW, 31 m ³ /per hour, dimensions: 230 mm x 370 mm x 270 mm.	50
226	NN cutter knives	Cutter knives.	80
227	Steinmetz	Steinmetz DA-Turbo Fix part for filling and clipping, machine type: DA-89-TH and DA-90, machine number: 69299 and 83239 dimensions: 400 mm x 250 mm x 140 mm and 300 mm x 100 mm x 140 mm.	50
228	August Sauter	August Sauter weighing scale, maximum capacity: 10 kg, minimum capacity: 40 g, dimensions: 350 mm x 380 mm x 470 mm.	20
229	SysTec GmbH	SysTec GmbH weighing scale, type: IT1000, serial number: 1401182, 110-240 V, 50/60 Hz, 100 mA, dimensions: 550 mm x 580 mm x 1300 mm.	50
230	NN sink	S/s sink, dimensions: 400 mm x 330 mm x 580 mm.	40
231	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 600 mm x 500 mm x 950 mm.	50
232	Bizerba	Bizerba slicer, model: VS 12, number: 2085530, year of construction: 2002, 230/400 V, 3 Ph, 50 Hz, 1.2/0.68 A, 0.270 kW, dimensions: 600 mm x 600 mm x 450 mm.	350
233	Bizerba	Bizerba slicer, model: VS 8, number: 1216431, 220 V, 1 Ph, 50 Hz, 1.7 A, dimensions: 500 mm x 600 mm x 400 mm.	250



Nr	Title	Description	Start €
234	Bizerba	Bizerba automatic slicer, model: VS 8 D, number: 1558042, year of construction: 1997, 230 V, 1 Ph, 50 Hz, 2.6 A, dimensions: 800 mm x 700 mm x 600 mm.	350
235	NN pressure regulator	Crate with pressure regulator Handtmann or Vemag, dimensions: 550 mm x 350 mm x 270 mm.	60
236	NN circular saw	Circular saw, type: 80 84M, serial number: 057138, 230 V, 50 Hz, 5.5 A, dimensions: 410 mm x 720 mm x 380 mm.	50
237	NN cutter knives	Large amount of cutter knives.	80
238	NN cutter knives	4 cutter knives.	80
239	NN cutter knives	5 cutter knives.	50
240	NN cutter knives	6 cutter knives.	80
241	NN cutter knives	4 cutter knives.	40
242	Atmos	Atmos control panel, dimensions: 330 mm x 190 mm x 450 mm.	450
243	Vaasa Control Oy	Vaasa Control Oy frequency converter, series: Vacon CX/CXL/CXS, serial number: 1533661, dimensions: 120 mm x 140 mm x 300 mm.	100
244	NN frequency converter	Frequency converter, dimensions: 120 mm x 140 mm x 300 mm.	80
245	Grundfos	Grundfos circulation pump, type: CRN5-9- A-P-G-E-HQQE, model: A96517246P10536, serial number: 0001, capacity: 5.8 m³ per hour, dimensions: 200 mm x 200 mm x 750 mm.	180
246	Poly-Clip Systems GmbH & Co. KG	Poly-Clip Systems GmbH & Co. KG parts for GSA clipper, dimensions: (1x) 250 mm x 350 mm x 450 mm, (1x) 450 mm x 300 mm x 300 mm.	800
248	Ecochem AG	Ecochem dosing pump for smoke house, model: D3RE10, capacity: 3 m³ per hour, dimensions: 500 mm x 200 mm x 120 mm.	150
249	Freund	Freund saw, TYPE: 03, 380 V, 50 Hz, 2.3 A, 1100 w, Ø saw: 230 mm, total dimensions: 600 mm x 330 mm x 180 mm.	280
250	NN tilting device	S/s tilting device for pallet boxes, clearance: 1040 mm x 880 mm, total dimensions: 2750 mm x 1380 mm x 2200 mm.	800
251	CFS	CFS mobile screw loader, type: SCREWLOADER Ø 500, year of construction: 2008, 2.6 A, 5.87 kW, screw diameter: 500 mm, total dimensions: 6750 mm x 1700 mm x 1800 mm.	4900
252	NN pallet boxes	48 plastic pallet boxes, dimensions: (48x) 1200 mm x 800 mm x 760 mm.	1100
253	NN stacking cages	17 steel stacking cages, dimensions: (17x) 1200 mm x 800 mm x 860 mm.	1300
254	Craemer	28 Craemer plastic EURO H1 pallets, pallet dimensions: (28x) 1200 mm x 800 mm x 160 mm.	190
256	Eloma	Eloma combi steamer, weight: 150 kg, dimensions: 1000 mm x 900 mm x 1700 mm.	550
257	Cookmax		180



Nr	Title	Description	Start €
		Cookmax 4-pits stove, model: 8031111412XI, serial number: BN020139298, 18.4 kW, weight: 80 kg, dimensions: 820 mm x 800 mm x 950 mm.	
258	Heinrich GmbH	Heinrich GmbH mobile casing sealer, machine number: HM 041418, year of construction: 2018, 230 V, 50 Hz, weight: 50 kg, dimensions: 500 mm x 600 mm x 1300 mm.	950
259	NN reel hose	Reel hose, type: ST40/10/2e, serial number: 146279, year of construction: 02/2018, temperature 100 °C, 300 bar, dimensions: 500 mm x 300 mm x 600 mm. Missing hose.	90
260	NN ham press	Mobile ham press, weight: 120 kg, dimensions: 1200 mm x 500 mm x 900 mm.	550
261	NN trolley	S/s trolley, 5 floors, weight: 45 kg, dimensions: 900 mm x 900 mm x 1600 mm.	120
262	NN smoke trolleys	4 smoke trolleys, 5 floors, weight: 60 kg, dimensions: (5x) 1000 mm x 1000 mm x 2000 mm.	550
263	Rex	Rex case holding device, weight: 15 kg, dimensions: 300 mm x 400 mm x 12 mm.	800
264	NN table	S/s table, dimensions: 1300 mm x 900 mm x 880 mm.	170
265	NN table	S/s table, dimensions: 1500 mm x 900 mm x 950 mm.	170
266	NN table	S/s table, dimensions: 2000 mm x 1000 mm x 850 mm.	170
267	NN table	S/s table, dimensions: 1600 mm x 1000 mm x 880 mm.	170
268	NN table	S/s table, dimensions: 1600 mm x 1000 mm x 850 mm.	170
300	Laska	Laska grinder, dimensions: 600 mm x 850 mm x 1400 mm. Plates missing.	2200
301	MHS Schneidetechnik	MHS Schneidetechnik mobile slicer with outfeed belt, type: PCE70E, serial number: 050302, year of construction: 2002, 400 V, 6.5 A, 2.6 kW, chamber dimensions: 210 mm x 200 mm, total dimensions: 1850 mm x 720 mm x 1220 mm, outfeed belt, plastic belt, belt width: 290 mm, total dimensions: 1960 mm x 440 mm x 900 mm.	2800
302	MHS Schneidetechnik	MHS Schneidetechnik mobile slicer, type: PCE 100/21, serial number: 110805, year of construction: 2005, 400 V, 6.25 A, 2.5 kW, chamber dimensions: 200 mm x 180 mm, total dimensions: 2400 mm x 800 mm x 1200 mm.	2100
303	MHS Schneidetechnik	MHS Schneidetechnik mobile slicer, type: PCE70K, serial number: 050600, year of construction: 2000, 400 V, 6 A, 2.2 kW, dimensions chamber: 210 mm x 220 mm x 740 mm, total dimensions: 1850 mm x 750 mm x 1230 mm.	1900
304	NN lifter	Lifter for 200 liter meat bins, lifting height: 3200 mm, total dimensions: 4000 mm x 1360 mm x 560 mm. Missing switch cabinet.	1200
305	Webomatic	Webomatic vacuum machine, type: EASY-PACK, serial number: 05EA630, 230 V, 50 Hz, 4.1 A, 0.55 kW, 16 m ³ per hour, chamber dimensions: 360 mm x 370 mm, seal	250



Nr	Title	Description	Start €
		length: 370 mm, total dimensions: 400 mm x 500 mm x 360 mm.	
306	Laska	Laska grinder, type: W130, serial number: 15361, year of construction: 2015, 400 V, 3Ph, 50 Hz, 15.4 A, 7.5 kW, plate diameter: 130 mm, total dimensions: 1050 mm x 740 mm x 1120 mm.	4800
307	Becker	Becker vacuum pump, type: U5.165/0-06, number: A3487346, year of construction: 2020, 50/60 Hz, 3.4/4.3 kW, 165/198 m³/h, dimensions: 510 mm x 820 mm x 400 mm.	1300
308	Busch	Busch vacuum pump, type: RA 0250 D 561 QNXX, number: C0828000472, year of construction: 2008, dimensions: 1100 mm x 510 mm x 700 mm.	1000
309	Bizerba	Bizerba mobile automatic slicer, type: A 406 FB, number: 10221907, year of construction: 2006, 230 V, 3 Ph, 50 Hz, 3.1 A, s/s mesh outfeed belt, belt width: 250 mm, total dimensions: 1130 mm x 1560 mm x 1360 mm.	900
310	Accclavis GmbH	Accclavis GmbH casing sealer on s/s trolley, 230 V, 50 Hz, 16 A, 0.5 kW, dimensions: 650 mm x 410 mm x 930 mm.	4500
311	Brokelmann	Brokelmann mobile cooking vessel, type: Beistellkessel 150 L/E, number: 150, 400 V, 3 Ph, 8 kW, volume: 150 liter, dimensions: 850 mm x 700 mm x 1000 mm.	700
312	Doosan Infracore Co. Ltd.	Doosan Infracore Co. Ltd. forklift truck, model: BR16JW, serial number: C8-00057, year of construction: 2000, weight: 1826 kg, fork length: 1150 mm, total dimensions: 1200 mm x 2540 mm x 2150 mm.	1300
313	Jungheinrich	Jungheinrich electric pallet lifter, type: EJC 110, serial number: 90527903, year of construction: 2017, 24 V, 1.0 kW, weight: 575 kg, capacity: 1000 kg, fork length: 1120 mm, total dimensions: 780 mm x 1840 mm x 1950 mm. Battery is defect.	700
314	Inject Star	Inject Star tumbler, dimensions: 1450 mm x 3060 mm x 2000 mm. Technical condition unknown.	3800
315	Townsend / Marel	Townsend / Marel mobile skinning machine, working width: 430 mm, total dimensions: 800 mm x 700 mm x 1000 mm.	900
316	Tipper Tie Technopak GmbH	Tipper Tie Technopak GmbH mobile double clipper, type: DCA-E, dimensions: 1140 mm x 800 mm x 1780 mm.	950
317	Eloma	Eloma combi steamer on s/s cabinet, 6 floors, dimensions each floor: 535 mm x 300 mm, total dimensions: 970 mm x 850 mm x 1500 mm.	300
318	Busch	Busch mobile suction device for rest film, type: SP 80, serial number 7556, year of construction: 1990, dimensions: Ø 480 mm x 1050 mm.	200
319	Risco S.P.A.	Risco S.P.A. vacuum filling machine with s/s infeed bunker, model: RS 2005 V, serial number: H199001, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 11.5 kW, weight: 1340 kg, dimensions vacuum filling machine:	4100



Nr	Title	Description	Start €
		1350 mm x 1100 mm x 2800 mm, dimensions infeed bunker: 2700 mm x 1560 mm x 1100 mm.	
320	Busch	Busch suction device for rest film, type: SR 0400 C, 208-240/360-415 V, 50 Hz, 6.8/3.9 A, dimensions: 550 mm x 500 mm x 1150 mm.	200
321	Stephan	Stephan micro cutter, type: MHC-D150, number: M05040, year of construction: 30-05, 460 V, 60 Hz, 70 A, 45 kW, water cooled, dimensions: 1450 mm x 900 mm x 800 mm. Incomplete.	7500
322	Weisser Maschinenbau KG	Weisser Maschinenbau KG hamburger forming machine, Ø form: 100 mm, plastic belt, belt width: 140 mm, total dimensions: 620 mm x 850 mm x 620 mm.	1700
323	Rex-Maschinen	Rex-Maschinen cutter, type: RK 45 SN, machine number: 25752, 380 V, 50 Hz, 2.5/3.2/3.7 A, 0.65/1.1/1.5 kW, steel bowl, volume: 45 liter, dimensions: 1100 mm x 1000 mm x 1200 mm.	1900
324	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 3331, 400 V, 50 Hz, 17 A, 6.5 kW, dimensions: 1480 mm x 1200 mm x 2080 mm.	4200
325	Bupi-Golser Maschinenbau GmbH	Bupi-Golser Maschinenbau GmbH industrial cleaner, type: J 1000, serial number: 11420, 400 V, 50 Hz, 19 A, 11.3 kW, diameter washing basket: 860 mm, total dimensions: 1200 mm x 1050 mm x 1250 mm.	450
326	NN depositor	S/s depositor, inside dimensions: Ø 640 mm x 740 mm, total dimensions: 1380 mm x 880 mm x 1520 mm.	1400
327	TVM Maschinenbau GmbH & Co KG	TVM Maschinenbau GmbH & Co KG mobile portioning machine, type: TVM-Portio 4000, serial number: 05-00.26725218, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2.5 A, weight: 380 kg, plastic belt, belt width: 205 mm, total dimensions: 1800 mm x 1040 mm x 2320 mm. Including trolley with forms. Electrical faults with the control panel.	1800
328	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD hamburger forming machine, model: R Series Formatic M/C, serial number: R2200/19/03/085, 220/240 V, 1 Ph, 50/60 Hz, 0.55 kW, dye: Ø 100 mm, plastic belt, belt width: 120 mm, total dimensions: 800 mm x 550 mm x 600 mm. Including 3 extra forms, dye: (1x) 50 mm, (1x) 80 mm, (1x) 120 mm.	2200
329	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Falcon, machine number: 460004.61876.102351, year of construction: 2006, 400/480 V, 3 Ph, 50/60 Hz, 16 A, 11 kW, weight: 780 kg, clearance: 245 mm x 150 mm, plastic belt, belt width: 242 mm, total dimensions: 2700 mm x 1200 mm x 1820 mm. Including weighing and rejection belt, dimensions: (2x) 1100 mm x 900 mm x 1000 mm.	4500
330	Komet	Komet mobile double chamber vacuum machine, type: X 100, machine number: 274 58 94, 230/400 V, 16 A, 1.1	900



Nr	Title	Description	Start €
		kW, seal length: (4x) 410 mm, dimensions chamber: (2x) 400 mm x 380 mm, Busch vacuum pump, total dimensions: 930 mm x 630 mm x 1020 mm.	
332	NN vacuum machine	Vacuum machine, model: DZ 300A, 220 V, 370 W, seal length: 260 mm, dimensions chamber: 385 mm x 280 mm, total dimensions: 480 mm x 350 mm x 350 mm.	180
333	Kärcher	Kärcher mobile high pressure cleaner, type: HDS 895 1.027-301, number: 158398, year of construction: 2003, 400 v, 3 Ph, 50 Hz, 6.8 kW, max pressure: 6 bar, dimensions: 660 mm x 1300 mm x 850 mm.	100
334	Suhner AG	Suhner AG vacuum tumbler, type: VT 3000 E, machine number: 863000205, 380 V, 50 Hz, volume: 3000 liter, inside dimensions: ø 1700 mm x 1500 mm, Busch vacuum pump, type: 100-136, number: 156851, total dimensions: 2400 mm x 1800 mm x 2000 mm. Incomplete.	2500
335	NWU GmbH	NWU GmbH cooling unit, type: 50 14 VN, number: 00 07 052, year of construction: 2000, 230 V, 1 Ph, 50 Hz, 6.5 A, 0.65 kW, refrigerant: R417 a, 0.4 g, dimensions: 560 mm x 440 mm x 1070 mm.	450
336	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EVM 3000, number: 39926, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, total dimensions: 800 mm x 600 mm x 1050 mm.	650
337	Tipper Tie technopak GmbH	Tipper Tie technopak GmbH mobile automatic clipper, dimensions: 1100 mm x 650 mm x 1840 mm.	500
338	PVS Systemtechnik GmbH	PVS Systemtechnik GmbH double shaft paddle mixer, year of construction: 2023, volume: 450 liter, dimensions: 1860 mm x 1050 mm x 1680 mm.	7500
339	NN vacuum machine	Mobile vacuum machine, dimensions chamber: 500 mm x 500 mm, seal length: (2x) 500 mm, Busch vacuum pump, type: 063-112, number: 38740, capacity: 63 m³ per hour, total dimensions: 650 mm x 580 mm x 1100 mm.	250
340	Pökomat	Pökomat mobile injector, 400 V, plastic mesh belt, belt width: 260 mm, clearance: 280 mm x 170 mm, total dimensions: 1220 mm x 480 mm x 1560 mm.	1200
341	Linköping Rostfria Ab	Linköping Rostfria Ab s/s tilting device for meat bins and pallet boxes, number: 6783-5, year of construction: 1995, lifting capacity: 800 kg, total dimensions: 1735 mm x 1880 mm x 2400 mm.	2900
343	Nowicki	Nowicki mobile micro cutter, model: KR-15, number: 32820011, year of construction: 2020, 400 V, 3 Ph, 50 Hz, dimensions: 1700 mm x 950 mm x 700 mm.	6500
345	Suhner AG	Suhner AG vacuum tumbler, type: VT 1500 E2, machine number: 891500229, 380 V, 50 Hz, volume: 1500 liter, inside dimensions: ø 1400 mm x 700 mm, Busch vacuum pump, type: 100-112, number: 37872, capacity: 100 m³	2200



Nr	Title	Description	Start €
		per hour, total dimensions: 1870 mm x 1400 mm x 1770 mm. Missing cover.	
346	Knivman Bankeryd AB	Knivman Bankeryd AB bandsaw, type: BBA-I S, number: 7376, 380 V, 3 Ph, 50 Hz, 8.1 kW, 3 kW, s/s rollers, roller width: 260 mm, 660 mm and 1000 mm, total dimensions: 2400 mm x 940 mm x 1810 mm.	800
347	NN smoke trolleys	3 smoke trolleys, 8 floors, floor dimensions: 1000 mm x 1020 mm, total dimensions: 1000 m x 1040 mm x 1920 mm.	480
348	Multivac	Multivac double chamber vacuum machine, model: C 450, seal length: (4x) 470 mm, chamber: (2x) 625 mm x 470 mm, with Rietschle vacuum pump, type: VCH 140 (05), capacity: 140 m ³ per hour, total dimensions: 1230 mm x 950 mm x 1020 mm,	4000
349	NN smoke trolleys	5 smoke trolleys, 6 floors, floor dimensions: 1000 mm x 1000 mm, total dimensions: 1000 m x 1020 mm x 1920 mm.	800
350	Laska	Laska double shaft Z-arm vacuum mixer with lifter for meat bins, type: ME-250, serial number: F-1230, 380 V, 50 Hz, 13 A, 2.5 A, capacity: 250 liter, dimensions: 1500 mm x 1300 mm x 1900 mm. Dimensions switch cabinet: 800 mm x 300 mm x 800 mm.	6500
351	Ziegra	Ziegra ice machine, type: UBE 125, number: 883636, dimensions: 700 mm x 980 mm x 600 mm.	300
352	PVS Systemtechnik GmbH	PVS Systemtechnik GmbH casing sealer on s/s trolley, 230 V, 50 Hz, 16 A, 0.5 kW, dimensions: 700 mm x 400 mm x 1000 mm.	4500
353	NN smoke trolleys	8 smoke trolleys, 7 floors, floor dimensions: 1000 mm x 1000 mm, total dimensions: 1000 m x 1020 mm x 1860 mm.	1200
354	Stephan	Stephan mobile universal machine, type: BB 100, number: 4558760, year of construction: 1986, 380 V, 50 Hz, 28 A, 12.5 kW, volume: 100 liter, total dimensions: 1200 mm x 950 mm x 1400 mm.	800
355	Stephan	Stephan micro cutter, type: MC 12, machine number: 35492, year of construction: 1984, 380 V, 3 Ph, 50 Hz, 17.8 A, 8.8 kW, dimensions: 700 mm x 620 mm x 950 mm.	4500
356	Kerres	Kerres drying- smoking- and cooking chamber, type: CS 350, serial number: 15.056, year of construction: 09-1985, on sawdust or liquid smoke, 6 floors, dimensions floor: (6x) 540 mm x 445 mm, total dimensions: 830 mm x 680 mm x 1750 mm.	1300
357	Ekomex	Ekomex double Z-arm mixer with lifter for 200 liter meat bins, type: MZ 500, number: 0514090012, year of construction: 2015, 400 V, 50 Hz, 16 kW, weight: 1950 kg, volume: 500 liter, dimensions mixer: 1900 mm x 1210	14500



Nr	Title	Description	Start €
		mm x 1620 mm, dimensions lifter: 920 mm x 1120 mm x 2530 mm.	
358	Baader	Baader separator, type: 696, machine number: 12 1866 0696, year of construction: 1984, 380 V, 50 Hz, 3.7 A, 1.5 kW, weight: 130 kg, dimensions: 1200 mm x 900 mm x 1300 mm.	2000
359	Tipper Tie Technopack	Tipper Tie Technopack mobile clipper, model: KDCV, number: 4282.424.486, 6 bar, 130 kg, dimensions: 1200 mm x 650 mm x 2000 mm.	1700
360	Palmia	Palmia grinder, type: P207520, number: 4421750 kg, dimensions: 1500 mm x 1200 mm x 1800 mm.	3500
361	Tipper Tie Technopack	Tipper Tie Technopack micro cutter, model: TT Cut 125V, serial number: A1004.099.266, year of construction: 2016, 400 V, 50 Hz, 20.4 A, 11 kW, 230 kg, dimensions: 1000 mm x 800 mm x 1200 mm.	6500
362	PVS Systemtechnik GmbH	PVS Systemtechnik GmbH micro cutter, type: PVS Cut 180 HD, number: 180.HD.169.2023 3, year of construction: 2023, 400 V, 50 Hz, 19.3 A, 11 kW, weight: 1100 Kg, dimensions: 2400 mm x 1220 mm x 1000 mm.	35000
363	NN smoke sticks	Pallet box with approximately 400 smoke sticks, stick length: 1000 mm, total weight: 200 kg.	250
364	WB Busser Technologie GmbH	WB Busser Technologie GmbH washing machine for pallet boxes, type: WB 501-1, machine number: 20081390, year of construction: 2009, dimensions: 10800 mm x 2300 mm x 3300 mm.	2800

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

