



**Industrial  
Auctions**

**2289: Online auction machinery and inventory due to  
bankruptcy Esro Vlees B.V. in Nuenen (NL)**

**END DATE**

**24 September 2026 14:00**

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)



## General terms and conditions of the online auction

|                                      |                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| End date                             | 24 September 2026 from 14:00 hrs.                                                                                                                                                                                                                                                                                                                                                                                  |
| Viewing days                         | 22 September 2026 from 09:00 till 13:00 hrs.                                                                                                                                                                                                                                                                                                                                                                       |
| Organising company                   | Industrial Auctions BV<br>Looyenbeemd 11<br>5652 BH Eindhoven, Netherlands<br>Tel.: +31 (0)40 2409 208<br>E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>                                                                                                                                                                                                                   |
| Buyers premium                       | 18% over the highest bid                                                                                                                                                                                                                                                                                                                                                                                           |
| VAT                                  | 21% over the highest bid including premium                                                                                                                                                                                                                                                                                                                                                                         |
| Pick up days                         | 01 October 2026 from 09:00 till 16:00 hrs.                                                                                                                                                                                                                                                                                                                                                                         |
| Pick up address                      | De Huufkes 18<br>5674 TM Nuenen<br>Netherlands                                                                                                                                                                                                                                                                                                                                                                     |
| Pick up instructions                 | You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.                                 |
| Payment details                      | Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number. |
| General terms and conditions of sale | On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.                                                                                                                                                                                                                           |
| Combinations                         | All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.                                                                                                 |
| Prolongation                         | If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.                                                                                                                                                                                                                                                                 |



| Nr | Title                | Description                                                                                                                                                                                                                                                                                                                                                    | Start € |
|----|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 1  | RMA Techniek         | RMA Techniek deboning line for cattle heads, consisting of: S/s platform with plastic deboning table, plastic outfeed belts, belt width: (2x) 300 mm, conveyor for calf heads, working width: 300 mm, splitting machine with outfeed slide, various tables with cutting stations, Hitachi hoist, total dimensions deboning line: 21000 mm x 6300 mm x 2400 mm. | 6000    |
| 2  | Marel Inc.           | Marel Inc. mobile skinning and deriding machine, model: SK 15-345 14 INCH, type: 9833480, serial number: 10399648, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.5 A, 2.2 kW, weight: 356 kg, plastic mesh belts, belt width: 355 mm, working width: 355 mm, total dimensions: 2200 mm x 900 mm x 1250 mm. Including crate with extra knives and parts.    | 750     |
| 3  | NN table             | S/s table with plastic top, dimensions: 1700 mm x 1000 mm x 950 mm.                                                                                                                                                                                                                                                                                            | 100     |
| 4  | NN table             | S/s table with plastic top, dimensions: 1400 mm x 900 mm x 930 mm.                                                                                                                                                                                                                                                                                             | 100     |
| 5  | NN table             | Mobile s/s table with plastic top, dimensions: 1900 mm x 960 mm x 1250 mm.                                                                                                                                                                                                                                                                                     | 100     |
| 6  | NN table             | S/s table with plastic top, dimensions: 2020 mm x 1020 mm x 920 mm.                                                                                                                                                                                                                                                                                            | 100     |
| 7  | NN table             | S/s table with plastic top, dimensions: 4030 mm x 2000 mm x 910 mm.                                                                                                                                                                                                                                                                                            | 200     |
| 8  | NN table             | S/s table with plastic top, dimensions: 2020 mm x 1400 mm x 900 mm.                                                                                                                                                                                                                                                                                            | 100     |
| 9  | NN tub               | S/s mobile tub, dimensions: 1350 mm x 720 mm x 190 mm.                                                                                                                                                                                                                                                                                                         | 100     |
| 10 | Untha                | Untha shredder, model: RS30, number: 6385-2, working width: 400 mm, total dimensions: 1550 mm x 1600 mm x 2950 mm.                                                                                                                                                                                                                                             | 1250    |
| 11 | Untha                | Untha shredder, model: RS40, serial number: SH11885, year of construction: 07/2024, 400 V, 50 Hz, 37 kW, working width: 950 mm, total dimensions: 2300 mm x 1200 mm x 2800 mm. Including switch cabinet, dimensions: 810 mm x 300 mm x 2020 mm.                                                                                                                | 2000    |
| 12 | NN platform          | S/s platform, working height: 2800 mm, total dimensions: 3250 mm x 1250 mm x 3900 mm.                                                                                                                                                                                                                                                                          | 300     |
| 13 | NN waste bag holders | 2 s/s waste bag holders, dimensions: (2x) 530 mm x 530 mm x 1320 mm.                                                                                                                                                                                                                                                                                           | 10      |
| 14 | NN table             | S/s table with plastic top, dimensions: 2020 mm x 1010 mm x 920 mm.                                                                                                                                                                                                                                                                                            | 100     |
| 15 | Marel Inc.           | Marel Inc. mobile skinning and derinding machine, model: SK 15-320 26 INCH, type: 9838644, serial number: 10421051, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 3.5 A, plastic mesh belts, belt width: 650 mm, working                                                                                                                                     | 1500    |



| Nr | Title                 | Description                                                                                                                                                                                                                                                                                                                                                                                                | Start € |
|----|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    |                       | width: 645 mm, total dimensions: 2180 mm x 1200 mm x 1250 mm. Including crate with extra parts and knives.                                                                                                                                                                                                                                                                                                 |         |
| 16 | Townsend              | Townsend mobile skinning and derinding machine, model: 9000-H, serial number: 721, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 3.5 A, plastic belts, belt width: 750 mm, working width: 345 mm, total dimensions: 2100 mm x 750 mm x 1350 mm. Including extra knives.                                                                                                                                  | 1500    |
| 17 | N&N Nadratowski sp.j. | N&N Nadratowski sp.j. tilting device for pallet boxes, model: PZ-3/1000 swing loader, serial number: 1282, year of construction: 2017, 400 V, 50 Hz, 1.5 kW, weight: 360 kg, capacity: 1000 kg, clearance: 1240 mm x 1040 mm x 840 mm, total dimensions: 1800 mm x 1600 mm x 1200 mm.                                                                                                                      | 1500    |
| 18 | NN table              | S/s table with plastic top, dimensions: 2000 mm x 1350 mm x 1260 mm.                                                                                                                                                                                                                                                                                                                                       | 100     |
| 19 | NN protection frame   | S/s protection frame, dimensions: 1600 mm x 800 mm x 310 mm.                                                                                                                                                                                                                                                                                                                                               | 15      |
| 20 | N&N Nadratowski sp.j. | N&N Nadratowski sp.j. tilting device for pallet boxes, model: PZ-3/1000 swing loader, serial number: 1283, year of construction: 2017, 400 V, 50 Hz, 1.5 kW, weight: 360 kg, capacity: 1000 kg, clearance: 1240 mm x 1040 mm x 840 mm, total dimensions: 1800 mm x 1600 mm x 1200 mm.                                                                                                                      | 1500    |
| 21 | NN table              | S/s table with plastic top, dimensions: 2000 mm x 1300 mm x 1160 mm.                                                                                                                                                                                                                                                                                                                                       | 100     |
| 22 | Reflexsystems         | S/s floor weighing scale, dimensions: 1900 mm x 1800 mm x 120 mm, including ReflexSystems computer cabinet with display and Toshiba label printer, dimensions: 1400 mm x 1000 mm x 1850 mm.                                                                                                                                                                                                                | 750     |
| 23 | Multivac              | Multivac thermoformer, type: R105, serial number: 297851, year of construction: 2020, 400/230 V, 3 Ph, 50 Hz, 26/50 A, 5 kW, bottom film width: 430 mm, dye: (2x) 280 mm x 170 mm, top film width: 419 mm, plastic mesh outfeed belt, belt width: 380 mm, Busch vacuum pump, type: RA 0100 F 503, capacity: 100 m³ per hour, total dimensions: 4000 mm x 1100 mm x 1930 mm. Including 3 crates with parts. | 10000   |
| 24 | Itec                  | S/s frame with 60 Itec knife baskets, basket dimensions: 360 mm x 120 mm x 500 mm, total dimensions: 5000 mm x 600 mm x 1440 mm. Including various knives.                                                                                                                                                                                                                                                 | 750     |
| 25 | Mado                  | S/s cabinet with 2 Mado knife grinders, type: (2x) MNS 630, year of construction: 2019 / 2025, 400 V, 50 Hz, dimensions: 1600 mm x 600 mm x 1950 mm.                                                                                                                                                                                                                                                       | 750     |
| 26 | Nowicki               | Nowicki vacuum tumbler with 2 infeed trolleys, model: MA-3600 PS, serial number: 22618065, year of construction: 2018, 400 V, 3 Ph, 50 Hz, capacity: 3600 liter, Induvac vacuum pump, type: VCR100, capacity: 100/120 m³ per hour, total dimensions: 3800 mm x 2100 mm x                                                                                                                                   | 4000    |



| Nr | Title              | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Start € |
|----|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    |                    | 2200 mm. 2 s/s infeed trolleys, inside dimensions: (2x) 840 mm x 840 mm x 750 mm, total dimensions: (2x) 1600 mm x 900 mm x 1900 mm.                                                                                                                                                                                                                                                                                                                        |         |
| 27 | NN elevating screw | Mobile elevating screw, screw diameter: 230 mm, tier: 100 mm, elevating height: 1930 mm, total dimensions: 1900 mm x 1050 mm x 2450 mm.                                                                                                                                                                                                                                                                                                                     | 750     |
| 28 | AF Food Technology | AF Food Technology separator, type: AllMaxx S, serial number: AMS2024DE00001, year of construction: 2024, 400 V, 3 Ph, 50 Hz, 8 A, 4 kW, 6 bar, plastic belt, belt width: 204 mm, drum diameter: 210 mm, perforations: 1 mm, total dimensions: 1300 mm x 1000 mm x 2050 mm. Including s/s tool trolley, dimensions: 1600 mm x 900 mm x 1170 mm.                                                                                                             | 12500   |
| 29 | NN tilting device  | Tilting device for pallet boxes, clearance: 1060 mm x 1100 mm x 940 mm, total dimensions: 1800 mm x 1950 mm x 1430 mm.                                                                                                                                                                                                                                                                                                                                      | 1000    |
| 30 | NN table           | S/s table with plastic top, dimensions: 2020 mm x 1000 mm x 1200 mm.                                                                                                                                                                                                                                                                                                                                                                                        | 100     |
| 31 | NN elevating belt  | Mobile elevating belt, plastic belt with dividers, belt width: 500 mm, divider height: 75 mm, distance between dividers: 280 mm, elevating height: 2750 mm, total dimensions: 2800 mm x 900 mm x 3000 mm.                                                                                                                                                                                                                                                   | 750     |
| 32 | Laska              | Laska grinder, type: WWR 160, machine number: 20783, year of construction: 2024, 400 V, 3 Ph, 50 Hz, 92 A, 47 kW, plate diameter: 160 mm, total dimensions: 1700 mm x 1650 mm x 2250 mm. Including s/s switch cabinet, dimensions: 1000 mm x 400 mm x 1200 mm, s/s tool trolley, dimensions: 820 mm x 800 mm x 1000 mm.                                                                                                                                     | 10000   |
| 33 | Inotec GmbH        | Inotec GmbH mobile product pump, type: IFPN-15-NM076, machine number: 410-00414, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 34 A, dimensions: 3200 mm x 1400 mm x 1740 mm.                                                                                                                                                                                                                                                                             | 500     |
| 34 | Sparc Systems      | Sparc Systems mobile pipe line x-ray scanner, model: IRIS 250, serial number: SO-19838/1/16, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 10 A, clearance: ø 60 mm, total dimensions: 1300 mm x 800 mm x 1900 mm. Including s/s tool trolley, dimensions: 1100 mm x 600 mm x 1150 mm.                                                                                                                                                                    | 3500    |
| 35 | Lutetia            | Lutetia vacuum tumbler with s/s infeed trolley, type: T40, serial number: 17243, year of construction: 2010, 400 V, 50 Hz, 6.7 kW, weight: 1500 kg, capacity: 2200 kg, dimensions: 3200 mm x 1900 mm x 2200 mm. Including Induvac vacuum pump, type: VCR100, capacity: 100/120 m <sup>3</sup> per hour, dimensions: 800 mm x 500 mm x 600 mm. S/s infeed trolley, inside dimensions: 840 mm x 840 mm x 850 mm, total dimensions: 1300 mm x 980 mm x 900 mm. | 3000    |
| 36 | Lutetia            | Lutetia vacuum tumbler with s/s infeed trolley, type: T40, serial number: 17301, year of construction: 2010, 400 V, 50 Hz, 6.7 kW, weight: 1500 kg, capacity: 2200 kg,                                                                                                                                                                                                                                                                                      | 3000    |



| Nr | Title                 | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Start € |
|----|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    |                       | dimensions: 3200 mm x 1900 mm x 2200 mm. Including Induvac vacuum pump, type: VCR100, capacity: 100/120 m <sup>3</sup> per hour, dimensions: 800 mm x 500 mm x 600 mm. S/s infeed trolley, inside dimensions: 840 mm x 840 mm x 850 mm, total dimensions: 1300 mm x 980 mm x 900 mm.                                                                                                                                                                                                                                   |         |
| 37 | NN rollies            | 2 s/s rollies, dimensions: (2x) 600 mm x 400 mm x 150 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 15      |
| 38 | NN rollies            | 2 plastic rollies, dimensions: (2x) 600 mm x 400 mm x 150 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 10      |
| 39 | Trotec                | Trotec fan on s/s frame, model: TTW 45000, dimensions: 2000 mm x 900 mm x 3600 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                     | 300     |
| 40 | NN tilting device     | S/s tilting device for pallet boxes with outfeed slide, clearance: 1220 mm x 1150 mm x 880 mm, total dimensions: 3600 mm x 1900 mm x 2100 mm.                                                                                                                                                                                                                                                                                                                                                                          | 1750    |
| 41 | Selo BV               | Selo BV mobile elevating belt, type: opvoerband, number: SLTROP500-35, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 0.9 kW, plastic belt with dividers, belt width: 500 mm, divider height: 80 mm, distance between dividers: 300 mm, elevating height: 2900 mm, total dimensions: 3500 mm x 1000 mm x 3050 mm.                                                                                                                                                                                                     | 1000    |
| 42 | Laska                 | Laska grinder, type: WW 200-H, machine number: 16959, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 81 A, 42 kW, plate diameter: 200 mm, total dimensions: 2150 mm x 1600 mm x 3000 mm. Including s/s tool trolley, dimensions: 1100 mm x 850 mm x 1480 mm.                                                                                                                                                                                                                                                          | 25000   |
| 43 | Fortress Technology   | Fortress Technology mobile metal detector, number: EDO5440, plastic belt, belt width: 240 mm, clearance: 205 mm x 220 mm, total dimensions: 1600 mm x 900 mm x 1720 mm.                                                                                                                                                                                                                                                                                                                                                | 1000    |
| 44 | Baader                | Baader separator, type: 608-503, machine number: 5006080001, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 41 A, 16.7 kW, drum diameter: 430 mm, perforations: ø 1 mm, plastic outfeed belt with dividers, belt width: 290 mm, divider height: 20 mm, distance between dividers: 40 mm, total dimensions: 2700 mm x 2050 mm x 1830 mm. Including s/s lifter to change the drum, dimensions: 1300 mm x 880 mm x 1970 mm, 2 s/s trolleys, dimensions: (1x) 2100 mm x 800 mm x 1400 mm, (1x) 1000 mm x 700 mm x 540 mm. | 50000   |
| 45 | NN elevating screw    | Mobile elevating screw, screw diameter: 300 mm, tier: 190 mm, elevating height: 2400 mm, total dimensions: 3660 mm x 1170 mm x 2950 mm.                                                                                                                                                                                                                                                                                                                                                                                | 750     |
| 46 | N&N Nadratowski sp.j. | N&N Nadratowski sp.j. double shaft paddle mixer, type: MIX-900, serial number: 264, year of construction: 2007, 400 V, 50 Hz, 11 kW, weight: 1100 kg, capacity: 900 liter, dimensions: 2150 mm x 1150 mm x 1920 mm.                                                                                                                                                                                                                                                                                                    | 4500    |
| 47 | NN frames             | 3 s/s frames, dimensions: (2x) 600 mm x 400 mm x 150 mm, (1x) 550 mm x 350 mm x 80 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                 | 15      |



| Nr | Title                      | Description                                                                                                                                                                                                                                                                            | Start € |
|----|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 48 | ReflexSystems              | S/s floor weighing scale, dimensions: 1900 mm x 1500 mm x 120 mm, including ReflexSystems computer cabinet with display and Toshiba label printer, dimensions: 850 mm x 750 mm x 1840 mm.                                                                                              | 750     |
| 49 | NN waste bag holders       | 2 s/s waste bag holders, dimensions: (2x) 530 mm x 530 mm x 1320 mm.                                                                                                                                                                                                                   | 10      |
| 50 | RMA Techniek               | RMA Techniek tilting device for pallet boxes with outfeed belt, serial number: 2022-0799-0000, year of construction: 2023, clearance: 1300 mm x 1030 mm x 920 mm, plastic outfeed belt, belt width: 1000 mm, total dimensions: 3600 mm x 2600 mm x 2030 mm.                            | 2500    |
| 51 | RMA Techniek               | RMA Techniek tilting device for pallet boxes with outfeed belt, serial number: 2022-0745-0000, year of construction: 2022, clearance: 1300 mm x 1030 mm x 920 mm, plastic outfeed belt, belt width: 1000 mm, total dimensions: 3600 mm x 2600 mm x 2030 mm.                            | 2500    |
| 52 | RMA Techniek               | RMA Techniek transport belt, model: Schakelband bevroren vlees, serial number: 034-000004, 400 V, 50 Hz, 32 A, plastic belt, belt width: 395 mm, total dimensions: 35500 mm x 965 mm x 860 mm.                                                                                         | 4500    |
| 53 | DSI Freezing Solutions A/S | DSI Freezing Solutions A/S plate freezer, type: V3 Co2 20/100, number: 5865, year of construction: 12/2021, Grp: 2, fluid: Co2, volume: 96 L, TS: -60°C to + 48°C, PT: 80 bar, PS:-5/55 bar, clearance: (60x) 350 mm x 100 mm x 470 mm, total dimensions: 3100 mm x 1650 mm x 1300 mm. | 10000   |
| 54 | DSI Freezing Solutions A/S | DSI Freezing Solutions A/S plate freezer, type: V3 Co2 20/100, number: 5864, year of construction: 12/2021, Grp: 2, fluid: Co2, volume: 96 L, TS: -60°C to + 48°C, PT: 80 bar, PS:-5/55 bar, clearance: (60x) 350 mm x 100 mm x 470 mm, total dimensions: 3100 mm x 1650 mm x 1300 mm. | 10000   |
| 55 | DSI Freezing Solutions A/S | DSI Freezing Solutions A/S plate freezer, type: V3 Co2 20/100, number: 5863, year of construction: 12/2021, Grp: 2, fluid: Co2, volume: 96 L, TS: -60°C to + 48°C, PT: 80 bar, PS:-5/55 bar, clearance: (60x) 350 mm x 100 mm x 470 mm, total dimensions: 3100 mm x 1650 mm x 1300 mm. | 10000   |
| 56 | DSI Freezing Solutions A/S | DSI Freezing Solutions A/S plate freezer, type: V3 Co2 20/100, number: 5862, year of construction: 12/2021, Grp: 2, fluid: Co2, volume: 96 L, TS: -60°C to + 48°C, PT: 80 bar, PS:-5/55 bar, clearance: (60x) 350 mm x 100 mm x 470 mm, total dimensions: 3100 mm x 1650 mm x 1300 mm. | 10000   |
| 57 | DSI Freezing Solutions A/S | DSI Freezing Solutions A/S plate freezer, type: V3 Co2 20/100, number: 3063, year of construction: 03/2012, Grp: 1, fluid: Co2, volume: 96 L, TS: -60°C to + 40°C, PT: 80 bar, PS: 55 bar, clearance: (60x) 350 mm x 100 mm x 470 mm, total dimensions: 3100 mm x 1650 mm x 1300 mm.   | 9000    |
| 58 | DSI Freezing Solutions A/S | DSI Freezing Solutions A/S plate freezer, type: V3 Co2 20/100, number: 3068, year of construction: 03/2012, Grp: 1, fluid: Co2, volume: 96 L, TS: -60°C to + 40°C, PT: 80                                                                                                              | 9000    |



| Nr | Title                      | Description                                                                                                                                                                                                                                                                                                                                                        | Start € |
|----|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    |                            | bar, PS: 55 bar, clearance: (60x) 350 mm x 100 mm x 470 mm, total dimensions: 3100 mm x 1650 mm x 1300 mm.                                                                                                                                                                                                                                                         |         |
| 59 | DSI Freezing Solutions A/S | DSI Freezing Solutions A/S plate freezer, type: V3 Co2 20/100, number: 3064, year of construction: 03/2012, Grp: 1, fluid: Co2, volume: 96 L, TS: -60°C to + 40°C, PT: 80 bar, PS: 55 bar, clearance: (60x) 350 mm x 100 mm x 470 mm, total dimensions: 3100 mm x 1650 mm x 1300 mm.                                                                               | 9000    |
| 60 | DSI Freezing Solutions A/S | DSI Freezing Solutions A/S plate freezer, type: V3 Co2 20/100, number: 3065, year of construction: 03/2012, Grp: 1, fluid: Co2, volume: 96 L, TS: -60°C to + 40°C, PT: 80 bar, PS: 55 bar, clearance: (60x) 350 mm x 100 mm x 470 mm, total dimensions: 3100 mm x 1650 mm x 1300 mm.                                                                               | 9000    |
| 61 | DSI Freezing Solutions A/S | DSI Freezing Solutions A/S plate freezer, type: V3 Co2 20/100, number: 3067, year of construction: 03/2012, Grp: 1, fluid: Co2, volume: 96 L, TS: -60°C to + 40°C, PT: 80 bar, PS: 55 bar, clearance: (60x) 350 mm x 100 mm x 470 mm, total dimensions: 3100 mm x 1650 mm x 1300 mm.                                                                               | 9000    |
| 62 | DSI Freezing Solutions A/S | DSI Freezing Solutions A/S plate freezer, type: V3 Co2 20/100, number: 3066, year of construction: 03/2012, Grp: 1, fluid: Co2, volume: 96 L, TS: -60°C to + 40°C, PT: 80 bar, PS: 55 bar, clearance: (60x) 350 mm x 100 mm x 470 mm, total dimensions: 3100 mm x 1650 mm x 1300 mm.                                                                               | 9000    |
| 63 | Ceia                       | Ceia metal detector head, model: TMS21, serial number: 21200242023, 100/240 V, 50/60 Hz, 2.3 A, clearance: 500 mm x 275 mm, total dimensions: 1000 mm x 400 mm x 530 mm.                                                                                                                                                                                           | 2500    |
| 64 | NN elevating belt          | Elevating belt, plastic belt, belt width: 575 mm, elevating height: 870 mm, total dimensions: 1500 mm x 950 mm x 1000 mm.                                                                                                                                                                                                                                          | 500     |
| 65 | Ulma                       | Ulma packaging machine, model: SVALX 100X35, machine number: 4514793, year of construction: 2012, 400 V, 50 Hz, 5 A, 3.5 kW, maximum film width: 1000 mm, seal width: 1000 mm, plastic belts, belt width: 800 mm, total dimensions: 1900 mm x 1700 mm x 2060 mm.                                                                                                   | 4000    |
| 66 | Ulma                       | Ulma shrink tunnel, model: TRX 100X100(H=250), machine number: 4514794, year of construction: 2012, 400 V, 50 Hz, 32 A, 22 kW, s/s mesh belt, belt width: 1000 mm, clearance: 1000 mm x 250 mm, total dimensions: 2250 mm x 1850 mm x 1850 mm.                                                                                                                     | 2500    |
| 67 | Fanuc LTD                  | Fanuc LTD palletizing robot, consisting of: roller conveyor, s/s rollers, roller width: 360 mm, total dimensions: 2300 mm x 800 mm x 900 mm, Fanuc robot, model: R2000iA/165F, type: A05B-1324-B203, number: R02806424, year of construction: 2002.08, weight: 1210 kg, dimensions: 4500 mm x 1100 mm x 2700 mm, various s/s frames, fences and protection frames. | 2500    |
| 68 | Atlanta S.p.a.             | Atlanta S.p.a. pallet wrapper, type: AVVOLGITRORE WRAPPING MACHINE, model: MYTHO EADY M, serial                                                                                                                                                                                                                                                                    | 1000    |



| Nr | Title                      | Description                                                                                                                                                                                                                                                                                                                         | Start € |
|----|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|    |                            | number: S190310, year of construction: 2019, 230 V, 1 Ph, 50/60 Hz, 16 A, platform diameter: 1650 mm, total dimensions: 4700 mm x 1650 mm x 2600 mm.                                                                                                                                                                                |         |
| 69 | Itec                       | Itec washing machine for knife baskets, type: 22570, number: 256708, year of construction: 09/2015, 400 V, 50/60 Hz, 21 kW, s/s belts, belt width: 85 mm, total dimensions: 4900 mm x 900 mm x 2200 mm.                                                                                                                             | 2000    |
| 70 | Itec                       | Itec boot cleaning station with hand sanitizer and tourniquet, type boot cleaning station: 23835, number: 273599, year of construction: 03/2017, 400 V, 3 Ph, 50/60 Hz, 1.8 kW, type hand sanitizer: 23745/li, series: 0336, year of construction: 08/2016, 230 V, 50/60 Hz, 0.3 kW, total dimensions: 3200 mm x 1400 mm x 1900 mm. | 1500    |
| 71 | Kombimix                   | Kombimix water dosing machine, type: KWD-101, 220/24 V, 50/60 Hz, 3 A, dimensions: 400 mm x 260 mm x 1850 mm.                                                                                                                                                                                                                       | 50      |
| 72 | ReflexSystems              | S/s floor weighing scale, dimensions: 1630 mm x 1380 mm, including ReflexSystems computer cabinet with display and Toshiba label printer, dimensions: 1000 mm x 800 mm x 1950 mm.                                                                                                                                                   | 500     |
| 73 | NN waste bag holder        | S/s waste bag holder, dimensions: 530 mm x 530 mm x 1320 mm.                                                                                                                                                                                                                                                                        | 5       |
| 74 | DSI Freezing Solutions A/S | 14 steel frames for DSI Freezing Solutions A/S plate freezers, dimensions: (1x) 1150 mm x 1030 mm.                                                                                                                                                                                                                                  | 70      |
| 75 | NN beams                   | Steel beams, dimensions: (4x) 1850 mm, (14x) 2200 mm.                                                                                                                                                                                                                                                                               | 50      |
| 76 | NN trolley                 | S/s trolley, dimensions: 1000 mm x 700 mm x 530 mm.                                                                                                                                                                                                                                                                                 | 50      |
| 77 | Hitachi                    | Hitachi hoist, dimensions: 450 mm x 250 mm x 500 mm.                                                                                                                                                                                                                                                                                | 100     |
| 78 | NN parts for shredder      | Pallet with large amount of parts for shredder, dimensions: 1200 mm x 800 mm x 600.                                                                                                                                                                                                                                                 | 75      |
| 79 | Untha                      | Pallet with large amount of parts for Untha shredder, dimensions: 1200 mm x 800 mm x 600.                                                                                                                                                                                                                                           | 75      |
| 80 | PCK                        | PCK blower, type: HAVD 200, serial number: 7544, year of construction: 7544, dimensions: 500 mm x 500 mm x 1050 mm.                                                                                                                                                                                                                 | 50      |
| 81 | Prestaq                    | 2 Prestaq cabinets, dimensions: (2x) 600 mm x 600 mm x 670 mm. Never used.                                                                                                                                                                                                                                                          | 60      |
| 82 | Baader                     | S/s drum for Baader separator, drum diameter: 250 mm, drum perforations: $\varnothing$ 3 mm.                                                                                                                                                                                                                                        | 500     |
| 83 | Baader                     | S/s drum for Baader separator, drum diameter: 330 mm, drum perforations: $\varnothing$ 1 mm.                                                                                                                                                                                                                                        | 500     |
| 84 | NN parts                   | Plastic pallet box with various parts, dimensions: 1200 mm x 800 mm x 730 mm.                                                                                                                                                                                                                                                       | 50      |
| 85 | NN plastic table tops      | Pallet with 9 plastic tops for tables, table top dimensions: 2020 mm x 1015 mm, total dimensions: 2050 mm x 1020 mm x 700 mm.                                                                                                                                                                                                       | 150     |
| 86 | NN steel part              | Steel part, dimensions: 1200 mm x 120 mm x 250 mm.                                                                                                                                                                                                                                                                                  | 20      |
| 87 | Lowara                     |                                                                                                                                                                                                                                                                                                                                     | 75      |



| Nr  | Title           | Description                                                                                                                                                                                                                        | Start € |
|-----|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                 | Lowara submersible pump, type: DLM80/A, number: 00889, year of construction: 2022, 220/240 V, 3 Ph, 50 Hz, 3.91 A, 0.6 kW, capacity: 100/350 liter per minute, dimensions: 300 mm x 200 mm x 500 mm.                               |         |
| 88  | Idépack         | Idépack mobile pallet strapping machine, model: DBA-1 3.00 A, machine number: 324102213, 220 V, 1 Ph, 50 Hz, strap width: 10 mm, total dimensions: 850 mm x 600 mm x 1550 mm. Cover is damaged.                                    | 150     |
| 89  | Ikra GmbH       | Ikra GmbH hedge trimmer, model: BHT 60, serial number: 3098100023540, year of construction: 2009, 0.75 kW, 8300 rpm, working width: 615 mm, total dimensions: 1100 mm x 250 mm x 230 mm.                                           | 50      |
| 90  | Sandpiper       | Sandpiper membrane pump, serial number: 2342539, year of construction: 11/07/17, maximum air pressure: 7 bar, dimensions: 260 mm x 200 mm x 300 mm.                                                                                | 75      |
| 91  | Deca s.a. RSM   | Deca s.a. RSM battery charger, type: Smart 1222, serial number: 10351, dimensions: 360 mm x 260 mm x 150 mm.                                                                                                                       | 30      |
| 92  | Honeywell       | Honeywell gas detector, model: Sensepoint XCD, type: 3001B1669, serial number: K0259921281431, dimensions: 310 mm x 230 mm x 140 mm.                                                                                               | 150     |
| 93  | Einhell         | Einhell knife grinder, type: NTS 2000-m, 230 V, 1 Ph, 50 Hz, 2 A, 400 W, dimensions: 440 mm x 270 mm x 240 mm.                                                                                                                     | 50      |
| 94  | HBM             | HBM plasma cutter, dimensions: 500 mm x 160 mm x 300 mm.                                                                                                                                                                           | 75      |
| 95  | NN tool trolley | Tool trolley, dimensions: 500 mm x 160 mm x 300 mm.                                                                                                                                                                                | 75      |
| 96  | Strapex         | Strapex mobile strapping machine, type: SMG 55i, serial number: 551613, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 4.5 A, 850 W, strap width: 8 mm, clearance: 650 mm x 490 mm, total dimensions: 1440 mm x 670 mm x 1400 mm. | 750     |
| 97  | Kelvion         | 21 s/s plates for Kelvion heat exchanger, serial number: 90170931, dimensions: 800 mm x 230 mm x 80 mm.                                                                                                                            | 75      |
| 98  | NN parts        | Wooden pallet crate with large amount of various machine parts, dimensions: 1200 mm x 800 mm x 1320 mm.                                                                                                                            | 100     |
| 99  | Induvac         | 3 Induvac vacuum pumps, type: VCR100, capacity: 100/120 m³ per hour, dimensions: (3x) 720 mm x 400 mm x 300 mm.                                                                                                                    | 300     |
| 100 | NN ergo steps   | 2 s/s parts for ergo steps.                                                                                                                                                                                                        | 50      |
| 101 | NN parts        | Pallet with various parts, dimensions: 1200 mm x 800 mm x 900 mm.                                                                                                                                                                  | 75      |
| 102 | NN lathe        | Lathe, dimensions: 1700 mm x 800 mm x 1300 mm.                                                                                                                                                                                     | 750     |
| 103 | Strapex         | Strapex mobile strapping machine, type: SMG 25 i, serial number: 253521, year of construction: 2020, 230 V, 1 Ph, 50 Hz, 2.2 A, 520 W, strap width: 9 mm, clearance: 650                                                           | 1000    |



| Nr  | Title                                   | Description                                                                                                                                                                                                                            | Start € |
|-----|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                                         | mm x 490 mm, total dimensions: 1250 mm x 620 mm x 1400 mm.                                                                                                                                                                             |         |
| 104 | Delta Red                               | 2 Delta Red chain hoists, serial number: 4125085299/4125085296, year of construction: 2025, load chain: 8 mm x 24 mm, lift height: 6000 mm, dimensions: (2x) 340 mm x 230 mm x 420 mm.                                                 | 150     |
| 105 | Hyundai                                 | Hyundai wet/dry vacuum cleaner, model: HVC100P, serial number: 57717FF21100268, year of construction: 2021, 230 V, 50 Hz, 3000 W, dimensions: 800 mm x 500 mm x 1000 mm.                                                               | 50      |
| 106 | Alfa Laval                              | 3 crates with large amount of s/s plates for heat exchanger, model: MK15BW2, plate dimensions: 1250 mm x 500 mm, total dimensions: (3x) 1200 mm x 800 mm x 800 mm.                                                                     | 600     |
| 107 | Strapex                                 | Strapex mobile strapping machine, type: SMG 25 i, serial number: 252824, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 2.2 A, 520 W, strap width: 8 mm, clearance: 650 mm x 490 mm, total dimensions: 1250 mm x 620 mm x 1600 mm.    | 1000    |
| 108 | Trotec                                  | Trotec fan, type: TTW 45000, number: 1510001040, 400 V, 50 Hz, 1.65 kW, weight: 88 kg, air volume: 45600 m³ per hour, dimensions: 1395 mm x 720 mm x 1625 mm.                                                                          | 300     |
| 109 | Untha                                   | Untha shredder, number: GR007400, working width: 450 mm, total dimensions: 1040 mm x 1000 mm x 500 mm.                                                                                                                                 | 500     |
| 110 | Strapex                                 | Strapex strapping tool with cordstrap trolley, strap width: 10 mm, total dimensions: 650 mm x 450 mm x 1080 mm.                                                                                                                        | 100     |
| 111 | Hyundai                                 | Hyundai mobile high pressure cleaner, dimensions: 1100 mm x 700 mm x 900 mm. Wheel is broken.                                                                                                                                          | 100     |
| 112 | Kärcher                                 | Kärcher mobile high pressure cleaner, model: HDS 8/18-4 M, year of construction: 04/2014, dimensions: 1400 mm x 800 mm x 1100 mm.                                                                                                      | 400     |
| 113 | Kärcher                                 | Kärcher mobile high pressure cleaner, model: HDS 8/18-4 M, year of construction: 04/2014, dimensions: 1400 mm x 800 mm x 1100 mm.                                                                                                      | 400     |
| 114 | ReflexSystems                           | RefelxSystems s/s cabinet with display and Toshiba label printer, dimensions: 900 mm x 500 mm x 670 mm.                                                                                                                                | 150     |
| 115 | Bitzer<br>Kühlmaschinenbau<br>GmbH      | Bitzer Kühlmaschinenbau GmbH compressor rack with 6 cooling compressors, compressor type: (4x) 4PSL-25K-40P, capacity: 40/48 m³ per hour, (2x) 4NSL-30K-40P, capacity: 46.9/56.3 m³ per hour, dimensions: 4100 mm x 1200 mm x 1900 mm. | 15000   |
| 116 | NN CO <sup>2</sup> separation<br>vessel | CO <sup>2</sup> separation vessel, dimensions: 5000 mm x 2000 mm x 3300 mm.                                                                                                                                                            | 4000    |
| 117 | Pomar                                   | Pomar NH3 (ammonia) separation vessel with heat exchanger, dimensions: 4000 mm x 2000 mm x 3000 mm.                                                                                                                                    | 4000    |
| 118 | Bitzer<br>Kühlmaschinenbau<br>GmbH      | Bitzer Kühlmaschinenbau GmbH compressor rack with 3 cooling compressors, type: (2x) OSKA7471-K, capacity: 125/345 m³ per hour, (1x) OSKA7471, capacity: 250/302                                                                        | 15000   |



| Nr  | Title               | Description                                                                                                                                                                                                                | Start € |
|-----|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                     | m <sup>3</sup> per hour, dimensions: 3500 mm x 2000 mm x 2600 mm.                                                                                                                                                          |         |
| 119 | Wilo / Alfa Laval   | Skid with 2 Wilo glycol pumps and 2 Alfa Laval heat exchangers, type Wilo pump: (2x) IPL32/110-0.75/2-S1, 230/400 V, 50 Hz, 0.75 kW, dimensions: 1400 mm x 1200 mm x 1500 mm.                                              | 2500    |
| 120 | NN switch cabinet   | Steel switch cabinet, dimensions: 4200 mm x 600 mm x 2400 mm.                                                                                                                                                              | 2000    |
| 121 | NN spare parts      | Steel cabinet with spare parts, dimensions: 920 mm x 420 mm x 1950 mm.                                                                                                                                                     | 250     |
| 122 | Alfa Laval          | Alfa Laval roof condensor, 10 fans, model: BNDQE1005BD P CB, serial number: AA 2259564, year of construction: 2012, fluid group: 1, coil Ts: +120/-50 C°, Ps: 25 bar, Tp: 28 bar, dimensions: 6000 mm x 2300 mm x 1050 mm. | 3500    |
| 123 | Alfa Laval          | Alfa Laval roof condensor, 3 fans, model: DGS503CD18CR, dimensions: 2900 mm x 900 mm x 900 mm.                                                                                                                             | 1000    |
| 124 | LU-VE               | LU-VE roof condensor, 6 fans, dimensions: 7000 mm x 2400 mm x 1300 mm.                                                                                                                                                     | 3500    |
| 126 | NN tools            | 3 s/s tools.                                                                                                                                                                                                               | 30      |
| 127 | NN IBC tanks        | 3 IBC tanks with hydrogen peroxide 49.5 % and Formaldehyde solution 37 % (8 % methanol), dimensions: (2x) 1200 mm x 1000 mm x 1150 mm, (1x) 1200 mm x 800 mm x 1150 mm.                                                    | 150     |
| 128 | Master Builders     | Pallet with 6 bags of Master Builders Ucrete, dimensions: 1200 mm x 800 mm x 600 mm.                                                                                                                                       | 50      |
| 129 | NN cardboard sheets | Pallet with large amount of cardboard sheets, sheet dimensions: 1200 mm x 1000 mm x 1000 mm, total dimensions: 1200 mm x 1000 mm x 400 mm.                                                                                 | 25      |
| 130 | Tycoon              | Pallet with 15 Tycoon strap rolls, type: 12-3M100 GP, strap width: 10 mm, total dimensions: 1200 mm x 800 mm x 1100 mm.                                                                                                    | 75      |
| 131 | NN various liquids  | Pallet with various liquids, dimensions: 1200 mm x 1000 mm x 800 mm.                                                                                                                                                       | 50      |
| 132 | Multivac            | 12 Multivac film rolls, film width: 422 mm, total dimensions: 1200 mm x 900 mm x 800 mm.                                                                                                                                   | 300     |
| 133 | Mantex              | Pallet with large amount of Mantex disposable gloves and face masks, dimensions: 1200 mm x 800 mm x 1300 mm                                                                                                                | 100     |
| 134 | Koemans             | Pallet with 60 Koemans plastic straps, dimensions: 1200 mm x 800 mm x 2000 mm.                                                                                                                                             | 300     |
| 135 | Mantex              | Pallet with Mantex plastic disposable aprons, approximately 20000 pieces, dimensions: 1200 mm x 800 mm x 1600 mm.                                                                                                          | 200     |
| 136 | Mantex              | Pallet with Mantex non-woven disposable coveralls with collar, approximately 750 pieces, dimensions: 1200 mm x 800 mm x 1100 mm.                                                                                           | 200     |
| 137 | NN stretch film     |                                                                                                                                                                                                                            | 500     |



| Nr  | Title                                  | Description                                                                                                                                         | Start € |
|-----|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                                        | 2 Pallets with blue plastic stretch film, film width: 500 mm, approximately 340 rolls, dimensions: 1200 mm x 800 mm x 700 mm.                       |         |
| 138 | Koemans                                | Pallet with 36 Koemans plastic straps, dimensions: 1400 mm x 900 mm x 1300 mm.                                                                      | 180     |
| 139 | Signode                                | Pallet with Signode plastic straps, approximately 56 rolls, strap width: 6 mm, total dimensions: 1400 mm x 900 mm x 2000 mm.                        | 280     |
| 140 | Boyens Backservice                     | 12 Boyens Backservice empty vessels, capacity: 30 liter, total dimensions: 1200 mm x 800 mm x 1200 mm.                                              | 30      |
| 141 | Boyens Backservice                     | 10 Boyens Backservice vessels with plant-based release agent, capacity: 30 liter, dimensions: 1200 mm x 800 mm x 1200 mm.                           | 100     |
| 142 | NN plastic bags                        | 2 pallets with plastic bags, approximately 26000 pieces.                                                                                            | 150     |
| 143 | NN film rolls                          | 5 pallets with plastic film rolls, film width: 1400 mm, 1200 mm, 970 mm.                                                                            | 400     |
| 144 | Hynex                                  | Pallet with plastic Hynex disposable gloves, approximately 64000 pieces, total dimensions: 1200 mm x 800 mm x 2100 mm.                              | 100     |
| 145 | NN film rolls                          | 2 pallets with plastic film rolls, film roll width: 500 mm, approximately 36 rolls, total dimensions: (2x) 1200 mm x 800 mm x 1200 mm.              | 360     |
| 146 | NN film rolls                          | Pallets with plastic film rolls, film roll width: 800 mm, approximately 15 rolls, total dimensions: 1200 mm x 800 mm x 1000 mm.                     | 150     |
| 147 | NN cleaning equipment                  | 2 pallet boxes with cleaning liquids, dimensions: 1200 mm x 1000 mm x 800 mm.                                                                       | 100     |
| 148 | Rikutec                                | 2 plastic Rikutec tanks with cleaning and disinfectant liquid, dimensions: (2x) 1200 mm x 1000 mm x 1200 mm.                                        | 200     |
| 149 | NN battery chargers and electric parts | 2 pallet boxes with various battery chargers and electric parts, dimensions: (2x) 1200 mm x 1000 mm x 730 mm.                                       | 200     |
| 150 | NN plastic bags                        | Pallet with plastic bags, approximately 15000 pieces, dimensions: 1200 mm x 800 mm x 1600 mm.                                                       | 75      |
| 151 | NN ropes                               | Pallet with 20 rope rolls, dimensions: 1200 mm x 800 mm x 400 mm.                                                                                   | 50      |
| 152 | NN various liquids                     | Pallet box and pallet with various liquids, dimensions: (1x) 1200 mm x 1000 mm x 730 mm, (1x) 1200 mm x 800 mm x 500 mm.                            | 50      |
| 153 | NN casings                             | Pallet box with large amount of casings and clips, dimensions: 1200 mm x 1000 mm x 730 mm.                                                          | 100     |
| 154 | NN vacuum bags                         | Vacuum bags, bag dimensions: 500 mm x 800 mm x 0.09 mm, total dimensions: 1200 mm x 800 mm x 200 mm.                                                | 50      |
| 155 | NN covers                              | Pallet with 24 film rolls with plastic covers, cover dimensions: 1300 mm x 500 mm x 850 mm x 0.02 mm, total dimensions: 1200 mm x 800 mm x 1500 mm. | 250     |
| 156 | NN oil                                 | Pallet box with dirty oil, dimensions: 1200 mm x 1000 mm x 1100 mm.                                                                                 | 20      |



| Nr  | Title                     | Description                                                                                                                                                                           | Start € |
|-----|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 157 | NN s/s parts              | Pallet box with s/s parts, dimensions: 1200 mm x 1000 mm x 1750 mm.                                                                                                                   | 50      |
| 158 | Regenit / Master Builders | Pallet with (3x) 25 kg bag of Regenit salt tablets and (3x) 25 kg bag of Master Builders plastic badding and repair mortar, dimensions: 1200 mm x 800 mm x 1200 mm x 800 mm x 500 mm. | 50      |
| 159 | Manhard                   | Box with Manhard band saw blades, type: 16x0.56-4TPI-AS-2430, dimensions: 600 mm x 400 mm x 300 mm.                                                                                   | 100     |
| 160 | NN vacuum bags            | Vacuum bags, bag dimensions: 400 mm x 600 mm, total dimensions: 1200 mm x 800 mm x 1000 mm.                                                                                           | 50      |
| 161 | NN clothes                | Pallet box with large amount of clothes, dimensions: 1200 mm x 1000 mm x 730 mm.                                                                                                      | 50      |
| 162 | Dolav                     | 12 Dolav plastic pallet boxes, dimensions: (12x) 1200 mm x 1000 mm x 730 mm.                                                                                                          | 240     |
| 163 | Dolav                     | 10 Dolav plastic pallet boxes, dimensions: (10x) 1200 mm x 1000 mm x 730 mm.                                                                                                          | 200     |
| 164 | NN film rolls             | 11 pallets with plastic film rolls, film width: 428 mm & 417 mm, total dimensions: (11x) 1200 mm x 800 mm x 1050 mm.                                                                  | 1000    |
| 165 | NN IBC tanks              | 2 IBC tanks, dimensions: (2x) 1200 mm x 1000 mm x 1000 mm.                                                                                                                            | 200     |
| 166 | Harimix CB                | 2 pallets with Harimix CB 76 plastic cans with stabilized liquid hemoglobin, dimensions: 1200 mm x 1000 mm x 1630 mm.                                                                 | 300     |
| 167 | NN carton boxes           | Pallet with large amount of carton boxes, box dimensions: 425 mm x 302 mm x 300 mm.                                                                                                   | 25      |
| 168 | NN carton boxes           | 12 pallets with carton boxes and lids, box dimensions: 580 mm x 380 mm x 180 mm.                                                                                                      | 300     |
| 169 | NN carton boxes           | 27 pallets with carton boxes and lids, box dimensions: 487 mm x 322 mm x 100 mm.                                                                                                      | 675     |
| 170 | NN carton boxes           | 7 pallets with carton boxes and lids, box dimensions: 570 mm x 370 mm x 150 mm.                                                                                                       | 175     |
| 171 | NN carton boxes           | 35 pallets with carton boxes and lids, box dimensions: 530 mm x 378 mm x 115 mm.                                                                                                      | 875     |
| 172 | NN tubs                   | 3 mobile s/s tubs with drain, inside dimensions: 1600 mm x 650 mm x 450 mm, total dimensions: (3x) 1700 mm x 700 mm x 770 mm.                                                         | 225     |
| 173 | NN tub                    | S/s tub with drain, inside dimensions: 1600 mm x 650 mm x 450 mm, total dimensions: 1700 mm x 700 mm x 770 mm.                                                                        | 75      |
| 174 | NN tub                    | S/s tub with drain, inside dimensions: 1600 mm x 650 mm x 450 mm, total dimensions: 1700 mm x 700 mm x 770 mm.                                                                        | 75      |
| 175 | Frontmateg Hygiene GmbH   | Frontmateg Hygiene GmbH hand sanitizer, type: 23741-re, serial number: 2929, year of construction: 2/2018, 230 V, 50/60 Hz, 0.3 kW, dimensions: 600 mm x 300 mm x 800 mm.             | 75      |



| Nr  | Title                                     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Start € |
|-----|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 176 | NN meat bins                              | 12 s/s meat bins, volume: 200 liter.                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 600     |
| 177 | NN rollies                                | 33 s/s rollies, dimensions:(33x) 660 mm x 410 mm x 160 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                           | 300     |
| 178 | NN rollies                                | 26 s/s rollies, dimensions:(26) 660 mm x 410 mm x 160 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                            | 250     |
| 179 | NN organ hooks                            | 2 pallet boxes with large amount of s/s organ hooks, organ hook length: 1060 mm, total dimensions: (2x) 1200 mm x 1000 mm x 730 mm.                                                                                                                                                                                                                                                                                                                                                                  | 500     |
| 180 | NN meat hooks                             | Pallet with large amount of steel meat hooks, dimensions: 1200 mm x 800 mm x 350 mm.                                                                                                                                                                                                                                                                                                                                                                                                                 | 200     |
| 181 | NN racks for cattle heads                 | 44 s/s racks for cattle heads, dimensions: (44x) 1150 mm x 1050 mm x 2000 mm.                                                                                                                                                                                                                                                                                                                                                                                                                        | 1320    |
| 182 | NN racks for cattle heads                 | 18 s/s racks for cattle heads, dimensions: (18x) 1150 mm x 1050 mm x 2000 mm.                                                                                                                                                                                                                                                                                                                                                                                                                        | 540     |
| 183 | NN racks for cattle heads                 | 19 s/s racks for cattle heads, dimensions: (19x) 1150 mm x 1050 mm x 2000 mm.                                                                                                                                                                                                                                                                                                                                                                                                                        | 570     |
| 184 | NN racks for cattle heads                 | 42 s/s racks for cattle heads, dimensions: (42x) 1150 mm x 1050 mm x 2000 mm.                                                                                                                                                                                                                                                                                                                                                                                                                        | 1260    |
| 185 | NN plastic crates                         | 20 pallets with plastic crates, approximately 1040 crates, crate dimensions: 600 mm x 400 mm x 150 mm.                                                                                                                                                                                                                                                                                                                                                                                               | 250     |
| 186 | Funk / Bitzer<br>Kühlmaschinenbau<br>GmbH | 3 Funk flake ice machines with Bitzer Kühlmaschinenbau GmbH cooling compressor and roof condensor, 3 Funk flake ice machines on s/s frame, refrigerant: R 449 A, working width: 525 mm, total dimensions: 4000 mm x 1000 mm x 1720 mm, Bitzer Kühlmaschinenbau GmbH cooling compressor in sound-dampening enclosure , type: 6FE-44Y-40P, serial number: 1696911751, capacity: 152/183 m³ per hour, dimensions: 2300 mm x 1700 mm x 1730 mm, roof condensor, dimensions: 4000 mm x 1100 mm x 1170 mm. | 6000    |
| 187 | NN waste bag holder                       | S/s waste bag holder, dimensions: 530 mm x 530 mm x 1320 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                         | 5       |
| 188 | ReflexSystems                             | S/s floor weighing scale, dimensions: 1500 mm x 1500 mm, including ReflexSystems computer cabinet with display and Toshiba label printer, dimensions: 1000 mm x 800 mm x 1950 mm.                                                                                                                                                                                                                                                                                                                    | 500     |
| 189 | NN E-1 crates                             | 40 pallets with approximately 2720 E-1 crates, dimensions each crate: 600 mm x 400 mm x 120 mm.                                                                                                                                                                                                                                                                                                                                                                                                      | 680     |
| 190 | Itec                                      | Itec boot cleaning station, type: 2383, series: 35, year of construction: 01/1999, 400 V, 3 Ph, 50 Hz, 1.25 kW, dimensions: 1750 mm x 1250 mm x 1450 mm.                                                                                                                                                                                                                                                                                                                                             | 250     |
| 191 | NN lockers                                | 2 s/s 2 door lockers, dimensions: (2x) 500 mm x 500 mm x 2150 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                    | 50      |
| 192 | NN rack                                   | Plastic rack, dimensions: 1000 mm x 500 mm x 1520 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                | 50      |
| 193 | Kolbe                                     | Kolbe grinder, type: SW 100, machine number: 68 4337, year of construction: 2007, 400/230 V, 1/3 Ph, 50 Hz, 6.9                                                                                                                                                                                                                                                                                                                                                                                      | 1000    |



| Nr  | Title               | Description                                                                                                                                                                                                                                            | Start € |
|-----|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                     | A, 2.9 kW, plate diameter: 100 mm, total dimensions: 1080 mm x 620 mm x 1320 mm.                                                                                                                                                                       |         |
| 195 | NN E-2 crates       | 9 E-2 crates on 3 s/s rollies, crate dimensions: 600 mm x 400 mm x 150 mm, rollie dimensions: 600 mm x 400 mm x 160 mm.                                                                                                                                | 30      |
| 196 | Valentin            | Valentin label printer, type: COMPA II 106/12, serial number: 16545016, 110/230 V, 50/60 Hz, 2.5 A, dimensions: (1x) 400 mm x 240 mm x 280 mm, (1x) 300 mm x 220 mm x 220 mm.                                                                          | 50      |
| 197 | NN office inventory | Office inventory, consisting of: 2 desks, 2 chairs and 2 cabinets. Without computers and displays.                                                                                                                                                     | 75      |
| 198 | NN waste bag holder | S/s waste bag holder, dimensions: 520 mm x 520 mm x 1320 mm.                                                                                                                                                                                           | 5       |
| 208 | NN steel frame      | 4 steel frames, dimensions: (4x) 2000 mm x 500 mm x 500 mm.                                                                                                                                                                                            | 50      |
| 209 | NN trolleys         | 4 s/s trolleys with plastic boards, dimensions: (4x) 1000 mm x 500 mm x 2150 mm.                                                                                                                                                                       | 100     |
| 210 | NN trolleys         | 4 s/s trolleys with plastic boards, dimensions: (4x) 1000 mm x 500 mm x 2150 mm.                                                                                                                                                                       | 125     |
| 211 | ReflexSystems       | RefelxSystems mobile s/s cabinet, dimensions: 1050 mm x 820 mm x 1900 mm.                                                                                                                                                                              | 50      |
| 212 | Allscales Europe    | Roller conveyor with AllScales Europe weighing scale, plastic rollers, roller width: 440 mm, scale dimensions: 600 mm x 400 mm, total dimensions: 1630 mm x 600 mm x 1560 mm.                                                                          | 250     |
| 213 | Toshiba             | Toshiba label printer, model: B-EX4T2-GS12-QM-R, dimensions: 460 mm x 280 mm x 310 mm.                                                                                                                                                                 | 25      |
| 214 | Strapex             | Strapex mobile strapping machine, type: SMG 25 i, serial number: 252575, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 2.2 A, 520 W, strap width: 8 mm, clearance: 650 mm x 500 mm, total dimensions: 1250 mm x 620 mm x 1400 mm.                    | 1000    |
| 215 | Allscales Europe    | Allscales Europe checkweigher, type: CW-100-R, serial number: 53952190, year of construction: 2016, 230 V, maximum capacity: 30 kg, minimum capacity: 200 g, e= 10 g, plastic belts, belt width: 500 mm, total dimensions: 1850 mm x 850 mm x 1600 mm. | 400     |
| 216 | NN roller conveyor  | Mobile roller conveyor, s/s frame, plastic rollers, roller width: 520 mm, total dimensions: 2300 mm x 650 mm x 950 mm.                                                                                                                                 | 100     |
| 217 | NN film roll        | S/s frame with plastic film roll, film roll width: 1200 mm, total dimensions: 500 mm x 500 mm x 1200 mm.                                                                                                                                               | 10      |
| 218 | NN crates           | 20 pallets with plastic crates, approximately 720 crates, crate dimensions: 600 mm x 400 mm x 220 mm.                                                                                                                                                  | 180     |
| 219 | NN table            | S/s table with plastic top, dimensions: 2000 mm x 800 mm x 920 mm.                                                                                                                                                                                     | 100     |
| 220 | NN table            |                                                                                                                                                                                                                                                        | 75      |



| Nr  | Title                   | Description                                                                                                                                                                        | Start € |
|-----|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                         | Steel table with plastic top, dimensions: 1200 mm x 1000 mm x 860 mm.                                                                                                              |         |
| 221 | NN table                | S/s table with plastic top, dimensions: 720 mm x 500 mm x 830 mm.                                                                                                                  | 50      |
| 222 | Itec                    | Itec sink with 4 faucets, type: 20520-4W, year of construction: 08/2012, 230 V, 50 Hz, 0.1 kW, dimensions: 1970 mm x 450 mm x 580 mm.                                              | 100     |
| 223 | NN table                | S/s table with plastic top, dimensions: 1100 mm x 530 mm x 900 mm.                                                                                                                 | 75      |
| 224 | NN table                | S/s table with plastic top, dimensions: 2000 mm x 800 mm x 920 mm.                                                                                                                 | 100     |
| 225 | Perel                   | Perel fan, 220/240 V, 1 Ph, 50 Hz, 140 W, dimensions: 550 mm x 300 mm x 550 mm.                                                                                                    | 10      |
| 226 | NN table                | S/s table with plastic top, dimensions: 2020 mm x 1020 mm x 930 mm.                                                                                                                | 100     |
| 227 | NN table                | S/s table with plastic top, dimensions: 1380 mm x 1160 mm x 890 mm.                                                                                                                | 75      |
| 228 | Allscales Europe        | Allscales Europe weighing scale, model: WS-II, dimensions scale: 290 mm x 230 mm, total dimensions: 290 mm x 340 mm x 110 mm.                                                      | 10      |
| 229 | NN table                | S/s table with plastic top, dimensions: 900 mm x 500 mm x 870 mm.                                                                                                                  | 75      |
| 230 | Trotec                  | 3 Trotec fans on s/s frame, model: TTW 45000, dimensions fans: (3x) 1400 mm x 750 mm x 1400 mm, 2000 mm x 900 mm x 3600 mm.                                                        | 900     |
| 231 | Henkelman               | Henkelman mobile vacuum machine, model: 400, with Busch vacuum pump, seal length: (2x) 570 mm, dimensions chamber: 705 mm x 570 mm, total dimensions: 900 mm x 800 mm x 1050 mm.   | 1000    |
| 232 | ReflexSystems           | S/s floor weighing scale, dimensions: 1870 mm x 1500 mm x 110 mm, including ReflexSystems computer cabinet with display, dimensions: 1150 mm x 750 mm x 1920 mm.                   | 750     |
| 233 | NN waste bag holder     | S/s waste bag holder, dimensions: 630 mm x 400 mm x 1000 mm.                                                                                                                       | 10      |
| 234 | NN roller conveyor      | Roller conveyor, s/s frame, plastic rollers, roller width: 440 mm, total dimensions: 2000 mm x 600 mm x 1200 mm.                                                                   | 25      |
| 235 | NN fan                  | Mobile fan, dimensions: 800 mm x 600 mm x 1200 mm.                                                                                                                                 | 25      |
| 236 | NN floor weighing scale | S/s floor weighing scale, dimensions: 1870 mm x 1500 mm x 110 mm. Without indicator.                                                                                               | 150     |
| 237 | Alfa Laval              | Alfa Laval s/s evaporator, model: O.A. 516190/10 IDB12-26CU-EX50-AL6.0-1/6H-4-F, serial number: AA 2386902, year of construction: 05-2019, dimensions: 2200 mm x 1750 mm x 430 mm. | 250     |
| 238 | Bosgraaf                | 2 Bosgraaf chairs, dimensions: 550 mm x 450 mm x 1000 mm.                                                                                                                          | 20      |
| 241 | NN cans                 | Pallet with various plastic cans and hair nets, dimensions pallet: 1200 mm x 800 mm x 1500 mm.                                                                                     | 25      |



| Nr  | Title                     | Description                                                                                                                                                                                                                   | Start € |
|-----|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 242 | NN thermo boxes           | 5 pallets with large amount of thermo boxes, dimensions thermo boxes: 400 mm x 300 mm x 300 mm and 500 mm x 400 mm x 450 mm.                                                                                                  | 50      |
| 244 | NN bags                   | Pallet with parge amount of blue MDPE bags, dimensions bags: 650 mm x 850 mm x 0.035 mm.                                                                                                                                      | 25      |
| 245 | Fortress Technology       | Fortress Technology mobile metal detector, plastic mesh belt, belt width: 505 mm, clearance: 550 mm x 237 mm, total dimensions: 1750 mm x 1050 mm x 1340 mm.                                                                  | 1250    |
| 246 | NN waste bag holder       | S/s waste bag holder, dimensions: ø 300 mm x 650 mm.                                                                                                                                                                          | 5       |
| 247 | NN IBC containers         | 2 IBC containers, dimensions: (2x) 1200 mm x 1000 mm x 1200 mm.                                                                                                                                                               | 50      |
| 248 | NN trolleys               | 2 s/s trolleys, dimensions: (2x) 1130 mm x 860 mm x 1820 mm.                                                                                                                                                                  | 50      |
| 249 | K+S                       | 3 pallets with large amount of K+S food grade rock salt, volume each bag: 25 kg.                                                                                                                                              | 150     |
| 250 | NN carton boxes           | 6 pallets with large amount of carton boxes, dimensions each box: 1200 mm x 1000 mm x 1210 mm.                                                                                                                                | 150     |
| 251 | Genie                     | Genie scissor lift, model: GS-2032, dimensions: 2400 mm x 850 mm x 2150 mm.                                                                                                                                                   | 1500    |
| 252 | NN racks for cattle heads | 6 s/s racks for cattle heads, dimensions: (6x) 1150 mm x 1050 mm x 2000 mm.                                                                                                                                                   | 180     |
| 253 | Allscales Europe          | Allscales Europe weighing scale, dimensions scale: 400 mm x 400 mm x 130 mm, dimensions indicator: 245 mm x 150 mm x 120 mm.                                                                                                  | 25      |
| 254 | Toshiba                   | Toshiba label printer, model: B-EX4T2-GS12-QM-R, dimensions: 460 mm x 280 mm x 310 mm.                                                                                                                                        | 25      |
| 255 | Rea                       | 2 Rea plastic racks, dimensions: (1x) 1000 mm x 620 mm x 1360 mm, (1x) 1000 mm x 620 mm x 1460 mm.                                                                                                                            | 100     |
| 256 | Lensink                   | Lensink mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 705 mm, distance between dividers: 610 mm, divider height: 70 mm, elevating height: 2300 mm, total dimensions: 3800 mm x 1150 mm x 2420 mm. | 750     |
| 257 | Bettcher Industries       | Bettcher Industries trimming machine, model: Whizard Quantum Drive, serial number: Q11250635, 230 V, 1 Ph, 50 Hz, 2.5 A, 400 W, 3800 rpm, dimensions: 400 mm x 300 mm x 200 mm.                                               | 250     |
| 258 | NN elevating belt         | Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 600 mm, distance between dividers: 710 mm, divider height: 80 mm, elevating height: 2350 mm, total dimensions: 4050 mm x 900 mm x 2450 mm.          | 750     |
| 259 | Blom                      | Blom knife sharpener, dimensions: 620 mm x 410 mm x 1150 mm.                                                                                                                                                                  | 50      |
| 260 | Scott Automation GmbH     | Scott Automation GmbH Bladestop band saw, type: BST400-RH, serial number: 1007/22-414, year of construction: 2022, 400 V, 24 V, 50 Hz, 6.5 bar, weight: 360 kg, dimensions saw table: 930 mm x 900 mm, total                  | 5000    |

| Nr  | Title              | Description                                                                                                                                                                                                                                                                                                                                                                                                                          | Start € |
|-----|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |                    | dimensions: 1200 mm x 1100 mm x 2000 mm. Including extra saw blades.                                                                                                                                                                                                                                                                                                                                                                 |         |
| 261 | Allscales Europe   | Mobile roller conveyor with Allscales Europe weighing scale, dimensions scale: 600 mm x 400 mm, roller width: 440 mm, total dimensions: 2000 mm x 630 mm x 1480 mm.                                                                                                                                                                                                                                                                  | 150     |
| 262 | Fanuc LTD          | Fanuc LTD palletizing robot, type: A05B-2535-B055, serial number: E09200606, year of construction: 2009-02, with RMA Techniek gripper, serial number: 2018-513-02, year of construction: 2019, total dimensions robot: 1900 mm x 1200 mm x 1900 mm, including s/s robot frame with switch cabinet, dimensions: 1600 mm x 1300 mm x 1550 mm and s/s frame for spacers, dimensions: 1200 mm x 1300 mm x 1300 mm.                       | 2500    |
| 263 | RMA Techniek       | RMA Techniek pallet wrapper, serial number: 057-000000, year of construction: 2025, 400 V, 16 A, roller width: 1100 mm, maximum film width: 550 mm, total dimensions: 2450 mm x 3550 mm x 3280 mm. Including s/s safety cage.                                                                                                                                                                                                        | 2500    |
| 264 | Lantech            | Lantech case erector, model: C-2000-Hotmelt, serial number: SM20194182, year of construction: 21-May-2019, 400 V, 3 Ph, 50 Hz, 4.37 kW, speed: 8-25 boxes per minute, minimum box dimensions: 250 mm x 150 mm x 150 mm, maximum box dimensions: 620 mm x 450 mm x 650 mm, with Robatech glue unit, total dimensions: 2600 mm x 1150 mm x 2300 mm, including pallet with carton infeed unit, dimensions: 1700 mm x 1300 mm x 1200 mm. | 3500    |
| 265 | RMA Techniek       | RMA Techniek carton loader, serial number: 2018-513-05, year of construction: 2019, 400 V, 63 A, belt width: 260 mm and 450 mm, total dimensions: 1900 mm x 950 mm x 1800 mm, including RMA Techniek carton transfer unit, serial number: 2018-513-08, year of construction: 2019, 400 V, 63 A, roller width: 440 mm, total dimensions: 1900 mm x 900 mm x 1200 mm.                                                                  | 1500    |
| 266 | RMA Techniek       | S/s switch cabinet for RMA Techniek packaging and palletizing line, dimensions: 900 mm x 450 mm x 2200 mm.                                                                                                                                                                                                                                                                                                                           | 750     |
| 267 | Unikon             | Unikon crate washer, type: UN-2000, machine number: 1704017, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 42 A, clearance: 420 mm x 70 mm, total dimensions: 3700 mm x 1200 mm x 2600 mm, including s/s in- and outfeed roller conveyor, roller width: 410 mm, total dimensions: (2x) 2400 mm x 500 mm x 1040 mm.                                                                                                                 | 2000    |
| 268 | NN roller conveyor | Mobile roller conveyor, s/s frame, plastic rollers, roller width: 440 mm, total dimensions: 1420 mm x 580 mm x 860 mm, 900 mm x 580 mm x 860 mm and 3000 mm x 520 mm x 800 mm.                                                                                                                                                                                                                                                       | 100     |



| Nr  | Title              | Description                                                                                                                                                                                                                                                                                                                                     | Start € |
|-----|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 269 | RMA Techniek       | 2 RMA Techniek electrical roller conveyors, s/s frame, s/s rollers, year of construction: 2019, roller width: 440 mm, total dimensions: 3340 mm x 600 mm x 650 mm and 4600 mm x 600 mm x 650 mm.                                                                                                                                                | 1000    |
| 270 | RMA Techniek       | RMA Techniek double lane electrical roller conveyor, s/s frame, s/s rollers, year of construction: 2019, roller width: 440 mm, total dimensions: 6300 mm x 600 mm x 650 mm.                                                                                                                                                                     | 1000    |
| 271 | Lantech            | Lantech case sealer, model: CS-1000, serial number: SM20194183, year of construction: 20-May-2019, 400 V, 3 Ph, 50 Hz, 4.18 kW, speed: maximum 30 boxes per minute, minimum box dimensions: 200 mm x 150 mm x 120 mm, maximum box dimensions: 500 mm x 510 mm x 500 mm, with Robatech glue unit, total dimensions: 2500 mm x 1200 mm x 2100 mm. | 2500    |
| 272 | RMA Techniek       | RMA Techniek checkweigher with CoDEX thermal label printer, serial number: 2018-513-09, year of construction: 2019, 400 V, 63 A, belt width: 440 mm, total dimensions: 2400 mm x 1000 mm x 1500 mm.                                                                                                                                             | 1500    |
| 273 | NN transport screw | Transport screw, s/s screw, diameter screw: 400 mm, tier: 380 mm, total dimensions: 6800 mm x 700 mm x 1300 mm.                                                                                                                                                                                                                                 | 1250    |
| 274 | NN transport screw | Transport screw, s/s screw, diameter screw: 400 mm, tier: 380 mm, total dimensions: 6800 mm x 700 mm x 1300 mm.                                                                                                                                                                                                                                 | 1250    |
| 275 | Laska              | S/s rack with large amount of plates and knives for Laska WW 200-H grinder, dimensions rack: 1500 mm x 1000 mm x 1800 mm.                                                                                                                                                                                                                       | 1000    |
| 276 | Idépack            | Idépack mobile pallet strapping machine, model: DBA-1300A, machine number: B21101777, 220 V, 1 Ph, 50 Hz, 1 A, strap width: 10 mm, total dimensions: 900 mm x 600 mm x 1550 mm.                                                                                                                                                                 | 150     |
| 277 | NN elevating screw | Mobile elevating screw, s/s screw, screw width: 240 mm, tier: 120 mm, elevating height: 2250 mm, total dimensions: 2500 mm x 700 mm x 2850 mm.                                                                                                                                                                                                  | 500     |
| 278 | NN lockers         | (4x) 8-doors wooden lockers, dimensions: (4x) 1210 mm x 500 mm x 2100 mm. Keys are missing.                                                                                                                                                                                                                                                     | 50      |
| 279 | NN lockers         | (4x) 10-doors s/s lockers, dimensions: (4x) 1500 mm x 500 mm x 2000 mm.                                                                                                                                                                                                                                                                         | 200     |
| 280 | Ittec              | (1x) Ittec 6-doors s/s lockers, dimensions: 920 mm x 500 mm x 2100 mm, (3x) 10-doors s/s lockers, dimensions: (3x) 1250 mm x 500 mm x 2100 mm.                                                                                                                                                                                                  | 200     |
| 281 | NN benches         | 4 s/s benches, dimensions: (4x) 2460 mm x 300 mm x 530 mm.                                                                                                                                                                                                                                                                                      | 100     |
| 282 | NN boots rack      | Wall mounted s/s boots rack with boots, dimensions: 1200 mm x 300 mm x 1500 mm.                                                                                                                                                                                                                                                                 | 50      |
| 283 | E.B.T.C. BV        | E.B.T.C. BV s/s turnstile gate, dimensions: 1500 mm x 1200 mm x 2200 mm.                                                                                                                                                                                                                                                                        | 250     |
| 284 | NN bench           | S/s bench, dimensions: 2460 mm x 300 mm x 530 mm.                                                                                                                                                                                                                                                                                               | 25      |



| Nr  | Title                  | Description                                                                                                                                               | Start € |
|-----|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 285 | NN locker              | 10-doors s/s locker, dimensions: 1500 mm x 500 mm x 2000 mm.                                                                                              | 50      |
| 286 | NN cabinet             | S/s cabinet, dimensions: 650 mm x 400 mm x 2150 mm.<br>Key is missing.                                                                                    | 25      |
| 288 | ReflexSystems          | 2 ReflexSystems s/s displays, type: DW1500, dimensions: 440 mm x 190 mm x 360 mm and 450 mm x 190 mm x 410 mm.                                            | 50      |
| 289 | Ismatec                | Ismatec tubing pump, model: BVP, serial number: B18000754, year of construction: 11-18, 115/230 V, 50/60 Hz, 100 W, dimensions: 155 mm x 260 mm x 270 mm. | 50      |
| 290 | Mettler Toledo GmbH    | Mettler Toledo GmbH display for weighing scale, type: ID7, serial number: 2730848, 100-240 V, 50-60 Hz, dimensions: 345 mm x 190 mm x 145 mm.             | 25      |
| 291 | NN pallets             | Approximately 50 plastic pallets, dimensions: 1200 mm x 800 mm and 1200 mm x 1000 mm.                                                                     | 100     |
| 292 | NN crates              | 11 pallets with approximately 440 plastic crates, dimensions each crate: 600 mm x 400 mm x 220 mm.                                                        | 110     |
| 293 | Craemer                | Approximately 540 Craemer plastic Euro H1 pallets, dimensions each pallet: 1200 mm x 800 mm x 170 mm.                                                     | 5400    |
| 294 | Redbox GmbH            | 28 pallets with approximately 1120 Redbox GmbH plastic E-2 crates, dimensions each crate: 600 mm x 400 mm x 190 mm.                                       | 280     |
| 295 | Redbox GmbH            | 28 pallets with approximately 1120 Redbox GmbH plastic E-2 crates, dimensions each crate: 600 mm x 400 mm x 190 mm.                                       | 280     |
| 296 | Redbox GmbH            | 46 pallets with approximately 1840 Redbox GmbH plastic E-2 crates, dimensions each crate: 600 mm x 400 mm x 190 mm.                                       | 460     |
| 297 | Hays                   | Approximately 125 Hays plastic pallets, dimensions each pallet: 1200 mm x 1000 mm x 1550 mm.                                                              | 625     |
| 298 | NN pallets and spacers | 44 plastic pallets, dimensions each pallet: 1200 mm x 1000 mm, 19 plastic spacers, dimensions each spacer: 1200 mm x 1000 mm.                             | 100     |
| 299 | NN pallets             | Approximately 360 wooden pallets, dimensions each pallet: 1200 mm x 1000 mm x 160 mm.                                                                     | 1080    |
| 300 | Dolav                  | 22 Dolav plastic lids for pallet boxes, dimensions each lid: 1200 mm x 1000 mm.                                                                           | 25      |
| 301 | NN barrels             | 2 pallets with 8 barrels, dimensions each barrel: ø 600 mm x 2750 mm.                                                                                     | 10      |
| 302 | Seaplast/Dolav/Craemer | Approximately 29 Seaplast, Craemer and Dolav plastic pallet boxes, dimensions each pallet box: 1200 mm x 1000 mm x 730 mm.                                | 725     |
| 303 | NN crates              | 5 pallets with approximately 280 plastic crates, dimensions each crate: 600 mm x 400 mm x 150 mm.                                                         | 70      |
| 304 | Dolav                  | 3 Dolav plastic pallet boxes, dimensions each pallet box: 1200 mm x 1000 mm x 730 mm.                                                                     | 75      |
| 305 | Dolav                  |                                                                                                                                                           | 150     |



| Nr  | Title         | Description                                                                                                                                                                                                                                                                                                                                                     | Start € |
|-----|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|     |               | 6 Dolav plastic pallet boxes, dimensions each pallet box: 1200 mm x 1000 mm x 730 mm.                                                                                                                                                                                                                                                                           |         |
| 306 | NN crates     | 4 pallets with approximately 160 plastic crates, dimensions each crate: 600 mm x 400 mm x 190 mm.                                                                                                                                                                                                                                                               | 40      |
| 307 | Craemer       | 24 Craemer plastic pallet boxes, dimensions each pallet box: 1200 mm x 1000 mm x 730 mm.                                                                                                                                                                                                                                                                        | 600     |
| 308 | Craemer       | 10 Craemer plastic pallet boxes, dimensions each pallet box: 1200 mm x 1000 mm x 730 mm.                                                                                                                                                                                                                                                                        | 250     |
| 309 | Craemer       | 12 Craemer plastic pallet boxes, dimensions each pallet box: 1200 mm x 1000 mm x 730 mm.                                                                                                                                                                                                                                                                        | 300     |
| 310 | Craemer       | 4 Craemer plastic pallet boxes, dimensions each pallet box: 1200 mm x 1000 mm x 730 mm.                                                                                                                                                                                                                                                                         | 100     |
| 311 | NN crates     | 2 pallets with approximately 79 plastic crates, dimensions each crate: 600 mm x 400 mm x 190 mm.                                                                                                                                                                                                                                                                | 20      |
| 312 | NN crates     | 6 pallets with approximately 220 plastic crates, dimensions each crate: 600 mm x 400 mm x 190 mm.                                                                                                                                                                                                                                                               | 55      |
| 313 | NN crates     | Pallet with approximately 40 plastic crates, dimensions each crate: 600 mm x 400 mm x 190 mm.                                                                                                                                                                                                                                                                   | 10      |
| 314 | Dolav/Craemer | Approximately 10 Dolav and Craemer plastic pallet boxes, dimensions each pallet box: 1200 mm x 1000 mm x 730 mm.                                                                                                                                                                                                                                                | 250     |
| 315 | Koroskin      | Approximately 1221 rolls of Koroskin 250 Micron clear PE weld film, film width: 583 mm, anti block 1%, average length per roll: 200 meter, approximately 333 rolls of Koroskin SP 75 MU film, film width: 581 mm, average length per roll: 800 meter, approximately 32 rolls of Schur 200PP/30PE film, film width: 565 mm, average length per roll: 1500 meter. | 15860   |

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]



## This image shows a full page of white paper with horizontal black lines, resembling notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

