



**Industrial
Auctions**

**2291: Online auction beverage processing and packaging
machinery from a major syrups manufacturer in Crolles
(FR)**

END DATE

28 September 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	28 September 2026 from 14:00 hrs.
Viewing days	24 September 2026 from 09:00 till 12:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	20% over the highest bid including premium
Pick up days	Pick up in consultation with Industrial Auctions BV.
Pick up address	482 Av. Ambroise Croizat 38920 Crolles France
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
2	Fristam	Fristam centrifugal pump, type: FPE 3551 PC, number: 0458460030, dimensions: 900 mm x 400 mm x 800 mm.	750
3	Nederman	Nederman hose reel with plastic hose and spray pistol.	50
4	NN cabinets	2 steel cabinets, dimensions: 630 mm x 1000 mm x 1900 mm, 1000 mm x 480 mm x 1970 mm.	100
5	NN pallet rack	Steel pallet rack, 2 uprights, dimensions: (2x) 1130 mm x 5200 mm, 4 beams, length: (4x) 2700 mm.	200
6	Valorel S.A.	Valorel S.A. s/s tank with infeed hopper, electric chain hoist and Bürkert flowmeter, dimensions: 3700 mm x 2550 mm x 3550 mm.	2500
7	NN tank	S/s tank with Inoxpa centrifugal pump, volume tank: 7000 litres, dimensions: 3000 mm x 2000 mm x 5000 mm.	2000
8	NN filters	S/s tub with 3 filters.	600
9	Kärcher	Kärcher industrial vacuum cleaner, model: IV 60/36-3W, serial number: 010917, year of construction: 2010, 220-240 V, 1 Ph, 50/60 Hz, 3600 W, weight: 71.3 kg, dimensions: 900 mm x 700 mm x 1500 mm.	400
10	NN rack	Steel rack, dimensions: 820 mm x 1620 mm x 2500 mm.	50
11	NN frame	S/s frame, dimensions: 1150 mm x 1300 mm x 1000 mm.	75
12	Fristam	Fristam centrifugal pump, type: FPE 3551 C, number: 0458460006, dimensions: 800 mm x 400 mm x 600 mm.	750
13	Fristam	Fristam centrifugal pump, type: FPE 3551 BC, number: 0458460031, dimensions: 1000 mm x 300 mm x 800 mm.	750
15	Nederman	Nederman hose reel with plastic hose and spray pistol.	50
16	Tetra Pak/ Endress+Hauser	Tetra Pak plate heat exchanger with Endress+Hauser flowmeter, type heat exchanger: C10-KSM, serial number: 30107-33239, year of construction: 2011, volume: 993 litres, dimensions: 3850 mm x 700 mm x 2150 mm.	2000
17	Loeffler Filter Technik	Loeffler Filter Technik filter set consisting of 4 filters, type: (4x) SBF-112-S-10-DN80-M, year of construction: 1997, volume: 32 litres, maximum working temperature: 160°C, maximum working pressure: 10 bar, dimensions: 2100 mm x 900 mm x 1900 mm.	2500
19	CSF INOX SpA	CSF INOX SpA centrifugal pump, dimensions: 1600 mm x 650 mm x 1200 mm.	1000
20	NN sugar crystal dissolution tank	S/s sugar crystal receiving dissolution tank, volume: 7000 litres, 2400 mm x 2400 mm x 6000 mm.	250
21	Inoxpa	Inoxpa centrifugal pump, type: A-150, number: 250756 A, year of construction: 2004, dimensions: 600 mm x 300 mm x 500 mm.	500
40	Bardiani Valvole Spa	Manifold with 15 Bardiani Valvole Spa valves, type: B925, ZVF, year of construction: 2022.	1000
56	Liebherr	Liebherr refrigerator, type: GKv 6160 Index 20J/085, serial number: 81.330.465.4, refrigerant: R600a/60 g, dimensions: 800 mm x 750 mm x 1870 mm.	100
57	NN tubs	2 s/s mobile tubs, volume: 300 litres.	300
58	Nederman	Nederman hose reel with plastic hose.	50



Nr	Title	Description	Start €
59	Nederman	Nederman hose reel with plastic hose.	50
60	NN cabinet	S/s wall mounted cabinet, dimensions: 600 mm x 1400 mm x 600 mm.	50
61	Nederman	Nederman hose reel with plastic hose.	50
62	Nederman	Nederman hose reel with plastic hose.	50
63	JESSBERGER GmbH	Mobile s/s tub with JESSBERGER GmbH drum pump, type: JP-360, dimensions tub: 620 mm x 800 mm x 750 mm.	75
64	NN tub	S/s tub, dimensions: 1060 mm x 1650 mm x 970 mm.	50
65	Valorel S.A.	Valorel S.A. s/s mixing tank, volume: 3000 litres, dimensions: ø 1600 mm x 3650 mm.	400
67	NN mixing tank	S/s mixing tank, volume: 3000 litres, dimensions: ø 1600 mm x 3650 mm.	400
69	NN mixing tank	S/s mixing tank, volume: 3000 litres, dimensions: ø 1600 mm x 3650 mm.	400
70	NN mixing tank	S/s mixing tank, volume: 3000 litres, dimensions: ø 1600 mm x 3650 mm.	400
71	NN mixing tank	S/s mixing tank, volume: 3000 litres, dimensions: ø 1600 mm x 3650 mm.	400
72	NN mixing tank	S/s mixing tank, volume: 3000 litres, dimensions: ø 1600 mm x 3650 mm.	400
73	CSE/Pentair	41 CSE and Pentair valves.	400
74	CSE/Pentair/Alfa Laval	41 CSE, Alfa Laval and Pentair valves.	400
75	NN platform	S/s platform, working height: 1700 mm, dimensions: 25000 mm x 4000 mm x 2700 mm.	1500
76	APV	APV plate heat exchanger with 2 Cofies filters and several Pentair valves, dimensions: 4000 mm x 800 mm x 2000 mm.	400
77	Inoxpa	Inoxpa centrifugal pump, type: S 35F, number: 913786, 7.5 kW, dimensions: 700 mm x 350 mm x 700 mm.	400
78	Alfa Laval	Alfa Laval centrifugal pump, type: SOLIDC-2, serial number: 298309, year of construction: 2023, 50 Hz, 5.5 kW, dimensions: 800 mm x 400 mm x 700 mm.	400
79	Endress+Hauser	Endress+Hauser flowmeter, type: Promag H, serial number: V91E3D19000, DN:65.	100
80	NN rotary lobe pump	Rotary lobe pump, dimensions: 400 mm x 250 mm x 300 mm.	200
81	NN rotary lobe pump	Rotary lobe pump, dimensions: 400 mm x 250 mm x 300 mm.	200
82	NN rotary lobe pump	Double rotary lobe pump, dimensions: 650 mm x 650 mm x 400 mm.	250
83	Endress+Hauser	Endress+Hauser flowmeter, type: Promag H, serial number: V91E3C19000, DN:65.	100
84	Pentair	21 Pentair valves.	200
85	Inoxpa	Inoxpa centrifugal pump, type: A80MR, dimensions: 600 mm x 300 mm x 500 mm.	400
86	Inoxpa	Inoxpa centrifugal pump, type: A-150, dimensions: 600 mm x 300 mm x 500 mm.	400



Nr	Title	Description	Start €
87	Inoxpa	Inoxpa centrifugal pump, type: A-150, dimensions: 600 mm x 300 mm x 500 mm.	400
88	Inoxpa	Inoxpa centrifugal pump, type: A80MR, dimensions: 600 mm x 300 mm x 500 mm.	400
89	APV	APV plate heat exchanger with 2 Cofies filters, several Pentair valves, Inoxpa and Alfa Laval centrifugal pumps, dimensions: 4000 mm x 800 mm x 2000 mm.	2000
90	Gecma	Gecma work station remote terminal.	75
91	NN mixing tank	S/s mixing tank, volume: 3000 litres, dimensions: ø 1600 mm x 3650 mm.	400
92	NN mixing tank	S/s mixing tank, volume: 3000 litres, dimensions: ø 1600 mm x 3650 mm.	400
93	NN mixing tank	S/s mixing tank, volume: 3000 litres, dimensions: ø 1600 mm x 3650 mm.	400
94	NN mixing tank	S/s mixing tank, volume: 3000 litres, dimensions: ø 1600 mm x 3650 mm.	400
95	NN mixing tank	S/s mixing tank, volume: 3000 litres, dimensions: ø 1600 mm x 3650 mm.	400
96	NN mixing tank	S/s mixing tank, volume: 3000 litres, dimensions: ø 1600 mm x 3650 mm.	400
97	NN mixing tank	S/s mixing tank, volume: 3000 litres, dimensions: ø 1600 mm x 3650 mm.	400
98	NN mixing tank	S/s mixing tank, volume: 3000 litres, dimensions: ø 1600 mm x 3650 mm.	400
99	CSE/Pentair	44 CSE and Pentair valves.	440
100	CSE/Pentair	50 CSE and Pentair valves.	500
101	Pentair	15 Pentair valves.	150
102	NN rotary lobe pump	Double rotary lobe pump, dimensions: 650 mm x 650 mm x 400 mm.	250
103	Endress+Hauser	Endress+Hauser flowmeter, type: Promag H, serial number: V91E3A19000, DN:65.	100
104	NN rotary lobe pump	Rotary lobe pump, dimensions: 650 mm x 650 mm x 400 mm.	250
105	Tetra Pak	Tetra Pak plate heat exchanger with 2 Cofies filters, several Pentair valves, Inoxpa and Alfa Laval centrifugal pumps, dimensions: 4000 mm x 600 mm x 2200 mm.	750
106	NN frame	S/s frame, dimensions: 1150 mm x 1300 mm x 1000 mm.	75
107	NN frame	S/s frame, dimensions: 1600 mm x 2700 mm x 1350 mm.	150
108	APV	APV plate heat exchanger with Cofies filter and several Pentair valves, dimensions: 4000 mm x 800 mm x 2000 mm.	750
111	Inoxpa	Inoxpa centrifugal pump, type: S-35 F, number: 252631, year of construction: 2004, dimensions: 700 mm x 300 mm x 400 mm.	500
112	Inoxpa	Inoxpa centrifugal pump, type: A-80, number: 233617 E, year of construction: 2003, dimensions: 700 mm x 300 mm x 400 mm.	500
113	Inoxpa		500



Nr	Title	Description	Start €
		Inoxpa centrifugal pump, type: A80MR, dimensions: 700 mm x 300 mm x 400 mm.	
114	Endress+Hauser	Endress+Hauser flowmeter, type: Promag H, serial number: V91E3B19000, year of construction: 2023, DN:65.	100
120	EMMETI S.P.A.	EMMETI S.P.A. de-palletizer with Sibelec buffer belt, model: MT667, number: 40311 L.5, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 57 A, 9.5 KA, dimensions: 10000 mm x 9000 mm x 6000 mm.	5000
121	TMG	TMG transport belt, plastic belts, various belt width, total length: 12000 mm.	1000
122	Serac	Serac bottle rinsing, filling and capping machine, type: TN36R36V12/1620, serial number: M13-OM4K, 400 V, 3 Ph, 50 Hz, dimensions: 7000 mm x 5500 mm x 3700 mm.	45000
123	NN transport belt	Transport belt, plastic belts, approximate length: 38850 mm.	1500
124	Krones AG	Krones AG bottle labelling machine, model: Solomac, number: K018L74, year of construction: 2014, 400/230 V, 3 Ph, 50 Hz, 18/25 A, dimensions: 5000 mm x 4000 mm x 3100 mm.	17500
125	Krones AG / FT System	Krones AG / FT System bottle inspection system, Krones AG type: CHECKMAT 731, year of construction: 2017, FT System model: HS600+Z001-8+RG002+ST011-RG, plastic belts, dimensions: 3500 mm x 1200 mm x 1900 mm.	1000
126	NN curve conveyor	180° curve conveyor, plastic belt, belt width: 81 mm, total length: 10000 mm.	1000
127	Krones AG	Krones AG variopac pro case packer, model: variovac pro, serial number: KR96B43, year of construction: 2015, 400/230 V, 3 Ph, 50 Hz, 32/35 A, dimensions: 18000 mm x 7600 mm x 2930 mm.	20000
128	Krones AG	Krones AG transport belt, plastic belt, belt width: 420 mm, total dimensions: 1450 mm x 800 mm x 1450 mm.	500
129	NN transport belt	Transport belt, plastic belts, dimensions: 2800 mm x 2150 mm x 1500 mm.	500
130	Krones AG	Krones AG transport belt, plastic belt, belt width: 420 mm, total dimensions: 5800 mm x 1000 mm x 1500 mm.	500
131	Krones AG	Krones AG 180° curve conveyor, dimensions: 1500 mm x 2700 mm x 1540 mm.	500
132	NN transport belt	Transport belt, plastic belt, dimensions: 8700 mm x 1200 mm x 1500 mm.	750
133	Krones AG	Krones AG palletizer, model: Modulpac, serial number: KR63B85, year of construction: 2015, 400/230 V, 3 Ph, 50 Hz, 59/80 A, total dimensions: 10000 mm x 10000 mm x 5000 mm. Including 3 switch cabinets.	15000
134	NN pallet conveyor	Pallet conveyor with rotating station, dimensions: 5050 mm x 1760 mm x 940 mm.	2000
141	EMMETI S.P.A.		9000



Nr	Title	Description	Start €
		EMMETI S.P.A. de-palletizer, type: MT667, serial number: 40312, year of construction: 2015, dimensions: 10000 mm x 10000 mm x 4700 mm.	
142	Sipac	Sipac transport belts, plastic belts, belt width: 1250 mm, 380 mm, total length: 40000 mm.	2000
143	Serac	Serac bottle rinsing, filling and capping machine, type: IN36R36V12/1620, serial number: M15-0M8L, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 91 A, 63 kVA, dimensions: 7000 mm x 3500 mm x 2800 mm.	40000
144	Sipac	Sipac transport belt, plastic belts, approximate length: 16000 mm.	500
145	Sipac	Sipac buffer belt, plastic belts, total length: 16000 mm.	3000
146	Sipac	Sipac transport belt, plastic belt, approximate length: 9000 mm.	750
147	PE labellers	PE bottle labellers, model: UNIVERSAL 20 T, type: 11202S3E, serial number: KC 339, year of construction: 01.2006, 380 V, 3 Ph, 50 Hz, 14 A, weight: 4000 kg, dimensions: 4500 mm x 3500 mm x 2300 mm.	12500
148	Sipac	Sipac transport belt, plastic belt, approximate length: 44100 mm.	3000
149	Sipac	Sipac transport belt, plastic belt, approximate length: 14100 mm.	2500
150	KHS GmbH	KHS GmbH stretch packaging machine with shrinking tunnel, type: TSP A-M, machine number: K-89405568-000100, year of construction: 2015, 400 V, 3 Ph, 50 Hz, dimensions: 22000 mm x 2070 mm x 2500 mm.	30000
151	Sipac / Savime	Sipac / Savime various transport belt and driven roller conveyors, dimensions: 12700 mm x 800 mm x 1650 mm.	1500
152	Sipac	Sipac transport belt, plastic belt, approximate length: 1460 mm.	1000
153	Sipac	Sipac transport belt, plastic belt, approximate length: 15000 mm.	2500
155	Sipac	Sipac roller conveyor, transport belt and curve conveyor, dimensions: 9000 mm x 1200 mm x 1650 mm.	750
156	NN curve conveyor	90° curve conveyor, plastic belt, dimensions: 1400 mm x 1200 mm x 1650 mm.	500
157	Sipac	Sipac driven roller conveyor, dimensions: 7300 mm x 1000 mm x 1400 mm.	750
158	Sipac	Sipac transport belt, plastic belt, dimensions: 1530 mm x 1000 mm x 1600 mm.	500
159	Ambaflex	Ambaflex spiral elevating belt, type: spiralveyor SV, number: 20486-01, year of construction: 2015, dimensions: 900 mm x 1200 mm x 2600 mm.	500
160	NN roller conveyor	Driven roller conveyor, steel rollers, dimensions: 6500 mm x 1200 mm x 2950 mm.	750
161	NN transport belt	Transport belt, plastic belt, dimensions: 2700 mm x 700 mm x 920 mm.	750



Nr	Title	Description	Start €
162	NN line dividing belt	Lane dividing belt, dimensions: 2900 mm x 1800 mm x 930 mm.	1500
163	Sipac	2 Sipac driven roller conveyors, steel rollers, dimensions: 7550 mm x 1850 mm x 650 mm.	1000
164	Cermex	Cermex palletizer, type: P 421, number: 49732, year of construction: 17.01.2000, dimensions: 12000 mm x 7500 mm x 5000 mm.	4000
172	NEWTEC	NEWTEC de-palletizing machine, type: PALVITE+OR3, serial number: 210377 09, year of construction: 1993, dimensions: 11000 mm x 4300 mm x 3300 mm.	1000
173	NN transport belt	Transport belt, plastic belts, belt width: 1600 mm / 330 mm / 920 mm / 85 mm, total dimensions: 15000 mm x 2000 mm x 1600 mm.	750
174	NN transport belt	Transport belt, plastic belt, belt width: 85 mm.	250
175	Serac	Serac bottle rinsing, filling and capping machine, type: AN 3R30, serial number: 16, year of construction: 1987, dimensions: 6300 mm x 2450 mm x 3900 mm.	20000
176	Sipac	Sipac transport belt, plastic belt, approximate length: 36000 mm.	1000
177	NN transport belt	Transport belt, plastic belt, approximate length: 7060 mm.	750
178	NN transport belt	Transport belt, plastic belt, approximate length: 4000 mm.	750
179	KHS GmbH	KHS GmbH stretch packaging machine with shrinking tunnel, type: TSP A-M, machine number: K-89406126-000100, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 166 A, dimensions: 23000 mm x 1850 mm x 2600 mm.	45000
180	SAVIME	SAVIME transport belt, plastic belt, dimensions: 1520 mm x 1000 mm x 1450 mm.	400
181	NN transport belt	Transport belt, plastic belt, dimensions: 2200 mm x 1000 mm x 1500 mm.	500
182	Sipac	Sipac control panel.	100
183	Sipac	Sipac 180° curve conveyor, plastic belt, dimensions: 3650 mm x 2500 mm x 550 mm.	500
184	Sipac	Sipac driven roller conveyor and transport belt, dimensions: 5500 mm x 900 mm x 1400 mm.	500
185	NN elevating belt	Elevating belt, plastic belt, approximate length: 13000 mm.	500
186	NN curve conveyor	90° curve conveyor, plastic belt, dimensions: 3600 mm x 750 mm x 1400 mm.	500
187	NN transport belt	Transport belt, plastic belt, approximate length: 7750 mm.	300
188	NN curve conveyor	90° curve conveyor, plastic belt, dimensions: 2500 mm x 1700 mm x 1450 mm.	500
189	Anduze	Anduze transport belt, approximate length: 8500 mm.	500
190	Anduze		300



Nr	Title	Description	Start €
		Anduze transport belt, type: CI/S1400 REP 35, machine number: A7001014, dimensions: 1500 mm x 600 mm x 1450 mm.	
191	Anduze	Anduze de-elevating belt, type: CI/S900D REP 30, machine number: A/001014, plastic belt, dimensions: 5450 mm x 650 mm x 700 mm.	500
192	Anduze	Anduze double lane transport belt, type: C1/S900 REP 31, machine number: A/001014, plastic belts, dimensions: 1500 mm x 970 mm x 1000 mm.	500
193	Anduze	Anduze S-shaped transport belt, type: C1/S2400 REP 33, machine number: A/001014, plastic belt, dimensions: 3680 mm x 1250 mm x 1100 mm.	500
194	NN roller conveyor	Driven roller conveyor, steel rollers, dimensions: 560 mm x 720 mm x 1780 mm.	750
195	NN transport belt	Transport belt, plastic belts, dimensions: 2120 mm x 950 mm x 1250 mm.	400
196	NEWTEC	NEWTEC palletizer, type: PAL-PACK 4700, number: YP26, year of construction: 01/2001, 400 V, 3 Ph, 50 Hz, 35.6/8.7 A, dimensions: 17000 mm x 7000 mm x 5000 mm.	4000
197	NN pallet conveyor	Pallet conveyor with 3 rotating stations, steel rollers, approximate length: 20000 mm.	2000
208	NEWTEC	NEWTEC de-palletizing machine, type: PALVITE+OR3, serial number: 210377B 05, year of construction: 1993, dimensions: 11000 mm x 4300 mm x 3300 mm.	1000
209	NN transport belt	Transport belt, plastic belts, belt width: 1600 mm / 330 mm / 920 mm / 85 mm, total dimensions: 15000 mm x 2000 mm x 1600 mm.	750
210	NN transport belt	Transport belt, plastic belt, belt width: 85 mm, approximate length: 6000 mm.	250
211	Serac	Serac bottle rinsing, filling and capping machine, type: AN3R30, serial number: 042, year of construction: 1991, dimensions: 6300 mm x 2450 mm x 3900 mm.	20000
212	NN transport belt	Transport belt, plastic belt, approximate length: 7000 mm.	400
213	Sipac	Sipac transport belt, plastic belt, approximate length: 8300 mm.	400
214	Sipac	Sipac transport belt, plastic belt, approximate length: 18000 mm.	800
215	NN transport belt	Transport belt, plastic belt, dimensions: 11400 mm x 1200 mm x 2000 mm.	600
216	SAVIME	SAVIME transport belt, serial number: 15411411296, year of construction: 2107, plastic belt, dimensions: 4330 mm x 870 mm x 1650 mm.	500
217	KHS GmbH	KHS GmbH stretch packaging machine with shrinking tunnel, type: TSP A-M, machine number: K-89405266-000100, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 115 kVA, dimensions: 23000 mm x 4500 mm x 2900 mm.	25000



Nr	Title	Description	Start €
218	SAVIME	SAVIME transport belt, plastic belt, dimensions: 1550 mm x 1000 mm x 1400 mm.	400
219	SAVIME	SAVIME transport belt, plastic belt, dimensions: 2600 mm x 1000 mm x 1570 mm.	500
220	SAVIME	SAVIME 180° curve conveyor, plastic belt, dimensions: 2100 mm x 2750 mm x 1570 mm.	750
221	SAVIME	SAVIME transport belt, serial number: AFM1417111294, year of construction: 2014, plastic belt, dimensions: 2450 mm x 1650 mm x 1500 mm.	500
222	Sipac	Sipac driven roller conveyor, steel rollers, approximate length: 16700 mm.	1000
223	SAVIME	SAVIME transport belt, serial number: AFM1417111293, year of construction: 2014, plastic belt, dimensions: 2400 mm x 1000 mm x 1400 mm.	500
224	NN transport belt	De-elevating belt, plastic belt, dimensions: 3500 mm x 1000 mm x 1400 mm.	500
225	NN curve conveyor	90° curve conveyor, plastic belt, dimensions: 5000 mm x 900 mm x 800 mm.	500
226	Ambaflex	Ambaflex spiral elevating belt, type: Spiralveyor Sv, number: 22664-01, year of construction: 2016, dimensions: 1600 mm x 1600 mm x 5000 mm.	500
227	Sipac	Sipac 90° curve conveyor, plastic belt, dimensions: 2250 mm x 1350 mm x 1300 mm.	400
228	Anduze	Anduze driven roller conveyor, type: AR22 REP 9, number: A/001014, steel rollers, approximate length: 15200 mm.	750
229	Anduze	Anduze transport belt, type: CI/S2400 REP 13, machine number: A/001014, plastic belt, dimensions: 1600 mm x 650 mm x 1200 mm.	400
230	NN curve conveyor	90° curve conveyor, plastic belt, dimensions: 2200 mm x 1700 mm x 1350 mm.	500
231	Anduze	Anduze driven roller conveyor, type: CI/S2400 REP 17, machine number: A/001014, s/s rollers, approximate length: 9150 mm.	750
232	Anduze	Anduze transport belt, type: AR22 REP 15, machine number: A/001014, plastic belt, dimensions: 1500 mm x 650 mm x 1200 mm.	400
233	NN curve conveyor	90° curve conveyor, plastic belt, dimensions: 3800 mm x 2400 mm x 1200 mm.	500
234	Anduze	Anduze driven roller conveyor, s/s rollers, dimensions: 10900 mm x 750 mm x 1200 mm.	750
235	Anduze	Anduze transport belt, plastic belt, dimensions: 1500 mm x 700 mm x 1250 mm.	300
236	NN curve conveyor	90° curve conveyor, plastic belt, dimensions: 2500 mm x 1700 mm x 1200 mm.	500
237	NN transport belt	De-elevating belt, plastic belt, dimensions: 4200 mm x 700 mm x 500 mm.	600
238	CERMEX		750



Nr	Title	Description	Start €
		CERMEX lane dividing conveyor, type: DIVSLA, serial number: 3P149, year of construction: 2013, plastic belts, dimensions: 8350 mm x 1530 mm x 1420 mm.	
239	NEWTEC	NEWTEC palletizer, type: PAL-PACK 4700 020/A, number: YP260/91S, year of construction: 11/2000, 400 V, 3 Ph, 50 Hz, 35.6/8.7 A, dimensions: 14000 mm x 7000 mm x 5000 mm.	4000
240	Robopac	Robopac automatic pallet wrapping system, consisting of: (2x) Robopac pallet wrapper, type: Genesis Futura HS, year of construction: 2022, (2x) Robopac automatic stretch film re-loading system, pallet conveyor system, 3 switch cabinets and control panels.	45000
241	Technibag Packaging Solutions	Technibag Packaging Solutions carton erector, model: O'Box, dimensions: 2450 mm x 1630 mm x 2350 mm.	1500
242	Technibag Packaging Solutions	Technibag Packaging Solutions conveyor for carton boxes, model: C'Booster, dimensions: 2140 mm x 650 mm x 1700 mm.	2000
243	Technibag Packaging Solutions	Technibag Packaging Solutions syrup pouch filling machine, model: B'Booster, type: BBO, serial number: 09, year of construction: 2013, dimensions: 2220 mm x 1100 mm x 3000 mm.	3000
244	Technibag Packaging Solutions	Technibag Packaging Solutions box closing machine with Valco Melton glue unit, type: HI11200, serial number: 07, year of construction: 2013, dimensions: 1950 mm x 1050 mm x 1830 mm.	2500
245	Technibag Packaging Solutions	Technibag Packaging Solutions switch cabinet, dimensions: 1600 mm x 550 mm x 2070 mm.	1000
246	NN transport belt	Transport belt, plastic belt, dimensions: 2030 mm x 740 mm x 1180 mm.	200
247	NN transport belt	Transport belt, plastic belt, dimensions: 900 mm x 580 mm x 740 mm.	100
248	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, model: XE3, serial number: 35000602, year of construction: 2008, 230 V, 50 Hz, maximum capacity: 1200 g, dimensions: 1000 mm x 1000 mm x 2000 mm.	1000
249	NN curve conveyor	90° curve conveyor, plastic belt, dimensions: 800 mm x 850 mm x 800 mm.	200
250	NEWTEC	NEWTEC palletizer with Fanuc robot, type: M/10 IC FANUC, number: PR33, year of construction: 04/2008, dimensions: 10000 mm x 4000 mm x 3500 mm.	4000
251	Noroit	Noroit laminar air flow module with 2 balancers and 5 Bürkert valves, model: P-BOX, serial number: 20211003118, year of construction: 2021, 230 V, 50 Hz, 5000 W, dimensions: 3100 mm x 3430 mm x 3300 mm.	1500
252	Goavec Engineering		3500



Nr	Title	Description	Start €
		Goavec Engineering s/s mixing tank, year of construction: 2013, capacity: 27700 liter, dimensions: 4000 mm x 3000 mm x 6250 mm.	
253	Bürkert	12 Bürkert valves.	200
254	Inoxpa S.A.	Inoxpa S.A. centrifugal pump, model: A-22, number: 140279 A, year of construction: 2012, 400/690 V, 50 Hz, 15 kW.	250
255	Inoxpa S.A.	Inoxpa S.A. centrifugal pump, model: HCP 40-150, number: 1202779-A, year of construction: 2014.	250
260	NN water treatment installation	Chemical dosing and water treatment installation, consisting of 2 vertical GRP/plastic dosing and storage tanks, equipped with integrated control boxes, dosing pumps and piping.	2500
261	Plasticon	Plasticon storage tank, type: Cuve verticale, factory number: 1113413-04 year of construction: 2014, capacity: 45 m ³ , weight: 1000 kg.	1000
262	Plasticon	Plasticon tank with Grundfos pumps, type: Cuve verticale, year of construction: 2014.	1000
263	Plasticon	Plasticon tank with Grundfos pumps, type: Cuve verticale, factory number: 1113413-02, year of construction: 2014 capacity: 150 m ³ , weight: 7200 kg.	1000
264	Carrier	Carrier chiller, model: 30RQS-090B0068-PE-, serial number: M2018013607, year of construction: 25/09/2018, 400 V, 3 Ph, 50 Hz, 84.10 A, 00.60 kg, refrigerant: R-410A, 27.50 kg, weight: 954 kg.	1500
265	Carrier	Carrier chiller, model: 30RW-120-A0152-PE-, serial number: M2014049144, year of construction: 13/11/2014, 400 V, 3 Ph, 50 Hz, 95.40 A, 59.40 kW, refrigerant: R407C, 16.40 kg, weight: 1207 kg.	1250
266	Alfa Laval	Alfa Laval condensing unit, 400 V, 3 Ph, 50 Hz, weight: 649 kg.	750
303	NN tub	S/s mobile tub, dimensions: 1050 mm x 1050 mm x 1950 mm.	75
304	NN cabinet	S/s cabinet, dimensions: 800 mm x 1200 mm x 1120 mm.	50
305	NN transport frame	S/s transport frame, dimensions: 1300 mm x 900 mm x 1250 mm.	50
306	Jung Process Systems	Wooden crate with Jung Process Systems hygienic twin screw pump, type: HYGHSPIIN 70, serial number: 13830-001, year of construction: 2012, dimensions: 1300 mm x 900 mm x 1250 mm.	250
307	Airbravo	Airbravo dust collector, type: DF, model: 300, serial number: DX4244, year of construction: 2013, dimensions: 1450 mm x 700 mm x 2000 mm.	300
308	Nilfisk	Nilfisk industrial vacuum cleaner, type: 3306, serial number: 3820132500158, year of construction: 2013, 400 V, 50 Hz, 5.60 A, 2.20 kW, weight: 115 kg, dimensions: 800 mm x 550 mm x 1670 mm.	300
309	Sumo	Sumo mobile generator, dimensions: 700 mm x 550 mm x 680 mm.	100



Nr	Title	Description	Start €
310	Inoxpa	Inoxpa lobe pump, type: SLR 3.30, number: 911775, dimensions: 1230 mm x 300 mm x 600 mm.	200
311	NN pumps and motors	2 racks with large amount of pumps and motors.	400
312	NN frames	Steel cage with large amount of steel and s/s frames, dimensions frame: 4300 mm x 5200 mm x 3000 mm.	750
313	NN parts	3 steel pallet racks with large amount of parts.	1500
314	NN parts	Steel pallet rack with large amount of parts.	1000
315	NN parts	Large amount of spare parts.	1000
316	NN parts	Large amount of spare parts.	1000
317	NN parts	Large amount of spare parts.	1000
318	NN parts	Large amount of spare parts.	1000
319	NN parts	Large amount of spare parts.	1000
320	NN parts	Large amount of spare parts.	750
321	APV	APV s/s plate heat exchanger with 2 off Filter housings, 95mm line unions, weight: 900 kg, dimensions: 4600 x 1000 x 2300 mm.	1500
322	Inoxpa	Inoxpa centrifugal pump, type: PROLAC S35F, dimensions: 900 x 400 x 500 mm.	500
323	Inoxpa	Inoxpa centrifugal pump, type: PROLAC, dimensions: 500 x 300 x 400 mm.	500
324	Serac	Serac ultra clean bottle rinsing, filling and capping machine, type: R36B12/1620. Never used. IN24/1080 - 24 Station Air Blowing Carousel H16/720 - 16 Station H2O2 Rotary Steriliser (Hydrogen Peroxide, Vaporised) Injection Carousel for bottles and caps 2 off A28/1260 - 28 Station Drying Carousel. Hot air dryers to evaporate any solution residues. R36V12/1620 - 36 Station Filler and 12 Station Capper. Weigh filler with multiframe magnetically controlled nozzles. Product Feed Tank with CIP. Closed system cleaning. Arol capping carousel with electronic height adjustment. Ecolab cleaning system for cleaning of inside of machine enclosure with acid, alkaline and disinfectant solutions. Cap Supply Sorter/Unscrambler with H2O2 Tunnel on Chute Rejection unit for missing caps, can also be used for selecting containers for sampling. Product - Liquid Syrup for Soft Drinks filled into Round Glass (50, 70, 100 CL) and PET (100 CL) Bottles. Closure with Lid and Ringpull made from PEHD Nominal Cadence - 12000 Bottles Per Minute	1500000
325	Zalkin	Zalkin cap feeder: CAP SORTER C1200, serial number: 63486, year of construction: 2018, weight: 280 kg.	7500
326	Zalkin	Zalkin cap feeder: (2x) DISTRIBUTEUR U1200, serial number: 63383 DC1, year of construction: 2016, weight: (2x) 380 kg.	8500
327	Savime/Zalkin	Savime and Zalkin cap feeders, serial number Savime: 15114 11721, 15114 11722, 15114 11720, year of construction: 2015, type Zalkin: DISTRIBUTEUR U1200, serial number: 63290, year of construction: 2015, weight: 288 kg.	12500

Nr	Title	Description	Start €
328	Antonio Mengibar	Antonio Mengibar cap feeder: MI-3, number: 2-13002, year of construction: 2014, 380 V, 3 Ph, 50 Hz, 6.8 kW, 16.2 A.	8500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal black lines, resembling notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

