



**Industrial
Auctions**

**2297: Online auction machinery for the food industry in
Kapelle (NL)**

END DATE

01 October 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	01 October 2026 from 14:00 hrs.
Viewing days	29 September 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	08 October 2026 from 09:00 till 16:00 hrs.
Pick up address	Amfoor 6 4421 SE Kapelle Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Glass	Glass tiltable frying pan with GWK oil heater, type: WOK 300, machine number: 2812, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 6.93 A, 2.62 kW, volume: 300 litre, dimensions cooking vessel: 2500 mm x 1500 mm x 1610 mm, type GWK oil heater: teco tt 140.48.000, serial number: 207304-01-01, year of construction: 2005, dimensions oil heater: 1500 mm x 440 mm x 1540 mm.	15000
2	Sormac	Sormac mobile elevating belt with dividers, plastic belt, belt width: 300 mm, divider width: 230 mm, divider height: 70 mm, distance between dividers: 235 mm, elevating height: 1400 mm, total dimensions: 3750 mm x 1100 mm x 2300 mm.	1500
3	Sormac	Sormac decoring machine for bell peppers, type: PO-30, serial numbers: PO=30/07/025, year of construction: 2014, 230/400 V, 3 Ph, 50/60 Hz, 0.8 kW, 10 stations, station working width: Ø 130 mm each, total dimensions: 3750 mm x 1100 mm x 2300 mm.	3500
4	Wolf	Wolf vertical bag form-, fill- and seal machine, type: VPP 350, serial number: 2.05.046, year of construction: 2005, diameter filling pipe: 150 mm, film width: approximately 480 mm, seal length: 380 mm, total dimensions: 1700 mm x 2400 mm x 1800 mm.	5000
5	CFS Bakel B.V.	CFS Bakel B.V. mobile forming machine, type: MLF 400, machine number: 2206, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 17.16 A, 7.77 kW, weight: 1186 kg, s/s mesh belt, belt width: 400 mm, dimensions dye: (6x) 180 mm x 20 mm, total dimensions: 2750 mm x 900 mm x 2150 mm. New controls installed in 2017.	17500
6	Multivac	Multivac traysealer, type: T300, serial number: 310724, year of construction: 2021, 400/230 V, 3 Ph, 50 Hz, 34.7 A, 8.8 kW, Busch vacuum pump, capacity: 100 m ³ per hour, dimensions dyes: 247 mm x 314 mm, 230 mm x 145 mm, 175 mm x 228 mm and 256 mm x 175 (for skin packing), dimensions: 3200 mm x 1100 mm x 1700 mm. Transport rollies not included.	30000
7	Ulma	Ulma mobile flowpacker, model: Nevada B5, number: 1300052, year of construction: 2003, 380 V, 50 Hz, 23 A, 5 kW, ELS labelling machine, infeed belt with dividers, belt width: 150 mm, distance between dividers: 300 mm, divider height: 30 mm, seal width: 300 mm, plastic outfeed belt, belt width: 200 mm, total dimensions: 4500 mm x 1300 mm x 1150 mm.	5000
8	Holac Maschinenbau GmbH	Holac Maschinenbau GmbH dicer with outfeed belt, type: Cubixx 120, serial number: 240-02-61, year of construction: 2017, 400 V, 50 Hz, 20 A, 8 kW, weight: 700 kg, chamber: 120 mm x 100 mm, plastic outfeed belt, belt width: 285 mm, total dimensions: 1900 mm x 1600 mm x 1300 mm. Including 200 liter meat bin.	12500



Nr	Title	Description	Start €
9	Weber	Weber slicer line, consisting of: Weber pre scanner for slicer, type: SCA, number: 257, year of construction: 02/2009, plastic belt, belt width: 500 mm, total dimensions: 1550 mm x 1050 mm x 2050 mm. Weber slicer, type: SLC 904, number: 7165, year of construction: 03/2009, 400 V, 50 Hz, 10 kW, 6 bar, plastic infeed belt, belt width: (2x) 450 mm, plastic wire outfeed belt, belt width: 350 mm, total dimensions: 4200 mm x 1900 mm x 2550 mm. Weber checkweigher, type: CCW, number: 7165, plastic wire belt, belt width: 190 mm, total dimensions: 950 mm x 600 mm x 1200 mm. Weber rejector belt, type: CCR, number: 7165, year of construction: 02/2009, plastic wire belt, belt width: 190 mm, total dimensions: 950 mm x 500 mm x 1200 mm. Weber buffer belt, type: CCO, number: 7165, year of construction: 03/2009, plastic belt belt width: 500 mm, total dimensions: 1050 mm x 560 mm x 1420 mm. Weber buffer belt, type: CEB, number: 101-7165, year of construction: 2009, 400 V, 50 Hz, 4 kW, plastic belts, belt width: (3x) 500 mm, plastic wire belts, belt width: 300 mm, total dimensions: 3100 mm x 1000 mm x 1350 mm.	25000
10	Automation Systems	Automation Systems outfeed belt inliner for flowpacker, type: DNT101, year of construction: 2015, 400 V, 3 Ph, 18 A, 7 KW, plastic belt, belt width: 190 mm, 405 and 50 mm, tray dimensions: 175 mm x 125 mm, distance between dividers: 245 mm, total dimensions: 5750 mm x 2000 mm x 2150 mm.	10000
11	BG Pack SpA	BG Pack SpA flowpacker with labelling machine, model: BG2800 EWL210-Left, serial number: 99404, year of construction: 2011, 400 V, 50 Hz, 32 A, 10 kW, plastic belt, belt width: 150 mm, film width: 400 mm, total dimensions: 4600 mm x 1450 mm x 2300 mm. Including s/s trolley with parts and pallet with parts, dimensions trolley: 1100 mm x 600 mm x 1150 mm.	15000
12	Groba	Groba cheese portioning line, consisting of: Groba transport belt, s/s frame, type: TB-454, L=2000, year of construction: 2006, weight: 125 kg, plastic belt, belt width: 450 mm, total dimensions: 2120 mm x 620 mm x 1300 mm, Groba cheese defoiling machine, type: FO-400, year of construction: 2006, weight: 2400 kg, plastic belt belt width: 400 mm, total dimensions: 3580 mm x 1360 mm x 2650 mm, Groba mobile transport belt, s/s frame, type: TB-454, L=1000, year of construction: 2006, weight: 80 kg, plastic belt, belt width: 450 mm, total dimensions: 1130 mm x 720 mm x 1030 mm, Groba cheese divider, type: MHDM-520, year of construction: 2006, weight: 1200 kg, plastic belt, belt width: 540 mm, plastic rollers, roller width: 540 mm, dimensions dye: (4x) 90 mm x 90 mm, total dimensions: 2700 mm x 1330 mm x 1820 mm, Groba mobile outfeed roller conveyor, s/s frame, plastic roller, roller width: 490 mm,	10000



Nr	Title	Description	Start €
		total dimensions: 2160 mm x 740 mm x 1000 mm. Including large amount of extra dye's, dimensions dye's: 80 mm x 80 mm / 120 mm x 100 mm / 370 mm x 370 mm / 150 mm x 50 mm / 100 mm x 60 mm / 100 mm x 100 mm / 75 mm x 100 mm / 100 mm x 150 mm.	
13	Kolbe	Kolbe bandsaw, type: K 330, serial number: 94 2904, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 3.4 A, 1.5 kW, table dimensions: 800 mm x 600 mm, total dimensions: 750 mm x 800 mm x 1750 mm.	1500
14	Koppens	Koppens belt fryer, s/s mesh belt, belt width: 600 mm, total dimensions: 5500 mm x 1400 mm x 2950 mm. With Buls system and s/s frame with 2 silos for oil and pallet with switch cabinet and hoists. Transport rollies not included.	15000
16	Seydelmann	Seydelmann mobile pump, type: FP 10-12, number: 12 054-1, year of construction: 2012, 400 V, 50 Hz, 14 A, 5.5 kW, weight: 480 kg, dimensions infeed tub: 1000 mm x 1000 mm x 700 mm, total dimensions: 1800 mm x 1050 mm x 1600 mm.	1500
17	Talsa	Talsa mobile mixer on s/s frame, type: MIX150, serial number: 212787, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 2.5 A, 1.8 kW, s/s bowl, capacity: 150 liter, total dimensions: 1020 mm x 1050 mm x 1800 mm.	1250
18	Cosmo s.r.l.	Cosmo s.r.l. sieve drum, model: Venusia J, serial number: 3080-001-0211, year of construction: 2011, sieve: ø 2 mm, inside dimensions drum: ø 520 mm x 500 mm, total dimensions: 1420 mm x 1050 mm x 1260 mm.	1000
19	N&N Nadratowski sp.j.	N&N Nadratowski sp.j. double shaft paddle mixer with lifter for pallet boxes, lifter type: PW-2/1000 column loader, serial number: 1661, year of construction: 2019, 400 V, 50 Hz, 2.2 kW, weight: 1150 kg, capacity: 1000 kg, lifting height: 2400 mm, total dimensions: 2200 mm x 1500 mm x 2250 mm. Mixer type: MIX-1500F, serial number: 709, year of construction: 2011, 400 V, 50 Hz, 15 kW, weight: 1950 kg, capacity: 1500 litre, dimensions: 2650 mm x 1500 mm x 2250 mm.	15000
20	Thompson Meat Machinery	Thompson Meat Machinery mobile mixer-grinder, type: 900, serial number: 900-M1-10-07, year of construction: 07-2010, 415 V, 50 Hz, 9/2.8 A, 4/ 1.1 kW, diameter plate: 100 mm, total dimensions: 950 mm x 1070 mm x 1370 mm.	2500
21	Stephan	Stephan universal machine, type: UM 44, serial number: 724459.01, year of construction: 1998, 400 V, 50 Hz, 12.4 / 16.2 A, 5.5 / 7.5 kW, inside dimensions: Ø 500 mm x 300 mm, total dimensions: 850 mm x 600 mm x 1870 mm.	1500
22	Espera	Espera checkweigher with rejector, model: ES-W5300, serial number: 8530000327, year of construction: 2019, 100/240 V, 50/60 Hz, maximum capacity: 3 kg, minimum capacity: 50 g, e=d= 1 g, plastic belts, belt width: 330 mm, total dimensions: 1500 mm x 1150 mm x 1500 mm.	4500



Nr	Title	Description	Start €
23	MKN	MKN tiltable braising pan, type: 2021446S, serial number: 16200556, 400 V, 3 Ph, 6 kW, maximum volume: 99 litre, dimensions: 1600 mm x 860 mm x 1120 mm. Without lid.	500
24	Treif	Treif mobile slicer, serie: PEGASUS, model: 2616, machine number: 261607.97691.0211, year of construction: 2001, 230/400 V, 50 Hz, 2.25 A, 0.90 kW, weight: 210 kg, clearance: 260 mm x 150 mm, total dimensions: 1650 mm x 730 mm x 1350 mm.	1200
25	Urschel Laboratories, Inc.	Urschel Laboratories, Inc. mobile slicer for vegetables, model: G, serial number: 1669, working width knives: 150 mm, 25 knives, distance between knives: 6 mm, total dimensions: 1880 mm x 1200 mm x 1370 mm.	7500
26	FAM	FAM mobile vegetable slicer, type: TS-10, serial number: 5754, year of construction: 2003, 380 V, 3 Ph, 50 Hz, 3.5 kW, weight: 350 kg, plastic V-shaped belt, belt width: 120 mm, 15 knives, knife width: (15x) 100 mm, clearance: 95 mm x 95 mm, total dimensions: 3850 mm x 800 mm x 1620 mm.	5000
27	Rheon	Rheon encrusting machine, type: Double lane cornucopia, model: WN055, serial number: 172, year of construction: 10/2008, 380 V, 11.3 A, 4.3 kW, plastic belt width: (2x) 130 mm, clearance: 440 mm x 75 mm, total dimensions: 1800 mm x 1050 mm x 2240 mm. With Rheon dusting flour covering device, plastic belt, belt width:(2x) 100 mm, clearance: (2x) 70 mm x 40 mm, total dimensions: 1650 mm x 900 mm x 1750 mm. Incomplete, missing screw.	17500
28	Lakidis	Lakidis double-shaft paddle mixer, type: PL-300, serial number: 770921, year of construction: 2021, 3.3/4.4 kW, volume: 300 litres, dimensions: 1750 mm x 880 mm x 1480 mm.	7500
29	Innotech	Innotech vertical bag form-, fill- and seal machine, type: 3800, serial number: 106 00 349, year of construction: 2000, 230/400 V, 50 Hz, diameter filling pipe: Ø 125 mm, film width: 470 mm, seal length: 400 mm, total dimensions: 2650 mm x 1850 mm x 2600 mm.	17500
30	M.C.R. Automazione SRL	M.C.R. Automazione SRL strawberry de-crowning and slicing machine, model: DF12, number: 210280000, year of construction: 12/2021, 400 V, 3 Ph, 50 Hz, 6 A, 3.5 kW, plastic infeed belt, belt width: 305 mm, clearance: Ø 50 mm, plastic outfeed belt, belt width: 305 mm, total dimensions: 5500 mm x 1900 mm x 2450 mm. Including pallet with parts, without rollers.	14000
31	ZTI smart machines	ZTI smart machines fruit cutter, type: Standaard, serial number: 931162-141831-18, year of construction: 2022, dimensions transporters: 280 mm x 260 mm, clearance: 410 mm x 120 mm, total dimensions: 5700 mm x 850 mm x 2640 mm. Without transport rollies.	6500
32	Weber	Weber slicer, type: MCS 902, number: 2625, year of construction: 07/2006, 400 V, 50 Hz, 10 kW, 6 bar, plastic	15000



Nr	Title	Description	Start €
		wired outfeed belt, belt width: 400 mm, total dimensions: 3150 mm x 1700 mm x 2600 mm. Including Weber checkweigher, type: CCW, number: 2623, Wipotec weighing cells, type: WEB 99 T35S, plastic wire belt, belt width: 360 mm, total dimensions: 500 mm x 900 mm x 1100 mm and Weber rejecting belt, type: CCR 2623, year of construction: 2006, plastic wire belt, belt width: 360 mm, total dimensions: 500 mm x 900 mm x 1100 mm. Missing cover.	
33	Weber	Weber outfeed belt, type: CCA, number: 2622, year of construction: 2006, 400 V, 50 Hz, 7 kW, plastic wired belt, belt width: 520 mm, total dimensions: 5370 mm x 1800 mm x 1800 mm.	1500
34	Ishida	Ishida 10 heads multihead weigher, model: CCW-RS-210W-1S/30-SS, serial number: 564718, year of construction: 03/2015, 240 V, 1 Ph, 50 Hz, 5.5 A, weight: 450 kg, dimensions: 1300 mm x 1300 mm x 1600 mm.	9500
35	NN multihead weigher	10 heads multihead weigher, model: 1A10(25), 220 V, 50/60 Hz, 10 A, 1.0 kW, single weighing range: 800 g, maximum weighing speed: 65 bags per minute, dimensions: 1100 mm x 1100 mm x 1300 mm. Never used.	6500
36	NN multihead weigher	10-heads multihead weigher, model: 1A10(25), year of construction: 2025, 220 V, 50/60 Hz, 10 A, 1.0 kW, single weighing range: 800 g, maximum weighing speed: 65 bags per minute, dimensions: 1000 mm x 1000 mm x 1300 mm. Never used.	6500
37	Yamato Scale/ Dataweigh	Yamato Scale/Dataweigh multihead weigher, model: ADW-414SD, serial number: WG020348, 220-240 V, 50/60 Hz, 5 A, weighing range: 8-1000g, maximum speed: 130 p/min, 14 heads, dimensions: 1250 mm x 1050 mm x 1750 mm, 800 mm x 400 mm x 600 mm.	1250
38	Scanvaegt	Scanvaegt 14-heads multihead weigher, type: ScanCombinator 5418-2L-AD, serial number: BMT00202, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 2.0 A, weight: 750 kg, dimensions: 1300 mm x 1100 mm x 1600 mm.	1250
39	Ishida	Ishida 16-heads multihead weigher, model: CCW-RVE-216B1D/15-SS, serial number: 560012161, year of construction: 08/2017, 240 V, 1 Ph, 50 Hz, 11.3 A, weight: 535 kg, dimensions: 1750 mm x 1600 mm x 2850 mm.	12500
40	Ishida	Ishida 10 heads multihead weigher, model: CCW-EM-210/30, serial number: 552790, year of construction: February 2003, 220 V, 1 Ph, 50 Hz, 5.5 A, weight: 445 kg, dimensions: 1200 mm x 1200 mm x 1550 mm.	3000
41	Yamato Scale/ Dataweigh	Yamato Scale/Dataweigh multihead weigher, model: ADW-514SD, serial number: WG990491, 220-240 V, 50/60 Hz, 10 A, weighing range: 20-2000g, maximum speed: 120 p/min, 14 heads, dimensions: 1300 mm x 1250 mm x 1500 mm.	3000
42	HSM		3500



Nr	Title	Description	Start €
		HSM baler, model: V-Press 860 plus, serial number: 360000195, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 15.2 A, 7.5 kW, total dimensions: 1850 mm x 1250 mm x 3000 mm.	
43	Ishida	Ishida 10-heads multihead weigher, model: CCW-SE3-210W-1S/20-WP, serial number: 920016215 E17101101, year of construction: 11/2017, 230 V, 1 Ph, 50 Hz, 5.2 A, minimum capacity: 14 g, maximum capacity: 1000 g, total dimensions: 1100 mm x 1000 mm x 1300 mm.	6000
44	HD. Wiegetechnik + Sondermaschinen GmbH	HD. Wiegetechnik + Sondermaschinen GmbH 16-heads multihead weigher, type: HDW 16-1.5-30 kg, machine number: 043, year of construction: 2003, dimensions: 1340 mm x 1340 mm x 1850 mm. Including s/s trolley for bins, dimensions trolley: 2420 mm x 500 mm x 1150 mm, s/s frame for gutters, dimensions frame: 1770 mm x 950 mm x 1000 mm and pallet with parts, dimensions pallet: 1200 mm x 800 mm x 550 mm.	7500
45	Automation systems	Automation systems denester on transport belt, type: TKE004, year of construction: 2018, 400 V, 3 Ph, 16 A, 6 kW, 6 bar, 6 lanes, working width: (6x) 235 mm, plastic belt, belt width: 235 mm, total dimensions: 4900 mm x 1800 mm x 2000 mm. Rollers not included.	7500
48	SAS DISPAC	SAS DISPAC tilting device for 200 litre meat bins with outfeed belt, type: VIDEP, serial number: 08V27, year of construction: 06/08, plastic belt, belt width: 600 mm, total dimensions: 3400 mm x 1580 mm x 1810 mm.	1500
49	Multipond	Multipond mobile 14-heads multihead weigher, type: MP 1401-F, year of construction: 1998, 230 V, 1 Ph, 50 Hz, weighing range: 20 - 100 gram, total dimensions: 2100 mm x 1250 mm x 3250 mm. Including s/s trolley for bins, dimensions trolley: 1450 mm x 800 mm x 1730 mm.	15000
50	Ishida / Optima	Ishida / Optima 14-heads multihead weigher, model: CCN-M-214W-S/70-WP, serial number: 552736, year of construction: 02/2003, 240 V, 1 Ph, 50 Hz, 6.4 A, weight: 1000 KG, total dimensions: 1620 mm x 1620 mm x 2150 mm.	6500
51	Laska	Laska mobile elevating belt, type: FB 6060, machine number: 15131, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 1.7 A, 0.5 kW, plastic belt, belt width: 610 mm, elevating height: 2300 mm, total dimensions: 5800 mm x 1400 mm x 2500 mm.	1750
52	Wolf	Wolf vertical bag form-, fill- and seal machine, diameter filling pipe: 150 mm, film width: approximately 530 mm, seal length: 400 mm, total dimensions: 2200 mm x 1550 mm x 1520 mm.	5000
53	NN tilting device	S/s tilting device with infeed bunker used for palletboxes, clearance 1240 mm x 1000 mm, plastic belt, belt width: 400	2500



Nr	Title	Description	Start €
		mm, working height platform: 1230 mm, total dimensions: 3000 mm x 2000 mm x 2160 mm.	
55	NN suction device	Suction device, model: XCI-200, year of construction: 28/05/2026, 220 V, 1 Ph, 50 Hz, 2.2 kW, dimensions: 900 mm x 600 mm x 1250 mm.	750
56	NN elevating belt	Elevating belt with dividers, plastic belt, belt width: 450 mm, divider width: 345 mm, divider height: 100 mm, distance between dividers: 280 mm, elevating height: 4050 mm, total dimensions: 5900 mm x 1150 mm x 4750 mm.	1500
57	Romota BV	Romota BV elevating belt, serial number: 2, year of construction: 2022, plastic belt, belt width: 390 mm, elevating height: 1500 mm, total dimensions: 4000 mm x 700 mm x 2170 mm.	1500
58	MultiWeigh	MultiWeigh 14 heads multihead weigher, year of construction: 2003, dimensions: 1350 mm x 1350 mm x 1450 mm.	7500
59	NN transport belt	Mobile transport belt, plastic belt, belt width: 1000 mm, total dimensions: 4200 mm x 1200 mm x 1200 mm.	1500
60	Apollo VTS B.V.	Apollo VTS B.V. spiral de-elevating conveyor, model: SPC-SL-S, type: 1300-400-C1-2.5T-PCDU, serial number: 563658-100, year of construction: 2023, 230/400 V, 0.75 kW, chain length: 18.5 meter, speed: 25 meter per minute, live load: 0.8 kg per meter, plastic belt, belt width: 410 mm, elevating height: 2900 mm, total dimensions: 1980 mm x 1940 mm x 3050 mm.	2000
61	Apollo VTS B.V.	Apollo VTS B.V. spiral de-elevating conveyor, model: SPC-SL-S, type: 1200-300-A1-3T-PCDU, serial number: 563517-200, year of construction: 2022, 230/400 V, chain length: 14.2 meter, speed: 18 meter per minute, live load: 30 kg per meter, plastic belt, belt width: 300 mm, elevating height: 2600 mm, total dimensions: 2100 mm x 1750 mm x 3450 mm..	2000
62	Van Oirschot	Van Oirschot tilting device for pallet boxes, dimensions: 2300 mm x 2210 mm x 1640 mm.	2500
63	NN elevating screw	S/s elevating screw, inside dimensions: 1100 mm x 500 mm x 840 mm, s/s screw, screw diameter: 180 mm, outfeed height: 2100 mm, total dimensions: 3250 mm x 800 mm x 2750 mm.	2000
64	Jasa Packaging Solutions	Jasa Packaging Solutions double transport belt on s/s frame, model: 19100060300000, machine number: 14666, year of construction: 2019, 230 V, 3 Ph, 0.37 kW, 1.7 A, weight: 110 kg, belt width: (2x) 350 mm, belt length: (2x) 1400 mm, total dimensions: 3400 mm x 1450 mm x 2000 mm.	1500
65	NN tilting device for pallet boxes	S/s tilting device for pallet boxes, dimensions: 1950 mm x 1560 mm x 2580 mm.	2500
66	Urschel Laboratories, Inc.	Urschel Laboratories, Inc. slicer, model: RA-A, serial number: 1368, working width: 140 mm, 16 knives, distance	6500



Nr	Title	Description	Start €
		between knives: 10 mm, total dimensions: 2540 mm x 1340 mm x 2150 mm.	
67	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. vacuum filling machine, type: 576-SE, machine number: 21142, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 21.9 A, dimensions: 1750 mm x 1100 mm x 1950 mm.	2500
68	Foodmate B.V.	Foodmate B.V. thigh deboner, model: FM 6.50, serial number: FM.00.650.017, year of construction: 2010, weight: 590 kg, capacity: 50 birds per hour, rotation: CW, 14 stations, dimensions: 1150 mm x 1100 mm x 2300 mm.	6500
69	NN tilting device for pallet boxes	S/s tilting device for pallet boxes, clearance: 1100 mm x 1200 mm x 2300 mm, tilting height: approximately 1500 mm, total dimensions: 1900 mm x 2600 mm x 1750 mm.	2500
70	Landpack	Landpack pouch filling machine, model: LD-8200A, serial number: LP250325, year of construction: 2025-5-5, plastic belt, belt width: 260 mm, built-in Joysun single-stage rotary vane vacuum pump, model: X-40, serial number: AP251265305, year of construction: 2025, nominal displacement: 40 m3/h, dimensions: 2550 mm x 2000 mm x 1500 mm.	17500
71	MACS	MACS elevating belt, type: TAKE AWAY CONVEYOR, number: 21090-44000, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 1.29 A, 0.55 kW, s/s frame, plastic mesh belt, belt width: 450 mm, elevating height: 1500 mm, total dimensions: 4800 mm x 800 mm x 1600 mm.	1250
72	Lantech	Lantech carton erector, model: Case, serial number: SM20074369, year of construction: 13/12/2007, 400 V, 3 Ph, 50 Hz, 0.5 kW, working width infeed: 850 mm, working width box closer: 350 mm, clearance: 550 mm x 750 mm, total dimensions: 2750 mm x 3400 mm x 1800 mm.	7500
73	Case Packaging Systems	Case Packaging Systems case compacting system, plastic belt, belt width: 360 mm, clearance: 290 mm x 580 mm, dimensions presser: 340 mm x 220 mm, total dimensions: 1550 mm x 1160 mm x 2210 mm.	1750
74	Machinefabriek Hendriks B.V.	Machinefabriek Hendriks B.V. cheese scraper, type: KAASCHRAPER II, serial number: 8900.001, year of construction: 2000, clearance: 130 mm x 180 mm, total dimensions: 3400 mm x 1500 mm x 2280 mm.	2500
75	NN create washer	S/s crate washer, s/s mesh belt, belt width: 780 mm, clearance: 850 mm x 360 mm, total dimensions: 2750 mm x 1400 mm x 1620 mm.	1500
76	Intech International a/s	Intech International a/s lifter for crates, type: IL 350, serial number: E19153, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.75 kW, weight: 350 kg, dimensions: 1200 mm x 460 mm x 2700 mm.	1250
77	Rühle	Rühle dicer, type: SR 3, number: 46, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 16 A, 7.0 kW, dimensions: 2000 mm x 1300 mm x 2130 mm.	7500



Nr	Title	Description	Start €
78	Dinnissen Process Technology	Dinnissen Process Technology double shaft paddle mixer, type: 304-30-2x3, machine number: 181195, year of construction: 2018, volume: 750 litre, dimensions: 3700 mm x 1400 mm x 900 mm.	15000
79	NN vibrating gutter	S/s vibrating gutter, gutter width: 1000 mm, outfeed clearance: 650 mm, total dimensions: 3100 mm x 1650 mm x 2550 mm.	1500
80	KEY Technology	KEY Technology vibrating gutter on mobile s/s frame, gutter width: 500 mm, total dimensions: 2430 mm x 850 mm x 2700 mm.	1500
81	Gröneweg Maschinenbau	Gröneweg Maschinenbau mobile lifter for 200 liter meat bins, type: EAZ-M-1400-250, serial number: HE-EAZ-508132-02, year of construction: 12/2012, lifting height: 1675 mm, total dimensions: 1370 mm x 1340 mm x 2810 mm.	2500
82	FoodeQ Engineering	FoodeQ Engineering vibrating gutter, type: VCO-FD40-100-160, number: 19159-10, year of construction: 2019, 8 lanes, lane width: (8x) 115 mm, total dimensions: 1930 mm x 1070 mm x 1540 mm.	2000
83	Marcelissen	Marcelissen halving machine, serial number: 99.103.628, year of construction: 2019, plastic rollers, roller width: 1280 mm, 8 knives, distance between knives: 125 mm, total dimensions: 2000 mm x 2150 mm x 1980 mm.	6500
84	Fuiji	Fuiji flowpacker, type: FW3430, plastic infeed belt, belt width: 200 mm, film width: 380 mm, seal length: 300 mm, total dimensions: 5850 mm x 1500 mm x 2500 mm.	6500
85	Rühle	Rühle dicer, type: SR 3, number: 45, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 16 A, 7.0 kW, chamber dimensions: 520 mm x 120 mm x 120 mm, dimensions: 2250 mm x 1250 mm x 2250 mm. Missing grids.	7500
86	Cryovac	Cryovac flowpacker, type: CJ55 MD-BDF, serial number: A91600205, year of construction: 2000, 400 V, 50 Hz, 8 A, 5 kW, plastic belt, belt width: (2x) 200 mm, seal width: 250 mm, clearance: 200 mm x 60 mm, total dimensions: 5000 mm x 1100 mm x 2300 mm.	1750
87	Kolbe	Kolbe bandsaw, type: K 800H - 650, machine number: 81 070, year of construction: 2009, 400 V, 50 Hz, 9 A, 4 kW, dimensions saw table: 1480 mm x 1100 mm, total dimensions: 2000 mm x 1100 mm x 1930 mm. Including extra saws.	3500
88	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector with rejector, 100-240 V, 50/60 Hz, 330 W, plastic belt, belt width: 210 mm, clearance: 250 mm x 90 mm, total dimensions: 1100 mm x 800 mm x 1530 mm.	1250
89	GKS Packaging	GKS Packaging mobile s/s turning table, type: Rotary Table, serial number: 05492, year of construction: 09-2023, dimensions: Ø 1510 mm x 830 mm.	1000
90	NN turning table		1000



Nr	Title	Description	Start €
		Mobile s/s turning table, dimensions: Ø 1250 mm x 910 mm.	
91	Loma Systems	Loma Systems mobile metal detector, serial number: DMC81103-08471, year of construction: 1998, 380 V, 3 Ph, 50 Hz, weight: 186 kg, plastic belt, belt width: 400 mm, clearance: 450 mm x 175 mm, total dimensions: 1600 mm x 950 mm x 1160 mm.	1500
92	Safeline	Safeline metal detector with rejector, model: 50H, serial number: 69032, year of construction: 07/2004, 100/240 V, 50/60 Hz, 330 W, clearance: 350 mm x 90 mm, plastic mesh belt, belt width: 325 mm, total dimensions: 1600 mm x 1200 mm x 1150 mm.	1500
93	Kolbe	Kolbe bandsaw, model: K440 RS, year of construction: 2018, dimensions table: 970 mm x 880 mm, total dimensions: 1040 mm x 1020 mm x 2050 mm. Including saws.	1500
94	Nilma	Nilma mobile mixer, type: Mixer 500, serial number: 1213224, year of construction: 2012, 400/230 V, 3 Ph, 50 Hz, 16 A, 2.2 kW, weight: 99 kg, maximum 1410 RPM, dimensions: 1850 mm x 650 mm x 1780 mm.	1000
95	Technocean	Tecnocean s.r.l. centrifuge, model: 1301.001, serial number: 19 -32 A, inside dimensions: Ø 420 mm x 300 mm, total dimensions: 1120 mm x 590 mm x 950 mm. Without baskets.	500
96	Nock	Nock skinning machine, type: V-460, machine number: 192810, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.75 kW, 5/9 bar, working width: 440 mm, total dimensions: 750 mm x 600 mm x 950 mm.	750
97	Cintex	Cintex metal detector, plastic belt, belt width: 380 mm, clearance: 465 mm x 115 mm, total dimensions: 1650 mm x 950 mm x 1485 mm.	1000
98	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 800 mm.	1000
99	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 780 mm.	1000
100	Cintex	Cintex metal detector, clearance: 460 mm x 110 mm, plastic belt, belt width: 380 mm, total dimensions: 1580 mm x 970 mm x 1500 mm.	1000
101	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, model: EVM3006, number: 44956, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.2 A, working width: 540 mm, total dimensions: 1000 mm x 550 mm x 1030 mm.	750
102	Eptech	Eptech salad spinner, serial number: 115025-118, clearance: Ø 420 mm x 350 mm, total dimensions: 860 mm x 700 mm x 860 mm. Without baskets.	500
103	Supervac	Supervac mobile vacuum machine, type: GK18311, factory number: 920128, 380 V, 50 Hz, 3.5 A, 1.1 kW, seal width: 440 mm, chamber: 540 mm x 460 mm, Rietschle vacuum pump, type: VCA 40 (01), capacity: 40 m³ per hour, total dimensions: 700 mm x 600 mm x 950 mm.	350
104	Stephan alvac		200



Nr	Title	Description	Start €
		Stephan alvac vacuum machine on mobile s/s frame, type: Alvac I 90, machine number: 9114-4210, 230 V, 1 Ph, 50 Hz, 4.9 A, 0.75 kW, seal length: 420 mm, dimensions chamber: 430 mm x 380 mm, Busch vacuum pump, type: 021-336, total dimensions: 500 mm x 480 mm x 1070 mm.	
105	NN suction device	S/s cabinet with suction device and switch cabinet, dimensions: 650 mm x 650 mm x 820 mm.	200
106	Maja / Josef Koch AG	Maja / Josef Koch AG mobile skinning machine, type: EVM 3006, machine number: 301721, year of construction: Rev 2013, 400 V, 3 Ph, 50 Hz, 2 A, 0.75, working width: 540 mm, total dimensions: 900 mm x 550 mm x 1030 mm.	600
107	Safeline	Safeline metal detector, plastic belt, belt width: 250 mm, clearance: 245 mm x 65 mm, total dimensions: 2550 mm x 950 mm x 1150 mm.	1250
108	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 780 mm.	1000
109	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 800 mm.	1000
110	Maja- Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, model: EVM 5006, serial number: M-56362, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 2.24 A, 0.55 kW, weight: 200 kg, working width: 540 mm, total dimensions: 950 mm x 730 mm x 1000 mm.	1750
111	Jenton Ariana	Jenton Ariana inliner, plastic belts, belt width: (2x) 195 mm, (2x) 100 mm, (1x) 570 mm, total dimensions: 1700 mm x 800 mm x 1300 mm.	1000
112	Weber Marking Systems GmbH	Weber Marking Systems GmbH labelling machine, model: Alpha Compact, type: 120-30-Lh-TBM5, serial number: 50008002, year of construction: 19/08/15, dimensions: 1000 mm x 750 mm x 1750 mm.	1000
113	BPT	BPT tumbler, serial number: F 5765-3, year of construction: 11/2006, inside dimensions: Ø 1200 mm x 750 mm, total dimensions: 1250 mm x 1200 mm x 1750 mm.	1000
114	NN meat bin	S/s mobile meat bin, inside dimensions, 640 mm x 640 mm x 740 mm, total dimensions: 750 mm x 750 mm x 950 mm.	100
115	MACS	MACS bag equalizer for checking open bags, type: BAG EQUALIZER, machine number: 21090-64000, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 0.72 A, 0.25 kW, width: 270 mm to 440 mm, total dimensions: 1260 mm x 1150 mm x 1640 mm.	750
116	Typhoon	Typhoon mixing tank, serial number: 09TY0143, inside dimensions: Ø 650 mm x 850 mm, total dimensions: 1350 mm x 950 mm x 2050 mm.	1500
117	Safeline	Safeline metal detector, serial number: 41262, year of construction: 4/2000, 100-240 Vac, 50/60 Hz, 330 W, plastic belt, belt width: 430 mm, clearance: 450 mm x 95 mm, total dimensions: 1750 mm x 1050 mm x 1130 mm.	1500
118	Safeline	Safeline metal detector, model: signature, plastic belt, belt width: 300 mm, clearance: 360 mm x 160 mm, total dimensions: 1600 mm x 850 mm x 1150 mm.	1500



Nr	Title	Description	Start €
120	S+S Separation and Sorting Technology GmbH	S+S Separation and Sorting Technology GmbH mobile metal detector with rejector belt, type: Unicon+W, serial number: 11219008971-H, year of construction: 2012, 230/115 V, 50/60 Hz, 0.75/1.5 A, plastic belt, belt width: 550 mm, clearance: 600 mm x 100 mm, total dimensions: 1700 mm x 1100 mm x 1380 mm.	1500
121	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher, type: XE 3 DMS, number: 35006719, year of construction: 2016, maximum capacity: 2500 g, minimum capacity: 350 g, e= 2 g, d= 2 g, plastic belts, belt width: 280 mm, total dimensions: 1350 mm x 1200 mm x 1420 mm.	1750
122	Thermo Scientific	Thermo Scientific checkweigher with rejector, model: VersaWeigh, serial number: 8500, year of construction: 2010, 230 V, 50-60 Hz, minimum weight: 350 gram, maximum weight: 12000 gram, e=d= 5 gram, maximum speed: 1.2 m/s, plastic belt, belt width: 300 mm, total dimensions: 1250 mm x 1100 mm x 1550 mm. Including 2 additional screens.	1500
123	Ramon	Ramon mobile piston filler, model: 20, factory number: 1361, year of construction: 2012, 400 V, 50 Hz, 2.05 A, 0.75 kW, volume: 20 liter, dimensions: 550 mm x 500 mm x 1200 mm.	750
124	Markem Imaje	Markem Imaje laser coder fume extractor, model: ES400i, serial number: ES400i-312, year of construction: 03/2005, 200-240 V, 1 Ph, 50/60 Hz, dimensions: 720 mm x 450 mm x 770 mm.	500
125	NN slicer	s/s slicer, knife width: 410 mm, total dimensions: 1550 mm x 520 mm x 950 mm.	500
126	Urschel Laboratories, Inc.	Urschel Laboratories, Inc. vegetable slicer, model: CC, serial number: 3947, year of construction: 1999, infeed: Ø 220 mm, total dimensions: 1300 mm x 870 mm x 1920 mm.	7500
127	Automac S.P.A.	Automac S.P.A. mobile packaging machine, model: B.204, number: 3208, year of construction: 1998, 230 V, 2 Ph, 50 Hz, 1.95 kW, weight: 150 kg, string infeed belt, belt width: 330 mm, plastic outfeed belt, total dimensions: 1150 mm x 1050 mm x 1350 mm.	500
128	Thermo Scientific	Thermo Scientific checkweigher, model: VersaWeigh, type: VW-300, serial number: 7820, year of construction: 2008, 230 V, 50-60 Hz, minimum weight: 350 gram, maximum weight: 12000 gram, e=d= 5 gram, plastic belt, belt width: 290 mm, total dimensions: 1230 mm x 900 mm x 1550 mm. Technical condition unknown.	1500
129	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, type: S3, serial number: 330078, year of construction: 1999, 230 V, 50 Hz, maximum: 800 gram, minimum: 20 gram, e= 0.5 gram, plastic belt, belt width: 200 mm, total dimensions: 1200 mm x 750 mm x 1500 mm.	1500
130			1500



Nr	Title	Description	Start €
	Safeline / Mettler-Toledo	Safeline / Mettler-Toledo metal detector with rejector, head type: V48, head serial number: 142104851/10, model: SL2000, serial number: 10281401, year of construction: October 2016, 208-230 VAC, 1 Ph, 50/60 Hz, 10 A, plastic mesh belt, belt width: 455 mm, clearance: 500 mm x 170 mm, total dimensions: 2170 mm x 1050 mm x 1500 mm.	
131	Mettler Toledo / Safeline	Mettler Toledo / Safeline metal detector, serial number: 22931, year of construction: 03-1997, plastic wire belt, 8 wires, belt width: 155 mm, clearance: 250 mm x 75 mm, total dimensions: 900 mm x 350 mm x 1100 mm.	750
132	Zomerdam / Mesutronic	Zomerdam / Mesutronic metal detector with rejector, type metal detector head: MN 5.1 CI 250/100, serial number: 910928-CI, 100-240 V, 50/60 Hz, plastic belt, belt width: 200 mm, clearance: 250 mm x 70 mm, total dimensions: 1680 mm x 800 mm x 1050 mm.	750
133	LH Packaging	LH Packaging s/s turning table, type: Draaitafel, serial number: MP/18960/193340/02, year of construction: 2021, diameter top: 1100 mm, total dimensions: Ø 1140 mm x 710 mm.	1000
134	NN turning table	S/s turning table, s/s top, diameter top: 1200 mm, total dimensions: Ø 1270 mm x 850 mm.	1000
135	Zomerdam / Mesutronic	Zomerdam / Mesutronic metal detector with rejector, type: MN 5.1 CI 250/100, serial number: 910816-CI, year of construction: 2009, 100/240 V, 50/60 Hz, 50/300 mA, string belt and plastic belt, belt width: 265 mm, clearance: 500 mm x 107 mm, total dimensions: 850 mm x 1850 mm x 1100 mm.	750
136	Ishida	Ishida checkweigher, model: DACS-W-050-SB/SS-I-N(CTS), serial number: 557294, year of construction: 06/2007, 220 V, 1 Ph, 50 Hz, 3 A, weighing range: max 5000 gram, plastic belt, belt width: 370 mm, total dimensions: 1100 mm x 600 mm x 1900 mm.	1000
137	Mettler Toledo Garvens	Mettler-Toledo Garvens GmbH checkweigher with labeller, type checkweigher: PAS 3012, serial number: 17000505, year of construction: 2007, 230 V, 50 Hz, maximum: 7.5 kg, minimum: 0.020 kg, e=: 0.001 kg, d=: 0.001 kg, T=: 7.5 kg, plastic belt, belt width: (3x) 300 mm, total dimensions: 2250 mm x 850 mm x 730 mm.	1000
138	GGM Gastro International GmbH	GGM Gastro International GmbH bandsaw, model: KSH2400N, serial number: HL25KSH2400N23080003, 380 V, 3 Ph, 50 Hz, 4.1 A, 2.2 kW, dimensions table: 770 mm x 760 mm, total dimensions: 960 mm x 840 mm x 1740 mm.	500
139	Omega	Omega bandsaw, model: SI 320, number: 509, year of construction: 11/2004, 400 V, 50 Hz, 2.5 A, 1.8 kW, dimensions table: 680 mm x 680 mm, total dimensions: 740 mm x 730 mm x 1820 mm.	500
140	Sartorius	Sartorius checkweigher with rejector, type: EWK3010, number: BO-GC2038AP0027-001, year of construction:	1000



Nr	Title	Description	Start €
		2008, 230 V, 50 Hz, 700 vA, e=d= 0.2 gram, belt width: 300 mm, total dimensions: 1600 mm x 900 mm x 1700 mm. Missing belt.	
141	Espera	Espera checkweigher with rejector, model: ES-W5300, serial number: 8530000316, year of construction: 2019, 100/240 V, 50/60 Hz, maximum capacity: 3 kg, minimum capacity: 50 g, e=d= 1 g, plastic belts, belt width: 330 mm, total dimensions: 1500 mm x 1150 mm x 1500 mm.	4500
142	Loma Systems	Loma Systems mobile metal detector, model: IQ ² , serial number: DMC60564-03795D, year of construction: 2006, 380 V, 3 Ph, 50 Hz, 1.2 A, clearance: 350 mm x 130 mm, plastic mesh belt, belt width: 300 mm, total dimensions: 2000 mm x 830 mm x 1100 mm.	1500
143	NN turning table	S/s turning table, s/s top, diameter top: 1200 mm, total dimensions: 1320 mm x 1200 mm x 780 mm.	1000
144	NN turning table	S/s turning table, s/s top, diameter top: 1150 mm, total dimensions: Ø 1200 mm x 800 mm.	1000
145	Loma Systems	Loma Systems pipeline metal detector with rejector, model: DTL121135, serial number: 53537F, year of construction: 2013, 200 V, 60 Hz, 0.4 A, diameter pipe: 200 mm, total dimensions: 910 mm x 800 mm x 1950 mm.	1250
146	Sartorius	Sartorius checkweigher with rejector, type: EWK3010, number: BO-GC2038AP0026-001, year of construction: 2008, 230 V, 50 Hz, 700 vA, e=d= 0.2 gram, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 900 mm x 1700 mm.	1000
147	Urschel Laboratories, Inc.	Urschel Laboratories, Inc. mobile slicer, model: RA-A, serial number: 2595, year of construction: 2004, working width: 140 mm, 47 knives, distance between knives: 3 mm, total dimensions: 1050 mm x 1000 mm x 1800 mm.	7500
148	Myac	Myac mobile curing press, type: 650, machine number: 3002 636, year of construction: 1983, 380 V, 50 Hz, 0.75 kw, 6 bar, plastic belt, belt width: 650 mm, total dimensions: 1650 mm x 1000 mm x 1600 mm.	1250
149	Multivac	Pallet with Multivac labelling parts for thermoformer, type: MR233 & MR 4212, dimensions: 1200 mm x 1000 mm x 500 mm.	500
151	S.C.M.	S.C.M. boot cleaner, type: IFA01, serial number: 99102151, year of construction: 23-11-1999, brush length: (2x) 350 mm and 300 mm, total dimensions: 750 mm x 650 mm x 1210 mm.	350
152	Kern	Kern pallet weighing scale with indicator, type: UFN 1.5T0.SIPM, serial number: WF17007753, 12V, 500mA, maximum weight: 1500 kg, e= 0.5 kg, dimensions: 1200 mm x 840 mm x 100 mm.	250
153	FoodeQ Engineering	FoodeQ Engineering vibrating gutter, type: DTR300/1600, number: 2013-73-010, year of construction: 2013, gutter	750



Nr	Title	Description	Start €
		width: 300 mm, total dimensions: 1800 mm x 500 mm x 500 mm.	
154	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell rotary lobe pump, model: 180U2, serial number: 420827-06, dimensions: 1800 mm x 700 mm x 700 mm.	2000
155	BPI	BPI eccentric screw displacement pump, type: BPI 4DNL1, serial number: 2285181, year of construction: 2022, capacity: 1-2 m ³ per hour, dimensions: 1160 mm x 230 mm x 250 mm.	750
156	C.M.O. Pompe	C.M.O. Pompe positive displacement pump, model: MN 120-870/20, serial number: 8572/20, year of construction: 2020, weight: 240 kg, capacity: 250 liter per minute, dimensions: 2500 mm x 580 mm x 710 mm.	1500
157	Elpress	Elpress hand sanitizer with tourniquet, dimensions: 1400 mm x 900 mm x 1400 mm.	750
158	NN vibrating gutter	S/s infeed bunker with vibrating gutter, gutter width: 260 mm, clearance: 110 mm x 250 mm, inside dimensions: 550 mm x 550 mm x 350 mm, total dimensions: 950 mm x 650 mm x 900 mm. Including control cabinet.	750
159	NN vibrating gutter	S/s infeed bunker with vibrating gutter, gutter width: 260 mm, clearance: 110 mm x 250 mm, inside dimensions: 550 mm x 550 mm x 350 mm, total dimensions: 950 mm x 650 mm x 900 mm. Including control cabinet.	750
160	Nemo	Nemo progressive cavity pump, dimensions: 3570 mm x 500 mm x 570 mm.	1500
162	Landpack	Landpack pouch packaging machine, model: LDSP-210A, serial number: LP251018, year of construction: 2026, plastic wire belt, belt width: 47 mm, outfeed clearance: 240 mm x 200 mm, total dimensions: 2230 mm x 2000 mm x 1400 mm. Only used for tests.	10000
163	Mesutronic	Mesutronic mobile metal detector, type: MN 7.2 CI 450/350, serial number: 2310-CI, year of construction: 2024, 100-240 V, 50/60 Hz, 1.25 A, plastic mesh belt, belt width: 420 mm, clearance: 450 mm x 320 mm, total dimensions: 2150 mm x 900 mm x 1320 mm.	6500
164	NN curve conveyor	S-curve conveyor, plastic mesh belt, belt width: 100 mm, total dimensions: 3500 mm x 1400 mm x 1150 mm.	250
165	NN elevating belt	Elevating belt on s/s frame, plastic belt, belt width: 320 mm, elevating height: 450 mm, total dimensions: 1300 mm x 750 mm x 1250 mm.	500
166	AK Ramon	AK Ramon traysealer on s/s frame, model: TS-200 GF, serial number: 1161, year of construction: 2025, dye dimensions: (2x) 115 mm x 160 mm and 145 mm x 195 mm, machine dimensions: 550 mm x 520 mm x 500 mm, total dimensions: 1160 mm x 880 mm x 2300 mm. including extra dye set, film and trays.	1500
167	NN elevating belt		500



Nr	Title	Description	Start €
		Elevating belt on s/s frame, plastic belt, belt width: 200 mm, elevating height: 250 mm, total dimensions: 950 mm x 550 mm x 1060 mm.	
168	NN elevating belt	Mobile elevating belt with dividers on s/s frame, plastic belt, belt width: 380 mm, divider width: 320 mm, divider height: 30 mm, distance between dividers: 230 mm, elevating height: 750 mm, total dimensions: 1700 mm x 600 mm x 1000 mm.	500
169	Jures / Speck	Jures / Speck high pressure unit, type: P41/58-110, number: 190405, year of construction: 11/97, 400 V, 11.50 kW, P maximum: 110 bar, T maximum: 70°C, dimensions: 1300 mm x 900 mm x 1400 mm.	400
170	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 1000 mm x 1000 mm x 1170 mm.	1000
171	Van Rijn	Van Rijn roller conveyor, s/s frame, number: 290787, year of construction: 2019, plastic rollers, roller width: 230 mm, total dimensions: 3050 mm x 640 mm x 940 mm.	500
172	NN transport belt	Mobile transport belt on s/s frame, plastic belt, belt width: 500 mm, total dimensions: 3400 mm x 700 mm x 1120 mm.	1000
173	NN transport belt	Mobile transport belt on s/s frame, plastic mesh belt, belt width: 265 mm, total dimensions: 2200 mm x 600 mm x 830 mm.	1000
174	MACS	MACS s-shaped curve conveyor, type: CURVED CONVEYOR, machine number: 21090-51000, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 1.29 A, 0.55 kW, plastic mesh belt, belt width: 450 mm, total dimensions: 3600 mm x 850 mm x 1370 mm.	1000
175	Mesutronic	Mesutronic metal detector, type: MN 7.2 CI 300/250, serial number: 2024-2313-CI, year of construction: 2024, 100-240 V, 50/60 Hz, 1.25 A, plastic mesh belt, belt width: 280 mm, clearance: 300 mm x 220 mm, total dimensions: 2150 mm x 800 mm x 1250 mm.	5000
176	Landpack	Landpack powder filling machine, model: LF-PJ-OO, serial number: LP260128, year of construction: 2026, plastic belt, belt width: 85 mm, diameter outfeed: 30 mm, clearance: 485 mm x 315 mm, total dimensions: 2050 mm x 1330 mm x 2080 mm.	5000
177	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 390 mm, divider height: 50 mm, distance between dividers: 390 mm, elevating height: 1400 mm, total dimensions: 2300 mm x 750 mm x 1600 mm.	1000
179	Uni Food Technik	Uni Food Technik mobile elevating belt, serial number: 2016-2017, plastic belt, belt width: 700 mm, elevating height: 1300 mm, total dimensions: 1600 mm x 980 mm x 1300 mm.	500
180	Townsend	Townsend mobile elevating belt, model: B-42, serial number: B42011, year of construction: 2004, 480 V, 3 Ph, 60 Hz, plastic belt with dividers, belt width: 535 mm, divider	1500



Nr	Title	Description	Start €
		height: 50 mm, distance between dividers: 190 mm, elevating height: 2000 mm, total dimensions: 3100 mm x 960 mm x 2200 mm.	
181	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 295 mm, elevating height: 1000 mm, total dimensions: 3600 mm x 650 mm x 1050 mm.	1000
182	Sercon b.v.	Sercon b.v. mobile transport belt, serial number: 613, year of construction: 2001, 230/400 V, 3 Ph, 50 Hz, 0.18 kW, plastic belt, belt width: 600 mm, total dimensions: 3450 mm x 800 mm x 930 mm.	1000
183	Groba	Groba cheese cube distributor with infeed and outfeed belt: Infeed elevating belt, type: TB-304, L=1600-29°, number: 122698, year of construction: 2014, weight: 115 kg, plastic belt with dividers, belt width: 250 mm, dividers height: 35 mm, distance between dividers: 120 mm, elevating height: 1130 mm, elevating belt dimensions: 1470 mm x 670 mm x 1250 mm. Cube distributor, type: PM-625, number: 122698, year of construction: 2014, weight: 215 kg, infeed: Ø 485 mm, outfeed: Ø 400 mm, drum length: 1020 mm, cube distributor dimensions: 1620 mm x 600 mm x 1290 mm Outfeed elevating belt, type: TB-304, L=1600-38,5°, number: 122698, year of construction: 2014, machine weight: 150 kg, plastic belt with dividers, belt width: 250 mm, dividers height: 35 mm, distance between dividers: 115 mm, elevating height: 1250 mm, elevating belt dimensions: 1600 mm x 750 mm x 1380 mm, total dimensions: 2740 mm x 2300 mm x 1850 mm.	2500
184	Groba	Groba starch mixing tumbler, type: PM-800, order number: 110466, year of construction: 2005, weight: 300 kg, dimensions drum: Ø 800 mm x 1200 mm, total dimensions: 2060 mm x 1150 mm x 1530 mm. Including 2 fences, dimensions fences: (2x) 2180 mm x 440 mm x 1660 mm and s/s trolley for washing drums, dimensions trolley: 1200 mm x 820 mm x 830 mm.	1000
185	NN grater	Mobile double grater, infeed clearance: (2x) 720 mm x 340 mm, plastic outfeed belt, belt width: 450 mm, elevating height: 980 mm, total dimensions: 1370 mm x 2050 mm x 2300 mm.	7500
186	Feltracon	Feltracon transport belt, type: 53A, serial number: 140063-53A1, year of construction: 2014, 230/400 V, 0.37 kW, plastic belt, belt width: 625 mm, working width: 495 mm, total dimensions: 2700 mm x 1000 mm x 1100 mm.	1000
187	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 545 mm, total dimensions: 1150 mm x 700 mm x 300 mm.	350
188	Mesoma	Mesoma mobile elevating belt with dividers, type: transportband 13.05, serial number: 13,05-155, year of construction: 1998, plastic belt, belt width: 550 mm, divider width: 325 mm, divider height: 40 mm, distance between	1000



Nr	Title	Description	Start €
		dividers: 190 mm, elevating height: 1500 mm, total dimensions: 2750 mm x 1050 mm x 1840 mm.	
189	Marvu	Marvu 90° curve conveyor, s/s mesh belt, belt width: 1000 mm, total dimensions: 2600 mm x 1350 mm x 2100 mm.	2000
190	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 400 mm, distance between dividers: 250 mm, divider height: 100 mm, elevating height: 1800 mm, total dimensions: 3600 mm x 600 mm x 2000 mm.	1000
191	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 380 mm, elevating height: 1150 mm, total dimensions: 1940 mm x 500 mm x 1420 mm.	1000
192	NN elevating belt	Elevating belt, plastic belt, belt width: 380 mm, elevating height: 1500 mm, total dimensions: 5250 mm x 540 mm x 1700 mm.	1000
193	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 325 mm, elevating height: 1080 mm, total dimensions: 3650 mm x 550 mm x 1200 mm.	1000
194	NN curve conveyor	90° curve conveyor, plastic mesh belt, belt width: 250 mm, total dimensions: 1700 mm x 1100 mm x 930 mm.	1000
195	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 550 mm, total dimensions: 3000 mm x 750 mm x 470 mm.	1000
196	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 380 mm, total dimensions: 4400 mm x 550 mm x 2000 mm.	1000
197	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 790 mm, total dimensions: 3350 mm x 950 mm x 1050 mm.	1000
198	Hellings Machinebouw B.V.	Hellings Machinebouw B.V. 90° curve conveyor, year of construction: 2016, plastic mesh belt, belt width: 220 mm, total dimensions: 1600 mm x 1000 mm x 240 mm.	750
200	Hellings Machinebouw B.V.	Hellings Machinebouw B.V. elevating belt, year of construction: 2016, plastic belt, belt width: 250 mm, elevating height: 1320 mm, total dimensions: 3650 mm x 600 mm x 1650 mm.	1000
201	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 440 mm, total dimensions: 5140 mm x 580 mm x 1440 mm.	1000
202	NN transport belt	Transport belt, plastic belt, belt width: 790 mm, total dimensions: 4150 mm x 950 mm x 1150 mm.	1000
203	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1050 mm, total dimensions: 3500 mm x 570 mm x 1170 mm.	750
204	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 200 mm, total dimensions: 3500 mm x 580 mm x 950 mm.	1000
205	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 380 mm, elevating height: 930 mm, total dimensions: 2000 mm x 600 mm x 1150 mm.	1000
206	Technocean	Technocean elevating belt, type: Nastro di Uscita, serial number: 19-09, year of construction: 2008, s/s frame,	1000



Nr	Title	Description	Start €
		plastic belt, belt width: 500 mm, elevating height: 1000 mm, total dimensions: 3000 mm x 750 mm x 1200 mm.	
207	Metaalbewerking JDK	Metaalbewerking JDK shuttle conveyor, number: 2021.9848, year of construction: 2021, plastic belt, belt width: 500 mm, total dimensions: 2900 mm x 1050 mm x 500 mm.	1000
208	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 1300 mm x 650 mm x 1080 mm.	500
209	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 640 mm, total dimensions: 3500 mm x 720 mm x 800 mm.	350
210	Murre Techniek b.v.	Murre Techniek b.v. mobile elevating belt, model: 162140757, year of construction: 2016, machine weight: 390 kg, plastic belt, belt width: (1x) 590 mm, (1x) 340 mm, elevating height: 1400 mm, total dimensions: 2700 mm x 1230 mm x 1900 mm.	1500
211	NN transport belt	Transport belt, s/s frame, plastic belts, belt width: (2x) 120 mm, total dimensions: 1850 mm x 870 mm x 760 mm.	500
212	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 570 mm, total dimensions: 2000 mm x 1000 mm x 1000 mm.	750
213	Marvu	Marvu S-shaped curve conveyor, type: 324 / 10010240, serial number: 1, year of construction: 02/2016, 230/400 V, 50 Hz, 1/98/1.14 A, 0.37 kW, weight: 100 kg, plastic mesh belt, belt width: 300 mm, total dimensions: 2200 mm x 1000 mm x 950 mm.	1000
214	Multivac	Multivac mobile transport belt, number: 20109631, plastic mesh belt, belt width: 515 mm, total dimensions: 2000 mm x 550 mm x 720 mm.	1000
215	NN transport belt	S-shaped transport belt, plastic mesh belt, belt width: 250 mm, total dimensions: 2800 mm x 700 mm x 1140 mm.	1000
216	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 200 mm, total dimensions: 3000 mm x 450 mm x 900 mm.	1000
217	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 320 mm, total dimensions: 2650 mm x 400 mm x 1060 mm.	1000
218	Lensink	Lensink mobile transport belt with rejector, s/s frame, plastic belt, belt width: 153 mm, total dimensions: 3400 mm x 850 mm x 2000 mm.	1000
219	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: 255 mm, total dimensions: 3050 mm x 800 mm x 1600 mm.	1000
220	Groba	Groba mobile elevating belt, type: TB-504, year of construction: 2005, weight: 230 kg, plastic belt, belt width: 500 mm, elevating height: 1330 mm, total dimensions: 4000 mm x 770 mm x 1350 mm.	1000
221	Procon	Procon mobile elevating belt, serial: PT113X2, 250 W, plastic belt, belt width: 400 mm, elevating height: 1350 mm, total dimensions: 3300 mm x 600 mm x 1340 mm.	1000
222	Viscon	Viscon mobile transport belt, type: Vitra Bandtr. Serial number: 68419-470, year of construction: 2008, aluminum	1000



Nr	Title	Description	Start €
		frame, plastic belt, belt width: 500 mm, total dimensions: 3000 mm x 700 mm x 1000 mm.	
223	NN 90° curve conveyor	Mobile 90° curve conveyor, plastic mesh belt, belt width: 210 mm, total dimensions: 1550 mm x 1500 mm x 940 mm.	1000
224	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 390 mm, total dimensions: 2100 mm x 800 mm x 520 mm.	750
225	NN meat bin	S/s 200 liter meat bin, dimensions: 750 mm x 850 mm x 700 mm.	150
226	NN meat bin	S/s 200 liter meat bin, dimensions: 750 mm x 850 mm x 700 mm.	150
227	Jasa Packaging Solutions	Jasa Packaging Solutions in/outfeed module, model: SIM-1000 DRAAI UNIT, 400 V, 3 Ph, 16 A, 0.47 kW, 6 bar, plastic belts, belt width: (1x) 100 mm, (1x) 150 mm, total dimensions: 600 mm x 550 mm x 1550 mm.	750
228	NN roller conveyor	2 s/s roller conveyors, s/s rollers, roller width: 480 mm, dimensions: (2x) 2000 mm x 540 mm x 520 mm.	300
229	Blueprint Automation	Blueprint Automation elevating belt, plastic belt, belt width: 375 mm, elevating height: 900 mm, total dimensions: 1750 mm x 650 mm x 900 mm.	500
230	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 569, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 210 mm, foot control, total dimensions: 260 mm x 950 mm x 1000 mm.	500
231	Ilapak	Ilapak vertical bag form-, fill-, and seal machine, model: Vegatronc 2000 OF, serial number: 0741812003, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 17 A, filling pipe: Ø 125 mm, vertical seal length: 650 mm, horizontal seal length: 320 mm, film width: 470 mm, total dimensions: 2700 mm x 2300 mm x 2350 mm. Including extra filling pipe, dimensions: 650 mm x 650 mm x 1700 mm.	7500
232	Boldt Systems	Boldt Systems infeed bunker with outfeed belt, model: BFC5 24.12H, serial number: BFO 09-010.03, year of construction: 2009, inside dimensions: 3500 mm x 1100 mm x 800 mm, plastic belt, belt width: 490 mm, total dimensions: 4300 mm x 1700 mm x 2830 mm.	5000
233	Cabinplant	Cabinplant separation tumbler, type: SEPERATOR TROMLE, number: 8431, diameter drum: 350 mm, length: 1200 mm, Scanvaegt weighing scale with indicator, type: 411, max: 30 Kg, min: 0.2 Kg, e= 0.01 Kg, dimensions weighing scale: 400 mm x 300 mm, total dimensions: 1750 mm x 1250 mm x 2100 mm.	1500
234	Kawashima	Kawashima vertical bag form-, fill-, and seal machine, model: KBF-6122, serial number: 824, year of construction: 08/2001, film width: 370 mm, vertical seal length: 340 mm, horizontal seal length: 280 mm, total dimensions: 1700 mm x 1450 mm x 1810 mm. Including suction device, dimensions: 900 mm x 400 mm x 1400 mm.	1000
235	Safeline		1500



Nr	Title	Description	Start €
		Safeline mobile metal detector, type: R Series Profile, serial number: 101359, 100-240 V, 50/60 Hz, 340 W, plastic mesh belt with dividers, belt width: 330 mm, divider height: 15 mm, distance between dividers: 150 mm, elevating height: 840 mm, clearance: 350 mm x 140 mm, total dimensions: 5350 mm x 1050 mm x 1000 mm.	
236	Safeline	Safeline metal detector with curve elevating belt, type: R Series Profile, serial number: 93542, plastic mesh belt, belt width: 190 mm, clearance: 250 mm x 100 mm, total dimensions: 3070 mm x 1700 mm x 1020 mm.	1500
237	Servolift GmbH	Servolift GmbH lifter for barrels, type: mob. Fass-Hubsäule, serial number: 10905, year of construction: 2004, capacity: 160 kg, lifting height: 2300 mm, total dimensions: 1850 mm x 800 mm x 2300 mm.	1000
238	Youngsunpack	Youngsunpack pallet wrapper, type: MHFG2000B, serial number: E114811, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 1250 W, diameter platform: 1640 mm, total dimensions: 3000 mm x 1650 mm x 2780 mm.	750
239	Jansen Techniek	Jansen Techniek checkweigher with rejector, model: checkweigher, type: reject, year of construction: 2018, plastic mesh belt, belt width: 250 mm, clearance: 260 mm x 285 mm, plastic rollers, roller width: 315 mm, total dimensions: 1300 mm x 2550 mm x 1500 mm.	1500
240	Meiwa	Meiwa pallet wrapper, type: WP1 EVC, serial number: E0701347, year of construction: 11/2007, 220 V, 60 Hz, 1000 W, steel platform, diameter platform: 1650 mm, total dimensions: 2650 mm x 1650 mm x 2820 mm.	750
241	Safeline	Safeline metal detector on 90° curved conveyor, type: V4-RAD, serial number: 103647, 100-240 V, 50/60 Hz, 340 W, plastic mesh belt, belt width: 190 mm, clearance: 255 mm x 130 mm, total dimensions: 2050 mm x 1700 mm x 1000 mm.	1500
242	Anritsu	Anritsu checkweigher and metal detector with rejectors, type checkweigher: KW5417BP5D, serial number: 4600173649, year of construction: 2012, 100-120 / 200-240 Vac, 1 Ph, 50/60 Hz, maximum weight: 1500 / 3000 gram, minimum weight: 20 gram, e=d= 0.5 / 1 gram, T = -1500 / -3000 gram, type metal detector: KD1125AW, serial number: 4600162333, plastic belt, belt width: 350 mm, clearance: 450 mm x 130 mm, total dimensions: 2250 mm x 1450 mm x 1550 mm. Curve conveyor shown in video is not included.	2500
243	NN mixing tank	S/s mixing tank, tank outside dimensions: Ø 950 mm x 1300 mm, total dimensions: 1100 mm x 950 mm x 2400 mm.	1000
244	NN elevating belt	Elevating belt with dividers, plastic belt, belt width: 750 mm, divider width: 650 mm, divider height: 100 mm, distance between dividers: 250 mm, infeed height: 1250	1250



Nr	Title	Description	Start €
		mm, outfeed height: 3250 mm, total dimensions: 4750 mm x 1500 mm x 3650 mm. Rollers not included.	
245	Innotech GmbH / Rovema	Innotech GmbH / Rovema vertical bag form-, fill- and seal machine, type: 2500 REVO, serial number: 1.32.17.1252, year of construction: 2017, 230-400 V, 3 Ph, 50 Hz, 25 A, film width: 510 mm, diameter pipe: 130 mm, vertical seal length: 370 mm, horizontal seal length: 280 mm, total dimensions: 2400 mm x 1450 mm x 1970 mm. Including extra filling pipe.	15000
246	Innotech GmbH	Innotech GmbH vertical bag forming, filling and sealing machine, 230/400 V, 3 Ph, 25 A, 6 bar, weight: 1210 kg, film width: 680 mm, dimensions infeed: 180 mm x 130 mm, vertical seal length: 350 mm, horizontal seal length: 400 mm, total dimensions: 3000 mm x 1600 mm x 2450 mm. Incomplete, technical condition unknown.	15000
247	Uva-Butler	Uva-Butler vertical form-, fill-, and seal machine, type: BUT.2-230, machine number: 98518, year of construction: 1998, 400 V, 50 Hz, diameter filling pipe: 120 mm, vertical seal length: 600 mm, horizontal seal length: 370 mm, film width: 380 mm, total dimensions: 1970 mm x 1500 mm x 1910 mm.	1250
248	Elpress	Elpress hand sanitizer with tourniquet, dimensions: 1150 mm x 750 mm x 850 mm.	500
249	Bakon Food Equipment B.V.	Bakon Food Equipment B.V. mobile depositor, model: BD3, serial number: 3-70-03-18-068, year of construction: 2018, diameter output: 20 mm, total dimensions: 1300 mm x 600 mm x 1650 mm.	750
250	Zomerdam	Zomerdam metal detecting head, type: MN 5.1 CI 300/150, serial number: 910208 CI, 100-240 V, 50/60 Hz, 50-300 mA, clearance: 300 mm x 150 mm, total dimensions: 750 mm x 260 mm x 400 mm.	250
251	Markem	Markem smart date printer for vertical bag form-, fill- and seal machine, type: Smartdate 2, serial number: COB 6621, year of construction: 1996, 115/230 V, 1 Ph, 50/60 Hz, dimensions: 1100 mm x 350 mm x 350 m.	350
252	Multivac	Multivac mobile labelling machine with side labeller, type: MR313, machine number: 159009, year of construction: 2012, 230 V, 50 Hz, plastic belt, belt width: 200 mm, total dimensions: 1500 mm x 1200 mm x 1850 mm.	1500
253	Loma Systems	Loma Systems metal detector head, model: IQ ² , serial number: M005 EU-012280, year of construction: 06/06/2005, 85-265 V, 50-60 Hz, clearance: 500 mm x 200 mm, total dimensions: 960 mm x 400 mm x 420 mm.	250
254	OCS	3 OCS metal detector heads, type: (3x) Metron 2.2 0 450/250, clearance: (3x) 450 mm x 250 mm, total dimensions: (3x) 850 mm x 350 mm x 520 mm.	750
255	Handtmann	Pallet with various Handtmann parts, dimensions: 1200 mm x 800 mm x 400 mm.	1500



Nr	Title	Description	Start €
256	Busch	Busch vacuum pump, type: RD 0200 A 5H1, serial number: DEM124140051, year of construction: 2024, capacity: 160 m ³ per hour, dimensions: 800 mm x 600 mm x 430 mm.	1500
257	Busch	Busch vacuum pump, type: RA 0100 F 4R3, serial number: DEM124420872, year of construction: 2024, capacity: 100 m ³ per hour, dimensions: 700 mm x 400 mm x 290 mm.	1000
258	Busch	Busch vacuum pump, type: RA 0400 B 461 DUBI, number: C9937000579, capacity: 400 m ³ per hour, dimensions: 1300 mm x 850 mm x 1400 mm.	500
259	Busch	Busch vacuum pump, type: RA 0040 F 4R3, serial number: DEM125350351, year of construction: 2026, capacity: 40 m ³ per hour, dimensions: 630 mm x 300 mm x 270 mm. Never used.	1500
260	Soco System	Soco System box closing machine, type: T-400, serial number: 170-2007, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 3 A, working width: 400 mm, total dimensions: 1500 mm x 850 mm x 1800 mm.	1500
261	Soco System	Soco System box closing machine, type: T-55, serial number: 233-91, year of construction: 1990, 380 V, 3 Ph, working width: 500 mm, total dimensions: 1500 mm x 850 mm x 1450 mm.	1500
262	Busch	Busch vacuum pump, type: RD 0360 A 5H3, serial number: CHM126080191, year of construction: 2026, capacity: 300 m ³ /h, dimensions: 950 mm x 650 mm x 420 mm.	2750
263	Busch	Busch vacuum pump, type: RD 0360 A 5H3, serial number: CHM126080194, year of construction: 2026, capacity: 300 m ³ /h, dimensions: 950 mm x 650 mm x 420 mm.	2750
264	Busch	Busch vacuum pump, type: RA 0100 F 4R3, serial number: DEM124420871, year of construction: 2024, capacity: 100 m ³ per hour, dimensions: 700 mm x 400 mm x 290 mm.	1000
265	NN mixer	Mixer, dimensions: 1300 mm x 1020 mm x 220 mm.	200
266	Kersting	Kersting 90° curved elevating belt on s/s frame, type: FB Kurve 90°, serial number: 44333, year of construction: 2017, 400 V, 50 Hz, plastic mesh belt, belt width: 250 mm, infeed height: 900 mm, outfeed height: 1500 mm, total dimensions: 2100 mm x 1200 mm x 1550 mm.	500
267	Busch	Busch vacuum pump, type: KB 0016 E 3Z0 MMZX, serial number: CZM124250673, year of construction: 2024, capacity: 19 m ³ /h, dimensions: 300 mm x 220 mm x 200 mm.	500
268	Busch	Busch vacuum pump, type: KB 0016 E 3Z0 MMZX, serial number: CZM124250674, year of construction: 2024, capacity: 19 m ³ /h, dimensions: 300 mm x 220 mm x 200 mm.	500
269	Busch	Busch vacuum pump, type: KB 0016 E 3Z0 MMZX, serial number: CZM124260345, year of construction: 2024, capacity: 19 m ³ /h, dimensions: 300 mm x 220 mm x 200 mm.	500



Nr	Title	Description	Start €
270	Busch	Busch vacuum pump, type: KB 0016 E 3Z0, serial number: CZM124130040, year of construction: 2024, capacity: 19 m ³ /h, dimensions: 290 mm x 220 mm x 200 mm.	500
271	Busch	Busch vacuum pump, type: KB 0016 E 3Z0, serial number: CZM124130037, year of construction: 2024, capacity: 19 m ³ per hour, dimensions: 290 mm x 220 mm x 200 mm.	500
272	CV Valentin	Box with CV Valentin barcode printer for packaging machines, type: Dynacode 53-12, serial number: 12580926, 110-230 V, 50-60 Hz, 3/1.5 A, dimensions: 600 mm x 450 mm x 350 mm.	250
273	Busch	Busch vacuum pump, type: RD 0360 A 5H3, serial number: CHM125240140, year of construction: 2025, capacity: 300 m ³ /h, weight: 250 kg, dimensions: 920 mm x 600 mm x 450 mm.	2750
274	Sondermeier	Sondermeier electromotor, type: MKG-428 S02 F6B-9, 400 V, 50 Hz, 134 A, 75 kW, dimensions: 1050 mm x 500 mm x 760 mm.	1000
275	Busch	Busch vacuum pump, type: RA 0040 F 5R3, serial number: DEM124430384, year of construction: 2024, capacity: 40 m ³ per hour, dimensions: 620 mm x 270 mm x 260 mm.	750
276	Busch	Busch vacuum pump, type: RA 0100 F 4R3, serial number: DEM124420873, year of construction: 2024, capacity: 100 m ³ per hour, dimensions: 700 mm x 400 mm x 290 mm.	1000
277	Becker	Becker vacuum pump, type: VT 4.40, number: A 2619468, year of construction: 2012, 50/60 Hz, capacity: 40/48 m ³ per hour, dimensions: 570 mm x 270 mm x 300 mm.	500
278	Becker	Becker vacuum pump, type: VT 3.40, number: F 1258056, year of construction: 2013, capacity: 40 m ³ per hour, dimensions: 500 mm x 230 mm x 360 mm.	500
279	Busch	Busch vacuum pump, type: RD 0200 A 5H1, serial number: DEM124140049, year of construction: 2024, capacity: 160 m ³ per hour, dimensions: 800 mm x 600 mm x 430 mm.	2500
280	Busch	Busch vacuum pump, type: RD 0200 A 5H1, serial number: DEM124140050, year of construction: 2024, capacity: 160 m ³ per hour, dimensions: 800 mm x 600 mm x 430 mm.	2500
281	Busch	Busch vacuum pump, type: RA 0100 F 503, serial number: 080039633, year of construction: 2008, capacity: 100 m ³ per hour, dimensions: 700 mm x 400 mm x 700 mm.	500
282	Powerpac	Box with Powerpac labelling unit, model: N31HRLK-LNK-NS-02, dimensions: 1050 mm x 680 mm x 450 mm.	250
283	Berger Lahr	Box with Berger Lahr labelling machine, dimensions: 680 mm x 680 mm x 400 mm.	250
284	Berger Lahr	Box with Berger Lahr labelling machine, dimensions: 680 mm x 680 mm x 400 mm.	250
285	Gardner Denver	Gardner Denver vacuum pump, type: VLR 100 (01), 2.20 kW, capacity: 100 m ³ per hour, dimensions: 700 mm x 530 mm x 610 mm.	350



Nr	Title	Description	Start €
286	Becker	Becker vacuum pump, type: VX4.25, number: C3242918, year of construction: 2018, capacity: 25 / 30 m ³ per hour, dimensions: 500 mm x 240 mm x 280 mm.	500
287	Becker	Becker vacuum pump, type: VT4.40, number: C3142583, year of construction: 2017, capacity: 40 / 48 m ³ per hour, dimensions: 500 mm x 240 mm x 280 mm.	500
288	N&N Nadratowski sp.j.	N&N Nadratowski sp.j. lifter for 200 liter meat bins, dimensions: 800 mm x 800 mm x 2650 mm.	4500
289	CSF	CSF progressive cavity pump, type: MAE 50-2, AART32, serial number: MO42703, dimensions: 1350 mm x 300 mm x 320 mm.	1000
290	CSF	CSF progressive cavity pump, type: MAN 50-2, AA.NT32, serial number: M03849, dimensions: 1650 mm x 300 mm x 350 mm.	1000
292	CSF	CSF progressive cavity pump, dimensions: 1650 mm x 300 mm x 350 mm.	1000
293	CSF	CSF progressive cavity pump, type: MAN 80-2/AA.ST32, serial number: 27601, dimensions: 2600 mm x 400 mm x 500 mm.	1000
294	CSF	CSF pump, dimensions: 2600 mm x 400 mm x 500 mm.	1000
295	MAI	MAI bandsaw, type: 636 A/links, serial number: 3101139495, 400 V, 3 Ph, 50 Hz, 3.6 A, 1.5 kW, table dimensions: 780 mm x 700 mm, total dimensions: 780 mm x 700 mm x 1670 mm.	500
296	UNI-FOOD TECHNIC A/S	UNI-FOOD TECHNIC mobile depositor, s/s frame, s/s mesh belt, belt width: 710 mm, total dimensions: 1900 mm x 1300 mm x 2040 mm.	2500
297	M.Engler	M.Engler destemmer, type: SUPRA E10, serial number: 366, year of construction: 05/1976, roller width: 15 mm, working width: 700 mm, total dimensions: 2450 mm x 1300 mm x 1950 mm.	500
298	Femia	Femia rotary drum sizer for green beans, type: T40E, serial number: 441, year of construction: 2002, inside dimensions drum: Ø 500 mm x 850 mm, total dimensions: 2250 mm x 1000 mm x 2000 mm.	500
299	Femia	Femia tare remover for green peas, working width: 300 mm, sieve perforations: Ø 10 mm each, total dimensions: 2550 mm x 950 mm x 1820 mm.	500
300	Ambaflex	Ambaflex spiral elevating conveyor, type: Spiralveyor SV, serial number: 11049-01, year of construction: 2011, plastic belt, belt width: 300 mm, infeed height: 1000 mm, outfeed height: 5400 mm, total dimensions: Ø 1400 mm x 5700 mm.	2000
301	M.Engler	M.Engler destemmer, roller width: 15 mm, working width: 700 mm, total dimensions: 2450 mm x 1300 mm x 1950 mm.	500
302	Femia	Femia rotary drum separator for green beans, type: E60E, serial number: 1088, year of construction: 2002, inside	500



Nr	Title	Description	Start €
		dimensions drum: Ø 500 mm x 1800 mm, total dimensions: 3100 mm x 1300 mm x 1800 mm.	
303	FTNON	FTNON decorer, serial number: 43G0111000, year of construction: 2018, plastic belt with dividers, belt width: (4x) 200 mm / (1x) 300 mm, divider width: 70 mm, divider height: 15 mm, distance between dividers: 100 mm, clearance: 230 mm x 320 mm, total dimensions: 2300 mm x 4300 mm x 2500 mm. Including pallet with various belts, dimensions: 1200 mm x 800 mm x 750 mm.	7500
304	Elpress	Elpress s/s sink with 3 faucets, type: 83207030, 230 V, 50 Hz, dimensions: 1475 mm x 550 mm x 670 mm.	500
305	UNI-FOOD TECHNIC A/S	UNI-FOOD TECHNIC mobile depositor, s/s frame, type: DS 2000, serial number: 4025, year of construction: 2018, s/s mesh belt, belt width: 710 mm, total dimensions: 1900 mm x 1530 mm x 2040 mm.	3500
306	KEY Technology BV	KEY Technology BV mobile vibrating gutter, type: MVEF D, serial number: 4208395, year of construction: 2006, s/s frame, gutter width: 900 mm, outfeed clearance: 390 mm, total dimensions: 1800 mm x 950 mm x 1020 mm.	1500
307	NN vibrating gutter	S/s vibrating gutter, gutter width: 1550 mm, total dimensions: 2450 mm x 1650 mm x 2100 mm.	2500
308	Pulsarr	Pulsarr vibrating gutter, type: RX 1020-4C, serial number: 146-2048-4, year of construction: 1996, gutter width: 770 mm, outfeed gutter width: 420 mm, total dimensions: 2550 mm x 1550 mm x 1840 mm.	2500
309	Alfa Laval	Alfa Laval separator, type: LAPX404TGP-61G/CG, serial number: 4275999, year of construction: 2021, 400-460 V, 3 Ph, 50-60 Hz, dimensions: 1850 mm x 850 mm x 1960 mm.	8500
310	Alfa Laval	Alfa Laval separator, type: PX 810-HGV-74C, serial number: 4253575, year of construction: 2017, 50 Hz, 18.5 kW, dimensions: 2650 mm x 1300 mm x 2050 mm. Including 3 crates parts and air filter unit.	20000
311	Unikon	Unikon washer for pallet boxes, type: Modular washer, serial number: 1704018, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 75 A, weight: 4200 kg, chain belt, belt width: 470 mm, clearance: 1020 mm x 930 mm, total dimensions: 14600 mm x 3100 mm x 3550 mm.	7500
312	NN tray filling and closing machine	Tray filling and closing machine, chain conveyor with dividers, divider height: 20 mm, distance between dividers: 410 mm, dye: Ø 220 mm, total dimensions: 6200 mm x 1000 mm x 2300 mm.	2500
313	Numafa	Numafa crate dryer, type: P 3.02 V.CENT, serial number: 19.60.566700, year of construction: 2019, plastic mesh belt, belt width: 450 mm, total dimensions: 5000 mm x 1000 mm x 2700 mm.	2500
314	NN tray filling and closing machine	Tray filling and closing machine, chain conveyor with dividers, divider height: 20 mm, distance between dividers:	2500



Nr	Title	Description	Start €
		410 mm, dye: Ø 200 mm, total dimensions: 6200 mm x 1000 mm x 2300 mm.	
315	NN dewatering belt	S/s dewatering belt, type: ontwater.band, serial number: 24139, year of construction: 1994, 380 V, s/s mesh belt, belt width: 1300 mm, working width: 1000 mm, outfeed: Ø 270 mm, total dimensions: 3500 mm x 1600 mm x 1630 mm.	1500
316	Numafa	Numafa crate dryer, type: P 2.0.2.1 MB, serial number: 19.60.553.100, year of construction: 2019, plastic mesh belt, belt width: 450 mm, total dimensions: 5000 mm x 1000 mm x 2700 mm.	2500
317	Kiremko	Kiremko elevating belt, number: 06-1086-BA, plastic belt, belt width: 400 mm, elevating height: 1720 mm, total dimensions: 3950 mm x 700 mm x 1850 mm.	1000
319	NN elevating screw	S/s mobile elevating screw, diameter screw: 450 mm, tier: 300 mm, elevating height: 900 mm, total dimensions: 2600 mm x 650 mm x 1880 mm.	1500
320	Diessel	Diessel s/s mixing tank, inside dimensions: Ø 1200 mm x 1000 mm, total dimensions: Ø 1300 mm x 2000 mm.	1000
321	KSB	KSB centrifugal pump, type: Sewatec E 150-401GH, year of construction: 2021, Q: 50.35 m³/h, dimensions: 1500 mm x 980 mm x 1290 mm.	1250
322	KSB	KSB centrifugal pump, year of construction: 2022, dimensions: 1100 mm x 980 mm x 1290 mm.	1250
323	Thyssen	2 Thyssen tanks, capacity: 1.000 liter, total dimensions: (2x) 1200 mm x 1200 mm x 1350 mm.	1250
324	Thyssen	2 Thyssen tanks, capacity: 1.000 liter, total dimensions: (2x) 1200 mm x 1200 mm x 1350 mm.	1250
325	Thyssen	4 Thyssen tanks, capacity: 1.000 liter, total dimensions: (4x) 1200 mm x 1200 mm x 1350 mm.	2500
326	Thyssen	12 Thyssen tanks, capacity: 1.000 liter, total dimensions: (12x) 1200 mm x 1200 mm x 1350 mm.	7500
327	NN elevating screw	S/s elevating screw, screw diameter: 580 mm, elevating height: 7100 mm, total dimensions: 8500 mm x 1200 mm x 1300 mm.	2500
328	Burg's Machinefabriek	Burg's Machinefabriek elevating belt, s/s frame, electric driven plastic rollers, roller width: 750 mm, elevating height: 1720 mm, total dimensions: 2000 mm x 1900 mm x 1800 mm. Including roller conveyor, plastic rollers, roller width: 700 mm x total dimensions: 2200 mm x 800 mm x 880 mm.	500
329	KEY Technology BV	KEY Technology BV double s/s vibrating infeed bunker, type: MVDTV, serial number: 106290 / 106024, year of construction: 2013, weight: 1753 kg, gutter width: 1950 mm, working width: 1600 mm, 2650 mm x 2300 mm x 2200 mm.	3000
330	KEY Technology BV	KEY Technology BV s/s vibrating infeed bunker, type: MVE and MVTs, serial number: 4312430, year of construction: 2013, weight: 2976 kg, gutter width: (2x) 2150 mm, working width: (2x) 1600 mm, 3600 mm x 2350 mm x 2200 mm.	3000



Nr	Title	Description	Start €
		Including pallet with parts, dimensions: 1200 mm x 800 mm x 500 mm.	
331	NN vibrating gutter	S/s vibrating gutter, gutter width: 1950 mm, total dimensions: 4000 mm x 2400 mm x 1900 mm.	3000
332	Innotech GmbH	Innotech GmbH vertical bag forming, filling and sealing machine, type: 2500 Revo, serial number: 1.32.18.1338, year of construction: 2019, 230-400 V, 3 Ph, 50 Hz, 25 A, weight: 720 kg, diameter filling pipe: Ø 125 mm, film width: 470 mm, seal length: 280 mm, total dimensions: 1400 mm x 2300 mm x 2100 mm.	15000
333	NN vibrating gutter	s/s vibrating gutter, gutter width: 720 mm, total dimensions: 2200 mm x 1100 mm x 1350 mm.	1500
334	Tivadar Apparatebau	Tivadar Apparatebau tubular heat exchanger used for Palm Oil, type: NEU 900/4800 - 2 Passes, serial number: 21-151, year of construction: 2022, volume: 1680 liters, weight: 6510 kg, steam heated, dimensions: 6500 mm x 1300 mm x 1750 mm.	5000
335	Pulsarr	Pulsarr optical sorting machine, type: MIRA-D1600, serial number: LMD016 / ALG-5, year of construction: 2003, plastic belt, belt width: 1700 mm, total dimensions: 4650 mm x 2650 mm x 2750 mm.	5000
336	Pulsarr	Pulsarr optical sorting machine, type: MIRA-S 1600, serial number: LMS017, year of construction: 04-2005, 400 V, 50 Hz, 12.5 A, 5.5 kW, plastic belt, belt width: 1700 mm, total dimensions: 4200 mm x 2600 mm x 3100 mm. Including pallet with part, dimensions: 1900 mm x 1100 mm x 500 mm.	5000
337	NN elevating screw	Mobile elevating screw, inside dimensions infeed: Ø 900 mm x 550 mm, diameter screw: 115 mm, outfeed height: 2170 mm, total dimensions: 2600 mm x 1000 mm x 2480 mm.	1000
338	NN dosing machine	S/s dosing machine, output diameter: 60 mm, total dimensions: 900 mm x 1250 mm x 2420 mm.	1000
339	FoodeQ Engineering	FoodeQ Engineering vibrating gutter, type: Vibratory Conveyor, type: VCO-DSB100-490, serial number: 23232-040 / SW-0057180, year of construction: 2024, gutter width: 1000 mm, total dimensions: 5750 mm x 1600 mm x 1300 mm. Including 2 pallets with parts, dimensions: (2x) 1200 mm x 800 mm x 750 mm.	2500
340	Boldt	Boldt lifter for pallet boxes, type: BFOD 750S, serial number: 09.019.03, year of construction: 2009, outfeed height: 2650 mm, total dimensions: 2450 mm x 1700 mm x 4700 mm	2000
341	NN transport screw	S/s transport screw, screw diameter: 600 mm, screw length: 6260 mm, total dimensions: 7170 mm x 750 mm x 1350 mm.	1500
342	Robbe Industries / FoodeQ	Seed filling line consisting of: FoodeQ infeed vibrating gutter Robbe Industries bag filling machine OK sealer bag sealing machine product delivery involves unloading big bags into a	15000



Nr	Title	Description	Start €
		dust-free tipping hopper Steel platform with air treatment system. (Air outlet not included)	
343	Kiremko	Kiremko elevating screw, type: S-GRSF, serial number: 18-1048-AA, year of construction: 2013, 400 V, 3 Ph, 50 Hz, screw diameter: 600 mm, tier: 310 mm, total dimensions: 6500 mm x 2450 mm x 3100 mm.	2500
344	Reepack	Reepack traysealer, model: REEFLEX, serial number: 0403004, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 21 A, dye dimensions: (3x) 140 mm x 110 mm, total dimensions: 3000 mm x 850 mm x 1550 mm.	1750
345	MCR Machinery	MCR Machinery tilting device for pallet boxes, type: KANTELAAR, serial number: 210347-01, year of construction: 2021, tilting height: 1500 mm, total dimensions: 2500 mm x 2400 mm x 2500 mm. The lot has already been professionally dismantled and stored.	4500
346	MCR Machinery	MCR Machinery slicer, type: SNIJBAND, serial number: 210347-03, year of construction: 2021, plastic belt with dividers, belt width: 530 mm, divider height: 50 mm, distance between dividers: 100 mm, distance between knives: 70 mm, total dimensions: 2800 mm x 1000 mm x 1600 mm. The lot has already been professionally dismantled and stored.	9500
347	NN destoner	Destoner, elevating height: 2000 mm, total dimensions: 1750 mm x 900 mm x 2500 mm. The lot has already been professionally dismantled and stored.	2250
348	Manifix s.l.	Manifix s.l. peeler, type: PELADORA, model: PP-1, fabrication number: 17047, year of construction: 2017, 230/415 V, 3 Ph, 50 Hz, 3.2 A, 1.1 kW, dimensions: 800 mm x 1000 mm x 1950 mm. The lot has already been professionally dismantled and stored.	4000
349	NN elevating belt	Elevating belt with infeed bunker, plastic belt with dividers, belt width: 160 mm, divider height: 200 mm, distance between dividers: 800 mm, elevating height: 1600 mm, total dimensions: 2500 mm x 1500 mm x 2100 mm. The lot has already been professionally dismantled and stored.	1500
350	Manifix s.l.	Manifix s.l. drum slicer, type: CORTADORA, model: MFX, fabrication number: 17049, year of construction: 2017, 230/415 V, 3 Ph, 50 Hz, 3.6 A, 1.1 kW, plastic mesh belt, belt width: 480 mm, total dimensions: 1500 mm x 700 mm x 2200 mm. The lot has already been professionally dismantled and stored.	5000
351	NN vacuum frying installation	Vacuum frying installation consisting of high vacuum fryer, dimensions: 1500 mm x 1500 mm x 2500 mm, s/s oil tank, dimensions: ø 800 mm x 2350 mm, tubular heat exchangers, dimensions: 2600 mm x 800 mm x 1900 mm and s/s frame with 2 vacuum pumps, dimensions: 900 mm x 800 mm x 1500 mm. The lot has already been professionally	25000



Nr	Title	Description	Start €
		dismantled and stored. The capacity of the fryer is 25-30kg end product (appr. 150kg fresh input) p/h.	
352	Daikin Europe N.V.	Daikin Europe N.V. chiller, model: EWAD140E-SS012, serial number: OV13-00566/10/1, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 133 A, refrigerant: R134a/23 kg, weight: 1901 kg, dimensions: 2500 mm x 1400 mm x 1950 mm. The lot has already been professionally dismantled and stored.	5000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal black lines, resembling notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a full page of white paper with horizontal black lines, resembling notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

