



**Industrial
Auctions**

2301: Online auction bakery machinery in Wielun (PL)

END DATE

08 October 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	08 October 2026 from 14:00 hrs.
Viewing days	01 October 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	23% over the highest bid including premium
Pick up days	14 October 2026 from 09:00 till 16:00 hrs.
Pick up address	Aleja Tadeusz Kosciuszki 5 98-300 Wielun Poland
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Dominioni	Dominioni pasta dough extruder, model: P55R, serial number: 8555, year of construction: 2005, 400 V, 2 kW, 2 mixing tubs, inside dimensions: 415 mm x 255 mm x 350 mm and 430 mm x 250 mm x 370 mm, total dimensions: 1000 mm x 750 mm x 1800 mm.	2000
2	WP Kemper	WP Kemper dough divider and rounder, model: SoftStar 8, serial number: KEM-0006655, year of construction: 03/2016, 400 V, 3 ph, 50 Hz, 11 kW, total dimensions: 3900 mm x 1700 mm x 2250 mm.	7500
3	Artech GmbH	Artech GmbH grinding machine for seeds, model: WD-3001, serial number: 922000.073, year of construction: 2012, 400 V, 50 Hz, 3.65 A, 1.5 kW, roller width: 295 mm, knife length: 300 mm, total dimensions: 750 mm x 600 mm x 1400 mm.	2000
4	Digi/Tereoka Seiko Co. LTD	Digi/Tereoka Seiko Co. LTD weigh-, wrap- and label machine, model: AW-4600FX, serial number: 15176216, year of construction: 2015, 380/400/415/440 V ; 208/240 V, 3~, 50/60 Hz, 0.9 kW, dimensions: 850 mm x 950 mm x 1400 mm.	1250
5	Kallfass Verpackungsmaschinen	Kallfass Verpackungsmaschinen automatic side sealer, type: UNIVERSA 500, machine number: M 08.13.1039, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 5.1 A, plastic belt, belt width: 400 mm, film width: 600 mm, seal length: 510 mm, total dimensions: 1900 mm x 1600 mm x 1500 mm.	4000
6	Bakon Food Equipment B.V.	Bakon Food Equipment B.V. mobile depositor, serial number: 14057, year of construction: 2004, 3x400 VAC, 50 Hz, 3.0 kW. Including mobile transport belt with plastic wire belt and s/s mesh belt, belt width: 600 mm.	1500
7	Bakon Food Equipment B.V.	Bakon Food Equipment B.V. mobile depositor, serial number: 21006, year of construction: 2011, 400 VAC, 50 Hz, 2.5 kW. Including mobile transport belt, belt width: (2x) 115 mm, total dimensions: 1800 mm x 1150 mm x 1000 mm.	2000
8	Gebr. Dedy	Gebr. Dedy chocolate enrober, serial number: 871045, 220/380 V, 3 Ph, 50 Hz, 2500 W, s/s mesh belt, belt width: 250 mm, total dimensions: 2550 mm x 650 mm x 1250 mm.	1250
9	Machpro	Machpro loader, model: MP-L300, PIN: SLP20250223022, year of construction: 2025.07, 58 HP, operating mass: 2000 kg, total dimensions: 1600 mm x 5100 mm x 2350 mm.	5000
10	Jenton ariana	Jenton ariana inliner, serial number: 3791-3791, year of construction: 2016, plastic belts, belt width: (3x) 125 mm, (2x) 100 mm, (1x) 570 mm, total dimensions: 1800 mm x 800 mm x 1350 mm.	950



Nr	Title	Description	Start €
11	Citrocasa	Citrocasa mobile juicer, model: 7000SB, serial number: 50.462, year of construction: 2011, 230 V, 50/60 Hz, 0.15 kW, weight: 59 kg, dimensions: 500 mm x 500 mm x 1650 mm.	750
12	Diosna	Diosna mobile spiral mixer, type: SP 160 D, serial number: 7811-902, 380 V, 3 Ph, 50 Hz, 20 A, volume: 160 liters, s/s bowl, bowl dimensions: Ø 830 mm x 500 mm, total dimensions: 1300 mm x 950 mm x 1350 mm.	1250
13	Taylor Crown	Taylor Crown mobile soft ice cream machine, model: Crown PH90-58, serial number: K0093882, year of construction: 2000, 220-240/380-415 V, 3 Ph, 50 Hz, 10.1 kW, refrigerant: R404A, dimensions: 1000 mm x 700 mm x 1550 mm.	750
14	Corema	Corema ice cream machine, model: SPW, serial number: 1311546, 380-450 V, 3 Ph, 50 Hz, 8 A, 3.7 kW, refrigerant: R404a (2500 g) / R134a (100 g), dimensions: 800 mm x 600 mm x 1400 mm.	1250
15	Ott Swiss Freezer	Ott Swiss Freezer ice cream machine, type: Fb 6, serial number: 5204, 380 V, 3 Ph, 50 Hz, 9 kW, refrigerant: R502 (3 kg), dimensions: 850 mm x 600 mm x 1450 mm.	950
16	Krumbein	Krumbein cake cutting machine, type: KSSM V 3.1 D-So, serial number: S 34 E, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 16 A, plastic belt, belt width: 460 mm, clearance: 600 mm x 210 mm, total dimensions: 2500 mm x 1250 mm x 1750 mm.	1500
17	NN mobile transfer pump	Mobile transfer pump, dimensions: 700 mm x 1050 mm x 2100 mm.	1000
18	Bakon B.V.	Bakon B.V. mobile transfer pump, serial number: 1403302, year of construction: 2004, 230 V, 50 Hz, 0.1 kW, dimensions: 1300 mm x 1000 mm x 2400 mm.	1250
19	Bakon B.V.	Bakon B.V. mobile transfer pump, serial number: 4033C1, year of construction: 2007, 230 V, 50 Hz, 0.1 kW, dimensions: 1300 mm x 1000 mm x 2400 mm.	1250
20	Krumbein	Krumbein mobile bowl lifter, electric winch, bowl diameter: 600 mm, total dimensions: 1050 mm x 1050 mm x 2350 mm.	1250
21	QleanAir	QleanAir air cleaner, model: QleanAir FS 70, serial number: 10SP1102, 220-240 V, 50/60 Hz, 750 W, IP54, dimensions: 700 mm x 600 mm x 2050 mm.	500
22	Fritsch	Fritsch dough moulder, model: FRH-400-R, machine number: 02411-000075, year of construction: 2003, 400 V, 50 Hz, 1.6 A, 0.55 kW, cloth belt, belt width: 350 mm, clearance: 370 mm x 30 mm, total dimensions: 1850 mm x 1000 mm x 1800 mm.	950
23	K. Zettelmeier	K. Zettelmeier cooking kettle, model: Kochmaschine 140 lt., machine number: 84, year of construction:	1250



Nr	Title	Description	Start €
		1996, 15 kW, capacity: 140 l, total dimensions: 1500 mm x 1150 mm x 1950 mm, missing agitator.	
24	Bakon B.V.	Bakon B.V. mobile depositor, serial number: 25061A, year of construction: 2015, 230 V, 50 Hz, 50 W, dimensions: 1300 mm x 840 mm x 1300 mm.	1250
25	NN mixing tank	Mobile mixing tank, bowl dimensions: 770 mm x 850 mm, total dimensions: 1550 mm x 850 mm x 1750 mm.	750
26	Feuma	Feuma mobile vegetable cutter, model: AE-20 2, serial number: 132302, 400 V, 50 Hz, 2.7/3.5 A, cutting disc diameter: 190 mm, total dimensions: 1100 mm x 800 mm x 1150 mm.	750
27	Bakon B.V.	Bakon B.V. mobile depositor, model: Multidepositor, serial number: 871.412, year of construction: 2011, foot pedal operated, dimensions: 1250 mm x 620 mm x 1600 mm.	750
28	Unifiller	Unifiller mobile depositor, foot pedal operated, dimensions: 1250 mm x 700 mm x 1200 mm.	950
29	Boyens Backservice GmbH	Boyens Backservice GmbH mobile depositor, model: Compact Powerlift, serial number: CDP 4901.5, year of construction: 2006, max. pressure: 7 bar, dimensions: 900 mm x 700 mm x 1250 mm.	950
30	Apple Engineering Ltd	Apple Engineering Ltd mobile depositor, model: MR150, serial number: 42103, year of construction: 1997, pneumatic operating pressure: 5.5 bar, required flow rate: 142 lpm, with hand held dosing gun, dimensions: 870 mm x 550 mm x 1700 mm.	500
31	Funk GmbH	Funk GmbH flake ice machine on mobile frame, model: C 150, serial number: 0562/20, year of construction: 2000, 230 V, 50 Hz, 0.8 kW, 5.0 A, refrigerant: R404A (1.0 kg), dimensions: 750 mm x 700 mm x 1250 mm.	750
32	Faema	Faema espresso machine, model: ENOVA/A-1 (M23 DT/1), serial number: 1591849, year of construction: 2016, 220-240 V, 50 Hz, 3.0-3.5 kW, dimensions: 550 mm x 550 mm x 400 mm.	250
33	Merrychef Ltd.	Merrychef Ltd. high speed oven, model: Mealstream EC401 XXS, serial number: 0317610F, 220-230 V, 50 Hz, output microwave power: 1000 W, output convected power: 3000 W, 2 floors, dimensions each floor: 350 mm x 260 mm, total dimensions: 550 mm x 550 mm x 520 mm.	250
34	Sammic S.L.	Sammic S.L. baguette slicer, model: CP-250, serial number: 10502251400101, year of construction: 2014, 230 V, 50 Hz, 2.1 A, 0.25 kW, clearance: 105 mm x 135 mm, total dimensions: 550 mm x 550 mm x 1500 mm.	200
35	STAF Constructeur		950



Nr	Title	Description	Start €
		STAF Constructeur baguette moulder, model: VARTI 3, serial number: 1206 DBL 0166, year of construction: 2012, 400 V, 50 Hz, 3.8 A, 0.75 kW, working width: 465 mm, total dimensions: 1000 mm x 750 mm x 1600 mm.	
36	Jeros A/S	Jeros A/S dishwasher, model: 8100, serial number: 024822, year of construction: 2011, 400 V, 50 Hz, 12 A, 8 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 700 mm x 1000 mm x 1700 mm.	500
37	Wolfgang Schickart Bäckereimaschinenbau	Wolfgang Schickart Bäckereimaschinenbau bread slicer, model: TS / 30 plus, serial number: 0627, 400 V, 0.75 kW, dimensions: 750 mm x 700 mm x 500 mm. Without trolley.	250
38	Wolfgang Schickart Bäckereimaschinenbau	Wolfgang Schickart Bäckereimaschinenbau bread slicer, model: TS30, serial number: 0295, 400 V, 0.75 kW, dimensions: 750 mm x 700 mm x 500 mm. Without trolley.	250
39	Wolfgang Schickart Bäckereimaschinenbau	Wolfgang Schickart Bäckereimaschinenbau bread slicer, model: TS30, serial number: 0156, 400 V, 0.75 kW, dimensions: 750 mm x 700 mm x 500 mm. Without trolley.	250
40	Komet	Komet mobile vacuum machine, seal length: 400 mm, chamber dimensions: 420 mm x 450 mm, with Busch vacuum pump, total dimensions: 500 mm x 650 mm x 1050 mm.	750
41	Boyens Backservice GmbH	Boyens Backservice GmbH jelly machine, model: Jelly royal, serial number: 1.40.1111062, year of construction: 2011, 400 V, 50/60 Hz, Max. 2.8 bar, 7.0 kW, dimensions: 750 mm x 550 mm x 1100 mm.	1500
42	Bakon B.V.	Bakon B.V. mobile whipped cream mixer, model: TC 2/10C, serial number: 7.210.130, year of construction: 2003, 230 V, 50 Hz, 1.5 kW, inside dimensions: 550 mm x 430 mm, total dimensions: 800 mm x 500 mm x 1150 mm.	1250
43	Bakon B.V.	Bakon B.V. mobile whipped cream mixer, model: TOP CREAM, serial number: 7.530.731, year of construction: 2000, 220 V, 50 Hz, 1.0 kW, inside dimensions: 490 mm x 470 mm, total dimensions: 950 mm x 650 mm x 1250 mm.	1500
44	Ditting AG	Ditting AG grain mill, model: GMA 1403/69020, 380 V, 3~, 50 Hz, 5.5 A, 2000 W, dimensions: 630 mm x 700 mm x 1570 mm.	350
45	EMGA Food Service	EMGA Food Service Equipment double bain-marie, 220 V, 50 Hz, dimensions: 500 mm x 300 mm x 350 mm.	50
46	Bravilor Bonamat	Bravilor Bonamat double coffee machine, type: VHH, machine number: 01690094538, 380 V 3N, 50/60 Hz, 3340 W, dimensions: 650 mm x 250 mm x 800 mm.	250



Nr	Title	Description	Start €
47	Boyens Backservice GmbH	Boyens Backservice GmbH jelly machine, model: Jelly Sprayer I, dimensions: 600 mm x 450 mm x 950 mm.	750
48	Gram Commercial A/S	Gram Commercial A/S refrigerator, type: KG 410 RG L1 6W, serial number: 10154538, year of construction: 2014, 230 V, 50 Hz, 177 W, refrigerant: R600a (51 g), 6 racks, rack dimensions: 460 mm x 420 mm, dimensions: 600 mm x 650 mm x 1880 mm.	250
49	Gram Commercial A/S	Gram Commercial A/S refrigerator, type: KG 410 RG L1 6W, serial number: 10091484, year of construction: 2012, 230 V, 50 Hz, 177 W, refrigerant: R600a (51 g), 5 racks, rack dimensions: 460 mm x 420 mm, dimensions: 600 mm x 650 mm x 1880 mm.	250
50	Scholl	Scholl aluminium trolley, type: RTW075, serial number: 908436, 8 floors, dimensions each floor: 480 mm x 360 mm, dimensions: 550 mm x 420 mm x 1500 mm.	50
51	Bartscher GmbH	Bartscher GmbH plate warmer, type: Plate warmer, serial number: C020735, 230 V, 50 Hz, 140 W, 2 floors, floor dimensions: 280 mm x 290 mm, dimensions: 320 mm x 320 mm x 520 mm.	50
52	BLANCO	BLANCO mobile front cooking station with air filter system, type: ACS1000EC, serial number: 0142, year of construction: 2006, 400 V, 3N, 50 Hz, max 11 kW, dimensions: 1000 mm x 750 mm x 1000 mm.	500
54	Scholl	Scholl 2 aluminium trolleys, 7 floors, dimensions each floor: 400 mm x 570 mm, total dimensions: 400 mm x 600 mm x 1450 mm.	75
55	Ziegra Eismaschinen	Ziegra Eismaschinen disinfection dosing station, type: D Station, serial number: 224410, year of construction: 2022, water max. 5 bar, total dimensions: 460 mm x 400 mm x 1400 mm.	500
56	EKU-Metalbau	EKU-Metalbau 4-pits gas stove with oven, type: A1, serial number: 7D3 G 24922, 400 V, 3N AC, 50 Hz, 4.50 kW, Qn (Hi): 14.0 kW, dimensions: 720 mm x 700 mm x 900 mm.	100
57	Scholl	Scholl aluminium trolley, 7 floors, dimensions each floor: 300 mm x 500 mm, total dimensions: 360 mm x 560 mm x 1560 mm.	25
58	Bakon B.V.	Bakon B.V. jelly machine, model: JELLY SATELLITE II, serial number: 1-57-02-10-158, year of construction: 2010, 230 V, 50 Hz, 2720 W, dimensions: 650 mm x 450 mm x 1400 mm.	250
59	Unic	Unic coffee grinder, type: M600, serial number: 090500078, 230 V, 50 Hz, 340 W, dimensions: 250 mm x 350 mm x 600 mm.	50
60	Unic	Unic coffee grinder, type: M600, serial number: 090500123, 230 V, 50 Hz, 340 W, dimensions: 250 mm x 350 mm x 600 mm.	50



Nr	Title	Description	Start €
61	Quamar	Quamar coffee grinder, model: M80, serial number: 0000000004684, year of construction: 2016, 230 V, 50-60 Hz, 420 W, dimensions: 150 mm x 250 mm x 550 mm.	50
62	Unic	Unic coffee grinder, type: M600, serial number: 101200175, 230 V, 50 Hz, 340 W, dimensions: 250 mm x 350 mm x 600 mm.	50
63	Stawert Mühlenbau	Stawert Mühlenbau coffee grinder, type: W401, serial number: 306054, 230 V, 1 ph, 50 Hz, 1550 W, 9.5 A, dimensions: 200 mm x 350 mm x 600 mm.	100
64	Boyens Backservice GmbH	Boyens Backservice GmbH jelly machine, model: Jelly concept, serial number: 1.30.0113480, year of construction: 2013, 230 V, 50/60 Hz, max. 2.8 bar, 3.5 kW, dimensions: 650 mm x 450 mm x 500 mm.	500
65	Boyens Backservice GmbH	Boyens Backservice GmbH jelly machine, model: Jelly concept, serial number: 1.30.0915790, year of construction: 2015, 230 V, 50/60 Hz, max. 2.8 bar, 3.5 kW, dimensions: 650 mm x 450 mm x 500 mm.	500
66	Boyens Backservice GmbH	Boyens Backservice GmbH jelly machine, model: Jelly economy, serial number: 1.20.0412395, year of construction: 2012, 230 V, 50/60 Hz, max. 2.8 bar, 1.65 kW, dimensions: 300 mm x 500 mm x 350 mm.	500
67	Boyens Backservice GmbH	Boyens Backservice GmbH jelly machine, model: Jelly economy, serial number: 1.20.0513546, year of construction: 2013, 230 V, 50/60 Hz, max. 2.8 bar, 1.65 kW, dimensions: 300 mm x 500 mm x 350 mm.	500
68	Hans Kratt Maschinenfabrik GmbH	Hans Kratt Maschinenfabrik GmbH whipped cream machine, serial number: 7052110 M, 230 V, 50 Hz, 500 W, dimensions: 230 mm x 480 mm x 400 mm.	250
69	Hans Kratt Maschinenfabrik GmbH	Hans Kratt Maschinenfabrik GmbH whipped cream machine, serial number: 7907814 P, 230 V, 50 Hz, 500 W, dimensions: 240 mm x 550 mm x 460 mm.	500
70	Hans Kratt Maschinenfabrik GmbH	Hans Kratt Maschinenfabrik GmbH whipped cream machine, serial number: 9213318 P, 230 V, 50 Hz, 500 W, dimensions: 240 mm x 550 mm x 460 mm.	500
71	STALGAST Sp. z o.o.	STALGAST Sp. z o.o. refrigerator, model: 882171V02, serial number: 20198788, year of construction: 2021, 230 V, 50 Hz, 250 W, refrigerant: R600a, 120 g, volume: 490 l, weight: 128 kg, 2x 4 shelves, dimensions: 950 mm x 550 mm x 1900 mm.	500
72	Günther Heim Gerätebau GmbH	Günther Heim Gerätebau GmbH mobile donut fryer with proofer, model: MWS 120 A, serial number: 20 234, year of construction: 2009, 230/400 V, 9,05 kW, 10 floors, dimensions basket: (6x) 970 mm x 100 mm, total dimensions: 2100 mm x 800 mm x 1150 mm.	950
73	Hans Kratt Maschinenfabrik GmbH	Hans Kratt Maschinenfabrik GmbH whipped cream machine, serial number: 9947121 L, 230 V, 50 Hz, 500 W, dimensions: 240 mm x 550 mm x 460 mm.	500



Nr	Title	Description	Start €
74	Gruppo Cimbali S.p.A.	Gruppo Cimbali S.p.A. coffee machine, model: M39 DOSATRON DT/2 R, serial number: 1095083, year of construction: 12-2007, 220-240/380-415 V, 3 Ph, 50/60 Hz, 4.5-5.5 kW, dimensions: 850 mm x 600 mm x 600 mm.	500
75	Electrolux Professional S.p.A	Electrolux Professional S.p.A. sandwich panini grill, model: HSPPEU, serial number: 42410003, year of construction: 06.2014, 400 V, 3 Ph, 50 Hz, 5 kW, dimensions: 380 mm x 500 mm x 650 mm.	500
76	NN crates	14 pallets with plastic crates, dimensions each crate: 420 mm x 600 mm x 110 mm.	950
77	NN crates	4 pallets with plastic crates, dimensions each crate: 420 mm x 600 mm x 170 mm.	300
78	NN crates	3 plastic Euro H1 pallets with approximately 258 plastic crates, crate dimensions: 730 mm x 530 mm.	350
79	NN crates	2 plastic Euro H1 pallets with approximately 115 plastic crates, crate dimensions: 730 mm x 530 mm.	200
80	NN crates	6 plastic Euro H1 pallets with approximately 516 plastic crates, crate dimensions: 730 mm x 530 mm.	750
81	NN crates	4 plastic Euro H1 pallets with approximately 320 plastic crates, crate dimensions: 730 mm x 540 mm.	400
82	NN trolleys	10 s/s trolleys, 18 floors, floor dimensions: (18x) 660 mm x 910 mm, total dimensions: (10x) 720 mm x 920 mm x 1770 mm.	750
83	NN crates	7 pallets with approximately 1400 plastic crates, crate dimensions: 560 mm x 370 mm.	1500
84	NN crates	2 plastic Euro H1 pallets with approximately 400 plastic crates, crate dimensions: 560 mm x 370 mm.	450
85	Mécapâte MERAND	Mécapâte MERAND mobile dough divider, model: DROLOFTA20LN35C, serial number: 08/05/20/09, 415 V, 3 ph, 50 Hz, 1,5 kW, working diameter: 490 mm x 120 mm, total dimensions: 600 mm x 800 mm x 1050 mm.	500
86	Rightway	Rightway refrigerated cabinet, model: PS300, serial number: ST11100702300PSOC000019, 220-240 V, 50 Hz, 2 A, refrigerant: R134A, 0.260 kg, weight: 120 kg, dimensions: 1400 mm x 700 mm x 1000 mm.	250
87	MIWE	MIWE proofing cabinet, model: GVA-S, serial number: 73, year of construction: 2006, 230 V, 1 Ph, 50 Hz, 1,32 kW, refrigerant: R134A, dimensions floors: 620 mm x 730 mm, total dimensions: 750 mm x 1000 mm x 2100 mm.	950
88	MIWE	MIWE proofing cabinet, model: GVA-S, serial number: 166384, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 1,32 kW, refrigerant: R404A, dimensions floors: 620 mm x 730 mm, total dimensions: 750 mm x 1000 mm x 2100 mm.	950
89	Wiesheu GmbH		250



Nr	Title	Description	Start €
		Wiesheu GmbH mobile proofing cabinet, model: GS Min-64-M, serial number: 12002146, year of construction: 11-2016, 230 V, 1 Ph, 50/60 Hz, 2,15 kW, dimensions: 800 mm x 700 mm x 750 mm.	
90	Wiesheu GmbH	Wiesheu GmbH mobile proofing cabinet, model: GS Min-64-M, serial number: 12014147, year of construction: 03-2018, 230 V, 1 Ph, 50/60 Hz, 2,15 kW, total dimensions: 800 mm x 700 mm x 750 mm.	250
91	MIWE	MIWE proofing cabinet, model: GVA-S, serial number: 221, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 1,25 kW, refrigerant: R404A, dimensions floors: 610 mm x 730 mm, total dimensions: 750 mm x 1000 mm x 2050 mm.	950
92	MIWE	MIWE proofing cabinet, model: GVA-S, serial number: 165009, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 1,32 kW, refrigerant: R404A, dimensions floors: 610 mm x 730 mm, total dimensions: 750 mm x 1000 mm x 2050 mm.	950
94	Tecnodom	Tecnodom refrigerator, model: AF14EKOMBT, serial number: 201506296A, year of construction: 02/2015, 230 V, 1 Ph, 50 Hz, 700 W, refrigerant: R507, dimensions: 1450 mm x 800 mm x 2050 mm.	950
95	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH mobile automatic bread slicer, model: MHS IDEAL S3, serial number: 0107213, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 1,01 kW, dimensions: 900 mm x 800 mm x 1100 mm.	750
96	ROKA-Werk	ROKA-Werk catering unit, model: DA20-E, serial number: 624095, 400 V, 3 ph, 50 Hz, dimensions: 1950 mm x 900 mm x 1700 mm.	500
97	Bakon B.V.	Bakon B.V. mobile depositor, dimensions: 1300 mm x 840 mm x 1300 mm.	950
98	Apple	Apple mobile depositor, model: MM150, serial number: 41903, year of construction: 1997, dimensions: 550 mm x 900 mm x 1650 mm.	950
99	Sunkist	Sunkist juice extractor, model: 8-S, serial number: 838103D11, 230 V, 50 Hz, 2,5 A, 300 W, dimensions: 250 mm x 220 mm x 435 mm.	100
100	Hobart	Hobart dishwasher, crate dimensions: 470 mm x 470 mm, dimensions: 850 mm x 800 mm x 1550 mm.	500
101	TRIMA	Trima bread roll line, consisting of: Trima dough divider and rounder, model: KE-4, serial number: 23,057, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 16 A, 2.0 kW, weight: 1100 kg, dimensions: 1250 mm x 1530 mm x 1830 mm. Trima pre-proofer, model: KBA-4, serial number: 20,010, year of construction: 2012, 400 V, 3 ph, 50 Hz, 16 A, 4.0 kW, weight: 3000 kg, dimensions: 3200 mm x 1250 mm x 2200 mm.	5000
102	Rösen & Robbert		200



Nr	Title	Description	Start €
		Rösen & Robbert mobile automatic bread slicer, model: SPA Bayern, serial number: 58245-0401, year of construction: 27.01, dimensions: 1030 mm x 750 mm x 1250 mm.	
103	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH mobile automatic bread slicer, model: MHS IDEAL SB, serial number: 1109712, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 1,01 kW, dimensions: 900 mm x 750 mm x 1100 mm.	500
104	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH mobile automatic bread slicer, model: MHS IDEAL SB, serial number: 0302413, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 1,01 kW, dimensions: 900 mm x 750 mm x 1100 mm.	500
105	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile automatic bread slicer, model: Diskus, serial number: 600003.60169.100458, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 0,9 kW, dimensions: 1000 mm x 750 mm x 1050 mm.	500
106	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile automatic bread slicer, model: 2602 Pegasus, serial number: 260206.60861.0463, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 0,75 kW, dimensions: 1000 mm x 700 mm x 1200 mm.	500
107	Rösen & Robbert	Rösen & Robbert mobile automatic bread slicer, model: SPA Bayern, dimensions: 1030 mm x 750 mm x 1250 mm.	250
108	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile automatic bread slicer, model: 2600 Pegasus, serial number: 260007.60993.0575, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 0,75 kW, dimensions: 1000 mm x 750 mm x 1050 mm.	500
109	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH mobile automatic bread slicer, model: MHS Premium, serial number: 120610, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 2,1 kW, dimensions: 850 mm x 750 mm x 1200 mm.	500
110	N.V. Van Lierde-Boons	N.V. Van Lierde-Boons bread slicer, model: WS 45 11, serial number: 6263, year of construction: 2007, 230/400 V, 3 Ph, 50 Hz, 0,37 kW, working width: 370 mm, total dimensions: 400 mm x 600 mm x 1100 mm.	250
111	A/S Wodschow & Co.	A/S Wodschow & Co. planetary mixer, model: AR140/ MK3L, serial number: 140000099, year of construction: 2007, 230 V, 3 Ph, 50 Hz, 4,0 kW, bowl dimensions: 590 mm x 550 mm, total dimensions: 900 mm x 1400 mm x 1700 mm.	1500
112	Diosna Dierks & Söhne GmbH	Diosna Dierks & Söhne GmbH planetary mixer, model: PS-40 NCS, serial number: 152-509, 400 V, 3 Ph, 50 Hz, 1,5 kW, bowl dimensions: 400 mm x 350 mm, total dimensions: 600 mm x 750 mm x 1650 mm.	750
113	REGO Herlitzius GmbH		500



Nr	Title	Description	Start €
		REGO Herlitzius GmbH planetary mixer, model: S 40, serial number: 28-4, 400 V, 3 Ph, 50 Hz, 1,1 kW, bowl dimensions: 380 mm x 400 mm, total dimensions: 650 mm x 700 mm x 1750 mm.	
114	REGO Herlitzius GmbH	REGO Herlitzius GmbH planetary mixer, model: SM 3, serial number: 059/41, 220/380 V, 3 Ph, 50 Hz, 1,5 kW, bowl dimensions: 400 mm x 350 mm, total dimensions: 650 mm x 700 mm x 1750 mm. Without whisk.	500
115	BOKU	BOKU planetary mixer, model: RS 50 S, serial number: 25221, 380/220 V, 3 Ph, 50 Hz, 1,8 kW, bowl dimensions: 350 mm x 200 mm, total dimensions: 600 mm x 600 mm x 1600 mm.	500
116	REGO Herlitzius GmbH	REGO Herlitzius GmbH planetary mixer, model: 20/57/7, serial number: 20/57/7, 220 / 380 V, 3 Ph, 50 Hz, 0,55 kW, bowl dimensions: 300 mm x 200 mm, total dimensions: 650 mm x 550 mm x 1650 mm. Without whisk.	250
117	BOKU	BOKU planetary mixer, bowl dimensions: 350 mm x 350 mm, total dimensions: 600 mm x 600 mm x 1600 mm. Without whisk.	500
118	Rühle	Rühle mobile injector with filter unit, model: PR 20, serial number: 2592, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 0,75 kW, 20 needles, s/s belt, belt width: 300 mm, total dimensions: 1200 mm x 500 mm x 1700 mm.	950
119	Pactur s.r.l.	Pactur s.r.l. mobile shrink packaging machine, model: IR 550, serial number: 14888, year of construction: 2001, 220 V, 1 ph, 50 Hz, 4 kW, seal length: (1x) 550 mm, (1x) 440 mm, total dimensions: 800 mm x 800 mm x 1100 mm.	250
120	Wachtel	Wachtel proofing cabinet, model: Aeromat, interior dimensions: 750 mm x 800 mm, total dimensions: 1420 mm x 900 mm x 2300 mm.	1250
121	Wachtel	Wachtel mobile deck oven, model: MINI PICCOLO 4, serial number: 23051PRL, year of construction: 2010, 400 V, 3 ph, 50 Hz, 16,5 kW, 4 decks, deck dimensions: 630 mm x 480 mm, total dimensions: 1000 mm x 1200 mm x 2000 mm.	1250
122	Wiesheu GmbH	Wiesheu GmbH oven, inside dimensions: 760 mm x 400 mm x 1400 mm, s/s trolley, 15 floors, dimensions floors: (15x) 600 mm x 350 mm, total dimensions: 1050 mm x 900 mm x 2100 mm.	750
123	Minipack-Torre	Minipack-Torre mobile shrink packaging machine, model: RP40, serial number: 00004726, year of construction: 2013, 230 V, 50-60 Hz, 3.35 kW max, 14.5 A max, film width: 410 mm, seal length: (1x) 440	500



Nr	Title	Description	Start €
		mm x (1x) 390 mm, total dimensions: 1200 mm x 750 mm x 1200 mm.	
124	ÜT - Überzieh- und Temperiertechnik GmbH	ÜT - Überzieh- und Temperiertechnik GmbH mobile chocolate enrober, model: ikm-LZ, serial number: P 91007, 230-400 V, 50 Hz, 3 kW (kVA), s/s mesh belt, belt width: 300 mm, total dimensions: 1650 mm x 900 mm x 1600 mm.	1500
125	VITO AG	VITO AG mobile oil filter system, model: VITO XM, serial number: 432, 220-240 V, 1 ph, 50-60 Hz, 1,2 kW, dimensions: 600 mm x 900 mm x 950 mm.	500
126	VITO AG	VITO AG mobile oil filter system, model: VITO XS, serial number: 736, 220-240 V, 1 ph, 50-60 Hz, 1,2 kW, dimensions: 600 mm x 550 mm x 700 mm.	500
127	VITO AG	VITO AG mobile oil filter system, model: VITO XS, serial number: 769, 220-240 V, 1 ph, 50-60 Hz, 1,2 kW, dimensions: 600 mm x 550 mm x 700 mm.	500
128	VITO AG	VITO AG mobile oil filter system, model: VITO XS, serial number: 741, 220-240 V, 1 ph, 50-60 Hz, 1,2 kW, dimensions: 600 mm x 550 mm x 700 mm.	500
129	VITO AG	VITO AG mobile oil filter system, model: VITO XS, serial number: 652, 220-240 V, 1 ph, 50-60 Hz, 1,2 kW, dimensions: 600 mm x 550 mm x 700 mm.	500
130	Bakon B.V.	Bakon B.V. ultrasonic cutter, serial number: 15008 G, year of construction: 2005, 3x400 VAC + N + PE, 50 Hz, power: 3 kW, plastic belt, belt width: 500 mm, knife length: 185 mm, total dimensions: 2600 mm x 1650 mm x 1850 mm.	4500
131	Bakon B.V.	Bakon B.V. ultrasonic cutter, serial number: 14039, year of construction: 2004, 3x400 VAC + PE, 50 Hz, power: 3 kW, plastic belt, belt width: 500 mm, knife length: 305 mm, total dimensions: 2600 mm x 1650 mm x 1850 mm.	4500
132	Frymaster	Frymaster oil filter, model: PF50, serial number: 1301PF0068, 230 V, 1 ph, 50 Hz, 4.50 A, dimensions: 1050 mm x 350 mm x 800 mm.	100
133	NN turning table	Mobile turning table, steel frame, s/s top, diameter: 1500 mm, total dimensions: 1500 mm x 1500 mm x 860 mm.	500
134	NN turning table	Mobile turning table, steel frame, s/s top, diameter: 1500 mm, total dimensions: 1500 mm x 1500 mm x 860 mm.	500
135	IsernHäger	IsernHäger mobile mixing tank, model: BIQ 600 K, serial number: 06308001, year of construction: 2003, 400 V, 3 ph, 50 Hz, 4.0 kW, tank diameter: 950 mm x 900 mm, total dimensions: 1800 mm x 1100 mm x 1450 mm.	1500
136	CIM International	CIM International croissant line, consisting of: C.I.M. International dough sheeter, model: CIM 4000 I-PU,	2000



Nr	Title	Description	Start €
		serial number: 1374, year of construction: 12/2000, 400 V, 3 Ph, 50 Hz, 2.0 kW, belt width: 590 mm, total dimensions: 1400 mm x 1000 mm x 1450 mm. C.I.M. International dough cutting, model: CIM 4000 I-PU, serial number: 1374, year of construction: 12/2000, 400 V, 3 Ph, 50 Hz, 2.0 kW, belt width: 620 mm, total dimensions: 2700 mm x 800 mm x 1350 mm. C.I.M. International croissant rolling machine, model: CIM 4000 I-PU, serial number: 1374, year of construction: 12/2000, 400 V, 3 Ph, 50 Hz, 2.0 kW, belt width: 270 mm, total dimensions: 1850 mm x 600 mm x 1070 mm.	
137	GGM Gastro	GGM Gastro pizza dough roller, model: TP 40 D, serial number: 0199373, year of construction: 11.2017, 230 V, 1 Ph, 50 Hz, 0.37 kW, weight: 35 kg, working width: 215 mm, dimensions: 550 mm x 450 mm x 700 mm.	350
138	Lippelt	Lippelt mobile bun machine/dough divider, type: Rustika mini, serial number: 906031/PB/0191, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 1.1 kW, belt width infeed belt: 200 mm, belt width outfeed belt: 360 mm, total dimensions: 2250 mm x 750 mm x 1600 mm. With Lippelt mobile water bath, s/s mesh belt, belt width: 310 mm, total dimensions: 1450 mm x 720 mm x 1100 mm.	2000
139	NN baking tins	Pallet with approximately 75 aluminium baking tins, dimensions forms: (4x) 145 mm x 300 mm x 80 mm, dimensions baking tin: 740 mm x 315 mm x 800 mm.	150
140	NN baking tins	Pallet with approximately 90 aluminium baking tins, dimensions forms: (4x) 230 mm x 100 mm x 60 mm, dimensions baking tin: 530 mm x 250 mm x 70 mm.	150
141	DEBAG-München	DEBAG-München stamping press, model: S1, serial number: 03-80133, year of construction: 1981, 220/380 V, 50 Hz, 0.55 kW, 8x Stamping pocket diameter: 90 mm, total dimensions: 800 mm x 1200 mm x 1150 mm.	250
142	GAM International	GAM International pizza oven, model: FORB11MN230, serial number: 1043/07752, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 3.2 kW, 2 decks, deck dimensions: 410 mm x 360 mm, total dimensions: 600 mm x 500 mm x 420 mm.	200
143	GAM International	GAM International pizza oven, model: FORB11MN230, serial number: 1045/07815, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 3.2 kW, 2 decks, deck dimensions: 410 mm x 360 mm, total dimensions: 600 mm x 500 mm x 420 mm.	200
144	Neumarker	Neumarker waffle maker, waffle dimensions: 160 mm x 85 mm, dimensions: 230 mm x 500 mm x 150 mm.	50
145	Neumärker		50



Nr	Title	Description	Start €
		Neumärker waffle maker, waffle dimensions: 160 mm x 85 mm, dimensions: 230 mm x 500 mm x 150 mm.	
146	Neumärker	Neumärker waffle maker, waffle dimensions: 160 mm x 85 mm, dimensions: 230 mm x 500 mm x 150 mm.	50
147	Rondo Doge	Rondo Doge croissant cutting and moulding machine, model: SCMG50.A0, serial number: C6121202, year of construction: 2006, 3x 400 V, 58 A, 50 Hz, 4.0 kW, cloth belt, belt width: 500 mm, dimensions: 2400 mm x 950 mm x 1200 mm.	1500
148	Jeros	Jeros crate washer, model: 200, serial number: 426, 400 V, 3 Ph, 50 Hz, 32 A, 21 kW, working width: 500 mm, total dimensions: 3300 mm x 900 mm x 2150 mm.	1500
149	Garbin	Garbin convection oven, model: 4A, serial number: 134412, year of construction: 2013, 400 V, 3 Ph, 50-60 Hz, 6.8 kW, 4 floors, dimensions each floor: 600 mm x 380 mm, total dimensions: 1000 mm x 800 mm x 1650 mm.	500
150	NN seed sprinkler	Seed sprinkler, s/s mesh belt, belt width: 820 mm, total dimensions: 2750 mm x 1400 mm x 2450 mm.	1750
151	La Cimbali	La Cimbali coffee machine, model: M34 Selectron DT/ 2 VA, serial number: 1822800, year of construction: 2019, 380-415 V 3 ph / 220-240 V 3 ph / 220-240 V, 50/60 Hz, 4.2-4.9 kW, dimensions: 800 mm x 560 mm x 600 mm.	500
152	La Cimbali	La Cimbali coffee machine, model: M34 Selectron DT/ 2 VA, serial number: 1624098, year of construction: 2016, 380-415 V / 220-240 V, 3 Ph, 50/60 Hz, 4.2-4.9 kW, dimensions: 800 mm x 560 mm x 600 mm.	500
153	La Cimbali	La Cimbali coffee machine, model: M34 Selectron DT/ 2 VA, serial number: 1884814, year of construction: 2020, 380-415 V, 220-240 V, 3 Ph, 50/60 Hz, 4.2-4.9 kW, dimensions: 800 mm x 560 mm x 600 mm.	500
154	La Cimbali	La Cimbali coffee machine, model: M34 Selectron DT/ 2 VA, serial number: 1581999, year of construction: 2016, 380-415 V / 220-240 V, 3 Ph, 50/60 Hz, 4.2-4.9 kW, dimensions: 800 mm x 560 mm x 600 mm.	500
155	NN conical rounder	Conical rounder, dimensions: 700 mm x 900 mm x 1750 mm.	250
156	NN mixing tank	Mixing tank, tank diameter: 900 mm x 830 mm, total dimensions: 900 mm x 900 mm x 2000 mm.	1250
157	Lutz Belaungstechnik	Lutz Belaungstechnik pretzel enrobing machine, model: RD 100, serial number: 709, year of construction: 1994, cloth belt, belt width: (2x) 580 mm, dimensions: 850 mm x 750 mm x 1100 mm.	500
158	Eureka	Eureka coffee grinder, model: ATOM 65, serial number: YC0012036004661, 220-240 V, 1 ph, 50 Hz, 350 W, dimensions: 180 mm x 250 mm x 550 mm.	50



Nr	Title	Description	Start €
159	Eureka	Eureka coffee grinder, model: ATOM 75, serial number: YE0012305001693, 220-240 V, 1 ph, 50 Hz, 900 W, dimensions: 180 mm x 250 mm x 550 mm.	50
160	Eureka	Eureka coffee grinder, model: ATOM 65, serial number: YC0012036004662, 220-240 V, 1 ph, 50 Hz, 350 W, dimensions: 180 mm x 250 mm x 550 mm.	50
161	NN baking tins	Pallet with approximately 40 baking tins, diameter: 210 mm, height: 55, total dimensions: (40x) 630 mm x 230 mm x 60 mm.	25
162	Unox	Unox double stack oven, (2x) type: XBV405E, dimensions floors: 610 mm x 380 mm, with Unox proofer, type: XL415, serial number: 2015F0033086, 6 floors, dimensions floors: 760 mm x 610 mm.	500
163	KD Putz	KD Putz mobile plate cleaner, infeed width: 660 mm, total dimensions: 850 mm x 515 mm x 1150 mm.	150
164	Stephan	Stephan universal machine, type: UM 40, year of construction: 1979, 380 V, 50 Hz.	500
165	WP Haton	WP Haton switch cabinet for proofer, type: TKL, year of construction: 2008, refrigerant: R-404A, dimensions: 1220 mm x 560 mm x 310 mm.	50
166	Kuka	Kuka palletising robot type: KR40 PA, serial number: 767375, year of construction: 2011, weight: 720 kg, max capacity: 40 kg, maximum stacking height: 1.6 m, maximum reach: 2091 mm, dimensions: 2000 mm x 1000 mm x 1800 mm. Including switch cabinet and pallet with motors.	3000
167	NN mixing tank	Mobile s/s mixing tank, diameter inside: 1020 mm, height: 980 mm, total dimensions: 1200 mm x 1200 mm x 1450 mm.	750
168	Henny Penny	Henny Penny mobile holding cabinet, (2x) 5 floors, dimensions floors: 660 mm x 450 mm, total dimensions: 830 mm x 620 mm x 1850 mm.	500
169	NN cutting table	Mobile cutting table, dimensions: 900 mm x 900 mm x 2200 mm.	250
170	NN cutting table	Mobile cutting table, dimensions: 900 mm x 900 mm x 2200 mm.	250
171	Krumbein	Krumbein cake cutting machine, type: KSSM-V1 2D, serial number: D47 E, year of construction: 1996, 230 V, 1 Ph, 50/60 Hz, 3.3 A, working width: 620 mm, dimensions: 1500 mm x 1200 mm x 1700 mm.	1250
173	FMT	FMT plate cleaning and greasing machine, model: Kobra 580, machine number: 0504-A-0524/580 S, year of construction: 2005, maximum plate width: 580 mm, total dimensions: 2300 mm x 1100 mm x 1400 mm. Including pallet with brushes.	750
174	Kolb Ltd.	Kolb Ltd. high speed oven, type: Atoll Speed, number: GC-207011234, 230 V, 1 Ph, 16 A, 3.5 kW, inside dimensions: 320 mm x 300 mm x 170 mm.	500



Nr	Title	Description	Start €
175	NN bins	2 s/s bins, dimensions: (2x) 450 mm x 450 mm x 170 mm.	20
176	NN bins	4 s/s bins, dimensions: (4x) 450 mm x 450 mm x 200 mm.	40
177	NN bins	2 s/s bins, dimensions: (2x) 600 mm x 400 mm x 100 mm.	20
178	NN bins	2 s/s bins, dimensions: (2x) 600 mm x 400 mm x 130 mm.	20
179	NN bins	2 s/s bins, dimensions: (2x) 800 mm x 600 mm x 250 mm.	20
180	NN bins	3 s/s bins, dimensions: (2x) 800 mm x 600 mm x 180 mm.	30
202	Döinghaus	Döinghaus slicer, type: UBS, serial number: 202.02125.10.04, year of construction: 2004, 400 V, 50 Hz, 10 A, 6 kW, dimensions: 3750 mm x 2050 mm x 1850 mm.	5000
203	Maja	Maja flake ice machine, type: SA 700 L, machine number: 27761, year of construction: 1999, refrigerant: R 404 A, 400 V, 3 Ph, 50 Hz, 6.0 A, 2.9 kW.	1000
204	Mado	Mado mobile mixer-grinder.	1500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

[illegible]

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

