



**Industrial
Auctions**

**2303: Online auction machinery and inventory due to
relocation of production GETI Wilba on behalf of
Progressu GmbH in Bremervörde (DE)**

END DATE

27 October 2026 12:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	27 October 2026 from 12:00 hrs.
Viewing days	22 October 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	11 November 2026 from 09:00 till 16:00 hrs. 12 November 2026 from 09:00 till 16:00 hrs.
Pick up address	Hansestraße 2 D-27432 Bremervörde Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	NN cooling vessel	S/s cold water cooling vessel, year of construction: 2013, 230/400 V, 3 Ph, 50 Hz, 25 A, inside dimensions: (2x) 1800 mm x 1100 mm x 1750 mm, total dimensions: 2420 mm x 1990 mm x 2350 mm, Thermowave heat exchanger, model: TL 90 TBCL, number: 43958, year of construction: 2013, weight: 228 kg, dimensions: 1060 mm x 410 mm x 870 mm, 2 KSB centrifugal pumps and 1 Fristam centrifugal pump.	1000
2	NN cooling vessel	S/s cold water cooling vessel, year of construction: 2013, 230/400 V, 3 Ph, 50 Hz, 25 A, inside dimensions: (2x) 1800 mm x 1100 mm x 1750 mm, total dimensions: 2420 mm x 1990 mm x 2350 mm, Thermowave heat exchanger, model: TL 90 TBCL, number: 43957, year of construction: 2013, weight: 228 kg, dimensions: 1060 mm x 410 mm x 870 mm, 2 KSB centrifugal pumps and 1 Fristam centrifugal pump.	1000
3	Hotraco	Hotraco cooking vessel, year of construction: 2009, 230/400 V, 3 Ph, 50 Hz, 25 A, inside dimensions: (2x) 1100 mm x 1820 mm x 1830 mm, total dimensions: 2640 mm x 2080 mm x 2350/2600 mm. Including steam manifold with 5 valves, dimensions: 2200 mm x 1600 mm x 1900 mm.	1000
4	Hotraco	Hotraco cooking vessel, year of construction: 2009, 230/400 V, 3 Ph, 50 Hz, 25 A, inside dimensions: (2x) 1100 mm x 1820 mm x 1830 mm, total dimensions: 2640 mm x 2080 mm x 2350/2600 mm. Including steam manifold with 5 valves, dimensions: 2200 mm x 1600 mm x 1900 mm.	1000
5	Demag	Demag electrical crane hoist with rail, type: U/EU 11 DC, capacity: 1100 kg, dimensions frame: 4150 mm x 1500 mm x 5150 mm.	400
6	NN platform	S/s platform, working height: 1200 mm, total dimensions: 10500 mm x 1000 mm x 2280 mm.	500
7	Rittal	Rittal s/s switch cabinet with Siemens control panel, dimensions: 750 mm x 330 mm x 760 mm. Used for cooling tubs.	250
8	Eldon	Eldon switch cabinet with 2 Jumo Imago 500 control panels, dimensions: 1000 mm x 320 mm x 1000 mm. Used for Hotraco cooking vessels.	250
9	NN writing desk	S/s writing desk, dimensions: 500 mm x 400 mm x 150 mm.	25
10	Lucart	Lucart paper dispenser, dimensions: 220 mm x 250 mm x 340 mm.	10
11	NN rack	S/s apron rack with 3 hangers, dimensions: 1150 mm x 330 mm x 800 mm.	25



Nr	Title	Description	Start €
12	NN platform	S/s platform, working height: 2350 mm, total dimensions: 5750 mm x 2000 mm x 3450 mm. Including Krause ladder.	750
13	Rittal	Rittal switch cabinet with 2 Siemens control panels, dimensions: 370 mm x 320 mm x 670 mm.	150
14	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	10
15	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH lifter for 200 liter meat bins, type: GSH 170, number: 25498, year of construction: 1998, 400 V, 3.5 A, 1.5 kW, lifting height: 1470 mm, total dimensions: 1260 mm x 530 mm x 2790 mm.	500
16	Berief GmbH	Berief GmbH continuous contact belt grill, type: 08168.02.00.00, 400 V, 3 Ph, 50 Hz, 14 kW, working temperature: 280°C, teflon belt, belt width: 755 mm and 665 mm, total dimensions: 5400 mm x 1810 mm x 2010 mm, s/s switch cabinet, dimensions: 800 mm x 420 mm x 800 mm, new roll in crate, crate dimensions: 1950 mm x 350 mm x 480 mm and s/s shelf with parts, dimensions shelf: 960 mm x 640 mm x 680 mm.	5000
17	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	10
18	Vikan	Various Vikan cleaning equipment.	25
19	NN tub	Plastic tub on s/s rollie, dimensions: Ø 540 mm x 860 mm.	10
20	NN sink	S/s sink with 3 faucets, sensor control dimensions: 1800 mm x 440 mm x 1700 mm. Including 2 soap dispensers, paper dispenser, hose reel and s/s dispenser.	150
21	NN table	S/s table, dimensions: 790 mm x 600 mm x 810 mm.	25
22	NN sink	S/s sink, knee control, dimensions: 550 mm x 450 mm x 270 mm. Including paper dispenser and 2 soap dispensers.	50
23	NN gate	S/s gate, dimensions: 2920 mm x 50 mm x 750 mm.	10
24	NN protection poles	7 s/s protection poles, dimensions: (7x) 250 mm x 250 mm x 810 mm.	70
25	Bizerba	Bizerba floor weighing scale with indicator, number: 11101245, year of construction: 2015, 100-240 V, 50/60 Hz, 0.4-0.2 A, maximum load: 1500/3000 kg, d= 0.5/1 kg, scale dimensions: 1500 mm x 1250 mm. With s/s cabinet, dimensions: 800 mm x 480 mm x 1040 mm.	500
26	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	10
27	NN sink	S/s sink with 2 faucets, sensor control, dimensions: 1200 mm x 440 mm x 720 mm. Including 2 soap dispenser and Zingel s/s paper dispenser.	100



Nr	Title	Description	Start €
28	NN tables	3 aluminium tables, dimensions: 600 mm x 400 mm x 650 mm, 600 mm x 400 mm x 680 mm and 600 mm x 400 mm x 540 mm.	25
29	NN waste bag holder	2 s/s waste bag holders, dimensions: (2x) 470 mm x 470 mm x 930 mm.	50
30	H. Wichelmann	H. Wichelmann mobile horizontal filet slicer, type: C, serial number: 07-0432, year of construction: 2014, 400 V, 50 Hz, 16 A, plastic belt, belt width: 250 mm, total dimensions: 1180 mm x 2500 mm x 1610 mm. Without saw blade.	750
31	Marel	Marel X-ray scanner, type: Sensor X, serial number: A072722, year of construction: 2011, 400 V, 3 Ph, 50-60 Hz, 1.68 A, 13 kW, plastic perforated belt, belt dimensions: 390 mm x 6785 mm (295 holes), clearance: 310 mm x 100 mm, total dimensions: 6300 mm x 880 mm x 2150 mm.	1500
32	Gröneweg Maschinenbau	Gröneweg Maschinenbau mobile elevating belt, type: GFB-460-3430-V990-H, serial number: GW-GFB-146441-01, year of construction: 09-2013, plastic belt, belt width: 500 mm, elevating height is adjustable, total dimensions: 3500 mm x 1080 mm x 1700 mm.	400
33	NN mixer	S/s mixer, inside dimensions: Ø 740 mm x 680 mm, total dimensions: 1040 mm x 800 mm x 1850 mm.	250
34	NN mixer	Mobile s/s mixer, inside dimensions: Ø 740 mm x 680 mm, total dimensions: 1040 mm x 800 mm x 1640 mm.	250
35	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH brine mixer, type: GMA 350, number: 26 100, year of construction: 1999, 400 V, 10 A, 2 kW, dimensions: 840 mm x 1300 mm x 1300 mm.	500
36	NN brine mixer	S/s brine mixer, model: DRE C3, number: IF 69/01, year of construction: 2001, 380 V, volume: 350 liter, dimensions: 840 mm x 1300 mm x 1340 mm.	400
37	Reich	Reich table model bandsaw, type: Combi 200, number: 200 1114, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 2.7 A, 1.1 kW, table dimensions: 430 mm x 565 mm, total dimensions: 500 mm x 560 mm x 1660 mm. Without saw blade.	250
38	NN table	S/s table with plastic top, dimensions: 1580 mm x 800 mm x 950 mm.	100
39	Reich	Reich table model bandsaw, type: Combi 200, number: 200 1080, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2.7 A, 1.1 kW, table dimensions: 430 mm x 565 mm, total dimensions: 500 mm x 560 mm x 1660 mm.	250
40	NN stool	S/s stool, dimensions: Ø 560 mm x 600 mm.	25
41	Reich	Reich table model bandsaw, type: Combi 200, number: 200 1078, year of construction: 2000, 400 V, 3 Ph, 50	250



Nr	Title	Description	Start €
		Hz, 2.7 A, 1.1 kW, table dimensions: 430 mm x 565 mm, total dimensions: 500 mm x 560 mm x 1660 mm. Without blade.	
42	NN table	Mobile s/s table with plastic top, dimensions: 1500 mm x 800 mm x 970 mm.	100
43	Reich	Reich table model bandsaw, type: Combi 200, number: 200 1081, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2.7 A, 1.1 kW, table dimensions: 430 mm x 565 mm, total dimensions: 500 mm x 560 mm x 1460 mm. Without blade.	250
44	NN stool	S/s stool, dimensions: Ø 550 mm x 750 mm.	10
45	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: EVM 4004, number: 46115, year of construction: 2006, 400 V, 3 Ph, 2.15 A, 0.75 kW, working width: 435 mm, total dimensions: 780 mm x 620 mm x 1010 mm.	400
46	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: EVM 4004, number: M-47570, year of construction: 2007, 400 V, 3 Ph, 1.8 A, 0.75 kW, weight: 205 kg, working width: 435 mm, total dimensions: 780 mm x 620 mm x 1010 mm.	400
47	Nock	Nock mobile skinning machine, type: V460N, number: 1134370, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.75 kW, working width: 450 mm, total dimensions: 760 mm x 600 mm x 970 mm.	250
48	NN peg	S/s peg with 17 hangers, length: 2020 mm.	25
49	Rühle	Rühle tenderizer and injector, type: IR 56, serial number: 30010674, year of construction: 2016, 400 V, 3 Ph, 50/60 Hz, 16 A, 8.7 kW, needles: (2x) 56, s/s walking beam, beam width: 350 mm, clearance: 350 mm x 170 mm, total dimensions: 1400 mm x 880 mm x 2070 mm. Including mobile s/s filter tub, dimensions: 920 mm x 540 mm x 620 mm.	2500
50	NN dispensers	3 dispensers, dimensions: (2x) 140 mm x 100 mm x 250 mm and Ø 110 mm x 480 mm.	25
51	NN writing desk	S/s writing desk, dimensions: 500 mm x 400 mm x 150 mm.	25
52	NN whiteboard	Whiteboard, dimensions: 1000 mm x 750 mm.	10
53	Katrin	Katrin paper dispenser, dimensions: 260 mm x 260 mm x 290 mm.	10
54	NN cabinet	2 s/s cabinets, dimensions: 500 mm x 310 mm x 500 mm and 260 mm x 100 mm x 350 mm.	50
55	Multivac	Multivac thermoformer, type: R530, serial number: 114226, year of construction: 2007, 400/230 V, 3 Ph, 50 Hz, 31 A, 12 kW, film width: 380 mm, index: 470 mm, dye number: P 19220 and Z 107430187-0, plastic mesh outfeed belt, belt width: 325 mm, Busch vacuum pump, type: CB 0220 D, total dimensions: 6750 mm x 1000 mm x 2145 mm.	3500



Nr	Title	Description	Start €
56	NN brine mixer	Mobile s/s tank with Sawa centrifugal pump, volume: 350 liter, dimensions: 800 mm x 600 mm x 1630 mm.	250
57	NN frame	S/s frame, dimensions: 1200 mm x 1000 mm x 120 mm.	25
58	SysTec GmbH	SysTec GmbH floor weighing scale with indicator, type: IT1-AC, serial number: 2511110, 110-240 V, 50-60 Hz, 0.25-0.15 A, maximum: 1500 kg, minimum: 10.0 kg, e - 0.5 kg, scale dimensions: 1500 mm x 1250 mm.	500
59	NN cabinet	S/s cabinet, dimensions: 800 mm x 500 mm x 960 mm.	75
60	NN sink	S/s sink with 5 faucets, knee control, dimensions: 3000 mm x 540 mm x 520 mm. Including 4 soap dispensers and 2 paper dispensers.	150
61	NN peg	S/s peg with 31 hangers, length: 3680 mm.	25
62	NN lifter for meat bins	Lifter for 200 liter meat bins, lifting height: 2280 mm, total dimensions: 1020 mm x 1180 mm x 3450 mm. Including switch cabinet, dimensions: 300 mm x 500 mm x 1440 mm.	750
63	Baader	Baader separator, model: 604-531, serial number: 121700875/10, year of construction: 2017, 400 V, 3 Ph, 50 Hz, drum diameter: 300 mm, perforations: 1 mm and 2 mm, belt width: 210 mm, total dimensions: 1960 mm x 1480 mm x 2880 mm. Including trolley, dimensions: 1520 mm x 610 mm x 900 mm.	12500
64	NN trolley	S/s trolley, dimensions: 1000 mm x 600 mm x 1100 mm.	50
65	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	10
66	NN frame	S/s frame, dimensions: 610 mm x 360 mm x 500 mm.	10
67	NN step	S/s step, dimensions: 620 mm x 650 mm x 420 mm.	25
68	Seydelmann	Seydelmann vacuum cooking cutter with ejector, type: K64DC8Q-VA, machine number: 99099-1, year of construction: 1999, 400 V, 50 Hz, 105 A, 50 kW, s/s bowl, volume: 64 litre, dimensions: 2150 mm x 1400 mm x 1700 mm. Including switch cabinet, dimensions: 1000 mm x 1000 mm x 450 mm and pump unit, dimensions: 1200 mm x 800 mm x 800 mm.	15000
69	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	10
70	NN tumbler	Mobile tumbler, inside dimensions: Ø 740 mm x 660 mm, total dimensions: 1500 mm x 2400 mm x 1980 mm.	500
71	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH mobile cooled vacuum tumbler, type: GPA 600 K, number: 33879, year of construction: 2013, 400 V, 16 A, 3.5 kW, volume: 600 liter, Becker vacuum pump, type: U 4.20 / 09, inlet capacity: 18 / 21 m ³ per hour, dimensions: 2220 mm x 1600 mm x 2150 mm. Incomplete, missing display.	1250



Nr	Title	Description	Start €
72	WB FoodTec GmbH	WB FoodTec GmbH mobile tilting device for 200 liter meat bins, type: wb630-1, number: 20213872, year of construction: 2021, 400 V, 50 Hz, dimensions: 1250 mm x 1500 mm x 1690 mm.	500
73	Vikan	Various Vikan cleaning equipment.	25
74	NN hose reel	S/s hose reel with hose, dimensions: 500 mm x 150 mm x 260 mm.	25
75	Mohn GmbH	12 Mohn GmbH s/s meat bins, volume: 300 liter.	600
76	Mohn GmbH	17 Mohn GmbH s/s meat bins, volume: 300 liter.	850
77	NN plastic tops	2 plastic worktops, dimensions: (2x) 1000 mm x 500 mm.	50
78	NN rack	S/s rack with 4 floors, total dimensions: 1940 mm x 640 mm x 1750 mm. Including content.	100
79	NN crates	6 plastic crates with 1 aluminium rollie, crate dimensions: 600 mm x 400 mm x 150 mm.	10
80	NN drip tray	Plastic drip tray, dimensions: 1200 mm x 800 mm x 350 mm. Including s/s frame, dimensions: 1650 mm x 800 mm x 1420 mm.	150
81	NN rollie	S/s rollie for E2 crates, dimensions: 930 mm x 420 mm x 880 mm.	10
82	Loma	Loma mobile pipe line metal detector with rejector, model: Pipeline IQ3+, serial number: EPL50018-29940D, year of construction: 18-09-2015, 85-265 V, 1 Ph, 50-60 Hz, 1.2 A, clearance: Ø 40 mm, total dimensions: 880 mm x 760 mm x 1460 mm.	1500
83	NN fence	S/s fence, dimensions: 1700 mm x 1530 mm x 2200 mm	150
84	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, model: HP15E, 1620650, year of construction: 2017, 400-460 V, 3 Ph, 50/60 Hz, 38 A, 23 kW, total dimensions: 2350 mm x 1360 mm x 2130 mm. Including trolley with parts, dimensions: 1200 mm x 950 mm x 1060 mm.	10000
85	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH automatic double clipper, model: TT1815, number: 4901.253.200, plastic outfeed belts, belt width: (2x) 75 mm, total dimensions: 1940 mm x 1080 mm x 1800 mm.	7500
86	NN table	S/s table with plastic top, dimensions: 1580 mm x 800 mm x 780 mm.	150
88	NN meat bin	S/s meat bin, volume: 200 liter.	50
89	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, model: DP12E, number: 1590064, year of construction: 2023, 400-460 V, 3 Ph, 50/60 Hz, 27 A, 16 kW, dimensions: 2280 mm x 1380 mm x 2050 mm.	12500
90	NN table	S/s table, dimensions: 1930 mm x 920 mm x 840 mm.	150
91			500



Nr	Title	Description	Start €
	JBT Tipper Tie Technopack GmbH	JBT Tipper Tie Technopack GmbH table model clipper, model: TCV 507, serial number: 2626.1592.272, year of construction: 2022, maximum: 6 bar, weight: 11 kg, dimensions: 200 mm x 250 mm x 860 mm.	
92	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH table model clipper, model: TCV, dimensions: 240 mm x 320 mm x 910 mm.	250
93	NN table	S/s mobile table, dimensions: 2000 mm x 1000 mm x 920 mm.	150
94	NN meat bin	S/s meat bin, volume: 200 liter.	50
95	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for meat bins, model: HP7E, number: 1600030, year of construction: 2007, 400-460 V, 18/20 A, 575 V, 13/20 A, 3 Ph, 50/60 Hz, 12 kW, filling, portioning and linking, dimensions: 2000 mm x 1400 mm x 2000 mm. Incomplete.	3500
96	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile flexible sausage line, model: FSL 210, number: 2100022, year of construction: 2011, 220-240 V / 400 - 460 V / 575 V, 3 Ph, 50/60 Hz, 4.9 kW, total dimensions: 1900 mm x 850 mm x 1300 mm. With crate with parts.	5000
97	NN table	S/s table, dimensions: 1900 mm x 900 mm x 840 mm.	150
98	NN meat bin	S/s meat bin, volume: 200 liter.	50
99	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for meat bins, model: HP 10 E, number: 1610365, year of construction: 2010, 400-460 V 3 Ph, 50/60 Hz, 21 A, 14 kW, filling and portioning, dimensions: 1400 mm x 2000 mm x 2100 mm.	9000
100	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH linking and hanging line, consisting of: High-speed length portioning machine, model: LPG209, number: 2090037, year of construction: 2011, 400-460 V, 3 Ph, 50/60 Hz, 9 A, 6 kW, dimensions: 1700 mm x 1000 mm x 1550 mm, Hanging line, model: AH212, number: 2120004, year of construction: 2011, 400-460 V, 3 Ph, 50/60 Hz, 0.5 kW, dimensions: 4100 mm x 770 mm x 1650 mm.	7500
101	NN protection rack	S/s protection rack, dimensions: 1820 mm x 2140 mm x 820 mm.	50
102	Mohn GmbH	Mohn GmbH hygiene station with sole cleaner, tourniquet and hand disinfection unit, type tourniquet: Desi-Control "Highline", length brushes: (2x) 1680 mm, total dimensions: 2560 mm x 1060 mm x 1770 mm.	1500
103	NN protection rack	S/s protection rack, dimensions: 1250 mm x 2470 mm x 810 mm.	50
104	NN waste bag holder	S/s waste bag holder, diameter: 380 mm, height: 830 mm.	25
105	NN sink		150



Nr	Title	Description	Start €
		S/s sink with 5 faucets, knee control, dimensions sink: 3000 mm x 500 mm x 400 mm, including 1 s/s paper dispenser, 5 soap dispenser and 1 s/s dispenser.	
106	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	10
107	NN meat bin	S/s meat bin, volume: 200 liter.	50
108	Seydelmann	Seydelmann cutter with lifter for 200 liter meat bins and ejector, machine type: K 206 AC-8, machine number: S8-00206-0249-21, year of construction: 2021, 400 V, 50 Hz, 118 kW, machine weight: 2900 kg, s/s bowl and knives, volume: 200 liter, dimensions cutter: 2900 mm x 2360 mm x 2550 mm, including Seydelmann s/s switch cabinet with frequency inverter, dimensions: 1300 mm x 450 mm x 2000 mm.	25000
109	NN hose reels	3 aluminium hose reels with some plastic hoses, dimensions: (3x) 190 mm x 150 mm x 70 mm.	25
110	NN grinder plates	S/s wall rack with 9 grinder plates, diameter plates: (9x) 130 mm.	50
111	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH mobile lifter for 200 liter meat bins, lifting height: 2100 mm, total dimensions: 1500 mm x 1500 mm x 3050 mm.	1500
112	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH vacuum tumbler for cooling and heating, type: GPS 2500 K-H, machine number: 33455, year of construction: 2012, 400 V, 32 A, 7.5 kW, volume: 2500 liter, Becker vacuum pump, type: U 4.70SA/K, inlet capacity: 63 / 74 m³ per hour, total dimensions: 2100 mm x 3300 mm x 2350 mm.	7500
113	Höfelmeyer	Höfelmeyer floor weighing scale for meat bins, dimensions scale: 1000 mm x 800 mm, Höfelmeyer HTF400 E indicator, last calibration: 08-2025, dimensions indicator: 300 mm x 300 mm x 1150 mm.	400
114	WB Busser	WB Busser lifter for 200 liter meat bins with outfeed hopper, model: WB 602, lifting height: 2090 mm, total dimensions: 1400 mm x 1480 mm x 3120 mm.	950
115	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH vacuum tumbler for cooling and heating, type: GPS 2500 K-H, machine number: 33642, year of construction: 2013, 400 V, 63 A, 25 kW, total dimensions: 2100 mm x 3300 mm x 2350 mm. Without vacuum pump.	6000
116	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	10
117	Vikan	Various Vikan cleaning equipment.	10
118	NN racks used for cooking vessels	5 s/s racks used for cooking vessels, (2x) 6 floors, floor dimensions: 1240 mm x 400 mm x 235 mm, total dimensions: 1050 mm x 1210 mm x 1680 mm.	500
119	NN racks used for cooking vessels	4 s/s racks used for cooking vessels, (2x) 5 floors, floor dimensions: 1240 mm x 400 mm x 235 mm, total dimensions: 1210 mm x 1050 mm x 1520 mm.	400



Nr	Title	Description	Start €
120	NN racks used for cooking vessels	5 s/s racks used for cooking vessels, (2x) 5 floors, floor dimensions: 1240 mm x 400 mm x 235 mm, total dimensions: 1210 mm x 1050 mm x 1520 mm.	500
121	NN racks used for cooking vessels	5 s/s racks used for cooking vessels, (2x) 5 floors, floor dimensions: 1240 mm x 400 mm x 235 mm, total dimensions: 1210 mm x 1050 mm x 1520 mm.	500
122	NN racks used for cooking vessels	5 s/s racks used for cooking vessels, (2x) 6 floors, floor dimensions: 1240 mm x 400 mm x 235 mm, total dimensions: 1050 mm x 1210 mm x 1680 mm.	500
123	NN racks used for cooking vessels	5 s/s racks used for cooking vessels, (2x) 6 floors, floor dimensions: 1240 mm x 400 mm x 235 mm, total dimensions: 1050 mm x 1210 mm x 1680 mm.	500
124	NN racks used for cooking vessels	2 s/s racks used for cooking vessels, dimensions: (2x) 1230 mm x 1760 mm x 1670 mm.	200
126	NN trolleys	6 s/s trolleys with 9 aluminium plates, distance between floors: 150 mm, total dimensions: (6x) 1030 mm x 700 mm x 2000 mm.	300
127	NN racks used for cooking vessels	6 s/s racks used for cooking vessels, dimensions: (6x) 1250 mm x 900 mm x 1670 mm.	600
128	NN racks used for cooking vessels	6 s/s racks used for cooking vessels, dimensions: (6x) 1250 mm x 900 mm x 1670 mm.	600
129	NN racks used for cooking vessels	5 s/s racks used for cooking vessels, (2x) 6 floors, floor dimensions: 1240 mm x 400 mm x 235 mm, total dimensions: 1050 mm x 1210 mm x 1680 mm.	500
130	NN trolleys	7 s/s trolleys with 9 aluminium plates, distance between floors: 150 mm, total dimensions: (7x) 1030 mm x 700 mm x 2000 mm.	350
131	NN trolleys	6 s/s trolleys with 9 aluminium plates, distance between floors: 150 mm, total dimensions: (6x) 1030 mm x 700 mm x 2000 mm.	300
132	NN racks used for cooking vessels	S/s rack used for cooking vessels, dimensions: 970 mm x 1350 mm x 1700 mm.	100
133	NN trolley	S/s trolley, dimensions: 1500 mm x 650 mm x 1680 mm.	50
135	NN baskets	Rack with 60 s/s baskets used for cooking vessel, dimensions baskets: 940 mm x 530 mm x 90 mm, total dimensions: 1740 mm x 1020 mm x 1780 mm.	150
136	NN cooking trolley	S/s cooking trolley, 26 floors, dimensions floors: 1000 mm x 950 mm, including 26 s/s plates, dimensions: 500 mm x 950 mm, total dimensions: 1010 mm x 1000 mm x 1960 mm.	150
137	NN cooking trolley	S/s cooking trolley, 8 floors, dimensions floors: 940 mm x 990 mm, including 5 plates, total dimensions: 1000 mm x 1000 mm x 1940 mm.	150
138	NN tables	2 aluminium tables, dimensions: 600 mm x 400 mm x 720 mm / 600 mm x 400 mm x 640 mm.	20
139	Krause		25



Nr	Title	Description	Start €
		Krause ladder, working height: 950 mm, total dimensions: 470 mm x 200 mm x 1690 mm.	
140	NN rollie	S/s rollie for E2-crates including 2 plastic E2-crates, dimensions rollie: 650 mm x 410 mm x 160 mm, dimensions crates: (2x) 600 mm x 400 mm x 200 mm.	25
141	NN peg with tools	S/s peg with Vikan dustpan, s/s pusher and paddle for cooking vessel.	25
142	Hailo	Hailo ladder, model: NormStep 8943, working height: 660 mm, total dimensions: 430 mm x 720 mm x 1270 mm.	25
143	NN bin	S/s bin, dimensions: 580 mm x 400 mm x 230 mm.	10
144	NN crate frame	S/s crate frame, dimensions: 590 mm x 390 mm x 700 mm.	10
145	NN rollies	3 s/s rollies for E2-crates, dimensions: (3x) 650 mm x 410 mm x 160 mm.	30
146	NN office inventory	Office inventory consisting of 2 office desks, dimensions: (2x) 1600 mm x 800 mm x 720 mm, 1 office desk, dimensions: 1600 mm x 800 mm x 760 mm, 2 drawers, dimensions: (2x) 420 mm x 780 mm x 660 mm, office cabinets, dimensions: 1600 mm x 450 mm x 2270 mm and 4 chairs.	100
147	NN coat hangers	2 s/s coat hangers, length: 500 mm and 450 mm.	20
148	Arebos	Arebos office cabinet, dimensions: 900 mm x 450 mm x 1060 mm and 4-doors locker, dimensions: 380 mm x 450 mm x 1800 mm.	25
149	NN office inventory	Office inventory consisting of 2 office cabinets, dimensions: 2900 mm x 340 mm x 2240 mm and 1000 mm x 440 mm x 2040 mm, 5 office desk with various dimensions and 6 chairs.	100
150	Canon	Canon printer, serial number: 2QF46277, year of construction: 2021, 220-240 V, 50/60 Hz, dimensions: 440 mm x 450 mm x 460 mm.	25
151	NN protection rack	S/s protection rack, dimensions: 880 mm x 900 mm x 960 mm.	50
152	Itec	Itec s/s sink with faucet, sensor control, dimensions: 430 mm x 440 mm x 590 mm. Including plastic paper dispenser and 2 plastic soap dispensers.	50
153	NN eye shower	S/s cabinet with 2 Wero bottles eye shower, model: P8, dimensions cabinet: 260 mm x 150 mm x 355 mm.	25
154	Memmert	Memmert incubator, type: IN160, fabrication number: D515.0172, 230 V, 1 Ph, 50/60 Hz, 7 A, 1600 W, working temperature: 80°C, 2 floors, dimensions floors: 560 mm x 360 mm, total dimensions: 750 mm x 640 mm x 1100 mm.	200
155	SysTec GmbH	SysTec GmbH autoclave, type: VX-75, serial number: 8908, year of construction: 2019, 3 x 400 V, 50 / 60 Hz, 15.5 A, volume: 85 liter, design temperature: -10 / + 150°C, design pressure: -1 / + 4 bar, total dimensions:	250

Nr	Title	Description	Start €
		560 mm x 750 mm x 960 mm. Including 2 s/s baskets, diameter baskets: 390 mm, height baskets: 280 mm.	
156	NN laboratory equipment	Various laboratory equipment consisting of mobile laboratory table, dimensions: 600 mm x 900 mm x 750 mm, Microfunnel filter funnels, petri dishes etc.	25
157	NN laboratory table	Laboratory table, dimensions: 1400 mm x 800 mm x 740 mm.	25
158	Memmert	Memmert incubator, type: IPP 200, fabrication number: R213.0008, 230 V, 1 Ph, 50/60 Hz, 0.6 A, 125 W, working temperature: 5 - 70 °C, 1 floor, dimensions floor: 400 mm x 235 mm, total dimensions: 550 mm x 440 mm x 600 mm.	100
159	Heraeus	Heraeus incubator, type: T 6060, fabrication number: 9010425, 220 V, 1 Ph, 50 Hz, 6.5 A, 1.40 kW, working temperature: 250 °C, floor dimensions: 400 mm x 360 mm, total dimensions: 750 mm x 560 mm x 580 mm.	75
160	WTC Binder	WTC Binder incubator, type: 1724009900332, serial number: 950114, 230 V, 1 Ph, 50/60 Hz, 2.4 A, 0.55 kW, working temperature: 100 °C, floor dimensions: 800 mm x 500 mm, total dimensions: 1400 mm x 800 mm x 1100 mm.	100
161	NuAire	NuAire biological safety cabinet, model number: NU-480-600E, serial number: 161094011314, year of construction: 2014, 230 V, 1 Ph, 50/60 Hz, inside dimensions: 1790 mm x 530 mm x 600 mm, total dimensions: 1980 mm x 880 mm x 2200 mm.	250
162	AEG	AEG refrigerator, netto volume: 330 liter, total dimensions: 600 mm x 590 mm x 2080 mm.	50
163	Memmert	Memmert water bath, type: WTB15, fabrication number: LC24.0264, 230 V, 1 Ph, 50/60 Hz, 6.2 A, 1420 W, working temperature: 10 - 100°C, inside dimensions: 500 mm x 295 mm x 150 mm, total dimensions: 800 mm x 370 mm x 380 mm.	50
164	Sartorius	Sartorius weighing scale, model: PRACTUM612-1S, number: 0032402494, year of construction: 2014, diameter scale: 180 mm, calibrated till: 08-2026, total dimensions: 210 mm x 360 mm x 100 mm.	75
165	Velp Scientifica	Velp Scientifica magnetic stirrer, model: F20500162, serial number: 496516, 230 V, 1 Ph, 50-60 Hz, 630 W, diameter: 155 mm, total dimensions: 160 mm x 280 mm x 120 mm.	25
166	Heidolph	Heidolph magnetic stirrer, type: REAX 2000, number: 541.19, serial number: 30064, 220 V, 200-2400 rates per minute, dimensions: 125 mm x 140 mm x 110 mm.	25
167	VWR International BV	VWR International BV star blender, model: Star-Blender Silent, serial number: 025020S01820, year of construction: 2023, 100 - 240 V, 1 Ph, 50/60 Hz, 55 W, dimensions: 270 mm x 450 mm x 340 mm.	150



Nr	Title	Description	Start €
168	Alliance Bio Expertise	Alliance Bio Expertise automated gravimetric diluter, model: Diluwel 24 V, serial number: 822010201, 24 V, dimensions: 240 mm x 270 mm x 420 mm.	75
169	IKA-Labortechnik	IKA-Labortechnik magnetic stirrer, type: VF 2, number: 488877, 200-250 V, 50/60 Hz, 30 W, maximum: 2500 rates per minute, dimensions: 130 mm x 160 mm x 140 mm.	25
170	Heraeus	Heraeus incubator, type: B 6060, fabrication number: 9010419, 220 V, 50 Hz, 1.6 A, 0.36 kW, working temperature: 50 °C, inside dimensions: 400 mm x 320 mm x 350 mm, total dimensions: 740 mm x 590 mm x 570 mm.	75
171	NN laboratory equipment	Laboratory equipment consisting of laboratory desks, dimensions: 3560 mm x 1200 mm x 840 mm, 900 mm x 600 mm x 750 mm and 1300 mm x 750 mm x 750 mm, laboratory tables with sink, dimensions: 4850 mm x 760 mm x 880 mm. Including content.	250
172	SterilAir	SterilAir air sterilization unit, model: LSK 2130-4K, serial number: t2200618, 230 V, 1 Ph, 50/60 Hz, 82 W, 0.36 A, dimensions: 880 mm x 150 mm x 370 mm.	75
173	Dolav	Dolav plastic pallet box, dimensions: 1200 mm x 1000 mm x 750 mm.	25
174	NN work bench	Steel work bench with bench vice and clamp, dimensions: 2000 mm x 710 mm x 1000 mm. Including content.	75
175	Sawa / KSB	Pallet with KSB centrifugal pump, Sawa centrifugal pump (incomplete), s/s cabinet with Festo pneumatic parts, dimensions pallet: 1200 mm x 800 mm x 540 mm.	75
176	Cantoni	Cantoni motor, 1450 / 1750 rates per minute, 1.1 / 1.3 kW, dimensions: 340 mm x 200 mm x 230 mm and motor, dimensions: 590 mm x 190 mm x 290 mm.	50
177	NN parts	Pallet with various s/s parts, dimensions: 1030 mm x 1100 mm x 900 mm.	25
178	NN welding machine	Mobile welding machine with 2 gas bottles, dimensions: 660 mm x 980 mm x 1170 mm.	50
179	NN frames	2 s/s frames, dimensions: (2x) 800 mm x 300 mm x 900 mm.	10
180	NN parts	Wall rack with large amount of s/s parts, pipings and frames, dimensions rack: 4700 mm x 580 mm x 2180 mm.	500
181	Grundfos	Grundfos pump unit consisting of: 3 Grundfos centrifugal pumps, type: (3x) CR-5-10-A-A-E-HQQE, 50 Hz, 1.50 kW, 5.8 m³ per hour, maximum pressure: 16 bar, maximum temperature: 120°C, total dimensions: 1200 mm x 800 mm x 1480 mm. Switch cabinet incomplete.	250
182	NN bins		15



Nr	Title	Description	Start €
		4 s/s bins, dimensions: (4x) 580 mm x 400 mm x 210 mm.	
183	Lansing GmbH	Lansing GmbH steel pallet lifter, type: DP 1,25 / 54/112, serial number: 532712, year of construction: 1975, capacity: 1250 kg, fork length: 1120 mm, total dimensions: 1450 mm x 540 mm x 1290 mm.	25
184	Lifter SRL	Lifter S.R.L. s/s pallet lifter, year of construction: 2011, fork length: 1150 mm, total dimensions: 1470 mm x 530 mm x 1160 mm. Defect.	50
185	NH Handling	NH Handling s/s pallet lifter, model: ACS20BN, serial number: 0031055, fork length: 1150 mm, total dimensions: 1450 mm x 540 mm x 1270 mm. Defect.	50
186	NN pallet lifter	S/s pallet lifter, fork length: 1130 mm, total dimensions: 1450 mm x 520 mm x 1200 mm.	100
187	NN pallet lifter	S/s pallet lifter, fork length: 1140 mm, total dimensions: 1460 mm x 540 mm x 1210 mm. Defect.	50
188	NN pallet lifter	S/s pallet lifter, fork length: 1140 mm, total dimensions: 1460 mm x 540 mm x 1210 mm.	100
189	NN welding screen	Welding screen, dimensions: 2000 mm x 1970 mm.	25
190	NN ladder	Ladder, working height: 2150 mm, total dimensions: 650 mm x 1880 mm x 2150 mm.	25
191	NN first aid cabinet	First aid cabinet, dimensions: 430 mm x 160 mm x 490 mm.	10
192	NN frame	Steel frame, working width: 225 mm, total dimensions: 360 mm x 360 mm x 950 mm.	10
193	Knuth	Knuth column drilling machine, type: SSB35X, maximum drilling capacity: 35 mm, total dimensions: 540 mm x 1060 mm x 2270 mm.	500
194	Metabo	Metabo double grinder, type: 7207D, 220/380 V, 3 Ph, 50 Hz, 300 W, total dimensions: 510 mm x 270 mm x 1150 mm.	50
195	NN cabinet	Wall mounted cabinet, dimensions: 380 mm x 210 mm x 600 mm.	10
196	NN work bench	Work bench with bench vice, dimensions: 2000 mm x 860 mm x 890 mm. Including content.	100
197	NN welding table	Steel welding table with bench vice, dimensions: 1200 mm x 1000 mm x 830 mm. Including content.	100
198	Remko	Remko heater, type: EM 2000, serial number: 1420J4395, 230 V, 1 Ph, 50 Hz, maximum: 9.5 A, maximum: 2.0 kW, capacity: 220 m ³ per hour, dimensions: 200 mm x 300 mm x 320 mm.	25
199	NN trolley	S/s trolley, dimensions: 600 mm x 1100 mm x 800 mm.	25
200	NN work bench	Steel work bench with 2 clamps, dimensions: 1500 mm x 1000 mm x 960 mm. Including content.	100
201	NN eye shower	S/s cabinet with 2 Wero bottles eye shower, model: P8, dimensions cabinet: 260 mm x 150 mm x 355 mm.	25
202	NN bar clamps	Various bar clamps and welding helmet.	25



Nr	Title	Description	Start €
203	NN stools	2 stools, diameter: 340 mm / 520 mm, height: 700 mm / 570 mm.	25
204	NN waste bag holder	S/s waste bag holder, dimensions: 530 mm x 470 mm x 940 mm.	25
205	NN gas bottles	2 steel gas bottles, diameter: (2x) 130 mm, height: 1000 mm / 920 mm. Empty.	25
206	NN hose reels	5 aluminium hose reels, dimensions: (4x) 170 mm x 150 mm x 70 mm and (1x) 490 mm x 250 mm x 160 mm.	25
207	NN wall plates	2 s/s wall plates and s/s coat rack, length coat rack: 700 mm.	25
208	NN plastic pallet boxes	48 plastic pallet boxes, dimensions: (48x) 1200 mm x 1000 mm x 750 mm.	480
209	NN plastic pallet boxes	5 plastic pallet boxes, dimensions: (5x) 1200 mm x 1000 mm x 750 mm.	50
210	Krause	Krause ladder, working height: 970 mm, total dimensions: 500 mm x 900 mm x 1590 mm.	25
211	NN filter sieve	S/s filter sieve, inside diameter: 1450 mm, total dimensions: 1500 mm x 1750 mm x 1520 mm.	500
212	Reck	Reck slurry mixer, dimensions: 1150 mm x 700 mm x 2500 mm.	250
213	NN fence	2 s/s fences, dimensions: 2200 mm x 1580 mm / 1700 mm x 1580 mm.	50
214	Gröneweg Maschinenbau	Gröneweg Maschinenbau lifter for pallet boxes, type: EAZ 3500, lifting height: approximately 3500 mm, maximum capacity: 800 kg, infeed dimensions: 1070 mm x 1330 mm x 970 mm, total dimensions: 2480 mm x 1660 mm x 4030 mm.	1500
215	K+G Wetter	K+G Wetter mixer-grinder, machine type: MAW G 160, machine number: 414/1043, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 72 A, 36 kW, plate diameter: 160 mm, total dimensions: 2000 mm x 1500 mm x 3620 mm.	7500
216	NN transport screw	S/s transport screw, screw diameter: 280 mm, tier: 100 mm, total length: 6300 mm.	500
217	NN plate freezer	Vertical plate freezer for 20 blocks, refrigerant: ammonia, inside dimensions: (20x) 75 mm x 1080 mm x 540 mm, total dimensions: 2740 mm x 1650 mm x 1960 mm.	1500
218	NN plate freezer	Vertical plate freezer for 20 blocks, refrigerant: ammonia, inside dimensions: (20x) 75 mm x 1080 mm x 540 mm, total dimensions: 2740 mm x 1650 mm x 1960 mm.	1500
219	Tucal S.L.	Tucal S.L. s/s vertical plate freezer for 20 blocks, serial number: AV-704, year of construction: 2020, 400 V, 50 Hz, maximum / minimum pressure: 21 / -0.5 bar, maximum / minimum temperature: + 45 / - 43 °C, refrigerant: NH3, for 20 blocks, inside dimensions: 80	5000



Nr	Title	Description	Start €
		mm x 1070 mm x 490 mm, total dimensions: 2800 mm x 1660 mm x 1300 mm.	
220	Apparate- und Behälter Technik Harrislee GmbH	Apparate- und Behälter Technik Harrislee GmbH s/s tank with mixer, type: BG, fabrication number: 161 0043, year of construction: 1989, volume: 1200 liter, total dimensions: 1750 mm x 1750 mm x 2800 mm.	400
221	Tyco	Various Tyco PremiAir valves with pneumatic actuators, total dimensions: 4600 mm x 800 mm x 1200 mm and 2100 mm x 760 mm x 1200 mm.	250
222	NN wall frame	S/s wall frame, dimensions: 1000 mm x 450 mm x 360 mm.	10
223	NN platform	Steel platform with stairs, working height: 2800 mm, total dimensions: 11000 mm x 3100 mm x 3800 mm.	1500
224	NN peg	S/s peg with Vikan shovel and electric cable, length peg: 450 mm.	25
225	NN hose reel	Aluminium hose reel, dimensions: 340 mm x 150 mm x 250 mm.	5
226	WB Busser	WB Busser double lane crate washer, machine type: WB 505, machine number: 0276 2001, year of construction: 2002, clearance: (2x) 640 mm x 260 mm, total dimensions: 12000 mm x 2400 mm x 2060 mm. Including extraction hood.	3000
227	Vikan	Various Vikan cleaning equipment.	10
228	NN hose reel	2 Aluminium hose reel with hoses, dimensions: 340 mm x 150 mm x 250 mm.	25
229	Attec	Attec s/s sink, sensor control, dimensions: 410 mm x 450 mm x 580 mm. Including 2 Ecolab plastic soap dispensers and plastic paper dispenser.	75
230	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 460 mm x 470 mm x 940 mm.	50
231	NN protection pole	S/s protection pole, diameter: 20 mm, height: 1010 mm.	10
232	NN hose reel	Aluminium hose reel, dimensions: 340 mm x 150 mm x 250 mm.	10
233	Kohlhoff Hygienetechnik GmbH & Co. KG	Kohlhoff Hygienetechnik GmbH & Co. KG boot cleaner, brush height: (3x) 340 mm, brush length: (2x) 440 mm, total dimensions: 1500 mm x 320 mm x 1260 mm.	250
234	NN sink	S/s sink with 5 faucets, knee control, dimensions sink: 3000 mm x 500 mm x 400 mm, including 2 soap dispensers, Kimberley Clark paper dispenser and hose reel.	150
235	NN boot rack	S/s boot rack for 40 pairs of boots, dimensions: 820 mm x 1260 mm x 2300 mm.	150
236	NN boot rack	S/s boot rack for 20 pairs of boots, dimensions: 1220 mm x 540 mm x 1650 mm.	100
237	NN wall peg	S/s wall peg, dimensions: 1500 mm x 550 mm x 460 mm.	10



Nr	Title	Description	Start €
238	NN wall pegs	3 s/s wall pegs, length: (3x) 1000 mm.	30
239	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	5
240	NN sink	S/s sink with 3 faucets, knee control, dimensions: 1800 mm x 450 mm x 500 mm.	75
241	NN swing door	Swing door, s/s frame, plastic door, dimensions: 1100 mm x 1990 mm.	50
242	Ecolab	4 pallets with Ecolab empty cans used for disinfectant for the food, approximately: 125 pieces. Empty.	50
243	Dolav	41 Dolav plastic pallet boxes, dimensions: (41x) 1200 mm x 1000 mm x 750 mm.	410
244	NN barrels	18 plastic barrels, diameter barrels: 580 mm, height barrels: 930 mm, 14 plastic cans, dimensions: 360 mm x 300 mm x 650 mm. Empty.	50
245	NN pallet lifter	S/s pallet lifter, fork length: 1380 mm, total dimensions: 1800 mm x 540 mm x 1180 mm.	100
246	NN frames	48 aluminium frames, dimensions: (48x) 1100 mm x 1230 mm x 370 mm.	250
247	NN coat racks / benches	5 steel coat racks / benches, dimensions: (4x) 2500 mm x 400 mm x 1740 mm and (1x) 2500 mm x 750 mm x 1740 mm.	50
248	NN table	Aluminium table, dimensions: 600 mm x 400 mm x 650 mm.	10
249	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4PES-12Y-40P, serial number: 1686506040, 50/60 Hz, 48.5 / 58.5 m³ per hour, Bitzer Kühlmaschinenbau GmbH shell and tube condenser, type: K373H, serial number: 1185101715, year of construction: 2013, volume: 14.5 liter / 3.1 liter, dimensions: 1250 mm x 660 mm x 650 mm,	250
250	NN crate frame	S/s crate frame, dimensions: 610 mm x 415 mm x 730 mm.	10
251	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	10
252	Vemag Anlagenbau	Vemag Anlagenbau universal chamber for smoking, cooking, cooling and drying, model: Aeromat, plant type: HR 2x2 WG, plant number: 514.11303, year of construction: 2019, steam heating: 6 bar / 200 kW, steam humidification: 0.7 / 240 kg per hour, compressed air: 6 bar / 2.5 m³ per hour, Micromat C7-100 switchboard, 400 V, 50 Hz, 32 A, inside dimensions: 2150 mm x 2400 mm x 2100 mm, total dimensions: 3450 mm x 2840 mm x 3650 mm. Without smoke generator.	10000
253	NN hose reel	Aluminium hose reel, dimensions: 340 mm x 150 mm x 250 mm.	5
254	NN hose reel		5



Nr	Title	Description	Start €
		S/s hose reel with plastic hose, dimensions: 310 mm x 220 mm x 160 mm.	
255	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 440 mm, elevating height: 1200 mm, total dimensions: 2300 mm x 700 mm x 2100 mm. Incomplete.	100
256	NN elevating screw	S/s mobile elevating screw, diameter screw: 160 mm, tier: 80 mm, elevating height: 1560 mm, total dimensions: 1200 mm x 2760 mm x 2270 mm.	400
257	GEA Tuchenhagen Dairy Systems	GEA Tuchenhagen Dairy Systems tubular heat exchanger, manufacturing number: 36082275.68.1, year of construction: 2007, volume inside: (8x) 3.4 liter, volume outside: (8x) 6.4 liter, diameter tubes: 50 mm, total dimensions: 3270 mm x 800 mm x 1570 mm. Damaged.	500
258	Seepex	Seepex progressing cavity pump with infeed hopper with screw, type: BT 5-12, total dimensions: 2040 mm x 500 mm x 1300 mm.	150
259	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 605 mm, total dimensions: 2260 mm x 1020 mm x 1280 mm.	150
260	NN blower	Blower in s/s mobile cabinet, diameter blower: 900 mm, total dimensions: 1200 mm x 850 mm x 2000 mm.	250
261	Emptying	Emptying curved elevating belt, year of construction: 2008, s/s frame, plastic mesh belt, belt width: 300 mm, elevating height: 700 mm, total dimensions: 4200 mm x 850 mm x 1400 mm.	150
262	NN platform	S/s platform with plastic grid, dimensions: 4950 mm x 600 mm x 300 mm.	100
263	NN trailer curtains	Trailer curtains, dimensions: (2x) 2600 mm x 1250 mm x 60 mm.	100
264	Gloria	Gloria spray tank with pistol, diameter: 150 mm, height: 500 mm.	10
265	NN waste bag holder	S/s waste bag holder, dimensions: 450 mm x 400 mm x 930 mm.	25
266	Staples	Staples plastic paper dispenser and s/s dispenser.	10
267	NN writing desk	S/s wall mounted writing desk, dimensions: 500 mm x 400 mm x 140 mm.	25
268	Insect-O-Cutor	Insect-O-Cutor insect killer, dimensions: 600 mm x 150 mm x 400 mm.	10
269	NN protection rack	2 steel protection racks, dimensions: (2x) 1350 mm x 250 mm x 1000 mm.	50
270	Vikan	Various Vikan cleaning equipment.	10
271	Emptying	Emptying double transport belt with platform, s/s frame, plastic mesh belt, belt width: 530 mm, plastic	500



Nr	Title	Description	Start €
		roller, roller width: 440 mm, total dimensions: 6100 mm x 2900 mm x 1650 mm.	
272	NN transport belt	Transport belt, s/s frame, plastic belt with rollers, belt width: 1210 mm, total dimensions: 2650 mm x 1500 mm x 1520 mm.	200
273	Emptying	Emptying transport belt with divider, plastic belt with rollers, roll width: 610 mm, total dimensions: 2200 mm x 1200 mm x 1620 mm.	200
274	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 350 mm, distance between dividers: 260 mm, divider height: 48 mm, elevating from 1650 mm to 2200 mm, total dimensions: 3600 mm x 750 mm x 2350 mm.	400
275	Emptying	Emptying line dividing belt, s/s frame, plastic belt with rollers, belt width: (4x) 350 mm, total dimensions: 2650 mm x 1800 mm x 1500 mm.	400
276	ENT	ENT mobile elevating belt, type: Z-Forderer, year of construction: 2012, s/s frame, plastic belt with dividers, belt width: 550 mm, distance between dividers: 450 mm, divider height: 70 mm, elevating height: 2000 mm, total dimensions: 3200 mm x 1500 mm x 2450 mm.	250
277	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 350 mm, elevating height: 1400 mm, total dimensions: 3900 mm x 700 mm x 1480 mm.	250
278	Emptying	Emptying elevating belt, year of construction: 2008, s/s frame, plastic belt with dividers, belt width: 1220 mm, divider height: 150 mm, distance between dividers: 400 mm, elevating height: 1650 mm, total dimensions: 2750 mm x 1900 mm x 2350 mm.	250
279	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 295 mm, distance between dividers: 180 mm, divider height: 50 mm, total dimensions: 3600 mm x 600 mm x 500 mm.	150
280	Baader	Baader mobile transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 4200 mm x 650 mm x 1000 mm.	150
281	NN transport belt	Transport belt, s/s frame, plastic belt with rollers, belt width: 360 mm and 260 mm, total dimensions: 2300 mm x 850 mm x 930 mm.	150
282	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	10
283	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 440 mm, total dimensions: 1250 mm x 750 mm x 1400 mm.	100
284	NN elevating belt	Mobile elevating belt with inspection light, s/s frame, plastic belt, belt width: 530 mm, elevating height:	250



Nr	Title	Description	Start €
		1200 mm, total dimensions: 3300 mm x 800 mm x 2300 mm.	
285	NN transport belt	3-lane elevating belt for X-Ray scanner, s/s frame, plastic belt, belt width: (3x) 145 mm, elevating height: 750 mm, total dimensions: 2500 mm x 700 mm x 800 mm.	150
286	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: 500 mm, total dimensions: 5650 mm x 900 mm x 910 mm.	350
287	Gröneweg Maschinenbau	Gröneweg Maschinenbau mobile vertical elevating belt, type: SFB-1750-1520-350, serial number: GW-SFB-50644-01, year of construction: 2011, s/s frame, plastic belt with dividers, belt width: 250 mm, distance between dividers: 260 mm, divider height: 65 mm, elevating height: 2200 mm, total dimensions: 2300 mm x 1100 mm x 2370 mm.	500
288	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 1750 mm x 800 mm x 760 mm.	150
289	ENT	ENT mobile transport belt including hydraulic press, type: Zufuhrband, machine number: 18 097, year of construction: 2018, s/s frame, plastic belt, belt width: 230 mm, total dimensions: 2950 mm x 900 mm x 1650 mm.	250
290	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 4500 mm x 750 mm x 1100 mm. Incomplete.	150
291	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 6000 mm x 800 mm x 1030 mm.	250
292	ENT	ENT mobile curve conveyor, type: Kurvenband, machine number: 12 037, year of construction: 2012, s/s frame, plastic mesh belt, belt width: (2x) 340 mm, total dimensions: 4900 mm x 1500 mm x 1250 mm.	400
293	Marel	Marel weighing belt, plastic mesh belt, belt width: 450 mm, total dimensions: 1900 mm x 1000 mm x 1500 mm, Marel indicator, type: A320, serial number: 1334.	250
294	NN hood	S/s hood, dimensions: 5355 mm x 1450 mm x 410 mm.	150
295	NN peg	S/s peg, length: 3300 mm.	10
296	NN roller conveyor	Double lane roller conveyor, s/s frame, plastic rollers, roll width: 400 mm, total dimensions: 2700 mm x 1350 mm x 850 mm.	150
297	NN hose reel	Aluminium hose reel, dimensions: 340 mm x 150 mm x 250 mm.	5
298	Gröneweg Maschinenbau	Gröneweg Maschinenbau mobile batcher, total dimensions: 1500 mm x 700 mm x 1870 mm.	250
299	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 290 mm, total dimensions: 3400 mm x 500 mm x 1040 mm.	150



Nr	Title	Description	Start €
300	Leonhardt	Leonhardt 2-heads depositor, type: TGS 1, number: 0140 / 1422, year of construction: 2015, diameter pipe: (2x) 100 mm, total dimensions: 1000 mm x 850 mm x 2000 mm. Incomplete.	150
301	Mesoma	Mesoma vertical form, fill and seal machine, type: VMS 320, machine number: 15.02.88, year of construction: 1991, 380 V, 50 Hz, air pressure: 6 bar, film width: 500 mm, diameter filling pipe: 130 mm, vertical seal: 450 mm, horizontal seal: 350 mm, total dimensions: 1800 mm x 1300 mm x 2070 mm, Emptying mobile outfeed belt, s/s frame, plastic mesh belt, belt width: 300 mm, elevating height: 700 mm, total dimensions outfeed belt: 4100 mm x 700 mm x 1460 mm.	750
302	NN diaphragm	Diaphragm, diameter: 200 mm, total dimensions: 1100 mm x 900 mm x 2450 mm. Incomplete.	250
303	Meyn	Meyn double head diaphragm, type: FM3A, year of construction: 1992, diameter: 2-heads with 6 outlet, outlet: (6x) 30 mm, total dimensions: 2100 mm x 2600 mm x 1800 mm, s/s platform, dimensions: 1900 mm x 1450 mm x 2460 mm and pallet with parts.	1500
304	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 2150 mm x 700 mm x 950 mm.	150
305	Danapak GmbH	Danapak GmbH cartoning machine, machine type: HK I-II 90/156, machine number: 0190922, 230/400 V, 50 Hz, s/s conveyor, conveyor width: 300mm, distance between dividers: 160 mm, Nordson hot melt glue unit, model: PROBLUE 4, serial number: SA12J88189, total dimensions: 5250 mm x 1800 mm x 2230 mm.	750
306	Gröneweg Maschinenbau	Gröneweg Maschinenbau 2-heads depositor (option for 4-heads), inside dimensions tub: 600 mm x 400 mm x 450 mm, total dimensions: 1500 mm x 1150 mm x 2150 mm. Including pallet with parts.	500
307	Gröneweg Maschinenbau	Gröneweg Maschinenbau scrambled egg machine with 4 lanes, lane width: 210 mm, total dimensions: 1800 mm x 1600 mm x 2360 mm. Including pallet with 5 extra spare lanes and trolley, trolley dimensions: 1100 mm x 500 mm x 1030 mm.	400
308	AL-KO	AL-KO air filter cabinet with s/s switch cabinet with Danfoss frequency inverter, dimensions switch cabinet: 750 mm x 300 mm x 750 mm.	500
309	Linco	Linco s/s spin chiller, diameter: 2000 mm, tier: 820 mm, total dimensions: 8600 mm x 2300 mm x 2400 mm, including s/s platform with steel gratings, working height: 750 mm, total dimensions: 6200 mm x 620 mm x 1550 mm. Including hydraulic unit and 2 vacuum blowers.	3500
310	Linco		3000



Nr	Title	Description	Start €
		Linco s/s spin chiller, diameter: 1400 mm, tier: 620 mm, total dimensions: 9800 mm x 1800 mm x 1700 mm. Including hydraulic unit and 2 vacuum blowers.	
311	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 450 mm, total dimensions: 3550 mm x 900 mm x 850 mm.	250
312	NN frame	Steel frame, dimensions: 2600 mm x 2000 mm x 2250 mm.	150
313	Römer GmbH	Römer GmbH pressure vessel, production number: 5675, year of construction: 1997, volume: 500 liter, PS/bar: 11 bar, diameter vessel: 650 mm, height vessel: 2200 mm.	150
314	NN switch cabinet	Switch cabinet, dimensions: 600 mm x 400 mm x 1200 mm.	25
315	Boom GmbH	Boom GmbH high pressure unit with 2 high pressure pumps, type: 2-PP1-E-70 GMs, serial: 2517, year of construction: 2005, 400 V, 50 Hz, 19 kW, 117 liter per minute, dimensions: 1400 mm x 700 mm x 1800 mm. 1 of the high pressure pumps is incomplete.	100
316	Kronwald Drucklufttechnik GmbH	Kronwald Drucklufttechnik GmbH pressure vessel, production number: 51630, year of construction: 1989, volume: 1000 liter, diameter vessel: 800 mm, height vessel: 2400 mm.	250
320	NN storage rack	Steel storage rack, 5 floors, dimensions: 1010 mm x 410 mm x 2000 mm. Including content.	25
321	NN office inventory	Office inventory consisting of 3 office desk, dimensions: (2x) 1800 mm x 900 mm x 730 mm and (1x) 1200 mm x 800 mm x 760 mm, 2 office cabinets, dimensions: (2x) 1600 mm x 600 mm x 930 mm and 3 chairs.	50
322	NN waste bag holder	S/s waste bag holder, dimensions: 400 mm x 500 mm x 800 mm.	25
323	NN first aid cabinet and kit	First aid cabinet, dimensions: 700 mm x 250 mm x 600 mm and first aid kit.	25
324	NN knife baskets	2 s/s knife baskets, dimensions: 250 mm x 100 mm x 500 mm and 150 mm x 80 mm x 300 mm.	25
325	Linco	Linco control panel for spin chiller, dimensions: 400 mm x 250 mm x 350 mm and Linco switch cabinet for spin chiller, dimensions: 400 mm x 200 mm x 600 mm.	250
326	Linco	Linco temperature control cabinet, dimensions: 200 mm x 180 mm x 250 mm.	150
327	Valentin Drucksysteme	Valentin Drucksysteme label printer, type: COMPA II 106/12, serial number: 15544007, article number: 90.52.200B, 110-230 V, 50-60 Hz, 2.5 A, dimensions: 400 mm x 250 mm x 280 mm.	25
328	Denios	Denios eye shower, dimensions: 400 mm x 800 mm x 2400 mm.	50
329	Dosatron		25



Nr	Title	Description	Start €
		2 Dosatron dosing units, type: D3RE10, capacity: (2x) 3 m ³ per hour, used for acidic foam cleaner, dimensions: (2x) 150 mm x 150 mm x 600 mm.	
330	Denios	4 Denios AG drip trays, volume: (3x) 200 liter and (1x) 270 liter, dimensions: 1220 mm x 840 mm x 430 mm, 1260 mm x 870 mm x 400 mm and (2x) 1200 mm x 800 mm x 270 mm. Including content.	200
331	NN container trolley	Container trolley, dimensions: 600 mm x 700 mm x 1400 mm.	25
332	Dosatron	Dosatron dosing unit, capacity: 1.5 m ³ per hour, dimensions: 150 mm x 150 mm x 600 mm.	10
333	ProMinent GmbH	ProMinent GmbH dosing pump, type: S1CBH07065PVTs070UA, serial number: 2018207353, year of construction: 2018, dosing capacity: 63 liter per hour, dimensions: 400 mm x 300 mm x 400 mm.	25
334	Dosatron	Dosatron dosing unit, dimensions: 150 mm x 150 mm x 600 mm. Including hose reel and hose, dimensions: 180 mm x 70 mm x 150 mm.	25
335	Büfa	IBC tank with Büfa Orbin RT-P, volume: 700 kg, approximately 1/3 left, dimensions: 1200 mm x 800 mm x 1300 mm, with drip tray, dimensions: 2500 mm x 1800 mm x 480 mm.	50
336	Denios	6 drip trays, type: Classic-line 2 FKE, serial number: 100626058-007, year of construction: 2021, volume: 270 liter, dimensions: 1300 mm x 900 mm x 350 mm, 530 mm x 730 mm x 330 mm, 270 mm x 870 mm x 550 mm and (3x) 1200 mm x 800 mm x 410 mm.	300
337	Zingel	Zingel s/s paper dispenser, dimensions: 240 mm x 200 mm x 300 mm.	10
338	NN tubs	9 mobile s/s tubs, inside dimensions: 1120 mm x 700 mm x 350 mm, total dimensions: 1250 mm x 750 mm x 800 mm.	450
339	NN tubs	6 mobile s/s tubs, inside dimensions: 1560 mm x 700 mm x 350 mm, total dimensions: 1700 mm x 760 mm x 800 mm.	300
340	NN tubs	6 mobile s/s tubs, inside dimensions: 1560 mm x 700 mm x 350 mm, total dimensions: 1700 mm x 760 mm x 800 mm.	300
341	NN tubs	5 mobile s/s tubs, inside dimensions: 1560 mm x 700 mm x 350 mm, total dimensions: 1700 mm x 760 mm x 800 mm.	250
342	NN meat bins	6 s/s meat bins, volume: 200 liter.	300
343	NN trolley	S/s trolley, dimensions: 1500 mm x 630 mm x 910 mm.	50
344	NN pallets	3 aluminium pallets, dimensions: 1200 mm x 800 mm x 170 mm.	15
345	NN tubs	4 mobile tubs with drain, inside dimensions: (4x) 600 mm x 580 mm x 190 mm, total dimensions: (3x) 700	100



Nr	Title	Description	Start €
		mm x 650 mm x 900 mm and (1x) 700 mm x 650 mm x 1350 mm.	
346	Mohn GmbH	2 Mohn GmbH s/s meat bins, volume: (2x) 300 liter.	100
347	NN meat bins	12 s/s meat bins, volume: 200 liter.	600
348	NN meat bins	2 s/s meat bins, volume: 200 liter.	100
349	NN tubs	2 plastic tubs, dimensions: (2x) 780 mm x 600 mm x 720 mm.	25
350	NN rollies	30 s/s and aluminium rollies for E2-crates, dimensions: (30x) 690 mm x 420 mm x 170 mm.	300
351	NN rollies	60 s/s and aluminium rollies for E2-crates, dimensions: (60x) 690 mm x 420 mm x 170 mm.	600
352	NN rollies	15 s/s and aluminium rollies for E2-crates, dimensions: (15x) 690 mm x 420 mm x 170 mm.	150
353	NN rollies	75 s/s and aluminium rollies for E2-crates, dimensions: (75x) 690 mm x 420 mm x 170 mm.	750
354	NN trolleys	7 s/s trolleys for crates, dimensions: (7x) 1150 mm x 420 mm x 950 mm.	75
355	NN rollies	8 s/s and aluminium rollies for E2-crates, dimensions: (8x) 690 mm x 420 mm x 170 mm.	80
356	NN trolley	S/s trolley, dimensions: 1310 mm x 610 mm x 900 mm.	25
357	NN trolley	S/s trolley, dimensions: 1100 mm x 1060 mm x 1300 mm.	50
358	NN trolley	S/s serving trolley, dimensions: 860 mm x 550 mm x 920 mm.	25
359	ENT	ENT s/s trolley with drain, inside dimensions: 880 mm x 600 mm x 200 mm, total dimensions: 1100 mm x 630 mm x 900 mm.	50
360	NN trolley	Aluminium trolley with s/s top, 1700 mm x 630 mm x 850 mm.	75
361	NN trolley	S/s trolley for crates, dimensions: 1150 mm x 420 mm x 1000 mm.	10
362	NN trolley	S/s trolley, dimensions: 1050 mm x 600 mm x 830 mm.	25
363	NN frame	S/s hanging frame, dimensions: 6000 mm x 660 mm x 1250 mm.	250
364	NN waste bag holder	S/s waste bag holder, dimensions: 450 mm x 400 mm x 930 mm.	25
365	NN sink	S/s sink, knee control, dimensions: 560 mm x 400 mm x 150 mm. Including Zingel s/s paper dispenser and 2 soap dispensers.	25
366	Mettler Toledo	Mettler Toledo floor weighing scale with indicator, type: ME3000s, serial number: 3085786, maximum load: 600/1500/3000 kg, minimum load: 4 kg, e= 200/500/1000 g, scale dimensions: 1500 mm x 1250 mm.	250
367	NN writing desk	S/s writing desk, dimensions: 410 mm x 410 mm x 1250 mm.	25
368	NN cabinet		25



Nr	Title	Description	Start €
		S/s cabinet with eye shower, dimensions: 270 mm x 100 mm x 350 mm.	
369	NN hose reel	S/s hose reel with hose, dimensions: 500 mm x 160 mm x 250 mm.	25
370	NN writing desk	S/s writing desk, dimensions: 510 mm x 400 mm x 170 mm.	25
371	NN fryer	Tiltable fryer, inside dimensions: 1050 mm x 550 mm x 300 mm, total dimensions: 1580 mm x 900 mm x 1100 mm.	100
372	NN helmets	4 helmets on s/s frame, frame length: 1000 mm.	25
373	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	5
374	NN waste bag holder	S/s waste bag holder, dimensions: 450 mm x 400 mm x 930 mm.	25
375	NN sink	S/s sink, knee control, dimensions: 550 mm x 420 mm x 300 mm. Including gloves, Zingel s/s paper dispenser and 2 soap dispensers.	50
376	NN apron hangers	3 s/s apron hangers and fat slide, dimensions fat slide: 600 mm x 1300 mm x 70 mm.	50
377	H. Wolff Apparatebau KG	H. Wolff Apparatebau KG s/s cooking vessel for cooking racks, number: 10707, year of construction: 1989, volume: 12400 liter, inside dimensions: 4500 mm x 1500 mm x 1700 mm, distance between rails: 950 mm, total dimensions: 5200 mm x 1670 mm x 3000 mm. Including switch cabinet, dimensions: 480 mm x 150 mm x 360 mm.	1000
378	H. Wolff Apparatebau KG	H. Wolff Apparatebau KG s/s cooking vessel for cooking racks, number: 10709, year of construction: 1989, volume: 12400 liter, inside dimensions: 4500 mm x 1500 mm x 1700 mm, distance between rails: 950 mm, total dimensions: 5200 mm x 1670 mm x 3000 mm. Including switch cabinet, dimensions: 480 mm x 150 mm x 360 mm.	1000
379	H. Wolff Apparatebau KG	H. Wolff Apparatebau KG s/s cooking vessel for cooking racks, number: 10711, year of construction: 1989, volume: 12400 liter, inside dimensions: 4500 mm x 1500 mm x 1700 mm, distance between rails: 950 mm, total dimensions: 5200 mm x 1670 mm x 3000 mm. Including switch cabinet, dimensions: 480 mm x 150 mm x 360 mm.	1000
380	H. Wolff Apparatebau KG	H. Wolff Apparatebau KG s/s cooking vessel for cooking racks, number: 10712, year of construction: 1989, volume: 12400 liter, inside dimensions: 4500 mm x 1500 mm x 1700 mm, distance between rails: 950 mm, total dimensions: 5200 mm x 1670 mm x 3000 mm. Including switch cabinet, dimensions: 480 mm x 150 mm x 360 mm.	1000
381			1000



Nr	Title	Description	Start €
	H. Wolff Apparatebau KG	H. Wolff Apparatebau KG s/s cooking vessel for cooking racks, number: 10710, year of construction: 1989, volume: 12400 liter, inside dimensions: 4500 mm x 1500 mm x 1700 mm, distance between rails: 950 mm, total dimensions: 5200 mm x 1670 mm x 3000 mm. Including switch cabinet, dimensions: 480 mm x 150 mm x 360 mm.	
382	H. Wolff Apparatebau KG	H. Wolff Apparatebau KG s/s cooking vessel for cooking racks, number: 10708, year of construction: 1989, volume: 12400 liter, inside dimensions: 4500 mm x 1500 mm x 1700 mm, distance between rails: 950 mm, total dimensions: 5200 mm x 1670 mm x 3000 mm. Including switch cabinet, dimensions: 480 mm x 150 mm x 360 mm.	1000
383	NN extraction hood	S/s extraction hood, dimensions: 11000 mm x 1500 mm x 350 mm.	500
384	Demag	Demag electrical crane hoist with frame, frame dimensions: 12000 mm x 7800 mm x 400 mm.	750
385	Vikan	Various Vikan cleaning equipment.	25
386	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	5
387	NN sink	S/s sink, sensor control, dimensions: 550 mm x 430 mm x 400 mm. Including 2 soap dispenser and Zingel s/s paper dispenser.	25
388	Kohlhoff	Kohlhoff hygiene station, type: DLSO-HD 1500+EK800, number: 816714-10, 400 V, 3 Ph, 0.6 kW, brush length: (2x) 700 mm, total dimensions: 1600 mm x 1150 mm x 1800 mm. Including s/s tub for disinfection barrels, dimensions: 610 mm x 350 mm x 530 mm.	1500
389	NN waste bag holder	S/s waste bag holder, dimensions: 450 mm x 400 mm x 930 mm.	25
390	Hydro Systems Europe	Hydro Systems Europe dosing unit, type: AccuDose II, Including Büfa Tolo 330, approximately half full and aluminium pallet, dimensions: 1200 mm x 800 mm x 1250 mm. Including s/s dispensers.	50
391	Itec	Itec s/s sink, sensor control, dimensions: 430 mm x 420 mm x 500 mm. Including aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm, paper dispensers and 2 soap dispensers.	50
392	NN waste bag holder	S/s waste bag holder, dimensions: 450 mm x 400 mm x 930 mm.	25
393	NN sink	S/s sink, dimensions: 40 mm x 320 mm x 500 mm. Including helmet, coat,- paper and soap dispensers.	25
394	NN table	Aluminium table, dimensions: 600 mm x 400 mm x 650 mm.	10
395	EMS	EMS s/s door.	100
396	Denios		50



Nr	Title	Description	Start €
		2 Denios plastic containers used for disinfectant, dimensions: (2x) 950 mm x 700 mm x 900 mm. Including content.	
397	Denios	Denios drip tray, dimensions: 1300 mm x 900 mm x 420 mm. Including content.	50
398	NN cabinet	S/s cabinet with eye shower, dimensions: 270 mm x 100 mm x 350 mm.	25
399	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	10
400	Trellvin	Trellvin plastic hoses, length: 2800 mm, 4600 mm and (2x) 1500 mm.	10
401	NN hose reel	S/s hose reel with hose, dimensions: 500 mm x 160 mm x 250 mm.	25
402	NN whisks	S/s whisks, length: 1800 mm and 600 mm.	10
403	Astra	Astra heat exchanger, type: P5WR, number: 112120, dimensions: 1500 mm x 500 mm x 900 mm.	150
404	NN parts	Pallet with s/s pipes and couplings, dimensions: 1200 mm x 800 mm x 900 mm.	150
405	Kelvion	Kelvion heat exchanger, type: NT50M CDL-S-16, serial number: 111/24444, year of construction: 2024, weight: 178 kg, dimensions: 300 mm x 350 mm x 1000 mm.	250
406	NN steps	Aluminium steps, dimensions: 1100 mm x 700 mm x 750 mm.	25
407	NN tank	S/s tank in aluminium frame, inside dimensions: 1100 mm x 900 mm x 900 mm, total dimensions: 1200 mm x 1000 mm x 1700 mm.	100
408	Fristam Pumpen	Fristam Pumpen centrifugal pump, type: FP 722/145 A, number: 42332403, 2.2 kW, 3000 rates per minute, dimensions: 550 mm x 300 mm x 400 mm.	75
409	Westfalia	Westfalia separator, type: SA12-00-006, machine number: 1667113, year of construction: 1981, dimensions: 1200 mm x 1400 mm x 1800 mm. Including trolley and rack with parts, dimensions trolley: 700 mm x 700 mm x 900 mm and rack, dimensions rack: 400 mm x 400 mm x 700 mm.	1000
410	NN pump	Progressing cavity pump, dimensions: 1350 mm x 400 mm x 500 mm.	75
411	RBI GmbH	RBI GmbH tube heat exchanger, type: RBI VAA 55-M, number: 1009569, year of construction: 2025, volume: 4.0/14.0 liter, dimensions: Ø 280 mm x 1030 mm.	150
412	NN steps	Aluminium steps, dimensions: 600 mm x 500 mm x 380 mm.	25
413	NN frame to lift drum from separator	S/s frame to lift drum from separator, dimensions: 1800 mm x 1800 mm x 2830 mm.	25
414	NN extraction hood	S/s extraction hood, dimensions: 2600 mm x 4500 mm x 3100 mm.	100



Nr	Title	Description	Start €
415	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	10
416	NN peg	S/s peg, length: 1050 mm.	25
417	NN sink	2 s/s sinks with (2x) 3 faucets, knee control, dimensions: (2x) 1800 mm x 550 mm x 1330 mm. Including 2 paper dispensers and 4 soap dispensers.	200
418	Mettler Toledo	Mettler Toledo mobile metal detector, model: 50 H, serial number: 122038, 100-240 V, 50/60 Hz, 330 W, plastic belt, belt width: 500 mm, clearance: 550 mm x 175 mm, total dimensions: 1850 mm x 1000 mm x 1300 mm.	500
419	Mettler Toledo	Mettler Toledo mobile metal detector, model: 50 H, type: A003, serial number: 125166, 100-240 V, 50/60 Hz, 330 W, plastic belt, belt width: 300 mm, clearance: 350 mm x 100 mm, total dimensions: 1550 mm x 950 mm x 1040 mm. Transport belt incomplete.	500
420	P+S Mako	P+S Mako mobile bag filling and clipping machine, type: DC 60-CSP, machine number: 70.199, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 4 A, dimensions chamber: 140 mm x 120 mm, plastic outfeed belt, belt width: 200 mm, total dimensions: 1800 mm x 1200 mm x 1900 mm.	950
421	P+S Mako	P+S Mako mobile bag filling and clipping machine, type: DC 60-CSP, machine number: 70.200, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 4 A, dimensions chamber: 140 mm x 120 mm, plastic outfeed belt, belt width: 200 mm, total dimensions: 1800 mm x 1200 mm x 1900 mm.	950
422	K-Engineering	K-Engineering batcher, plastic belt, belt width: 450 mm, clearance outfeed: Ø 65 mm, total dimensions: 2750 mm x 1600 mm x 1950 mm.	1500
423	Marel	Marel checkweigher, model: 9500, serial number: 95201W, 230 V, 50 Hz, maximum capacity: 27.5 kg, minimum capacity: 2 kg, plastic belt, belt width: 490 mm, total dimensions: 2200 mm x 1100 mm x 1820 mm. Technical condition unknown.	400
424	Marel	Marel quickloader, type: QL3535, serial number: A047815, year of construction: 2007, 400 V, 3 Ph, 6 kW, plastic mesh belt, belt type: Intralox s1500 pp, belt size: 3600 mm x 350 mm, total dimensions: 2950 mm x 1050 mm x 1380 mm.	400
425	Van Oirschot Roestvrijstaal B.V.	Van Oirschot Roestvrijstaal B.V. mobile backsaver tilting device, model: BSMSTD, serial number: 180486-1, year of construction: 2018, 12 V, clearance: Ø 950 mm x 1100 mm, total dimensions: 1100 mm x 1400 mm x 1270 mm.	500
426	Rühle	Rühle mobile tilting device for 200 liter meat bins, dimensions: 1100 mm x 1100 mm x 1200 mm.	150



Nr	Title	Description	Start €
427	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: Twister, number: 412303.77361.102533, year of construction: 2007, 380-480 V, 3 Ph, 50/60 Hz, 11-9 A, 4.5 kW, weight: 670 kg, chamber dimensions: 550 mm x 120 mm x 120 mm, plastic belt, belt width: 245 mm, total dimensions: 1900 mm x 1500 mm x 1330 mm. Incomplete. Without grids and knives.	1500
428	Norfo A/S	Norfo A/S portion cutter, type: 1087.80.365, year of construction: 2003, 3x400 V, 50/60 Hz, 6 kW, 14/65 A, dimensions: 3200 mm x 1100 mm x 2400 mm. Including additional Yaskawa frequency inverter. Incomplete.	750
429	Norfo A/S	Norfo A/S portion cutter, type: 967.80.362, year of construction: 2003, 3x400 V, 50/60 Hz, 6 kW, 14/65 A, dimensions: 3200 mm x 1100 mm x 2400 mm. Including Yaskawa additional frequency inverter. Incomplete.	750
430	Alco food-machines GmbH & Co. KG	Alco food-machines GmbH & Co. KG double shaft paddle mixer, inside dimensions drum: 1500 mm x 980 mm x 800 mm, total dimensions mixer: 3200 mm x 1100 mm x 1950 mm, dimensions switch cabinet, dimensions: 800 mm x 340 mm x 1450 mm. Outfeed cover is missing.	3500
431	Alco food-machines GmbH & Co. KG	Alco food-machines GmbH & Co. KG double shaft paddle mixer, type: AMP1000, number: 13604209, 400 V, 3 Ph, 50 Hz, 24 A, 2x 5.5 kW, inside dimensions drum: 1500 mm x 980 mm x 800 mm, total dimensions mixer: 2900 mm x 1350 mm x 2700 mm.	5000
432	Wipotec-OCS GmbH	Wipotec-OCS GmbH X-ray scanner, type: SC, serial number: 81100879, year of construction: 2020, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 600 mm, clearance: 530 mm x 55 mm, total dimensions: 3600 mm x 1350 mm x 2100 mm.	2500
433	NN pegs	4 s/s pegs, length: (4x) 4700 mm.	25
434	NN steps	S/s steps with plastic grid, dimensions: 1820 mm x 300 mm x 340 mm.	25
435	NN table	Steel table with plastic top, dimensions: 1200 mm x 700 mm x 900 mm.	25
436	NN table	S/s table, dimensions: 1000 mm x 500 mm x 760 mm.	25
437	NN table	Aluminium table, dimensions: 600 mm x 400 mm x 690 mm.	10
438	NN waste bag holder	10 s/s waste bag holders, dimensions: (10x) 450 mm x 400 mm x 930 mm.	250
439	NN sink	S/s sink with 5 faucets, knee control, dimensions: 3000 mm x 550 mm x 1800 mm. Including paper dispenser and 7 soap dispensers.	150
440	NN waste bag holder	2 s/s waste bag holders, dimensions: 450 mm x 400 mm x 930 mm.	50



Nr	Title	Description	Start €
441	NN mirror	Mirror, dimensions: Ø 550 mm x 250 mm.	25
442	NN writing desk	S/s writing desk, dimensions: 600 mm x 500 mm x 1200 mm.	75
443	NN table	S/s table, dimensions: 1360 mm x 750 mm x 830 mm. Including content.	100
444	NN table	S/s table, dimensions: 1400 mm x 1130 mm x 900 mm. Including various s/s bins.	50
445	NN trolley	S/s trolley, dimensions: 600 mm x 1000 mm x 880 mm.	50
446	NN writing desk	S/s writing desk, dimensions: 600 mm x 400 mm x 1180 mm.	75
447	NN table	S/s table with plastic top, dimensions: 2000 mm x 900 mm x 940 mm.	100
448	NN table	S/s table, dimensions: 1850 mm x 900 mm x 840 mm.	100
449	NN table	S/s table, dimensions: 600 mm x 400 mm x 660 mm.	25
450	NN table	Aluminium table, dimensions: 600 mm x 400 mm x 660 mm.	10
451	NN shelves	S/s wall shelves, dimensions: (4x) 600 mm x 400 mm x 250 mm.	50
452	NN table	S/s table, dimensions: 2100 mm x 750 mm x 1100 mm.	100
453	NN tables	2 s/s tables with aluminium frames, dimensions: (2x) 800 mm x 600 mm x 700 mm.	25
454	NN tables	7 aluminium tables, dimensions: (5x) 600 mm x 400 mm x 650 mm and (2x) 600 mm x 400 mm x 720 mm.	75
455	NN crate frame	S/s crate frame, dimensions: 610 mm x 410 mm x 740 mm.	25
456	NN trolley	S/s trolley, dimensions: 1040 mm x 650 mm x 920 mm.	100
457	NN table	Aluminium table with plastic top, dimensions: 1400 mm x 700 mm x 840 mm.	25
458	NN meat bin	S/s meat bin, volume: 300 liter.	50
459	NN tub	S/s mobile tub with drain, inside dimensions: 580 mm x 600 mm x 190 mm, total dimensions: 610 mm x 640 mm x 900 mm.	25
460	NN table	S/s table, dimensions: 2910 mm x 700 mm x 1100 mm.	150
461	NN tables	2 aluminium tables, dimensions: 600 mm x 400 mm x 720 mm and 600 mm x 400 mm x 640 mm.	20
462	NN stools	11 s/s frames for stools, dimensions: (11x) Ø 500 mm x 690 mm.	50
463	NN stools	4 s/s stools with plastic seats, dimensions: 500 mm x 500 mm x 840 mm.	25
464	NN stools	10 s/s stools, dimensions: Ø 500 mm x 690 mm.	150
465	NN stools	8 s/s stools, dimensions: Ø 500 mm x 690 mm.	120
466	NN stools	8 s/s stools, dimensions: Ø 500 mm x 690 mm.	120
467	NN table	S/s table with plastic top, dimensions: 2900 mm x 1200 mm x 860 mm.	250
468	NN table	S/s table with plastic top, dimensions: 2900 mm x 1200 mm x 860 mm.	250
469	NN tables		100



Nr	Title	Description	Start €
		2 s/s tables, dimensions: (2x) 1000 mm x 600 mm x 770 mm.	
470	NN table	Aluminium table with plastic top, dimensions: 1400 mm x 700 mm x 720 mm.	25
471	NN table	S/s table with plastic top, dimensions: 700 mm x 500 mm x 750 mm.	50
472	NN crate frames	9 s/s crate frames, dimensions: (9x) 610 mm x 410 mm x 730 mm.	100
473	H. Wolff Apparatebau KG	3 H. Wolff Apparatebau KG s/s double jacketed cooking vessels, number: 10714, year of construction: 1989, total volume: 12.400 liter, inside dimensions: (3x) 3100 mm x 1500 mm x 1700 mm, total dimensions: 13000 mm x 2100 mm x 2100 mm.	1500
474	NN steps	Aluminium steps, dimensions: 700 mm x 450 mm x 730 mm.	10
475	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	10
476	Rittal	Rittal s/s switch cabinet, dimensions: 600 mm x 230 mm x 730 mm.	50
477	NN vessel	S/s double jacketed vessel, inside dimensions: 4500 mm x 1500 mm x 1500 mm, total dimensions: 4680 mm x 1680 mm x 1900 mm.	1000
478	NN platform	S/s platform with gratings, working height: 840 mm, dimensions: 4400 mm x 800 mm x 1900 mm.	150
479	SWF	SWF crane hoist on sliding rails with steel frame, dimensions frame: 2200 mm x 5600 mm x 4700 mm.	750
480	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	10
481	NN switch cabinet	S/s switch cabinet, dimensions: 800 mm x 330 mm x 1200 mm.	150
482	NN waste bag holder	S/s waste bag holder, dimensions: 450 mm x 400 mm x 930 mm.	25
483	Itec	Itec s/s sink, year of construction: 2005, knee control, dimensions: 430 mm x 430 mm x 1000 mm. Including s/s Zingel paper dispenser, s/s soap dispenser and 2 soap dispensers.	50
484	Gloria	Gloria plastic disinfection spray bottle in s/s frame, dimensions: Ø 180 mm x 500 mm.	25
485	NN ladder	Aluminium ladder, dimensions: 2300 mm x 350 mm.	25
486	NN helmets	2 helmets on s/s frame, frame length: 1000 mm.	10
487	NN apron rack	S/s apron rack with 3 hangers, dimensions: 1100 mm x 300 mm x 750 mm.	25
488	NN extraction hood	S/s extraction hood, dimensions: 11000 mm x 1500 mm x 350 mm.	250
489	Fristam Pumpen	Fristam Pumpen centrifugal pump, type: FP 722/145 A, number: 42332709, 2.2 kW, 3000 rpm, dimensions: 660 mm x 330 mm x 430 mm.	75



Nr	Title	Description	Start €
490	NN writing desk	S/s writing desk, dimensions: 600 mm x 400 mm x 430 mm. Including 2 s/s dispenser.	25
491	NN first aid	First aid cabinet, dimensions: 400 mm x 300 mm x 200 mm.	10
492	Bosch	Bosch refrigerator with freezer, type: KG KGEE30A, number: 227090279299000785, 220-240 V, 50 Hz, 0.90 A, 90 W, volume: 312 liter, dimensions: 600 mm x 700 mm x 1860 mm.	50
493	Miele	Miele dishwasher, dimensions: 600 mm x 600 mm x 850 mm.	25
494	NN sink	S/s sink, dimensions: 1400 mm x 700 mm x 850 mm.	50
495	NN cabinet	S/s cabinet, dimensions: 1400 mm x 350 mm x 600 mm.	50
496	NN office inventory	Office inventory, consisting of office cabinet, dimensions: 1600 mm x 460 mm x 1170 mm, office desks, dimensions: 1200 mm x 810 mm x 820 mm, 1400 mm x 700 mm x 820 mm, 1400 mm x 700 mm x 700 mm and (2x) 1600 mm x 800 mm x 700 mm. Including content.	100
497	NN cabinet	S/s cabinet, dimensions: 1400 mm x 350 mm x 600 mm.	50
498	Meaco	Meaco dehumidifier, model: MeacoDry Arete One 25L, serial number: AR241025000290014, 220-240 V, 50 Hz, weight: 16 kg, dimensions: 350 mm x 250 mm x 620 mm.	10
499	NN writing desk	S/s writing desk, dimensions: 600 mm x 530 mm x 1430 mm.	75
500	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 530 mm x 930 mm.	25
501	Höfelmeyer	Höfelmeyer floor weighing scale with indicator, type: HTF400E, serial number: 1606032/6112228, 230 V, 50/60 Hz, maximum: 1500 kg, minimum: 10 kg, scale dimensions: 1250 mm x 990 mm.	250
502	NN frame and writing desk	S/s wall frame with writing desk, dimensions: 1500 mm x 500 mm x 1430 mm.	50
503	EMS	EMS s/s door, type: BTM-1-FLG, number: 535897/1, year of construction: 2020, door size: 1250 mm x 2100 mm, thickness: 80 mm.	100
504	Vikan	Various Vikan cleaning equipment. Including s/s soap dispensers and 2 s/s dispensers.	25
505	NN frame	S/s frame, dimensions: 600 mm x 750 mm x 1760 mm.	25
506	Vikan	Various Vikan cleaning equipment.	25
507	NN elevating screw	Mobile elevating screw, screw diameter: 280 mm, tier: 200 mm, elevating height: 1300/1800 mm, total dimensions: 3200 mm x 1000 mm x 3050 mm.	750
508	Niko	Niko mobile elevating screw, type: 026.02.025.203.1, number: 40944/03, year of construction: 2003, 400 V,	500



Nr	Title	Description	Start €
		50 Hz, screw diameter: 200 mm, tier: 140 mm, elevating height: 1300/1600 mm, total dimensions: 2500 mm x 1030 mm x 2400 mm.	
509	NN switch cabinet	S/s switch cabinet, dimensions: 480 mm x 260 mm x 480 mm.	10
510	Gloria	Gloria plastic spray bottle, dimensions: Ø 180 mm x 500 mm.	10
511	NN parts	S/s part and aluminium plate, plate dimensions: 1180 mm x 800 mm.	10
512	NN switch cabinet	S/s switch cabinet, dimensions: 370 mm x 210 mm x 600 mm.	25
513	NN hose reel	Aluminium hose reel with hose, dimensions: 200 mm x 80 mm x 140 mm.	10
514	NN frame	4 s/s frames for E2 crates, dimensions: 610 mm x 410 mm x 150 mm.	25
515	Wipotec-OCS GmbH	Wipotec-OCS GmbH X-ray scanner, type: SC, serial number: 81101496, year of construction: 2023, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 600 mm, clearance: 560 mm x 140 mm, 3-lane outfeed, belt width: (3x) 160 mm, total dimensions: 6000 mm x 1400 mm x 2540 mm.	5000
516	NN platform	S/s platform, total dimensions: 1800 mm x 540 mm x 210 mm.	10
517	JBT/Frigoscandia	JBT/Frigoscandia spiral freezer, type: GYROCOMPACT, model: GC 60/2-08-23-12 NN CCR, number: 10220160, year of construction: 2019, refrigerant: NH3, North-North configuration, Counter Clockwise Rotation, Frigobelt s/s self stacking belt, belt width: 600 mm, 23 floors, maximum product height: 65 mm, infeed height: 880 mm, outfeed height: 2930 mm, with LVS low volume system, CIP and ADF air defrosting, total dimensions: 7650 mm x 4400 mm x 4000 mm.	100000
518	JBT/Frigoscandia	JBT/Frigoscandia spiral freezer, type: GYROCOMPACT, model: GC 60/2-08-23-12 NN CCR, number: 10220161, year of construction: 2020, refrigerant: NH3, North-North configuration, Counter Clockwise Rotation, Frigobelt s/s self stacking belt, belt width: 600 mm, 23 floors, maximum product height: 65 mm, infeed height: 880 mm, outfeed height: 2930 mm, with LVS low volume system, CIP and ADF air defrosting, total dimensions: 7650 mm x 4400 mm x 4000 mm. Evaporator block is already removed.	75000
519	Gröneweg Maschinenbau	Gröneweg Maschinenbau outfeed screw system, type: S4543-300-2536, serial number: GW-S-51116602-01, year of construction: 2019, screw diameter: 300 mm, tier: 220 mm, total dimensions: 9500 mm x 3440 mm x 3600 mm.	3000
520			3500



Nr	Title	Description	Start €
	Gröneweg Maschinenbau	Gröneweg Maschinenbau breaker on s/s platform, type: BR-462-493-949, serial number: GW-BR-158043-01, year of construction: 2020, working width: 430 mm, dimensions breaker: 1100 mm x 600 mm x 1400 mm.	
521	NN vibrating sieve	S/s vibrating sieve, s/s gutter, gutter width: 450 - 190 mm, total dimensions: 3450 mm x 1300 mm x 2250 mm. Including the following sieves: 2 mm , 30 mm and 35 mm.	1500
522	FTS special technical solutions GmbH	FTS special technical solutions GmbH mobile transport belt, number: B_FTS.27432.106.00.00, year of construction: 07/2020, plastic belt, belt width: 600 mm, total dimensions: 3100 mm x 1000 mm x 1150 mm.	500
523	NN switch cabinet	S/s switch cabinet with SEW-Eurodrive frequency inverter, dimensions: 510 mm x 220 mm x 670 mm.	50
524	EMS	EMS s/s door, dimensions: 890 mm x 2000 mm, thickness door: 80 mm.	100
525	EMS	EMS s/s door, dimensions: 920 mm x 2000 mm, thickness door: 80 mm.	100
526	Kohlhoff	Kohlhoff boot cleaner, type: DLST, 400 V, 50-60 Hz, brush length: (5x) 300 mm, total dimensions: 1200 mm x 1100 mm x 1260 mm.	250
527	NN protection frame	S/s protection frame, dimensions: 2250 mm x 650 mm, 3300 mm x 1100 mm and 4 gates, dimensions: 850 mm x 1000 mm.	150
528	ProMinent Dosiertechnik	ProMinent Dosiertechnik dosing pump, type: 81CBH07065PVT8000UA100080DE, serial number: 2013057907 81CB, year of construction: 2013, 100-240 V, 50/60 Hz, 0.6-1.5 A, 110 W, dimensions: 400 mm x 200 mm x 400 mm.	50
529	NN drip tray	Plastic drip tray, dimensions: 1200 mm x 800 mm x 390 mm.	50
530	NN waste bag holder	2 s/s waste bag holders, dimensions: (2x) 450 mm x 400 mm x 930 mm.	50
531	NN sink	S/s sink with 4 faucets, dimensions: 2400 mm x 440 mm x 720 mm. Including Zingel s/s paper dispensers and 4 s/s soap dispensers.	250
532	Kohlhoff	Kohlhoff hygiene station with sole cleaner, tourniquet and hand disinfection unit, brush length: (2x) 650 mm, total dimensions: 2200 mm x 1000 mm x 2000 mm.	1500
533	NN coat hangers	2 s/s coat hangers, length: (2x) 4000 mm. Including 2 gastronorm bins.	50
534	Denios	Denios plastic container, dimensions: 950 mm x 700 mm x 900 mm.	25
535	NN writing desk	S/s writing desk, dimensions: 510 mm x 410 mm x 130 mm.	25



Nr	Title	Description	Start €
536	NN first aid cabinet	S/s first aid cabinet, dimensions: 480 mm x 200 mm x 1150 mm.	25
537	NN frame	S/s frame with plastic tub, frame dimensions: 600 mm x 400 mm x 700 mm.	10
538	NN rollies	2 aluminium rollies, dimensions: (2x) 610 mm x 410 mm x 150 mm. Including 5 plastic crates, crate dimensions: (5x) 600 mm x 400 mm x 150 mm.	10
539	NN locker	S/s locker, dimensions: 1000 mm x 400 mm x 2100 mm.	100
540	NN tables	2 aluminium tables, dimensions: 600 mm x 400 mm x 720 mm and 780 mm x 550 mm x 500 mm.	10
541	Layal Leiter	Layal Leiter ladder, dimensions: 500 mm x 150 mm x 1330 mm.	10
542	Humboldt	Humboldt mobile strapping machine, model: HU545, machine number: 3117974, year of construction: 2004, dimensions: 850 mm x 560 mm x 790 mm.	75
543	NN bag blower	Bag blower, dimensions: 530 mm x 400 mm x 930 mm.	75
544	Steen	Steen mobile skinning machine, type: ST111, number: 247/1721G, 380-480 V, 50-60 Hz, 1.6 A, 500 W, working width: 300 mm, total dimensions: 800 mm x 500 mm x 970 mm.	250
545	Steen	Steen mobile skinning machine, type: ST111, number: 247/1721I, 380-480 V, 50-60 Hz, 1.6 A, 500 W, working width: 300 mm, total dimensions: 800 mm x 500 mm x 970 mm.	250
546	Webomatic	Webomatic mobile double chamber vacuum machine, chamber dimensions: (2x) 850 mm x 590 mm, seal length: (4x) 840 mm, Busch vacuum pump, type: RA 0160 D 561 QLZZ, capacity: 160 m ³ /h, total dimensions: 1870 mm x 870 mm x 1400 mm.	400
547	Webomatic	Webomatic double chamber vacuum machine, type: PNC 30-A-D-M2, number: 569KJ2835, 400 V, 3 Ph, 50 Hz, 17.8 A, 7.0 kW, chamber dimensions: (2x) 840 mm x 590 mm, seal length: (4x) 840 mm, Busch vacuum pump, type: 250-132 6733, capacity: 250 m ³ /h, total dimensions: 2120 mm x 900 mm x 1540 mm.	500
548	Wiegand	Wiegand net loader, number: 97321, NRG: 55, diameter: 100 mm, total dimensions: 500 mm x 500 mm x 1900 mm.	100
549	Unikon BV	Unikon BV crate washing machine, model: MISTRAL, number: 2003013, 400 V, 3 Ph, weight: 600 kg, clearance: 440 mm x 230 mm, total dimensions: 4200 mm x 1350 mm x 1950 mm. Including extraction hood, dimensions: 1000 mm x 850 mm x 400 mm and box with parts.	1000
551	Steen	Steen skinning machine for poultry, model: ST111, working width: 300 mm, total dimensions: 800 mm x 500 mm x 1850 mm.	150



Nr	Title	Description	Start €
552	Steen	Steen skinning machine for poultry, model: ST111, working width: 300 mm, total dimensions: 800 mm x 500 mm x 1850 mm.	150
553	Zarges	Zarges mobile stairs with platform, working height: 1430 mm, total dimensions: 800 mm x 1600 mm x 2430 mm.	100
554	Ishida	Ishida X-ray scanner with rejector, model: IX-G2-4027-H, plastic belt, belt width: 430 mm, clearance: 350 mm x 450 mm, total dimensions: 2100 mm x 1400 mm x 2600 mm.	1500
555	Ishida	Ishida X-ray scanner with rejector, model: IX-G2-4027, serial number: 100256058, year of construction: 2017, 240 V, 1 Ph, 50/60 Hz, 7.5 A, plastic belt, belt width: 430 mm, clearance: 350 mm x 100 mm, total dimensions: 2100 mm x 1400 mm x 2600 mm.	1500
556	NN batcher	3-heads batcher, dimensions: 2000 mm x 1300 mm x 1280 mm, including pallet with switch cabinet, dimensions: 1200 mm x 800 mm x 400 mm.	250
557	NN dispenser	S/s wall mounted dispenser, dimensions: Ø 140 mm x 500 mm.	10
558	NN table	Aluminium table, dimensions: 600 mm x 400 mm x 740 mm.	10
559	Hanna	Hanna Ph meter, dimensions: 200 mm x 200 mm x 450 mm.	25
560	NN shelves	4 s/s wall mounted shelves, dimensions: (2x) 2600 mm x 450 mm, (2x) 1120 mm x 450 mm.	25
561	Stielow GmbH	Stielow GmbH air dryer, type: AIRDRY 30, serial number: 15.30D.18.0728, 400 V, 50/60 Hz, 5.5 A, 3590 W, dimensions: 1100 mm x 900 mm x 1200 mm.	100
562	NN film holder	S/s film holder, dimensions: 1850 mm x 200 mm x 900 mm.	10
563	Zoll AED Plus	Zoll AED Plus AED in s/s cabinet, dimensions: 490 mm x 220 mm x 510 mm.	150
564	Kohlhoff	Kohlhoff hygiene station with sole cleaner, tourniquet and handdisinfection unit, brush length: (2x) 400 mm, total dimensions: 1400 mm x 1100 mm x 2400 mm.	750
565	NN tank	S/s tank with steel frame, inside dimensions: 1100 mm x 800 mm x 800 mm, total dimensions: 1400 mm x 1040 mm x 1640 mm.	50
566	NN frames	3 s/s frames for pallet boxes or IBC tanks, dimensions: (2x) 1280 mm x 1080 mm x 530 mm, (1x) 1220 mm x 1020 mm x 730 mm.	75
567	NN frame	S/s frame, dimensions: 1710 mm x 1200 mm x 1000 mm.	25
568	NN frames	16 aluminium frames, dimensions: (16x) 1220 mm x 1100 mm x 320 mm.	160
569	NN hose reels		55



Nr	Title	Description	Start €
		11 aluminium hose reels, dimensions: (11x) 170 mm x 170 mm x 140 mm.	
570	Mettler-Toledo GmbH	Mettler-Toledo GmbH floor weighing scale with indicator, type: IND690 Desk, serial number: 2997248, 100-240 V, 50/60 Hz, dimensions scale, 840 mm x 1250 mm.	150
571	NN floor weighing scale	Floor weighing scale, dimensions: 1200 mm x 1000 mm x 90 mm. Without indicator.	100
572	NN frame	S/s frame with switch cabinet, dimensions: 1870 mm x 700 mm x 1700 mm.	50
573	NN roller conveyor	Roller conveyor, s/s frame, s/s rollers, roller width: 400 mm, total dimensions: 1860 mm x 600 mm x 700 mm.	50
574	APV	APV centrifugal pump on s/s trolley, type: ZMS-4 SELVANSUG 3 7KW, serial number: 1685523, dimensions: 900 mm x 750 mm x 930 mm.	150
575	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale, type: MA15s, serial number: 2995361, 100-240 V, 50-60 Hz, 300 mA, dimensions scale: 500 mm x 400 mm, total dimensions: 500 mm x 500 mm x 1250 mm.	100
576	SysTec GmbH	SysTec GmbH mobile weighing scale, type: IT3000, serial number: 033465, 110-240 V, 50-60 Hz, 0.2 A, maximum: 15 / 30 kg, dimensions scale: 520 mm x 400 mm, total dimensions: 600 mm x 700 mm x 1040 mm.	100
577	Mettler-Toledo GmbH	Mettler-Toledo GmbH mobile weighing scale, type: TC10985, max: 15 kg, e=1 gram, dimensions scale: 500 mm x 400 mm, total dimensions: 650 mm x 730 mm x 1220 mm.	100
578	Mettler-Toledo GmbH	Mettler-Toledo GmbH mobile weighing scale, type: MB60s, serial number: 2429104, maximum: 60 kg, dimensions scale: 500 mm x 400 mm, total dimensions: 700 mm x 700 mm x 1180 mm.	100
579	SysTec GmbH	SysTec GmbH mobile weighing scale, type: IT3000, serial number: 101139, 110-240 V, 50-60 Hz, maximum: 60 kg, minimum: 400 gram, e = 20 gram, dimensions scale: 640 mm x 500 mm, total dimensions: 770 mm x 550 mm x 1200 mm.	100
580	SysTec GmbH	SysTec GmbH mobile weighing scale, type: IT3000, maximum: 60 kg, dimensions scale: 520 mm x 400 mm, total dimensions: 640 mm x 600 mm x 1000 mm.	100
581	NN vacuum cleaner	Mobile s/s vacuum cleaner, dimensions: 600 mm x 450 mm x 1600 mm.	25
582	Eurokraft	Eurokraft steel rack, dimensions: 2610 mm x 800 mm x 1510 mm.	25
583	SysTec GmbH	SysTec GmbH weighing scale, type: IT1000, serial number: 1101371, 110-240 V, 50/60 Hz, maximum: 15 kg, dimensions scale: 310 mm x 280 mm, total dimensions: 310 mm x 450 mm x 440 mm. Table not included.	50



Nr	Title	Description	Start €
584	SysTec GmbH	SysTec GmbH weighing scale, type: IT1000, serial number: 1106797, 110-240 V, 50/60 Hz, maximum: 6 kg, dimensions scale: 310 mm x 280 mm, total dimensions: 340 mm x 450 mm x 560 mm. Table not included.	50
585	SysTec GmbH	SysTec GmbH weighing scale, type: IT1000, serial number: 102442, 110-240 V, 50/60 Hz, maximum: 15 kg, dimensions scale: 310 mm x 280 mm, total dimensions: 340 mm x 450 mm x 560 mm. Table not included.	50
586	SysTec GmbH	SysTec GmbH weighing scale, type: IT1000, serial number: 102440, 110-240 V, 50/60 Hz, maximum: 15 kg, dimensions scale: 310 mm x 280 mm, total dimensions: 340 mm x 450 mm x 560 mm. Table not included.	50
587	SysTec GmbH	SysTec GmbH weighing scale, type: IT1000, serial number: 1106798, 110-240 V, 50/60 Hz, maximum: 6 kg, dimensions scale: 310 mm x 280 mm, total dimensions: 340 mm x 450 mm x 560 mm. Table not included.	50
588	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale, type: M45, serial number: B904134465, year of construction: 2019, 100-240 V, 50-60 Hz, dimensions scale: 350 mm x 280 mm, total dimensions: 350 mm x 430 mm x 520 mm. Table not included.	50
589	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale, type: KA15, serial number: 1876459, maximum: 3 / 6 / 15 kg, min: 20 gram, e=1 gram, dimensions scale: 350 mm x 280 mm, total dimensions: 350 mm x 430 mm x 600 mm. Table not included.	50
590	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale, type: PBA430-BB30, serial number: 2773696, maximum: 30 kg, dimensions scale: 400 mm x 300 mm, total dimensions: 400 mm x 450 mm x 400 mm. Table not included.	50
591	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale, type: M22, serial number: B825019083, year of construction: 2018, max: 3 / 6 / 15 kg, min: 20 gram, e=2 gram, dimensions scale: 350 mm x 280 mm, total dimensions: 350 mm x 430 mm x 600 mm. Table not included.	50
592	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale, type: BBA330-A15, serial number: 2774015, maximum: 15 kg, minimum: 100 gram, e= 5 gram, dimensions scale: 300 mm x 240 mm, total dimensions: 320 mm x 400 mm x 500 mm. Table not included.	50
593	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale, type: BBA330-A15, serial number: 2774014, maximum: 15 kg,	50



Nr	Title	Description	Start €
		minimum: 100 gram, e= 5 gram, dimensions scale: 300 mm x 240 mm, total dimensions: 320 mm x 400 mm x 500 mm. Table not included.	
594	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale, type: SPIDER 1S-15S/M, serial number: 2265019, maximum: 15 kg, minimum: 100 gram, e= 5 gram, dimensions scale: 300 mm x 230 mm, total dimensions: 300 mm x 350 mm x 580 mm. Table not included.	50
595	Bizerba	Bizerba weighing scale, type: 150-A, number: 02128052, maximum: 6/15/30 kg, minimum: 40 gram, dimensions: 500 mm x 400 mm x 150 mm. Without indicator.	25
596	NN infeed funnel	S/s infeed funnel, dimensions: 400 mm x 300 mm x 500 mm.	10
597	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale, type: IND690 Desk, serial number: B847810262, year of construction: 2018, dimensions: 400 mm x 500 mm x 110 mm. Incomplete.	25
598	Bizerba	S/s trolley with Bizerba label printer, type: GH, number: 1758193, 230 V, 50 Hz, 0.6 A, dimensions: 840 mm x 500 mm x 1500 mm. Incomplete.	50
599	NN protection railing	S/s protection railing, dimensions: 6000 mm x 1770 mm x 500 mm.	100
600	Mennekes	2 Mennekes power supply units, dimensions: (2x) 250 mm x 250 mm x 200 mm.	50
601	NN rack	S/s rack, dimensions: 1100 mm x 400 mm x 2000 mm.	25
602	NN white board	White board, dimensions: 900 mm x 600 mm.	10
603	Zingel	Zingel s/s paper dispenser.	10
604	NN table	S/s table with plastic top, dimensions: 600 mm x 400 mm x 730 mm.	25
605	Select	Select inline chicken paw selector, machine number: 508/509, plastic belt, belt width: (2x) 140, (1x) 60 mm, (4x) rejectors per side, total dimensions: 5100 mm x 2100 mm x 2350 mm. Including s/s switch cabinet, dimensions: 900 mm x 550 mm x 1850 mm. And 2 pallets with parts.	1000
606	Itec	Itec s/s sink with faucet, type: 20250-W, order number: 258935, year of construction: 07/2015, 230 V, 50/60 Hz, 0.1 kW, dimensions: 430 mm x 400 mm x 400 mm. Including paper and soap dispenser.	50
607	Vikan	Various Vikan cleaning equipment.	10
608	NN film holder	S/s film holder, dimensions: 600 mm x 320 mm x 400 mm.	10
609	NN film holder	S/s protection frame with film holder, diameter: 85 mm, width: 1850 mm.	25
610	NN crates	4 pallets with large amount of plastic crates, various dimensions.	50



Nr	Title	Description	Start €
611	NN plastic work tops	2 pallets with plastic work tops, dimensions: (8x) 1000 mm x 600 mm, (3x) 980 mm x 390 mm, (8x) 990 mm x 490 mm.	50
612	NN protection railing	S/s protection railing, dimensions: 5400 mm x 2900 mm x 500 mm.	100
613	NN infeed funnel	S/s infeed funnel, dimensions: 1100 mm x 1080 mm x 950 mm.	50
614	NN pallet lifter	S/s pallet lifter, model: ISO9001, serial number: 110777, year of construction: 2011, capacity: 2000 kg, fork length: (2x) 1150 mm, fork width: (2x) 160 mm, total dimensions: 1550 mm x 530 mm x 1200 mm. Defect.	100
615	NN pallet lifter	S/s pallet lifter, fork length: (2x) 1130 mm, fork width: (2x) 160 mm, total dimensions: 1500 mm x 530 mm x 1150 mm.	150
616	NN pallet lifter	S/s pallet lifter, fork length: (2x) 1240 mm, fork width: (2x) 160 mm, total dimensions: 1600 mm x 530 mm x 1240 mm.	150
617	NN pallet lifter	S/s pallet lifter, fork length: (2x) 1370 mm, fork width: (2x) 160 mm, total dimensions: 1750 mm x 530 mm x 1150 mm.	150
618	NN pallet lifter	S/s pallet lifter, fork length: (2x) 1130 mm, fork width: (2x) 160 mm, total dimensions: 1500 mm x 530 mm x 1150 mm. Defect.	100
619	NN pallet lifter	S/s pallet lifter, fork length: (2x) 1130 mm, fork width: (2x) 160 mm, total dimensions: 1500 mm x 530 mm x 1150 mm. Defect.	100
620	Topregal GmbH	Topregal GmbH s/s pallet lifter, model number: 139136, serial number: 202301-0017, year of construction: 20230115, capacity: 2500 kg, machine weight: 68 kg, fork length: (2x) 1150 mm, fork width: (2x) 160 mm, total dimensions: 1550 mm x 550 mm x 1200 mm.	150
621	NN pallet lifter	S/s pallet lifter, fork length: (2x) 1130 mm, fork width: (2x) 160 mm, total dimensions: 1500 mm x 530 mm x 1150 mm. Defect.	100
622	NN pallet lifter	S/s pallet lifter, fork length: (2x) 1130 mm, fork width: (2x) 160 mm, total dimensions: 1500 mm x 530 mm x 1150 mm.	150
623	NN pallet lifter	S/s pallet lifter, fork length: (2x) 1150 mm, fork width: (2x) 160 mm, total dimensions: 1550 mm x 530 mm x 1200 mm. Defect.	100
624	NN pallet lifter	S/s pallet lifter, number: 4465, fork length: (2x) 1370 mm, fork width: (2x) 160 mm, total dimensions: 1750 mm x 530 mm x 1150 mm.	150
625	NN vibrating sieves	2 s/s vibrating sieves, gutter width: 505 mm, sieve dimensions: 1550 mm x 500 mm, total dimensions: (2x) 2610 mm x 970 mm x 1360 mm. 1 is incomplete,	1000



Nr	Title	Description	Start €
		missing covers and springs. Including large amount of various sieves.	
626	Mettler-Toledo GmbH	Mettler-Toledo GmbH s/s floor weighing scale, type: IND690 Desk, serial number: 2997246, 100-240 V, 50/60 Hz, dimensions scale: 1250 mm x 840 mm, total dimensions: 1700 mm x 1400 mm x 1190 mm.	150
627	Mettler-Toledo GmbH	Mettler-Toledo GmbH s/s floor weighing scale, type: IND429, dimensions scale: 850 mm x 850 mm, total dimensions: 960 mm x 1100 mm x 1500 mm.	150
628	Mettler-Toledo GmbH	Mettler-Toledo GmbH s/s floor weighing scale, type: IND690 Desk, serial number: 3136614/2010, 100-240 V, 50/60 Hz, dimensions scale: 990 mm x 1250 mm, total dimensions: 1350 mm x 990 mm x 1450 mm.	150
629	NN table	S/s table, dimensions: 1200 mm x 850 mm x 650 mm.	10
630	NN lockers	2 steel lockers, dimensions: 840 mm x 500 mm x 1850 mm and 810 mm x 500 mm x 2070 mm. Keys are missing.	20
631	NN cabinet	S/s cabinet, dimensions: 940 mm x 500 mm x 2170 mm. Including content.	50
632	NN signs	2 slip danger signs, dimensions: 220 mm x 600 mm.	10
633	NN pallet rack	Steel pallet racks consisting of: 10 uprights, dimensions: (6x) 1100 mm x 3500 mm and (4x) 1000 mm x 3800 mm, 36 beams, length: (20x) 3300 mm, (12x) 2700 mm and (4x) 1800 mm. Including fence with gates, dimensions: 9000 mm x 4150 mm.	500
634	Dolav	Dolav plastic pallet box with various parts, dimensions: 1200 mm x 1000 mm x 750 mm.	25
635	NN parts	Pallet with various parts and crates, 1200 mm x 1000 mm x 750 mm.	25
636	NN parts	Pallet with various parts, dimensions: 1200 mm x 800 mm x 1200 mm.	25
637	Interspiro	Wooden palletbox with 2 Interspiro respiratory safety suits and gas masks, dimensions: 1200 mm x 1000 mm x 750 mm.	150
638	NN binders	Pallet with binders, dimensions: 1200 mm x 800 mm x 750 mm.	10
639	NN barrel	Steel barrel, dimensions: Ø 630 mm x 900 mm.	5
640	Denios	2 Denios drip trays, dimensions: (2x) 1270 mm x 900 mm x 370 mm. Including bag with Büfa cleaning powder.	30
641	NN cans	8 empty cans.	5
642	NN parts	Pallet with various parts, dimensions: 1200 mm x 800 mm x 750 mm.	10
643	NN cans	36 blue cans, 30 with content, 6 without content, 2 transparent cans partly filled.	20
644	Soehnle	Soehnle floor weighing scale with indicator, serial number: 28132780034, year of construction: 1998,	400



Nr	Title	Description	Start €
		weighing range: 10 - 3000 kg, scale dimensions: 1500 mm x 1250 mm.	
645	NN gastronorm bins	Pallet with various gastronorm bins, dimensions: 365 mm x 230 mm x 55 mm, among others, total dimensions: 1200 mm x 800 mm x 1200 mm.	100
646	NN pallets	12 aluminium pallets, dimensions: (12x) 1200 mm x 800 mm x 150 mm.	120
647	Liebherr	Liebherr mobile freezer, type: GTE 4300 Index 12A/659, serial number: 0910481-01, volume: 389 liter, 220-230 V, 50 Hz, 200 W, refrigerant: R134 a/190 g, dimensions: 1340 mm x 660 mm x 900 mm.	50
648	Karl H. Bartels GmbH	Karl H. Bartels GmbH steel trolley, type: RP-2/M, number: 5004567, year of construction: 2000, capacity: 300 kg, weight: 88 kg, dimensions: 1100 mm x 900 mm x 1400 mm.	25
649	NN boxes	Pallet with various boxes, box dimensions: 400 mm x 320 mm x 270 mm and 560 mm x 390 mm x 120 mm.	10
650	NN office table	Office table, dimensions: 570 mm x 830 mm x 1120 mm.	10
651	NN pallet rack	Steel pallet rack consisting of: 3 uprights, dimensions: 1100 mm x 4560 mm and 8 beams, length: 2700 mm.	100
652	MDA	MDA microwave, model: MS17W, 230 V, 50 Hz, 1150 W, dimensions: 430 mm x 290 mm x 250 mm.	10
653	Bosch	Bosch refrigerator, dimensions: 600 mm x 610 mm x 820 mm.	25
654	NN office inventory	Office inventory consisting of: 4 desks, dimensions: 2400 mm x 780 mm x 730 mm, 1500 mm x 600 mm x 730 mm and (2x) 1800 mm x 900 mm x 730 mm, cabinet, dimensions: 720 mm x 320 mm x 2360 mm, drawer, dimensions: (2x) 810 mm x 420 mm x 660 mm, white board, dimensions: 730 mm x 610 mm x 1760 mm and 10 chairs, dimensions: 600 mm x 600 mm x 1180 mm.	100
655	J&K	J&K seal machine, model: PFS-400, seal length: 300 mm, total dimensions: 580 mm x 110 mm x 190 mm.	10
656	NN computer equipment	Computer equipment on s/s shelf, dimensions: 1830 mm x 600 mm x 1070 mm.	25
657	NN waste bag holder	Steel waste bag holder, dimensions: Ø 580 mm x 1000 mm.	10
658	NN hose reels	3 hose reels, dimensions: 180 mm x 170 mm x 70 mm.	15
659	Nieros	Nieros hygiene station, type: URK/W, serial number: N3V32-01, year of construction: 08/2008, 400 V, 3 Ph, 50 Hz, 0.7 kW, brush length: (2x) 1000 mm, total dimensions: 1800 mm x 980 mm x 1580 mm.	1250
660	NN hose reels	2 hose reels, dimensions: (2x) 180 mm x 170 mm x 70 mm.	20
661			1400



Nr	Title	Description	Start €
	NN racks used for cooking vessels	14 s/s racks with 24 baskets used for cooking vessels, basket dimensions: (8x24) 940 mm x 530 mm x 100 mm and (6x24) 740 mm x 500 mm x 60 mm, total dimensions: (14x) 1630 mm x 1040 mm x 870 mm.	
662	NN racks used for cooking vessels	24 s/s racks with 24 baskets used for cooking vessels, basket dimensions: (4x24) 940 mm x 530 mm x 100 mm and (20x24) 740 mm x 500 mm x 60 mm, total dimensions: (24x) 1630 mm x 1040 mm x 870 mm.	2400
663	NN hose reel	Aluminium hose reel with hose, dimensions: 340 mm x 150 mm x 250 mm.	5
664	NN tank	6 s/s tanks in aluminium frame, inside dimensions: 900 mm x 1100 mm x 860 mm, total dimensions: 1010 mm x 1210 mm x 1710 mm.	600
665	NN tank	5 s/s tanks in aluminium frame, inside dimensions: 900 mm x 1100 mm x 860 mm, total dimensions: 1010 mm x 1210 mm x 1710 mm.	500
666	NN pallet rack	Steel pallet rack consisting of: 9 uprights, dimensions: 1100 mm x 3520 mm, 12 beams, length: 3070 mm, 10 lanes with steel rollers, roller width: 840 mm, lane length: 5000 mm.	750
667	NN crates	12 pallets with 480 plastic E2-crates, dimensions each crate: 600 mm x 400 mm x 200 mm.	500
668	NN crates	12 pallets with 480 plastic E2-crates, dimensions each crate: 600 mm x 400 mm x 200 mm.	500
669	NN crates	12 pallets with 480 plastic E2-crates, dimensions each crate: 600 mm x 400 mm x 200 mm.	500
670	NN insect killer	Insect killer, dimensions: 400 mm x 300 mm x 500 mm.	10
671	NN protection railing and poles	2 steel protection railings with 5 steel protection poles, dimensions railing: (2x) 2700 mm x 900 mm, pole height: 900 mm.	50
672	NN meat bins	29 s/s meat bins, volume: 300 liter.	1450
673	NN crates	12 pallets with 450 plastic E2-crates, dimensions each crate: 600 mm x 400 mm x 200 mm.	450
674	Höcker	Höcker hygiene station with sole cleaner, hand disinfection unit and tourniquet, serial number: 20-44-002, 3x400 V, 3 Ph, 50 Hz, 2x0.25 kW, dimensions: 2700 mm x 900 mm x 1800 mm.	1500
675	NN floor scrubbing machine	Floor scrubbing machine, model: Spinning 490 LB, serial number: 022215, 24 V, 1230 V, capacity: 35 liter, weight: 69 kg, dimensions: 480 mm x 1150 mm x 1030 mm.	75
676	NN plastic bin	Plastic bin on aluminium rollie, dimensions: 650 mm x 650 mm x 760 mm.	10
677	SysTec GmbH	SysTec GmbH floor weighing scale with indicator, type: IT1-AC, serial number: 1707827, 240 V, 50-60 Hz, 0.25	500



Nr	Title	Description	Start €
		-0.1 A, maximum: 1500 kg, minimum: 10 kg, d = 0.5 kg, dimensions scale: 2000 mm x 1500 mm.	
678	NN frame	S/s frame, dimensions: 690 mm x 780 mm x 670 mm.	10
679	Evopac S.r.l.	Evopac S.r.l. pallet wrapper, type: VOLTA, serial number: C2300525M, year of construction: 2023, 230 V, 2000 kg, diameter platform: 1500 mm, total dimensions: 4300 mm x 1500 mm x 2600 mm. Including foil rolls.	1250
680	NN hygiene equipment	S/s rack with hygiene equipment.	10
681	NN protection poles	5 steel protection poles, height: (5x) 900 mm.	50
682	Payne pallet inverters	Payne pallet inverters pallet destacker, machine number: 2123, dimensions platform: 1300 mm x 1240 mm, total dimensions: 2030 mm x 2850 mm x 3200 mm. Including safety cage.	1500
683	Linde Material Handling	Linde Material Handling electric pallet lifter, type: D08, operating hours: 7300 hour, fork length: 1150 mm, fork width: 190 mm, total dimensions: 1970 mm x 750 mm x 1490 mm. Including Energys battery charger, serial number: RBA204181, 24 V, 50/60 Hz, 72 A.	500
684	Linde Material Handling	Linde Material Handling electric pallet lifter, type: D14 AP, fork length: 1140 mm, fork width: 180 mm, total dimensions: 2450 mm x 800 mm x 1450 mm. Including Energys battery charger, serial number: RBA204187, 24 V, 50/60 Hz, 72 A.	500
685	Linde Material Handling	Linde Material Handling electric pallet lifter, type: T20, fork length: 1150 mm, fork width: 170 mm, total dimensions: 2450 mm x 720 mm x 1380 mm. Including Energys battery charger, serial number: SBA191052, 24 V, 50/60 Hz, 72 A.	500
686	Linde Material Handling	Linde Material Handling electric pallet lifter, type: L12, fork length: 1150 mm, fork width: 180 mm, total dimensions: 2350 mm x 800 mm x 1440 mm. Including Energys battery charger, serial number: NKA604242, 230 V, 50/60 Hz, 7.5 A. Technical condition unknown.	500
687	Linde Material Handling	Linde Material Handling electric pallet lifter, type: T20AP, serial number: W41153X00312, year of construction: 2020, rated capacity: 2000 kg, unladen mass: 560 kg, battery weight: 415 kg, fork length: 1150 mm, fork width: 170 mm, total dimensions: 2380 mm x 760 mm x 1380 mm. Including Energys battery charger, serial number: TBA129084, 24 V, 50/60 Hz, 72 A.	500
688	Linde Material Handling	Linde Material Handling electric pallet lifter, type: D08, fork length: 1150 mm, fork width: 180 mm, total dimensions: 1880 mm x 720 mm x 1380 mm. Including Energys battery charger, serial number: NKA604217, 24 V, 50/60 Hz, 50 A.	500



Nr	Title	Description	Start €
689	Linde Material Handling	Linde Material Handling electric pallet lifter, fork length: 1150 mm, fork width: 180 mm, total dimensions: 2300 mm x 800 mm x 1320 mm. Including Energysys battery charger, serial number: OCA002090, 24 V, 50/60 Hz, 72 A.	500
690	Wero	Wero eye shower in s/s cabinet, dimensions: 260 mm x 100 mm x 350 mm and plastic cabinet with safety goggles, dimensions: 230 mm x 120 mm x 100 mm.	25
691	NN hose reels	8 aluminium hose reels, dimensions: 170 mm x 170 mm x 70 mm.	40
692	TPS Rental Systems GmbH Co.KG	TPS Rental Systems GmbH Co.KG steel foldable pallet box, dimensions: 1200 mm x 1020 mm x 360 mm.	50
694	NN hose reels	3 aluminium hose reels, dimensions: 170 mm x 170 mm x 70 mm.	15
695	NN wall frames	Pallet with 6 wall frames for the wheel chocks for lorries.	100
696	Frima	Frima s/s writing desk, dimensions: 510 mm x 410 mm x 170 mm.	25
697	NN safety cage	Steel safety cage for forklift, dimensions: 1200 mm x 800 mm x 2100 mm.	150
698	Frima	Frima s/s writing desk, dimensions: 510 mm x 410 mm x 170 mm.	25
699	NN cone	Plastic cone with light, dimensions: Ø 350 mm x 1070 mm.	10
700	NN table	S/s table, dimensions: 2400 mm x 750 mm x 820 mm.	150
701	NN table	Table, dimensions: 1200 mm x 800 mm x 730 mm.	5
702	NN office inventory	Office inventory consisting of: 4 desks, dimensions: (2x) 1800 mm x 2000 mm x 740 mm, (1x) 1600 mm x 800 mm x 740 mm, (1x) 1600 mm x 600 mm x 740 mm, 5 drawers, dimensions: (5x) 440 mm x 640 mm x 600 mm, 3 cabinets, dimensions: (1x) 800 mm x 330 mm x 1150 mm, (1x) 1000 mm x 400 mm x 730 mm, (1x) 1200 mm x 440 mm x 1200 mm, 2 white boards, dimensions: (2x) 1200 mm x 900 mm, 4 chairs, dimensions: (4x) 690 mm x 600 mm x 1040 mm.	150
703	NN coat hanger	Wall mounted coat hangers, dimensions: 1660 mm x 420 mm x 1900 mm. Including jackets.	25
704	NN kitchen equipment	Kitchen equipment consisting of: hob, Ambiano bread toaster, CLATRONIC water cooker, Severin coffee machine.	25
705	NN tables and chairs	2 tables with 4 chairs, dimensions tables: (1x) 800 mm x 800 mm x 750 mm, (1x) 800 mm x 1200 mm x 750 mm, dimensions chairs: (4x) 600 mm x 580 mm x 800 mm.	10
706	Bosch	Bosch freezer, type: KG GSUU27A, 220-240 V, 50 Hz, 0.7 A, 90 W, dimensions: 590 mm x 620 mm x 1610 mm.	75



Nr	Title	Description	Start €
707	NN first aid cabinet	First aid cabinet, dimensions: 400 mm x 160 mm x 450 mm.	25
708	NN office inventory	Office inventory consisting of: 1 desks, dimensions: 4340 mm x 1060 mm x 740 mm, dimensions: 1 drawer, dimensions: 440 mm x 640 mm x 600 mm, 2 cabinets, dimensions: (1x) 1200 mm x 440 mm x 2050 mm, (1x) 1200 mm x 400 mm x 810 mm. Including content.	100
709	HP	HP printer, model: BOISB-1406-01, serial number: JPCVMDM0J6, year of construction: 2019, 220-240 V, 50/60 Hz, 3.7 A, dimensions: 460 mm x 460 mm x 640 mm. Including extra cartridges.	100
710	Zebra	Zebra label printer, model: GX430t, serial number: 32J10050212, year of construction: 01/28/2010, 4.17 A, 100 W, dimensions: 190 mm x 250 mm x 190 mm.	25
711	Intermec Technologies Corporation	Intermec Technologies Corporation scanner, model: AD5, serial number: 19150600645, year of construction: 06/07, 12-15 A, 2.5 A, dimensions: 140 mm x 170 mm x 250 mm.	25
712	NN wheel chocks	4 s/s wall frames with plastic wheel chocks for lorries.	50
713	NN cabinets	2 cabinets, dimensions: (1x) 1500 mm x 540 mm x 1960 mm, (1x) 800 mm x 440 mm x 2010 mm.	50
714	NN lockers	2 steel 4-doors lockers, dimensions: (2x) 900 mm x 520 mm x 2100 mm, steel bench with plastic top, dimensions: 2500 mm x 350 mm x 430 mm.	50
715	NN coats	8 coat hangers with various coats.	50
716	Halo Aqua	Halo Aqua insect killer, dimensions: 570 mm x 120 mm x 400 mm.	10
717	NN pallet rack	Steel pallet rack consisting of: 6 uprights and 20 beams, dimensions uprights: (6x) 1010 mm x 4560 mm, length beams: (20x) 3350 mm.	150
718	NN pallet rack	Steel pallet rack consisting of: 3 uprights and 8 beams, dimensions uprights: (3x) 800 mm x 4100 mm, length beams: (8x) 3600 mm.	100
719	NN pallet rack	Steel pallet rack consisting of: 3 uprights and 8 beams, dimensions uprights: (3x) 1100 mm x 5100 mm, length beams: (8x) 2850 mm.	100
720	Cyklop International	Pallet with Cyklop International pallet strap rolls, type: 6210, width: 9 mm, total dimensions: 1200 mm x 800 mm x 1580 mm.	150
721	Canon	Pallet with Canon toners, dimensions: 1200 mm x 800 mm x 1080 mm.	100
722	NN label rolls	Pallet with rolls for label printer, label width: 100 mm, total dimensions: 1200 mm x 800 mm x 840 mm.	50
723	NN computer equipment	Pallet with various computer equipment, dimensions: 1200 mm x 800 mm x 850 mm.	50
724	NN petri dishes		50



Nr	Title	Description	Start €
		Pallet with plastic petri dishes, dimensions: 1200 mm x 800 mm x 880 mm.	
725	NN boxes	4 pallets with carton boxes, dimensions each box: 500 mm x 400 mm x 104 mm, total dimensions: (4x) 1200 mm x 800 mm x 1400 mm.	100
726	NN computer equipment	Pallet with various computer equipment, dimensions: 1200 mm x 800 mm x 800 mm.	25
727	NN label rolls	Pallet with tear-off labels, label width: 60 mm, total dimensions: 1200 mm x 800 mm x 430 mm.	25
728	NN plastic bags	3 pallets with 36000 plastic bags, dimensions: (3x) 1200 mm x 800 mm x 1420 mm.	300
729	NN boxes	Pallet with carton boxes, dimensions each box: 1196 mm x 796 mm x 230 mm, total dimensions: 1700 mm x 1300 mm x 1740 mm.	100
730	NN boxes	Pallet with carton boxes, dimensions each box: 1180 mm x 780 mm x 800 mm, total dimensions: 1600 mm x 1980 mm x 2000 mm.	100
731	NN boxes	Pallet with carton boxes, total dimensions: 1200 mm x 800 mm x 1680 mm.	100
732	Cyklop International	Pallet with Cyklop International pallet strap rolls, type: 6210, width: 9 mm, total dimensions: 1200 mm x 800 mm x 1740 mm.	250
733	NN boxes	3 pallets with carton boxes, total dimensions: (3x) 1280 mm x 1680 mm x 1720 mm.	300
734	NN boxes	5 pallets with carton boxes, dimensions each box: 560 mm x 388 mm x 120 mm, total dimensions: (5x) 1200 mm x 800 mm x 1220 mm.	300
735	NN boxes	3 pallets with carton boxes, total dimensions: (3x) 1200 mm x 800 mm x 1600 mm.	300
736	NN boxes	3 pallets with carton boxes, dimensions each box: 380 mm x 250 mm x 144 mm, total dimensions: (3x) 1680 mm x 1300 mm x 1730 mm.	300
737	NN boxes	Pallet with carton boxes, dimensions each box: 1196 mm x 796 mm x 230 mm, total dimensions: 1200 mm x 800 mm x 1900 mm.	100
738	NN boxes	Pallet with carton boxes, dimensions each box: 380 mm x 250 mm x 144 mm, total dimensions: 1200 mm x 800 mm x 1840 mm.	100
739	NN boxes	3 pallets with carton boxes, total dimensions: (3x) 1200 mm x 800 mm x 1600 mm.	150
740	NN buckets	3 pallets with plastic buckets and lids, dimensions: 1200 mm x 800 mm x 650 mm.	75
741	NN plastic bags	Pallet with approximately 12000 plastic bags, dimensions: 1200 mm x 800 mm x 1420 mm.	100
742	NN air socks	Pallet with 8 air socks, length: 11600 mm.	75
743	NN boxes		100



Nr	Title	Description	Start €
		Pallet with carton boxes, dimensions each box: 1196 mm x 796 mm x 230 mm, total dimensions: 1700 mm x 1300 mm x 1740 mm.	
744	NN pallet rack	Steel pallet rack consisting of: 6 uprights and 20 beams, dimensions uprights: (6x) 1020 mm x 4500 mm, length beams: (20x) 3400 mm.	150
745	NN pallet rack	Steel pallet rack consisting of: 4 uprights and 12 beams, dimensions uprights: (4x) 1020 mm x 4500 mm, length beams: (12x) 3400 mm.	100
746	NN pallet rack	Steel pallet rack consisting of: 5 uprights and 16 beams, dimensions uprights: (5x) 1020 mm x 4500 mm, length beams: (16x) 3400 mm.	125
747	NN pallet rack	Steel pallet rack consisting of: 4 uprights and 12 beams, dimensions uprights: (4x) 1050 mm x 4500 mm, length beams: (12x) 3670 mm.	100
748	Bizerba	Pallet with Bizerba label rolls, label width: 100 mm, total dimensions: 1200 mm x 800 mm x 1040 mm.	100
749	NN protection railing	S/s protection railing, dimensions: 1400 mm x 1000 mm x 1000 mm.	25
750	Rittal	Rittal computer cabinet, dimensions: 1200 mm x 800 mm x 1700 mm, including office drawers, dimensions: 430 mm x 800 mm x 600 mm.	25
751	NN film holder	Wall mounted s/s film reel holder, dimensions: 1700 mm x 250 mm x 350 mm.	10
752	Karl Vogel GmbH	Karl Vogel GmbH pallet wrapper, machine type: KVK 3300, machine number: 0996028, year of construction: 1996, 220/380 V, 0.7 kW, diameter platform: 1500 mm, total dimensions: 4500 mm x 1500 mm x 2560 mm.	500
753	Lantech	Lantech carton erector, type: TE-2000, machine number: 20054311, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 3.2 kW, 6 bar, with Nordson glue unit, model: Problue 4, dimensions: 3200 mm x 1800 mm x 2100 mm.	1000
754	Lantech	Lantech lid applicator, type: LF-2000, machine number: 20054314, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 15 kW, 6 bar, dimensions: 2250 mm x 3100 mm x 2300 mm. Glue unit is missing.	1000
755	BluePrint Automation	BluePrint Automation vacuum top case packer, type: HVP, serial number: V0996-1, manufacturing date: 10-2006, 3x400 V, 50 Hz, 18 kVA, dimensions case packer: 4000 mm x 2350 mm x 2550 mm, including Automation Systems BV inliner, type: FC0003, 400 V, 16 A, 7 kW, belt width: (4x) 100 mm, total dimensions inliner: 3200 mm x 1800 mm x 1600 mm, electrical roller conveyor, roller width: 620 mm, total dimensions: 2900 mm x 850 mm x 660 mm.	5000
756	BluePrint Automation		1000



Nr	Title	Description	Start €
		BluePrint Automation case packer, type: HVP, serial number: V1030-LIJN 6, manufacturing date: 03-2006, 3x400 V, 50 Hz, 18 kVA, dimensions: 2300 mm x 3100 mm x 2550 mm, including outfeed belt, dimensions: 1800 mm x 1100 mm x 1100 mm.	
757	FlexLink	4 FlexLink aluminium frames for transport belts, dimensions: (4x) 3400 mm x 200 mm x 1000 mm.	250
758	Rational	Rational combi-steamer, type: CCC 61/02, serial number: C61C95097148, 400 V, 3 Ph, 50 Hz, 9.6 kW, 150-600 kPa, 6 floors, floor dimensions: 325 mm x 530 mm, distance between floors: 60 mm, total dimensions: 900 mm x 800 mm x 1500 mm.	250
759	NN rack	Mobile s/s rack with content, dimensions: 900 mm x 560 mm x 1600 mm.	100
760	Plant Mate	S/s rollie with 3 boxes of Plant Mate Slices 8020 extruded vegetable proteins, dimensions rollie: 700 mm x 420 mm x 150 mm.	10
761	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale, type: BBA330-A15, serial number: 2774013, maximum: 15 kg, minimum: 100 gram, dimensions scale: 300 mm x 240 mm, total dimensions: 300 mm x 360 mm x 500 mm.	50
762	NN frame for crates	S/s frame for crates, dimensions: 610 mm x 410 mm x 750 mm, including crate with knives.	10
763	Lacor Menaje Professional S.L.	Lacor Menaje Professional S.L. sous vide cooker, 220-240 V, 50-60 Hz, 1600 W, capacity: 17 litre, dimensions: 360 mm x 620 mm x 300 mm.	25
764	NN table	Aluminium table, dimensions: 600 mm x 400 mm x 730 mm.	10
765	NN tables	2 wall mounted s/s tables, dimensions: (2x) 2500 mm x 700 mm x 750 mm.	50
766	NN rollies	2 s/s rollies with various plastic crates, dimensions rollies: (2x) 700 mm x 420 mm x 150 mm.	25
767	Gastroback	Gastroback table model meat grinder, dimensions: 330 mm x 330 mm x 250 mm.	25
768	Bartscher GmbH	Bartscher GmbH table model vacuum machine, type: V60, year of construction: 2022, 230 V, 50 Hz, 0.63 kW, dimensions chamber: 300 mm x 300 mm x 100 mm, seal length: 300 mm, total dimensions: 360 mm x 470 mm x 350 mm.	250
769	NN rack	Mobile s/s rack with content, dimensions: 900 mm x 560 mm x 1600 mm.	100
770	NN sink	S/s sink with faucet, knee control, dimensions: 560 mm x 420 mm x 300 mm. Including 2 soap dispensers.	25
771	NN coat rack	Wall mounted s/s coat rack, dimensions: 660 mm x 350 mm x 300 mm.	10
772	NN hose reels	2 aluminium hose reels, dimensions: 360 mm x 150 mm x 250 mm. Including various dispensers.	10



Nr	Title	Description	Start €
773	NN glove dispensers	2 wall mounted s/s glove dispensers, dimensions: (2x) 140 mm x 100 mm x 250 mm.	10
774	NN table with parts	Mobile s/s table with various crates, dimensions: 1300 mm x 600 mm x 1000 mm.	75
775	NN white board	White board, dimensions: 900 mm x 600 mm.	10
776	SysTec GmbH	SysTec GmbH weighing scale, type: IT1000, serial number: 072572, maximum: 30 kg, dimensions scale: 310 mm x 280 mm, total dimensions: 310 mm x 460 mm x 500 mm.	50
777	NN table	S/s table, dimensions: 1420 mm x 600 mm x 800 mm.	50
778	NN rack for crates	S/s rack for crates, 4 floors, distance between floors: 330 mm, total dimensions: 2180 mm x 610 mm x 1680 mm.	75
779	SysTec GmbH	SysTec GmbH weighing scale, type: IT1000, serial number: 094687, dimensions scale: 520 mm x 400 mm, total dimensions: 610 mm x 700 mm x 1350 mm.	100
780	NN rack for crates	S/s rack for crates, 4 floors, distance between floors: 330 mm, total dimensions: 2180 mm x 610 mm x 1680 mm.	75
781	Vikan	Various Vikan cleaning equipment.	10
782	NN frame for crates	S/s frame for crates, dimensions: 610 mm x 410 mm x 180 mm.	10
783	NN sink	S/s sink with faucet, knee control, dimensions: 560 mm x 420 mm x 300 mm. Including 3 soap dispensers and Wero plaster dispenser.	25
784	NN office inventory	Office inventory consisting of: 2 drawers, dimensions: (2x) 440 mm x 630 mm x 720 mm, 4 chairs.	10
785	NN soap dispenser	Soap dispenser.	5
786	Krups/Bifinett/Siemens	Krups coffee machine, Bifinett blender and Siemens water cooker.	10
787	NN office inventory	Office inventory consisting of: table, dimensions: 1400 mm x 700 mm x 750 mm, 2 chairs and message board.	10
788	Busch	Busch vacuum pump, type: 250-132, number: 40453, capacity: 250 m ³ /h, dimensions: 950 mm x 550 mm x 450 mm.	300
789	Busch	Busch vacuum pump, type: 250-132, number: 49506, capacity: 250 m ³ /hour, dimensions: 950 mm x 550 mm x 600 mm.	300
790	Busch	Busch vacuum pump, type: 250-132, number: 43063, capacity: 250 m ³ /hour, dimensions: 950 mm x 550 mm x 600 mm.	300
791	Busch	Busch vacuum pump, type: RA 0250 B 501, capacity: 250 m ³ /hour, dimensions: 950 mm x 550 mm x 450 mm.	300
792	Busch	Busch vacuum pump, type: RA 0302 D 522 DIZZ, number: C0906000069, year of construction: 2009,	300



Nr	Title	Description	Start €
		capacity: 300 m ³ /hour, dimensions: 1000 mm x 550 mm x 700 mm.	
793	Alfa Laval	Alfa Laval plate heat exchanger, type: MK10-BWREF, serial number: 30109-01927, year of construction: 2015, PS: 10.0/16.0 bar, TS: 90 °C, PT: 14.3/22.9 bar, volume: 6.7/6.0 litre, dimensions: 500 mm x 550 mm x 1100 mm.	250
794	Metabo	Metabo pump, type: P 5500 M, serial number: 8173 222262, year of construction: 2008, Qmax: 5500 l/h, dimensions: 500 mm x 250 mm x 400 mm.	50
795	Wilo	2 Wilo glycol pumps, type: IL80/160-11/2-S1, P: 11 kW, dimensions: (2x) 400 mm x 400 mm x 900 mm.	300
796	NN plate heat exchanger	Plate heat exchanger, dimensions: 1000 mm x 750 mm x 1600 mm.	250
797	Bizerba	S/s trolley with Bizerba weighing scale and label printer, model load receptor: iL Professional 150F/HY, number: 11702116, year of construction: 2019, max: 6/15/30 kg, min: 40 gram, e= 2/5/10 gram, dimensions scale: 400 mm x 500 mm, model label printer: GLP-Wmaxx, serial number: 11702475, year of construction: 2019, total dimensions: 1200 mm x 600 mm x 1400 mm.	300
798	Bizerba	S/s trolley with Bizerba weighing scale and label printer, model load receptor: iL Professional 150F/HY, number: 11702115, year of construction: 2019, max: 6/15/30 kg, min: 40 gram, e= 2/5/10 gram, dimensions scale: 400 mm x 500 mm, model label printer: GLP-Wmaxx, serial number: 11702474, year of construction: 2019, total dimensions: 750 mm x 800 mm x 1300 mm.	300
799	Bizerba	S/s trolley with Bizerba weighing scale and label printer, model load receptor: iL Professional 150F/HY, number: 11702117, year of construction: 2019, max: 6/15/30 kg, min: 40 gram, e= 2/5/10 gram, dimensions scale: 400 mm x 500 mm, model label printer: GLP-Wmaxx, serial number: 11702476, year of construction: 2019, total dimensions: 750 mm x 800 mm x 1300 mm.	300
800	NN netting devices	8 plastic netting devices, dimensions: (8x) Ø 100 mm x 600 mm.	20
801	NN frame	S/s frame, dimensions: 600 mm x 550 mm x 300 mm.	10
802	NN table	S/s table with plastic worktop, dimensions: 1550 mm x 800 mm x 800 mm.	150
803	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale, type: M22, serial number: 3310348, year of manufacturing: 2012, dimensions scale: 350 mm x 280 mm, total dimensions: 350 mm x 400 mm x 450 mm.	50
804	NN table		50



Nr	Title	Description	Start €
		Aluminium table with plastic worktop, dimensions: 1550 mm x 800 mm x 800 mm.	
805	Intermec Technologies Corporation	Intermec Technologies Corporation label printer, model: PM4i, dimensions: 560 mm x 360 mm x 300 mm.	50
806	NN table	Aluminium table with plastic worktop, dimensions: 1400 mm x 700 mm x 730 mm.	50
807	NN tables	3 aluminium tables, dimensions: (3x) 600 mm x 400 mm x 660 mm.	25
808	NN stand frames	3 boxes with stand frames, dimensions: (3x) 350 mm x 350 mm x 900 mm.	10
809	NN flyer frames	Pallet with 2 boxes of flyer frames and box with lamps, dimensions pallet: 900 mm x 600 mm x 300 mm.	10
810	NN stand frames	Box with stand frame, dimensions: 1100 mm x 900 mm x 400 mm.	10
811	NN lamps and cables	Pallet with lamps and power supply cables, dimensions pallet: 1200 mm x 800 mm x 200 mm.	10
812	NN message board	Message board, dimensions: 630 mm x 600 mm x 1150 mm.	10
813	NN stool	Stool, dimensions: 500 mm x 500 mm x 700 mm.	10
814	Intermec Technologies Corporation	Intermec Technologies Corporation scanner, dimensions: 200 mm x 200 mm x 300 mm. Including box with cables.	25
815	NN table	S/s table with plastic worktop, dimensions: 1400 mm x 900 mm x 900 mm.	150
816	Rische Herfurt GmbH	Rische Herfurt GmbH bag sealer, model: POLYSTAR 350/5 DSM-TE, machine number: 1804, 220 V, 50 Hz, 2 A, 320 W, seal length: 500 mm, total dimensions: 520 mm x 250 mm x 670 mm.	25
817	SysTec GmbH/Tedea	SysTec GmbH/Tedea weighing scale, model load cel: 1250, model display: IT1000, dimensions scale: 660 mm x 540 mm, total dimensions: 660 mm x 740 mm x 1450 mm.	100
818	NN pressure vessel for foam	Mobile s/s pressure vessel for foam, dimensions: 600 mm x 600 mm x 1200 mm.	50
819	Finktec	Finktec mobile s/s pressure vessel for foam, year of construction: 1999, dimensions: 600 mm x 600 mm x 1200 mm.	50
820	PHT	Pallet with 2 PHT s/s hose reels and 2 PHT soap mixing stations, dimensions pallet: 1200 mm x 800 mm x 800 mm.	300
821	PHT	Pallet with LHS s/s hose reel and LHS soap mixing station, dimensions pallet: 1200 mm x 800 mm x 800 mm.	150
822	NN apron washer	S/s apron washer, working width: 1180 mm, total dimensions: 1900 mm x 470 mm x 850 mm.	50
823	Kangdun		10



Nr	Title	Description	Start €
		Box with various Kangdun mouth masks, dimensions box: 400 mm x 500 mm x 200 mm.	
824	Wero	2 boxes with large amount of Wero plaster dispensers, dimensions boxes: (2x) 600 mm x 400 mm x 800 mm.	50
825	NN table	Aluminium table, dimensions: 1900 mm x 920 mm x 800 mm.	50
826	NN peg	2 s/s pegs, length: (2x) 900 mm.	10
827	Dexion	2 Dexion steel racks with sanding belts and Nock knives for skinning and derinding machine, dimensions: (2x) 3980 mm x 450 mm x 2450 mm.	100
828	NN rack	S/s rack with aluminium plates, 10 floors, distance between floors: 150 mm, total dimensions: 1100 mm x 700 mm x 1900 mm.	50
829	Tipper Tie Technopack GmbH	Pallet with various Tipper Tie Technopack GmbH clips, dimensions pallet: 1200 mm x 800 mm x 500 mm.	50
830	Gebra	Gebra plastic cabinet for gas mask, dimensions: 240 mm x 210 mm x 310 mm.	5
831	Guardian	Guardian safety shower, dimensions: 800 mm x 250 mm x 2450 mm.	25
832	Dexion	Dexion steel drive-in pallet rack, dimensions: 3330 mm x 1100 mm x 3800 mm.	100
833	NN thermo boxes	6 pallets with large amount of thermo boxes, dimensions: 285 mm x 385 mm x 180 mm, 410 mm x 475 mm x 410 mm and 380 mm x 580 mm x 250 mm.	50
834	TRS Rental Systems	2 pallets with large amount of TRS Rental Systems flexible food-grade pillow tanks, 12 bags each box, type: FOOD/250 ltr Pillow, PE, volume each bag: 250 litre, dimensions each bag: 1600 mm x 1300 mm.	100
835	NN cabinet	S/s cabinet, dimensions: 550 mm x 510 mm x 1840 mm.	25
836	NN pylon with lamp	Pylon with lamp, dimensions: 400 mm x 400 mm x 1100 mm.	10
837	NN air duct	Part of aluminium air duct, dimensions: 2600 mm x 1650 mm x 1100 mm.	25
838	Cyklop International	Cyklop International pallet wrapper, type: AVVOLGITORE WICKELMASCHINE, model: CST212 HS, serial number: S1500161, year of construction: 2015, 230 V, 1 Ph, 50/60 Hz, 6 A, diameter platform: 1640 mm, total dimensions: 1640 mm x 3000 mm x 2570 mm.	500
839	NN packaging table	S/s packaging table, dimensions: 1400 mm x 800 mm x 1700 mm, including aluminium table, dimensions: 600 mm x 400 mm x 660 mm.	50
840	NN waste bag holder	Plastic waste bag holder, dimensions: 400 mm x 400 mm x 900 mm.	10
841	NN protection railing	Steel protection railing, dimensions: 4700 mm x 900 mm.	25



Nr	Title	Description	Start €
842	Katrin Centerbox	Katrin Centerbox paper dispenser, dimensions: 270 mm x 270 mm x 270 mm.	10
843	Starfrost Systems LTD	Friedrich Justus / Starfrost Systems LTD double spiral freezer, type/model: Justus Helix Froster System Starfrost 85-30-(15+15), year of construction: 1994, belt width: 762/700 mm, infeed height: 900 mm, outfeed height: 850 mm, (2x) 15 floors, max product height: 120 mm, North-North configuration, clockwise rotation, total dimensions: 16500 mm x 7000 mm x 4600 mm.	5000
844	NN sieves	4 s/s sieve plates for vibrating gutter, sieve dimensions: 4 mm x 4 mm, 10 mm x 10 mm, 18 mm x 18 mm and 22 mm x 22 mm.	40
845	NN waste bag holder	Steel waste bag holder, dimensions: 500 mm x 500 mm x 1000 mm.	10
846	Mennekes	2 Mennekes power supply units, dimensions: (2x) 250 mm x 250 mm x 200 mm.	50
847	Katrin Centerbox	Katrin Centerbox paper dispenser, dimensions: 270 mm x 270 mm x 270 mm, double s/s glove dispenser, dimensions: 300 mm x 140 mm x 600 mm.	20
848	NN flattener	Mobile flattener, s/s frame, plastic belt, type: Plätter 600-7, serial number: 105025-2, year of construction: 09-2011, belt width: 555 mm, total dimensions: 2100 mm x 1100 mm x 2000 mm.	1250
849	Alco food-machines GmbH & Co. KG	Alco food-machines GmbH & Co. KG mobile flattener, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 2200 mm x 600 mm x 1550 mm.	1250
850	Weber GmbH & Co. KG	Weber GmbH & Co. KG slicer line consisting of: Weber GmbH & Co. KG slicer, type: MCS 902, number: 2602, year of construction: 01/2006, 400 V, 50 Hz, 10 kW, 6 bar, 50 l/min, dimensions: 3200 mm x 1700 mm x 2450 mm Weber GmbH & Co. KG checkweigher, type: CCW, number: 2602, year of construction: 01/2006, belt width: 400 mm, total dimensions: 500 mm x 800 mm x 1100 mm Weber GmbH & Co. KG line diverter unit, type: CCR, number: 2602, year of construction: 01/2006, belt width: 400 mm, total dimensions: 500 mm x 1000 mm x 1100 mm Weber GmbH & Co. KG automatic infeed, belt width: (2x) 290 mm, total dimensions: 5000 mm x 1650 mm x 1800 mm.	10000
851	Handtmann	Handtmann vacuum filling machine with lifter for 200 litre meat bins, type: VF616, number: 21837, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 26.0 A, 12 kW, Busch vacuum pump, dimensions: 1900 mm x 1350 mm x 2150 mm.	15000
852	Loma	Loma pipe line metal detector, type: IQ ² , serial number: MHPLEU-33124, year of construction:	500



Nr	Title	Description	Start €
		01-2004, 85/265 V, 50/60 Hz, clearance: Ø 50 mm, total dimensions: 500 mm x 600 mm x 500 mm.	
853	Handtmann	Handtmann mobile AL linking and hanging line, consisting of: AL linker, type: 217-21, number: 505, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 5.3 A, 3.5 kW, dimensions: 1400 mm x 700 mm x 1300 mm, Hanging line, type: 220-16, number: 1513, year of construction: 2005, dimensions hanging: 2700 mm x 700 mm x 1500 mm.	2500
854	Handtmann	Handtmann vacuum filling machine with lifter for 200 litre meat bins, type: VF611, serial number: 49151, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 5.1 A, 3.5 kW, built-in Busch vacuum pump, dimensions: 1800 mm x 1400 mm x 2000 mm. Including carton box with various parts.	27500
855	Handtmann	Handtmann mobile AL linker, type: 216-22, number: 700, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 3.6 A, 2.5 kW, dimensions: 1500 mm x 700 mm x 1500 mm.	1500
856	Handtmann	Handtmann mobile hanging line, type: 241-16, number: 10800707, year of construction: 2009, dimensions: 2500 mm x 700 mm x 1500 mm.	1500
857	NN hose reels	2 aluminium hose reels, dimensions: (2x) 350 mm x 150 mm x 250 mm.	20
858	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for meat bins, model: ROBOT HP 15 C, type: 143/350 B-1, serial number: 143 1214, year of construction: 2003, 220-240 V, 64/80 A, 400-460 V, 37/50 A, 575 V, 22/35 A, 3 Ph, 50/60 Hz, dimensions: 2100 mm x 1300 mm x 2100 mm. Incomplete.	3500
859	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile high-speed length portioning machine, model: LPG 208, number: 2080411, year of construction: 2014, 220 - 240 V / 400 - 460 V / 575 V, 3 Ph, 50/60 Hz, 8 A, 5.5 kW, weight: 637 kg, dimensions: 1700 mm x 900 mm x 1350 mm. Including crate with parts.	10000
860	Risco S.P.A.	Risco S.P.A. vacuum filling machine with lifter for meat bins, machine model: RS 505 CP 1.3, serial number: C811071, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 8.0 kW, weight: 1085 kg, filling and portioning, dimensions: 2300 mm x 1250 mm x 2200 mm.	5000
861	Risco S.P.A.	Risco S.P.A. vacuum filling machine with lifter for meat bins, machine model: RS 505, serial number: C808029, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 11 kW, weight: 1000 kg, filling, portioning and linking, dimensions: 2300 mm x 1250 mm x 2200 mm.	5000
862	Risco S.P.A.		1000



Nr	Title	Description	Start €
		Wooden pallet box with various spare parts for Risco S.P.A. vacuum filling machines, dimensions: 1200 mm x 800 mm x 700 mm.	
863	CFS	CFS mobile forming machine, type: MLF 600, machine number: 793, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 46.18 A, 22.84 kW, weight: 1782 kg, belt width: 600 mm, total dimensions: 2700 mm x 1150 mm x 2500 mm, including s/s meat bin with parts. Missing forming set.	6000
864	Alco food-machines GmbH & Co. KG	Alco food-machines GmbH & Co. KG mobile flattener, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 2300 mm x 900 mm x 1500 mm.	1250
865	Koppens	Koppens mobile forming machine, type: VM 400HD, machine number: VM 400HD-951, 380 V, 3 Ph, 50 Hz, 23 A, 7.77 kW, weight: 650 kg, belt width s/s mesh belt: 400 mm, total dimensions: 2300 mm x 700 mm x 2350 mm. Missing forming plates.	4000
866	Alco food-machines GmbH & Co. KG	Alco food-machines GmbH & Co. KG mobile battering machine, type: APN 400, serial number: 01311208, 400 V, 50 Hz, 2.5 kW, s/s belt width: 400 mm, total dimensions: 1500 mm x 900 mm x 1600 mm.	1000
867	Alco food-machines GmbH & Co. KG	Alco food-machines GmbH & Co. KG mobile dipper, type: ADT 400 NH, serial number: 01121221, year of construction: 2011, 400 V, 2.5 kW, machine weight: 500 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 2770 mm x 1000 mm x 1450 mm.	3500
868	Koppens Machinefabriek B.V.	Koppens Machinefabriek B.V. mobile coating machine, type: ER400, number: 1206, year of construction: 1995, s/s mesh belt, belt width: 400 mm, total dimensions: 1800 mm x 700 mm x 2050 mm.	1500
869	NN frame	Wall mounted s/s frame, dimensions: 600 mm x 350 mm x 500 mm.	10
870	NN hose reel	Aluminium hose reel, dimensions: 250 mm x 150 mm x 350 mm.	10
871	NN frame	Wall mounted s/s frame, length: 3000 mm.	25
872	SysTec GmbH	S/s floor weighing scale with SysTec GmbH indicator, type: IT3000A, serial number: 105074, 110-240 V, 50/60 Hz, 0.2 A, dimensions scale: 1500 mm x 1250 mm, dimensions indicator: 230 mm x 120 mm x 190 mm.	400
873	NN curtains	Plastic curtains, dimensions: 1030 mm x 2200 mm.	10
874	NN table	S/s table, dimensions: 1800 mm x 700 mm x 750 mm.	25
875	Dick	Dick knife sharpener, type: SM-160T, dimensions: 550 mm x 550 mm x 700 mm, including crate with sanding belts.	100
876	NN stool	Stool, dimensions: 500 mm x 500 mm x 700 mm.	10
877	Wero	Wero eye shower, dimensions: 260 mm x 100 mm x 350 mm, plastic cabinet with safety goggles,	20



Nr	Title	Description	Start €
		dimensions: 230 mm x 120 mm x 100 mm, various Vikan cleaning equipment.	
878	NN rack	S/s rack, dimensions: 1750 mm x 540 mm x 1850 mm.	50
879	NN sink	S/s sink with faucet, knee control, dimensions: 560 mm x 420 mm x 300 mm. Including 2 soap dispensers and paper dispenser.	25
880	NN waste bag holder	S/s waste bag holder, dimensions: 500 mm x 500 mm x 950 mm.	10
881	NN trolleys	5 s/s trolleys with aluminium plates, 9 floors, distance between floors: 150 mm, total dimensions: (5x) 1100 mm x 770 mm x 2000 mm.	250
882	NN trolleys	5 s/s trolleys with aluminium plates, 9 floors, distance between floors: 150 mm, total dimensions: (5x) 1100 mm x 770 mm x 2000 mm.	250
883	NN trolleys	4 s/s trolleys with aluminium plates, 9 floors, distance between floors: 150 mm, total dimensions: (4x) 1100 mm x 770 mm x 2000 mm.	200
884	NN trolleys	8 s/s trolleys for plates, 9 floors, distance between floors: 150 mm, total dimensions: (8x) 1100 mm x 770 mm x 2000 mm.	400
885	NN hoods	2 s/s hoods, dimensions: (2x) 1150 mm x 1100 mm x 1400 mm.	200
886	NN trolleys	15 s/s trolleys for plates, 9 floors, distance between floors: 150 mm, total dimensions: (15x) 1100 mm x 770 mm x 2000 mm.	750
887	NN rollies	24 s/s and aluminium rollies, dimensions: (24x) 690 mm x 410 mm x 170 mm.	240
888	NN tubs	3 mobile s/s tubs, dimensions: (2x) 1600 mm x 750 mm x 830 mm and (1x) 1300 mm x 750 mm x 830 mm.	225
889	NN tubs	3 mobile s/s tubs, dimensions: (2x) 1850 mm x 750 mm x 750 mm and (1x) 1700 mm x 750 mm x 800 mm.	225
890	NN tubs	4 mobile s/s tubs, dimensions: (4x) 1700 mm x 750 mm x 800 mm.	300
891	Ullmann & Co. GmbH	Ullmann & Co. GmbH double jacketed cooking vessel, serial number: 5831-A1, year of construction: 2007, max working pressure jacket: 1.3 bar, max working temperature vessel: 95 °C, max working temperature jacket: 175 °C, volume vessel: 900 litre, volume jacket: 75 litre, total dimensions: Ø 1600 mm x 1100 mm.	750
892	Ullmann & Co. GmbH	Ullmann & Co. GmbH double jacketed cooking vessel, serial number: 5831-A2, year of construction: 2007, max working pressure jacket: 1.3 bar, max working temperature vessel: 95 °C, max working temperature jacket: 175 °C, volume vessel: 900 litre, volume jacket: 75 litre, total dimensions: Ø 1600 mm x 1100 mm.	750
893	Ullmann & Co. GmbH	Ullmann & Co. GmbH double jacketed cooking vessel, serial number: 5831-A3, year of construction: 2007, max working pressure jacket: 1.3 bar, max working	750



Nr	Title	Description	Start €
		temperature vessel: 95 °C, max working temperature jacket: 175 °C, volume vessel: 900 litre, volume jacket: 75 litre, total dimensions: Ø 1600 mm x 1100 mm.	
894	NN hoods	2 s/s hoods, dimensions: 4800 mm x 1300 mm x 420 mm and 2000 mm x 1500 mm x 420 mm.	500
895	Samson	Various Samson valves, dimensions: 400 mm x 300 mm x 300 mm.	150
896	Alfa Laval	Alfa Laval cooling unit, type: Kuehlmodule, serial number: 81.2341, year of construction: 11/2011, rated output: 2000 litre/hour, dimensions: 2700 mm x 800 mm x 2950 mm, dimensions switch cabinet: 600 mm x 300 mm x 600 mm.	500
897	Itec	Itec s/s sink with faucet, sensor control, dimensions: 425 mm x 450 mm x 570 mm. Including 2 soap dispensers and paper dispenser.	50
898	Wero	Wero eye shower in s/s cabinet, dimensions: 260 mm x 100 mm x 350 mm.	10
899	NN spatulas	3 s/s spatulas.	10
900	NN ice water unit	Ice water unit, dimensions pipes: 5500 mm x 150 mm x 300 mm and 1900 mm x 150 mm x 300 mm, dimensions gutter: 5500 mm x 300 mm x 550 mm, including switch cabinet.	250
901	Unikon BV	Unikon BV crate washer, type: MISTRAL, machine number: 2010040, year of construction: 2010, 400 V, 3 Ph, 63 A, clearance: 400 mm x 200 mm, total dimensions: 5000 mm x 1400 mm x 2000 mm.	1500
902	Mettler Toledo	S/s floor weighing scale with Mettler Toledo indicator, type: IND690 Desk, serial number: 3126607, year of construction: 2010, 100-240 V, 50/60 Hz, maximum: 1500 / 3000 kg, minimum: 4 kg, dimensions scale: 1500 mm x 1250 mm, dimensions indicator: 550 mm x 300 mm x 200 mm.	400
903	Insect-o-cutor	Insect-o-cutor insect killer, dimensions: 400 mm x 150 mm x 200 mm.	10
904	Itec	Itec s/s sink with faucet, sensor control, dimensions: 425 mm x 450 mm x 570 mm. Including 2 soap dispensers and paper dispenser.	50
905	Itec	Itec s/s sink with faucet, sensor control, dimensions: 425 mm x 450 mm x 570 mm. Including waste bag holder, 2 soap dispensers and paper dispenser.	50
906	Stephan	Stephan mobile universal machine, machine type: UM/VM 44S, machine number: 729413.01, year of construction: 2002, 400 V, 50 Hz, 9.4/12.4 A, 4.0/5.5 kW, 1410/2820 rpm, dimensions: 1200 mm x 800 mm x 1200 mm.	2000
907	Holac Maschinenbau GmbH	Holac Maschinenbau GmbH dicer, type: HO 84, machine number: 35.030.05, 2.2 kW, dimensions chamber: 85 mm x 85 mm x 390 mm, total	750



Nr	Title	Description	Start €
		dimensions: 1300 mm x 700 mm x 1100 mm. Knife grid incomplete.	
908	Koppens	Koppens mobile tenderizer, type: TG 600 SC, machine number: TG 600 SC-77, 380 V, 3 Ph, 50 Hz, 1.95 A, 0.55 kW, weight: 168 kg, s/s mesh belt width: 600 mm, working width: 570 mm, total dimensions: 1800 mm x 850 mm x 1220 mm.	1250
909	Anritsu Industrial Solutions Co. LTD	Anritsu Industrial Solutions Co. LTD X-ray scanner, model: KD7305AW, serial number: 4600022771, year of construction: 2006, 230 V, 1 Ph, 50/60 Hz, max product weight: 5 kg, max product size: 240 mm x 120 mm, belt width: 270 mm, total dimensions: 800 mm x 800 mm x 1900 mm.	750
910	Anritsu Industrial Solutions Co. LTD	Anritsu Industrial Solutions Co. LTD X-ray scanner, model: KD7316AW, serial number: 4600027659, year of construction: 2006, product weight: max 5 kg, clearance product: max 390 mm x 150 mm, belt width: 420 mm, weight: 290 kg, total dimensions: 850 mm x 950 mm x 1850 mm.	750
911	GreX Technologies	GreX Technologies X-ray scanner, type: XO-400, serial number: 09093, year of construction: 2014, clearance: 200 mm x 200 mm, total dimensions: 1300 mm x 700 mm x 1550 mm.	300
912	Anritsu Industrial Solutions Co. LTD	Anritsu Industrial Solutions Co. LTD X-ray scanner, model: KD7305AW, serial number: 4600031696, year of construction: 2006, 230 V, 1 Ph, 50/60 Hz, max product weight: 5 kg, max product size: 240 mm x 120 mm, belt width: 250 mm, total dimensions: 1100 mm x 800 mm x 1200 mm, including ejector belt, belt width: 230 mm, total dimensions: 750 mm x 400 mm x 1100 mm.	750
913	Mettler Toledo Safeline	Mettler Toledo Safeline mobile metal detector, belt width: 300 mm, clearance: 350 mm x 125 mm, total dimensions: 1500 mm x 1200 mm x 1100 mm.	1250
914	GreX Technologies	GreX Technologies X-ray scanner, type: XT-300, serial number: 09 133, year of construction: 2015, belt width: 270 mm, clearance: 280 mm x 80 mm, total dimensions: 850 mm x 750 mm x 1030 mm.	400
915	Rühle GmbH	Rühle GmbH dicer, type: SR 2 BiTurbo, serial number: 40051114, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 13.2 A, 5.3 kW, belt width: 260 mm, dimensions chamber: 120 mm x 120 mm x 500 mm, total dimensions: 1600 mm x 1300 mm x 1800 mm, including trolley with extra knife set, dimensions: 900 mm x 700 mm x 1100 mm.	5000
916	Holac Maschinenbau GmbH	Holac Maschinenbau GmbH dicer, dimensions chamber: 125 mm x 125 mm x 600 mm, total	500



Nr	Title	Description	Start €
		dimensions: 2500 mm x 1400 mm x 2100 mm. Incomplete.	
917	Holac Maschinenbau GmbH	Holac Maschinenbau GmbH dicer, type: VA1500, serial number: 1600602-1, dimensions chamber: 150 mm x 150 mm, total dimensions: 2700 mm x 1400 mm x 2400 mm. Incomplete.	500
918	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile slicer, model: PUMA CE 700 EB, machine number: 194311.62008.108474, year of construction: 2010, 400/230 V, 3 Ph, 8.2/16 A, 3.4 kW, weight: 305 kg, clearance: 240 mm x 220 mm, total dimensions: 2800 mm x 900 mm x 1650 mm. Missing transport belt.	2500
919	Grasselli S.p.A.	Grasselli S.p.A. slicer, model: NSL, belt width: 545 mm, 50 knives, distance between knives: 10 mm, total dimensions: 1200 mm x 1500 mm x 1450 mm.	2500
920	Maja	Maja portioning machine, type: FP 100, serial number: 45585, year of construction: 2005, 400 V, 50 Hz, dimensions: 1900 mm x 1000 mm x 1880 mm, including tool trolley, dimensions: 1000 mm x 800 mm x 1450 mm. Incomplete.	950
921	NN pegs	2 wall mounted pegs, length: (2x) 1700 mm.	20
922	Kimberly-Clark	Kimberly-Clark paper dispenser, dimensions: 250 mm x 220 mm x 290 mm.	10
924	Seydelmann	Seydelmann mixer-grinder, machine type: MD114, machine number: 14285-1, year of construction: 2014, 400 V, 50 Hz, 11 kW, 22 A, weight: 480 kg, plate diameter: 114 mm, total dimensions: 800 mm x 1300 mm x 1250 mm.	3500
925	Luthi Machinery Co	Luthi Machinery Co guillotine dicer, model: 2MGD, number: 7590 0054, belt width: 310 mm, clearance: 250 mm x 80 mm, total dimensions: 2800 mm x 600 mm x 2000 mm.	1000
926	Urschel Laboratories, INC	Urschel Laboratories, INC mobile dicer, model number: M6, serial number: 355, year of construction: 2014, belt width: 280 mm, clearance: 245 mm x 100 mm, total dimensions: 2400 mm x 850 mm x 1300 mm, including trolley with various extra knife sets, dimensions: 1000 mm x 650 mm x 900 mm.	6000
927	Vakona GmbH	Vakona GmbH vacuum mixer, type: VM 350 STL, machine number: 2117, year of construction: 2014, dimensions drum: Ø 800 mm x 700 mm, with Vakona GmbH vacuum pump, total dimensions: 1600 mm x 1100 mm x 1700 mm.	1500
928	Itec	Itec s/s sink with faucet, sensor control, dimensions: 425 mm x 450 mm x 570 mm. Including soap dispenser and paper dispenser.	50
929	NN white board	White board, dimensions: 600 mm x 450 mm.	10
930	Multi-Wing		150



Nr	Title	Description	Start €
		S/s trolley with Multi-Wing blower, dimensions: 1100 mm x 800 mm x 2020 mm.	
931	NN trolleys	12 s/s trolleys with aluminium plates, 7 floors, distance between floors: 200 mm, total dimensions: (12x) 900 mm x 1020 mm x 1840 mm.	600
932	NN trolleys	6 s/s trolleys with aluminium plates, 7 floors, distance between floors: 200 mm, total dimensions: (6x) 900 mm x 1020 mm x 1840 mm.	300
933	NN safety shower	Safety shower, dimensions: 500 mm x 250 mm x 600 mm.	25
934	Interspiro	S/s cabinet with 2 Interspiro respiratory safety suits and gas masks, dimensions cabinet: 1100 mm x 500 mm x 1930 mm.	150
935	NN cabinet with tools	Steel cabinet with various tools, dimensions: 1250 mm x 500 mm x 1900 mm.	25
936	NN workbenches	3 steel work benches with content, dimensions: (3x) 2000 mm x 700 mm x 900 mm, including 3 steel wall frames with various tools.	150
937	Metriso	Metriso insulation tester, type: 1000 D.	75
938	Raytek	Raytek thermometer, model: RAYRPM30L2SZD, serial number: 6C349, year of construction: 1996.	50
939	Voltcraft	Voltcraft dual digital tachometer, type: DT2L/K.	50
940	Unitest	Unitest Telaris Fi/RCD analyser.	50
941	Voltcraft	Voltcraft multimeter, type: CLA40.	25
942	Brother	Case with Brother label printer, type: P-Touch D800W, dimensions: 470 mm x 170 mm x 370 mm.	25
943	Höfelmeyer	Höfelmeyer industrial PC, type: HIPC17, dimensions: 450 mm x 120 mm x 310 mm.	100
944	Metabo	(2x) Metabo disc grinders, (1x) Metabo drilling machine, Flux motor for drum pump, Fein disc grinder.	100
945	Mado	Mado knife sharpener, type: MNS 630, number: 13051, year of construction: 2004, 230/400 V, 3 Ph, 50 Hz, 1.7/1.0 A, 0.5 kW, dimensions: 450 mm x 300 mm x 300 mm.	100
946	SW-Stahl	SW-Stahl tool box, dimensions: 540 mm x 220 mm x 300 mm.	10
947	Scheppach	Scheppach GmbH drill grinder, type: DBS800, serial number: 0186-035362, year of construction: 08/2023, dimensions: 200 mm x 200 mm x 150 mm.	25
948	NN ladder	Aluminium ladder, height: 1930 mm.	10
949	Würth	2 frames with Würth s/s rollers, dimensions: (2x) 540 mm x 370 mm x 580 mm, including steel wall plate with various tools, dimensions: 800 mm x 900 mm.	100
950	NN workbench	Steel work bench with content, dimensions: 2000 mm x 700 mm x 840 mm, including steel wall plate with various tools.	100
951	NN white board	White board, dimensions: 1200 mm x 900 mm.	10



Nr	Title	Description	Start €
952	NN writing desk	Wall mounted s/s writing desk, dimensions: 1100 mm x 440 mm x 150 mm.	25
953	NN waste bag holder	Plastic waste bag holder, dimensions: 400 mm x 400 mm x 900 mm.	10
954	Wero	Wero eye shower, dimensions: 260 mm x 100 mm x 360 mm, 2 first aid cabinets, dimensions: 320 mm x 200 mm x 450 mm and 430 mm x 170 mm x 300 mm.	50
955	Bio-Circle	Bio-Circle de-greasing unit, type: GT Compact, dimensions: 800 mm x 600 mm x 1000 mm.	100
956	Knuth Werkzeugmaschinen	Knuth Werkzeugmaschinen press, dimensions: 1200 mm x 500 mm x 1900 mm.	200
957	NN trolley for crates	Trolley for crates, dimensions: 1040 mm x 450 mm x 900 mm.	10
958	NN ladder	Aluminium ladder, height: 2130 mm.	50
959	Krause	Krause aluminium ladder, height: 970 mm.	25
960	Würth	Würth aluminium ladder, height: 2340 mm.	50
961	NN stairs	Aluminium stairs, dimensions: 900 mm x 700 mm x 1500 mm.	25
962	Günzburger Steigtechnik	Günzburger Steigtechnik aluminium ladder, height: 690 mm.	25
963	Layher	Layher aluminium ladder, height: 2310 mm.	50
964	Würth	Würth aluminium ladder, height: 1350 mm.	25
965	Würth	Würth aluminium ladder, height: 750 mm.	25
966	NN stools	4 stools, dimensions: (2x) 500 mm x 500 mm x 700 mm and (2x) 300 mm x 300 mm x 300 mm.	20
967	Yale	Yale electrical chain hoist, model: HT P 0.5-A, serial number: 148767, year of construction: 2018, max capacity: 500 kg, dimensions: 300 mm x 250 mm x 600 mm.	75
968	E-Plus	E-Plus steel cabinet with content, dimensions: 1000 mm x 500 mm x 1810 mm.	50
969	Elektro-Automatik	Elektro-Automatik variable transformer, dimensions: 480 mm x 280 mm x 180 mm.	50
970	Granit	Granit tool trolley, dimensions: 750 mm x 470 mm x 1000 mm.	50
971	NN tools	2 steel wall plates with various tools, dimensions: (2x) 1400 mm x 450 mm.	75
973	Trilux	Trilux LED light, dimensions: 620 mm x 620 mm.	10
974	NN sink	S/s sink, dimensions: 400 mm x 310 mm x 200 mm.	20
975	Elmag	Elmag welding machine, type: PROFI-MIG 3000 plus 354, number: 1106957, year of construction: 2022, dimensions: 900 mm x 500 mm x 1800 mm.	250
976	Fluke	Fluke welding machine, dimensions: 800 mm x 500 mm x 1100 mm.	150
977	Timmermann	Timmermann foam mixing unit, dimensions: 250 mm x 250 mm x 500 mm.	25
978	Meyer		50



Nr	Title	Description	Start €
		Meyer welding unit for teflon coated glass silk, dimensions: 1100 mm x 800 mm x 250 mm.	
979	Metallit	Metallit welding machine, type: INVERTIG 250 GW, product number: 029472, dimensions: 900 mm x 500 mm x 800 mm.	250
980	Endress + Hauser / Siemens	Various Endress + Hauser and Siemens control screens.	50
981	Eurokraft	Eurokraft steel cabinet with parts, dimensions: 920 mm x 420 mm x 1920 mm.	50
982	Triumph	2 Triumph steel cabinets, dimensions: (2x) 410 mm x 620 mm x 1330 mm.	25
983	Dunlop	Dunlop wader suit and various cleaning equipment.	25
984	NN cabinet with parts	Steel cabinet with various parts, dimensions: 1950 mm x 350 mm x 2350 mm.	25
985	Demag	S/s trolley with Demag electrical chain hoist, dimensions: 900 mm x 600 mm x 900 mm.	25
986	NN hydraulic body repair kit	2 boxes with hydraulic body repair kit, dimensions: (2x) 700 mm x 160 mm x 290 mm.	75
987	NN power supply units	Pallet with various power supply units and cables, dimensions: 1200 mm x 800 mm x 250 mm.	50
988	Sekur	Box with 2 Sekur gas masks, dimensions: 450 mm x 300 mm x 270 mm.	25
989	NN power supply cables	Various power supply cables.	75
990	E-Plus	E-Plus steel cabinet with content, dimensions: 1200 mm x 400 mm x 1950 mm.	50
991	NN spare parts	Steel rack with various spare parts, among other: valves, bearings, filters, O-rings, etc, dimensions: 3070 mm x 430 mm x 2000 mm.	250
992	NN spare parts	Steel rack with various spare parts, among other: couplings, O-rings, valves, filters, etc, dimensions: 3070 mm x 860 mm x 2000 mm.	350
993	NN spare parts	Steel rack with various spare parts, among other: parts for spiral freezers, Nock skinning machines, Rühle injector, Güntner tumblers, electrical parts, etc, dimensions: 3000 mm x 500 mm x 2000 mm.	500
994	NN spare parts	Steel rack with various spare parts, among other: electrical parts, machine feet, springs, etc, dimensions: 3100 mm x 350 mm x 2000 mm.	250
995	NN electrical parts	Steel rack with various electrical parts, dimensions: 3100 mm x 350 mm x 2000 mm.	250
996	NN lockers	(3x) steel 3-doors lockers, dimensions: (3x) 1200 mm x 500 mm x 1850 mm, (2x) steel 2-doors lockers, dimensions: (2x) 800 mm x 500 mm x 1850 mm.	100
997	NN cabinet	Steel cabinet, dimensions: 900 mm x 400 mm x 1950 mm.	25
998	NN lockers		10



Nr	Title	Description	Start €
		Steel 10-doors locker, dimensions: 600 mm x 500 mm x 1850 mm. Keys are missing.	
999	NN transport belts	Steel rack with various transport belts, various dimensions, dimensions rack: 2000 mm x 400 mm x 1500 mm.	350
1000	NN knives and plates	Steel rack with various Treif Puma knives, Urschel knives and plates and knives for grinder, dimensions rack: 1400 mm x 550 mm x 1850 mm.	350
1001	NN electrical cable and hoses	Various V-belts, electrical cable and hoses.	100
1002	NN electrical parts	Steel rack with various electrical parts, dimensions: 1350 mm x 540 mm x 2010 mm.	250
1003	NN electrical parts	Various electrical parts. Cabinet is not included.	150
1004	Meister Automation	Box with Meister Automation AMDE automatic mini fire extinguisher units.	50
1005	Dick	Dick knife sharpener, type: SM-111, dimensions: 450 mm x 300 mm x 250 mm.	50
1006	NN spare parts	Steel rack with various spare parts, dimensions: 1900 mm x 800 mm x 1650 mm.	75
1007	NN spare parts	Steel rack with various spare parts, among other: machine wheels, knife sets, lamps, sensors, pneumatic cylinders, brushes, power supply cables, etc, dimensions: 7000 mm x 900 mm x 1650 mm.	500
1008	NN spare parts	Various spare parts, among other: drive chains, sprockets, pneumatic cylinders, vacuum pumps, s/s mesh belts, plastic transport belts, hoses, etc. Rack is not included.	400
1009	ProMinent GmbH	ProMinent GmbH dosing pump, type: S1CBH07065PVTS000UA10000DE, dimensions: 500 mm x 300 mm x 600 mm.	50
1010	Pneumatex	Pneumatex vacuum degassing unit, type: Vento V4.1, dimensions: 400 mm x 400 mm x 1000 mm.	150
1011	NN cabinet	S/s cabinet, dimensions: 500 mm x 370 mm x 600 mm.	20
1012	Alfa Laval	Alfa Laval plate heat exchanger, type: M10-BWFDR, serial number: 30102-15273, year of construction: 2000, PS: 10.0/16.0 bar, TS: -10/80 °C, PT: 13.0/21.0 bar, volume: 22.0 litre, dimensions: 1000 mm x 450 mm x 1000 mm.	400
1013	Dibo	Dibo high pressure cleaner, type: IBH-M 220/16, dimensions: 300 mm x 700 mm x 1200 mm.	300
1014	ELS	ELS mobile labeller, type: ELS220, machine number: 14256/2020, 230 VAC, 50/60 Hz, 200 VA, dimensions: 1000 mm x 700 mm x 950 mm.	400
1015	ESS Schweisstechnik GmbH	ESS Schweisstechnik GmbH mobile welding machine, type: 170 DTG, fabrication number: 0311.0180, dimensions: 500 mm x 600 mm x 1100 mm.	250
1016	Grün-Pumpen		300



Nr	Title	Description	Start €
		Grün-Pumpen mobile bucket/barrel filling machine, type: 30-1102, fabrication number: 955474-01, year of construction: 31-2019, diameter buckets: 600 mm, total dimensions: 1200 mm x 600 mm x 2000 mm.	
1500	Dynaco	Dynaco electric high speed shutter door, type: D-313 LF, serial number: DE39136C, year of construction: 7-2014, dimensions door: 2000 mm x 2500 mm.	400
1501	Albany Door Systems GmbH	Albany Door Systems GmbH electric high speed shutter door, type: Rapid Roll 300, serial number: 6179777, year of construction: 2004, 400 V, 50 Hz, dimensions door: 3000 mm x 3000 mm.	400
1502	EMS Isoliertüren GmbH	EMS Isoliertüren GmbH s/s isolated sliding door, type: KSL 80, dimensions door: 2000 mm x 2400 mm.	350
1503	EMS Isoliertüren GmbH	EMS Isoliertüren GmbH s/s isolated sliding door, dimensions door: 2000 mm x 2000 mm.	350
1504	EMS Isoliertüren GmbH	EMS Isoliertüren GmbH s/s isolated sliding door, type: GS 140, year of construction: 2013, dimensions door: 2000 mm x 2000 mm.	500
1505	Albany Door Systems GmbH	Albany Door Systems GmbH electric high speed shutter door, type: Rapid Roll 300, serial number: 6179776, year of construction: 2004, 400 V, 50 Hz, dimensions door: 3000 mm x 3000 mm.	400
1506	Goedhart	Goedhart evaporator, 1 fan, type: DVS 1-8 1457, year of construction: 2000, medium: GLYCOL, volume: 20 dm ³ , dimensions: 1800 mm x 1050 mm x 500 mm.	150
1507	NN evaporator	Evaporator, 1 fan, dimensions: 1400 mm x 800 mm x 900 mm.	150
1508	Brown Boveri - York	Brown Boveri - York evaporator, 3 fans, type: S GHS-50/38, number: 6 83286, year of construction: 1988, volume: 30.1 liter, dimensions: 3500 mm x 500 mm x 700 mm.	250
1509	EMS Isoliertüren GmbH	EMS Isoliertüren GmbH s/s isolated sliding door, type: KSL 80, year of construction: 2012, dimensions door: 1800 mm x 2050 mm.	350
1510	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB electric high speed shutter door, type: ASSA ABLOY RR300 PLUS, serial number: 000000001300013515, year of construction: 2022/05/25, 400 V, 3 Ph, 50 Hz, dimensions door: 3000 mm x 3000 mm.	400
1511	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, unit name: S-DGN 051C/27/12P, serial number: 405230770/20.00454, year of construction: 2022, maximum working pressure: 10 bar, maximum / minimum temperature: + 150°C / - 50 °C, volume: 35.2 liter, dimensions: 2500 mm x 1700 mm x 650 mm.	400
1513	Dynaco	Dynaco electric high speed shutter door, type: D-313 LF, serial number: DE42292, year of construction: 5-2015, dimensions door: 1950 mm x 2550 mm.	400



Nr	Title	Description	Start €
1517	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated s/s sliding door, type: GS 200, year of construction: 2021, dimensions door: 2000 mm x 2000 mm.	350
1518	EMS Isoliertüren GmbH	EMS isoliertüren GmbH s/s isolated sliding door, type: GS 200, dimensions door: 2100 mm x 2000 mm.	350
1519	EMS Isoliertüren GmbH	EMS isoliertüren GmbH s/s isolated sliding door, type: KSL 80, year of construction: 2013, dimensions door: 2000 mm x 2400 mm.	350
1520	EMS Isoliertüren GmbH	EMS isoliertüren GmbH s/s isolated sliding door, type: KSL 80, year of construction: 2013, dimensions door: 2000 mm x 2400 mm.	350
1521	NN evaporator	Evaporator, 4 fans, dimensions: 4500 mm x 1800 mm x 1500 mm.	250
1522	Brown Boveri - York	Brown Boveri - York evaporator, 2 fans, volume: 30.1 liter, dimensions: 2200 mm x 500 mm x 650 mm. Technical condition unknown.	250
1523	Brown Boveri - York	Brown Boveri - York evaporator, 3 fans, type: S GSH 30/312, year of construction: 1989, dimensions: 4350 mm x 2000 mm x 1200 mm.	250
1524	EMS Isoliertüren GmbH	EMS isoliertüren GmbH s/s isolated sliding door, dimensions door: 2100 mm x 2000 mm.	350
1525	EMS Isoliertüren GmbH	EMS isoliertüren GmbH s/s isolated sliding door, type: KSL 80, year of construction: 2013, dimensions door: 2000 mm x 2400 mm.	350
1526	Brown Boveri - York	Brown Boveri - York evaporator, 1 fan, type: S GSH 65/18, year of construction: 2018, dimensions: 1600 mm x 700 mm x 900 mm.	250
1527	Thermofin GmbH	Thermofin GmbH evaporator, 1 fan, model: TAN.2-063-11-F-L-D5-07-HG, number: 600 049 813, year of construction: 06/2024, 400 V, 0.62 kW, volume: 35 liter, dimensions: 1800 mm x 800 mm x 950 mm.	500
1528	NN fans	4 fans, dimensions: (4x) 650 mm x 650 mm x 250 mm.	100
1529	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 2 fans, unit name: S-AGHN 045.2F/210-HNW/36P E, serial number: 405143302/33.00220, year of construction: 2021, volume: 23 liter, dimensions: 2200 mm x 1400 mm x 700 mm.	250
1530	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 2 fans, unit name: S-AGHN 045.2F/210-HNW/36P E, serial number: 405143303/33.00221, year of construction: 2021, volume: 23 liter, dimensions: 2200 mm x 1400 mm x 700 mm.	300
1531	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 2 fans, unit name: S-AGHN 045.2F/210-HNW/36P.E, serial number: 400/3449852.0001, year of construction: 2010, volume: 24.2 liter, dimensions: 2200 mm x 1400 mm x 700 mm.	250



Nr	Title	Description	Start €
1532	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 2 fans, unit name: S-AGHN 045.2F/210-HNW/36P.E, serial number: 400/3449852.0002, year of construction: 2010, volume: 24.2 liter, dimensions: 2200 mm x 1400 mm x 700 mm.	250
1533	Butt	Butt overhead door, type: ISO, number: 223656, year of construction: 2002, dimensions door: 3000 mm x 3000 mm.	400
1534	Nassau	Nassau overhead door, type: A9000fPD, serial number: PRD21644901, year of construction: 2021, dimensions door: 4400 mm x 2700 mm.	500
1535	EMS Isoliertüren GmbH	EMS isoliertüren GmbH s/s isolated sliding door, type: GS 140, year of construction: 2016, dimensions door: 2000 mm x 2400 mm.	350
1536	EMS Isoliertüren GmbH	EMS isoliertüren GmbH s/s isolated sliding door, type: GSL-120, year of construction: 2014, dimensions door: 2000 mm x 2400 mm.	350
1537	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, type: BS-80, year of construction: 2014, dimensions door: 1800 mm x 2500 mm.	150
1538	Albany Door Systems GmbH	Albany Door Systems GmbH electric high speed shutter door, type: Rapid Roll 300, serial number: 6179775, year of construction: 2004, 400 V, 50 Hz, dimensions door: 2000 mm x 2700 mm. Technical condition unknown.	250
1539	Schieffer	Schieffer electric high speed shutter door, dimensions door: 2000 mm x 2700 mm. Technical condition unknown.	250
1540	NN curtains	Plastic curtains, dimensions: 2100 mm x 3300 mm.	25
1541	Albany Door Systems GmbH	Albany Door Systems GmbH electric high speed shutter door, type: R290E, serial number: 474521, year of construction: 1999, 400 V, 3 Ph, 50 Hz, dimensions door: 2500 mm x 2700 mm.	250
1542	Cool It	Cool It isolated sliding door, type: SI-8B, number: 92774002, year of construction: 1999, dimensions door: 1600 mm x 2200 mm.	150
1543	Thermofin GmbH	Thermofin GmbH evaporator, 1 fan, dimensions: 1000 mm x 500 mm x 500 mm.	150
1544	Albany Door Systems GmbH	Albany Door Systems GmbH electric high speed shutter door, type: R290E, 400 V, 3 Ph, 50 Hz, dimensions door: 2000 mm x 2500 mm.	250
1545	NN curtains	Plastic curtains on rails, dimensions curtains: 2950 mm x 2750 mm.	25
1546	Dynaco	Dynaco electric high speed shutter door, type: D311, serial number: D17759A, year of construction: 2007, dimensions door: 2500 mm x 2750 mm.	400
1547	Cool It		150



Nr	Title	Description	Start €
		Cool It isolated sliding door, type: SI-8B, number: 927.740.01, year of construction: 1999, dimensions door: 1600 mm x 2200 mm.	
1548	Albany Door Systems GmbH	Albany Door Systems GmbH electric high speed shutter door, type: R290E, serial number: 47423-03, year of construction: 1999, 400 V, 3 Ph, 50 Hz, dimensions door: 2000 mm x 2700 mm.	250
1549	Albany Door Systems GmbH	Albany Door Systems GmbH electric high speed shutter door, type: R290E, serial number: 474522, year of construction: 1999, 400 V, 3 Ph, 50 Hz, dimensions door: 3000 mm x 3000 mm.	400
1550	Hörmann	Hörmann s/s isolated sliding door, type: T90RS, number: 2224884, year of construction: 2016, dimensions door: 1870 mm x 2477 mm.	350
1551	NN sliding door	Electric isolated sliding door, dimensions door: 2100 mm x 2500 mm.	250
1552	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB electric high speed shutter door, type: RR300, serial number: 000000001100008102, year of construction: 2021/06/30, 400 V, 3 Ph, 50 Hz, dimensions door: 1860 mm x 3000 mm.	400
1553	Assa Abloy Entrance Systems AB	Assa Abloy Entrance Systems AB electric high speed shutter door, type: RR300, serial number: 0000000013000012784, year of construction: 2021/06/30, 400 V, 3 Ph, 50 Hz, dimensions door: 1890 mm x 3000 mm.	400
1554	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, dimensions: 2500 mm x 1700 mm x 650 mm.	350
1555	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: S-DGN 051C/27/6P, serial number: 404037282.0014, year of construction: 2014, maximum working pressure: 10 bar, maximum / minimum temperature: + 100°C / - 5 °C, volume: 35.2 liter, dimensions: 2500 mm x 1700 mm x 650 mm.	350
1556	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, dimensions: 2500 mm x 1700 mm x 650 mm.	350
1557	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, dimensions: 2500 mm x 1700 mm x 650 mm.	350
1558	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: S-DGN 051C/27/6P, serial number: 404247005/28.01544, year of construction: 2015, maximum working pressure: 10 bar, maximum / minimum temperature: + 100°C / - 50 °C, volume: 35.2 liter, dimensions: 500 mm x 1700 mm x 650 mm.	350
1559	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, dimensions: 2500 mm x 1700 mm x 650 mm.	350
1560	Dynaco		400



Nr	Title	Description	Start €
		Dynaco electric high speed shutter door, type: D311 LF, serial number: DE32921B, year of construction: 9-2012, dimensions door: 2000 mm x 2700 mm.	
1561	EMS Isoliertüren GmbH	EMS isoliertüren GmbH s/s isolated sliding door, type: KSL 80, year of construction: 2013, dimensions door: 2000 mm x 2400 mm.	350
1564	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: S-DGN, serial number: 404309850747.04527, year of construction: 2016, maximum working pressure: 10 bar, maximum / minimum temperature: + 100°C / - 50 °C, volume: 35.2 liter, dimensions: 2500 mm x 1700 mm x 650 mm.	350
1565	Dynaco	Dynaco electric high speed shutter door, type: D311 LF, serial number: DE27341, year of construction: 2-2011, dimensions door: 2650 mm x 2700 mm.	400
1566	Albany Door Systems GmbH	Albany Door Systems GmbH electric high speed shutter door, type: Rapid Roll 300, serial number: 6259297, year of construction: 2005, 400 V, 3 Ph, 50 Hz, dimensions door: 2000 mm x 2700 mm.	400
1567	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: S-DGN 051C/27/6P, serial number: 404309850/47.02728, year of construction: 2016, maximum working pressure: 10 bar, maximum / minimum temperature: + 100°C / - 50 °C, volume: 35.2 liter, dimensions: 2500 mm x 1700 mm x 650 mm.	350
1568	Albany Door Systems GmbH	Albany Door Systems GmbH electric high speed shutter door, type: Rapid Roll 300, serial number: 7453569, year of construction: 2005, 400 V, 3 Ph, dimensions door: 2000 mm x 2700 mm.	400
1569	Hörmann	Hörmann s/s isolated sliding door, type: FST90-1-RS, number: 2224884, year of construction: 2016, dimensions door: 1890 mm x 2484 mm.	400
1570	Hörmann	Hörmann s/s isolated sliding door, type: FST90-1-RS, number: 2224884, year of construction: 2016, dimensions door: 1900 mm x 2474 mm.	400
1571	Albany Door Systems GmbH	Albany Door Systems GmbH electric high speed shutter door, type: RR300_I, serial number: 000000001100000976, year of construction: 2010/01/07, 400 V, 3 Ph, dimensions door: 1850 mm x 2700 mm.	400
1572	Albany Door Systems GmbH	Albany Door Systems GmbH electric high speed shutter door, type: Rapid Roll 300, serial number: 6179778, year of construction: 2004, 400 V, 3 Ph, 50 Hz, dimensions door: 3000 mm x 2700 mm.	400
1573	NN sliding door	Electric isolated sliding door, dimensions door: 2150 mm x 2400 mm.	250
1574	EMS Isoliertüren GmbH	EMS Isoliertüren isolated door, dimensions door: 850 mm x 2020 mm.	100



Nr	Title	Description	Start €
1575	Albany Door Systems GmbH	Albany Door Systems GmbH electric high speed shutter door, type: R290, serial number: 4737360, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 0.4 kW, dimensions door: 3000 mm x 3200 mm.	400
1576	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, type: KSL 80, year of construction: 2002, 230 V, 50 Hz, 0.55 kW, dimensions door: 2150 mm x 2600 mm.	250
1577	NN sliding door	Electric isolated sliding door, dimensions door: 2150 mm x 2400 mm.	250
1578	NN double door	Double electric plastic doors, dimensions door: 3000 mm x 2750 mm.	100
1579	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, type: KSL 80, dimensions door: 1800 mm x 2500 mm.	250
1580	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 2 fans, type: GGHF 050.2J/27-ENS50/14P.E, serial number: 400/3355252.0001, year of construction: 2009, volume: 35.0 liter, dimensions: 2400 mm x 600 mm x 750 mm.	350
1581	Cool It	Cool It isolated sliding door, type: CE 12, number: 421.135.10, year of construction: 1994, dimensions door: 1600 mm x 2200 mm.	250
1582	Cool It	Cool It isolated sliding door, type: CE 12, number: 421.135.09, year of construction: 1994, dimensions door: 1600 mm x 2200 mm.	250
1583	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 2 fans, type: S-GHT 045E/210, number: 6402240, year of construction: 1994, volume: 26 liter, dimensions: 2200 mm x 700 mm x 750 mm.	350
1584	Dynaco	Dynaco electric high speed shutter door, type: D311 LF, serial number: DE32921A, year of construction: 9-2012, dimensions door: 2050 mm x 2800 mm.	400
1585	Cool It	Cool It electric isolated sliding door, type: CE 12 H, number: 421.135.01, year of construction: 1994, dimensions door: 2600 mm x 3200 mm.	400
1586	Cool It	Cool It electric isolated sliding door, dimensions door: 2600 mm x 3400 mm.	400
1587	Cool It	Cool It electric isolated sliding door, dimensions door: 2600 mm x 3050 mm.	400
1588	Schieffer	Schieffer electric high speed shutter door, type: R355, serial number: 4608755, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 0.75 kW, dimensions door: 2500 mm x 3200 mm.	400
1589	NN double door	Double electric plastic doors, dimensions door: 3000 mm x 2750 mm.	100
1590	Cool It	Cool It electric isolated sliding door, type: CE 12 H, number: 421.135.02, year of construction: 1994, dimensions door: 2150 mm x 2550 mm.	350



Nr	Title	Description	Start €
1591	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 2 fans, type: S-GHT 045E/212, number: 6402240, year of construction: 1994, volume: 91 liter, dimensions: 3200 mm x 1100 mm x 1000 mm.	350
1592	NN curtains	Plastic curtains, dimensions: 4000 mm x 2700 mm.	50
1593	NN double door	Double electric plastic doors, dimensions door: 3000 mm x 2750 mm.	100
1594	EMS Isoliertüren GmbH	EMS isoliertüren GmbH s/s isolated sliding door, type: GSL 120, dimensions door: 2500 mm x 2700 mm.	350
1595	Ets Raffel	Ets Raffel evaporator, 2 fans, factory number: 10544, year of construction: 2000, fluid: NH3, volume: 308 liter, dimensions: 5000 mm x 1800 mm x 2000 mm.	1000
1596	Ets Raffel	Ets Raffel evaporator, 2 fans, factory number: 10544, year of construction: 2000, fluid: NH3, volume: 308 liter, dimensions: 5000 mm x 1800 mm x 2000 mm.	1000
1597	Cool It	Cool It electric isolated sliding door, type: CE 12 H, number: 12379103, year of construction: 2000, dimensions door: 2600 mm x 3500 mm.	400
1598	Cool It	Cool It electric isolated sliding door, 240 V, 183 W, dimensions door: 2600 mm x 3500 mm.	400
1599	Schieffer	Schieffer electric high speed shutter door, type: R355, serial number: 4608754, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 0.75 kW, weight: 30 kg, dimensions door: 2000 mm x 2700 mm. Technical condition unknown.	400
1600	EMS Isoliertüren GmbH	EMS isoliertüren GmbH s/s isolated door, dimensions door: 940 mm x 2140 mm.	100
1601	Cool It	Cool It isolated sliding door, type: SI-8B, year of construction: 2000, dimensions door: 1700 mm x 2250 mm.	250
1602	Cool It	Cool It isolated sliding door, type: SI-8B, year of construction: 2000, number: 125.466.01, dimensions door: 1700 mm x 2250 mm.	250
1603	NN curtains	Plastic curtains, dimensions: 620 mm x 100 mm x 720 mm.	10
1604	Cool It	Cool It isolated sliding door, type: CE-12H, year of construction: 1994, number: 421.135.05, dimensions door: 1900 mm x 2500 mm.	400
1605	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 1 fan, dimensions: 1900 mm x 1800 mm x 600 mm.	350
1606	NN fans	12 fans, dimensions: (12x) 650 mm x 650 mm x 250 mm.	200
1607	Cool It	Cool It isolated sliding door, type: CE-12H, year of construction: 1994, number: 421.135.04, dimensions door: 1900 mm x 2550 mm.	400
1608	Dynaco		400



Nr	Title	Description	Start €
		Dynaco electric high speed shutter door, type: D-313 LF, serial number: DE39136A, year of construction: 7-2014, dimensions door: 2400 mm x 2750 mm.	
1609	NN fans	12 fans, dimensions: (12x) 650 mm x 650 mm x 250 mm.	200
1610	Cool It	Cool It isolated sliding door, type: CE-12H, year of construction: 1994, number: 421.135.03, dimensions door: 1900 mm x 2550 mm.	400
1611	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 3 fans, type: S-GHT 063C/312, year of construction: 1994, maximum working pressure: 28 bar, maximum / minimum temperature: + 100°C / - 60 °C, volume: 106.3 liter, dimensions: 3700 mm x 1050 mm x 980 mm.	400
1612	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 1 fan, type: S-GDT 065B/18, year of construction: 1994, maximum working pressure: 21 bar, maximum / minimum temperature: + 100°C / - 60 °C, volume: 36 liter, dimensions: 1900 mm x 1800 mm x 650 mm.	400
1613	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 3 fans, type: S-GHT 063C/312, year of construction: 1994, maximum working pressure: 28 bar, maximum / minimum temperature: + 100°C / - 60 °C, volume: 106.3 liter, dimensions: 3700 mm x 1050 mm x 980 mm.	400
1614	Cool It	Cool It isolated sliding door, type: CE-12H, year of construction: 1994, number: 421.135.06, dimensions door: 1900 mm x 2500 mm.	400
1615	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, dimensions door: 1430 mm x 2500 mm.	100
1616	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 1 fan, dimensions: 1330 mm x 900 mm x 650 mm.	300
1617	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, type: KSL 80, dimensions door: 1300 mm x 2500 mm.	100
1618	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, type: KSL 80, dimensions door: 1800 mm x 2500 mm.	100
1619	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 2 fans, type: GGHF 050.2J/27-ENS50/14P.E, serial number: 400/3355252.0003, year of construction: 2009, maximum working pressure: 16 bar, maximum / minimum temperature: + 100°C / - 50 °C, volume: 35 liter, dimensions: 2450 mm x 700 mm x 750 mm.	350
1620	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, type: BS 60, dimensions door: 1800 mm x 2500 mm.	100
1621	EMS Isoliertüren GmbH	EMS isoliertüren GmbH s/s isolated sliding door, type: BS 60, dimensions door: 1800 mm x 2500 mm.	250
1622	EMS Isoliertüren GmbH	EMS isoliertüren GmbH s/s isolated sliding door, dimensions door: 1800 mm x 2500 mm.	250
1623	Thermofin GmbH	Thermofin GmbH evaporator, 2 fans, model: X-TAN.2-053-12-E-L-DE-07-HG, number: HY1 005 371,	350



Nr	Title	Description	Start €
		year of construction: 06/2014, 0.72 kW, maximum working pressure: 25 bar, maximum / minimum temperature: + 120°C / - 30 °C, volume: 31.4 liter, dimensions: 2500 mm x 1300 mm x 850 mm.	
1624	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, type: BS 60, dimensions door: 1800 mm x 2500 mm.	150
1625	Dynaco	Dynaco electric high speed shutter door, type: D-313 LF, serial number: DE39136B, year of construction: 7-2014, dimensions door: 1850 mm x 2600 mm.	400
1626	Thermofin GmbH	Thermofin GmbH evaporator, 2 fans, model: TGN 050.2-F-2-7-E, number: HY1 005 340, year of construction: 05/2014, 1.1/0.76 kW, maximum working pressure: 10 bar, maximum / minimum temperature: + 60°C / - 20 °C, volume: 45.1 liter, dimensions: 2450 mm x 700 mm x 800 mm.	400
1627	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, type: KSL 80, dimensions door: 1800 mm x 2500 mm.	150
1628	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 2 fans, type: GGHF 050.2J/27-ENS50/14P.E, serial number: 400/3355252.0004, year of construction: 2009, maximum working pressure: 16 bar, maximum / minimum temperature: + 100°C / - 50 °C, volume: 35 liter, dimensions: 2450 mm x 700 mm x 750 mm.	300
1629	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, type: KSL 80, dimensions door: 1800 mm x 2500 mm.	150
1630	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, type: KSL 80, dimensions door: 1800 mm x 2500 mm.	150
1631	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 2 fans, type: GGHF 050.2J/27-ENS50/14P.E, serial number: 400/3355252.0002, year of construction: 2009, maximum working pressure: 16 bar, maximum / minimum temperature: + 100°C / - 50 °C, volume: 35 liter, dimensions: 2450 mm x 700 mm x 750 mm.	350
1632	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, type: BS 80, year Of construction: 2014, dimensions door: 1800 mm x 2500 mm.	150
1633	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated door, type: BTM-80, year of construction: 2014, dimensions door: 1000 mm x 2100 mm.	100
1634	NN curtains	Plastic curtains on s/s rails, dimensions: 1250 mm x 2060 mm.	10
1635	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated door, type: BTM 1 flg, year of construction: 2014, dimensions door: 1000 mm x 2100 mm.	50
1636	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated door, type: BTM 1 flg, year of construction: 2014, dimensions door: 1000 mm x 2100 mm.	50
1637			350



Nr	Title	Description	Start €
	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, unit name: S-DGN 051C/27/12P, serial number: 400/3713884.0001, year of construction: 2012, maximum working pressure: 16 bar, maximum / minimum temperature: + 100°C / - 50 °C, volume: 25.3 liter, dimensions: 2500 mm x 1600 mm x 600 mm.	
1638	EMS Isoliertüren GmbH	EMS isoliertüren GmbH s/s isolated sliding door, type: BS 60, dimensions door: 1000 mm x 2100 mm.	150
1639	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, type: BS 60, dimensions door: 1900 mm x 2500 mm.	150
1640	NN curtains	3 plastic curtains, dimensions: (3x) 1200 mm x 1300 mm.	10
1641	Cool It	Cool It isolated sliding door, type: SI-12H, year of construction: 08.12.2009, number: 09 116124 001 01, dimensions door: 1900 mm x 2450 mm.	150
1642	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 1 fan, dimensions: 1800 mm x 900 mm x 970 mm.	150
1643	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 2 fans, unit name: AGHN 080.2F/212-HHS/12P.E, serial number: 4000/3357235.0001, year of construction: 2010, maximum working pressure: 32 bar, maximum / minimum temperature: + 100°C / - 50 °C, volume: 83.2 liter, dimensions: 4000 mm x 1000 mm x 1250 mm.	400
1644	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, type: BS 60, dimensions door: 1800 mm x 2500 mm.	150
1645	EMS Isoliertüren GmbH	EMS isoliertüren GmbH isolated sliding door, type: GSL 120, dimensions door: 1800 mm x 2500 mm.	150
1646	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: S-GSSA 100D/212-E, serial number: 400/3523417.0001, year of construction: 2011, maximum working pressure: 32 bar, maximum / minimum temperature: + 100°C / - 50 °C, volume: 309.9 liter, dimensions: 5000 mm x 1800 mm x 2000 mm.	1000
1647	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, dimensions: 5000 mm x 1800 mm x 2000 mm.	1000
1648	NN pallet rack	Steel pallet rack consisting of: 4 uprights and 12 beams, dimensions uprights: (4x) 1100 mm x 2600 mm, length beams: (12x) 2800 mm.	150
1649	Constructor Group	Constructor Group steel pallet rack consisting of: 4 uprights and 23 beams, dimensions uprights: (4x) 1050 mm x 10000 mm, length beams: (23x) 2800 mm.	250
1650	Constructor Group	Constructor Group steel pallet rack consisting of: 2 uprights and 8 beams, dimensions uprights: (2x) 1050 mm x 10000 mm, length beams: (8x) 2800 mm.	150
1651	Constructor Group	Constructor Group steel pallet rack consisting of: 3 uprights and 6 beams, dimensions uprights: (3x) 1100 mm x 3500 mm, length beams: (6x) 1800 mm.	175
1652	Constructor Group		150



Nr	Title	Description	Start €
		Constructor Group steel pallet rack consisting of: 2 uprights and 8 beams, dimensions uprights: (2x) 1050 mm x 10000 mm, length beams: (8x) 2800 mm.	
1653	Constructor Group	Constructor Group steel pallet rack consisting of: 10 uprights and 64 beams, dimensions uprights: (10x) 1050 mm x 10000 mm, length beams: (64x) 2800 mm.	500
1654	Constructor Group	Constructor Group steel pallet rack consisting of: 14 uprights and 96 beams, dimensions uprights: (14x) 1050 mm x 10000 mm, length beams: (96x) 2800 mm.	750
1655	Constructor Group	4 Constructor Group steel electrical movable pallet racks consisting of: 14 uprights and 96 beams each, total dimensions each section: 20500 mm x 2550 mm x 10000 mm. Including switch cabinet, dimensions: 800 mm x 450 mm x 2000 mm.	2000
1656	Constructor Group	Constructor Group steel pallet rack consisting of: 14 uprights and 96 beams, dimensions uprights: (14x) 1050 mm x 10000 mm, length beams: (96x) 2800 mm.	750
1657	Constructor Group	4 Constructor Group steel electrical movable pallet racks consisting of: 10 uprights and 64 beams each, total dimensions each section: 14000 mm x 2550 mm x 10000 mm. Including switch cabinet, dimensions: 800 mm x 450 mm x 2000 mm.	2000
1658	Constructor Group	Constructor Group steel pallet rack consisting of: 14 uprights and 96 beams, dimensions uprights: (14x) 1050 mm x 10000 mm, length beams: (96x) 2800 mm.	750
1660	Constructor Group	6 Constructor Group steel electrical movable pallet racks consisting of 14 uprights and 96 beams each, total dimensions each section: 20500 mm x 2550 mm x 10000 mm. Including switch cabinet, dimensions: 800 mm x 450 mm x 2000 mm.	2500
1661	Constructor Group	Constructor Group steel pallet rack consisting of: 7 uprights and 48 beams, dimensions uprights: (7x) 1050 mm x 10000 mm, length beams: (48x) 2800 mm.	400
1662	Constructor Group	6 Constructor Group steel electrical movable pallet racks consisting of 14 uprights and 96 beams each, total dimensions each section: 20500 mm x 2550 mm x 10000 mm. Including switch cabinet, dimensions: 800 mm x 450 mm x 2000 mm.	2500
1663	Constructor Group	Constructor Group steel pallet rack consisting of: 6 uprights and 24 beams, dimensions uprights: (6x) 1050 mm x 10000 mm, length beams: (24x) 2800 mm.	400
1664	NN rack with parts	Steel rack with parts for movable pallet racks, dimensions: 1000 mm x 620 mm x 2000 mm.	100
1665	Electrolux	Electrolux steel pallet rack consisting of: 5 uprights and 24 beams, dimensions uprights: (5x) 1100 mm x 6600 mm, length beams: (24x) 3600 mm.	400
1666	Electrolux	Electrolux steel pallet rack consisting of: 7 uprights and 42 beams, dimensions uprights: (7x) 1100 mm x	500



Nr	Title	Description	Start €
		6600 mm, length beams: (36x) 3600 mm and (6x) 1200 mm.	
1667	Electrolux	16 Constructor Group steel electrical movable pallet racks consisting of (8x) 14 uprights and 60 beams each and (8x) 10 uprights and 48 beams each, total dimensions each section: (8x) 20000 mm x 2950 mm x 6600 mm and (8x) 15000 mm x 2950 mm x 6600 mm. Including switch cabinet.	7500
1668	Electrolux	Electrolux steel drive-inn pallet rack consisting of: 20 uprights, dimensions: (20x) 900 mm x 7000 mm, section width: (8x) 1250 mm, section dept: 1250 mm.	750
1669	Electrolux	Electrolux steel drive-inn pallet rack consisting of: 14 uprights, dimensions: (14x) 900 mm x 7000 mm, section width: (5x) 1250 mm, section dept: 1250 mm.	500
1700	CP	CP steel 12 door locker, dimensions: 900 mm x 500 mm x 1840 mm. Keys are missing.	25
1701	NN bench	Steel bench with plastic top, dimensions: 1490 mm x 360 mm x 450 mm.	10
1702	NN lockers	(3x) steel 3-door lockers, dimensions: (3x) 900 mm x 500 mm x 2100 mm. Keys are missing.	75
1703	NN coat rack	Steel coat rack, dimensions: 1500 mm x 480 mm x 1840 mm.	10
1704	NN bathroom stall	Bathroom stall, dimensions: 1760 mm x 920 mm x 2040 mm.	100
1705	NN office inventory	Office inventory consisting of: 4 desks, dimensions: (1x) 1600 mm x 1100 mm x 740 mm, (1x) 1520 mm x 800 mm x 720 mm, (1x) 800 mm x 800 mm x 730 mm, (1x) 2000 mm x 800 mm x 740 mm, 3 cabinets, dimensions: (2x) 1200 mm x 420 mm x 2100 mm, (1x) 1000 mm x 800 mm x 740 mm, 1 kitchen counter with sink, dimensions: 1150 mm x 600 mm x 900 mm, Hp printer, Remko Airco. Contents and computer equipment not included.	250
1706	NN office inventory	Office inventory consisting of: 1 desk, dimensions: 2600 mm x 1350 mm x 720 mm, 1 table, dimensions: Ø 1000 mm x 730 mm, 1 cabinet, dimensions: 3100 mm x 580 mm x 2200 mm. Contents and computer equipment not included.	200
1707	Amazon Basics	Amazon Basics whiteboard, dimensions: 1500 mm x 1000 mm.	10
1708	Franken	Franken whiteboard, dimensions: 2400 mm x 1200 mm.	10
1709	Boco	Boco steel cabinet, dimensions: 800 mm x 500 mm x 2000 mm.	25
1710	NN coat rack	S/s coat rack, dimensions: 3020 mm x 650 mm x 1820 mm.	25
1711	NN locker	Steel 4-doors locker, dimensions: 1600 mm x 500 mm x 1800 mm. Keys are missing.	25



Nr	Title	Description	Start €
1712	NN locker	Steel 3-doors locker, dimensions: 900 mm x 500 mm x 2100 mm. Keys are missing.	25
1713	NN lockers	2 steel 4-doors lockers, dimensions: (2x) 1600 mm x 500 mm x 2000 mm. Keys are missing.	50
1714	NN lockers	2 steel 4-doors lockers, dimensions: (2x) 1600 mm x 500 mm x 1800 mm. Keys are missing.	50
1715	NN bench	Steel bench with plastic top, dimensions: 2500 mm x 360 mm x 440 mm.	10
1716	NN lockers	2 steel lockers, (1x) 3-doors locker, dimensions: 900 mm x 500 mm x 2100 mm, (1x) 4-doors locker, dimensions: 1200 mm x 500 mm x 2100 mm. Keys are missing.	50
1717	NN bathroom stall	Bathroom stall, dimensions: 2250 mm x 920 mm x 2040 mm.	100
1718	NN coat rack	S/s coat rack, dimensions: 2020 mm x 180 mm x 1900 mm.	25
1719	NN locker	Steel 12-doors locker, dimensions: 830 mm x 510 mm x 1860 mm. Keys are missing.	25
1720	CP	2 CP steel 4-doors lockers, dimensions: (2x) 1600 mm x 500 mm x 2040 mm. Keys are missing.	50
1721	NN benches	2 steel benches with plastic tops, dimensions: (2x) 2500 mm x 360 mm x 440 mm.	10
1722	NN massage table	Steel massage table, dimensions: 1980 mm x 600 mm x 640 mm.	25
1723	Kaiser + Kraft	2 Kaiser + Kraft 4-doors lockers, dimensions: (2x) 1200 mm x 500 mm x 1950 mm. Keys are missing.	50
1724	NN stretcher	Mobile stretcher, dimensions: 1950 mm x 620 mm x 700 mm.	25
1725	CP	2 CP steel 4-doors lockers, dimensions: (2x) 1600 mm x 500 mm x 2040 mm. Keys are missing.	50
1726	NN frames	2 s/s frames, dimensions: (2x) 2920 mm x 300 mm x 250 mm.	25
1727	NN sink	S/s double sink, 8 faucets, knee control, dimensions: 2400 mm x 1040 mm x 1570 mm. Including 2 soap dispensers and 2 paper dispensers.	250
1728	NN bathroom stall	Bathroom stall, dimensions: 3200 mm x 910 mm x 2040 mm.	150
1729	NN frames	3 steel frames, dimensions: (3x) 500 mm x 310 mm x 1150 mm.	30
1730	NN canteen inventory	Canteen inventory consisting of: 33 tables, dimensions: (16x) 1600 mm x 800 mm x 720 mm, (15x) 800 mm x 800 mm x 720 mm, (2x) 1200 mm x 800 mm x 740 mm, 2 benches, dimensions: (2x) 1480 mm x 360 mm x 440 mm, 3 waste bag holders and large amount of plastic chairs.	300
1731	NN kitchen counter	Kitchen counter with sink and refrigerator, dimensions: 2400 mm x 600 mm x 2060 mm.	150



Nr	Title	Description	Start €
1732	Amica International GmbH	Amica International GmbH dishwasher, dimensions: 600 mm x 600 mm x 840 mm.	25
1733	Bomann	Bomann microwave, type: MW 6014 CB, number: 660141, 230 V, 50 Hz, 1150 W, dimensions: 440 mm x 280 mm x 260 mm.	10
1734	Inox	Inox heated cabinet, type: EPAC0904-125-0514, 230 V, 1 Ph, 2000 W, dimensions: 1000 mm x 600 mm x 830 mm.	100
1735	Würth	Würth aluminium ladder, height: 1080 mm.	25
1736	NN cabinets	5 cabinets, dimensions: (2x) 1200 mm x 610 mm x 2090 mm, (1x) 600 mm x 520 mm x 2090 mm, (1x) 1000 mm x 620 mm x 1990 mm, (1x) 1200 mm x 420 mm x 1660 mm.	100
1737	NN canteen inventory	Canteen inventory consisting of: 13 tables, dimensions: (11x) 1600 mm x 800 mm x 720 mm, (2x) 800 mm x 800 mm x 720 mm, 3 benches, dimensions: (2x) 1990 mm x 360 mm x 440 mm, 1 s/s waste bag holders and large amount of plastic chairs.	150
1738	Nescafé	Nescafé coffee vending machine, dimensions: 630 mm x 510 mm x 1840 mm.	100
1739	NN kitchen counter	Kitchen counter with sink and refrigerator, dimensions: 1800 mm x 630 mm x 2080 mm.	150
1740	Whirlpool	Whirlpool microwave, model: PRO 25 IX, serial number: 16070000B27917, 230 V, 50 Hz, 1550 W, 2450 MHz, dimensions: 510 mm x 380 mm x 310 mm.	10
1741	Fluke	Fluke heated cabinet, inside dimensions: 995 mm x 410 mm x 310 mm, total dimensions: 1000 mm x 450 mm x 980 mm.	50
1742	NN bathroom stall	Bathroom stall, dimensions: 1260 mm x 30 mm x 2040 mm.	75
1743	NN frame	S/s wall mounted frame, dimensions: 1270 mm x 250 mm x 400 mm.	10
1744	NN bench	Steel bench with plastic top, dimensions: 1490 mm x 360 mm x 450 mm.	10
1745	Frima	Frima s/s sink, 3 faucets, knee control, dimensions: 1800 mm x 500 mm x 940 mm. Including 2 soap dispensers and 1 paper dispenser.	150
1746	NN bathroom stall	Bathroom stall, dimensions: 1960 mm x 900 mm x 2040 mm.	100
1747	NN coat rack	Steel coat rack, dimensions: 2500 mm x 760 mm x 1840 mm.	10
1748	CP	CP steel 4-doors locker, dimensions: 1600 mm x 500 mm x 2040 mm. Keys are missing.	25
1749	Frima	Frima s/s double sink, 7 faucets, knee control, dimensions: 2400 mm x 1040 mm x 1560 mm. Including 4 soap dispensers and 3 paper dispensers.	250
1750	NN bathroom stall		150



Nr	Title	Description	Start €
		Bathroom stall, dimensions: 4400 mm x 900 mm x 2040 mm.	
1751	NN frame	S/s wall mounted frame, dimensions: 1270 mm x 250 mm x 400 mm.	10
1752	NN benches	3 steel benches with plastic tops, dimensions: (2x) 2000 mm x 360 mm x 450 mm, (1x) 1490 mm x 360 mm x 450 mm.	30
1753	NN coat racks	5 steel coat racks, dimensions: (3x) 1500 mm x 750 mm x 1840 mm, (2x) 1500 mm x 390 mm x 1840 mm.	100
1754	NN lockers	15 steel lockers, (1x) 2-doors locker, dimensions: 600 mm x 500 mm x 2100 mm, (1x) 3-doors locker, dimensions: 900 mm x 500 mm x 2100 mm, (13x) 4-doors lockers, dimension: (13x) 1200 mm x 500 mm x 2100 mm. Keys are missing.	375
1755	NN lockers	3 steel lockers, dimensions: (2x) 1240 mm x 500 mm x 1860 mm, (1x) 500 mm x 500 mm x 1800 mm. Keys are missing.	75
1756	Boco	Boco steel cabinet, dimensions: 800 mm x 500 mm x 2000 mm. Keys are missing.	25
1757	Boco	Boco steel cabinet, dimensions: 800 mm x 500 mm x 2000 mm. Keys are missing.	25
1758	NN lockers	11 steel 4-doors lockers, dimensions: (11x) 1200 mm x 520 mm x 2100 mm. Keys are missing.	275
1759	NN coat racks	5 steel coat racks, dimensions: 2500 mm x 760 mm x 1820 mm.	100
1760	Boco	2 Boco steel cabinets, dimensions: (2x) 800 mm x 500 mm x 2000 mm. Keys are missing.	50
1761	NN cabinet	Steel lockers, dimensions: 1240 mm x 500 mm x 1860 mm. Keys are missing.	25
1762	NN locker	Steel 4-door locker, dimensions: 1180 mm x 500 mm x 1850 mm. Doors missing.	25
1763	NN lockers	2 steel lockers, (1x) 2-doors locker, dimensions: 800 mm x 510 mm x 1800 mm, (1x) 4-doors locker, dimensions: 1600 mm x 510 mm x 1800 mm. Keys are missing.	50
1764	NN lockers	26 steel lockers, (2x) 2-doors locker, dimensions: 610 mm x 500 mm x 2100 mm, (24x) 4-doors locker, dimensions: 1190 mm x 500 mm x 2100 mm. Keys are missing.	650
1765	NN coat racks	7 steel coat racks, dimensions: (7x) 2500 mm x 740 mm x 1830 mm.	150
1766	NN bathroom stall	Bathroom stall, dimensions: 4750 mm x 1520 mm x 2040 mm.	200
1767	NN benches	2 s/s benches with plastic tops, dimensions: (2x) 1490 mm x 360 mm x 440 mm.	20
1768	Frima		300



Nr	Title	Description	Start €
		Frima s/s double sink, 10 faucets, knee control, dimensions: 3000 mm x 1040 mm x 1560 mm. Including 4 soap dispensers and 2 paper dispensers.	
1769	Frima	Frima s/s double sink, 10 faucets, knee control, dimensions: 3000 mm x 1040 mm x 1560 mm. Including 4 soap dispensers and 3 paper dispensers.	300
1770	NN lockers	4 steel 4-doors lockers, dimensions: (4x) 1200 mm x 500 mm x 2100 mm. Keys are missing.	100
1771	NN coat rack	Steel coat rack, dimensions: 2500 mm x 390 mm x 1750 mm.	10
1772	NN bathroom stall	Bathroom stall, dimensions: 1960 mm x 500 mm x 2030 mm.	50
1773	NN sink	S/s sink, 3 faucets, sensor control, dimensions: 1800 mm x 500 mm x 940 mm.	100
1774	NN bathroom stall	Bathroom stall, dimensions: 3150 mm x 1250 mm x 2050 mm.	100
1775	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 480 mm x 460 mm x 920 mm.	25
1776	NN whiteboard	Whiteboard, dimensions: 2000 mm x 1350 mm.	10
1777	Magnetoplan	2 Magnetoplan whiteboards, dimensions: (2x) 900 mm x 600 mm.	20
1778	NN office inventory	Office inventory consisting of: 1 desk, dimensions: 4000 mm x 2400 mm x 720 mm, 2 cabinets, dimensions: (1x) 2280 mm x 500 mm x 1100 mm, (1x) 2400 mm x 420 mm x 2100 mm, 1 whiteboard. Contents not included.	150
1779	NN office inventory	Office inventory consisting of: 1 desk, dimensions: 2400 mm x 2300 mm x 720 mm, 1 table, dimensions: 2500 mm x 1000 mm x 750 mm, 1 cabinet, dimensions: 1000 mm x 420 mm x 2000 mm. Contents not included.	150
1780	NN office inventory	Office inventory consisting of: 1 desk, dimensions: 2950 mm x 2300 mm x 720 mm, 1 table, dimensions: 1600 mm x 800 mm x 790 mm, 1 cabinet, dimensions: 1200 mm x 420 mm x 2000 mm. Contents not included.	150
1781	NN cabinet	Cabinet, dimensions: 1040 mm x 920 mm x 2000 mm. Contents not included.	25
1782	NN canteen inventory	Canteen inventory consisting of: 3 tables, dimensions: (2x) 1600 mm x 800 mm x 720 mm, (1x) 1200 mm x 800 mm x 740 mm, kitchen counter with sink, dimensions: 2700 mm x 600 mm x 2320 mm, cabinet, dimensions: 1040 mm x 920 mm x 2000 mm.	150
1783	NN lockers	3 steel lockers, (2x) 2-doors lockers, dimensions: 700 mm x 500 mm x 1860 mm, (1x) 4-doors locker, dimensions: 1400 mm x 500 mm x 1860 mm. 3 doors are missing.	50



Nr	Title	Description	Start €
1784	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: PARIS 210, type: B 825N, serial number: 403753 00000024, year of construction: 08-2021, 220-240 V, 50 Hz, 1.8 A, 400 W, refrigerant: R290A/0.1 kg, capacity: 664 dm ³ , dimensions: 2100 mm x 850 mm x 840 mm.	150
1785	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG 83/210, type: B 803, serial number: 03 012 087, year of construction: 2000, 230 V, 50 Hz, 2.3 A, 430 W, refrigerant: R404A/0.25 kg, capacity: 713 dm ³ , dimensions: 2100 mm x 800 mm x 850 mm.	150
1786	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG 83/210, type: B 803, serial number: 03 012 096, year of construction: 2000, 230 V, 50 Hz, 2.3 A, 430 W, refrigerant: R404A/0.25 kg, capacity: 713 dm ³ , dimensions: 2100 mm x 800 mm x 850 mm.	150
1787	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG 83/210, type: B 803, serial number: 03 012 089, year of construction: 2000, 230 V, 50 Hz, 2.3 A, 430 W, refrigerant: R404A/0.25 kg, capacity: 713 dm ³ , dimensions: 2100 mm x 800 mm x 850 mm.	150
1788	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG 83/210, type: B 803, serial number: 03 012 092, year of construction: 2000, 230 V, 50 Hz, 2.3 A, 430 W, refrigerant: R404A/0.25 kg, capacity: 713 dm ³ , dimensions: 2100 mm x 800 mm x 850 mm.	150
1789	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG 83/175, type: B 802, serial number: 600782 00000173, year of construction: 02-2014, 230 V, 50 Hz, 2.3 A, 400 W, refrigerant: R404A/0.22 kg, capacity: 577 dm ³ , dimensions: 1750 mm x 800 mm x 850 mm.	150
1790	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG 83/175, type: B 802, serial number: 600782 00000208, year of construction: 03-2014, 230 V, 50 Hz, 2.3 A, 400 W, refrigerant: R404A/0.22 kg, capacity: 577 dm ³ , dimensions: 1750 mm x 800 mm x 850 mm.	150
1791	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG 83/210, type: B 803, serial number: 02 967 342, year of construction: 2000, 230 V, 50 Hz, 2.3 A, 430 W, refrigerant: R404A/0.25 kg, capacity: 713 dm ³ , dimensions: 2100 mm x 800 mm x 850 mm.	150
1792	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG B3/210, type: B 803, serial number: 03 012 098, year of construction: 2000, 230 V, 50 Hz, 2.3 A, 430 W, refrigerant: R404A/0.25 kg, capacity: 713 dm ³ , dimensions: 2100 mm x 800 mm x 850 mm.	150
1793	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG 83/210, type: B 803, serial number: 02 954 879, year of construction: 2000, 230 V, 50 Hz, 2.3 A, 430 W,	150



Nr	Title	Description	Start €
		refrigerant: R404A/0.25 kg, capacity: 713 dm ³ , dimensions: 2100 mm x 800 mm x 850 mm.	
1794	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG 83/210, type: B 803, serial number: 03 012 094, year of construction: 2000, 230 V, 50 Hz, 2.3 A, 430 W, refrigerant: R404A/0.25 kg, capacity: 713 dm ³ , dimensions: 2100 mm x 800 mm x 850 mm.	150
1795	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG 83/210, type: B 803, serial number: 02 954 886, year of construction: 2000, 230 V, 50 Hz, 2.3 A, 430 W, refrigerant: R404A/0.25 kg, capacity: 713 dm ³ , dimensions: 2100 mm x 800 mm x 850 mm.	150
1796	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG 83/175, type: B 802, serial number: 600782 00000173, year of construction: 02-2014, 230 V, 50 Hz, 2.3 A, 400 W, refrigerant: R404A/0.22 kg, capacity: 577 dm ³ , dimensions: 1750 mm x 800 mm x 850 mm.	150
1797	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG 83/210, type: B 803, serial number: 03 012 095, year of construction: 2000, 230 V, 50 Hz, 2.3 A, 430 W, refrigerant: R404A/0.25 kg, capacity: 713 dm ³ , dimensions: 2100 mm x 800 mm x 850 mm.	150
1798	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG 83/210, type: B 803, serial number: 03 012 097, year of construction: 2000, 230 V, 50 Hz, 2.3 A, 430 W, refrigerant: R404A/0.25 kg, capacity: 713 dm ³ , dimensions: 2100 mm x 800 mm x 850 mm.	150
1799	AHT Cooling Systems GmbH	AHT Cooling Systems GmbH freezer, model: SALZBURG 83/210, type: B 803, serial number: 03 012 102, year of construction: 2000, 230 V, 50 Hz, 2.3 A, 430 W, refrigerant: R404A/0.25 kg, capacity: 713 dm ³ , dimensions: 2100 mm x 800 mm x 850 mm.	150
1800	Halo	Halo insect killer, dimensions: 600 mm x 120 mm x 410 mm.	10
1801	Wanzl	13 Wanzl shopping carts, dimensions: (13x) 800 mm x 500 mm x 950 mm.	50
1802	NN advertisement board	Advertisement board, dimensions: 640 mm x 750 mm x 1160 mm.	5
1803	NN counter	Counter with cash register with ELO display and EPSON label printer, model display: EPS17S3, serial number: B213021247, model label printer: M267D, serial number: TC8Y088548, dimensions counter: 2250 mm x 1750 mm x 900 mm.	150
1804	NN cabinet	Cabinet, dimensions: 810 mm x 420 mm x 850 mm.	10
1805	NN holders	2 s/s holders and paper dispenser, dimensions: (2x) 140 mm x 100 mm x 250 mm.	10
1806	Safescan	Safescan paper money scanner, model: 155i Black, 12 V, 1 A, 10 W, dimensions: 160 mm x 130 mm x 80 mm.	50



Nr	Title	Description	Start €
1807	NN trolley	S/s trolley, dimensions: 1000 mm x 570 mm x 920 mm.	25
1808	NN shopping baskets	17 shopping basket, dimensions: (17x) 440 mm x 310 mm x 200 mm.	10
1809	NN bathroom stall	Bathroom stall, dimensions: 2700 mm x 1650 mm x 2010 mm.	100
1810	NN lockers	9 steel lockers, dimensions: (9x) 1200 mm x 500 mm x 2100 mm. Missing some doors.	100
1811	NN cabinet	Cabinet, dimensions: 1200 mm x 500 mm x 2100 mm.	10
1812	NN locker	Steel 8-door locker, dimensions: 1670 mm x 500 mm x 1850 mm.	50
1813	NN benches	2 steel benches with plastic tops, dimensions: (2x) 1990 mm x 360 mm x 440 mm.	20
1814	NN bathroom stall	Bathroom stall, dimensions: 1100 mm x 1650 mm x 2020 mm.	50
1815	NN locker	Steel 4-doors locker, dimensions: 1190 mm x 500 mm x 1850 mm. Missing doors.	10
1816	NN benches	Steel benches with plastic top, dimensions: 1990 mm x 360 mm x 440 mm.	10
1817	NN massage table	Steel massage table, dimensions: 1900 mm x 700 mm x 520 mm.	25
1818	NN stretcher	Stretcher, dimensions: 1900 mm x 500 mm x 130 mm.	25
1819	NN coat hanger	S/s wall mounted coat hanger, dimensions: 2000 mm x 175 mm x 160 mm.	10
1820	NN canteen inventory	Canteen inventory consisting of: 6 tables, dimensions: (4x) 1200 mm x 800 mm x 740 mm, (1x) 2000 mm x 1200 mm x 740 mm, (1x) 800 mm x 800 mm x 720 mm, kitchen counter with sink, dimensions: 2020 mm x 600 mm x 2020 mm, Siemens dishwasher, type: SL4PW1S, 220-240 V, 50-60 Hz, 2000-2400 W, 10-16 A, dimensions: 440 mm x 590 mm x 810 mm, Seppelfricke 4-pits stove with oven, dimensions: 640 mm x 620 mm x 890 mm, waste bag holder, whiteboard, steel 8-doors locker, dimensions: 820 mm x 500 mm x 1850 mm.	200
1821	Mettler Toledo	Mettler Toledo weighing scale, type: ICS429g, serial number: C041244514, 100-240 V, 50/60 Hz, 300 mA, dimensions scale: 300 mm x 240 mm, total dimensions: 390 mm x 320 mm x 410 mm.	50
1822	NN table	Table with wooden top, dimensions: 1200 mm x 800 mm x 730 mm.	10
1823	NN lockers	3 steel lockers, (2x) 3-doors lockers, dimensions: (2x) 900 mm x 500 mm x 2100 mm, (1x) 4-doors locker, dimensions: 1200 mm x 500 mm x 2100 mm. Keys are missing.	75
1824	NN lockers	2 steel 4-doors lockers, dimensions: (2x) 1600 mm x 500 mm x 2040 mm. Keys are missing.	50
1825	NN benches		20



Nr	Title	Description	Start €
		2 steel benches with plastic tops, dimensions: (1x) 1490 mm x 360 mm x 440 mm, (1x) 1990 mm x 360 mm x 440 mm.	
1826	NN bathroom stall	Bathroom stall, dimensions: 2000 mm x 1650 mm x 2020 mm.	100
1827	Kimberly-Clark	2 Kimberly-Clark paper dispensers, dimensions: (2x) 260 mm x 240 mm x 310 mm.	10
1828	NN bench	Steel bench with plastic top, dimensions: 1490 mm x 360 mm x 450 mm.	10
1829	NN bench	S/s bench with plastic top, dimensions: 950 mm x 450 mm x 510 mm.	25
1830	NN coat racks	2 steel coat racks, dimensions: (2x) 2500 mm x 390 mm x 1750 mm.	20
1831	NN bathroom stall	Bathroom stall, dimensions: 1700 mm x 1460 mm x 2030 mm.	100
1832	NN benches	5 steel benches with plastic tops, dimensions: (1x) 2490 mm x 360 mm x 440 mm, (4x) 1990 mm x 360 mm x 440 mm.	50
1833	NN coat racks	4 steel coat racks, dimensions: (3x) 2000 mm x 390 mm x 1750 mm, (1x) 2500 mm x 750 mm x 1750 mm.	40
1834	NN table	Table with chair, dimensions: 800 mm x 800 mm x 720 mm.	10
1835	NN locker	Steel 4-doors locker, dimensions: 1200 mm x 500 mm x 1800 mm. Doors missing.	10
1836	NN coat rack	Steel coat rack, dimensions: 2000 mm x 390 mm x 1750 mm.	10
1837	Frima	Frima s/s sink, 6 faucets, knee control, dimensions: 3600 mm x 500 mm x 1260 mm. Including 2 soap dispensers and 1 paper dispenser.	250
1838	Frima	Frima s/s sink, 6 faucets, knee control, dimensions: 3600 mm x 500 mm x 1260 mm. Including 4 soap dispensers and 1 paper dispenser.	250
1839	NN bathroom stall	Bathroom stall, dimensions: 3150 mm x 1650 mm x 2010 mm.	150
1840	NN bathroom stall	Bathroom stall, dimensions: 3150 mm x 1550 mm x 2010 mm.	150
1841	NN chairs	27 plastic chairs, dimensions: (27x) 520 mm x 460 mm x 800 mm.	50
1842	Franken	Franken whiteboard, dimensions: 1500 mm x 1000 mm.	10
1843	NN whiteboard	Whiteboard, dimensions: 900 mm x 600 mm.	10
2000	Gardena	Gardena pressure water pump, type: 5000/5E LCD, serial number: A-203032, year of construction: 2023, Qmax: 5.0 m³/h, tx max: 35 °C, dimensions: 400 mm x 250 mm x 350 mm.	100
2001	Endress + Hauser	2 Endress + Hauser flowmeters, model: Prowirl 200, dimensions: (2x) 250 mm x 250 mm x 250 mm.	300



Nr	Title	Description	Start €
2002	Jürgen Klose Industrietechnik GmbH	Jürgen Klose Industrietechnik GmbH insulated s/s hot water tank, type: KL000016, serial number: 022528-001, year of construction: 07/2013, material number: 1.4571, volume: 5000 litre, save operating pressure: 10.0 bar, save operating temperature: 95 °C, with Jürgen Klose Industrietechnik GmbH heat exchanger, type: EWU40-153-15-21, serial number: 994609, year of construction: 2013, total dimensions: 1900 mm x 2200 mm x 3000 mm.	1000
2003	Jürgen Klose Industrietechnik GmbH	Jürgen Klose Industrietechnik GmbH insulated s/s hot water tank, type: KL000016, serial number: 121632-001, year of construction: 03/2013, material number: 1.4571, volume: 5000 litre, save operating pressure: 10.0 bar, save operating temperature: 95 °C, with Jürgen Klose Industrietechnik GmbH heat exchanger, type: EWU40-153-15-21, serial number: 994470, year of construction: 2013, total dimensions: 1900 mm x 2200 mm x 3000 mm.	1000
2004	Lowara	Lowara pump unit, type: HY 3x 2.2-4.0 kW, year of construction: 2021, consisting of: 3 Lowara vertical multistage pumps with Xylem Hydrovar variable speed pump controller, type: 5SVH16F022T/4, Q: 2.4-8.5 m³/h, P 2.2 kW, Endress + Hauser flowmeter, model: Promag W / Promag 300, Reflex expansion vessel, model: Refix DD 18, total dimensions pump unit: 1300 mm x 800 mm x 1750 mm, including switch cabinet: 800 mm x 500 mm x 2000 mm.	1000
2005	Ebara Pumps Europe S.p.A	Ebara Pumps Europe S.p.A pump unit consisting of: 1 Ebara Pumps Europe S.p.A vertical multistage centrifugal pumps, type: EVMSG10 11F5 HQQ1EG E, Q: 75-250 l/min, P: 4 kW, 3 Grundfos vertical multistage centrifugal pumps, type: CR10-12 A-FJ-A-E-HQQE, Q: 10 m³/h, P: 4.00 kW, dimensions pumps: (4x) 300 mm x 300 mm x 1100 mm, Reflex expansion vessel, type: Refix DT, dimensions: 400 mm x 400 mm x 750 mm, sensus water meter, dimensions: 300 mm x 300 mm x 300 mm, switch cabinet: 1000 mm x 300 mm x 750 mm.	750
2006	NN hot water tank	Insulated hot water tank, dimensions: Ø 2750 mm x 6000 mm.	1500
2007	Lowara	Lowara centrifugal pump with Xylem Hydrovar variable speed pump controller, type: ESHE 40-200/55/P25VSSA, serial number: 02294, year of construction: 2022/11/30, Q: 18-48 m³/h, P: 5.5 kW, dimensions: 800 mm x 350 mm x 600 mm.	250
2008	END-Armaturen GmbH & Co.KG	END-Armaturen GmbH & Co.KG butterfly valve with actuator, model: WM534609-OE620952, year of	100



Nr	Title	Description	Start €
		construction: 03/2023, dimensions: 500 mm x 250 mm x 300 mm.	
2009	B-Safety	B-Safety ClassicLine eye shower with ClassicLine body safety shower, dimensions: 400 mm x 400 mm x 2300 mm.	50
2010	GSD Wärmetechnik GmbH	S/s frame with GSD Wärmetechnik GmbH tubular heat exchanger, serial number: 998114, year of construction: 2022, min/max design pressure tube side: 0/10 bar g, min/max design temperature tube side: 0/184 °C, min/max design pressure shell side: 0/6 bar g, min/max design temperature shell side: 0/110 °C, volume tube side: 19 litre, volume shell side: 47 litre, capacity: 1560 kW, heating surface: 6.6 m ² , including various valves and pipework, total dimensions: 2500 mm x 1300 mm x 2300 mm.	1000
2011	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W / Promag 300, dimensions: 250 mm x 400 mm x 250 mm.	150
2012	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W / Promag 300, dimensions: 250 mm x 400 mm x 250 mm.	150
2013	END-Armaturen GmbH & Co.KG	3 END-Armaturen GmbH & Co.KG butterfly valves with actuator, model: WM534609-OE620952, dimensions: (3x) 500 mm x 250 mm x 300 mm.	300
2014	W&S Wassertechnik	W&S Wassertechnik drinkwater purification installation consisting of: 2 Deipenau Celler Geräte- und Apparatebau GmbH steel filter tanks, type: FLBH, fabrication number: 977979-2, year of construction: 1998, working pressure: 10 bar, working temperature: 20 °C, dimensions: (2x) Ø 2100 mm x 4600 mm, 2 water tapping points and various pipes and valves, total dimensions complete installation: 5000 mm x 3500 mm x 5500 mm.	2000
2015	Gerhard Weber Kunststoff-Verarbeitung GmbH	Gerhard Weber Kunststoff-Verarbeitung GmbH plastic tank for purified water, manufacturing number: 12.1.0274/13.0389, year of construction: 2013, usable volume: 24 m ³ , permissible filling height: 5305 mm, permissible volume stream: 30 m ³ /h, permissible working temperature: 20 °C, tank material: PE-100-RC-WK-S-8000, dimensions: Ø 2400 mm x 5600 mm.	1000
2016	KSB	KSB water pump, type: ETABLOC CN 100-250/1104, year of construction: 2013, Q: 160.00 m ³ /h, dimensions: 1000 mm x 550 mm x 800 mm.	250
2017	Gerhard Weber Kunststoff-Verarbeitung GmbH	Gerhard Weber Kunststoff-Verarbeitung GmbH plastic tank for purified water, manufacturing number: 12.1.0274/13.0389, year of construction: 2013, usable volume: 24 m ³ , permissible filling height: 5305 mm, permissible volume stream: 30 m ³ /h, permissible	1000



Nr	Title	Description	Start €
		working temperature: 20 °C, tank material: PE-100-RC-WK-S-8000, dimensions: Ø 2400 mm x 5600 mm.	
2018	Gerhard Weber Kunststoff-Verarbeitung GmbH	Gerhard Weber Kunststoff-Verarbeitung GmbH plastic tank for sludge water, manufacturing number: 12.1.0274/13.0388, year of construction: 2013, usable volume: 17.1 m³, permissible filling height: 3780 mm, permissible volume stream: 160 m³/h, permissible working temperature: 20 °C, tank material: PE-100-RC-WK-S-8000, dimensions: Ø 2400 mm x 4200 mm.	1000
2019	KSB	KSB pump unit consisting of: 6 KSB multistage vertical high pressure centrifugal pumps with KSB pump drive, type: (6x) Movitec VF 25/5 B, Q: 28.5 m³/h, P: 11 kW, Reflex expansion vessel and various pipes and valves, dimensions pump unit: 2600 mm x 1250 mm x 1600 mm, including switch cabinet, dimensions: 800 mm x 400 mm x 1200 mm.	2500
2020	Aerzen	Aerzen Delta Blower, year of construction: 1998, dimensions: 800 mm x 880 mm x 1190 mm.	250
2021	Aerial GmbH	Aerial GmbH condensation dryer, type: AD 810, serial number: 201308502, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 1120 W, refrigerant: R407c, dimensions: 520 mm x 620 mm x 970 mm.	250
2022	Endress + Hauser / Ari-Armaturen	Endress + Hauser flowmeter, model: Promag W / Promag 300, dimensions: 400 mm x 700 mm x 250 mm, including Ari-Armaturen valve with actuator, model: ARI-PREMIO BLDC, type: 5kN, serial number: 100705862-040, year of construction: 2023, dimensions: 500 mm x 300 mm x 300 mm.	300
2023	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W / Promag 10, dimensions: 500 mm x 300 mm x 300 mm.	150
2024	Hach Lange	Hach Lange controller, model: sc200, serial number: 1602C0137270, year of construction: 03/05/16, dimensions: 150 mm x 170 mm x 150 mm.	150
2025	Danfoss	Danfoss flowmeter, type: MAG 3100 Water, serial number: 486330T352, dimensions: 250 mm x 300 mm x 250 mm, Danfoss indicator, type: SITRANS F M MAGFLO MAG500, dimensions: 150 mm x 150 mm x 250 mm.	150
2026	Endress + Hauser	Endress + Hauser flowmeter, model: Promag 400 W DN100, dimensions: 300 mm x 300 mm x 300 mm.	150
2027	W&S Wassertechnik	Switch cabinet for W&S Wassertechnik drinkwater purification installation, dimensions: 1000 mm x 450 mm x 2000 mm.	500
2028	Endress + Hauser	Valve unit with 5 Endress + Hauser flowmeters, model: (5x) Promag W / Promag 300, including various valves and pipes, total dimensions: 2400 mm x 450 mm x 2600 mm.	750
2029	Wilo	9 Wilo pumps and valves, various dimensions.	300



Nr	Title	Description	Start €
2030	Lowara	Lowara circulation pump, type: ecocirc XL 50-180 F, serial number: 20230315, dimensions: 450 mm x 250 mm x 400 mm.	150
2031	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W / Promag 300, dimensions: 500 mm x 250 mm x 400 mm.	150
2032	Buderus	Buderus central heating boiler, type: SK 705, serial number: 44519, year of construction: 1989, volume: 2100 litre, max working pressure: 6 bar, max working temperature: 120 °C, min/max thermal output: 1451/1600 kW, min/max thermal load: 1612.1/1777.6 kW, with Weishaupt burner, type: GL 8/1-D, serial number: 3234630, year of construction: 1989, power: 600-2500 kW, total dimensions: 1700 mm x 4250 mm x 1900 mm, including Otto Mat steel pressure vessel, dimensions: Ø 1000 mm x 2400 mm, switch cabinet, dimensions: 800 mm x 300 mm x 1000 mm, various pumps and valves.	1500
2033	Pentair	Pentair water softener consisting of: 2 cylinders, dimensions: (2x) Ø 600 mm x 2100 mm, plastic tub for salt tablets, dimensions: Ø 1200 mm x 1000 mm.	250
2034	KSB	KSB multistage vertical ring section centrifugal pump, type: MTC A 32/11D2.1 10.181, serial number: 501135578/001000/01, year of construction: 2020, Q: 9.05 m³/h, dimensions: 1900 mm x 450 mm x 500 mm.	350
2035	KSB	KSB multistage vertical ring section centrifugal pump, type: MTC A 32/11D2.1 10.181, serial number: 501181888/001000/01, year of construction: 2021, Q: 9.05 m³/h, dimensions: 1900 mm x 450 mm x 500 mm.	350
2036	Grundfos	Grundfos dosing pump, type: DDE 6-10 PR-PVC/T/C-X-31U2U2FG, Q: 6l/h, dimensions: 250 mm x 150 mm x 200 mm, including plastic drip tray with 2 barrels of Chemie+Wasser Caltrol 4004, dimensions: 800 mm x 650 mm x 850 mm.	50
2037	Grundfos	2 Grundfos dosing pumps, dimensions: (2x) 250 mm x 150 mm x 200 mm, including Denios steel drip tray with 2 barrels of Chemie+Wasser Combitrol 971 L, dimensions: 1250 mm x 800 mm x 1400 mm.	150
2038	VWS Deutschland GmbH	VWS Deutschland GmbH reverse osmosis system, type: SIRION Basic 110x2, serial number: 15007280 SL 1103, year of construction: 2015, flow rate: 5000 l/h, max operating overpressure: 12-14 bar, max operating temperature: 5-30 °C, max ambient temperature: 40 °C, dimensions osmosis system: 3200 mm x 900 mm x 1800 mm, including plastic tank, dimensions: Ø 2200 mm x 3150 mm and frame with 2 Ebara Pumps Europ S.p.A. centrifugal pumps, type: EVMS3 6LF55	1000



Nr	Title	Description	Start €
		HQQQ1EG E, Q: 20-75 l/min, P: 0.55 kW, dimensions pumps: 600 mm x 300 mm x 750 mm.	
2039	Georg Hagelschuer GmbH	Georg Hagelschuer GmbH insulated boiler feedwater tank with deaerator, manufacturing number: 14-02295-B01, year of construction: 2015, volume: 10000 litre, working pressure: 0.5 bar, working temperature: 110 °C, with Georg Hagelschuer GmbH deaerator, manufacturing number: 14-02295-B02, year of construction: 2015, volume: 345 litre, working pressure: 0.5 bar, working temperature: 110 °C, total dimensions: 4300 mm x 2150 mm x 3650 mm.	1500
2040	NN tank	S/s tank, dimensions: 4650 mm x 2400 mm x 2000 mm.	1000
2041	Wilo	Wilo single-stage glanded centrifugal pump, type: Atmos GIGA B-80/120-11/2, serial number: 228846430001, P: 11 kW, dimensions: 850 mm x 400 mm x 500 mm.	300
2042	Wilo	Wilo single-stage glanded centrifugal pump, type: BL80/145-11/2, serial number: 20568129/0002, P: 11 kW, dimensions: 850 mm x 400 mm x 500 mm.	300
2043	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W / Promag 300, dimensions: 200 mm x 200 mm x 300 mm.	150
2044	Richard Hauptmann GmbH	Richard Hauptmann GmbH steel pressure vessel, fabrication number: 2068/88-2, year of construction: 1988, volume: 800 litre, dimensions: Ø 900 mm x 2100 mm.	150
2045	NN table	Aluminium table, dimensions: 600 mm x 400 mm x 650 mm.	10
2046	Wilo	Wilo single-stage glanded centrifugal pump, type: BL80/145-11/2, serial number: 20568129/0006, P: 11 kW, dimensions: 850 mm x 400 mm x 500 mm.	300
2047	AWP	Pallet with AWP suction filer, type: 56901 and various v-belts, dimensions pallet: 1200 mm x 800 mm x 500 mm.	50
2048	Rittal	Rittal computer cabinet, dimensions: 600 mm x 800 mm x 1950 mm.	50
2049	Dräger/Plum	Steel cabinet with Dräger gas mask, dimensions: 490 mm x 200 mm x 420 mm, Plum eye shower, dimensions: 220 mm x 100 mm x 270 mm.	100
2050	Mauser	Mauer IBC tank, dimensions: 1200 mm x 1000 mm x 1200 mm.	10
2051	NN ladder	Aluminium ladder, height: 690 mm.	10
2052	Xylem Analytics Germany GmbH	Xylem Analytics Germany GmbH multi parameter, type: pH/Cond 3320, serial number: 23131621.	100
2053	Meclube S.r.l.	Meclube S.r.l. mobile lifter for barrels, year of construction: 03/2020, dimensions: 950 mm x 1000 mm x 1350 mm.	75



Nr	Title	Description	Start €
2054	SWF Krantechnik	S/s frame with SWF Krantechnik electrical chain hoist, dimensions: 1200 mm x 660 mm x 1600 mm. Technical condition unknown.	100
2055	SWF Krantechnik	Pallet with SWF Krantechnik electrical chain hoist, dimensions: 1200 mm x 800 mm x 1000 mm. Incomplete, technical condition unknown.	50
2056	Denios	Denios mobile steel drip tray with barrel pump and 2 barrels of Shell refrigeration oil S4 FR-V, dimensions: 1400 mm x 850 mm x 1700 mm.	50
2057	Ziehl-Abbeg	Box with Ziehl-Abbeg fan, dimensions: 530 mm x 530 mm x 290 mm.	25
2058	Siemens	Box with Siemens control valve, type: VXF42.40-16 and Siemens hydraulic actuator, model: SKB32.50, dimensions box: 500 mm x 300 mm x 450 mm. Never used.	100
2059	NN aluminium plates Tucal S.L. plate freezer	Wooden crate with various aluminium plates for Tucal S.L. plate freezer , dimensions crate: 1300 mm x 620 mm x 400 mm.	100
2060	NN cooling element	Cooling element, dimensions: 1000 mm x 130 mm x 930 mm.	25
2061	NN pallet with valves	Pallet with various valves and V-belts, dimensions pallet: 1200 mm x 800 mm x 600 mm.	25
2062	Wilo	Wilo centrifugal pump, type: IPL40/175-5.5/2, serial number: 20675434/0001, dimensions: 500 mm x 250 mm x 350 mm.	50
2063	Wilo	Box with Wilo centrifugal pump, dimensions: 470 mm x 250 mm x 300 mm.	25
2064	Ebara Pumps Europe S.p.A	Pallet with Ebara Pumps Europe S.p.A vertical multistage centrifugal pump, type: EVMSG10 11F5 HQGQ1EG I, Q: 75-250 l/min, P: 4 kW, dimensions: 1150 mm x 400 mm x 500 mm. Never used.	400
2065	Ebara Pumps Europe S.p.A	Box with Ebara Pumps Europe S.p.A vertical multistage centrifugal pump, type: EVMS3 6LF5 Q1BEG E, Q: 20-75 l/min, P: 0.55 kW, dimensions: 750 mm x 400 mm x 350 mm. Never used.	250
2066	Lowara	Box with Lowara vertical multistage centrifugal pump, type: 5SV16F022T/D, year of construction: 2024/01/17, Q: 2.4-8.5 m³/h, P: 2.2 kW, dimensions: 1150 mm x 250 mm x 300 mm. Never used.	400
2067	Grundfos	Grundfos dosing pump, type: DDC 6-10 AR-PVC/E/C-F-31U2U2FG, dimensions: 250 mm x 150 mm x 200 mm, including Denios steel drip tray with barrel of Chemie+Wasser Stabitol VP 260, dimensions: 1250 mm x 800 mm x 1400 mm.	100
2068	NN valves	3 boxes with various valves and parts for valves, dimensions: 550 mm x 430 mm x 440 mm, 450 mm x 350 mm x 350 mm and 450 mm x 330 mm x 300 mm.	50
2069	NN cabinet with parts		50



Nr	Title	Description	Start €
		Cabinet with various parts, dimensions: 950 mm x 400 mm x 1950 mm.	
2070	Grundfos	Grundfos dosing pump, type: DDC 6-10 AR-PVC/E/C-F-31U2U2FG, dimensions: 250 mm x 150 mm x 200 mm, including plastic tub, dimensions: 550 mm x 550 mm x 550 mm.	50
2071	Denios	Denios plastic drip tray, type: classic-line 2 FKP, dimensions: 1300 mm x 900 mm x 400 mm.	50
2072	NN office desk	Office desk with drawers, dimensions: 1600 mm x 800 mm x 1000 mm. Including Siemens control panel.	150
2073	Gebrüder Heyl Analysentechnik GmbH & Co. KG	Gebrüder Heyl Analysentechnik GmbH & Co. KG measuring device for water hardness, type: Testomat 2000, serial number: 257 010, 230 V, 50/60 Hz, max 30 W, 0.3-8 bar, dimensions: 370 mm x 220 mm x 450 mm.	150
2074	NN cabinet with parts	Cabinet with various parts, dimensions: 1200 mm x 420 mm x 1660 mm.	50
2075	NN drip tray with cleaning equipment	Plastic drip tray with various cans of concentrated drain cleaner liquid, dimensions: 1200 mm x 800 mm x 600 mm.	10
2076	KSB	Pallet with 2 KSB thermic oil pumps, type: ETNY050-032-2001SG DB08LD20055, year of construction: 2021, Q: 14.00 m³/h and type: ETANORM SYA 040-160 SY8, year of construction: 2008, Q: 24.00 m³/h, dimensions: (2x) 950 mm x 300 mm x 450 mm.	400
2077	NN waste bin	Plastic waste bin, dimensions: 500 mm x 500 mm x 830 mm.	5
2078	NN rack with parts	Steel rack with various parts, dimensions: 1000 mm x 370 mm x 1600 mm.	100
2079	NN cable gutter	Various cable gutters, various dimensions.	50
2080	NN screen	Mobile s/s screen, dimensions: 1600 mm x 370 mm x 1600 mm.	25
2081	Demag	Box with Demag electrical chain hoist, dimensions box: 650 mm x 390 mm x 800 mm.	75
2082	Cantoni	Pallet with Cantoni motor and pump, dimensions pallet: 800 mm x 600 mm x 600 mm.	50
2083	Multivac	Crate with dye for Multivac thermoformer, dimensions dye: 200 mm x 325 mm, total dimensions crate: 680 mm x 680 mm x 400 mm.	150
2084	Samson	Box with Samson valve, type: 3241, dimensions: 560 mm x 400 mm x 430 mm.	100
2085	NN pallet lifter	S/s pallet lifter, fork length: 1150 mm, fork width: 520 mm, total dimensions: 1700 mm x 520 mm x 1250 mm.	100
2086	Demag	Demag electrical chain hoist, dimensions: 600 mm x 350 mm x 550 mm.	200
2087	Demag		75



Nr	Title	Description	Start €
		S/s frame with Demag electrical chain hoist, type: E22-C2WD, serial number: 40310515, year of construction: 07/2022, dimensions: 1450 mm x 700 mm x 1400 mm. Technical condition unknown.	
2088	Denios	Denios drip trays with various oils, dimensions: 1250 mm x 800 mm x 1000 mm.	10
2089	Seppeler Gruppe	Seppeler Gruppe steel oil vessel, vessel number: 052/110 305, year of construction: 2007, volume: 990 litre, dimensions: Ø 1200 mm x 1300 mm.	100
2090	NN trolley	S/s trolley, dimensions: 1000 mm x 600 mm x 950 mm.	20
2091	NN trolley	Steel trolley, dimensions: 500 mm x 500 mm x 1300 mm.	10
2092	Meclube S.r.l.	Meclube S.r.l. steel trolley with barrel pump and dosing unit, year of construction: 02.2021, dimensions: 1000 mm x 800 mm x 1400 mm.	200
2093	Nilfisk	Nilfisk high pressure cleaner, dimensions: 800 mm x 650 mm x 1000 mm.	100
2094	Nilfisk	Nilfisk high pressure cleaner, dimensions: 800 mm x 650 mm x 1000 mm.	100
2095	NN grids	3 s/s grids and 3 steel frames for blower.	10
2096	NN cleaning equipment	Various cleaning equipment.	10
2097	NN pumps and motors	Pallet with various pumps and motors, dimensions pallet: 1200 mm x 800 mm x 450 mm.	25
2098	Nehlsen	Nehlsen steel container for TL-Lights, dimensions: 2070 mm x 740 mm x 1000 mm.	50
2099	Würth	Crate with various Würth parts, dimensions: 600 mm x 400 mm x 200 mm.	25
2100	York Refrigeration	York Refrigeration screw compressor, type: SAB163 HF, manufacturing number: 114739, year of construction: 2000, max flow rate: 952 m³/h, max speed: 2950 U/min, permissible operating pressure: 25 bar ü, test pressure: 42 bar ü, refrigerant: R717, dimensions: 2600 mm x 1700 mm x 2000 mm.	3000
2101	GEA Refrigeration Germany GmbH	GEA Refrigeration Germany GmbH two-stage screw compressor, type: Grasso SP2 WE-6A(S), serial number: 13767, year of construction: 2015, flow rate: 2388 m³/h, max working pressure: 22 bar, refrigerant: NH3 R717, empty weight: 7300 kg, dimensions: 5000 mm x 1700 mm x 2700 mm, including switch cabinet, dimensions: 1200 mm x 550 mm x 2000 mm and 1800 mm x 550 mm x 2000 mm.	12500
2102	York Refrigeration	York Refrigeration rotary screw compressor, dimensions: 3500 mm x 1400 mm x 2300 mm. Incomplete, compressor block is missing.	1000
2103	York Refrigeration	York Refrigeration rotary screw compressor, model: TDSH233L, serial number: 1599F, vol. Ratio: 2.2-5.0, max displacement: 2500 n³/h, max speed: 4500 rpm,	5000



Nr	Title	Description	Start €
		design pressure: 25 bar, hydraulic tst pressure: 37.5 bar, refrigerant: NH3/R22, dimensions: 4100 mm x 1800 mm x 2650 mm.	
2104	GEA Grasso	GEA Grasso reciprocating compressor, type: GRASSO 65HP PACKAGE, number: 1009211818, year of construction: 2010, (PS: 25 bar, TS: -50/50 °C), (PS: 40 bar, TS: -10/150 °C), PT: 38.5/75 bar, refrigerant: NH3, speed: 1500 rpm, flow rate: 202 m³/h, dimensions: 2100 mm x 1400 mm x 1600 mm, including switch cabinet, dimensions: 1800 mm x 550 mm x 2000 mm and 800 mm x 550 mm x 2000 mm.	3000
2105	Transitherm GmbH	Transitherm GmbH steel pressure vessel, type: GS1000*2000zyl Lange, fabrication number: 12024, year of construction: 2010, design pressure: 1/25 bar, design temperature: -10/120 °C, test pressure: 36 bar, refrigerant: NH3, dimensions: 76-1-78, dimensions: Ø 1200 mm x 2900 mm.	400
2106	York Refrigeration	York Refrigeration screw compressor, type: SAB202SM, manufacturing number: 114736, year of construction: 2000, max flow rate: 1229 m³/h, max speed: 2950 U/ min, permissible operating pressure: 25 bar ü, test pressure: 42 bar ü, refrigerant: R717, dimensions: 3250 mm x 1800 mm x 2100 mm.	4000
2107	Brown Boveri York GmbH	Brown Boveri York GmbH NH3 separation vessel, type: KBA 1500/40-2-E, serial number: 211041/2, year of construction: 1988, volume: 7700 litre, including 3 Hermetic-Pumpen GmbH NH3 pumps and 3 Bar valves, total dimensions: 5000 mm x 1900 mm x 2750 mm.	1500
2108	Brown Boveri York GmbH	Brown Boveri York GmbH NH3 separation vessel, type: KBA 2000/40II, serial number: 211041/3, year of construction: 1988, volume: 14000 litre, including 3 Hermetic-Pumpen GmbH NH3 pumps and 3 Bar valves, total dimensions: 5000 mm x 2600 mm x 3300 mm.	2000
2109	Alfa Laval	Alfa Laval plate heat exchanger, type: MK15-BWFDR, serial number: 30109-02286, year of construction: 2015, PS: 25.0/10.0 bar, TS: 90 °C, PT: 35.8/14.3 bar, volume: 96.1/94.8 litre, dimensions: 2000 mm x 700 mm x 2150 mm.	1000
2110	Wilo	Wilo centrifugal pump, type: IPL40/150-3.5/2, dimensions: 400 mm x 200 mm x 350 mm.	100
2111	Alfa Laval	Alfa Laval plate heat exchanger, type: T10-EWFDRc, serial number: 30126-12097, year of construction: 2022, PS: 25.0/16.0 bar, TS: 0/110 °C, PT: 35.8/14.3 bar, volume: 6.53/6.08 litre, dimensions: 800 mm x 500 mm x 1650 mm.	500
2112	Endress + Hauser		150



Nr	Title	Description	Start €
		Endress + Hauser flowmeter, model: Promag W / Promag 300, dimensions: 350 mm x 250 mm x 250 mm.	
2113	END-Armaturen GmbH & Co.KG	END-Armaturen GmbH & Co.KG butterfly valves with actuator, model: WM534609-OE620952, dimensions: (3x) 500 mm x 250 mm x 300 mm.	100
2114	Alfa Laval	Alfa Laval plate heat exchanger, type: T8-RFM, serial number: 30109-29245, year of construction: 2015, PS: 0/10.0 bar, TS: 0/80 °C, PT: 35.8/14.3 bar, volume: 17.4 litre, dimensions: 1000 mm x 400 mm x 1300 mm.	250
2115	END-Armaturen GmbH & Co.KG	END-Armaturen GmbH & Co.KG butterfly valves with actuator, model: WM534609-OE620952, dimensions: (3x) 500 mm x 250 mm x 300 mm.	100
2116	Piusi SPA	Piusi SPA steel trolley with barrel pump system, model: VISCOTROLL 200/2, year of construction: 2024, dimensions: 700 mm x 900 mm x 1100 mm.	250
2118	PS Automation	PS Automation valve with electric quarter turn actuator, type: PSQ503, dimensions: 300 mm x 300 mm x 800 mm.	150
2119	Alfa Laval / TH .Witt Kältemaschinenfabrik GmbH	Alfa Laval plate heat exchanger, type: AlfaNova HP 76-100H, serial number: AAD001490080, year of construction: 2022-08-12, TS: -196/225 °C, PS: -1/34-40 bar, PT: 60 bar, volume: 12.25 litre, dimensions: 300 mm x 200 mm x 800 mm, including TH .Witt Kältemaschinenfabrik GmbH high pressure float regulator, type: WP 3 HR, number: 00015607, year of construction: 2010, PS: -1/40 bar, TS: -10/+90 °C, PT: 61 bar, dimensions: 600 mm x 300 mm x 300 mm.	400
2120	NN sieve with pump	S/s meat bin with sieve and Grundfos pump, dimensions meat bin: 800 mm x 800 mm x 1000 mm, dimensions pump: 400 mm x 200 mm x 300 mm, including s/s trolley with pump, dimensions: 1200 mm x 450 mm x 950 mm.	100
2121	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W / Promag 300, dimensions: 200 mm x 200 mm x 350 mm, including 3 transmitter platform, model: Liquiline, dimensions: (2x) 240 mm x 150 mm x 190 mm.	200
2122	Schneider Drückluft	Schneider Drückluft air compressor, type: PROFIMASTER TYP 100-6 W OELFRE, serial number: 0010020675, year of construction: 2005, 230 V, 1 Ph, 0.55 kW, 6.00 A, 116 PSI, dimensions: 400 mm x 200 mm x 400 mm.	25
2123	Krause	Krause extendable aluminium ladder, height: (3x) 2400 mm.	100
2124	NN barrel	Plastic barrel, dimensions: Ø 600 mm x 950 mm.	5
2125	NN rack with parts		25



Nr	Title	Description	Start €
		Steel rack with various parts, dimensions: 1050 mm x 400 mm x 2000 mm.	
2126	SCHILLING Kran- und Hebeteknik GmbH	SCHILLING Kran- und Hebeteknik GmbH aluminium gantry crane, maximum capacity: 1000 kg, dimensions: 4300 mm x 1750 mm x 3300 mm.	400
2127	KSB	KSB centrifugal pump, type: ETL 032-032, Q: 5.30 m³/h, dimensions: 500 mm x 250 mm x 500 mm.	100
2128	Hailo	Hailo aluminium ladder, height: 1500 mm.	10
2129	NN trolley	S/s trolley, dimensions: 1100 mm x 420 mm x 1000 mm.	10
2130	NN table	S/s table, dimensions: 700 mm x 700 mm x 1200 mm.	10
2131	NN cabinet with parts	Steel cabinet with various electrical parts, dimensions: 1000 mm x 500 mm x 1050 mm.	25
2132	NN cabinets with parts	4 steel cabinets with various parts, among other: valves, air filters, electrical parts, hoses, safety equipment, etc, dimensions: (4x) 1000 mm x 500 mm x 1980 mm.	250
2133	Brown Boveri York GmbH	Brown Boveri York GmbH NH3 pressure vessel, type: KS 600/50, serial number: 211041/1, year of construction: 1988, volume: 1400 mm, working pressure: 22 bar, working temperature: 115 °C, dimensions: 5500 mm x 600 mm x 2000 mm.	750
2134	Reflex	Reflex steel expansion vessel, type: Reflex N, serial number: 15 P 0505 90131, volume: 300 litre, dimensions: Ø 600 mm x 1200 mm.	100
2135	Wilo	Box with Wilo centrifugal pump, type: IPL40/150-3/2-S1, P: 3 kW, dimensions: 600 mm x 400 mm x 470 mm.	150
2136	Rittal	Rittal switch cabinet for York Refrigeration rotary screw compressors (lot numbers 2102 and 2103), dimensions: 3200 mm x 600 mm x 2100 mm.	500
2137	Rittal	Rittal switch cabinet for Baltimore roof condensers (lots 2141 and 2142), dimensions: 2200 mm x 550 mm x 2100 mm.	1000
2138	Rittal	Rittal switch cabinet for NH ₃ gas detection and alarm system, dimensions: 1200 mm x 550 mm x 2100 mm.	500
2139	Rittal	Rittal switch cabinet for York Refrigeration rotary screw compressors (lot numbers 2100 and 2106), dimensions: 3000 mm x 600 mm x 2200 mm.	1500
2140	NN fuses	Steel cabinet with large amount of fuses.	250
2141	Baltimore Aircoil International N.V.	Baltimore Aircoil International N.V. evaporative condenser, model number: VXC 680 R, serial number: H081450, belt number: XPA 3150, dimensions: 5388 mm x 3000 mm x 4310 mm.	5000
2142	Baltimore Aircoil International N.V.	Baltimore Aircoil International N.V. evaporative condenser, model number: VXC 680 R, serial number: H07-2183, belt number: XPA 3150, dimensions: 5388 mm x 3000 mm x 4310 mm.	5000



Nr	Title	Description	Start €
2143	Thermofin GmbH	Thermofin GmbH glycol cooler, type: TDD.1-091-23-A-N-DE-BD-04, unit number: 001, year of construction: 06/2015, 380/480 V, 17.7 kW, PS: 10 bar, TS: -20/+80 °C, PT: 11 bar, volume: 227.0 litre, empty weight: 2000 kg, dimensions: 4100 mm x 2450 mm x 2750 mm.	3000
2144	Daikin	2 Daikin air-conditioning outside units, type: RZQG140L7Y1B, year of construction: 2015, 380-415 V, 3 Ph, 50 Hz, 22.6 A, refrigerant: R410A, dimensions: (2x) 950 mm x 300 mm x 1430 mm.	500
2145	AL-KO	AL-KO air treatment unit, dimensions: 10300 mm x 2100 mm x 800 mm.	1500
2146	AL-KO	AL-KO air treatment unit, dimensions: 7450 mm x 1100 mm x 1100 mm.	1000
2147	AL-KO	AL-KO air treatment unit, dimensions: 8900 mm x 1100 mm x 1100 mm.	1500
2148	GekaKonus GmbH	GekaKonus GmbH thermic oil boiler, type: GKH 300, manufacturing number: 1332/10, year of construction: 2010, volume: 140 litre, capacity: 300 kW, min volume flow: 12 m³/h, PS: 10 bar, TS: 300 °C, PT: 25 bar, with Weishaupt burner, type: WM=G10/1-A, fabrication number: 5979036, year of construction: 2010, power: 400 kW, total dimensions boiler: 3000 mm x 1300 mm x 1700 mm, including switch cabinet, dimensions: 1000 mm x 300 mm x 1400 mm, KSB thermic oil pump, type: TRANSNORM SYT 032-200, dimensions: 1100 mm x 500 mm x 900 mm, Buffer vessel with pump, dimensions: 1000 mm x 1100 mm x 1100 mm, thermic oil expansion tank, volume: 1000 litre, dimensions: 1800 mm x 1300 mm x 1900 mm.	5000
2149	NN thermic oil distribution unit	Thermic oil distribution unit with 2 KSB pumps, various valves and pipework, dimensions: 3100 mm x 1300 mm x 2400 mm.	500
2150	NN waste bag holder	S/s waste bag holder, dimensions: 500 mm x 500 mm x 900 mm.	5
2151	Loos International	Loos International steam boiler, type: UL-S 8000, serial number: 98830, year of construction: 11/2004, steam capacity: 8000 kg/h, total volume: 14600 litre, PS: 24 bar g, TS: 224 °C, PT: 45.6 bar g, Weishaupt burner: type: RGL70/1-B, fabrication number: 5444137, year of construction: 2004, min/max power: 800/7400 kW, Bosch economizer, type: ECO 1, serial number: 1286534, year of construction: 03/2023, thermal capacity: 446 kW, total volume: 138 litre, PS: 31 bar, TS: 0/238 °C, PT: 56 bar, total dimensions: 8200 mm x 2800 mm x 3200 mm. Including switch cabinet, dimensions: 1200 mm x 450 mm x 2000 mm and HP Technik hydraulic unit, dimensions: 1200 mm x 800 mm x 800 mm.	15000



Nr	Title	Description	Start €
2152	Hailo/Würth	Hailo aluminium ladder, height: 700 mm, Würth aluminium ladder, height: 560 mm.	25
2153	Würth	Würth aluminium ladder, height: 2430 mm.	75
2154	Krause	Krause aluminium ladder, height: 1200 mm.	75
2155	Krause	Krause aluminium ladder, height: 950 mm.	75
2156	Layher	Layher aluminium ladder, height: 1160 mm.	25
2157	Krause	Krause aluminium ladder, height: 730 mm.	50
2158	Krause	Krause aluminium stairs, height: 600 mm.	75
2159	Busch	2 Busch vacuum pumps, type: KB 0016 E 300 and RC 0010 B 504, dimensions: (2x) 400 mm x 200 mm x 300 mm.	150
2160	EATON	Various EATON electrical parts and valves.	150
2161	NN valves	Various valves.	50
2162	NN tables	2 tables, dimensions: 1800 mm x 800 mm x 730 mm and 800 mm x 800 mm x 760 mm.	5
2163	NN waste bag holder	S/s waste bag holder, dimensions: 500 mm x 500 mm x 900 mm.	5
2164	Kaeser Kompressoren	Kaeser Kompressoren screw air compressor, type: ASD 60 T, serial number: 2957, year of construction: 2015, working pressure: 12.0 bar, working temperature: 3/45 °C, power: 30.0 kW, dimensions: 1760 mm x 920 mm x 1550 mm.	1500
2165	Kaeser Kompressoren	Kaeser Kompressoren screw air compressor, type: BSD 83 T, serial number: 5028-6784446, year of construction: 2018, working pressure: 12.0 bar, working temperature: 3/45 °C, power: 45.0 kW, dimensions: 2000 mm x 1050 mm x 1710 mm.	2000
2166	OKS Otto Klein GmbH	OKS Otto Klein GmbH steel pressure vessel, serial number: 508062, year of construction: 2004, volume: 1000 litre, min/max PS: 0/11 bar, min/max working temperature: -10/+50 °C, PT: 16.0 bar, dimensions: Ø 800 mm x 2300 mm.	400
2167	Kaeser Kompressoren	Kaeser Kompressoren central control system air compressor installation, type: SAM 4/4, serial number: 4772, year of construction: 2006, dimensions: 380 mm x 220 mm x 370 mm.	250
2168	Drukomat	Drukomat oil-water separator, dimensions: 900 mm x 550 mm x 1200 mm.	250
2169	MAS	Crate with 3 MAS safety harnesses and safety helmet	100
2170	NN rack with parts	Steel rack with various parts, dimensions: 2000 mm x 400 mm x 1000 mm.	25
2171	NN cooling containers	Cooling cell consisting of 3 linked 40 FT containers, Zanotti cooling unit and evaporator, inside dimensions: 11900 mm x 7200 mm x 2550 mm, total outside dimensions : 12200 mm x 7320 mm x 2900 mm.	2000
2172	NN heat exchanger		1750



Nr	Title	Description	Start €
		Heat exchanger on steel frame for heat recovery, dimensions: 1800 mm x 1500 mm x 4600 mm.	
2173	NN motors	Steel rack and 2 pallets with large amount of motors, dimensions: 2850 mm x 700 mm x 2550 mm.	300
2174	Denios	4 Denios steel drip trays with various oils and lubricants, dimensions: (4x) 1200 mm x 800 mm x 350 mm.	50
2175	Walther-Werke	Walther-Werke power supply unit, dimensions: 660 mm x 450 mm x 1300 mm.	150
2176	NN container	20 FT container, dimensions: 6050 mm x 2430 mm x 2890 mm.	750
2177	NN pallet rack	Steel pallet rack, dimensions: 2000 mm x 1100 mm x 2300 mm, including Denios drip tray with various oils and lubricant, dimensions: 1280 mm x 1280 mm x 340 mm and s/s frame, dimensions: 700 mm x 500 mm x 1400 mm.	50
2178	Würth	Würth aluminium ladder, height: 740 mm.	25
2179	NN container	20 FT container, dimensions: 6050 mm x 2430 mm x 2550 mm.	750
2180	Meyn	Meyn flotation washer, dimensions: 5300 mm x 2250 mm x 2000 mm, including various pumps valves.	1750
2181	Meyn	Meyn flotation washer, dimensions: 5300 mm x 2250 mm x 2000 mm, including various pumps valves.	1750
2182	NN flocculator unit	Flocculator unit with various valves and pipes, dimensions: 5000 mm x 1200 mm x 1700 mm.	250
2183	Meyn/Alltech	Meyn/Alltech polymer unit, dimensions: 1900 mm x 900 mm x 1600 mm, switch cabinet with 2 pumps, 1100 mm x 1000 mm x 2000 mm.	400
2184	NN sodium hydroxide tank	Polyester sodium hydroxide tank, dimensions: Ø 2200 mm x 2600 mm.	250
2185	NN chloride tank	Polyester chloride tank, dimensions: Ø 2500 mm x 5400 mm.	500
2186	Alltech	6 Alltech dosing pumps, type: R21 0145 01, dimensions: (6x) 400 mm x 350 mm x 350 mm.	150
2187	Allweiler GmbH	Allweiler progressing cavity pump, dimensions: 2100 mm x 350 mm x 800 mm.	250
2188	Allweiler GmbH	Allweiler GmbH progressing cavity pump, type: AE 1E/50, number: 15009059, year of construction: 2015, dimensions: 2100 mm x 350 mm x 800 mm.	250
2189	Kaeser Kompressoren	Kaeser Kompressoren reciprocating compressor, type: EPC 630-250, serial number: 25812-7588477, year of construction: 07/2020, 400 V, 3 Ph, 50 Hz, ambient temperature: 5-35 °C, rated power: 3.0 kW, maximum working pressure: 10.00 bar, volumetric flow rate: 410 l/min, dimensions: 1400 mm x 500 mm x 1300 mm.	400
2190	Meyn	Meyn s/s sludge water tank, dimensions: 5750 mm x 2800 mm x 2900 mm.	1000



Nr	Title	Description	Start €
2191	Denios	3 Denios plastic drip trays with IBC tank, dimensions: (1x) 1400 mm x 1300 mm x 2100 mm and (2x) 1400 mm x 1100 mm x 1900 mm.	75
2192	Nilfisk Alto	Nilfisk Alto high pressure cleaner, type: Neptune 2 Special, dimensions: 600 mm x 600 mm x 1100 mm. Technical condition unknown.	50
2193	Nilfisk Alto	Nilfisk Alto floor scrubber, type: Hydroscrub P400, dimensions: 400 mm x 400 mm x 1450 mm.	50
2194	Speck	Speck self-priming side channel pump, type: SKS3303LL-000-11-A01, serial number: 1002991647, year of construction: 11/2025, Qmax: 7.5/9.0 m ³ /h, dimensions: 1100 mm x 900 mm x 400 mm.	200
2195	Grundfos	Grundfos centrifugal pump, dimensions: 450 mm x 250 mm x 850 mm.	100
2196	Denios	Denios plastic drip tray with various cleaning equipment, dimensions: 1200 mm x 1000 mm x 350 mm.	25
2197	NN platform	Mobile aluminium platform with stairs, working height: 1500 mm, total dimensions: 2800 mm x 950 mm x 2400 mm.	50
2198	Kaeser Kompressoren	Kaeser Kompressoren rotary screw blower, type: EBS 410 CL, serial number: 3655-B015155, year of construction: 04/2021, 400 V, 3 Ph, 50 Hz, 70 A, ambient temperature: -15/45 °C, rated power: 30.0+0.11 kW, maximum working pressure: 0.62 bar, dimensions: 1300 mm x 1600 mm x 1980 mm.	2000
2199	NN switch cabinet for Meyn water treatment	Switch cabinet for Meyn water treatment, dimensions: 1200 mm x 400 mm x 2200 mm.	500
2200	NN switch cabinet for Meyn water treatment	Switch cabinet for Meyn water treatment, dimensions: 1200 mm x 400 mm x 2200 mm.	250
2201	NN container	40 FT container.	1000
2202	NN container	40 FT container.	1000
2203	NN crates	24 pallets with plastic crates, approximately 50 crates each pallet, dimensions each crate: 600 mm x 400 mm x 160 mm.	300
2204	NN crates	24 pallets with plastic crates, approximately 50 crates each pallet, dimensions each crate: 600 mm x 400 mm x 160 mm.	300
2205	NN crates	24 pallets with plastic crates, approximately 50 crates each pallet, dimensions each crate: 600 mm x 400 mm x 160 mm.	300
2206	NN crates	22 pallets with plastic crates, approximately 50 crates each pallet, dimensions each crate: 600 mm x 400 mm x 160 mm.	275
2207	NN crates		260

Nr	Title	Description	Start €
		21 pallets with plastic crates, approximately 50 crates each pallet, dimensions each crate: 600 mm x 400 mm x 160 mm.	
2208	NN crates	21 pallets with plastic crates, approximately 50 crates each pallet, dimensions each crate: 600 mm x 400 mm x 160 mm.	260
2209	NN crates	24 pallets with plastic crates, approximately 50 crates each pallet, dimensions each crate: 600 mm x 400 mm x 160 mm.	300

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]

[illegible]

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

