



**Industrial
Auctions**

**2309: Online auction food processing machinery,
cooling- and catering equipment in Eindhoven (NL)**

END DATE

13 October 2026 12:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	13 October 2026 from 12:00 hrs.
Viewing days	12 October 2026 from 09:00 till 16:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	20 October 2026 from 09:00 till 16:00 hrs. 21 October 2026 from 09:00 till 16:00 hrs. 22 October 2026 from 09:00 till 16:00 hrs.
Pick up address	Looyenbeemd 11 5652 BH Eindhoven Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	GEA / Mettler Toledo Safeline Ltd	GEA grinder with Mettler Toledo Safeline Ltd elevating metal detector, GEA grinder type: GEA Powergrind II 280, machine number: E011121005178, year of construction: 06/2018, 400 V, 3 Ph, 50 Hz, 228 A, 130 kW, plate diameter: 280 mm, dimensions grinder: 3400 mm x 1700 mm x 3200 mm. Mettler Toledo Safeline Ltd metal detector, type: V48-RAD, number: 133086, 100/240 V, 50/60 Hz, 340 W, coil pitch: 100 mm, detector width: 275 mm, plastic belt, belt width: 750 mm, elevating height: 2650 mm, total dimensions metal detector: 5400 mm x 1400 mm x 2850 mm. Including platform, working height: 1150 mm, dimensions platform: 2050 mm x 700 mm x 2030 mm, and 3 pallets with belt and parts,	45000
2	Ilapak	Ilapak vertical bag form-, fill- and seal machine, type: VT 1000 SP, serial number: 8701506002, year of construction: 04/08, 400 V, 50 Hz, 5000 Watt, diameter filling pipe: 180 mm, seal length: 430 mm and 400 mm, total dimensions: 1320 mm x 2160 mm x 1850 mm.	3000
3	Turatti	Turatti spiralizer for vegetables, model: 1762-004-000-05, serial number: 018/421, year of construction: 11/2018, 4 stations, plastic belt, belt width: 420 mm, total dimensions: 3600 mm x 2400 mm x 1600 mm.	8000
4	Stork Titan B.V.	Stork Titan B.V. mobile refrigeration belt for coating line, model: Refrigerator, model: TKM 630, serial number: 10045738, year of construction: 2004, s/s belt, belt width: 630 mm, total dimensions: 3050 mm x 1100 mm x 1710 mm.	4000
5	Wolfking	Wolfking double shaft paddle mixer with vacuum and cooling option, type: TSMV 1750L, number: 56165, capacity: 1750 liter, dimensions: 2100 mm x 2800 mm x 2280 mm. Including s/s switch cabinet, dimensions switch cabinet: 770 mm x 770 mm x 300 mm. Without vacuum pump and cooling compressor.	8000
6	CVP Systems Inc	CVP Systems Inc atmospheric packaging machine, model: A200, seal length: 1500 mm, Sogevac vacuum pump, total dimensions: 1610 mm x 970 mm x 1930 mm.	1000
7	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 12601, year of construction: 2000, 400 V, 50 Hz, 17 A, 6.5 kW, Gardner Denver vacuum pump, type: V-VCB 20 (02), capacity: 20/24 m³ per hour, dimensions: 1800 mm x 1350 mm x 1930 mm. Including Handtmann case holding device, type: 60-6, number: 5032.	4000
8	Handtmann	Handtmann linking and hanging line, type linking machine: 216-21, number: 837, year of construction:	4000



Nr	Title	Description	Start €
		2001, 400 V, 3 Ph, 50 Hz, 3.5 A, 2.5 kW, dimensions: 1600 mm x 750 mm x 1480 mm, type hanging line: 220-16, number: 993, year of construction: 2001, dimensions: 2800 mm x 650 mm x 1650 mm.	
9	Rühle	Rühle cooled vacuum tumbler, type: MKR-300, inside dimensions: Ø 800 mm x 630 mm, Busch vacuum pump, type: KC 0016 E 3Z0, capacity: 16 m³ per hour, L'Unite Hermetique cooling compressor, type: TAJ9480Z MHR, total dimensions: 1900 mm x 1800 mm x 2000 mm.	5000
10	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine, type: A 50, machine number: KA 80041251, 400 V, 50 Hz, 3.0 kW, Busch vacuum pump, type: KB 0016, capacity: 16 m³ per hour, dimensions: 860 mm x 750 mm x 1710 mm.	2000
11	Henkovac	Henkovac mobile vacuum machine, type: E-203, serial number: 20041701, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 7.3 A, weight: 197 kg, seal length: (2x) 525 mm, chamber dimensions: 530 mm x 510 mm, Busch vacuum pump, RA 0063 E, number: 04032457, capacity: 60 m³ per hour, total dimensions: 730 mm x 700 mm x 1120 mm.	1200
12	Glass	Glass mobile vacuum mixer, type: VSM 100, machine number: 2027, year of construction: 1993, 240/400 V, 5.7/3.3 A, 1.12 kW, volume: 100 liter, Busch vacuum pump, type: 018-116, dimensions: 1110 mm x 760 mm x 1520 mm.	500
13	Yang srl	Yang srl mobile traysealer, model: OLYMPUS VAC, serial number: 085024, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 3.85 kW, weight: 250 kg, dye: (4x) 175 mm x 175 mm, total dimensions: 700 mm x 980 mm x 1430 mm.	1000
14	NN sink	Double s/s sink, dimensions: 2200 mm x 700 mm x 1030 mm.	200
15	NN sink	S/s sink, dimensions: 1500 mm x 600 mm x 880 mm.	100
16	De Jager	De Jager s/s sink with faucet, dimensions: 700 mm x 750 mm x 1220 mm.	150
17	Diamond	Diamond dishwasher, model: DP7L/8P, serial number: 4401915, year of construction: 06/02/2023, 400 V, 3 Ph, 50 Hz, 25 A, 10.7 kW, dimensions: 860 mm x 860 mm x 2040 mm.	600
18	Galletti S.p.A.	Galletti S.p.A. chiller, model: MPE 0320 C0 AA, serial number: 14700802, year of construction: 15/07/14, 400 V, 3 Ph, 50 Hz, 23.7 A < 10.96 kW, refrigerant: R410 A, dimensions: 1950 mm x 950 mm x 1450 mm.	1000
19	Steen	Steen mobile skinning machine, type: ST 600, serial number: 2G8/2715B, 380 V, 50-60 Hz, 1950 Watt, 5.8 A, plastic belt, belt width: 420 mm, working width: 465 mm, total dimensions: 2840 mm x 680 mm x 1770 mm.	2000
20	NN roller conveyor		50



Nr	Title	Description	Start €
		Roller conveyor, steel frame, plastic rollers, roller width: 490 mm, total dimensions: 1720 mm x 570 mm x 790 mm.	
21	BCK Holland	BCK Holland elevating belt with dividers, type: BS80, serial number: 201657-201657-010, year of construction: 2020, s/s frame, plastic belt, belt width: 395 mm, distance between dividers: 300 mm, divider height: 45 mm, elevating height: 950 mm, total dimensions: 1760 mm x 570 mm x 1080 mm.	150
22	NN baking forms	2 pallets with approximately 195 baking forms, dimensions baking form: 1000 mm x 110 mm x 65 mm, dimensions each pallet: 1200 mm x 800 mm x 1460 mm.	200
23	NN baking forms	Plastic pallet box with large amount of baking forms, dimensions forms: 1000 mm x 110 mm x 65 mm, dimensions each pallet: 1200 mm x 800 mm x 1180 mm.	200
24	Mado	Mado bandsaw, type: MKB651, number: 30114, 380 V, 50 Hz, 3.7 A, 1500 Watt, dimensions: 730 mm x 820 mm x 1650 mm.	1500
25	Jungheinrich	Jungheinrich s/s pallet lifter, type: AM 120 502X1140, serial number: 153B04132079J, capacity: 2000 kg, fork length: 1150 mm, total dimensions: 1210 mm x 520 mm x 1440 mm.	300
26	Vestergaard	Vestergaard s/s pallet lifter, fork length: 1150 mm, total dimensions: 1440 mm x 520 mm x 1400 mm.	300
27	NN sink	S/s sink with faucet, dimensions: 1900 mm x 1650 mm x 1140 mm.	50
28	Steen	Steen mobile skinning machine, type: ST 600, serial number: 3G8/1115G, 380 V, 50-60 Hz, 1950 Watt, 5.8 A, plastic belt, belt width: 445 mm, working width: 465 mm, total dimensions: 2840 mm x 680 mm x 1770 mm.	2000
29	Loma Systems	Loma Systems s/s switch cabinet, dimensions: 830 mm x 480 mm x 320 mm.	200
30	NN trolley	Trolley, dimensions: 700 mm x 810 mm x 1700 mm.	10
31	Silensys	Silensys outside airco unit, type: SILFH4524ZXG, year of construction: 07-09-2021, dimensions: 1100 mm x 420 mm x 840 mm.	200
32	J&E Hall	J&E Hall outside airco unit, model: JEHSU0200CM3, serial number: N000362, year of construction: 2018/05, dimensions: 1040 mm x 390 mm x 710 mm.	200
33	Copeland	Copeland outside airco unit, model: ZXLE-020E-TFD-454, serial number: 2DJZ39545 M, year of construction: 2020-10-05, dimensions: 950 mm x 390 mm x 850 mm.	200
34	Smeva	Smeva outside airco unit, model: ICF-HL01-M001724, serial number: 801001-(2), year of construction: 05/03/2018, dimensions: 1150 mm x 570 mm x 880 mm.	200
35	J&E Hall		200



Nr	Title	Description	Start €
		J&E Hall outside airco unit, model: JEHSCU0200CM3, serial number: N000337, year of construction: 2018/01, dimensions: 1040 mm x 390 mm x 710 mm.	
36	J&E Hall	J&E Hall outside airco unit, model: JEHS-0250-B2-M-3, serial number: 20604301-00471, year of construction: 2017/10, dimensions: 1040 mm x 390 mm x 760 mm.	200
37	L'unite Hermetique	L'unite Hermetique cooling compressor, type: TFH4518Y HR, serial number: 566 30 210, refrigerant: R134A, dimensions: 830 mm x 700 mm x 750 mm.	200
38	Mitsubishi	Mitsubishi inside airco unit, dimensions: 950 mm x 950 mm x 300 mm.	100
39	Mitsubishi	Mitsubishi inside airco unit, dimensions: 950 mm x 950 mm x 300 mm.	100
40	Mitsubishi	Mitsubishi inside airco unit, dimensions: 950 mm x 950 mm x 300 mm.	100
41	Mitsubishi	Mitsubishi inside airco unit, dimensions: 950 mm x 950 mm x 300 mm.	100
42	Mitsubishi	Mitsubishi outside cooling unit, model: FDC224KXE6, serial number: FDC224KXE6/1, refrigerant: R410A, dimensions: 1100 mm x 1500 mm x 2000 mm.	250
43	Mitsubishi	Mitsubishi outside cooling unit, model: FDC335KXE6, serial number: FDC335KXE6/1, refrigerant: R410A, dimensions: 1100 mm x 1500 mm x 2000 mm.	250
44	Mitsubishi	Mitsubishi outside cooling unit, model: FDC280KXE6, serial number: FDC280KXE6/1, refrigerant: R410A, dimensions: 1100 mm x 1500 mm x 2000 mm.	250
45	NN diaphragm	Diaphragm, 3 heads, diameter each head: 35 mm, total dimensions: 800 mm x 860 mm x 600 mm.	500
46	NN diaphragm	Diaphragm, 3 heads, diameter each head: 50 mm, total dimensions: 800 mm x 860 mm x 600 mm.	300
47	Meco Iwemaab	Meco Iwemaab shrink tunnel, type: MKR 1100, machine number: 3755, year of construction: 1988, 380 V, 50 Hz, steel mesh belt, belt width: 680 mm, clearance: 680 mm x 335 mm, total dimensions: 3400 mm x 1400 mm x 1300 mm.	500
48	Symyx/Mettler Toledo	Symyx/Mettler Toledo pharmaceutical installation consisting of: Symyx Technologies highly modular, high-throughput experimentation (HTE) robotic platform, model: CM2, configuration 4, serial number: 1079, year of construction: 2009, dimensions: 1200 mm x 800 mm x 1630 mm, (2x) Mettler Toledo differential scanning calorimetry (DSC), type: RC1, serial number: 5118418742 and 5122297730, dimensions: (2x) 800 mm x 400 mm x 1050 mm. Including 2 pallets with various parts.	2500
49	Daikin	Daikin outside airco unit, type: RZAG71N2V1B, manufacturing number: J001402, year of construction: 2023.01, dimensions: 1100 mm x 510 mm x 870 mm.	200



Nr	Title	Description	Start €
50	Emerson	Emerson outside airco unit ,model: ZXDE-04DE-TFD-454, year of construction: 2019, dimensions: 950 mm x 400 mm x 1300 mm.	400
51	Emerson	Emerson outside airco unit ,model: ZXDE-04DE-TFD-454, serial number: 19IZ32190 M, year of construction: 2019, dimensions: 950 mm x 400 mm x 1300 mm.	400
52	Multivac	Multivac mobile double chamber vacuum machines, type: C500, serial number: 256569, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 24/32 A, 4.5 kW, seal length: (4x) 670 mm, chamber dimensions: (2x) 670 mm x 700 mm, Busch vacuum pump, type: RA 0160 D 5Z1, serial number: C1747000061, capacity: 160 m³ per hour, total dimensions: 1600 mm x 1020 mm x 1090 mm.	5000
53	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 2KC-05.2Y-40S, serial number: 1682512779, capacity: 4.1/4.9 m³ per hour, dimensions: 630 mm x 630 mm x 640 mm.	400
54	Smeva	Smeva outside airco unit, dimensions: 1150 mm x 570 mm x 880 mm.	200
55	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 2KC-05.2Y-40S, serial number: 1680906111, capacity: 4.1/4.9 m³ per hour, dimensions: 630 mm x 630 mm x 640 mm.	400
56	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 2CC-3.2Y-40S, serial number: 168040069, capacity: 16.2/19.6 m³ per hour, dimensions: 980 mm x 690 mm x 920 mm.	500
57	Smeva	Smeva outside airco unit, model: CAJ 4517 Z, serial number: 2050077-01, year of construction: 2020, dimensions: 950 mm x 470 mm x 580 mm.	200
58	L'unite Hermetique	L'unite Hermetique condensing unit with cooling compressor, type: CAJ9480, dimensions: 730 mm x 760 mm x 530 mm.	200
59	Electrolux	Electrolux cooling unit, type: GCU401NO170F/ELX, serial number: 929081A, dimensions: 1080 mm x 530 mm x 600 mm.	200
60	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 2DC-2.2Y-40S, serial number: 1682513022, capacity: 13.4/16.2 m³ per hour, dimensions: 980 mm x 690 mm x 920 mm.	500
61	L'unite Hermetique	L'unite Hermetique condensing unit with cooling compressor, type: CAE9470Z, dimensions: 730 mm x 760 mm x 530 mm.	100
62	L'unite Hermetique	L'unite Hermetique condensing unit with cooling compressor, type: CAJ2464Z, dimensions: 730 mm x 760 mm x 530 mm.	50
63		Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 2KC-05.2Y-40S, serial number:	400



Nr	Title	Description	Start €
	Bitzer Kühlmaschinenbau GmbH	1680906111, capacity: 4.1/4.9 m ³ per hour, dimensions: 630 mm x 630 mm x 640 mm.	
64	Monoblock	Monoblock refrigeration unit, model: LY030DGM/H, serial number: 0120112-17103934, year of construction: 2017.10, 230/240 V, 50 Hz, 3.4/4.7 A, 750 Watt, weight: 55 kg, dimensions: 450 mm x 810 mm x 700 mm.	150
65	Loma Systems	Loma Systems metal detector with checkweigher and rejecters, type metal detector: IQ ³ , serial number: MC304-197830, year of construction: 2012, clearance: 450 mm x 250 mm, plastic belt, belt width: 400 mm, type checkweigher: CW ³ , serial number: ACB47518-53530F, year of construction: 2013, total dimensions: 4200 mm x 1300 mm x 1540 mm.	9000
66	Freibol	Freibol grill, model: FB-106/2, year of construction: 2014, gas heated, dimensions: 1500 mm x 700 mm x 1920 mm.	250
67	Lincoln electric	Lincoln electric welding machine, type: Invertec 270sx, dimensions: 490 mm x 230 mm x 390 mm.	100
68	Domino	Domino inkjet printer, type: Ax 350i, dimensions: 430 mm x 420 mm x 680 mm.	250
69	Lincoln electric	Lincoln electric welding machine, type: Aspect 300, dimensions: 490 mm x 230 mm x 390 mm.	100
70	Ferrex	Ferrex welding machine, type: 400SL, dimensions: 230 mm x 450 mm x 450 mm.	50
71	Showtec	Showtec heated showcase, model: PAR 20 can, 230 V, 50 Hz, dimensions: 1560 mm x 720 mm x 1460 mm.	150
72	Thermo Electron Corporation	Thermo Electron Corporation centrifugal evaporators, model: SPD2010-230, serial number: 04I390038-4A, 230 V, 50/60 Hz, 8 A, dimensions: 780 mm x 700 mm x 480 mm.	200
73	Edwards	Edwards freeze dryer, type: Micro Modulyo, serial number: 1272, 220-240 V, 1 Ph, 50 Hz, 2 A, dimensions: 330 mm x 420 mm x 310 mm.	200
74	Nissei	Nissei mobile ice cream machine, model: NA3330AEG, serial number: D2100007, 400 V, 3 Ph, 50 Hz, 3.7 A, refrigerant: R-404A, 900 gram, dimensions: 450 mm x 830 mm x 1520 mm.	500
75	NN waste bag trolley	S/s waste bag trolley, dimensions: 1200 mm x 580 mm x 99 mm.	20
76	NN shrink packaging machine	Mobile shrink packaging machine, model: EKH-455, serial number: 0709022B, 220 V, 1 Ph, 50 Hz, film width: 455 mm, seal length: 570 mm x 510 mm, total dimensions: 1320 mm x 1050 mm x 1200 mm.	500
77	Espera	Espera weighing and labelling machine, model: ES 5000, plastic belt, belt width: 145 mm, total dimensions: 1550 mm x 800 mm x 1560 mm.	1000
78	Rietschle		100



Nr	Title	Description	Start €
		S/s table with Rietschle vacuum pump, dimensions: 550 mm x 1300 mm x 1260 mm.	
79	Nord	Pallet with various Nord motors.	500
80	Electrolux	Electrolux cooking vessel, inside dimensions: 430 mm x 430 mm x 460 mm, total dimensions: 820 mm x 840 mm x 1000 mm.	200
81	Nowicki	Nowicki mobile crate washer with outfeed slide, type: MPU-600/1E, factory number: 95508075, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 17 A, 7.7 kW, weight: 740 kg, clearance: 850 mm x 250 mm, total dimensions crate washer: 3300 mm x 1400 mm x 2200 mm, dimensions outfeed slide: 2500 mm x 900 mm x 1300 mm.	4000
82	Lock Inspection Systems	Lock Inspection Systems metal detector, type: LOCK 30+, 230 V, 50 Hz, weight: 200 kg, plastic belt, belt width: 950 mm, clearance: 1130 mm x 100 mm, total dimensions: 1840 mm x 1650 mm x 1100 mm.	500
83	Fri Jado	Fri Jado packaging machine, machine number: 465Z-02A-098, 220/240 V, 50 Hz, 530 W, film width: 230 mm, total dimensions: 600 mm x 500 mm x 400 mm.	100
84	PMB Fastpack	PMB Fastpack packaging machine, machine numbers: 458B 95A 002, film width: 230 mm, total dimensions: 750 mm x 500 mm x 380 mm.	100
85	Conpax-Servo	Conpax-Servo packaging machine, type: Rapidpack, serial number: AKK8186, year of construction: 2004, 230 V, 0.5 kW, film width: 230 mm, total dimensions: 800 mm x 500 mm x 400 mm.	100
86	NN refrigerated counter	Refrigerated counter, dimensions: 1300 mm x 750 mm x 750 mm. Technical condition unknown.	50
87	MBM	MBM 6 pits stove, model: G6A77XL, type: A1, serial number: 1274918, dimensions: 1100 mm x 750 mm x 940 mm.	150
88	Bayha & Strackbein GmbH	Bayha & Strackbein GmbH cooking kettle, type: 8110-7, year of construction: 2008, 230 V, 3 Ph, 50 Hz, 0.150 kW, gas heated, inside dimensions: 1800 mm x 800 mm x 450 mm, total dimensions: 2030 mm x 1400 mm x 1970 mm. Including s/s switch cabinet, dimensions: 600 mm x 350 mm x 230 mm. Switch cabinet is incomplete.	1000
89	Rhima	Rhima dishwasher, model: DR 480/E/kw, serial number: 07.4550, year of construction: 11/2007, 400 V, 3 Ph, 50 Hz, 35, 19.8 kW, basket dimensions: 1350 mm x 730 mm x 830 mm, total dimensions: 1500 mm x 920 mm x 1940 mm.	1000
90	Promoline	Promoline refrigerator, model: PL-BB02MO, 220/240 V, 1 Ph, 50 Hz, 130 W, weight: 53 kg, refrigerant: R134a, 120 g, capacity: 215 liter, dimensions: 900 mm x 500 mm x 870 mm.	100
91	HWG		125



Nr	Title	Description	Start €
		HWG dishwasher, serial number: 102419985, year of construction: 11/21, 220/240 V, 1 Ph, 50 Hz, 15 A, 2.8/0.6 kW, dimensions: 600 mm x 620 mm x 870 mm.	
92	Modular	Modular grill, grill dimensions: 700 mm x 520 mm, total dimensions: 720 mm x 680 mm x 960 mm.	100
93	NN grill	Grill, floor dimensions: 700 mm x 300 mm, total dimensions: 870 mm x 450 mm x 880 mm.	100
94	Diamond	Diamond refrigerator, model: SAL2M/D, 230 V, 50 Hz, 1.6 A, 230 W, refrigerant: R134a, 165 g, dimensions: 1100 mm x 770 mm x 1000 mm.	100
95	Pelican	Pelican refrigerator, model: BB-B2, 220/240 V, 1 Ph, 50 Hz, 190 W, weight: 58 kg, refrigerant: R134a, 120 g, capacity: 210 liter, dimensions: 900 mm x 600 mm x 930 mm.	100
96	Rhino Engineering	Rhino Engineering pre-soaking machine for crates, year of construction: 2025, capacity: 2000 crates per hour, dimensions: 7500 mm x 1200 mm x 1750 mm. The machine is designed to pre-soak meat crates using hot water, soap and air bubbles before they enter a proper crate washer.	7500
97	3D Food Machinery B.V.	3D Food Machinery B.V. automatic shawarma grill with outfeed conveyor, type: Grill & Slice 1000, serial number: 0210-180320-1000-01, 230 V, 3 Ph, 50/60 Hz, 16 A, 1.0 kW, weight: 1500 kg, dimensions: 2300 mm x 2950 mm x 1800 mm. Including 6 s/s moulds, mould dimensions: Ø 600 mm x 2000 mm, 4 s/s frames for moulds, dimensions: (4x) 2100 mm x 1100 mm x 1150 mm, s/s vertical stand for mould, dimensions: 1300 mm x 1300 mm x 2100 mm.	9500
98	Intralox	Intralox transport belt that changes direction, type: ARB SWITCH S7000, serial number: 263851 E2013SWI7681, year of construction: 2013, 230/400 V, 3 Ph, 50 Hz, 0.2 kW, plastic belt with rollers, belt width: 1300 mm, total dimensions: 2000 mm x 1750 mm x 1290 mm.	1500
99	NN table	S/s table, dimensions: 2000 mm x 700 mm x 970 mm.	200
100	NN rack	S/s rack, dimensions: 2050 mm x 300 mm x 880 mm.	100
101	Standex	S/s rack with Standex overhead warmer, model: FD-72L, serial number: 805621506002, 230 V, 1 PH, 60 Hz, 1250 W, dimensions: 2000 mm x 300 mm x 695 mm.	100
102	NN mixing tank	S/s double jacketed mixing tank with agitator and scrapers, inside dimensions: Ø 1170 mm x 580 mm, total dimensions: 1600 mm x 1500 mm x 1700 mm.	1500
103	NN table	S/s table, dimensions: 950 mm x 850 mm x 800 mm.	50
104	NN table	S/s table with 3 drawers, dimensions: 2000 mm x 800 mm x 840 mm.	200
105	Scholl	Scholl heated plate, type: C0105, serial number: 16/76802, 230 V, 1.0 kW, dimensions: 1150 mm x 700 mm x 800 mm.	50



Nr	Title	Description	Start €
106	NN quad	Electric quad, model: ATV005E, year of construction: 2025, net weight: 110 kg, max load 90 kg, dimensions: 1550 mm x 950 mm x 1250 mm.	500
107	Van Holten BV	2 Van Holten BV stoves, type: kooktoestel 400-B, dimensions: (2x) 400 mm x 400 mm x 200 mm.	30
108	Bartscher GmbH	Bartscher GmbH heating plate, type: ND-H1000, 220/240 V, 50/60 Hz, 600 W, dimensions: 1000 mm x 530 mm x 70 mm.	20
109	NN rack	S/s mobile rack, dimensions: 2080 mm x 800 mm x 1790 mm.	200
110	Numafa B.V.	Numafa B.V. tumbler, type: KDP-1050, serial number: 96104, year of construction: 1996, weight: 350 kg, inside dimensions: Ø 1000 mm x 600 mm, total dimensions: 1100 mm x 2400 mm x 2200 mm.	2000
111	NN depositor	Depositor, filling range: 50/00 ML (g), dimensions: 950 mm x 350 mm x 670 mm.	750
112	NN table	S/s table, dimensions: 1500 mm x 750 mm x 1020 mm.	50
113	NN sink	S/s table with 2 sinks and 1 faucet, dimensions: 3970 mm x 800 mm x 1420 mm.	400
114	Steen	Steen mobile skinning and derinding machine, type: ST 700, serial number: 6G8/3322A, 380/480 V, 50/60 Hz, 4.7 A, 1600 W, working width: 475 mm, plastic belt, belt width: 475 mm, total dimensions: 2980 mm x 780 mm x 1260 mm.	1000
115	Repak	Repak thermoformer, type: RE3, machine number: 20001, year of construction: 2001, 2200/380 V, 3 Ph, 50 Hz, 39 A, 16 kW, dye: (16x) 132 mm x 85 mm, plastic outfeed belt, belt width: 365 mm, Busch vacuum pump: type: RC 0100 E 501, capacity: 100 m ³ per hour, total dimensions: 8700 mm x 1050 mm x 2200 mm. Including suction device, dimensions: Ø 500 mm x 1200 mm, Busch vacuum pump, type: RA 0400 B 461 DUBI, capacity: 400 m ³ per hour, dimensions: 1300 mm x 900 mm x 900 mm.	2000
116	Systemate	Systemate mobile elevating belt, type: ZA001657, year of construction: 1998, plastic belt with dividers, belt width: 290 mm, divider height: 60 mm, distance between dividers: 200 mm, elevating height: elevating height: 2150 mm, total dimensions: 2300 mm x 680 mm x 2200 mm.	250
117	Spako	Spako smoking and cooking chamber, 6 floors, floor dimensions: 700 mm x 615 mm, liquide smoke, total dimensions: 980 mm x 830 mm x 2350 mm.	1250
118	Henkelman	Henkelman mobile double chamber vacuum machine, type: 600, number: 60906064, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 12 A, 2.7 kW, chamber dimensions: (2x) 650 mm x 570 mm, seal length: 615 mm, total dimensions: 1540 mm x 970 mm x 1350 mm.	1500



Nr	Title	Description	Start €
119	Wolfking Belam B.V.	Wolfking Belam B.V. injector, type: MI-300F, machine number: 10.05.0004, year of construction: 1999, 400 V, 50 Hz, 9 A, 6 bar, s/s walking beam, beam width: 300 mm, working width: 300 mm, total dimensions: 1800 mm x 800 mm x 1710 mm.	1000
120	Automac S.p.A.	Automac S.p.A. mobile packaging machine, model: B.228.XS, serial number: 1/11043, year of construction: 2007, 230 V, 2 Ph, 50/60 Hz, 8.6 A, plastic belts, belt width: 340 mm, film width: 275 mm, total dimensions: 1320 mm x 1000 mm x 1350 mm.	500
121	Röscher Vakuumtechnik GmbH	Röscher Vakuumtechnik GmbH mobile vacuum machine, type; VM-19/S/CL, number: 6094521, year of construction: 2009, 230/400 V, 50 Hz, 1.9 kW, weight: 127 kg, chamber dimensions: 500 mm x 500 mm, total dimensions: 540 mm x 720 mm x 930 mm.	750
122	NN smoke generator	Friction smoke generator, dimensions: 480 mm x 1700 mm x 1900 mm.	200
123	MIWE	MIWE mobile double stacked oven with hood, type: EC 10.0604 , serial number: 9617583-001, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 6 floors, floor dimensions: (6x) 600 mm x 380 mm, 9 floors, floors dimensions: 600 mm x 380 mm, total dimensions: 900 mm x 1190 mm x 2260 mm.	2500
124	Bosgraaf	Bosgraaf s/s pallet lifter, type: HPT, year of construction: 10/2010, weight: 72 kg, capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1500 mm x 520 mm x 1130 mm.	150
125	REMA	REMA s/s pallet lifter, fork length: 1150 mm, total dimensions: 1500 mm x 540 mm x 1210 mm. Technical condition unknown.	100
126	Stiller GmbH	Stiller GmbH mobile can seamer, type: STA 1200 D, serial number: 3431, year of construction: 2007, working diameter: 120 mm, total dimensions: 820 mm x 600 mm x 1850 mm.	4000
127	Henkovac	Henkovac mobile vacuum machine, type: H 2000, machine number: 208077793, 220/380 V, 3 Ph, 50 Hz, 8.9/8.7 A, 2.5 kW, chamber dimensions: 500 mm x 510 mm, seal length: 510 mm, Busch vacuum pump, type: 063-122, total dimensions: 710 mm x 580 mm x 1100 mm.	400
128	Diamond	Diamond dishwasher, model: DC502/6-PS, serial number: 3029793, year of construction: 13/07/2020, 400 V, 3 Ph, 50 Hz, 16 A, 5.40 kW, inside dimensions: 550 mm x 500 mm, total dimensions: 580 mm x 640 mm x 820 mm.	500
129	Mammuth	Mammuth s/s pallet lifter with weighing scale, model: MT25SS, serial number: PT25SS-43242-4, weight: 98 kg, capacity: 2500 kg, fork length: 1150 mm, total	200



Nr	Title	Description	Start €
		dimensions: 1500 mm x 540 mm x 1200 mm. Incomplete, 2 wheels are missing.	
130	Bramidan	Bramidan baler, model: B30 VD, number: PVF404752, year of construction: 2018, 230/440 V, 3 Ph, 50/60 Hz, 25/16 A, 4 kW, weight: 1.586 kg, clearance: 1200 mm x 750 mm, total dimensions: 1800 mm x 1070 mm x 2740 mm. Including s/s frame, dimensions: 950 mm x 1550 mm x 500 mm.	1500
131	Bramidan	Bramidan baler, model: B30 VD, number: PVF336241, year of construction: 2018, 230/440 V, 3 Ph, 50/60 Hz, 25/16 A, 4 kW, weight: 1.586 kg, clearance: 1200 mm x 750 mm, total dimensions: 1800 mm x 1070 mm x 2740 mm. Including s/s frame, dimensions: 950 mm x 1550 mm x 500 mm.	1500
132	NN tank	S/s double jacketed tank, inside dimensions: Ø dimensions: 1050 mm x 1050 mm x 1900 mm.	500
133	Rühle	Rühle frozen block cutter, model: GFR 450, serial number: 60010525, year of construction: 2016, 400 V, 3 Ph, 50/60 Hz, 12.3 A, 7.2 kW, working width: 450 mm, distance between knives: 75 mm, total dimensions: 2280 mm x 650 mm x 1345 mm.	4500
134	Alexanderwerk	Alexanderwerk cutter / grinder, type: SZN45/114, number: 044-06048, 400 V, 50 Hz, 14.82/20.9 A, 7/9.2 kW, 1500/3000 rpm, s/s cutter bowl, volume: 45 liter, plate diameter grinder: 114 mm, total dimensions: 1500 mm x 900 mm x 1410 mm.	3000
135	Weber	Weber slicer with wipotech checkweigher and rejection belt, clearance: 280 mm, slicer dimensions: 2200 mm x 1250 mm x 1960 mm. Checkweigher dimensions: 500 mm x 600 mm x 1050 mm, lane dividing belt: dimensions: 700 mm x 540 mm x 1690 mm and 4800 mm x 850 mm x 1350 mm.	3000
136	Multivac	Multivac mobile traysealer, type: T200, serial number: 212287, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 20/25 A, 3.8 kW, dye: 310 mm x 160 mm, Busch vacuum pump, type: RA 0063 F 503, capacity: 63 m³ per hour, total dimensions: 1100 mm x 750 mm x 1600 mm.	6000
137	Meissner	Meissner cutter with ejector and s/s switch cabinet, s/s bowl, volume: 150 liter, dimensions cutter: 2100 mm x 1300 mm x 1300 mm, dimensions switch cabinet: 1000 mm x 430 mm x 550 mm.	4000
138	Packtech BV	Packtech BV case packer, type: case packer, number: 2002155, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 5 kW, plastic wire belt, belt width: 200 mm, clearance: 310 mm x 400 mm, total dimensions: 2600 mm x 2100 mm x 2500 mm. Incomplete.	500
139		Günther Maschinenbau GmbH injector, type: PI 9, machine number: 23886, 380 V, 16 A, plastic belt, belt	400



Nr	Title	Description	Start €
	Günther Maschinenbau GmbH	width: 250 mm, totla dimensions: 1300 mm x 500 mm x 1800 mm. Needles are missing.	
140	Handtmann	Handtmann vacuum filling machine, type: VF80, number: 3287, year of construction: 1998, 420 V, 50 Hz, 11.6 A, 4 kW, dimensions: 660 mm x 800 mm x 1650 mm.	2800
141	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999/07 P FNS 15/220, machine number: 0798 2136, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, dimensions: 1150 mm x 780 mm x 1050 mm.	490
142	Hermann Waldner GmbH & Co. KG	Hermann Waldner GmbH & Co. KG cup filling and sealing machine, type: Dosomat 2.2, serial number: 1587, year of construction: 1990, 230/400 V, 230/400 V, 50 Hz, 11 A, weight: 2000 kg, capacity: 4800 per hour, dimensions cups: (2x) 110 mm x 110 mm, total dimensions: 1900 mm x 1500 mm x 1900 mm. Including pallet with parts.	4000
143	NN rollies	Pallet with 20 s/s rollies, dimensions each rollie: 660 mm x 400 mm x 200 mm.	390
144	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999/K2, machine number: 11083109, year of construction: 2008, 220/230 V, 3 Ph, 50/60 Hz, 5 A, 0.8 kW, seal length: 320 mm, total dimensions: 550 mm x 400 mm x 400 mm.	190
145	DMS	DMS vacuum machine, type: 180-ST ECO, serial number: 20091399, year of construction: 2009, 220/240 V, 1 Ph, 50 Hz, 4 A, seal length: 440 mm, chamber dimensions: 460 mm x 420 mm, total dimensions: 550 mm x 400 mm x 500 mm.	240
146	NN cooking vessel	Cooking vessel, electric heated, inside dimensions: 1000 mm x 550 mm x 300 mm, total dimensions: 1300 mm x 900 mm x 900 mm.	270
147	Krämer Grebe	Krämer Grebe mobile vacuum machine, type: 590, fabrication number: 1138, year of construction: 1988, 380 V, 3 Ph, 50 Hz, 5.5/10 A, seal length: 420 mm, chamber dimensions: 550 mm x 440 mm, total dimensions: 700 mm x 550 mm x 1300 mm.	320
148	NN meat bins	4 s/s meat bins, volume: (4x) 200 liter.	240
149	NN rollies	Pallet with 20 s/s rollies, dimensions each rollie: 660 mm x 400 mm x 200 mm.	390
150	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF50, number: 17401, year of construction: 2003, 420 V, 3 Ph, 50 Hz, 11.6 A, 4 kW, dimensions: 1000 mm x 800 mm x 1700 mm.	3800
151	NN smoke sticks	Pallet with approximately 200 aluminium Y-shaped smoke sticks, length sticks: 1000 mm.	100
152	NN meat bins	4 s/s meat bins, volume: (4x) 200 liter.	240



Nr	Title	Description	Start €
153	MIWE	MIWE mobile double stacked oven with hood, type: EC 10.0604 , serial number: 9617585-001, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 6 floors, floor dimensions: (6x) 600 mm x 380 mm, 9 floors, floors dimensions: 600 mm x 380 mm, total dimensions: 900 mm x 1190 mm x 2260 mm.	2500
154	Bizerba	Bizerba bandsaw, type: FK 23, number: 10624460, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 2.3 A, dimensions: 530 mm x 550 mm x 900 mm.	490
155	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic filling and sealing machine with clipper, type bag filling machine: TSA 120 HS, number: 146, year of construction: 1999, 400 V, 50 Hz, 16 A, diameter filling pipe: 30 mm, dimensions bag filling machine: 1300 mm x 800 mm x 1700 mm, type clipper: FCA 3430, number: 176, year of construction: 2001, 400 V, 3 Ph, 50/60 Hz, 4 A, 2.8 kW, dimensions clipper: 1300 mm x 800 mm x 1700 mm.	5000
156	NN cabinet	S/s cabinet, dimensions: 600 mm x 700 mm x 1100 mm.	20
157	Rational	Rational combi steamer, s/s trolley, 20 floors, dimensions each floor: 550 mm x 330 mm, dimensions trolley: 550 mm x 500 mm x 1700 mm, total dimensions: 900 mm x 800 mm x 1800 mm. Including additional trolley.	950
158	Mauting	Mauting smoking chamber, inside dimensions: 1100 mm x 1300 mm x 1500 mm, total dimensions: 1150 mm x 1300 mm x 2150 mm, with smoke generator for wood chips, type: UKM 1501.Ech, number: 745/03, 400/230 V, 50 Hz, 60 A, 47 kW, dimensions: 500 mm x 650 mm x 2200 mm, s/s smoke trolley, 4 floors, dimensions each floor: 780 mm x 850 mm, total dimensions: 900 mm x 800 mm x 1500 mm.	1600
159	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector, type: INJEKTOR PI 21 M, machine number: 34187, year of construction: 2014, 400 V, 16 A, 2.2 A, plastic belt, belt width: 260 mm, total dimensions: 1200 mm x 650 mm x 2000 mm.	2500
160	Rex	Rex vacuum filling machine, type: RVF50, number: 5006340124, 400 V, 3 Ph, 50 Hz, dimensions: 650 mm x 750 mm x 1600 mm.	1900
161	NN mixer	Mixer, inside dimensions: 900 mm x 900 mm x 500 mm, total dimensions: 1400 mm x 1000 mm x 1400 mm.	1200
162	Fessmann	Fessmann cooking kettle, type: NOVA, number: 109, year of construction: 1991, 220 V, 50 Hz, 6 A, steam heated, capacity: 480 kg per hour, volume: 800 liter, inside dimensions: 1450 mm x 880 mm x 630 mm, total dimensions: 1600 mm x 1200 mm x 1100 mm.	850
163	Webomatic	Webomatic thermoformer, type: APS ML 3300, machine number: E 6515PB395, 400 V, 3 Ph, 50 Hz, 17.5 A, 11.5 kW, dimensions dye: (3x) 220 mm x 110 mm, plastic	10000



Nr	Title	Description	Start €
		outfeed belt, belt width: 350 mm, Busch vacuum pump, type: RA 0100 F 503, capacity: 100 m ³ per hour, total dimensions: 3400 mm x 1050 mm x 1700 mm.	
164	NN crate washer	Crate washer, clearance: 500 mm x 550 mm, total dimensions: 3400 mm x 1300 mm x 2200 mm.	1700
165	Kallfass GmbH & Co.	Kallfass GmbH & Co. shrink tunnel, type: Compact 650 S, machine number: VD 08.97.156, year of construction: 1997, 400 V, 3 Ph, 50/60 Hz, 20.9 A, plastic roller, roller width: 650 mm, clearance: 720 mm x 240 mm, total dimensions: 1700 mm x 1300 mm x 1300 mm.	400
166	Meissner	Meissner cutter, type: RSM 45, machine number: 119 0219, 380 V, 32 A, 14.5 kW, s/s bowl, volume: 45 liter, dimensions: 1050 mm x 900 mm x 1350 mm.	1250
167	NN depositor	Depositor, dimensions: 850 mm x 330 mm x 1500 mm.	300
168	Frey	Frey piston filler, type: KOMPAKTA 2, machine number: K230050293, 380 V, 50 Hz, dimensions: 700 mm x 550 mm x 1200 mm. Including box with extra parts.	600
169	Karl Schnell GmbH & Co. KG	Karl Schnell GmbH & Co. KG vacuum filling machine with lifter for 200 liter meat bins, type: 595/596/597, year of construction: 10/05/2005, 400 V, 3 Ph, 50 Hz, dimensions: 1800 mm x 1400 mm x 1950 mm.	4000
170	Alexanderwerk	Alexanderwerk mobile mixer, model EMD 170/II, 200 V, 50 Hz, s/s bowl, dimensions: Ø 750 mm x 400 mm, total dimensions: 900 mm x 900 mm x 1200 mm.	300
171	Rühle	Rühle mobile dicer, model: SR 1 T, number: 2352, year of construction: 2014, 400 V, 3 Ph, 50/60 Hz, 2.1 kW, chamber: 100 mm x 100 mm, total dimensions: 1000 mm x 650 mm x 1100 mm.	500
172	ABAC	ABAC mobile air compressor with air dryer, type: SPINN.E.5.510 270, serial number: ITJ446759, year of construction: 2021, 230/400 V, 1/3 Ph, 50 Hz, 0.24/5.5 kW, 10 bar, dimensions: 1300 mm x 500 mm x 1500 mm.	600
173	Selo Group	Selo Group mobile flattener, type: SP-250, number: SM 152040, 220/380 V, 3 Ph, 50 Hz, 1.9/1.1 A, 0.3 kW, plastic belts, belt width: 250 mm, total dimensions: 2000 mm x 650 mm x 1350 mm.	500
174	Minipack-Torre S.p.A.	Minipack-Torre S.p.A. packaging machine, model: RAS/FM76, plastic rollers, roller width: 360 mm, chamber: 550 mm x 500 mm, seal length: 500 mm, s/s mesh belt, belt width: 360 mm, total dimensions: 1550 mm x 700 mm x 650 mm.	400
175	Bestway	Bestway jacuzzi pump, model: S100201, 220/240 V, 1 Ph, 50 Hz, 2050/1850 W, dimensions: 700 mm x 300 mm x 400 mm.	25
176	De Branding BV	De Branding BV elevating belt, plastic belt with dividers, belt width: 370 mm, divider height: 20 mm, distance between dividers: 210 mm, elevating height: 2600 mm, total dimensions: 4200 mm x 900 mm x 2700 mm.	1000



Nr	Title	Description	Start €
177	NN table	S/s table, plastic top, dimensions: 2000 mm x 1000 mm x 830 mm.	200
178	NN table	S/s table, dimensions: 2350 mm x 750 mm x 900 mm.	200
179	Sabroe	Sabroe screw compressor, type: SAB 128, serial number: 11228, year of construction: 1997, dimensions: 1500 mm x 2300 mm x 1900 mm.	500
180	Kallfass GmbH & Co.	Kallfass GmbH & Co. mobile packaging machine, type: KW 5050, machine number: E06.97.2372, year of construction: 1997, 230 V, 1 Ph, 50/60 Hz, 6 A, seal length: 200 mm, film width: 290 mm, total dimensions: 1600 mm x 800 mm x 1450 mm.	150
181	Handtmann	Handtmann electric machine part, type: 704-07, number: 021901-004, dimensions: 500 mm x 400 mm x 280 mm.	50
182	NN housing for worm	Housing for worm, model: AG160RF, number: 12126, diameter: 160 mm, total dimensions: 350 mm x 550 mm x 300 mm.	50
183	Scotch	Scotch mobile box closing machine, model: 18500, serial number: 1449, 240 V, 50 Hz, 3 A, 120 W, plastic belt, belt width: 340 mm, total dimensions: 1400 mm x 680 mm x 1250 mm.	200
184	J.E. Storkair	J.E. Storkair fan, model: VDA 355/6EC, serial number: 410603032, 230 V, 50 Hz, 1.41 A, 0.30 kW, 54 lp, dimensions: 750 mm x 750 mm x 580 mm.	20
185	Interroll Automation GmbH	Interroll Automation GmbH 90° curve conveyor, type: 4308-45-900-810-LH, machine number: 505295.10.305, year of construction: 2008, plastic belt, belt width: 800 mm, total dimensions: 1100 mm x 1280 mm x 670 mm.	100
186	Garos	Garos tumbler, type: GWT 3500, serial number: 22004, volume: 3500 liter, dimensions: 2000 mm x 2750 mm x 2150 mm.	3000
187	APV Rannie	APV Rannie homogenizer, serial number: 1.89.257, dimensions: 1470 mm x 850 mm x 1350 mm.	6000
188	Justech AB	Justech AB freezing tunnel, type: LIN-X4, number: 135.3004, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 5 kW, s/s mesh belt, belt width: 680 mm, clearance: 620 mm x 50 mm, total dimensions: 4250 mm x 1750 mm x 1550 mm.	7000
189	SFK - Danfotech	SFK - Danfotech vacuum tumbler, type: MA 3000 SD, serial number: 819, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 5.5/12.5 A, 2.2/5.5 kW, volume: 3000 liter, working pressure: 100 bar, dimensions: 2200 mm x 3300 mm x 2500 mm. Missing lid.	2000
190	CVP Systems Inc	CVP Systems Inc atmospheric packaging machine, model: A200, seal length: 1500 mm, Sogevac vacuum pump, type: SV40 10905, serial number: 22200017150, total dimensions: 1610 mm x 970 mm x 1930 mm.	1000
191	G. Mondini S.p.a.		1000



Nr	Title	Description	Start €
		G. Mondini S.p.a. traysealer, model: CVS/MT-VG.1-S, serial number: 1761/00, year of construction: 18/10/00, 400 V, 3 Ph, 50 Hz, plastic infeed belt, belt width: 200, dimensions dye: 240 mm x 170 mm, total dimensions: 2250 mm x 950 mm x 2250 mm. With outfeed belt, plastic belt, belt width: 190 mm, total dimensions: 1500 mm x 320 mm x 950 mm. Including Busch vacuum pump, type: RC01600 and pallet with parts.	
192	Cretel	Cretel mobile strip cutter, type: 560I, serial number: 0811198, year of construction: 1998, 220/380/420 V, 3 Ph, 50 Hz, 10.75/6.25 A, 2.6 kW, s/s mesh belt, belt width: 400, roller width: 440 mm, 14 knives, distance between knives: 30 mm, total dimensions: 2450 mm x 780 mm x 1520 mm.	1000
193	Cretel	Cretel mobile skinning and derinding machine, type: 562H, serial number: B56200219, year of construction: 2010, 220/380 V, 3 Ph, 50 Hz, 9.4/5.3 A, 2.2 kW, plastic mesh belt, belt width: 500 mm, roller width: 530 mm, total dimensions: 2350 mm x 1150 mm x 1240 mm.	1000
194	Cretel	Cretel mobile strip cutter, type: 560I, serial number: 0801098, year of construction: 1998, 220/380/420 V, 3 Ph, 50 Hz, 10.75/6.25 A, 2.6 kW, s/s mesh belt, belt width: 400 mm, working width: 440 mm, 14 knives, distance between knives: 30 mm, total dimensions: 2450 mm x 850 mm x 1500 mm.	1000
195	Cretel	Cretel mobile skinning and derinding machine, plastic mesh belt, belt width: 500 mm, working width: 540 mm, total dimensions: 2350 mm x 950 mm x 1200 mm.	1000
201	Rutec	Rutec Engineering mobile feeding system, type: Salad Pouch Handling, serial number: 216387, year of construction: 09-2017, 380 Vac, 10 A, 950 kg, belt width: 250 mm, total dimensions: 3150 mm x 700 mm x 2000 mm.	2000
202	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF100B, number: 804, 380 V, 50 Hz, 5.5 A, 14.4 kW, dimensions: 2000 mm x 1300 mm x 2050 mm. Incomplete, missing rotor, vanes and vacuum pump. Technical condition unknown.	2500
203	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, model: VF 300, number: 575, year of construction: 2016, with Becker vacuum pump, type: U 1.F8 SA-31, Serial number: 1580706, year of construction: 1999, dimensions: 1600 mm x 1300 mm x 2050 mm. Incomplete, technical condition unknown.	1900
204	Ulma	Ulma traysealer, model: SMART-400, machine number: 3110241, year of construction: 2003, 380 V, 50 Hz, 12.5 A, 4.7 kW, dimensions dye: (4x) Ø 120 mm, film width: 400 mm, total dimensions: 1250 mm x 1140 mm x 1700	2000



Nr	Title	Description	Start €
		mm. Including pallet with additional dye's, dimensions: (1x) 250 mm x 310 mm, (2x) 250 mm x 310 mm and (4x) 105 mm x 150 mm.	
205	CA.VE.CO s.r.l.	CA.VE.CO s.r.l. mobile traysealer, type: LARI/PN-BG SKIN, serial number: 11107, year of construction: 18-02-2008, 230 V, 50 Hz, 13.5 A, 3.5 kW, dimensions dye: (4x) 230 mm x 135 mm, film width: 400 mm, Busch vacuum pump, total dimensions: 1010 mm x 720 mm x 1710 mm.	500
206	Silverson Ltd	Silverson Ltd mobile high shear mixer, model: E, number: S6, safe working load: 95 kg, dimensions: 1100 mm x 900 mm x 2100 mm.	1500
208	Cretel	Cretel mobile skinning machine, working width: 440 mm, total dimensions: 750 mm x 450 mm x 980 mm.	150
209	NN meat press	Mobile meat press, dimensions: 1800 mm x 600 mm x 950 mm.	500
210	Inotec GmbH	Inotec GmbH mobile sausage cutter, type: WT 93-S3/F, machine number: 001-1433, year of construction: 2009, 200/240/400/460 V, 2 Ph, 50-60 Hz, 12/10/6/5 A, 2 kW, weight: 330 kg, dimensions: 920 mm x 590 mm x 1210 mm.	2500
211	AEW Delford	AEW Delford checkweigher, type: G2200, machine number: 93426, year of construction: 2015, plastic belt, belt width: 360 mm, total dimensions: 1200 mm x 920 mm x 1310 mm.	1500
212	Mettler Toledo	Mettler Toledo s/s floor weighing scale, type: PUA579-CS600, serial number: 2813956, year of construction: 2006, maximum weight: 600 kg, dimensions: 1050 mm x 950 mm x 70 mm. Without indicator.	100
213	GuangDong	GuangDong 10-heads multihead weigher, model: AC-GB 10-28-02Z, 220 V, 50 Hz, 1500 W, dimensions: 1150 mm x 1150 mm x 1450 mm.	1000
214	Audion Elektro	Audion Elektro mobile traysealer, dye dimensions: 240 mm x 300 mm, film width: 310 mm, total dimensions: 1110 mm x 1100 mm x 1480 mm. Suitable for 1/2 Gastronorm trays.	600
215	Feter	Feter ice machine, model: CIM-1080F, 230 V, 50 Hz, 2.07 A, 424 W, refrigerant: R290 / 100 gram, dimensions: 675 mm x 660 mm x 915 mm.	500
216	Multivac	Multivac optical inspection system with rejector, type: I410, machine number: 298537, year of construction: 2020, 230 V, 50 Hz, 1000 VA, weight: 400 kg, plastic belts, belt width: (2x) 235 mm, total dimensions: 1500 mm x 1320 mm x 2250 mm.	3000
217	Bakon Food Equipment	Bakon Food Equipment mobile depositor, model: Multi Depositor, serial number: 29003, year of construction: 2019, inside dimensions: 1200 mm x 800 mm x 650 mm, total dimensions: 1600 mm x 850 mm x 1200 mm.	500



Nr	Title	Description	Start €
218	NN micro cutter	Micro cutter, dimensions: 630 mm x 630 mm x 1010 mm.	1000
219	Dansensor A/S	Dansensor A/S leak detector, model: LeakPointer II, serial number: 71130616, year of construction: 2013, 207-253 VAC, 50/60 Hz, 1000 VA, dimensions chamber: 500 mm x 500 mm, total dimensions: 750 mm x 650 mm x 1400 mm.	500
220	Bodijn	Bodijn slicer used for meat, serial number: HAK 217219/2, year of construction: 2018, 230 V, 50 Hz, 2.2 A, 0.5 kW, weight: 600 kg, belt width: 545 mm, working width: 500 mm, total dimensions: 2700 mm x 1200 mm x 2100 mm.	3000
221	NN transport belt	Mobile transport belt, s/s frame, plastic belt with dividers, belt width: 605 mm, divider height: 75 mm, distance between dividers: 780 mm, total dimensions: 2180 mm x 1150 mm x 1210 mm.	500
222	Busch	Busch side channel pressure/vacuum pump, model: SB 1100 D 0H0 UN XX, number: BN 10106334 006 /0611, 400-460 V, 3 Ph, 50-60 Hz, 16.2-17.0 A, 8.5-98 kW, dimensions: 1150 mm x 600 mm x 900 mm.	80
223	Günther	Günther injector, type: PI 265-17, serial number: 37832, year of construction: 2022, 400 V, 16 A, 1.9 kW, 17 needles, plastic mesh belt, belt width: 250 mm, clearance: 260 mm x 210 mm, total dimensions: 1410 mm x 650 mm x 1680 mm.	5000
224	NN table	S/s table, dimensions: 2000 mm x 800 mm x 920 mm.	200
225	Boge	Boge piston air compressor, type: SD 15, machine number: 37330, year of construction: 2000, capacity: 1.65 m ³ per minute, maximum pressure: 10 bar, dimensions: 970 mm x 700 mm x 1280 mm.	300
226	MK Gilze bv	MK Gilze bv mobile s/s lifter for dyes, type: HW 01, serial number: 105, year of construction: 2021, dimensions: 1000 mm x 550 mm x 2180 mm.	1500
227	Multivac	Multivac mobile labelling machine with bottom and top labeller and rejector, model: MR335 TQ3019BA40000RG, type: MR335, machine number: 242158, year of construction: 2017, 230 V, 50 Hz, 2500 VA, plastic belt, belt width: (2x) 190 mm, total dimensions: 2700 mm x 1200 mm x 2300 mm.	2200
228	NN table	S/s table, plastic top, dimensions: 1700 mm x 800 mm x 970 mm.	100
229	NN box packaging line	Box packaging line consisting of 2 roller conveyors, plastic rollers, roll width: 430 mm, dimensions: 2000 mm x 1050 mm x 940 mm and 1500 mm x 570 mm x 890 mm and box lifter, dimensions platform: 620 mm x 580 mm, total dimensions: 870 mm x 730 mm x 1100 mm.	350
230	NN rack		150



Nr	Title	Description	Start €
		Steel rack with wooden floors, dimensions: 2450 mm x 1080 mm x 1580 mm.	
231	BT	BT electrical pallet lifter, model: LWE130, number: 6005786, year of construction: 2007, capacity: 1300 kg, fork length: 1150 mm, total dimensions: 1600 mm x 700 mm x 1350 mm.	50
232	SIAT S.p.A.	SIAT S.p.A. box closing machine, model: XL33, serial number: 4337, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 1.4 A, 240 W, dimensions: 1950 mm x 1000 mm x 1700 mm.	200
233	Zomerdam Produktidentificatie B.V.	Zomerdam Produktidentificatie B.V. checkweigher and metal detector with rejector, type checkweigher: DCW-1, fabrication number: 3480201, year of construction: 2016, 230 V, 50 Hz, weighing range: 40g-3kg, temperature range: 5°C-40°C, plastic belt, belt width: 200 mm, type metal detector: MN 7.0 CI 250/150, serial number: 1092-CI, year of construction: 2016, clearance: 250 mm x 105 mm, total dimensions: 3000 mm x 1030 mm x 1500 mm.	3000
234	Durfo s.r.l.	Durfo s.r.l. monoblock filler for liquids with 10 filling heads, model: RMC 10, serial number: 11182, year of construction: 2011, 380 V, 50 Hz, weight: 600 kg, dimensions: 2100 mm x 1200 mm x 2150 mm. Including pallet with parts.	2000
235	Ishida	Ishida 16-heads multihead weigher, model: CCW-NZ-216B-4M/20WP, number: 27588, year of construction: June 1998, 220 V, 50 Hz, 12.5 A, dimensions: 1500 mm x 1500 mm x 2000 mm.	1500
236	MB Engineering	MB Engineering flue gas suction device, type: R300, dimensions: 1500 mm x 900 mm x 2500 mm.	400
237	Herbert Industrial Ltd	Herbert Industrial Ltd outfeed belt for labelling machine, serial number: HS 85459, plastic belts, belt width: (1x) 300 mm, (2x) 45 mm, total dimensions: 1250 mm x 800 mm x 1500 mm.	100
238	Economy Engineering Company	Economy Engineering Company mobile scissor lift, model: SP-2156, serial number: AL78708, year of construction: 1989, maximum capacity: 340 kg, dimensions: 2100 mm x 1400 mm x 2150 mm.	300
240	S.A. Balpe	S.A. Balpe blintz machine, s/s mesh belt, belt width: 300 mm, diameter roller: 800 mm, total dimensions: 3500 mm x 1800 mm x 2300 mm. With additional parts. Belt is damaged.	750
241	BAC Machinebouw B.V.	BAC Machinebouw B.V. s/s mixing tank, number: 2019PO095/1, year of construction: 2019, weight: 270 kg, volume: 1450 liter, dimensions: Ø 1150 mm x 2650 mm.	3000
242	BAC Machinebouw B.V.	BAC Machinebouw B.V. s/s mixing tank, number: 2019PO095/2, year of construction: 2019, weight: 270	3000



Nr	Title	Description	Start €
		kg, volume: 1450 liter, dimensions: Ø 1150 mm x 2650 mm.	
243	Pomac Pumps	Pomac Pumps centrifugal pump, type: CPC26033 / 0200X11, serial number: 29.849, year of construction: 07-2019, 7.5 kW, 3000 rpm, capacity: 37 m³ per hour, dimensions: 750 mm x 320 mm x 450 mm.	800
244	Oostec	Oostec s/s switch cabinet, dimensions: 520 mm x 210 mm x 700 mm.	100
245	Pentair	9 Pentair Südmo Intellitop 2.0 valves with s/s pipes.	300
246	Krohne	Krohne electromagnetic flowmeter, model: OPTIFLUX 6300, serial number: A19550003, year of construction: 2019, 100/230 V, 50/60 Hz, dimensions: 250 mm x 250 mm x 300 mm.	500
247	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in cabinet with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4FTC-20KC-40S, capacity: 17.8/21.5 m³ per hour, and (2x) type: 2HSL-3KB-40S, capacity: 4.34/5.21 m³ per hour, dimensions: 3800 mm x 1700 mm x 2400 mm.	1000
248	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in cabinet with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4FTC-20KC-40S, capacity: 17.8/21.5 m³ per hour and type: (2x) 4KHC-05KB-40S, capacity: 2.71/3.25 m³ per hour dimensions: 3200 mm x 1200 mm x 2400 mm.	2000
249	Stephan	Stephan can opener, working diameter: 160 mm, total dimensions: 800 mm x 600 mm x 2250 mm. Including 3 extra openers, diameter: 155 mm, 148 mm and 69 mm.	300
250	Rudolf Evers GmbH	Rudolf Evers GmbH box closing machine, plastic belts, belt width: (2x) 45 mm, plastic rollers, roller width: 260 mm, total dimensions: 1000 mm x 800 mm x 1650 mm.	200
251	Zimac BV	Zimac BV ultrasonic cleaner, inside dimensions: 600 mm x 450 mm x 510 mm, total dimensions: 1000 mm x 650 mm x 870 mm. Including Martin Walter Powersonic digital frequency generator, dimensions: 230 mm x 400 mm x 230 mm.	300
252	Bitzer Kühlmaschinenbau GmbH	Compressor rack with 6 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4HTE-20K-40P, capacity: 12/14.4 m³ per hour, (3x) 4JTC-15K-40P capacity: 9.2/11 m³ per hour and (2x) 2HSL-3K-40S, capacity: 4.34/5.21 m³ per hour, year of construction: 06-2014, dimensions: 3400 mm x 1200 mm x 2300 mm.	4000
253	Georg Hartmann	Georg Hartmann flowpacker, type: HARTMANN-AUTOMAT GBK/220, serial number: 234.245 E, year of construction: 1996, 400 V, 50 Hz, 5 kW, 13 A, weight: 1500 kg, dimensions: 4300 mm x 500 mm x 1100 mm, 3700 mm x 1900 mm x 1500 mm. Technical condition unknown.	2000



Nr	Title	Description	Start €
254	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slice and portion cutter, model: FALCON CONTI, machine number: 461007.162571.113261, year of construction: 11/2013, 380/480 V, 3 Ph, 50/60 Hz, 22/18/32 A, 8.6/11.7 kW, weight: 750 kg, plastic belts, belt width: 220 mm, clearance: 200 mm x 220 mm, total dimensions: 4600 mm x 1350 mm x 1840 mm. Switch cabinet incomplete.	6000
255	MK Gilze bv	MK Gilze bv mobile traysealer, type: T200, serial number: 201047, year of revision: 2021, 400 V, 3 Ph, 50 Hz, 11 A, 4.5 kW, Busch vacuum pump, type: RA 0063 E, number: 04012721, year of construction: 2004, capacity: 63 m ³ per hour, total dimensions: 1000 mm x 760 mm x 1780 mm.	3000
256	Poolstar	Poolstar mobile fire hose, model: POOLSAM1, serial number: 20230317/POOLSAM1, year of construction: 2023.03.17, type motor: 170 F, dimensions: 550 mm x 700 mm x 860 mm.	50
257	Weber	Weber mobile skinning machine, type: AS 450, number: 3247, 380 V, 50 Hz, 0.4 kW, working width: 380 mm, total dimensions: 670 mm x 550 mm x 1000 mm.	800
258	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher with rejector, type: XS 3, number: 35000195, year of construction: 2007, 100/240 V, 50/60 Hz, maximum capacity: 600 g, minimum capacity: 200 g, e=d= 0.5 g, T= 540 g, plastic belts, belt width: 150 mm, total dimensions: 900 mm x 700 mm x 1500 mm.	500
259	Itra	Itra mobile elevating belt, s/s frame, plastic belt, belt width: 450 mm, elevating height: 1340 mm, total dimensions: 2200 mm x 920 mm x 1470 mm.	500
260	NN flattening belt	Mobile flattening belt, plastic belt, belt width: 240 mm, total dimensions: 2000 mm x 550 mm x 1100 mm.	100
261	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: DP10E, number: 1570047, year of construction: 2011, 400-460 V, 3 Ph, 50/60 Hz, 18 A, 12 kW, Busch vacuum pump, dimensions: 2000 mm x 1400 mm x 2050 mm.	800
262	Sepamatic	Sepamatic separator, type: SEPA 1200, number: 195194, 230/400 V, 50 Hz, 30/17 A, 7.5 kW, plastic belt, belt width: 180 mm, drum diameter: 300 mm, perforations: 5 mm, total dimensions: 1250 mm x 1450 mm x 2050 mm. With extra drum.	4000
263	Digi	Digi mobile weigh-, wrap-, and label machine, number: 02164288, 380 V, 50/60 Hz, clearance: 350 mm x 170 mm, total dimensions: 860 mm x 900 mm x 1450 mm.	200
264	Zwick / Roell	Zwick / Roell static testing system, type: 10k N ProLine, serial number: 739777, year of construction: 2022, 230 V, 1 Ph, 50/60 Hz, 3.5 A, dimensions plate: 600 mm x	5000



Nr	Title	Description	Start €
		400 mm, total dimensions: 1200 mm x 810 mm x 1380 mm.	
265	Youngsunpack Europe	Youngsunpack Europe mobile box closing machine, type: MH-FJ-1AW, serial number: 180327CS2-320, year of construction: 2018.3, 220 V, 1 Ph, 50 Hz, 400 W, s/s rollers, roller width: 690 mm, total dimensions: 1680 mm x 900 mm x 1980 mm.	400
266	D.D.V. GmbH	D.D.V. GmbH floor sweeper, model: 90ET, serial number: 0112002-838, year of construction: 1996, 12 DC, 600 W, dimensions: 700 mm x 1350 mm x 920 mm.	50
267	Stephanal	Stephanal cutter, type: MA-CR-40, machine number: 1647, 380 V, 3 Ph, 50 Hz, 13-10 A, 5.3-3.9 kW, s/s bowl, volume bowl: 40 liter, s/s knives, dimensions: 1200 mm x 800 mm x 1020 mm.	3000
268	Miele	Miele dryer, type: T 6251 EL, fabrication number: 46611995, 380/415 V, 3 Ph, 50 Hz, 24 A, 13.2/15.5 kW, volume: 250 liter, dimensions: 900 mm x 820 mm x 1440 mm.	250
269	Winterhalter	Winterhalter dishwasher, model: GS 640, serial number: 801061, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 17.5 A, 11.4 kW, inside dimensions: 700 mm x 630 mm x 670 mm, total dimensions: 900 mm x 750 mm x 1650 mm.	300
270	Drobtech	Drobtech wing cutter, type: WP50, serial number: 07/01/01/24, year of construction: 2024, capacity: 50-60 wings per minute, dimensions: 1300 mm x 900 mm x 1500 mm. Without knife.	4000
271	Solia Palmer	Solia Palmer salad spinner, type: SWA 100, machine number: 80/06 0729-01, 230 V, 50 Hz, 5.0 A, 1.0 kW, plastic basket dimensions: Ø 470 mm x 250 mm, total dimensions: 1500 mm x 750 mm x 1100 mm.	750
272	Sen Seitz Zenit	Sen Seitz Zenit filter, type: 40/30, number: 59505, year of construction: 1986, width: 3 mm, total dimensions: 1250 mm x 650 mm x 800 mm.	1500
273	Itra	Itra mobile transport belt, 230 V, 20/2.7 A, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 1510 mm x 660 mm x 1070 mm.	300
274	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH mobile minced meat portioner, type: C-Linie, machine number: CLB 107686, year of construction: 2016, 230 V, 50/60 Hz, 0.5 kW, clearance: Ø 70 mm, plastic belts, belt width: 290 mm, total dimensions: 1900 mm x 800 mm x 1300 mm.	5000
275	NN table	S/s table, dimensions: 2000 mm x 800 mm x 940 mm.	100
276	JayCraft	JayCraft mobile elevating belt, serial number: WB005, year of construction: 13-08-19, plastic belt, belt width: 250 mm, elevating height: 1430 mm, total dimensions: 2400 mm x 1200 mm x 1570 mm.	1000
277	NN depositor		150



Nr	Title	Description	Start €
		Mobile depositor, number: MR300193, inside dimensions: Ø 350 mm x 650 mm, total dimensions: 1300 mm x 550 mm x 200 mm. Incomplete.	
278	NN sink	S/s double sink with faucet, dimensions: 2000 mm x 800 mm x 2000 mm.	300
279	LH packaging BV	LH packaging BV traysealer, type: LH-450, year of construction: 2022-5-20, 400 V, 3 Ph, 50 Hz, 4 kW, chain infeed conveyor with dividers, distance between dividers: 345 mm, dimensions dye: (2x) 180 mm x 150 mm, vacuum pump, type: V 0063D, total dimensions: 2330 mm x 760 mm x 1700 mm.	2500
280	IPSO	IPSO double stacked dryer, model: ADG 330, serial number: 4719 51, dimensions: 1010 mm x 760 mm x 2000 mm.	200
281	K+G Wetter	K+G Wetter cutter, model: S 45, machine number: 258 1114 , 380 V, 3 Ph, 50 Hz, 33/35 A, 16 kW, s/s bowl, volume: 45 liter, dimensions: 1460 mm x 1020 mm x 1230 mm.	4900
282	Wewo	Wewo automatic pallet lifter, type: Pallet mover, serial number: 001, year of construction: 2017, s/s forks, fork length: 1300 mm, total dimensions: 2000 mm x 1100 mm x 970 mm.	100
283	Mettler Toledo	Mettler Toledo Safeline metal detector with rejector, serial number: 39402, plastic belt, belt width: 240 mm, clearance: 310 mm x 100 mm, total dimensions: 1420 mm x 1250 mm x 1150 mm.	300
284	Schröder Maschinenbau GmbH	Schröder Maschinenbau GmbH brine mixer, type: DM 500, number: DM 125 98, year of construction: 1998, 220/400 V, 50 Hz, 5.3 A, 2.2 kW, pressure: 6 bar, volume: 500 liter, dimensions: 1350 mm x 1350 mm x 1840 mm.	1000
285	Loma Systems	Loma Systems metal detector, model: IQ3, serial number: Q3W95-15-24041D, year of construction: 17.12.2013, 85-265 V, 50-60 Hz, plastic belt with 2-lane out feed, belt width: 900 mm, lane width: (2x) 335 mm, clearance: 910 mm x 93 mm, total dimensions: 3400 mm x 1500 mm x 1450 mm.	1000
286	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, model: FALCON conti, machine number: 461007.162571.112885, year of construction: 2011, 380/480 V, 3 Ph, 50/60 Hz, 32 A, 8.6 kW, machine weight: 750 kg, plastic belt, total dimensions: 3900 mm x 1300 mm x 1850 mm, 1000 mm x 570 mm x 1120 mm and 1070 mm x 740 mm x 1110 mm. Including pallet box with large amount of spare parts, dimensions pallet box: 1200 mm x 800 mm x 800 mm. Missing network card.	8000
287	Diessel	S/s skid with Diessel tank with agitator and scraper, inside dimensions tank: Ø 1200 mm x 1000 mm,	3000



Nr	Title	Description	Start €
		including progressing cavity pump, total dimensions: 2000 mm x 1350 mm x 2500 mm.	
288	Karl Schnell	Karl Schnell mobile micro cutter, diameter plate: 200 mm, total dimensions: 2950 mm x 950 mm x 1600 mm.	1500
289	NN shuttle conveyor	S/s shuttle conveyor, s/s mesh belt, belt width: 610 mm, total dimensions: 4000 mm x 1400 mm x 1840 mm.	800
290	Tehama BV	Tehama BV transport belt, type: LTB-1EV, year of construction: 2009, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 200 mm, total dimensions: 2600 mm x 800 mm x 1650 mm. Incomplete.	250
291	IPSO	IPSO double stacked dryer, model: ADG 330 D, serial number: 4719 52, dimensions: 1010 mm x 760 mm x 2000 mm.	200
292	LTEC	LTEC tramp oil separator, model: TOS 2.0, serial number: 232, year of construction: 30-2018, 230 V, 50 Hz, tank capacity: 105 liter, weight: 70 kg, dimensions: 500 mm x 700 mm x 1000 mm.	40
293	Cryovac	Cryovac mobile bag blower, model: BL 19, number: 02140, 220 V, 50 Hz, dimensions: 1300 mm x 470 mm x 970 mm.	250
294	Charmilles Technologies	Charmilles Technologies die-sinking machine, type: FORM 20, number: 100464, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 4.6 A, dimensions: 1000 mm x 1200 mm x 2100 mm, 400 mm x 340 mm x 1350 mm.	1000
295	NN vacuum machine	Belt vacuum machine, plastic belts, belt width: 400 mm, seal length: 1070 mm, dimensions chamber: 1070 mm x 500 mm, total dimensions vacuum machine: 1600 mm x 700 mm x 1050 mm, dimensions transport belt: 1450 mm x 900 mm x 1250 mm. Technical condition unknown, incomplete, electrical cabinet inside missing.	100
296	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP 7 E, number: 160 0055, 400-460/575 V, 50/60 Hz, 12 kW, dimensions: 2600 mm x 1500 mm x 2250 mm.	8000
297	ICS Ice Cleaning Systems, s.r.o.	ICS Ice Cleaning Systems, s.r.o. mobile dry ice cleaning machine, type: IC-110-E, number: 110E19112, year of construction: 2019, 100-240 V, 50-60 Hz, 5 A, weight: 51 kg, dimensions: 540 mm x 340 mm x 940 mm. Including Olive mobile cool container, type: BAC 160, serial number: 3718, year of construction: 02/2019, dimensions Olivo: 790 mm x 580 mm x 1070 mm.	2000
298	Domino	Domino rotating laser printer, model: D-Series plus, 380/400 VAC, 3 Ph, 50 Hz, 16 A, dimensions: 1300 mm x 500 mm x 2000 mm.	1000
299	NN smoke sticks	pallet with approximately 200 aluminium Y-shaped smoke sticks, length each smoke stick: 1000 mm, total dimensions: 1200 mm x 800 mm x 340 mm.	100
300			1000



Nr	Title	Description	Start €
	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack with 2 cooling compressors, type: (2x) 4JE-15Y-40P, serial number: 1689002402, 380/420/440/480 V, 3 Ph, 50/60 Hz, 30.8/97.0 A, capacity: 63.5/76.6 m ³ per hour, dimensions: 2000 mm x 700 mm x 1600 mm.	
301	Copeland Scroll	Copeland Scroll cooling compressor, model: ZBD30KCE-TFD-551, serial number: 10K2492AD, 380-420 V, 3 Ph, 50/60 Hz, capacity: 14.09/11.68 m ³ per hour, dimensions: 900 mm x 600 mm x 800 mm.	500
302	Bandall	Bandall mobile binding machine, type: BA 32, machine number: 9132840, 230 V, 50 Hz, clearance: 365 mm x 210 mm, total dimensions: 700 mm x 500 mm x 1250 mm.	1000
303	Systec GmbH	Systec GmbH floor weighing scale with indicator, type: IT1000, serial number: 1507163, 110/240 V, 50/60 Hz, maximum capacity: 3000 kg, minimum capacity: 20 kg, e=d= 1 kg, dimensions: 930 mm x 730 mm x 85 mm.	200
304	CA.VE.CO s.r.l.	CA.VE.CO s.r.l. traysealer, type: STL/1-V, serial number: 2095, year of construction: 1995, 380 V, 50 Hz, dimensions dye: (1x) 260 mm x 150 mm, film width: 420 mm, total dimensions: 3450 mm x 1000 mm x 1970 mm. Including s/s trolley and pallet with parts, dimensions additional dye's: 270 mm x 180 mm and (2x) 165 mm x 120 mm, dimensions trolley: 1150 mm x 700 mm x 1590 mm.	500
305	Italdibipack S.P.A.	Italdibipack S.P.A. mobile shrink packaging machine, model: ES 5040 2N, serial number: 1651, year of construction: 1999, 220/380 V, 5 kW, weight: 270 kg, seal length: 520 mm and 400 mm, clearance: 450 mm x 230 mm, s/s mesh belt, belt width: 350 mm, total dimensions: 2100 mm x 1030 mm x 1510 mm.	200
306	Senking	Senking tiltable cooking vessel, inside dimensions: Ø 710 mm x 400 mm, total dimensions: 1600 mm x 1130 mm x 1300 mm.	250
307	Tender Star	Tender Star mobile tenderizer, model: T.S.B., serial number: 201326, year of construction: 2001, 220-380 V, 50 Hz, 3Ph, 0,9 kW, working width: 330 mm, total dimensions: 2200 mm x 800 mm x 1920 mm.	2500
308	NN frame	S/s frame, dimensions: 450 mm x 450 mm x 1070 mm.	30
309	Hettich	Hettich laboratory cabinet, type: PSC 1400, serial number: 202010544, year of construction: 2020, 220/240 V, 50 Hz, weight: 260 kg, 20-40 degrees, refrigerant: R134A, 6 floors, dimensions each floor: 600 mm x 520 mm, total dimensions: 1420 mm x 950 mm x 2000 mm.	400
310	Hettich	Hettich laboratory cabinet, type: PSC 1400, serial number: 202010542, year of construction: 2020, 220/240 V, 50 Hz, weight: 260 kg, refrigerant: R134A, 8	400



Nr	Title	Description	Start €
		floors, dimensions each floor: 600 mm x 520 mm, total dimensions: 1420 mm x 950 mm x 2000 mm.	
311	Winterhalter	Winterhalter dishwasher with infeed- and outfeed table, type: GS 502, serial number: 1081486, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 15,7 A, 9.5 kW, dimensions: 3000 mm x 750 mm x 2250 mm.	400
312	Loma Systems	Loma Systems metal detector on mobile elevating belt, type: Blue IQ3 ST, serial number: Q3B55-10-28060D, year of construction: 17.3.2015, 110-240 V, 1 Ph, 50/60 Hz, 0.3-0.6 A, plastic belt, belt width: 410, clearance: 550 mm x 30 mm, elevating height: 1750 mm, total dimensions: 4600 mm x 1030 mm x 1760 mm.	1000
313	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: C 3330 DMS, fabrication number: 35004922, year of construction: 2013, 1x100-240 V, 50-60 Hz, maximum belt speed: 70 m/min, throughput: 102 pcs/min, min: 200 gram, max: 1000/4800 gram, e= 1/2 gram, belt width: 300 mm, total dimensions: 1900 mm x 1100 mm x 1440 mm.	1500
314	Nilma	Nilma vegetable washing machine, type: Atir II, number: 000405, year of construction: 2000, 230/400 V, 3 Ph, 50 Hz, 10 A, 1.45 kW, weight: 122 kg, volume 328 liter, dimensions: 1100 mm x 1050 mm x 1130 mm.	500
315	NN infeed slide	S/s infeed slide, outfeed height: 1050 mm, dimensions: 920 mm x 650 mm x 1150 mm.	50
316	Ramsey	Ramsey metal detector, model: Metal Scout II, serial number: 3018, year of construction: 1995, clearance: 650 mm x 370 mm, total dimensions: 1300 mm x 1200 mm x 1300 mm.	400
317	Multivac	Multivac optical inspection system with rejector, type: I410, machine number: 298563, year of construction: 2020, 230 V, 50 Hz, 1000 VA, weight: 400 kg, plastic belts, belt width: (2x) 235 mm, total dimensions: 1500 mm x 1320 mm x 2250 mm.	3000
318	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: XE3, serial number: 35000969, year of construction: 2008, 100/240 V, 1 Ph, 50/60 Hz, maximum capacity: 2000 g, minimum capacity: 150 g, e= 0.5/1 g, d= 0.5/1 g, T=- 1350 g, plastic belts, belt width: 200 mm, total dimensions: 2200 mm x 800 mm x 1450 mm.	1000
319	Bosgraaf	Bosgraaf electric pallet lifter, type: Erogline PL, serial number: 0001PL2002, year of construction: 2002, 400 V, maximum capacity: 600 kg, dimensions: 1700 mm x 820 mm x 1600 mm.	500
320	Pulso Tronic	Pulso Tronic mobile pipe line metal detector with rejector, type: M-Pulse 2 INFlex65 compact, serial number: 90006015, year of construction: 2016, 115/230	750



Nr	Title	Description	Start €
		V, 1 Ph, 50/60 Hz, 16 A, 4/6 bar, clearance: Ø 55 mm, total dimensions: 850 mm x 600 mm x 1500 mm.	
321	Tipper Tie technopack GmbH	Tipper Tie technopack GmbH mobile automatic clipper, model: TC 1590 E-N, dimensions: 1150 mm x 700 mm x 500 mm.	750
322	Meca Plastic	Meca Plastic traysealer, type: MECA 2003, number: 5912, year of construction: 06/05, chain infeed conveyor with dividers, distance between dividers: 375 mm, 3 infeed lanes, lane width: (3x) 95 mm, film width: 450 mm, dimensions dye: (3x) Ø 85 mm, plastic mesh outfeed belt, belt width: 470 mm, total dimensions: 5500 mm x 990 mm x 2040 mm. Including pallet and pallet box with parts, dimensions additional dye sets: 430 mm x 320 mm, 445 mm x 320 mm, (3x) 225 mm x 120 mm and Ø 290 mm. Without vacuum pump.	2000
323	Signode	Signode strapping machine, model: BA 24-15-40, serial number: 26840772 SNAK200147, year of construction: 2020, 24 V, clearance: 320 mm x 160 mm, total dimensions: 800 mm x 800 mm x 2050 mm.	5500
324	Weber	Weber mobile skinning machine, type: ASP 560, number: ASP05601-10161, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.75 kW, weight: 220 kg, working width: 540 mm, total dimensions: 1000 mm x 600 mm x 1150 mm.	6000
325	Grote	Grote pepperoni slicer, model: FG101-2001, serial number: 1087319, s/s mesh belt, belt width: 460 mm, knife width: 470 mm, diameter pipes: (10x) 50 mm, total dimensions: 1570 mm x 1230 mm x 1840 mm. Including pallet with parts.	2000
326	Dixie Union	Dixie Union slicer, type: SL 495, factory number: 495.1383, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 12 A, plastic belt, belt width: 270 mm, plastic wire belt, belt width: 280 mm, total dimensions: 2500 mm x 1200 mm x 2050 mm. Including mobile plastic outfeed belt, type: ATB 778, fabrication number: 990.5211/0253, year of construction: 1994, belt width: 330 mm, dimensions: 3200 mm x 800 mm x 1190 mm.	1250
327	Buhmann Systeme GmbH	Buhmann Systeme GmbH mobile depositor, type: TF-300, machine number: 0411-8, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 4.5 kW, dimensions: 900 mm x 650 mm x 1900 mm.	300
328	Proseal	Proseal mobile traysealer, model: GT1V, serial number: 2394, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 6 bar, plastic in- and outfeed belt, belt width: 175 mm, total dimensions: 3120 mm x 800 mm x 2070 mm. Including 2 s/s tool trolleys with dye set, serial number: PS 82007 / SN-O-04093, year of construction: 2015 / 2017, dimensions dye: (4x) 170 mm x 130 mm, total	4000



Nr	Title	Description	Start €
		dimensions trolleys: 1150 mm x 800 mm x 1840 mm and 1720 mm x 900 mm x 1460 mm.	
329	SNB Systems / Mettler Toledo	SNB Systems / Mettler Toledo Safeline metal detector, serial number: 57231, plastic belt, belt width: 200 mm, clearance: 255 mm x 170 mm, total dimensions: 2500 mm x 800 mm x 1700 mm. Missing cover.	500
330	Turbo Systems Limited	Turbo Systems Limited transport belt with denester, machine number: CONO32501, plastic belt, diameter cups: 115 mm, belt width: 240 mm, total dimensions: 3200 mm x 500 mm x 1800 mm.	500
331	Procar Arluno	Procar Arluno mobile s/s foam unit, type: SX 50, year of construction: 2016, temperature range: 5 °C - 60 °C, maximum pressure: 8 bar, volume 75 liter, dimensions: 480 mm x 400 mm x 1070 mm.	100
332	Renner Schlachthaustechnik GmbH	Renner Schlachthaustechnik GmbH in height adjustable working platform, type: 16878, year of construction: 2020, 240 V, 1000 W, weight: 650 kg, dimensions platform: 1830 mm x 1010 mm, total dimensions working platform: 2360 mm x 1450 mm x 2180 mm. Including 2 s/s tubs, dimensions: 2380 mm x 1050 mm x 300 mm and 1300 mm x 900 mm x 550 mm, 2 s/s poles, length poles: (2x) 4340 mm. Already dismantled.	13000
333	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 708, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.0 A, 1 HP, foot control, working width: 510 mm, total dimensions: 900 mm x 670 mm x 900 mm.	350
334	Kolbe	Kolbe bandsaw, model: K44, serial number: 96 0180, year of construction: 1998, 400/230 V, 50 Hz, table dimensions: 900 mm x 840 mm, total dimensions: 1000 mm x 950 mm x 1850 mm. Without saw.	800
335	C-TRAC Conveyor LTD	C-TRAC Conveyor LTD bottle conveyor, type: MCC33, model: Webe, year of construction: 2024, motor: 6 kW, capacity: 5000 bottles per hour, dimensions: 1400 mm x 650 mm x 1600 mm. Serviced in 2025.	600
336	Glass	Glass tiltable mixer, type: VSM 600 K, machine number: 2164, year of construction: 1997, 400 V, 50 Hz, 12.6 A, 4.05 kW, volume: 600 litres, dimensions: 1650 mm x 650 mm x 2400 mm. Incomplete, without lid.	800
337	Deltapack	Deltapack vertical bag form-, fill-, and seal machine, type: DE420FU, machine number: 269, year of construction: 2003, film width: 740 mm, diameter filling pipe: 200 mm, vertical seal length: 540 mm, horizontal seal length: 430 mm, total dimensions: 2300 mm x 1550 mm x 2000 mm.	2000
338	NN film	Pallet with 54 rolls of film, 1000 meter film per roll, film width: 230 mm.	350
339	Woodcraft	Woodcraft log splitter, type: LS22EH, serial number: LS22EH-22100030, year of construction: 2022, capacity:	500



Nr	Title	Description	Start €
		22 Ton, weight: 250 kg, dimensions: 2000 mm x 530 mm x 820 mm.	
340	HFE vacuum systems bv	HFE vacuum systems bv mobile vacuum machine, type: SB-550, number: 20020477, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 6.0 A, 2.6 kW, dimensions chamber: 550 mm x 500 mm, seal length: (4x) 500 mm, Busch vacuum pump, type: RA 0063 E 5K1, capacity: 60 m³ per hour, total dimensions: 620 mm x 650 mm x 1050 mm.	500
341	Tehama BV	Tahema BV transport belt with rejector, plastic belt, belt width: 200 mm, total dimensions: 3500 mm x 850 mm x 1370 mm. Incomplete.	250
342	Pieralisi	Pieralisi decanter, type: FP 600 RSM, fabrication number: 5825, year of construction: 1998, 3550 rpm, maximum diameter: 435 mm, nutritional density: 1.4 kg/dm³, dimensions: 2620 mm x 970 mm x 1430 mm.	4000
343	Domino	Domino mobile extraction system for inkjet printer, model: DPX1000, serial number: 082236-0217, year of construction: 04/01/06, 230 V, 50/60 Hz, 1200 W, dimensions: 550 mm x 430 mm x 1070 mm.	50
344	Demsa Makina	Demsa Makina peanut butter depositor line, consisting of: depositor and conveyor, type: LDM/04, serial number: 260, output: (4x) Ø 8 mm, total dimensions depositor: 1250 mm x 1460 mm x 1680 mm, diameter cups conveyor: 95 mm, total dimensions conveyor: 3620 mm x 420 mm x 1350 mm.	800
345	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF608, number: 30228, year of construction: 2011, 50 Hz, 4.3 A, 3 kW, type linking attachment: 410, number: 16005017, year of construction: 2016, Busch vacuum pump, type: KC 0016 E 3Z0, capacity: 16 m³ per hour, dimensions: 1000 mm x 950 mm x 2100 mm.	10000
346	Rex	Rex mobile minced meat portioner, type: RHP 240, serial number: 1261012, 400 V, 50 Hz, 10 A, plastic belt, belt width: 250 mm, working width: 250 mm, total dimensions: 1700 mm x 650 mm x 1550 mm.	3800
347	Lacont Umwelttechnik GmbH	Lacont Umwelttechnik GmbH fire safety storage cabinet, model: SiS 1200-G, serial number: 1302013084094-0020, dimensions: 1200 mm x 600 mm x 1950 mm.	200
348	NN evaporator	S/s evaporator, dimensions: 700 mm x 460 mm x 370 mm.	40
349	NN micro cutter	Mobile micro cutter, dimensions: 1500 mm x 850 mm x 1000 mm. Incomplete.	1000
350	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EVM 4006, serial number: M-50696, year of construction: 2013, 400 V, 3 Ph, 60 Hz, 0.75 kW, 1.97 A,	1000



Nr	Title	Description	Start €
		weight: 215 kg, working width: 550 mm, total dimensions: 950 mm x 650 mm x 1000 mm.	
351	NN heater	Heater, electrically heated, dimensions: 800 mm x 400 mm x 800 mm.	5
352	Mitari hijs techniek bv	Mitari hijs techniek bv pallet hook, type: MPB-20, serial number: 01356, year of construction: 02-2024, WLL: 200 kg, fork length: (2x) 1080 mm, total dimensions: 1200 mm x 1020 mm x 1900 mm.	400
353	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic clipping and sealing machine, type: TSA 120 HS, number: 142, year of construction: 1999, 400 V, 50 Hz, 16 A, air pressure: 5/7 bar, dimensions: 1400 mm x 980 mm x 1660 mm.	150
354	Delford	Delford labelling machine, type: MPL80, machine number: MA0012, year of construction: 2015, 230 V, 50/60 Hz, 3/5 A, weight: 256 kg, plastic belt, belt width: 285 mm, total dimensions: 1800 mm x 1150 mm x 1750 mm.	1500
355	Taski	Taski floor scrubbing machine, type: Co1255.1, number: 7516829051318, serial: 0216, 24 V, 1000 W, weight: 260 kg, dimensions: 1300 mm x 550 mm x 1200 mm. Incomplete.	100
356	Mettler-Toledo	Mettler-Toledo weighing scale for smoke sticks, type: IND890-10 Desk, serial number: B525079736, 100-240 V, 50/60 Hz, dimensions: 650 mm x 450 mm x 1450 mm.	100
357	Wexiödisk AB	Wexiödisk AB dishwasher, type: WD-211E, number: 097368, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 20 A, 3.35 kW, clearance: 540 mm x 470 mm, total dimensions: 2550 mm x 700 mm x 1700 mm.	700
358	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: Phoenix 120-CE- E, machine number: 303607.100134.3386, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 10/16 A, 6.2 kW, weight: 1400 kg, chamber dimensions: 120 mm x 120 mm, total dimensions: 2400 mm x 1200 mm x 2350 mm. Including pallet with grid sets. Without knife.	3000
359	NN piston filler	Piston filler, type: Besos-12, serial number: 172, year of construction: 1993, 380 V, 2 A, dimensions: 400 mm x 210 mm x 1200 mm.	500
360	Herbert Grundwald GmbH	Herbert Grundwald GmbH depositor, type: Servodos/1, number: 14/01, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 8.5 A, 3.5 kW, plastic belt with dividers, belt width: 30 mm, distance between dividers: 255 mm, total dimensions: 1900 mm x 1450 mm x 2500 mm.	750
361	Multivac	Multivac thermoformer, type: M855EPC, machine number: 1522/000, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 28 A, 11 kW, dimensions dye: 320 mm x 245 mm, plastic outfeed belt, belt width: 280 mm, total dimensions: 3800 mm x 800 mm x 1700 mm. Including film suction device and 2 crates with parts.	1000



Nr	Title	Description	Start €
362	Ets. André Zalkin	Ets. André Zalkin capping machine, type: CA/3/360/NG, serial number: 24576, year of construction: 2011, plastic belt, belt width: 80 mm, diameter cups: 80 mm, total belt length: 7700 mm, total dimensions cap closing machine: 3550 mm x 1450 mm x 3300 mm. With elevating infeed belt, plastic belt with dividers, divider height: 50 mm, total dimensions: 2100 mm x 1030 mm x 3650 mm. Including plastic pallet and meat bin with extra parts.	5000
363	Vemag	Vemag mobile linking machine, model: LPG 202, number: 202 0340, 220-240/400-460/575 V, 3 Ph, 50/60 Hz, 10 A, dimensions: 1400 mm x 750 mm x 1300 mm.	1000
364	Alpina	Alpina cutter, model: PB80, steel bowl, dimensions bowl: ø 900 mm x 200 mm, s/s knives, total dimensions: 1500 mm x 1100 mm x 1100 mm. Including extra knives.	4000
365	Avercon	Avercon carton erector with Robatech glue unit, machine type: AVC-CE710 L/H, number: 532, year of construction: 12-2003, 3x400 V, 18.5 A, Busch vacuum pump, type: RA0040 F 5R3, serial number: D17500393, year of construction: 2017, dimensions carton erector: 3500 mm x 1800 mm x 2400 mm, dimensions infeed unit: 1800 mm x 1400 mm x 1250 mm.	2000
366	Krämer & Grebe KG	Krämer & Grebe KG cutter, model: 45, machine number: 68/1283/70, steel bowl, capacity: 45 liter, dimensions bowl: ø 700 mm x 150 mm, s/s knives, total dimensions: 1100 mm x 900 mm x 1200 mm.	400
367	Seydelmann	Seydelmann cutter, K40DC8-0, machine number: 99172-1, 400 V, 50 Hz, 91 A, s/s bowl, dimensions bowl: ø 730 mm x 160 mm, s/s knives, total dimensions: 1200 mm x 900 mm x 1200 mm. Including s/s switch cabinet, dimensions: 1000 mm x 800 mm x 300 mm.	4000
368	Colged	Colged dishwasher, type: TT924, serial number: 4246502, 400 V, 3 Ph, 50 Hz, 15.5 kW, inside dimensions: 1400 mm x 700 mm x 950 mm, total dimensions: 1450 mm x 850 mm x 1880 mm.	450
369	Automotion Systems BV	Automotion Systems BV box filling machine, type: ARE008, year of construction: 2018, 400 V, 3 Ph, 16 a, 3 kW, plastic belts, belt width: 280 mm and 170 mm, distance between dividers: 150 mm, divider height: 150 mm, total dimensions: 2300 mm x 2000 mm x 1850 mm.	2000
370	Poly-clip System GmbH & Co. KG	Pallet with large amount Poly-clip System GmbH & Co. KG clips, dimensions: 1200 mm x 800 mm x 900 mm.	400
371	Vemag	Vemag mobile hanging line, model: AHM, number: 2040183, year of construction: 2006, 220-240-400-460 V, 10/7/16 A, 1.1 kW, dimensions: 2900 mm x 700 mm x 1100 mm.	1400
372	Electrolux Laundry Denmark A/S	Electrolux Laundry Denmark A/S double dryer, dimensions: 1100 mm x 790 mm x 1050 mm.	350



Nr	Title	Description	Start €
373	Biro	Biro bandsaw, dimensions table, 1200 mm x 900 mm, total dimensions: 1200 mm x 950 mm x 1950 mm.	750
374	Seydelmann	Seydelmann cutter, steel bowl, dimensions bowl: ø 700 mm x 150 mm, s/s knives, total dimensions: 1250 mm x 1000 mm x 1200 mm.	800
375	NN table	Mobile s/s table with drawers, dimensions: 2600 mm x 900 mm x 1000 mm.	300
376	Convenience Food Systems Krämer+Grebe GmbH & Co. KG	Convenience Food Systems Krämer+Grebe GmbH & Co. KG micro cutter, type: EcoCut, machine number: 294/0105, year of construction: 2000, 400 V, 3 Ph, 50 Hz, plate diameter: 250 mm, dimensions: 2600 mm x 1300 mm x 1810 mm.	3000
377	Reepack	Reepack traysealer, model: REEFLEX, serial number: 0401005, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 21 A, dimensions dye: (2x) 200 mm x 150 mm, s/s outfeed rollers, roller width: 490 mm, Busch vacuum pump, type: RA 0100 E 501, number: 00050666, capacity: 100 m³ per hour, total dimensions: 3000 mm x 850 mm x 1700 mm.	800
378	AEW Delford Marel Food Systems	AEW Delford Marel Food Systems weighing and labelling machine, model: 9000, serial number: 91071, maximum weight: 3000 g, minimum weight: 40 g, e= 2 g, T=- 900 g, 230 V, 50 Hz, plastic belt, belt width: 300 mm, total dimensions: 2650 mm x 950 mm x 1750 mm. Missing one belt.	1800
379	Mettler-Toledo	Mettler-Toledo mobile weighing scale for smoke sticks, type: IND890-10 Desk, serial number: B525079737, 100-240 V, 50/60 Hz, dimensions: 650 mm x 450 mm x 1450 mm.	200
380	vanBeek	vanBeek mixer with s/s outfeed screws, type: WR250, serial number: 690538.A, year of construction: 2019, weight: 940 kg, inside dimensions: 1400 mm x 990 mm x 330 mm, plastic belt, belt width: 980 mm, total dimensions: 3370 mm x 1540 mm x 2680 mm.	2000
381	NN floor scrubbing machine	Floor scrubbing machine, dimensions: 1500 mm x 900 mm x 1200 mm. Including Belatron Compact battery charger, serial number: 3359655, year of construction: 2007, 230 V, 50-60 Hz, 9.9 A.	250
382	Pökomat	Pökomat injector, type: P 13/270, serial number: 4182, year of construction: 1999, 400 V, 750 W, 2.1 A, weight: 100 kg, plastic mesh belt, belt width: 260 mm, total dimensions: 1200 mm x 450 mm x 600 mm.	600
383	Georg Hartmann	Georg Hartmann slicer, type: HARTMANN-SLICER SL/50, serial number: 071.123E, year of construction: 1997, 400 V, 50 Hz, 6 kW, 16 A, weight: 1800 kg, s/s rollers, roller width: 420 mm, 3 outfeed lanes, plastic outfeed belt, belt width: 170 mm, clearance: 300 mm x 170 mm, total dimensions: 3400 mm x 1000 mm x 2400 mm.	3000



Nr	Title	Description	Start €
384	Induwash	Induwash crate washing machine, type: Induwash 209, capacity: 150-300 crates per hour, 10 kW, clearance: 840 mm x 500 mm, total dimensions: 2750 mm x 1500 mm x 1600 mm.	2000
385	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300B, number: 3168, year of construction: 1999, 400 V, 50 Hz, 17 A, 6.5 kW, Becker vacuum pump, type: U 116 SA-31, capacity: 16/19 m ³ per hour, dimensions: 1500 mm x 1260 mm x 2000 mm.	1400
386	Bizerba	Bizerba grinder, type: FW 98/32T/S, machine number: 1157254, 380 V, 3 Ph, 50 Hz, 2.8 kW, 6.2 A, diameter plate: 98 mm, total dimensions: 900 mm x 550 mm x 650 mm.	700
387	Espera	Espera weighing and labelling machine, type: ESD 213, number: 103 06 4679, terminal type: ESC 902, number terminal: 7050 1092, plastic belts, belt width: (2x) 130 mm, total dimensions: 1080 mm x 800 mm x 1960 mm.	250
388	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH injector, type: PI 17, machine number: 23784, year of construction: 1995, 380 V, 16 A, 1.5 kW, plastic mesh belt, belt width: 250 mm, working width: 250 mm, total dimensions: 1300 mm x 1500 mm x 1700 mm.	1000
389	Safeline	Safeline mobile pipeline metal detector, 100/240 V, 1 Ph, 50 Hz, 330 W, clearance: ø 100 mm, total dimensions: 850 mm x 400 mm x 1400 mm.	400
390	Mettler-Toledo	Mettler-Toledo mobile weighing scale for smoke sticks, type: IND890-10 Desk, serial number: B525079735, 100-240 V, 50/60 Hz, dimensions: 650 mm x 450 mm x 1450 mm.	200
391	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 397, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 2 A, working width: 500 mm, total dimensions: 820 mm x 700 mm x 1000 mm.	300
392	NN smoking chamber	S/s smoking- and cooking chamber, total dimensions: 1400 mm x 1000 mm x 2070 mm.	600
393	NN pump unit	Mobile stainless steel brine/marinade pump unit, dimensions: 900 mm x 500 mm x 1300 mm.	150
394	Rational AG	Rational AG combi steamer on s/s frame, model: SCC 61/06, 400 V, 3 Ph, 50/60 Hz, 6 floors, floor dimensions: (6x) 540 mm x 330 mm, total dimensions: 850 mm x 850 mm x 1600 mm.	800
395	Krämer & Grebe KG	Krämer & Grebe KG cutter, 380 V, 3 Ph, 50 Hz, 64 A, steel bowl, dimensions bowl: ø 840 mm x 180 mm, s/s knives, total dimensions: 1500 mm x 1100 mm x 1200 mm.	1500
396	Italmont	Italmont mobile sanding machine for concrete, model: AMR, machine number: 56, year of construction: 2002, dimensions: 1000 mm x 500 mm x 1200 mm.	250
397	Still		1000



Nr	Title	Description	Start €
		Still battery, type: PZS 625, serial number: 0100716442, year of construction: 03/20217, 48 V, capacity: 625 Ah, weight: 885 kg, volume: 146 liter, dimensions: 1030 mm x 530 mm x 630 mm.	
398	Winterhalter	Winterhalter dishwasher, type: GS 640, serial number: 1135847, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 13 A, 8.4 kW, inside dimensions: 620 mm x 690 mm x 680 mm, total dimensions: 750 mm x 850 mm x 1600 mm.	150
399	Bastra	Bastra cooking kettle, inside dimensions: 1150 mm x 800 mm x 400 mm, total dimensions: 1200 mm x 1320 mm x 1050 mm.	600
400	NN smoke sticks	S/s trolley with large amount of aluminium Y-shaped smoke sticks, length each smoke sticks: 1000 mm, total dimensions: 600 mm x 400 mm x 1150 mm.	300
401	Hitec BV	Hitec BV pasteurizer, type: Steamer 450/4000E, serial number: 20212536, year of construction: 2021, 74 kW, s/s mesh belt, belt width: 440 mm, with switch cabinet, dimensions: 1400 mm x 800 mm x 400 mm, total dimensions: 5300 mm x 1100 mm x 1400 mm.	20000
402	Fessmann	Fessmann cooking chamber for 4 trolleys, serie: ECO LINE, inside dimensions: 4400 mm x 1050 mm x 2060 mm, total dimensions: 4770 mm x 1530 mm x 2750 mm. 1 door damaged. Including: S/s control panel, S/s switch cabinet, dimensions switch cabinet: 1100 mm x 300 mm x 1000 mm, S/s air unit, dimensions unit: 2720 mm x 1430 mm x 1780 mm, 2 fans, Valve board, Nu-Air s/s hood, type: DVDs, dimensions: 2050 mm x 3200 mm x 600 mm.	6000
403	Poly-clip System GmbH & Co. KG	Pallet with large amount of Poly-clip System GmbH & Co. KG clips, dimensions: 1200 mm x 800 mm x 500 mm.	200
404	Handtmann	Handtmann linking attachment, dimensions: 400 mm x 300 mm x 120 mm.	50
405	Coperion	Coperion twin screw extruder, type: ZSK 43 MV, factory number: 20523460, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 245 A, diameter screws: (2x) 40 mm, total dimensions: 3940 mm x 980 mm x 1810 mm. Including: 5 s/s trolleys with DIL moulds, type: KD 03, year of construction 2014 / 2016, dimensions: (5x) 800 mm x 660 mm x 1300 mm. Alfa Laval plate heat exchanger, type: M10-MUAGE, serial number: 30106 23434, year of construction: 2007, volume: 27 liter, dimensions: 1160 mm x 460 mm x 1140 mm. S/s mobile table with Boyser pump, model: AMA-160, year of construction: 2015, total dimensions: 1630 mm x 800 mm x 1980 mm. S/s frame with 4 Luvata condensers, model: IKE351A3, year of construction: 04/06/2013. AutoTherm thermal heater, type: AW95-0-2-MB, factory number: 14 522,	15000



Nr	Title	Description	Start €
		400 V, 3 Ph, 50 Hz, 1.9 A, dimensions: 730 mm x 380 mm x 1000 mm. S/s infeed funnel, dimensions: 940 mm x 640 mm x 1350 mm. Steel switch cabinet, dimensions: 2400 mm x 700 mm x 2100 mm.	
406	ZTI	ZTI smart machines citrus/kiwi peeler, type: Double, version: 1, serial number: 930483-135488-11, year of construction: 2019, dimensions: 2280 mm x 1680 mm x 1990 mm.	7000
407	Kerres	Kerres smoking chamber for liquid smoke, type: J3-HV 1950/1, fabrication number: 115908.2, year of construction: 07/2021, 400 V, 3 Ph, 50 Hz, 7 kW, steam heated, inside dimensions: 930 mm x 1400 mm, total dimensions: 1930 mm x 1200 mm x 2550 mm.	11000
408	Bizerba	Bizerba weighing scale for meat bins, type: CP/ST-600/1500, serial number: 10467754/0815, year of construction: 2003, maximum weight: 600/1500 kg, minimum weight: 4 kg, e= 0.2/0.5 kg, 100-240 V, 50/60 Hz, 0.6-0.25 A, dimensions: 1500 mm x 1100 mm x 1050 mm.	250
409	Variovac	Variovac thermoformer, type: Primus, serial number: 420.733.08, machine number: 733, year of construction: 2008, 230/400 V, 50 Hz, 35 A, 20 kW, Busch vacuum pump, dimensions dye: (2x) 280 mm x 180 mm, film width: 405 mm, plastic out feed belt, belt width: 370 mm, total dimensions: 6400 mm x 950 mm x 1900 mm. Extra Busch vacuum pump, type: RA 0302 D 561 QMXX, capacity: 300 m³/h, dimensions: 1000 mm x 500 mm x 400 mm.	4600
410	Inject Star	Inject Star vacuum tumbler, inside dimensions: Ø 1900 mm x 2650 mm, total dimensions: 3500 mm x 2600 mm x 2150 mm, with Rietschle vacuum pump, dimensions: 1500 mm x 700 mm x 700 mm.	6000
411	Intech	Intech s/s tilting device for pallet boxes, type: ISL 1000, serial number: F-21385, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 4.9 A, 2.2 kW, tilting height: 1450 mm, total dimensions: 2100 mm x 1700 mm x 1800 mm.	3000
413	Formcook AB	Formcook AB industrial combi cooker, model: COMBI 1025 0802 EF, year of construction: 2006, Teflon belt, belt width: 980 mm, s/s mesh belt, belt width: 1020 mm, total dimensions: 6300 mm x 1500 mm x 2500 mm, s/s switch cabinet, dimensions: 1600 mm x 400 mm x 2000 mm.	15000
414	Formcook	Formcook AB infrared conveyor grill, model: IR 6180401, year of construction: 2004, s/s mesh belt, belt width: 600 mm, total dimensions: 4150 mm x 1330 mm x 2400 mm	8000
415	Silverson		250



Nr	Title	Description	Start €
		Silverson colloid mill on s/s frame, model: 150L, machine number: C450LM625, 380 V, 3 Ph, 50 Hz, dimensions: 800 mm x 800 mm x 600 mm.	
416	Multivac	Multivac shrink tunnel, type: SE 100, machine number: 120, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 52 A, 36 kW, clearance: 560 mm x 430 mm, s/s mesh belt, belt width: 500 mm, total dimensions: 1100 mm x 950 mm x 1300 mm.	1500
417	Tecnital	Tecnital hydraulic vehicle lift, type: Samson, model: Sa 20/0, serial number: S 96192, year of construction: 1997, capacity: 2000 kg, dimensions: 1000 mm x 2180 mm x 960 mm.	200
418	Grassair	Grassair air compressor, type: SFX1500.8M, serial number: WCO005500, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 11 kW, capacity: 101.2 m ³ / minute, weight: 193 kg, dimensions: 840 mm x 630 mm x 1220 mm.	500
419	NN bandsaw	Bandsaw, model: KSH2400, serial number: 19HL7663-001, year of construction: 7-25-2019, 380 V, 3 Ph, 50 Hz, 4.1 A, 2.2 kW, dimensions table: 770 mm x 730 mm, total dimensions: 790 mm x 730 mm x 1740 mm.	500
420	Simon-Ro	Simon-Ro mobile lifting platform, model: X-2032, serial number: SBD-00416, 24 V, max load: 340 kg, maximum height: 6.09 metre, dimensions: 2280 mm x 800 mm, 2120 mm.	500
421	Pentair	2 Pentair water softeners, dimensions: (2x) Ø 410 mm x 1860 mm.	50
422	Electramo/ATB	(1x) Electramo motor, type: MSD160L-4/8, (3x) ATB motors, types: 3~Mot. 160M and 3~Mot. 160L.	300
423	NN parts	Pallet with large amount of machine parts, dimensions: 1200 mm x 800 mm x 460 mm.	400
424	SEW-Eurodrive	Pallet with 10 SEW-Eurodrive motors, dimensions: 1200 mm x 800 mm x 350 mm.	500
425	SEW-Eurodrive	Pallet with 13 SEW-Eurodrive motors, dimensions: 1200 mm x 800 mm x 320 mm.	600
426	Arol Closure Systems	Arol Closure Systems rotary capper, model: CAPPER, type: EURO PP W, serial number: 15876, year of construction: 2016, 10 heads, total dimensions: 5500 mm x 1900 mm x 2400 mm. Including switch cabinet, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 13 A, dimensions: 800 mm x 440 mm x 2430 mm, and pallet box with extra parts, dimensions: 1200 mm x 800 mm x 760 mm.	15000
427	SEW-Eurodrive	Pallet with 8 SEW-Eurodrive motors, dimensions: 1200 mm x 800 mm x 320 mm.	400
428	KSB	2 KSB centrifugal pumps, type: ETABLOC GN 050 160/1102, dimensions: (2x) 810 mm x 350 mm x 350 mm.	500



Nr	Title	Description	Start €
429	SEW-Eurodrive	Pallet with 5 SEW-Eurodrive, dimensions: 1200 mm x 800 mm x 500 mm.	400
430	Meiko	Meiko dishwasher, inside dimensions: 840 mm x 670 mm x 740 mm, total dimensions: 1030 mm x 900 mm x 1780 mm.	350
431	JKH	JKH electric pallet ruck, battery type: 3 HPZS 375, number: 08TB30273-02, year of construction: 19.05.08, 24 V, 290 kg, fork length: 1150 mm, total dimension: 2320 mm x 750 mm x 1150 mm.	1500
432	Medoc S.A.	Medoc S.A. bandsaw, model: BF 3030, number: 868.377, year of construction: 2005, 230/400 V, 3 Ph, 50 Hz, 9.9/5.8 A, 2250 W, dimensions table: 750 mm x 780 mm, total dimensions: 800 mm x 780 mm x 1730 mm. Including extra knives.	500
433	Cretel N.V.	Cretel N.V. mobile skinning machine, type: SB 46, serial number: 2041188, year of construction: 07.07. 2004, 230-400 V, 50 Hz, 3.8-2.2 A, 0.75 kW, working width: 460 mm, total dimensions: 750 mm x 480 mm x 990 mm.	350
434	Mado	Mado mobile grinder, type: MEW620, number: 31036, year of construction: 2003, 230/400 V, 3 Ph, 50 Hz, 15,2/8,8 A, 4 kW, 2 plastic screws, plate diameter: 100 mm, total dimensions: 1000 mm x 810 mm x 1350 mm.	1500
435	NN mixing tank	Mobile double jacketed s/s mixing tank, inside dimensions: Ø 600 mm x 560 mm, total dimensions: 900 mm x 1000 mm x 1600 mm.	500
436	Kolbe	Kolbe bandsaw, type: K 330, serial number: 94 2904, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 3.4 A, 1.5 kW, dimensions table: 750 mm x 600 mm, total dimensions: 750 mm x 800 mm x 1620 mm. Saw is missing.	650
437	NN bandsaw	Bandsaw, number: 91 1606 ET, year of construction: 1994, 380 V, 50 Hz, 220-380 V, 3.6 A, dimensions table: 580 mm x 790 mm, total dimensions: 720 mm x 860 mm x 1700 mm.	500
438	Unox	Unox combi steamer, model: XCV505E, 220-240 V, 1 Ph, 50/60 Hz, weight: 87.8 kg, 7 floors, floor dimensions: (7x) 540 mm x 300 mm , total dimensions: 750 mm x 780 mm x 880 mm.	450
439	Dadaux	Dadaux bandsaw, type: 5X320PR, number: 933, 380 V, 50 Hz, dimensions table: 650 mm x 800 mm, total dimensions: 770 mm x 860 mm x 1610 mm. Saw is missing.	500
440	Dadaux	Dadaux bandsaw, type: 5X320PF, number: 243, year of construction: 09.2005, 380 V, 50 Hz, dimensions table: 640 mm x 750 mm, total dimensions: 780 mm x 900 mm x 1600 mm. Saw is missing.	500
441	Bizerba		900



Nr	Title	Description	Start €
		Bizerba mobile slicer, dimensions chamber: 180 mm x 220 mm x 750 mm, total dimensions: 1680 mm x 760 mm x 1210 mm.	
442	Rivacold	Rivacold cooling motor, type: FAL012G011, serial number: 102250005621, 220-240 V, 1 Ph, 50 Hz, 5.6 A, 1061 W, refrigerant: R452A/1.1 kg, dimensions: 650 mm x 890 mm x 790 mm.	400
443	Rivacold	Rivacold cooling motor, type: FTM028G002, serial number: 102250005621, 400 V, 3 Ph, 50 Hz, 3.8 A, 1504 W, refrigerant: R452A/1.4 kg, dimensions: 650 mm x 890 mm x 790 mm.	400
444	Nissan	Nissan forklift, type: GN01L16H0, serial number: E-710019, year of construction: 2000, weight: 2506 kg, fork length: 1190 mm, total dimensions: 2400 mm x 1060 mm x 2230 mm. Including charger, dimensions: 580 mm x 440 mm x 910 mm.	2000
445	Duurland	Duurland peeler, dimensions: 480 mm x 600 mm x 1000 mm.	400
446	Unox	Unox combi steamer, model: XE185, serial number: 1008, year of construction: 22/02/2005, 230 V, 50/60 Hz, 3 floors, floor dimensions: (3x) 610 mm x 370 mm, total dimensions: 800 mm x 810 mm x 460 mm.	200
447	NN diaphragm	Mobile diaphragm, 6 heads, diameter heads: (6x) 30 mm, total dimensions: 1240 mm x 880 mm x 1100 mm.	500
448	Tender Star	Tender Star mobile tenderizer, model: T.S.E, serial number: 203405, year of construction: 2000, 220/380 V, 50 Hz, 3 Ph, 6.4/3.7 A, 0.9 kW, 574 needles, dimensions: 800 mm x 1180 mm x 1800 mm.	500
449	Air press	Air press screw compressor, type: APS 20B/10, serial number: CAI359196, year of construction: 2009, 400 V, 50 Hz, 3 Ph, 15 kW, weight: 405 kg, dimensions: 1280 mm x 840 mm x 1270 mm.	750
450	NN doors	2 plastic doors, dimensions: (2x) 890 mm x 2480 mm.	20
451	Ammeraal	Ammeraal 90° curve conveyor, number: R14148, plastic belt, belt width: 650 mm, total dimensions: 2000 mm x 1000 mm x 560 mm. Including extra belt.	200
452	NN curve conveyor	Curve conveyor, s/s rollers, roller length: 400 mm, total dimensions: 2300 mm x 1360 mm x 700 mm.	300
453	Elpress	Elpress s/s sink, 5 faucets, dimensions: 2450 mm x 440 mm x 600 mm.	250
454	Stephanal	Stephanal mobile skinning machine on s/s trolley, type: Cretel SB 360, number: A.604.88.8, 220/380 V, 3 Ph, 50 Hz, 2.35/1.35 A, 0.55 kW, foot controlled, working width: 365 mm, total dimensions: 630 mm x 480 mm x 1030 mm.	500
455	Jarvis	Jarvis splitting saw with Autostat balancer, dimensions saw: 1400 mm x 600 mm x 340 mm, type balancer: 7251 0800 04, number: 21270194, year of construction: 2008.	1000



Nr	Title	Description	Start €
456	Henkovac	Henkovac mobile vacuum machine, type: VA-2, machine number: 28834364, 220/380 V, 50 Hz, 8.3-5 A, seal length: (2x) 500 mm, dimensions chamber: 460 mm x 515 mm, total dimensions: 580 mm x 630 mm x 1080 mm.	400
458	Weber	Weber flake ice machine with plastic tub, type: VIIR-430, number: 101, year of construction: 2002, refrigerant: R404A, dimensions: 800 mm x 800 mm x 440 mm, dimensions tub: 1060 mm x 620 mm x 900 mm.	1000
459	L'unite Hermetique	L'unite Hermetique outside airco unit, type: Silensys H49Z, serial number: 02G19 100634 4970130201, 400 V, 3 Ph, 4.6 A, refrigerant: R404A, dimensions: 1010 mm x 390 mm x 770 mm.	100
460	Rühle	Rühle dicer with lifter for crates, type: SR 2 BiTurbo, serial number: 40051059, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 13.2 A, 5.3 kW, chamber dimensions: 120 mm x 120 mm, plastic belt, belt width: 250 mm, total dimensions: 1560 mm x 1400 mm x 1490 mm. Including box with grid sets.	5000
461	Korimat	Korimat autoclave, type: KA 240/2.5/E, fabrication number: 972201, year of construction: 97/17, 230/400 V, 3 Ph, 16.5 kW, volume: 240 liter, dimensions: 880 mm x 420 mm x 1320 mm.	4000
462	Automac S.P.A.	Automac S.P.A. packaging and labelling machine, model: B.228.XS, serial number: 1/9949, year of construction: 2005, 230 V, 2 Ph, 50/60 Hz, 8.6 A, plastic belt, belt width: 330 mm, total dimensions: 1280 mm x 1280 mm x 1300 mm.	1500
463	Uni-Food	Uni-Food mobile double lane fish skinning machine, plastic belt, belt width: 470 mm, working width: 500 mm, total dimensions: 1600 mm x 1000 mm x 1500 mm.	1250
464	Grasselli S.p.a.	Grasselli S.p.a. mobile skinning machine, model: RST520-m, serial number: R03009/M163, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 2.1 A, 6 bar, working width: 480 mm, total dimensions: 700 mm x 700 mm x 980 mm.	400
465	Rühle	Rühle injector, type: IR 17, serial number: 3005006, year of construction: 2017, 400 V, 3 Ph, 50/60 Hz, 11 A, 6.1 kW, s/s mesh belt, belt width: 250 mm, 17 needles, total dimensions: 1000 mm x 600 mm x 1850 mm.	1500
466	Sato	Sato barcode printer, model: CL408e-2A, serial number: 0J030356, 200-240 V, 50/60 Hz, 3/1.5 A, dimensions: 440 mm x 270 mm x 320 mm.	150
467	NN chairs	2 chairs on s/s frames, dimensions: (2x) 500 mm x 450 mm x 1150 mm.	30
468	OptiServe	OptiServe optical colour sorting machine, type: OS1700-4C-DC, number: OS1700-002, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 12 A 6,5 kW,	25000



Nr	Title	Description	Start €
		weight: 1450 kg. plastic belt, belt width: 1700 mm, clearance: 1600 mm x 80 mm, 2 plastic outfeed belts, belt width: (2x) 300 mm, total dimensions: 3550 mm x 3150 mm x 2660 mm.	
469	Talsa	Talsa mixer, type: MIX100P, serial number: 212625, year of construction: 2001, 230/400 V, 50 Hz, volume: 100 liter, dimensions: 700 mm x 920 mm x 1150 mm.	750
470	HFE Vacuum Systems	HFE Vacuum Systems mobile vacuum machine, type: E-303, serial number: 20091329, year of construction: 2009, 380-400 V, 50 Hz, 3 Ph, 7 A, 8.5 A, dimensions chamber: 770 mm x 520 mm, seal length: 820 mm x 520 mm, total dimensions: 950 mm x 760 mm x 1100 mm.	500
471	Talsa	Talsa piston filler including attachment, model: H 26, serial number: 284953, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 2.5/4.3 A, 0.93 kW, dimensions: 400 mm x 630 mm x 1150 mm.	600
472	Kittner	Kittner hygiene station with sole cleaner, hand disinfection unit and tourniquet, serial number: 190049, year of construction: 2019, 400 V, 50 Hz, 0.6 kW, brush length: (2x) 650 mm, total dimensions: 1650 mm x 980 mm x 1800 mm.	750
473	NN shuttle conveyor	Shuttle conveyor belt with s/s cover, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 2200 mm x 800 mm x 1170 mm.	1700
474	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 2200 mm x 650 mm x 920 mm.	600
475	Leich und Mehl	Leich und Mehl checkweigher with labelling unit, type: PAW 2000, fabrication number: 9249, year of construction: 20010, 230 V, 50 Hz, maximum weight: 3 kg, minimum weight: 20 g, e=d= 1 g, T= -MAX, plastic belt, belt width: 200 mm, total dimensions: 2100 mm x 780 mm x 1600 mm, dimensions labelling unit: 870 mm x 550 mm x 940 mm.	2400
476	Kazbi	Kazbi product flipping belt with safety cage, type: OB-3-520-500, serial number: 2021001, year of construction: 2021, 400 V, 50 Hz, 1.5 kW, plastic belts, belt width: (3x) 150 mm, working width: 530 mm, total dimensions: 1800 mm x 1350 mm x 1430 mm.	700
477	Videojet	Videojet inkjet printer, model: 1630, serial number: 1905800C45ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz 3 A, 120 W, plastic belt, belt width: 500 mm, total dimensions: 1030 mm x 700 mm x 1620 mm.	2000
478	Bizerba	Bizerba weighing and labelling machine, model: GV, serial number: 1817934, 230 V, 50 Hz, 1.7 A, plastic belts, belt width: (2x) 300 mm, total dimensions: 2000 mm x 650 mm x 1330 mm. Including extra labeller, model: GV, serial number: 13706184, 230 V, 50 Hz, 1.7	1250



Nr	Title	Description	Start €
		A, dimensions: 320 mm x 550 mm x 410 mm and extra weigher, dimensions: 300 mm x 370 mm x 120 mm.	
479	Inauen Maschinen AG	Inauen Maschinen AG drying tunnel, type: VC999/33.78 i, s/s rollers, roller width: 780 mm, clearance: 860 mm x 380 mm, s/s mesh belt, belt width: 780 mm, total dimensions: 1210 mm x 1900 mm x 1550 mm.	1700
480	Cryovac	Cryovac shrink tunnel, model: ST50 LH, serial number: A52400107, year of construction: 1997, 380 V, 50 Hz, 16 A, 10 kW, clearance: 400 mm x 180 mm, roller width: 400 mm, total dimensions: 1360 mm x 1220 mm x 1700 mm.	1700
481	Kazbi	Kazbi transport belt with rejector, type: TM-3560-1400-1550, serial number: 2020038, year of construction: 2020, 400 V, 3 Ph, 0.18 kW, s/s frame, plastic mesh belt, belt width: 350 mm, s/s rollers, roller length: 780 mm, total dimensions: 1430 mm x 1700 mm x 1160 mm.	700
482	IXIA UK Ltd.	IXIA UK Ltd. mobile denester, clearance: 220 mm x 180 mm, dimensions: 1250 mm x 1550 mm x 1900 mm.	700
483	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 150 mm, total dimensions: 1800 mm x 380 mm x 970 mm.	700
484	Espera	Espera weighing scale on table, ESW 403, number: 15 04 0913, 24 V, 0.2 A, maximum weight: 15/30/60 kg, minimum weight: 100 gram, e= 5/10/20 gram, T=-15 kg, dimensions weighing scale: 560 mm x 460 mm, total dimensions: 560 mm x 460 mm x 690 mm.	200
485	Waldys S.A.	Waldys S.A. stretch wrapping machine with Bizerba weighing and labelling machine, model stretch wrapper: B-188, serial number: 4244, year of construction: 01-2000, 400 V, 3 Ph, 50 Hz, 2.6 kW, 310 kg, plastic wire infeed belt, film width: 270 mm, clearance: 370 mm x 170 mm, total dimensions: 2000 mm x 1180 mm x 1560 mm.	1200
486	Pannekeet Machine Techniek b.v.	Pannekeet Machine Techniek b.v. mobile batcher 2 to 8, number: 11214, year of construction: 2005, dimensions forms: (8x) 125 mm x 200 mm x 165 mm, total dimensions: 1450 mm x 670 mm x 1950 mm.	1200
487	NN transport belt	Mobile transport belt, s/s frame, dimensions: 1800 mm x 380 mm x 970 mm. Belt missing.	350
488	NN transport belt	Transport belt, plastic mesh belts, belt width: (1x) 360 mm, (3x) 100 mm, total dimensions: 1200 mm x 870 mm x 1000 mm.	350
489	Weber	Weber knife sharpener, type: MSG 460, number: 402, 380 V, 50 Hz, 0.18 kW, dimensions: 570 mm x 600 mm x 780 mm.	750
490	Kazbi	Kazbi roller conveyor, type: W O 560 1450, serial number: 20180951, year of construction: 2018, s/s	350



Nr	Title	Description	Start €
		rollers, roller length: 400 mm, total dimensions: 1450 mm x 610 mm x 960 mm.	
491	Ishida	Ishida multihead weigher, 14 heads, model: CCW-RS-214W-1S/30-WP, year of construction: 2010, 230 V, dimensions: 1250 mm x 1250 mm x 1680 mm.	2000
492	NN vibrating gutter	S/s vibrating gutter, gutter width: 300 mm, total dimensions: 1750 mm x 700 mm x 1500 mm.	700
493	TWB	TWB separating belt, type: LV, number: TW-15-1127, year of construction: 2015, 400 V, 50 Hz, 1.5 A, 1 kW, 6 bar, plastic belt, belt width: 400 mm, total dimensions: 820 mm x 820 mm 840 mm.	250
494	NN conveyor	Conveyor, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 620 mm x 740 mm x 1290 mm.	750
495	IBB	IBB cooled vacuum tumbler, type: Schinkomat 100, serial number: 106, 380 V, 50 Hz, 18 A, 1400 W, pressure: 1-10 bar, dimensions: 1570 mm x 790 mm x 1220 mm.	400
496	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, dimensions: 1320 mm x 820 mm x 1250 mm.	250
497	Rühle	Rühle frozen block cutter, type: GFR 450/250, number: 201, 380 V, 3 Ph, 50 Hz, 5.5 kW, working width: 450 mm, total dimensions: 1400 mm x 750 mm x 1350 mm.	2600
498	Gerhard	Gerhard mixer, dimensions: 1400 mm x 930 mm x 1450 mm.	500
499	Neff	Neff s/s turning table, Ø table: 980 mm, total dimensions: 1020 mm x 1040 mm x 920 mm.	250
500	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 160 mm, total dimensions: 2000 mm x 530 mm x 1080 mm.	200
501	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, Vemag portioning machine and s/s outfeed belt, model vacuum filling machine: HP 15 C, number: 143 1588, year of construction: 2006, 220-240 V / 64 A, 400-460 V / 37 A, 575 V, 3 PH, 50/60 Hz, 24 kW, dimensions: 2400 mm x 1300 mm x 2040 mm, model portioning machine: KL 703, number: 703 0014, year of construction: 2006, 220-240 V / 12 A, 400-460 V / 6.5 A, 575 V / 4 A, 3 PH, 50/60 Hz, 3 kW, plastic belt, belt width: 600 mm, total dimensions: 6100 mm x 890 mm x 1620 mm.	5500
502	Lutetia	Lutetia tumbler, number: 5100, dimensions: 1420 mm x 3150 mm x 1900 mm.	2000
503	Webomatic	Webomatic dip tank, s/s mesh belt, belt width: 550 mm, clearance: 600 mm x 370 mm, total dimensions: 1200 mm x 1000 mm x 1420 mm.	1700
504	Dorit	Dorit mobile tilttable tumbler, type: VV1-150, serial number: 16000-414, 380 V, 3 Ph, 50 Hz, 1.3 A, 037 kW,	500



Nr	Title	Description	Start €
		inside dimensions: Ø 595 mm x 700 mm, volume: 150 liter, total dimensions: 1100 mm x 650 mm x 1820 mm.	
505	IBB	IBB cooled vacuum tumbler, type: Schinkomat 100, serial number: 114, 380 V, 50 Hz, 18 A, 1400 W, pressure: 1-10 bar, dimensions: 1570 mm x 790 mm x 1220 mm.	400
506	AEW Thurne	AEW Thurne slicer, model: Junior slicer, clearance: 230 mm x 110 mm, 380/415V, 3 Ph, 50/60 Hz, dimensions: 2280 mm x 850 mm x 2070 mm. Without outfeed belt.	4000
507	Cryovac	Cryovac dip tank, type: CUVE 600 FRM.ELEC, serial number: CF 137.00.00, year of construction: 11/1990, 380 V, 3 Ph, 50 Hz, 24 kW, s/s rollers, roller width: 520 mm, total dimensions: 1500 mm x 950 mm x 2320 mm.	350
508	Weber	Weber mobile skinning and derinding machine, type: ASB 1000, number: 808, 380 V, 50 Hz, 1.1 kW, plastic belt, belt width: 440 mm, working width: 450 mm, total dimensions: 1950 mm x 850 mm x 1200 mm.	1500
509	Stork	Stork belt fryer, type: TBM 630/5000, serial number: 4T210506, s/s mesh belt, belt width: 630 mm, thermal oil, volume: 1200 liter, total dimensions: 8600 mm x 1700 mm x 2400 mm.	5000
510	Henkelman	Henkelman mobile double chamber vacuum machine, model: Polar 2-50, machine number: P301402028, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 11.5 A, 3.5 kW, chamber dimensions: (2x) 620 mm x 500 mm, seal length: (4x) 620 mm, Busch vacuum pump, RA 0100 F 5R3, capacity: 100 m³/h, total dimensions: 1950 mm x 850 mm x 1200 mm.	1500
511	NN depositor	S/s depositor, dimensions: 1400 mm x 1380 mm x 1440 mm.	400
512	Meissner GmbH	Meissner GmbH bowl cutter, type: RSM 65, machine number: 1206419, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 39 A, 17 kW, s/s bowl, volume: 65 liter, dimensions: 1200 mm x 1060 mm x 1280 mm.	2500
514	Stephan	Stephan mobile micro cutter, type: MCHD40, machine number: 721.825.01/, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 53 A, 30 kW, diameter plate: 200 mm, dimensions, 1780 mm x 1010 mm x 750 mm.	4000
515	Siemens	Siemens side channel blower, dimensions: 720 mm x 550 mm x 540 mm.	100
516	OCS	OCS metal detector, type: MN 5.0 CI 200/100, serial number: 950428-CI, 100-240 V, 50/60 Hz, clearance: 200 mm x 100 mm, total dimensions: 270 mm x 600 mm x 370 mm.	250
517	OCS	OCS metal detector, type: MN 5.0 CI 200/100, serial number: 950427-CI, 100-240 V, 50/60 Hz, clearance: 200 mm x 100 mm, total dimensions: 270 mm x 600 mm x 370 mm.	250



Nr	Title	Description	Start €
518	Mesutronic	Mesutronic metal detector, type: MN 7.0 CI 200/250, serial number: 1302-CI, year of construction: 2016, 100-240 V, 50/60 Hz, 1.25 A, clearance: 200 mm x 250 mm, total dimensions: 300 mm x 550 mm x 500 mm.	250
519	Nutripack	Pallet with Nutripack plastic trays, type: H3, tray volume: 5500 ml, tray dimensions: 308 mm x 240 mm x 100 mm, total dimensions: 1200 mm x 800 mm x 1600 mm.	50
520	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH metal detector with checkweigher and rejector, type checkweigher: CM 3571, serial number: 1441500130010, year of construction: 2020, 100-240 V, 50-60 Hz, weighing range: 80-6000 g, e=0.5/1 g, d=-0.5/1 g, T=-1000, capacity: 60 pieces/min, type metal detector: V4-COMPACT, 100-240 V, 50/60 Hz, 340 W, plastic belt, belt width: 300 mm, clearance: 350 mm x 110 mm, total dimensions: 2600 mm x 1200 mm x 1800 mm.	17500
533	Schneider Electric	Schneider Electric frequency converter, model: ATV21WD11N4, serial number: 6W0820900047, 380/480, 3 Ph, 50/60 Hz, 21.2 A.	100
534	NN electric parts	Electric parts, among others: Lenovo PC, Eliwell controll panel, Weintek screen.	100
535	Matelex	Matelex intelligent level detector, model: DNI, serial number: 1450900, year of construction: 3/1/2020, 230 V, 50 Hz, 1 A.	50
536	Danfoss	Danfoss frequency converter, VLT HVAC Drive.	100
537	Vacon	Vacon 100 HVAC frequency inverter, type: 12, serial number: V00004539752, 380/500 V, 50/60 Hz, 58.2 A.	100
538	RC Group	RC Group display, serial number: 219344, year of construction: 06/12/2004.	30
539	DEGA CZ s.r.o.	DEGA CZ s.r.o. gas detection controller, model: UKA III.	50
540	ABB	2 ABB frequency converter, type: (2x) ACH580-01-018A-4+B056, serial number: Y2126A2091and Y2250A0949, 400/480 V, 3 Ph, 50/60 Hz, 17/14 A,	150
541	Schneider Electric	Schneider Electric frequency converter, model: ATV21WU75N4, serial number: 8B0827301018, 380/480, 3 Ph, 50/60 Hz, 14.7 A.	100
542	Stork	Stork valve, DN 80x50.	100
543	Busch	Busch vacuum pump, type: KC 0016 E 300, serial number: V18430669, year of construction: 2018, capacity: 19 m³ per hour, dimensions: 300 mm x 220 mm x 190 mm.	150
544	Edwards	Edwards vacuum pump, dimensions: 430 mm x 160 mm x 390 mm.	50
545	Packo	Packo pump, type: ZS/113/554, serial number: 206123, year of construction: 22/07, dimensions: 340 mm x 180 mm x 220 mm.	100



Nr	Title	Description	Start €
546	KSB	KSB centrifugal pump, type: ETL 080-080-160 GGS AV66D200304, number: 9974110214 000200 01, capacity: 60 m ³ per hour, dimensions: 690 mm x 270 mm x 440 mm. New in box.	350
547	KSB	KSB centrifugal pump, type: ETL 100-100-125 GGS AV66D200304, number: 9974110214 000100 01, capacity: 75.00 m ³ per hour, dimensions: 650 mm x 290 mm x 450 mm. New in box.	350
548	NN switch cabinet	Switch cabinet, dimensions: 330 mm x 210 mm x 430 mm.	50
549	Flygt	Flygt pump, type: 3069.170-2531944, 400/230 V, 3 Ph, 50 Hz, 2.4 kW, 2780 rpm, dimensions: 600 mm x 250 mm x 450 mm.	50
550	Flygt	Flygt pump, type: 3069.170-2130943, 400/230 V, 3 Ph, 50 Hz, 2.4 kW, 2700 rpm, dimensions: 600 mm x 250 mm x 450 mm.	50
551	Siemens	Siemens pump, dimensions: 780 mm x 280 mm x 380 mm.	200
552	Siemens	Siemens pump, dimensions: 780 mm x 280 mm x 380 mm.	200
553	Scharfen	Scharfen cutter, type: Uni Cutter, number: 923050, 230/400 V, 3.6/2.4 A, 780 Watt, dimensions: 950 mm x 560 mm x 360 mm.	150
554	GEA	Pallet with 10 GEA valves, various types, dimensions pallet: 1200 mm x 800 mm x 380 mm.	1000
555	Grundfos	Grundfos inline single stage pump, type: TP 100-350/2 X-F-A-BQQE, model: A99114194P219100002, capacity: 162 m ³ per hour, maximum pressure: 16 bar, maximum temperature: 120 °C, dimensions: 960 mm x 400 mm x 550 mm. Never used.	800
556	Grundfos	Grundfos inline single stage pump, type: TP 100-250/2 A-F-A-BAQE, model: A96109176P217330011, capacity: 135 m ³ per hour, maximum pressure: 16 bar, maximum temperature: 120 °C, dimensions: 920 mm x 380 mm x 560 mm. Never used.	800
557	Actaric	Actaric pump with Dresser roots meter, dimensions: 620 mm x 220 mm x 250 mm.	50
558	Agilent	Agilent Technologies vacuum pump, model: EU 105, serial number: IT1410N004, year of construction: 2014, capacity: 105 m ³ per hour, dimensions: 740 mm x 440 mm x 500 mm.	50
559	VH Armaturen	Pallet with 8 various VH Armaturen actuators, dimensions pallet: 1200 mm x 800 mm x 350 mm.	150
560	KSB	Pallet with 22 KSB valves, DN 25 / 20 , PN 16 / 18, total dimensions: 1200 mm x 800 mm x 350 mm.	200
561	VH Armaturen	Pallet with 11 various VH Armaturen actuators, dimensions pallet: 1200 mm x 800 mm x 700 mm.	150



Nr	Title	Description	Start €
562	KSB	2 KSB circulation pumps, model: Movitec HSI 2/3 B, capacity: 1.86 m³ per hour, dimensions: (2x) 610 mm x 210 mm x 200 mm.	150
563	Flowserve	Flowserve centrifugal pump, type: ZLND 065160, year of construction: 2023, dimensions: 1050 mm x 450 mm x 700 mm.	150
564	Busch	Busch vacuum pump, type: 400-212, number: 24684, capacity: 400 m³ per hour, dimensions: 1350 mm x 900 mm x 1250 mm.	800
565	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 6F.2 Y, serial number: 662701058, capacity: 94.1/183 m³ per hour, dimensions: 800 mm x 500 mm x 500 mm.	75
566	Hawe Hydraulik	Hawe Hydraulik hydraulic power pack, type: KA 44 L / H 7.2 / 400 / 460 V, 3 Ph, 50 / 60 Hz, dimensions: 540 mm x 230 mm x 240 mm.	75
567	VH Armaturen	Pallet with 14 various VH Armaturen actuators, dimensions pallet: 1200 mm x 800 mm x 350 mm.	150
568	NN frame	Steel frame, dimensions: 950 mm x 880 mm x 1020 mm.	10
569	Havantec	2 Havantec soap dispensers, dimensions: (2x) 400 mm x 370 mm x 1500 mm. 1 is broken / incomplete.	40
570	Nieros	Nieros hand disinfection unit with tourniquet, type: HDK/SP, serial number: N3A27-01, year of construction: 7/2010, 230 V, 50 Hz, 0.2 kW, dimensions: 900 mm x 900 mm x 1000 mm.	150
571	Slijp Machinefabriek	Slijp Machinefabriek grinder, model: Tip-Top 49/63, number: 126, dimensions: 700 mm x 300 mm x 530 mm.	50
572	NN tenderizer	Tenderizer, working width: 240 mm, total dimensions: 550 mm x 400 mm x 1100 mm.	50
573	Cretel	Cretel skinning machine on s/s trolley, model: SB 360, 380 V, working width: 320 mm, total dimensions: 620 mm x 470 mm x 1000 mm.	100
574	Bernard	Valve system with Bernard pumps, type pumps: OA6 and OA3, numbers: 929457/03.014 and 94942/01.065, 230 V, 1 Ph, 50 Hz, 0.6 A, 0.08 kW, dimensions: 1200 mm x 800 mm x 400 mm.	100
575	Proseal	Proseal dye for Proseal GT1V, model: Weizoplast 1-6 GM-50H, dimensions: 800 mm x 350 mm x 470 mm.	10
576	NN Cooling compressor	Cooling compressor, dimensions: 700 mm x 700 mm x 750 mm.	40
577	DWM Copeland	DWM Copeland cooling compressor, model: DKLP-15X-FWL, number: 2138938, year of construction: 2004, 220/240 V, 3 Ph, 50 Hz, 05.9 A, dimensions: 700 mm x 650 mm x 440 mm.	40
578	HP	HP StorageWorks P2000 G3 SAS MSA Dual Controller SFF Array System.	40
579	Mettler Toledo		80



Nr	Title	Description	Start €
		Mettler Toledo weighing scale with label printer, type: UC-GTT-M CT, serial number: B836386880, maximum: 6/15 kg, minimum: 40 gram, e= 2/5 gram, dimensions scale: 360 mm x 270 mm, total dimensions: 430 mm x 400 mm x 470 mm.	
580	Mettler Toledo	Mettler Toledo weighing scale with label printer, type: UC-GTT-M CT, serial number: B836386884, maximum: 6/15 kg, minimum: 40 gram, e= 2/5 gram, dimensions scale: 360 mm x 270 mm, total dimensions: 430 mm x 400 mm x 470 mm.	80
581	SPX	SPX liquid filter, type: S2-EL-200F-V, serial number: 100000 3318502, year of construction: 2018, dimensions: 300 mm x 400 mm x 1000 mm.	10
582	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 2KES-05Y-40S, capacity: 4.1/4.9 m³ per hour, dimensions: 850 mm x 850 mm x 600 mm.	150
583	Winkler Wachtel	Winkler Wachtel pizza oven, model: Piccolo, inside dimensions: 600 mm x 850 mm x 200 mm, total dimensions: 1300 mm x 980 mm x 530 mm.	300
584	Omas	Omas grinder, type: TS 32, number: 2740, 380 V, 50 Hz, 3000 W, plate diameter: 98 mm, total dimensions: 800 mm x 530 mm x 600 mm.	250
585	Buffalo	Buffalo vegetable slicer, model: G784, serial number: 1120090117, 230 V, 50 Hz, 550 W, dimensions: 600 mm x 220 mm x 600 mm. Including 6 extra knives.	100
586	Duni AB	Duni AB traysealer, type: DF 20, machine number: DF 2004641, 230 V, 1 Ph, 50 Hz, 0.75 kW, dye: 160 mm x 116 mm, total dimensions: 650 mm x 250 mm x 250 mm. Including plastic film, film width: 185 mm.	75
587	Van Tilborg	Van Tilborg slicer, type: SE 3, machine number: 4/55/2973, 110/220 V, 50 Hz, dimensions: 600 mm x 600 mm x 500 mm.	100
588	Omas	Omas slicer, type: C 350, serial number: 2302, 220 V, 50 Hz, 280 W, dimensions: 700 mm x 600 mm x 500 mm.	100
589	Europlast	Pallet with Europlast casings, dimensions: 1200 mm x 800 mm x 1100 mm.	40
590	Busch	Busch side channel pressure/vacuum pump, model: SB 1100 D 0H0 UN XX, number: BN 10100686 002 /0511, 400-460 V, 3 Ph, 50-60 Hz, 16.2-17.0 A, 8.5-98 kW, dimensions: 1150 mm x 600 mm x 900 mm.	150
591	SPECK Pumpen	SPECK Pumpen swimming pool pump, model: Messwasser 1 WE, serial number: 77409/14, 230 V, 1 Ph, 50 Hz, 1.95 A, 0.35/0.18 kW.	40
592	Grundfos	Grundfos horizontal multistage pump, type: CME3-4 A-R-A-E-AQQE U-A-D-N, model: A-98394985-P3-1608, 10 bar, 1 Mpa, capacity: 3.7 m³ per hour, dimensions: 580 mm x 350 mm x 380 mm.	40



Nr	Title	Description	Start €
593	Grundfos	Grundfos horizontal multistage pump, type: CME3-4 A-R-A-E-AQQE U-A-D-N, model: A-98394985-P3-1608, 10 bar, 1 Mpa, capacity: 3.7 m ³ per hour, dimensions: 420 mm x 210 mm x 410 mm.	40
594	Grundfos	Grundfos horizontal multistage pump, type: CME3-4 A-R-A-E-AQQE U-A-D-N, model: A-98394985-P3-1608, 10 bar, 1 Mpa, capacity: 3.7 m ³ per hour, dimensions: 400 mm x 210 mm x 370 mm.	40
595	Grundfos	Grundfos horizontal multistage pump, type: CME3-4 A-R-A-E-AQQE U-A-D-N, model: A-98394985-P3-1608, 10 bar, 1 Mpa, capacity: 3.7 m ³ per hour, dimensions: 600 mm x 210 mm x 370 mm.	40
596	MO EL	MO EL insect killer, 230 V, 1 Ph, 50 Hz, 65 W, dimensions: 700 mm x 200 mm x 400 mm.	10
597	Pfeiffer Vacuum	2 Pfeiffer Vacuum vacuum pumps, model: DUO 2.5 and DUO 2.6, year of construction: 2005/2006, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (2x) 310 mm x 120 mm x 190 mm.	50
598	Blagdon	Blagdon membrane pump, model: B1501PTBBOTP, serial number: 310258, year of construction: 2019, dimensions: 250 mm x 200 mm x 300 mm.	50
599	NN locker	Steel locker, dimensions: 360 mm x 480 mm x 1820 mm.	5
600	CFS	CFS slicer, type: UNI-SLICER, number: 4044502565, year of construction: 2007, 400 V, 3 Ph, 50/60 Hz, 9 A, 6 kW, plastic belt, belt width: 350 mm, total dimensions: 4070 mm x 830 mm x 2170 mm. Including CFS knife sharpener, type: KSM 80 E, number: 4040915929, year of construction: 2007, dimensions: 710 mm x 660 mm x 1280 mm.	5000
601	Formax	Formax shuttle conveyor, model: STS, serial number: 2, year of construction: 2001, 220 V, 50 Hz, 2.6 kVA, s/s belt, belt width: 740 mm, clearance: 740 mm x 50 mm, total dimensions: 3150 mm x 1100 mm x 1520 mm.	1250
602	Casomatic	2 Casomatic vibrating level forks, length: 1100 mm / 1350 mm.	100
603	ROSOMA GmbH	ROSOMA GmbH washing machine, dimensions: 1500 mm x 700 mm x 2250 mm.	700
604	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 6F.2, fabrication number: 449 513, capacity: 94.1/183 m ³ per hour, dimensions: 850 mm x 800 mm x 1200 mm.	400
605	Cintex LTD	Cintex LTD metal detector with 2 metal detector heads and rejecting belt, type: KHRB30, serial number: 79959, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 3 A, plastic mesh belt, belt width: 300 mm, total dimensions: 2720 mm x 880 mm x 1100 mm. Damaged.	500
606	METOS N.V.	METOS N.V. drive-in refrigerator, model: ROLL-IN 1P, serial number: 5044272, year of construction: 2004, 230	200



Nr	Title	Description	Start €
		V, 50 Hz, refrigerant: R134a/305 g, dimensions: 1050 mm x 870 mm x 1250 mm.	
607	Wichelmann Metallbau	Wichelmann Metallbau strip cutter, type: Säge A1, machine number: 3132, year of construction: 2008, plastic belt, belt width: 250 mm, total dimensions: 2800 mm x 1200 mm x 1700 mm.	1000
608	Tramatic	Tramatic electric pallet lifter, fork length: 1200 mm, lifting height: 1400 mm, total dimensions: 1650 mm x 900 mm x 2000 mm. Including De Drie B.V. battery charger, 220 V, 12 DC and VARTA battery.	500
609	ProFroid / Copeland	ProFroid cooling compressor rack with 4 Copeland cooling compressors, type: INNO BASIC VPP460-2340 4039659, serial number: 133898/135/8936, year of construction: 2009, 400 V, 3 Ph, 50 Hz, model Copeland, ZB38KCE-TFD-551, capacity: 14.41 / 17.34 m³ per hour, total dimensions: 1700 mm x 760 mm x 910 mm.	750
610	Lock	Lock Inspection metal detector with rejector, model: MET30+, plastic belt, belt width: 300 mm, clearance: 450 mm x 120 mm, total dimensions: 1200 mm x 1250 mm x 1350 mm.	100
611	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, model: HP 10C, number: 142 1627, year of construction: 2006, 220-240 / 400-460 V, 3 Ph, 50/60 Hz, 20 kW A, filling and portioning, Busch vacuum pump, total dimensions: 2060 mm x 1330 mm x 2220 mm.	3900
612	Elpress / Nawi	Elpress / Nawi hygiene station with sole cleaner, hand disinfection unit and tourniquet,, type: 05362920, brush length: (2x) 1500 kg, total dimensions: 2100 mm x 1600 mm x 1500 mm.	1500
613	Goedhart	3 Goedhart s/s evaporators, type: PACi 402/4/230, year of construction: 2006, refrigerant: R22, 2 fans, dimensions: (3x) 2100 mm x 1150 mm x 780 mm.	300
614	Stephan	Stephan vacuum mixer, type: VM 300, machine number: 720.013.01, year of construction: 1993, 400 V, 50 Hz, 9.4 A, 3.8 kW, volume: 300 liter, Busch vacuum pump, type: 016-118, number: 344238, capacity: 16 m³ per hour, dimensions: 2000 mm x 1430 mm x 1450 mm. Including Stephan lifter for meat bins, type: WB 602, machine number: 720.013.01, year of construction: 1993, 400 V, 3 Ph, 50 Hz, 3.65 A, 1.5 kW, lifting height: 1450 mm, total dimensions lifter: 1350 mm x 750 mm x 3020 mm.	2000
615	Alexanderwerk	Alexanderwerk piston filler, type: ACN 30, 220/380 V, 50 Hz, 2.2 kW, volume: 30 liter, dimensions: 650 mm x 750 mm x 1530 mm.	800
616	Espera	Espera weighing and labelling machine, model: ES 7000 / ESG 2154, year of construction: 2019, 230 V, 50-60 Hz, 10 A, plastic belts, belt width: (2x) 140 mm,	2500



Nr	Title	Description	Start €
		total dimensions: 2420 mm x 730 mm x 1980 mm. Including Espera s/s control panel, model: ESC 974 IP, 35-48 V, 3 A, dimensions: 680 mm x 450 mm x 1420 mm and Espera label printer, model: ESD 104, 230 V, 50-60 Hz, 1 A, dimensions: 680 mm x 500 mm x 1350 mm.	
617	Stork	Stork mobile 90° curve conveyor, s/s mesh belt, belt width: 600 mm, total dimensions: 1550 mm x 1050 mm x 1600 mm.	500
618	Mettler Toledo	Mettler Toledo Safeline metal detector with rejector, plastic belt, belt width: 160 mm, clearance: 250 mm x 85 mm, total dimensions: 2100 mm x 1000 mm x 1450 mm.	300
619	Cryovac	Cryovac belt vacuum machine, model: VS 90, serial number: A03301308, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 20 A, 7 kW, 6/4 bar, plastic belt, belt width: 660 mm, plastic rollers, roller width: 660 mm, total dimensions: 3200 mm x 1300 mm x 1940 mm. Without vacuum pump.	3000
620	Cryovac	Cryovac shrink tunnel, model: ST77SRH, serial number: A51600128, year of construction: 1997, 380/415 V, 50 Hz, 16 A, 4 kW, 6 bar, clearance: 800 mm x 240 mm, s/s rollers, roller width: 735 mm, total dimensions: 1450 mm x 1300 mm x 1900 mm.	1000
621	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile linking machine, model: LPG, number: 202 0312, year of construction: 2006, 220-240 / 400-460 V, 3 Ph, 50/60 Hz, 10-16 A, 2.5 kW, dimensions: 1400 mm x 650 mm x 1350 mm.	1200
622	Vakona GmbH	Vakona GmbH cooled vacuum mixer, type: 125ESKSTL, number: 8065, year of construction: 1999, 230/400 V, 50 Hz, 1.6 A, 1.9 kW, tiltable, volume: 125 liter, Busch vacuum pump, type: RB 0010 D OZO, year of construction: 1998, capacity: 10 m³ per hour, total dimensions: 1330 mm x 600 mm x 1330 mm.	1500
623	Turbo Systems LTD	Turbo Systems LTD mobile depositor, type: M252P, machine number: M252P6812010, year of construction: 2019, diameter outfeed: (2x) 23 mm, total dimensions: 1400 mm x 650 mm x 1640 mm.	1000
624	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with 2 cooling compressors, type condensing unit: 44FC-10.2Y-40S, serial number: 1674612696, type cooling compressors: 4FC-5.2Y-40S, serial number: 1674612696, 220-240/265-290/380-420/440-480 V, 3 Ph, 50/60 Hz, 18.7/10.8 A, capacity: 18.05/21.78 m³ per hour, dimensions: 1310 mm x 950 mm x 780 mm.	500
625	Palga	Palga skewering machine, type: NewCombi, serial number: 32001301, year of construction: 2014, 400 V, 50 Hz, 10 A, 10 knives, distance between knives: 15 mm, number of sticks: 121, dimensions: 1200 mm x 1100 mm	2500



Nr	Title	Description	Start €
		x 1650 mm. With frame for spare parts, dimensions: 700 mm x 500 mm x 1050 mm. Missing transport belt.	
626	Coeman Packaging	Coeman Packaging mobile box closing machine, model: SM2, serial number: 7617, year of construction: 1988, 380 V, 3 Ph, 50 Hz, 1.4 A, 240 W, plastic belts, belt width: 75 mm, total dimensions: 1150 mm x 700 mm x 1800 mm.	300
627	Robopac	Robopac mobile automatic shrink wrapping machine, model: Ariane 5040 2TA, serial number: KN/054420, year of construction: 02/2003, 400 V, 3 Ph, 50 Hz, 9.5 A, 5.7 kW, seal length: 470 mm and 370 mm, plastic outfeed rollers, roller width: 450 mm, total dimensions: 2200 mm x 2250 mm x 1200 mm.	600
628	Adelmann	2 pallets with large amount of Adelmann ham moulds, inside dimensions each mould: 695 mm x 105 mm x 95 mm, total dimensions: (2x) 1200 mm x 800 mm x 1000 mm.	750
629	NN diaphragm	Mobile diaphragm, 6 heads, diameter heads: (6x) 30 mm, total dimensions: 1280 mm x 840 mm x 1340 mm.	1000
630	Kern	Kern weighing scale on s/s frame, type: SXS 6K-3M, serial number: WX18060105, 220/240 V, 1 Ph, 50 Hz, maximum capacity: 3/6 kg, minimum capacity: 0.02/0.04 kg, e= 0.001/0.002 kg, dimensions scale: 240 mm x 300 mm, total dimensions: 800 mm x 500 mm x 1750 mm.	50
631	Handtmann	Handtmann coextrusion machine on s/s trolley, type: 150-01, number: 11900653, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.9 A, 0.2 kW, dimensions: 950 mm x 700 mm x 1180 mm. With plastic tub, dimensions: Ø 570 mm x 630 mm.	1900
632	Webomatic	Webomatic mobile bag blower, type: FKT 800, machine number: 95KJ97, 400 V, 3 Ph, 50 Hz, 0.77 A, 0.9 kW, dimensions: 1150 mm x 600 mm x 900 mm.	800
633	Mitsubishi	Mitsubishi outside unit for air-conditioning, model: SCM45ZD-S, serial number: 553402382, 220/230/240 V, 50 Hz, 4.5 kW, weight: 44 kg, refrigerant: R410A, dimensions: 900 mm x 320 mm x 650 mm.	100
634	Toshiba	Toshiba outside unit for air conditioning, model: RAV-182A-PE, serial number: 64580193, 220/240 V, 50 Hz, 2200 W, weight: 58 kg, dimensions: 930 mm x 320 mm x 750 mm.	100
635	Dmatic	Dmatic hamburger forming machine, type: DBM/S3/501, year of construction: 2005/06, 400 V, 3 Ph, 50 Hz, 6 A, 0.18 kW, s/s mesh belt, belt width: 160 mm, form diameter: 85 mm, total dimensions: 1650 mm x 500 mm x 1300 mm.	750
636	Pakseal	Pakseal mobile strapping machine, model: SX 500, number: 4131, 230 V, 1 Ph, 50 Hz, 0.8 kW, weight: 165	300



Nr	Title	Description	Start €
		kg, clearance: 830 mm x 720 mm, strap width: 9 mm, total dimensions: 1500 mm x 600 mm x 1550 mm.	
637	NN hopper	S/s hopper for vacuum filling machine, dimensions: Ø 650 mm x 500 mm.	50
638	Sealpac	Sealpac traysealer, type: Sealpac MINI, serial number: TVG0218001, year of construction: 1999, 400/230 V, 3 Ph, 1.5 kW, weight: 160 kg, dye: (2x) 210 mm x 155 mm, film width: 305 mm, total dimensions: 1000 mm x 980 mm x 1550 mm. Without vacuum pump.	100
639	Frascold	Frascold cooling compressor, type: Z40 154 Y, number: 3A000039, capacity: 154.38/185.26 m ³ per hour, dimensions: 700 mm x 2100 mm x 1000 mm.	400
640	Lock Inspection Systems LTD.	Lock Inspection Systems LTD. mobile metal detector, serial number: 26254/1, year of construction: 11-11-05, 380 V, 3 Ph, 50 Hz, 0.8 A, plastic mesh belt, belt width: 450 mm, clearance: 500 mm x 130 mm, total dimensions: 1260 mm x 1000 mm x 1280 mm.	1400
641	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: FELIX100-CE, type: 2710, machine number: 271002.68911.0259, year of construction: 1999, 400 V, 50 Hz, 10 A, 1.0 kW, weight: 174 kg, dimensions chamber: 95 mm x 95 mm, total dimensions: 980 mm x 650 mm x 1040 mm.	2500
642	Crimex Compressor	Crimex Compressor mobile air compressor, type: CMV 460, fabric number: 1368 85, year of construction: 1985, stroke volume in liter per minute: 460, max pressure: 10 bar, dimensions: 1300 mm x 500 mm x 1130 mm.	180
643	Stephan Alvac	Stephan Alvac mobile vacuum machine, type: Alvac IIA, number: 1060-5310, year of construction: 2010, 230/400 V, 3 Ph, 50 Hz, 6.6/3.9 A, 1.5 kW, seal length: (2x) 500 mm, chamber dimensions: 500 mm x 500 mm, Busch vacuum pump, type: 0063-122, capacity: 63 m ³ per hour, total dimensions: 600 mm x 700 mm x 900 mm.	350
644	NN punch	Punch used for thermoformer, dimensions: 850 mm x 150 mm x 450 mm.	25
645	Feter	Feter ice machine, model: CIM-1320F, 230 V, 50 Hz, 680 W, refrigerant: R290, dimensions: 660 mm x 565 mm x 1600 mm.	1000
646	Nieros	Nieros mobile elevating belt, plastic belt, belt width: 255 mm, elevating height: 1780 mm, total dimensions: 2150 mm x 700 mm x 2050 mm.	300
647	Wichelmann Metallbau	Wichelmann Metallbau elevating belt, plastic belt, belt width: 400 mm, elevating height: 1450 mm, total dimensions: 1750 mm x 620 mm x 1600 mm.	400
648	Willemse & van Engelen B.V.	Willemse & van Engelen B.V. mobile spraying machine, type: FOND MAXI, fabrication number: 060910230, 230 V, 50 Hz, 10 A, 2400 W, inside dimensions: Ø 200 mm x	100



Nr	Title	Description	Start €
		350 mm, total dimensions: 550 mm x 500 mm x 800 mm. Incomplete, missing lid and spray pistol.	
649	NN slicer	Mobile slicer, clearance: 520 mm x 230 mm, working width: 350 mm, plastic belt, belt width: 350 mm, total dimensions: 2300 mm x 750 mm x 1650 mm.	500
650	Simo	Simo micro cutter, type: 175/115PFD175, serial number: 97-041132, year of construction: 1997, diameter plate: 210 mm, total dimensions: 1400 mm x 700 mm x 1450 mm.	250
651	Easiweigh	Easiweigh linear weigher, 3 lanes, type: Maxi, serial number: 080105/080106/080107, year of construction: 2008, 3 s/s vibrating gutters, total dimensions: 1500 mm x 1500 mm x 2100 mm.	1500
652	Wewo	Wewo automatic pallet lifter, type: Pallet mover, serial number: 001, year of construction: 2017, s/s forks, fork length: 1300 mm, total dimensions: 2000 mm x 1100 mm x 970 mm.	100
653	NN meat press	Mobile meat press, diameter press: 100 mm, total dimensions: 1800 mm x 580 mm x 1460 mm.	50
654	ProFroid / Copeland	ProFroid cooling compressor rack with 4 Copeland cooling compressors, type: INNO BASIC VPP460-2340 4039659, serial number: 140804/135/10609, year of construction: 2010, 400 V, 3 Ph, 50 Hz, model Copeland, ZB38KCE-TFD-551, capacity: 14.41 / 17.34 m³ per hour, total dimensions: 1700 mm x 760 mm x 910 mm.	750
655	ProFroid / Copeland	ProFroid cooling compressor rack with 4 Copeland cooling compressors, type: INNO BASIC VPP460-2340 4039659, serial number: 145905/135/11841, year of construction: 2011, 400 V, 3 Ph, 50 Hz, model Copeland, ZB38KCE-TFD-551, capacity: 14.41 / 17.34 m³ per hour, total dimensions: 1730 mm x 750 mm x 910 mm.	750
656	NN generator	Generator, model: PG6500DS, 230 V, 3 Ph, 50 Hz, 20 A, 6/6.5 kW, 3000 rpm, weight: 165 kg, dimensions: 950 mm x 550 mm x 650 mm.	400
657	Garden Denver	Garden Denver vacuum pump, type: VC 303 (20), serial number: SC10093357001, year of construction: 2011, capacity: 300 m³ per hour, dimensions: 930 mm x 530 mm x 640 mm.	250
658	Jungheinrich	Jungheinrich electric pallet lifter, type: ERE 120, fork length: 1000 mm, total dimensions: 1650 mm x 700 mm x 1600 mm. Including Nuova Elettra battery charger, type: RPM, number: 98008908, 230/400 V, 3 Ph, 50/60 Hz, 320/370 Ah.	200
659	Fein	Fein sanding machine, type: GX 75, working width: 75 mm, total dimensions: 950 mm x 450 mm x 1020 mm.	300
660	NN filter tub	S/s mobile filter tub, inside dimensions: 500 mm x 500 mm x 400 mm, total dimensions: 880 mm x 600 mm x 520 mm.	40



Nr	Title	Description	Start €
661	Kijana	Kijana off road bike, type: DIRT BIKE, model: 5100132, year of construction: 2021, maximum capacity: 75 kg, dimensions: 1200 mm x 600 mm x 800 mm.	100
662	Mettler Toledo Safeline Ltd	Mettler Toledo Safeline Ltd, model: 50H, 100-240 V, 50/60 Hz, 330 W, clearance: 350 mm x 150 mm, total dimensions: 1000 mm x 800 mm x 1500 mm. Incomplete.	400
663	Kelvion	Kelvion evaporator, type: KÜBA SPBE 45-F31, model: CO2 60 barV6.01, serial number: 10141093, year of construction: 2017, 1 fan, 230 V, 1 Ph, 50/60 Hz, temperature range: -40/100°C, dimensions: 1800 mm x 600 mm x 500 mm.	200
664	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 1304, machine number: 130402.67621.2085, year of construction: 1990, 380/220 V, 3 Ph, 50 Hz, 3.5/10 A, chamber: 80 mm x 80 mm, total dimensions: 1040 mm x 660 mm x 1000 mm.	800
665	Lewa GmbH	Lewa GmbH triplex process pump, type: G3S, serial number: 646702-010.001, year of construction: 2020, 30 kW, 192 stroker per minute, maximum fluid temperature: 30°C, maximum flow: 3540 l/h, operating pressure: 140 bar, internal set pressure: 175 bar, dimensions: 1200 mm x 1400 mm x 1600 mm. Never used.	13000
666	Elpress	Elpress hygiene station, type: 83201060, year of construction: 30-11-10, with 2 hand disinfection units and 2 tourniquette stations, dimensions: 1250 mm x 1120 mm x 1230 mm. Including s/s frame.	500
667	VWS Nederland B.V.	VWS Nederland B.V. checkweigher, model: Octopus Ace, serial number: ACE-151029, year of construction: 2015, 230 V, 1 Ph, 50/60 Hz, 5 bar, plastic belts, belt width: (2x) 290 mm, total dimensions: 1260 mm x 800 mm x 1700 mm.	400
668	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999 / 07DK, machine number: 07833383, 380 V, 3 Ph, 50 Hz, 25 A, 9 kW, seal length: (2x) 340 mm and 950 mm, dimensions chamber: 950 mm x 450 mm, Rietschle vacuum pump, CLFH 220V, number: 752681, year of construction: 1983, capacity: 220 m³ per hour, total dimensions: 1130 mm x 800 mm x 1040 mm. Technical condition unknown.	300
669	Kolbe	Kolbe bandsaw, type: K 200, machine number: 15 5442, year of construction: 1994, 220/380 V, 50 Hz, 3.1 A, 1.1 kW, dimensions table: 500 mm x 4810 mm, total dimensions: 500 mm x 500 mm x 900 mm.	480
670	Linx	Linx mobile inkjet printer, model: 4900, serial number: BW711, year of construction: 2005, 100-230 V, 1 Ph,	100



Nr	Title	Description	Start €
		50/60 Hz, 3-1 A, dimensions: 900 mm x 600 mm x 1500 mm.	
671	BT Products AB	BT Products AB steel pallet lifter, type: LHM230G, serial number: 3607127, capacity: 2300 kg, fork length: 1170 mm, total dimensions: 1500 mm x 530 mm x 1200 mm.	50
672	Foodmate	Foodmate steel pallet lifter, fork length: 1000 mm, total dimensions: 1300 mm x 680 mm x 1250 mm.	50
673	Proseal	Proseal mobile traysealer, model: Fastpak F40, serial number: 1871, year of construction: 2009, 230 V, 50 Hz, plastic string belt, belt width: 175 mm, dimensions dye: (2x) 180 mm x 170 mm, total dimensions: 2350 mm x 860 mm x 1970 mm. Including pallet with parts, dimensions: 1200 mm x 800 mm x 600 mm. Overhauled in 2023.	750
674	DMW Copeland	DMW Copeland compressor rack with 6 cooling compressors, compressor type: (1x) D3DC5-1000X-AWM/D, capacity: 38 m ³ per hour, (1x) D3DC4-100X-AWM/D, capacity: 38 m ³ per hour, (1x) D3DA5-75XH-AWM/D, capacity: 32.20 m ³ per hour, (3x) DLSGP-40X-EWL, capacity: 22.50 m ³ per hour, dimensions: 2400 mm x 1150 mm x 2000 mm.	1000
675	Smeva / Bitzer Kühlmaschinenbau GmbH	Smeva compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, compressor rack type: MXE33H (4CC6.2Y) BTB, number: 1117, year of construction: 02/2008, compressor type: (2x) 4CC-6.2Y-40S, capacity: 32.5/39.2 m ³ per hour, (1x) 4CES-6Y-40S, capacity: 32.5/39.2 m ³ per hour, dimensions: 2250 mm x 740 mm x 860 mm.	1000
676	Atlet	Atlet electric pallet lifter, model: PLP/200P, serial number: PLP77239/05, year of construction: 2012, capacity: 2000 kg, load centre distance: 600 mm, weight without battery: 600 kg, battery weight: 250-370 kg, 24 V, fork length: 1150 mm, total dimensions: 1900 mm x 900 mm x 1200 mm. Password: 1/3333.	200
677	Viessmann / Weishaupt	Viessmann steam generator with Weishaupt oil burner, type steam generator: Vitoplex 100, type: oil generator: WL30Z-C, factory number: 5186273, year of construction: 2002, 230 V, 1 Ph, 50 Hz, capacity: 27.9 kg per hour, total dimensions: 2120 mm x 1100 mm x 2000 mm.	800
678	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH mobile automatic double clipper, model: SV 4603, number: 4603.299.170, 380 V, 3 Ph, 50/60 Hz, 5/6 bar, plastic outfeed belt, belt width: 250 mm, total dimensions: 1900 mm x 900 mm x 2050 mm.	2500
679	Frascold	Frascold cooling compressor, type: S15-52Y, number: 3W001649, capacity: 51.5/61.8 m ³ per hour, dimensions: 1500 mm x 600 mm x 1400 mm.	50



Nr	Title	Description	Start €
680	Rinnai Corporation	Rinnai Corporation water heating installation with 3 Rinnai Corporation water heaters, model: (3x) REU-N2635-FFC-E, dimensions: 2800 mm x 800 mm x 1800 mm.	750
681	Hoegger AG	Hoegger AG meat press, type: SP-280 890, machine number: 7105, year of construction: 1997, 240 V, 50 Hz, 0.5 kW, dimensions: 2500 mm x 830 mm x 1700 mm.	1700
682	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 3 cooling compressors, type: (2x) 6HE-25Y-40P, capacity: 110.5/156.2 m ³ per hour, (1x) 4EES-6Y-40S, capacity: 22.7/27.4 m ³ per hour, dimensions: 2000 mm x 1300 mm x 1850 mm.	1000
683	Mohn	Mohn hygiene station with sole cleaner, tourniquet and hand disinfection unit, type: Cleanmaster, machine number: 08-61909/18-19, 400 V, 3 Ph, 50 Hz, 0.9 kW, brush length: (2x) 700 mm and (3x) Ø 260 mm, total dimensions: 1900 mm x 1200 mm x 1850 mm.	2000
684	Carrier / Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, compressor rack type: 3x4CC-6.2Y+RHK35, year of construction: 28/04/2009, refrigerant: R448, compressor type: (3x) 4CC-6.2Y-40S, capacity: 32.5/39.2 m ³ per hour, dimensions: 2300 mm x 750 mm x 950 mm.	1000
685	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (2x) 2JHC-07K-40S, (3x) 4JTC-15K-40P, capacity: (2x) 3.48/4.18, (3x) 9.2/11 m ³ per hour, dimensions: 2700 mm x 920 mm x 2350 mm.	1500
686	Fri-Jado / Bitzer Kühlmaschinenbau GmbH	Fri-Jado cooling compressor rack with 6 Bitzer Kühlmaschinenbau GmbH cooling compressors, serial number rack: 100049206, year of construction: 14-8-2010, refrigerant: CO ₂ / R744, type cooling compressors: (4x) 4JTC-15K-40P, capacity: 9.2/11.0 m ³ per hour and (2x) 2HSL-3K-40S, capacity: 4.34 / 5.21 m ³ per hour, total dimensions: 2650 mm x 920 mm x 2060 mm.	2500
687	Fri-Jado / Bitzer Kühlmaschinenbau GmbH	Fri-Jado cooling compressor rack with 6 Bitzer Kühlmaschinenbau GmbH cooling compressors, type rack: Compressor Set 2629355, serial number: 100064878, year of construction: 2013, 400/230 V, 3 Ph, 50 Hz, refrigerant: CO ₂ / R744, type cooling compressors: (4x) 4JTC-15K-40P, capacity: 9.2/11.0 m ³ per hour and (2x) 2HSL-3K-40S, capacity: 4.34 / 5.21 m ³ per hour, total dimensions: 2650 mm x 920 mm x 2060 mm.	2500
688	Tevopharm	Tevopharm flowpacker, type: PackV, number: 1578, serial number: 898/13, 380 V, 3 Ph, plastic infeed belts,	500



Nr	Title	Description	Start €
		belt width: (50 mm, infeed conveyor with dividers, distance between dividers: 200 mm, seal width: 185 mm, plastic outfeed belt, belt width: 250 mm, total dimensions: 3900 mm x 1100 mm x 2070 mm.	
689	Stephan	Stephan universal machine, type: UM 44 S, machine number: 721188.01, year of construction: 1994, 400 V, 3 Ph, 50 Hz, 9.2/10.4/13 A, 2.2/4/5.5 kW, volume: 40 liter, inside dimensions: Ø 500 mm x 300 mm, total dimensions: 1050 mm x 600 mm x 1200 mm. Including extra knife.	2000
690	Loma Systems	Loma Systems metal detector head, model: IQ3+E ST, serial number: QEU35C15-49903D, year of construction: 30.10.2019, clearance: 350 mm x 150 mm, total dimensions: 800 mm x 300 mm x 450 mm.	400
691	Teltek AB	Teltek AB mobile checkweigher, type: C60, serial number: 109230, year of construction: 2009, 230 V, 50/60 Hz, maximum capacity: 1200 g, minimum capacity: 100 g, e= 1 g, plastic belts, belt width: (3x) 250 mm, total dimensions: 1900 mm x 800 mm x 1520 mm.	1000
692	Endoline	Endoline mobile box closing machine, model: PS6, serial number: 080753309-1, aluminium rollers, roller width: 670 mm, total dimensions: 1000 mm x 900 mm x 1720 mm, 900 mm x 750 mm x 850 mm.	200
693	MINI	Mobile MINI bar to be used as champagne bar, barista bar to prepare coffees, DJ booth or cocktail bar, Maxima refrigerator, volume: 142 liter, 2 x 220 V connection, 2 x 3 way plugs inside, top made of thick plywood. Under the hood can be used as ice cooling for champagne etc.	1000
694	Kaeser	Kaeser screw compressor, type: BS 60, number: 504301, year of construction: 1992, 37 kW, 7.5 bar, dimensions: 1540 mm x 1010 mm x 1340 mm.	400
695	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack with 2 cooling compressors, type compressors: 4VES-10Y-40P / 4TES-12Y-40P, serial number: 1681001728 / 1681008040, capacity: 34.7-41.8 / 41.3-49.8 m³ per hour, total dimensions: 1800 mm x 1300 mm x 1900 mm.	800
696	Scheppach	Scheppach air compressor, model: HC 50, serial number: 5519, year of construction: 2011, 220-240 V, 1 Ph, 50 Hz, 5.5 A, 1500 W, maximum pressure: 8 bar, dimensions: 720 mm x 350 mm x 700 mm.	100
697	Carrier	Carrier compressor rack in noise cancelling cabinet, type: CO2-Kälteanlage, number: 200 280 213, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 80 A, refrigerant: R744 / 60 kg, dimensions: 1610 mm x 960 mm x 2340 mm.	950
698	Willemse & van Engelen B.V.	Willemse & van Engelen B.V. heated trolley used for chocolate, dimensions: 520 mm x 400 mm x 800 mm.	10



Nr	Title	Description	Start €
699	Carrier / Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, 2 Bitzer Kühlmaschinenbau GmbH compressor type: (2x) 4KTC-10KC-40S, capacity: 9.6-11.5 m³ per hour, dimensions: 1620 mm x 960 mm x 2530 mm.	1100
700	Teko / Bitzer Kühlmaschinenbau GmbH	Teko compressor rack in noise cancelling cabinet, type: AWROXSTAcube ohne TK, with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4FTC-20K-40P / 4KTC-10K-40S, serial numbers: 1694405221 / 1694405229 / 1694407669, capacity: 17.8 / 21.4 - 9.6 / 11.5 m³ per hour, dimensions: 2700 mm x 1300 mm x 2430 mm.	1200
701	Fri-Jado / Bitzer Kühlmaschinenbau GmbH	Fri-Jado BV compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors in noise cancelling cabinet, type compressor rack: 20001508, serial number: 100081986, year of construction: 2016, 230/400 V, 3 Ph, refrigerant: CO2, Bitzer Kühlmaschinenbau GmbH compressor type: (1x) 4MTE-10K-40S, capacity: 6.5/7.8 m³ per hour, (1x) 4KTE-10K-40S, capacity: 9.6/11.5 m³ per hour, (1x) 2MME-1K40S, capacity: 1.7/2.0, dimensions: 2600 mm x 1000 mm x 2220 mm.	1000
702	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack in noise cancelling cabinet with 6 cooling compressors, type compressors: (1x) 4FES-5Y-40S, capacity: 18.1/21.8 m³ per hour, (1x) 4GE-30Y-40P, capacity: 84.6/102 m³ per hour, total dimensions: 2700 mm x 1500 mm x 2300 mm.	1500
703	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic clipping and sealing machine, type: TSA 120 HS, number: 133, year of construction: 1998, 400 V, 50 Hz, 16 A, air pressure: 5/7 bar, dimensions: 1400 mm x 980 mm x 1660 mm.	150
704	Jegerings	Jegerings potato peeler, type: CSM-20, serial number: 11108.311.13005.018, 400 V, 3 Ph, 50 Hz, 2.48 A, 1.1 kW, inside dimensions: Ø 500 mm x 320 mm.	1000
705	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH mobile automatic double clipper, model: SV 4603, number: 4603.213.274, 380 V, 3 Ph, 50/60 Hz, 5/6 bar, plastic outfeed belt, belt width: 250 mm, total dimensions: 1900 mm x 900 mm x 2050 mm.	2500
706	Wilden	Wilden membrane pump, dimensions: 500 mm x 400 mm x 700 mm.	25
707	Teko / Bitzer Kühlmaschinenbau GmbH	Teko compressor rack in noise cancelling cabinet with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4FTC-20K-40P / 4KTC-10K-40S, serial numbers: 1694603941 / 1694613460 / 1600507297, capacity: 17.8 / 21.4 - 9.6 / 11.5 m³ per hour, dimensions: 1800 mm x 920 mm x 2100 mm.	1200



Nr	Title	Description	Start €
708	Muvero	Muvero mobile cooking vessel, electric heated, inside dimensions: Ø 600 mm x 530 mm, total dimensions: 700 mm x 830 mm x 1000 mm.	400
709	Ergoline	Ergoline sunbed, type: OPEN SUN 550, dimensions: 2300 mm x 1500 mm x 1600 mm.	50
710	Turbo Systems Limited	Turbo Systems Limited mobile depositor, machine number: D90014509880, dimensions: 1100 mm x 400 mm x 1680 mm.	1300
711	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning and derinding machine, type: BXM 434 Loin, serial number: UM-48494, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 4.45 A, 1.1 kW, weight: 460 kg, plastic mesh infeed belt, belt width: 380 mm, working width: 250 / 450 mm, plastic outfeed belt, belt width: 390 mm, total dimensions: 2100 mm x 1000 mm x 1300 mm.	4000
712	Minipack-Torre S.p.A.	Minipack-Torre S.p.A. mobile seal packaging machine, model: FC 76A, serial number: 00422, year of construction: 2014, 380 V, 50 Hz, 3.80 W, 9.50 A, seal length: 570 mm x 520 mm, total dimensions: 1450 mm x 850 mm x 1400 mm.	500
713	Minipack-Torre S.p.A.	Minipack-Torre S.p.A. mobile seal packaging machine, model: FM76AUT DIGIT, serial number: 004304, year of construction: 2009, 380 V, 50 Hz, 4400 W, 10.0 A, seal length: 570 mm x 520 mm, total dimensions: 1350 mm x 700 mm x 1300 mm.	500
714	Inotec GmbH	Inotec GmbH micro cutter, type: I175CD-75DF, machine number: 101-01063, year of construction: 2013, 4020 V, 3 Ph, 50 Hz, 142 A, 88 kW, weight: 750 kg, dimensions: 1880 mm x 1200 mm x 1400 mm. Including frequency converter, type: SINAMICS Power Module 240.	8000
715	Karl Schnell	Karl Schnell micro cutter, diameter plate: 200 mm, total dimensions: 1800 mm x 1000 mm x 2000 mm.	750
716	Weisser	Weisser mobile depositor, type: AP1 080, fabrication number: 4790311, 230 V, 570 W, dimensions: 800 mm x 580 mm x 1250 mm.	950
717	Inotec GmbH	Inotec GmbH mobile sausage cutter, type: WT 05-H, machine number: 010-032, year of construction: 2009, 200/240/400/460 V, 2 Ph, 50-60 Hz, 12/10/6/5 A, 2 kW, dimensions: 990 mm x 860 mm x 1420 mm.	2500
718	Woodcraft	Woodcraft log splitter, type: LS22BH LS22EH, dimensions: 2000 mm x 530 mm x 820 mm.	750
719	Bizerba	Bizerba mobile grinder, model: FW-N98, number: 1484682, 400 V, 3 Ph, 50 Hz, 5.6 A, plate diameter: 98 mm, total dimensions: 900 mm x 550 mm x 1150 mm	850
720	Bizerba	Bizerba grinder, type: FW 32 T, machine number: 425257, 220/380 V, 50 Hz, 9.5/5.5 A, 2.2 kW, diameter plate: 100 mm, total dimensions: 800 mm x 550 mm x 630 mm.	300



Nr	Title	Description	Start €
721	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: PDC 600, number: 1207, year of construction: 2003, bar: 5-7, dimensions: 1100 mm x 580 mm x 1900 mm.	1800
722	LAC	LAC elevating belt, type: Weigher Infeed, serial number: FI0359-4A, year of construction: June 2011, plastic belt, belt width: 500 mm, elevating height: 1050 mm, total dimensions: 4400 mm x 650 mm x 1060 mm. Incomplete.	750
723	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, linking attachment and case holding device, model: Robot DP 10C, type: 153/250 B-1, number: 153 0448, year of construction: 2002, 3 Ph, 50/60 Hz, Busch vacuum pump, type: RB 0010 D IDO, dimensions: 1950 mm x 1300 mm x 2750 mm.	3000
724	Townsend	Townsend mobile skinning machine, model: 7620, serial number: R 197, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 2 A, working width: 550 mm, total dimensions: 950 mm x 650 mm x 1000 mm. Incomplete.	300
725	Unox	Unox oven, model: XVC204, serial number: 850, year of construction: 11/06/2009, 400 V, 3 Ph, 50/60 Hz, 5.2 kW, 5 floors, dimensions each floor: 280 mm x 400 mm, total dimensions: 570 mm x 540 mm x 580 mm.	400
726	NN vegetable slicer	Vegetable slicer, diameter knife: 330 mm, total dimensions: 950 mm x 700 mm x 1200 mm. Including crate with various knife sets.	250
727	TAO Motor	TAO Motor quad, model: BOULDER, year of construction: 09/2017, dimensions: 1350 mm x 700 mm x 850 mm.	150
728	Angelo PO	Angelo PO combi steamer, type: FX61E3R-ZMRO, serial number: 10334967001, year of construction: 2010, 400 V, 3 Ph, 50-60 Hz, 16 A, 10.1 kW, 8 floors, dimensions floors: (8x) 470 mm x 300 mm, total dimensions: 780 mm x 900 mm x 720 mm.	400
729	MR Etikettiertechnik	Pallet with MR Etikettiertechnik labelling unit, model: MR 621, type: OP4394LS620K10, serial number: 11257/94, 230 V, 50 Hz, 1750 VA, dimensions: 1200 mm x 800 mm x 700 mm.	200
730	Rational AG	Rational AG combi steamer, model: CPC 61, 400 V, 3 Ph, 50/60 Hz, 6 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 900 mm x 780 mm x 820 mm.	400
731	Blanco	Blanco mobile plate dispenser, type: BLANCO INMOTION TELLERSPENDER 2 SHE 26-31, serial number: 78409, 220-240 V, 1 Ph, 50-60 Hz, 1.8 kW, diameter dispensers: (2x) 350 mm, total dimensions: 950 mm x 500 mm x 840 mm.	150
732	Blanco	Blanco mobile plate dispenser, type: BLANCO INMOTION TELLERSPENDER 2 SHE 26-31, serial number: 78410,	150



Nr	Title	Description	Start €
		220-240 V, 1 Ph, 50-60 Hz, 1.8 kW, diameter dispensers: (2x) 350 mm, total dimensions: 950 mm x 500 mm x 840 mm.	
733	K+G Wetter	K+G Wetter grinder, model: 426, machine number: 1059, year of construction: 2003, 220 V, 3 Ph, 50 Hz, 13.6 A, diameter plate: 100 mm, total dimensions: 950 mm x 550 mm x 1330 mm.	1800
734	Rudolf	Rudolf mobile compressor, type: Stroc comp 865, 230 V, 2 Ph, 50 Hz, 2.2 kW, dimensions: 920 mm x 550 mm x 640 mm.	50
735	NN grinder	Grinder, diameter plate: 100 mm, total dimensions: 950 mm x 500 mm x 1100 mm.	800
736	Göran Persson Maskin AB	Göran Persson Maskin AB cooking vessel, type: GPM 100, serial number: 400051-07-20, year of construction: 1988, 380 V, 3 Ph, 50 Hz, 66 A, 32 kW, volume: 100 liter, dimensions: 1400 mm x 1000 mm x 1400 mm.	100
737	Lock	Lock Inspection metal detector with rejector, model: MET30+, serial number: 28413/1, plastic belt, belt width: 320 mm, clearance: 400 mm x 155 mm, total dimensions: 1200 mm x 1250 mm x 1350 mm.	100
738	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack with 6 cooling compressors, type compressors: (1x) 2FSL-4KN-40S, (1x) 2HSL-3KB-40S, (4x) 4FTC-20KC-40P, capacity: (1x) 6.36/7.63 m ³ per hour, (1x) 4.34/5.21 m ³ per hour, (4x) 17.8/21.5 m ³ per hour, dimensions: 3150 mm x 850 mm x 2100 mm.	1250
739	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4FTC-20KI-40S, capacity: (3x) 17.8/21.4 m ³ per hour, dimensions: 3200 mm x 1200 mm x 2200 mm.	1250
740	Safeline Mettler Toledo	Safeline Mettler Toledo metal detector with rejector, type: R Series Profile, serial number: 97920, year of construction: 06/2009, 230 V, 50 Hz, 9 A, 0.7 kW, plastic belt, belt width: 450 mm, clearance: 500 mm x 80 mm, total dimensions: 1500 mm x 1050 mm x 1485 mm.	3000
741	HPI	HPI s/s electric pallet lifter, fork length: 1200 mm, total dimensions: 2000 mm x 750 mm x 1725 mm. Including Hoppecke battery charger, type: RPM 2, number: 27013930, 24 V, 50/60 Hz, 50 A. Defect.	250
742	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack with 6 cooling compressors, type: (2x) 4HTC-20K-40P, (2x) 4FTC-20K-40P, (1x) 2FHC-3K-40S, (1x) 2HHC-2K-40S, capacity: 12/14.4 m ³ per hour, (2x) 17.8/21.4 m ³ per hour, (1x) 6.36/7.63 m ³ per hour, (1x) 4.34/5.21 m ³ per hour, dimensions: 3600 mm x 1500 mm x 2450 mm.	1250
743	NN tub		5



Nr	Title	Description	Start €
		Mobile plastic tub, inside dimensions: 720 mm x 520 mm x 560 mm, total dimensions: 800 mm x 600 mm x 750 mm.	
744	Stephanal	Stephanal mobile mixer, type: 120-86, machine number: 14200-256, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 3.5/2 A, 0.75/0.5-0.37 kW, dimensions: 700 mm x 900 mm x 1410 mm.	750
745	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor rack with 6 cooling compressors, type: (4x) 4DTC-25KC-40P, (1x) 2KHC-05KB-40S, (1x) 2HHC-2KB-40S, capacity: (4x) 21.2/25.4 m³ per hour, (1x) 2.71/3.25 m³ per hour, (1x) 4.34/5.21 m³ per hour, dimensions: 4650 mm x 900 mm x 2250 mm.	1250
746	ITAB Shop Concept	ITAB Shop Concept checkout counter, dimensions: 2500 mm x 1000 mm x 900 mm.	20
747	Bizerba	Bizerba mobile grinder, number: 1505288, 400 V, 50 Hz, diameter plate: 100 mm, total dimensions: 950 mm x 350 mm x 1300 mm. Defect.	750
748	K+G Wetter	KG Wetter grinder, machine number: 407/1015, year of construction: 1996, 400/230 V, 3 Ph, 50 Hz, 20/25 A, 9 kW, plate diameter: 114 mm, total dimensions: 1450 mm x 800 mm x 1300 mm. Including extra plates and knives.	2400
749	Lewa GmbH	Lewa GmbH triplex process pump, type: G3S, serial number: 646702-030.001, year of construction: 2020, 30 kW, 192 stroker per minute, maximum fluid temperature: 30°C, maximum flow: 3540 l/h, operating pressure: 140 bar, internal set pressure: 175 bar, dimensions: 1200 mm x 1400 mm x 1600 mm. Never used.	13000
750	Abele	Abele electric stunning device, type: STB-GA 700, dimensions: 300 mm x 180 mm x 400 mm.	150
751	Van der Meijden machines	Van der Meijden machines soft-serve icecream installation, type: UHT/P 2000 ST, serial number: 00/180/001, year of construction: 02-2001, capacity: 2000 kg per hour, consisting of: 2 s/s tanks, dimensions: 1350 mm x 1350 mm x 2500 mm, Skid with valves, dimensions: 2720 mm x 1540 mm x 2000 mm, Skid with GEA heat exchanger, type: VT20 BC-6, fabrication number: 170/13634, year of construction: 2000, dimensions: 2050 mm x 1400 mm x 2340 mm, pallet with pressure vessel, dimensions: 1680 mm x 480 mm x 1880 mm and 2 pallets with parts, among others: GEA heat exchanger and various pumps. Lot already dismantled.	2000
752	NN frame	S/s frame, dimensions: 2720 mm x 580 mm x 600 mm.	40
753	NN frames	2 s/s frames, dimensions: (2x) 580 mm x 400 mm x 480 mm.	10



Nr	Title	Description	Start €
754	NN chairs	3 chairs, dimensions: (3x) 500 mm x 500 mm x 820 mm.	2
755	NN table	S/s table, dimensions: 500 mm x 500 mm x 820 mm.	10
756	NN table	S/s table, dimensions: 1200 mm x 700 mm x 830 mm.	20
757	NN table	S/s table, dimensions: 1610 mm x 730 mm x 870 mm.	20
758	NN table	Mobile table with s/s top, dimensions: 540 mm x 540 mm x 800 mm.	10
759	NN table	Mobile s/s table, dimensions: 1200 mm x 700 mm x 900 mm.	20
760	Finnmark	Finnmark freezer, model: Grandor 2587G, serial number: 10300635, year of construction: 2011, 230 V, 50 Hz, 13 A, refrigerant: R404a, 0.400 kg, dimensions: 2500 mm x 900 mm x 850 mm.	50
761	AHT Cooling Systems	AHT Cooling Systems freezer, type: B 820N, serial number: 601454 00000043, year of construction: 03/2020, 220/240 V, 50 Hz, 16 A, 420 W, refrigerant: R-290, 0.110 kg, capacity: 865 dm ³ , dimensions: 2500 mm x 800 mm x 850 mm.	50
762	AHT Cooling Systems	AHT Cooling Systems freezer, type: B 803N, serial number: 601453 00000016, year of construction: 05/2018, 220/240 V, 50 Hz, 3.5 A, 430 W, refrigerant: R290, 0.100 kg, capacity: 710 dm ³ , dimensions: 2150 mm x 800 mm x 850 mm.	50
763	Linde Kältetechnik GmbH & Co. KG	Linde Kältetechnik GmbH & Co. KG freezer, type: Grandor 2587G, serial number: 810475, 230 V, 1 Ph, 50 Hz, 16 A, 465 W, refrigerant: R404a, 0.400 kg, dimensions: 2500 mm x 900 mm x 850 mm.	50
764	Finnmarkt	Finnmark freezer, model: Grandor 2587G, serial number: 10300636, year of construction: 2011, 230 V, 50 Hz, 13 A, refrigerant: R404a, 0.400 kg, dimensions: 2500 mm x 900 mm x 850 mm.	50
765	NN coat hangers	3 plastic coat hangers, dimensions: (3x) Ø 450 mm x 1700 mm.	5
766	NN parasol stand	Steel parasol stand, dimensions: 1000 mm x 1000 mm x 500 mm.	5
767	Linde Kältetechnik GmbH & Co. KG	Linde Kältetechnik GmbH & Co. KG freezer, type: Grandor 2587G, serial number: J70900383, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 16 A, 465 W, refrigerant: R404a, 0.400 kg, dimensions: 2500 mm x 900 mm x 850 mm.	50
768	Gram	Gram freezer, type: 0522-4A6B, serial number: 0101120093, 230 V, 1 Ph, 50 Hz, 2.50 A, 270 W, 5.60 kW per 24 hours, refrigerant: R134A, 0.325 kg, capacity: 541 liter, dimensions: 1950 mm x 800 mm x 930 mm.	50
769	Linde Kältetechnik GmbH & Co. KG	Linde Kältetechnik GmbH & Co. KG freezer, type: Grandor 2587G, number: 810475, 230 V, 1 Ph, 50 Hz, 16 A, 465 W, refrigerant: R404a, 0.400 kg, dimensions: 2500 mm x 900 mm x 850 mm.	50



Nr	Title	Description	Start €
770	Gram	Gram freezer, type: 0522-4A6B, serial number: 0007072109, 230 V, 1 Ph, 50 Hz, 2.50 A, 270 W, 5.60 kW per 24 hour, refrigerant: R134A, 0.325 kg, capacity: 541 liter, dimensions: 1950 mm x 800 mm x 930 mm.	50
771	AHT Cooling Systems	AHT Cooling Systems freezer, type: B 820, serial number: 409753 00001076, year of construction: 07/2012, 230 V, 50 Hz, 3.10 A, 455 W, refrigerant: R404A, 0.300 kg, capacity: 865 dm ³ , dimensions: 2500 mm x 800 mm x 850 mm.	50
772	AHT Cooling Systems	AHT Cooling Systems freezer, type: B 803N, serial number: 601454 00000026 00001076, year of construction: 03/2019, 220/240 V, 50 Hz, 3.50 A, 430 W, refrigerant: R-290, 0.110 kg, capacity: 865 dm ³ , dimensions: 2500 mm x 800 mm x 850 mm.	50
773	AHT Cooling Systems	AHT Cooling Systems freezer, type: B 820, serial number: 601454 00000026 00001076, year of construction: 07/2013, 230 V, 50 Hz, 3.10 A, 455 W, refrigerant: R404A, 0.300 kg, capacity: 865 dm ³ , dimensions: 2500 mm x 800 mm x 850 mm.	50
774	Gram	Gram freezer, type: 0522-4A6B, serial number: 0101120092, 230 V, 1 Ph, 50 Hz, 2.50 A, 270 W, 5.60 kW per 24 hours, refrigerant: R134A, 0.325 kg, capacity: 541 liter, dimensions: 1950 mm x 800 mm x 930 mm.	50
776	NN tank	S/s tank, inside dimensions: 730 mm x 800 mm x 600 mm, total dimensions: 850 mm x 920 mm x 900 mm.	100
777	ATEK	ATEK packaging machine with shrink tunnel,	250
778	NN tank	S/s tank with drain, dimensions: 1380 mm x 920 mm x 990 mm.	100
779	Ziehl-Abegg	Ziehl-Abegg dryer, type: EQK 10/40/4, number: 0919882, 220 V, 50 Hz, 0.32 A, 69 kW, dimensions: 600 mm x 1020 mm x 180 mm.	50
780	NN crates	3 plastic crates, crate dimensions: (3x) 400 mm x 595 mm x 195 mm.	15
781	NN crates	31 plastic crates, dimensions: (31x) 400 mm x 600 mm x 95 mm.	30
782	NN meat bins	2 perforated s/s meat bins, volume: (2x) 200 liter.	80
783	Interroll Automation GmbH	Interroll Automation GmbH curve conveyor, type: 4308-45-900-810-LH, machine number: 505295.10.415, year of construction: 2008, plastic belt, belt width: 800 mm, total dimensions: 1600 mm x 1400 mm x 700 mm.	100
784	Busch	Busch vacuum pump on steel dip tank, type: 400-212, number: 30233, dimensions: 1300 mm x 900 mm x 1300 mm.	1100
785	Busch	Busch vacuum pump, type: RA 0305 D 503, serial number: CHM122350159, capacity: 300 m ³ per hour, dimensions:	790
786	Oerlikon Leybold Vacuum GmbH	Oerlikon Leybold Vacuum GmbH vacuum pump, type: WSU 2001, serial number: 31001017441, year of	250



Nr	Title	Description	Start €
		construction: 20.2014, capacity: 2050/2460 m ³ per hour, dimensions: 1050 mm x 600 mm x 700 mm.	
800	ECO Refrigerazione	ECO Refrigerazione refrigerator, model: EVS130.0003, serial number: AE200501001, year of construction: 12/01/2005, 230 V, 1 Ph, 50/60 Hz, dimensions: 1410 mm x 800 mm x 2070 mm.	300
801	Aurech Land	Aurech Land freezer, model: ID140-CE, year of construction: 2003, 220-230 V, 50 Hz, 3 A, 370 W, refrigerant: R404a / 0.250 kg, netto volume: 1400 liter, dimensions: 1400 mm x 780 mm x 2020 mm.	300
802	Polar	Polar refrigerator, model: CC663-E, serial number: CC663-E 5117599, 230 V, 50 Hz, 4.0 A, 600 W, refrigerant: R134a / 300 gram, dimensions: 1340 mm x 810 mm x 2000 mm.	300
803	ECO Refrigerazione	ECO Refrigerazione refrigerator, model: EVS130.0003, serial number: AE200A20022889601001, year of construction: 29/07/2002, 230 V, 1 Ph, 50/60 Hz, dimensions: 1420 mm x 800 mm x 2070 mm.	300
804	GGM Gastro	GGM Gastro refrigerated showcase, 2 floors, dimensions floors: (2x) 1380 mm x 360 mm, total dimensions: 1490 mm x 705 mm x 1195 mm.	150
805	Miele	Miele dryer, model: T491, number: 10/31195651, 230 V, 50 Hz, 16 A, 3300 W, maximum volume: 5 kg, dimensions: 600 mm x 600 mm x 845 mm.	25
806	NN pasta machine	Pasta machine on rollie, dimensions: 1000 mm x 450 mm x 880 mm.	150
807	Proftech & de Bruyn	Proftech & de Bruyn mobile salad bar, type: R290, serial number: 465427 S0112194 039, dimensions: 1330 mm x 1050 mm x 1870 mm.	80
808	Mareno	Mareno 6-pits stove, dimensions: 1200 mm x 740 mm x 880 mm.	300
809	Gram	Gram refrigerator, type: K 181 US, serial number: 461/4, 230 V, 50 Hz, 100 W, refrigerant: R134a, 60 g, dimensions: 600 mm x 600 mm x 800 mm.	10
810	Caravell	Caravell refrigerator, model: 404-020-30, serial number: 02216432, 220-240 V, 50/60 Hz, 2.97 A, refrigerant: R134a, 0.170 kg, dimensions: 700 mm x 620 mm x 1860 mm.	80
811	Panasonic	Panasonic mobile ultra low laboratory freezer, capacity: -80° C, dimensions: 1070 mm x 1000 mm x 2000 mm.	450
812	Sitex	Sitex fryer with counter, s/s top, inside dimensions fryer: 410 mm x 210 mm x 200 mm, total dimensions: 1750 mm x 800 mm x 1500 mm.	30
813	Polar	Polar refrigerator, model: CD614, 230 V, 50 Hz, 1.5 A, 185 W, refrigerant: R134a, 210 g, 3 floors, floor dimensions: 650 mm x 530 mm, total dimensions: 780 mm x 730 mm x 1900 mm.	250
814	Horeca Land		480



Nr	Title	Description	Start €
		Horeca Land refrigerator, model: ID140-CE, year of construction: 2002, 220-230 V, 50 Hz, 3 A, 370 W, netto volume: 1400 liter, dimensions: 1400 mm x 780 mm x 2050 mm.	
815	Liebherr	Liebherr refrigerator-freezer combination, type: 9 6021 4, serial number: 51.235.457.8, 220-240 V, 1 Ph, 50 Hz, 1.4 A, 163 W, refrigerant: R600a, volume: 50 gram, gross capacity: 368 liter, dimensions: 600 mm x 680 mm x 2000 mm.	180
816	Electrolux	Electrolux refrigerator, model: ICF110SA, serial number: 25100004, 230 V, 50 Hz, 10 A, 225 W, refrigerant: R134a, 0.230 kg, 3 floors, floor dimensions: (4x) 600 mm x 450 mm, total dimensions: 700 mm x 620 mm x 1800 mm.	140
817	Liebherr	Liebherr freezer, model: GS5203, type: 4 0035 2, number: 73.541.762.3, 220-230 V, 50 Hz, 220 W, refrigerant: R134a / 280 gram, netto volume: 454 liter, dimensions: 750 mm x 680 mm x 1700 mm.	90
818	Winterhalter	Winterhalter dishwasher, type: GS 502, serial number: 570240, 400 V, 3 Ph, 50 Hz, 25.0 A, 15.5 kW, 2 baskets, dimensions bakets: 500 mm x 500 mm, total dimensions: 850 mm x 800 mm x 1480 mm.	300
819	IPSO	IPSO double stacked dryer, dimensions: 1010 mm x 760 mm x 2000 mm.	150
820	Hobart	Hobart dishwasher, inside dimensions: 630 mm x 600 mm, total dimensions: 710 mm x 820 mm x 1510 mm.	180
821	Panasonic	Panasonic mobile ultra low laboratory freezer, capacity: -80° C, dimensions: 1070 mm x 1000 mm x 2000 mm.	450
822	Ideal Ake	Ideal Ake refrigerated showcase, refrigerant: R134a / 600 gram, dimensions: 680 mm x 760 mm x 640 mm.	80
823	NN table stands	7 steel table stands, height: (7x) 740 mm. Including 1 table top.	70
824	Gram	Gram refrigerator, type: BAKER M 950 CCG L2 2, serial number: 10244532, 230 V, 50 Hz, 2.38 A, 408 W, refrigerant: R290, 145 g, inside dimensions: 850 mm x 660 mm x 1480 mm, total dimensions: 1000 mm x 800 mm x 2250 mm.	250
825	NN oven	Mobile oven, inside dimensions: 550 mm x 500 mm x 800 mm, total dimensions: 1550 mm x 600 mm x 1300 mm.	150
826	Burlodge	Burlodge cooled and heated food tray trolley, model: Novaflex, 2-sides 10 floors, dimensions floors: (2x) 290 mm x 320 mm, total dimensions: 800 mm x 1100 mm x 1400 mm.	10
827	GGM Gastro	GGM Gastro dishwasher, model: TSS77, serial number: 20909, year of construction: 12-17, 400 V, 3 Ph, 50 Hz, 11450 W, inside dimensions: 570 mm x 570 mm, total dimensions: 750 mm x 680 mm x 1690 mm.	100
828	Liebherr		130



Nr	Title	Description	Start €
		Liebherr refrigerator, type: 2 3097 4, serial number: 76.346.095.0, 220/230 V, 50 Hz, 180 W, refrigerant: R 600 a, 55 g, 5 floors, floor dimensions: 520 mm x 670 mm, total dimensions: 660 mm x 750 mm x 1630 mm.	
829	Electrolux	Electrolux refrigerator, model: E06COM1C, serial number: 11700005, 230 V, 50 Hz, 3 A, 640 W, refrigerant: R404A, 0.27 kg, 3 floors, floor dimensions: (3x) 640 mm x 530 mm, total dimensions: 800 mm x 750 mm x 2050 mm.	140
830	NN trolley	S/s trolley, 7 floors, dimensions floors: (7x) 1660 mm x 330 mm, total dimensions: 1720 mm x 350 mm x 1680 mm.	200
831	Haka	Haka frying pan, type: EBT600, year of construction: 09/2014, 400 V, 3 Ph, 6 kW, dimensions: 650 mm x 600 mm x 1000 mm.	25
832	Carrier	Carrier mobile refrigerated showcase, model: COC22, serial number: 34000103, year of construction: 2003, 230 V, 50 Hz, 10 A, 800 W, refrigerant: R134a / 0.5 kg, dimensions: 1300 mm x 900 mm x 1000 mm.	50
833	Smeva	Smeva refrigerator, model: G-HF400, serial number: 8102516, 230 V, 50 Hz, 0.9 A, refrigerant: R600a / 90 g, weight: 74 kg, dimensions: 600 mm x 600 mm x 1850 mm.	130
834	Fri-Jado BV	Fri-Jado BV rotisserie grill, model: STG5-P, number: 100057084, 400/230 V, 50/60 Hz, 9 A, 6100 W, dimensions: 840 mm x 700 mm x 900 mm.	350
835	NN gastronorm bins	Pallet with large amount of plastic gastronorm bins, gastronorm bin sizes, (6x) 1/9 65 mm, (72x) 1/9 100 mm, (32x) 1/6 100 mm, (55x) 1/6 150 mm, (6x) 1/4 150 mm, total dimensions: 1200 mm x 800 mm x 450 mm.	50
836	ISA Spa	ISA Spa refrigerator, model: GE 700 TB SS+SS, serial number: A0100616, year of construction: 9/01/2001, 230 V, 50 Hz, 500 W, volume: 620 liter, refrigerant: R404A, dimensions: 700 mm x 830 mm x 2020 mm.	150
837	Küpperbusch	Küpperbusch 6 pits stove, type: KCN 007, 50 Hz, dimensions: 1200 mm x 860 mm x 870 mm.	100
838	Elektro termo	Elektro termo 4 pits stove, type: ETH 8060-2, serial number: 1-804019, year of construction: 1990, 380 V, 3 Ph, 50/60 Hz, 80 kW, dimensions: 800 mm x 630 mm x 900 mm.	30
839	NN cooling top	Cooled counter top, model: Piano Refrig. Statico Da Incasso 5x GN1/1 Vasca 30 mm, dimensions: 1780 mm x 560 mm x 550 mm.	10
840	Mettler Toledo GmbH	Mettler Toledo GmbH steel floor weighing scale with indicator, type scale: PFA574-DS300, serial number: 2967537, maximum weight: 300 kg, dimensions: 1000 mm x 1000 mm x 60 mm, type indicator: W1/2, serial	50



Nr	Title	Description	Start €
		number: 2967536, 100-240 V, 50-60 Hz, 300mA, dimensions: 500 mm x 350 mm x 1000 mm.	
841	NN dishwasher table	S/s outfeed table for dishwasher, dimensions: 1300 mm x 710 mm x 990 mm.	20
842	Beko	Beko mobile jelly machine, type: BEKO-GEL, fabrication number: 01428399, 230 V, 50 Hz, 10 A, 2100 W, dimensions: 500 mm x 400 mm x 1000 mm.	100
843	Max Pro	Max Pro s/s heated cabinet, type: HWK, 230 V, 50 Hz, 1000 W, 2 floors, floor dimensions: 750 mm x 350 mm, total dimensions: 1050 mm x 460 mm	200
844	Wirbel	Wirbel floor scrubber cleaner, type: RAPID 380, 220/240 V, 50/60 Hz, 130 W, cleaning disc diameter: 380 mm, total dimensions: 1100 mm x 450 mm x 1050 mm.	200
845	Küppersbusch	Küppersbusch stove, type: KCF 0001, 400 V, 3 Ph, 50 Hz, 6.5 kW, dimensions: 800 mm x 600 mm x 750 mm.	20
846	Joni Foodline A/S	Joni Foodline A/S electric stove, type: MK 17, number: 11778-166, year of construction: 2000, 230 V, 3 Ph, 50 Hz, 27.1/26.4 A, 10.7 kW, dimensions: 860 mm x 860 mm x 830 mm.	50
847	Wexiödisk	Wexiödisk dishwasher, model: WD-7, serial number: WD2220446, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 25 A, 13.8 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 660 mm x 760 mm x 2240 mm.	150
848	Froster	Froster mobile refrigerator, dimensions: 730 mm x 830 mm x 2000 mm.	150
849	Framec	Framec freezer, model: 000042200000, serial number: 2006004708, 220-240 V, 50 Hz, 3.5 A, 535 W, refrigerant: R507, capacity: 625 dm ³ , dimensions: 2000 mm x 900 mm x 800 mm.	50
850	Iglu Cold Systems S.R.L.	Iglu Cold Systems S.R.L. freezer, serial number: 180801012, 220/230 V, 50 Hz, 2.0 A, 380 W, refrigerant: R744, 3 floors, floor dimensions: (3x) 650 mm x 520 mm, total dimensions: 710 mm x 850 mm x 2150 mm. Cooling compressor broken.	100
851	Tecnodom S.P.A.	Tecnodom S.P.A. refrigerator, model: AF07EKOMTN, serial number: 201809884F, year of construction: 3/2018, 220-240 V, 1 Ph, 50 Hz, 1.7 A, refrigerant: R507/ R452 / 340 gram, dimensions: 710 mm x 790 mm x 2030 mm.	280
852	Iglu Cold Systems S.R.L.	Iglu Cold Systems S.R.L. refrigerated counter, serial number: 180801011, 220/230 V, 50 Hz, 2.6 A, 600 W, refrigerant: R744, dimensions: 1500 mm x 700 mm x 900 mm.	200
853	Groku Kampen BV	Groku Kampen BV heated display, dimensions: 600 mm x 490 mm x 480 mm.	40
854	Viper	Viper floor scrubbing machine, model: AS530R, serial number: EU001947H, 24 V, 1400 W, dimensions: 1400	400



Nr	Title	Description	Start €
		mm x 600 mm x 1100 mm. Technical condition unknown.	
855	Electrolux	Electrolux washing machine, model: W365H, serial number: 005200065139, year of construction: 0505, dimensions: 700 mm x 720 mm x 1120 mm.	150
856	Electrolux	Electrolux washing machine, model: W365H, serial number: 00520/0035251, year of construction: 0304, dimensions: 700 mm x 720 mm x 1120 mm.	150
857	Liebherr	Liebherr freezer, 9 drawers, dimensions: 700 mm x 700 mm x 1840 mm.	20
858	Gram	Gram mobile refrigerator, type: PLUS F-600 RSH C 4N, serial number: 10024676, 230 V, 50 Hz, 3.24 A, 512 W, refrigerant: 404A, dimensions: 700 mm x 850 mm x 2000 mm.	250
859	Gram	Gram refrigerator, type: 3011-1F2B, serial number: 0406100084, 230 V, 50 Hz, 0.69 A, 102 W, netto volume: 161 liter, refrigerant: R134A, dimensions: 600 mm x 650 mm x 830 mm.	10
860	Gustav Scholl	Gustav Scholl mobile heated cabinet, type: 2012/E, number: 12333, 230 V, 1.2 kW, dimensions: 800 mm x 600 mm x 900 mm.	100
861	Rhima	Rhima dishwasher, model: NDR 49, serial number: DWH1006779, year of construction: 2013, 220/240 V, 50 Hz, 15.5 A, 650 W, dimensions: 600 mm x 600 mm x 850 mm.	150
862	Rhima	Rhima dishwasher, model: DR 49, serial number: 03002442, 230 V, 50 Hz, 15 A, 500 W, dimensions: 620 mm x 600 mm x 830 mm.	150
863	Hobart	Hobart dishwasher, model: GXHS-70N, serial number: 866604232, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 15.8 A, 7.6 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 600 mm x 600 mm x 810 mm.	150
864	Hobart	Hobart dishwasher, model: FX30E, dimensions: 600 mm x 600 mm x 830 mm.	150
865	Mafiol	Mafiol refrigerator, model: MURAL CRONUS PINTADO 625 FV L-C R290, serial number: 21005621, year of construction: 2022, 230 V, 50 Hz, 4.3 A, refrigerant: R290 / 147 gram, dimensions: 670 mm x 670 mm x 1870 mm. Never used.	400
866	Efficold S.A.	Efficold S.A. refrigerator, model: AGB-600R OEM, serial number: 8102478992, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 1.3 A, refrigerant: R600a / 78 gram, dimensions: 780 mm x 690 mm x 1880 mm.	100
867	MBM	MBM mobile refrigerator, model: 7ON14, year of construction: 1999, 220-230 V, 50 Hz, 1.92 A, 340 W, netto volume: 700 liter, refrigerant: R 134 A, dimensions: 700 mm x 780 mm x 2030 mm.	200
868	Faema		180



Nr	Title	Description	Start €
		Faema coffee machine, dimensions: 720 mm x 560 mm x 520 mm.	
869	NN deep fryer	Double deep fryer, serial number: A176WO, 380 V, 5.5 kW, inside dimensions: (2x) 250 mm x 320 mm x 160 mm, total dimensions: 700 mm x 600 mm x 1040 mm.	80
870	Liebherr	Liebherr refrigerator, floor dimensions: 490 mm x 320 mm, total dimensions: 600 mm x 650 mm x 850 mm.	30
871	HFE vacuum systems bv	HFE vacuum systems bv vacuum machine, type: MAXI/140-ST ECO, serial number: 20091156, year of construction: 2009, 220-240 V, 1 Ph, 50 Hz, 4 A, seal length: 270 mm, chamber dimensions: 280 mm x 365 mm, total dimensions: 330 mm x 470 mm x 330 mm.	250
872	Moreillon	Moreillon mobile silver burnisher, type: B, machine number: 01/05, 220 V, 50 Hz, 330 W, dimensions: 710 mm x 560 mm x 900 mm.	130
873	Kubota Corporations	Kubota Corporation weighing scale, model: KA-0, serial number: 6YFSAC0006, 9 V, 0.017 A, dimensions scale: 500 mm x 350 mm, total dimensions: 640 mm x 370 mm x 760 mm.	30
874	Ling Xia Yi Qi	Ling Xia Yi Qi traysealer, diameter dye: 90 mm, total dimensions: 450 mm x 250 mm x 700 mm. With 2 boxes with cups and seals.	80
875	NN can opener	S/s can opener, dimensions: 800 mm x 2502 mm x 130 mm.	5
876	Vemag	Part for Vemag vacuum filing machine, dimensions: 1010 mm x 280 mm x 60 mm.	25
877	Siemens	Siemens coffee machine, type: CTES32X, serial number: 711050380642050244, 220/240 V, 50/60 Hz, 1500 W, dimensions: 470 mm x 300 mm x 400 mm.	20
878	NN augers	(2x) Worm and housing for vacuum filling machine.	580
879	Oliver	Oliver traysealer, model: 1508, serial number: 159198, year of construction: 2001, 240 V, 1 Ph, 60 Hz, 3.5 A, dye: 175 mm x 125 mm, total dimensions: 700 mm x 400 mm x 400 mm.	20
880	S.A.M.	S.A.M. automatic slicer, model: S.A.M. 310i T21, serial number: 19813, year of construction: 2005, 3.3 A, dimensions: 800 mm x 700 mm x 700 mm.	250
881	Caterchef	2 Caterchef heaters, model: Strip heater 820, serial number: 23035619 & 23035620, 220/240 V, 1 Ph, 50/60 Hz, 3.26 A, 750 W, dimensions: 600 mm x 150 mm x 70 mm.	40
882	Caterchef	2 Caterchef heaters, model: Strip heater: 600, serial number: 23036007 & 23036028, 230 V, 1 Ph, 50/60 Hz, 2.2 A, 500 W, dimensions: 820 mm x 150 mm x 70 mm.	40
883	S.A.M.	S.A.M. slicer, type: 308aXI A, number: 11311, 220 V, 180 Watt, dimensions: 710 mm x 600 mm x 500 mm. Incomplete.	130



Nr	Title	Description	Start €
884	Animo	Animo coffee dispenser, model: WKI 20n 3KW, serial number: 1GG04516, year of construction: 02/2023, 220/240 V, 1 Ph, 50/60 Hz, 3200 W, volume: 20 liter, dimensions: 400 mm x 320 mm x 600 mm.	30
885	Robert Brunner	Robber Brunner vegetable slicer, type: 1/77 S, number: 25400, 220 V, 1 Ph, 50 Hz, 1.8 A, 0.22 kW, dimensions: 450 mm x 280 mm x 480 mm.	30
886	Sun Heat	Sun Heat electric heater, model: 50300-324-10020/IFJ04-150C, serial number: 179, 400 V, 3 Ph, 50 Hz, 15000 W, dimensions: 400 mm x 350 mm x 540 mm.	50
887	Bizerba	Bizerba slicer, model: FILAT TS 350, serial number: 7722, year of construction: 1998, 400 V, 3 Ph, 50 Hz, dimensions: 700 mm x 610 mm x 550 mm.	100
889	Bizerba	Bizerba slicer, type: VS 8, machine number: 1333863, 220/380 V, 3 Ph, 50 Hz, 1.25/0.72 A, 0.300 kW, dimensions: 650 mm x 500 mm x 400 mm.	80
890	Kolbe	Kolbe grinder, type: LW 82, serial number: 78 1172, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 3.1 A, 1.25 kW, diameter plate: 85 mm, total dimensions: 450 mm x 400 mm x 460 mm.	490
891	Ronda	2 Ronda built in waste containers counter, dimensions: 430 mm x 340 mm x 500 mm and 430 mm x 340 mm x 610 mm.	90
892	Gastro-A	Gastro-A coffee machine, fabrication number: 67488, 220 V, dimensions: 600 mm x 500 mm x 480 mm.	100
893	Azkoyen	Azkoyen coffee machine, model: MCAL, serial number: 10020952, year of construction: 06.09.2006, 230 V, 50 Hz, 17 A, 3800 Watt, dimensions: 600 mm x 480 mm x 460 mm.	100
894	CAB spa	CAB spa double slush puppie machine, model: FABY, number: 10/SLS1055853, dimensions: 450 mm x 400 mm x 900 mm.	150
895	Hobart	Hobart table model cutter, model: 8145, 220 V, 1 Ph, 50 Hz, 3.8 A, 560 W, 1425 rpm, Ø bowl, 360 mm, total dimensions: 650 mm x 450 mm x 410 mm.	400
896	Robot coupe	Robot coupe cutter, model: R 8 E, serial number: H5120119611, 400 V, 3 Ph, 50 Hz, 4.8/5.5 A, 1500/2000 W, inside dimensions: Ø 280 mm x 130 mm, total dimensions: 280 mm x 530 mm x 600 mm.	600
897	Ciatronic	Ciatronic combi grill, type: MWG 756, number: S0608W1694, 230-240 V, 50 Hz, 800 W, 2450 MHz, dimensions: 460 mm x 340 mm x 295 mm.	20
898	Digi Benelux	Digi Benelux weighing scale with label printer, model: SM-500EP, serial number: 09902812, 230 V, 50/60 Hz, 0.4 A, 45 W, maximum capacity: 6/15 kg, minimum capacity: 40 g, e=d= 2/5 g, T= -5.998 kg, scale dimensions: 380 mm x 280 mm, total dimensions: 400 mm x 480 mm x 560 mm.	25



Nr	Title	Description	Start €
899	Digi Benelux	Digi Benelux weighing scale with label printer and extra scale, model: SM-500EP, serial number: 10903679, 230 V, 50/60 Hz, 0.4 A, 45 W, maximum capacity: 30 kg, minimum capacity: 200 g, e= 10 g, T= -9.990 kg, scale dimensions: 380 mm x 280 mm, total dimensions: 400 mm x 480 mm x 560 mm. Dimensions extra scale: 500 mm x 350 mm.	25
900	NN dye	Dye's, (1x) 265 mm x 315 mm, (2x) 285 mm x 110 mm. Including other parts.	5
901	Sayl	Sayl glass display, dimensions: 920 mm x 315 mm x 210 mm.	20
902	Dibal S.A.	3 Dibal S.A. weighing scales, model: K-250, serial number: 209473 / 209468 / 209467, 230 V, 50 Hz, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, dt= 5 gram, T= - 14995 gram, dimensions scale: 320 mm x 250 mm, total dimensions: (3x) 330 mm x 450 mm x 550 mm.	50
903	NN hamburger forming attachment	Hamburger forming attachment, diameter forms: (4x) 88 mm, total dimensions: 440 mm x 320 mm x 150 mm.	250
904	Riba B.V.	Riba B.V. weighing scale, model: RCL-30, weighing range: 1g-30kg, dimensions: 300 mm x 310 mm x 130 mm.	25
905	Marel	Marel weighing scale, type: C2, serial number: A051152, maximum capacity: 3/6 kg, minimum capacity: 20/40 g, dimensions: 300 mm x 300 mm x 450 mm. Technical condition unknown.	20
906	Henkelman	Henkelman vacuum machine, type: JUMBO PLUS, machine number: J101204155, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.5 kW, seal length: 270 mm, chamber dimensions: 310 mm x 280 mm, dimensions: 450 mm x 340 mm x 310 mm. Missing vacuum pump.	200
907	Henkovac	Henkovac vacuum machine, model: T2, serial number: 20150260, year of construction: 2015, 220/240 V, 1 Ph, 50 Hz, 4 A, seal length: 270 mm, chamber dimensions: 310 mm x 290 mm, total dimensions: 500 mm x 370 mm x 320 mm. Missing vacuum pump.	200
908	Bizerba	Bizerba slicer, type: A 302, 220/380 V, 3 Ph, 50 Hz, 1.65/0.95 A, 0.520 kW, dimensions: 700 mm x 540 mm x 550 mm.	200
909	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31922556, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	50
910	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31920960, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum	50



Nr	Title	Description	Start €
		weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	
911	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31918313, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	50
912	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31920956, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	50
913	Dibal S.A.	Dibal S.A. weighing scale with label printer and scanner, model: D-900 series, serial number: 31948519, 110-230 V, 50/60 Hz, 1.2 A, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T= -14.995 kg, dimensions scale: 360 mm x 280 mm, total dimensions: 380 mm x 460 mm x 620 mm.	50
914	Robot Coupe	Robot Coupe cutter, model: Blixer 4 V.V. A, serial number: F5650118701, 230 V, 1 Ph, 50-60 Hz, 10 A, 1100 W, inside dimensions: Ø 195 mm x 145 mm, total dimensions: 200 mm x 300 mm x 500 mm. Incomplete.	200
915	Robot Coupe	Robot Coupe cutter, model: Blixer 2, serial number: H5260111201, 230 V, 1 Ph, 50-60 Hz, 6 A, 600 W, inside dimensions: Ø 190 mm x 120 mm, total dimensions: 190 mm x 270 mm x 390 mm.	250
916	Andersson	Andersson kitchen machine, type: KNM 2.3, serial number: 2015280394, 220-240 V, 50/60 Hz, 1200 W, dimensions: 300 mm x 380 mm x 340 mm.	80
917	Patzner K.G.	Patzner K.G. deep fryer, type: 602, number: 00559, 380/220 V, 6000 W, dimensions: 400 mm x 600 mm x 360 mm.	15
918	Ceylan GmbH	Ceylan GmbH grill, model: 101-A, serial number: 66569, year of construction: 02.10.2023, 230 V, 50 Hz, 10 A, 2.25 kW, dimensions: 410 mm x 400 mm x 210 mm.	15
919	Empero	Empero s/s worktop, dimensions: 400 mm x 760 mm x 330 mm.	10
920	Berkel	Berkel slicer, type: 115E, number: 28765, dimensions: 800 mm x 750 mm.	150
921	S.A.M.	S.A.M. automatic slicer, model: S.A.M. 329 f, serial number: 17064, year of construction: 1998, 400 V, 50 Hz, 1.36 A, dimensions: 950 mm x 620 mm x 550 mm.	250
922	Berkel	Berkel slicer, type: BSFGL0100000, number: 112S555, year of construction: 2012, 240 V, 1 Ph, 242 W, dimensions: 550 mm x 710 mm x 540 mm.	200



Nr	Title	Description	Start €
923	Deko	Deko slicer, type: 800 S, number: 5167162011, 230 V, 1 Ph, 50 Hz, 180 W, dimensions: 580 mm x 720 mm x 580 mm.	100
924	Omas	Omas slicer, model: C 35E, serial number: 017648, 230 V, 1 Ph, 50 Hz, 350 W, dimensions: 600 mm x 730 mm x 510 mm.	50
925	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800 15", serial number: 11551994, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
926	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800 15", serial number: 20238743, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
927	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800 15", serial number: 11445467, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
928	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800 15", serial number: 11647888, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
929	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800 15", serial number: 11290199, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
930	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800 15", serial number: 11447810, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
931	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 11202722, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200



Nr	Title	Description	Start €
932	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 20201603, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
933	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 11218506, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
934	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 20217519, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
935	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 11235795, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
936	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 11235796, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
937	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 11536750, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
938	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 11316291, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
939	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 11543368, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200



Nr	Title	Description	Start €
940	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 11316288, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
941	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 11537230, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
942	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 20238594, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
943	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 11119505, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
944	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 11151761, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
945	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 11119506, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
946	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 20168204, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
947	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 20168218, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200



Nr	Title	Description	Start €
948	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 20168205, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
949	Bizerba	Bizerba weighing scale display and label printer, model: KH II 800, serial number: 11214273, 120/240 V, 50/60 Hz, 0.7/0.35 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
950	Bizerba	Bizerba weighing scale display and label printer, model: KH II 800, serial number: 11207992, 120/240 V, 50/60 Hz, 0.7/0.35 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
951	Bizerba	Bizerba weighing scale display and label printer, model: KH II 800, serial number: 11210672, 120/240 V, 50/60 Hz, 0.7/0.35 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
952	Bizerba	Bizerba weighing scale display and label printer, model: KH II 800, serial number: 11206203, 120/240 V, 50/60 Hz, 0.7/0.35 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
953	Bizerba	Bizerba weighing scale display and label printer, model: KH II 800, serial number: 11210668, 120/240 V, 50/60 Hz, 0.7/0.35 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
954	Bizerba	Bizerba weighing scale display and label printer, model: KH II 800, serial number: 11214294, 120/240 V, 50/60 Hz, 0.7/0.35 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
955	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 11384907, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200



Nr	Title	Description	Start €
956	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 20230771, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
957	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 11388657, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
958	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 20230791, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
959	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 20230792, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box.	200
960	Bizerba	Bizerba weighing scale with 2 displays and label printer, model: XC 800, serial number: 20230768, 120/240 V, 50/60 Hz, 0.40/0.25 A, maximum capacity: 6/15 kg, minimum capacity: 40 g, e= e/5 g, T= -6/15 kg, scale dimensions: 400 mm x 265 mm, total dimensions: 400 mm x 350 mm x 600 mm. In cardboard box. Technical condition unknown.	100
961	Merrychef	Merrychef oven, 230 V, 1 Ph, 50 Hz, inside dimensions: 500 mm x 430 mm x 260 mm, total dimensions: 700 mm x 650 mm x 650 mm. Door is broken. Technical condition unknown.	180
962	Merrychef	Merrychef oven, inside dimensions: 380 mm x 350 mm x 250 mm, total dimensions: 800 mm x 600 mm x 600 mm.	180
963	Merrychef	Merrychef oven, model: eikon e3, serial number: 1210213090327, 400 V, 1 Ph, 50 Hz, 3.05/1.65 kW, inside dimensions: 330 mm x 350 mm x 320 mm, total dimensions: 650 mm x 570 mm x 550 mm.	180
964	Merrychef	Merrychef oven, model: eikon e3, serial number: 1402213091050, inside dimensions: 330 mm x 350 mm x 320 mm, total dimensions: 650 mm x 570 mm x 550 mm.	180
965	Carpigiani	Carpigiani ice machine, type: 191/BAR-AV P MISS YOGURT, number: IC88398, 220/230 V, 1 Ph, 50 Hz, 16	1500



Nr	Title	Description	Start €
		A, 2.2 kW, refrigerant: R404A, 0.8 kg, dimensions: 750 mm x 520 mm x 830 mm.	
966	Rombouts	Rombouts coffee machine, dimensions: 500 mm x 600 mm x 630 mm.	100
967	Robot Coupe	Robot Coupe mixer, type: MP 350 Ultra, number: 07540506301, 220/240 V, 50/60 Hz, 440 W, dimensions: 750 mm x 180 mm x 150 mm.	100
968	Robot Coupe	Robot Coupe mixer, type: MP 350 Ultra, 220/240 V, 50/60 Hz, 440 W, dimensions: 750 mm x 180 mm x 150 mm.	100
969	Robot Coupe	Robot Coupe universal machine, model: R 4 A mono, serial number: J4710112201, 230 V, 1 Ph, 50 Hz, 5.7 A, 700 W, dimensions: 320 mm x 230 mm x 450 mm.	150
970	Stahlnetz	Stahlnetz chainmail apron.	50
971	Omega	Omega grinder, type: TE 32, number: 3826, 400 V, 50 Hz, 4 A, 2.6 kW, plate diameter: 100 mm, total dimensions: 700 mm x 450 mm x 600 mm.	250
972	Culion	Culion oven, type: BTC 5255U, serial number: 05230040, 230 V, 50 Hz, 3.0 kW, 5 floors, floor dimensions: 420 mm x 310 mm, total dimensions: 750 mm x 580 mm x 560 mm.	100
973	Berkel	Berkel tenderizer, working width: 185 mm, total dimensions: 420 mm x 320 mm x 400 mm.	50
974	NN deep fryer	Deep fryer, inside dimensions: 350 mm x 530 mm x 210 mm, total dimensions: 750 mm x 400 mm x 900 mm.	75
975	Josto	Josto s/s waste bin, dimensions: 400 mm x 400 mm x 780 mm.	15
976	BFC	BFC coffee machine, dimensions: 800 mm x 550 mm x 580 mm.	140
977	Kärcher	Kärcher floor scrubbing machine, model: BR 35/12 C Bp, serial number: 015121, year of construction: 2014, 220/240 V, 1 Ph, 50/60 Hz, 300 W, dimensions: 750 mm x 450 mm x 1100 mm.	90
978	Omas	Omas tenderizer, model: INT 90E, serial number: 037914, 230 V, 1 Ph, 50 Hz, 400 W, working width: 170 mm, total dimensions: 450 mm x 170 mm x 550 mm.	60
979	NN sauce dispensers	2 s/s sauce dispensers, dimensions: (2x) Ø 200 mm x 400 mm.	10
980	NN spatula	S/s spatula, dimensions: 710 mm x 160 mm x 60 mm.	5
981	Hupfer	3 s/s Hupfer trolleys, 18 floors each, floor dimensions: 330 mm x 545 mm, total dimensions: (3x) 380 mm x 570 mm x 1690 mm. Including various trays.	60
982	Rubbens	Rubbens deep fryer, type: 2823R-SP, factory number: 2003 044428 0001, 400 V, 3 Ph, 50 Hz, 10 A, 6 kW, inside dimensions: (2x) Ø 370 mm x 250 mm, (1x) 200 mm x 390 mm x 175 mm, total dimensions: 1500 mm x 900 mm x 1120 mm.	200



Nr	Title	Description	Start €
983	Hupfer	Hupfer s/s trolley, 18 floors, floor dimensions: 330 mm x 545 mm, total dimensions: 380 mm x 570 mm x 1690 mm.	25
984	NN trolley	S/s trolley, 9 floors, floor dimensions: 550 mm x 630 mm, total dimensions: 620 mm x 680 mm x 1680 mm.	40
985	NN trolley	S/s trolley, 4 floors, floor dimensions: 800 mm x 500 mm, total dimensions: 900 mm x 500 mm x 1180 mm.	40
986	NN trolleys	2 s/s trolleys, 11 floors each, floor dimensions: 330 mm x 560 mm, total dimensions: (2x) 600 mm x 420 mm x 1670 mm.	50
988	NN trolley	S/s trolley with 6 plastic trays for dishwasher, dimensions: 1300 mm x 780 mm x 1310 mm.	50
989	NN rack	S/s rack, 4 floors, floor dimensions: 490 mm x 1490 mm, total dimensions: 500 mm x 1500 mm x 1790 mm.	50
990	NN trolley	S/s trolley with 10 plastic trays for dishwasher, dimensions: 1300 mm x 780 mm x 1310 mm.	50
991	NN trolley	Trolley, dimensions: 600 mm x 500 mm x 980 mm.	10
992	NN frame	S/s frame, dimensions: 1450 mm x 400 mm x 300 mm.	25
993	Jofemar	Jofemar cooled vending machine with Iiyama LCD monitor, model: ESPLUS TOUCH R290 V8, serial number: 356572029961, year of construction: 25-03-2025, 230 V, 50 Hz, 2.5 A, 440 W, refrigerant: R290 / 90 gram, dimensions: 1100 mm x 780 mm x 1930 mm.	4000
994	Jofemar	Jofemar cooled vending machine with Iiyama LCD monitor, model: ESPLUS TOUCH R290 V8, serial number: 356572029964, year of construction: 25-03-2025, 230 V, 50 Hz, 2.5 A, 440 W, refrigerant: R290 / 90 gram, dimensions: 1100 mm x 780 mm x 1930 mm.	4000
995	Jofemar	Jofemar cooled vending machine with Iiyama LCD monitor, model: ESPLUS TOUCH R290 V8, serial number: 356572029962, year of construction: 25-03-2025, 230 V, 50 Hz, 2.5 A, 440 W, refrigerant: R290 / 90 gram, dimensions: 1100 mm x 780 mm x 1930 mm.	4000
996	Jofemar	Jofemar cooled vending machine with Iiyama LCD monitor, model: ESPLUS TOUCH R290 V8, serial number: 356572029957, year of construction: 25-03-2025, 230 V, 50 Hz, 2.5 A, 440 W, refrigerant: R290 / 90 gram, dimensions: 1100 mm x 780 mm x 1930 mm.	4000
997	NN trolleys	2 s/s trolleys, dimensions: (2x) 1250 mm x 750 mm x 1310 mm.	100
998	Ningbo Feter Electrical Appliance Co., LTD	Ningbo Feter Electrical Appliance Co., LTD slushy machine, model: SM-5LX3, 230 V, 50 Hz, 3.5 A, refrigerant: R290, volume: (3x) 5 liter, dimensions: 520 mm x 520 mm x 510 mm. New, never used.	700
999	Ningbo Feter Electrical Appliance Co., LTD	Ningbo Feter Electrical Appliance Co., LTD slushy machine, model: SM-10LX3, 22-2400 V, 50 Hz, 4.5 A, refrigerant: R290, volume: (3x) 10 liter, dimensions: 620 mm x 540 mm x 770 mm. New, never used.	700



Nr	Title	Description	Start €
1000	Ningbo Feter Electrical Appliance Co., LTD	Ningbo Feter Electrical Appliance Co., LTD slushy machine, model: SM-5LX2, 230 V, 50 Hz, 2.5 A, refrigerant: R290, volume: (2x) 5 liter, dimensions: 520 mm x 360 mm x 530 mm. New, never used.	700
1001	Ningbo Feter Electrical Appliance Co., LTD	Ningbo Feter Electrical Appliance Co., LTD slushy machine, model: SM-10LX2, 220-240 V, 50 Hz, 4.1 A, refrigerant: R290, volume: (2x) 1 liter, dimensions: 550 mm x 410 mm x 760 mm. New, never used.	800
1002	Duniform	Duniform traysealer, dye: 250 mm x 310 mm, total dimensions: 670 mm x 350 mm x 620 mm. Including extra dyes, dye: (1x) 270 mm x 190 mm, (1x) 165 mm x 215 mm, (2x) 250 mm x 145 mm.	75
1003	NN gastronorm bins	S/s trolley with large amount of gastronorm bins, lids and other kitchen equipment, dimension: 1200 mm x 800 mm x 1680 mm.	200
1004	NN table	S/s table, dimensions: 1800 mm x 700 mm x 890 mm.	150
1005	NN rack	Steel rack with 4 wooden floors, floor dimensions: 910 mm x 600 mm, total dimensions: 1000 mm x 600 mm x 1980 mm.	100
1006	Matstone	Matstone juice extractor, model: GB-9006, 220/240 V, 50/60 Hz, 200 W, dimensions: 400 mm x 200 mm x 280 mm.	75
1007	Roller Grill	Rolley Grill grill, type: TS 3270, serial number: 171204790, 380 V, 3 Ph, 50/60 Hz, 4000 W, dimensions: 650 mm x 450 mm x 470 mm.	75
1008	MCC Trading International GmbH	2 MCC Trading International GmbH heating plates, model: HWT1400, 220/240 V, 1 Ph, 50/60 Hz, 400 W, dimensions: (2x) 540 mm x 400 mm x 60 mm.	30
1009	Magimix	Pallet with Magimix kitchen cutters, model: 4200 XL, 220/240 V, 50 Hz, 950 W, dimensions: 1200 mm x 800 mm x 550 mm.	100
1010	NN gastronorm bins	Pallet with large amount of gastronorm bins and lids, dimensions: 1200 mm x 800 mm x 1000 mm.	100
1011	Escali / Brecknell	2 weighing scales, (1x) Escali, model: M136, capacity: 6 kg, (1x) Brecknell, model: 405, serial number: 1119000147, capacity: 15 kg, dimensions: (2x) 300 mm x 260 mm x 100 mm.	30
1012	Bolarius	Bolarius refrigerated counter, type: NB 6152GK, number: 2593, 230 V, 3 Ph, weight: 140 kg, refrigerant: R404a, 0.99 kg, dimensions: 1910 mm x 700 mm x 720 mm.	90
1013	Technodom	Technodom oven, 6 floors, floor dimensions: 600 mm x 450 mm, total dimensions: 840 mm x 900 mm x 820 mm.	100
1014	Zanussi	Zanussi grill, grill dimensions: 670 mm x 370 mm, total dimensions: 950 mm x 400 mm x 1030 mm.	100
1015	Frymaster	Frymaster deep fryer, model: H50, serial number: 0202IA0018, 230 V, 1 Ph, 50 Hz, 1.00 A, 21 kW, gas	100



Nr	Title	Description	Start €
		heated, inside dimensions: 530 mm x 350 mm x 230 mm, total dimensions: 800 mm x 400 mm x 1120 mm. Without basket.	
1016	Technodom	Technodom oven, model: FEM04NEGV, serial number: 201910997G, year of construction: 2019, 220/240 V, 1 Ph, 50/60 Hz, inside dimensions: 560 mm x 380 mm, total dimensions: 690 mm x 690 mm x 600 mm.	150
1017	NN slicer	Slicer, type: VE 5B, machine number: 340602, 220 V, 50 Hz, dimensions: 600 mm x 520 mm x 400 mm.	100
1018	CaterChef	CaterChef microwave, model: *688.010, serial number: C141307158, year of construction: 07/2013, 230/240 V, 1 Ph, 50 Hz, 1800/900 W, inside dimensions: 370 mm x 370 mm x 190 mm, total dimensions: 600 mm x 480 mm x 420 mm.	100
1019	GGM Gastro	GGM Gastro 4 pits gas stove, model: PG7F4MPW, number: 09294/30057, 21.5 kw, dimensions: 800 mm x 750 mm x 1030 mm.	150
1020	NN deep fryer	Deep fryer, inside dimensions: 530 mm x 350 mm x 220 mm, total dimensions: 750 mm x 400 mm x 1050 mm.	200
1021	NN grill	S/s grill, grill dimensions: 630 mm x 500 mm, total dimensions: 700 mm x 750 mm x 960 mm.	250
1022	GGM Gastro	GGM Gastro grill, model: PPLG80M, number: 09309/30979, grill dimensions: 670 mm x 520 mm, total dimensions: 730 mm x 800 mm x 1030 mm.	250
1023	SHARP	SHARP microwave, model: R-25AM, serial number: 181204350, 230 V, 1 Ph, 50 Hz, 3.15 kW, inside dimensions: 330 mm x 330 mm x 180 mm, total dimensions: 520 mm x 510 mm x 320 mm.	100
1024	Arévalo	Arévalo refrigerated counter with saladette, model: S-90-P ENSALADERA, serial number: 71135, 220 V, 50 Hz, 204 W, refrigerant: R-134-A, 0.375 kg, dimensions: 700 mm x 920 mm x 1270 mm.	150
1025	NN counter	S/s counter, dimensions: 800 mm x 700 mm x 1030 mm.	75
1026	Atag	Atag 2 pit stove, dimensions: 350 mm x 700 mm x 950 mm.	100
1027	CaterChef	CaterChef microwave, model: *688.010, serial number: C141611211, 230/240 V, 1 Ph, 50 Hz, 1800/900 W, inside dimensions: 370 mm x 370 mm x 190 mm, total dimensions: 600 mm x 480 mm x 420 mm.	150
1028	Electrolux	Electrolux 2-pits stove, number: 9603030, 400 V, 3 Ph, 50 Hz, 2.5 kW, dimensions: 600 mm x 300 mm x 460 mm.	100
1029	Rational	Rational combi steamer, 400 V, 3 Ph, 50/60 Hz, 9.4 kW, 6 floors, floor dimensions: 500 mm x 310 mm, total dimensions: 900 mm x 720 mm x 680 mm.	150
1030	Oztiryakir	Oztiryakir mobile proofer, model: OMD 12080 / V11.7, serial number: OMD.163, 220/240 V, 1 Ph, 50 Hz, 1750 Watt, dimensions: 12000 mm x 820 mm x 736 mm.	100



Nr	Title	Description	Start €
1031	GGF	GGF pizza oven, inside dimensions: 610 mm x 610 mm x 140 mm.	150
1032	WEG	WEG coffee machine, dimensions: 750 mm x 550 mm x 520 mm.	100
1033	Arktic	Arktic refrigerated counter, serial number: 23334400322122000B70014, year of construction: 12/2022, 220/240 V, 1 Ph, 50 Hz, 1.5 A, 300 W, weight: 71 kg, refrigerant: R600a, 0.10 kg, dimensions: 1200 mm x 600 mm x 880 mm.	200
1034	Deel-Maat	Deel-Maat cheese slicer, dimensions: (1x) 350 mm x 450 mm x 100 mm, (1x) 350 mm x 350 mm x 430 mm.	30
1035	Dito-Sama	Dito-Sama vegetable cutter, model: TR 21, number: G63674, 115/230 V, 1 Ph, 50 Hz, 5.7/2.9 A, 420 W, dimensions: 470 mm x 230 mm x 370 mm. Incomplete.	30
1036	Dito-Sama	Dito-Sama vegetable cutter, model: TR 21, number: G74840, 220 V, 1 Ph, 50 Hz, 2.85 A, 250 W, dimensions: 470 mm x 230 mm x 370 mm. Incomplete.	30
1037	CaterChef	CaterChef microwave, model: *688.010, serial number: C141611351, 230/240 V, 1 Ph, 50 Hz, 1800/900 W, inside dimensions: 370 mm x 370 mm x 190 mm, total dimensions: 600 mm x 480 mm x 420 mm.	150
1038	Buffalo	Buffalo microwave, model: GK641, serial number: 0A4P7WAH800086E, year of construction: 08/2016, 230 V, 1 Ph, 50 Hz, 3 kW, inside dimensions: 370 mm x 370 mm x 190 mm, total dimensions: 460 mm x 580 mm x 370 mm.	125
1039	TMP-Technic Marketing Products GmbH	TMP-Technic Marketing Products GmbH mobile juicer, model: 8000SB, serial number: 20.839, year of construction: 03.2012, 230 V, 50/60 Hz, 280 W, weight: 78.5 kg, dimensions: 680 mm x 580 mm x 1830 mm.	200
1040	NN refrigerated counter	Refrigerated counter, dimensions: 1650 mm x 700 mm x 870 mm.	200
1041	Potis	Potis kebab grill, model: GD4/S, type: 1U/min, serial number: 20428.05.08, 230 V, 1 PH, 50 Hz, 3.5/14.0 kW, capacity: 1.12 kg per hour, working length: 700 mm, dimensions: 700 mm x 600 mm x 1100 mm.	100
1042	NN strip cutter	Strip cutter, model: QJH-J300, number: 2017041101-O, year of construction: 04/2017, 220 V, 50 Hz, 0.75 kW, working width: 120 mm, distance between knives: 5 mm, total dimensions: 550 mm x 420 mm x 700 mm. Including 2 extra knife sets.	200
1043	NN refrigerated counter	Refrigerated counter, model: PS900, serial number: 8090606006, 220/240 V, 1 PH, 50/60 Hz, 2.5 A, 250 W, weight: 89 kg, refrigerant: R134a, 160 g, dimensions: 900 mm x 700 mm x 1100 mm.	25
1044	GGM Gastro	GGM Gastro mobile freezer, model: BTKS800GE, serial number: STO69004BTKS800GE013, 230 V, 50 Hz, 3.0 A, 700 W, weight: 143 kg, refrigerant: R404A, 425 g,	150



Nr	Title	Description	Start €
		working temperature: -18/-22° celcius, inside dimensions: 620 mm x 800 mm x 1400 mm, total dimensions: 750 mm x 1000 mm x 2000 mm.	
1045	Engelen-Heere	Engelen-Heere pressure fryer, model: MDXZ-16, 220/2420 V, 50 Hz, 3 kW, capacity: 15 liter, dimensions: 600 mm x 400 mm x 500 mm.	50
1046	Etna Vending Technologies b.v.	Etna Vending Technologies b.v. hot chocolate dispenser, model: DIRDNL/CS/2L, serial number: 871186145449000044, 230 V, 50 Hz, 3.06 kW, dimensions: 550 mm x 250 mm x 650 mm.	30
1047	NN potato press	Potato press, dye: 5 mm x 5 mm, total dimensions: 300 mm x 400 mm x 950 mm.	25
1048	Modular	Modular fryer, number: 061289 223, model: 64/40 BME, 220-240 V, 50 Hz, 1,8 kW, dimensions: 400 mm x 650 mm x 410 mm.	50
1049	Modular	Modular fryer, number: 15 09 89 56, model: 65/40 SPE, 220-240 V, 50 Hz, 1,8 kW, dimensions: 400 mm x 650 mm x 410 mm.	100
1050	AMT Datasouth	3 AMT Datasouth barcode printers, type: 7200, 100-120/230-240 VAC, 50/60 Hz, 2.9/1.5 A, dimensions: (3x) 550 mm x 210 mm x 380 mm.	10
1051	Vileda	Vileda trolley, floor dimensions: 240 mm x 490 mm, 14 floors, total dimensions: 950 mm x 600 mm x 1100 mm.	5
1052	NN trolley	Plastic trolley with buckets, dimensions: 600 mm x 530 mm x 950 mm	5
1053	Leister	Leister blower, type: G63A21D, number: 725205388, 60 Hz, 1.38/0.8 A, 0.3 kW,	20
1054	Nita Hygiene	Nita Hygiene s/s hose reel with hose, type: 2129 / 2113, serial number: 118311 / 125522, year of construction: 2015, working pressure: 200 bar, dimensions: 550 mm x 220 mm x 460 mm.	150
1055	Berkel	Berkel weighing scale, dimensions: 350 mm x 400 mm x 500 mm.	15
1056	Casio	Casio cash register, model: 240CR-1, serial number: 0440241, 220-230 V, 1 Ph, 50/60 Hz, 0.13 A, dimensions: 500 mm x 400 mm x 300 mm.	10
1057	Graco	Graco membrane pump, serial number: 0001805, dimensions: 350 mm x 120 mm x 200 mm.	25
1058	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W, serial number: T622A219000, DN 80, maximum capacity: 180 m³ per hour.	100
1059	Air-Wolf	Air-Wolf s/s toilet, dimensions: 710 mm x 400 mm x 430 mm.	50
1060	Air-Wolf	Air-Wolf paper dispenser, dimensions: 580 mm x 400 mm x 320 mm.	10
1061	Air-Wolf	Air-Wolf s/s sink, dimensions: 430 mm x 460 mm x 300 mm.	50



Nr	Title	Description	Start €
1062	Air-Wolf	Air-Wolf s/s sink, dimensions: 430 mm x 460 mm x 300 mm.	50
1063	Air-Wolf	Air-Wolf s/s sink, dimensions: 430 mm x 460 mm x 300 mm.	50
1064	Brockfieper GmbH	Brockfieper GmbH air compressor, serial number: 17527, year of construction: 1991, volume: 20 liter, maximum operating pressure: 10 bar, dimensions: 370 mm x 450 mm x 550 mm.	10
1065	HB-Therm	HB-Therm Temperature Control unit, series 3, type: HB-LW 140-6A, number: 9240647, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 10.5 A, 6.55 kW, 8 bar, dimensions: 850 mm x 250 mm x 550 mm.	80
1066	NN table	Wooden table, dimensions: 1100 mm x 1100 mm x 750 mm.	10
1067	Smeva / Tecumseh	Smeva condensing unit with Tecumseh cooling compressor, type: condensing unit: ICF-HL01-T0020Z6, serial number: 7010106, year of construction: 05/12/2017, type Tecumseh cooling compressor: Tag 2516 Z, 400 V, 3 Ph, 50 Hz, 4.75 W, refrigerant: R4490, dimensions: 1150 mm x 550 mm x 850 mm.	200
1068	Bitzer Kühlmaschinenbau GmbH / Tecumseh	Pallet with Bitzer Kühlmaschinenbau GmbH cooling compressor, type: S4N-8.2 Y, serial number: 65640909, capacity: 28 m³ per hour, and 3 Tecumseh cooling compressors, type: (2x) TFH2511Z and (1x) TFH2480Z, dimensions pallet: 1200 mm x 800 mm x 500 mm.	150
1069	Mupa	Mupa s/s switch cabinet, model: CONTROL BOX AKCC550A-KC-VC-CO2, 400/230 V, 3 Ph, 50 Hz, 16 A, year of construction: 2019, dimensions: 590 mm x 90 mm x 360 mm.	30
1070	Mupa	Mupa s/s switch cabinet, model: CONTROL BOX AKCC550A-KC-VC-CO2, 400/230 V, 3 Ph, 50 Hz, 16 A, year of construction: 2019, dimensions: 590 mm x 90 mm x 360 mm.	30
1071	Mupa	Mupa s/s switch cabinet, model: CONTROL BOX AKCC550A-KC-VC-CO2, 400/230 V, 3 Ph, 50 Hz, 16 A, year of construction: 2019, dimensions: 590 mm x 90 mm x 360 mm.	30
1072	Mupa	Mupa s/s switch cabinet, model: CONTROL BOX AKCC550A-KC-VC-CO2, 400/230 V, 3 Ph, 50 Hz, 16 A, year of construction: 2019, dimensions: 590 mm x 90 mm x 360 mm.	30
1073	Mupa	Mupa s/s switch cabinet, model: CONTROL BOX AKCC550A-KC-VC-CO2, 400/230 V, 3 Ph, 50 Hz, 16 A, year of construction: 2019, dimensions: 590 mm x 90 mm x 360 mm.	30
1074	NN kebab grill	Kebab grill, clearance: 540 mm, dimensions: 500 mm x 450 mm x 850 mm.	50
1075	Finnmark		50



Nr	Title	Description	Start €
		Finnmark freezer, type: Grandor 2587G, serial number: 10300637, year of construction: 2011, 230 V, 50 Hz, 2 A, refrigerant: R404a, dimensions: 2500 mm x 800 mm x 900 mm.	
1076	NN trolley	Aluminium trolley, dimensions: 800 mm x 700 mm x 1700 mm.	5
1077	Videojet	Videojet inkjet printer, model: 43S, serial number: ZH061290001, 100/230 V, 1 Ph, 50/60 Hz, 0.8/0.4 A, 100 W, dimensions: 600 mm x 240 mm x 620 mm.	100
1078	NN dye's	Dye's for traysealer, dimensions: (2x) 220 mm x 150 mm and (2x) Ø 230 mm.	50
1079	Technotrans	Technotrans circulation pump, model: tt 4-60, year of construction: 2014, dimensions: 450 mm x 150 mm x 200 mm.	50
1080	NN control panels	4 control panels / electrical components.	30
1081	NN ham forms	2 pallet boxes with 25 ham forms and parts, dimensions each form: Ø 240 mm x 700 mm.	150
1082	Alcan	Alcan traysealer, type: DIB, number: 2972, year of construction: 12-91, dye: 205 mm x 145 mm, total dimensions: 380 mm x 350 mm x 230 mm.	10
1083	NN blower	S/s blower, dimensions: 900 mm x 540 mm x 550 mm.	50
1084	Bizerba	2 Bizerba knives for Bizerba A500 and 1 knife holder, diameter knife: Ø 480 mm.	20
1085	Rietschle	Rietschle vacuum pump, type: VCEH 250(01), number: 1575009, year of construction: 1994, capacity: 250 m³ per hour, dimensions: 900 mm x 650 mm x 460 mm.	200
1086	NN trolley	2 plastic trolleys , dimensions: (2x) 600 mm x 530 mm x 950 mm	5
1087	Nescafe	Nescafe coffee machine, type: 8.762.101.37512, model: BLRXL-001, 230 V, 50/60 Hz, 2230 W, dimensions: 350 mm x 300 mm x 530 mm.	5
1088	NN mesh belts	Pallet with various parts for plastic mesh belts, belt widths: 150 mm / 300 mm / 380 mm, dimensions pallet: 1200 mm x 800 mm x 400 mm.	100
1089	Delaval	Delaval cooling compressor with condenser, type: ASR500 SD, 360/420 V, 3 Ph, 50 Hz, dimensions: 900 mm x 940 mm x 820 mm.	80
1090	Uni	Pallet with various boxes with UNI-plastic chains, dimensions pallet: 1200 mm x 800 mm x 800 mm.	100
1091	NN mesh belts	Pallet with various plastic mesh belts, belt widths: 360 mm / 450 mm, dimensions pallet: 1200 mm x 800 mm x 400 mm.	150
1092	NN tables	7 steel tables, dimensions (7x) Ø 900 mm x 720 mm.	10
1093	Etna	Etna dishwasher on steel trolley, dishwasher dimensions: 600 mm x 585 mm x 850 mm, total dimensions: 800 mm x 600 mm x 1900 mm.	40
1094	Pall		25



Nr	Title	Description	Start €
		Pall filter, model: ECS7006G30 H4, maximum temperature: 140°C, maximum pressure: 5 bar.	
1095	NN sink	S/s double sink, dimensions: 1800 mm x 600 mm x 940 mm.	50
1096	Silistra	Silistra metal saw, type: OH 163 01, serial number: 5112, year of construction: 1978, saw length: 355 mm, total dimensions: 1100 mm x 550 mm x 1250 mm.	90
1097	Vileda	2 Vileda trolleys, floor dimensions: 240 mm x 490 mm, 14 floors, total dimensions: 950 mm x 600 mm x 1100 mm.	5
1098	Animo	Animo coffee machine, dimensions: 500 mm x 400 mm x 750 mm. Including parts	20
1099	NN advertising board	Advertising board, dimensions: 960 mm x 690 mm x 1350 mm.	5
1100	L'unite Hermetique	L'unite Hermetique cooling compressor, dimensions: 550 mm x 600 mm x 500 mm.	50
1102	Frascold	Frascold cooling compressor, type: Z 40 126 Y, number: 3G000043, dimensions: 1300 mm x 600 mm x 1200 mm.	250
1103	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: LH64/FS 75, serial number: 66023205, type cooling compressor: 2DC-3.2Y-40S, serial number: 1683007071, capacity: 13.4/16.2 m³ per hour, dimensions: 750 mm x 700 mm x 560 mm.	400
1104	Elektro-Automatik GmbH & Co. KG	Elektro-Automatik GmbH & Co. KG power supply, model: EA 3051 B, 230 V, 50 Hz, dimensions: 260 mm x 285 mm x 150 mm.	10
1105	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	40
1106	Grundfos	Grundfos circulation pump, type: LP 50-125/142 A-F-A-BUBE, model: C4 8060022-PI-0021, capacity: 12.0 m³ per hours, dimensions: 630 mm x 420 mm x 220 mm.	25
1107	Ceelec	Crate with Ceelec power plugs, type: ST 463.6 & ST 432.6.	10
1108	Mennekes	Crate with Mennekes power plugs, type: 151A.	10
1109	NN hose reel	S/s hose reel with plastic hose, dimensions: 700 mm x 350 mm x 600 mm.	50
1110	Grundfos	Grundfos circulation pump, type: MAGNA1 40-40 F 220, serial number: 10014452, 230 V, 1 Ph, 50/60 Hz, 0.11/0.72 A, dimensions: 220 mm x 200 mm x 260 mm.	100
1111	KSB	KSB circulation pump, type: Calio 40-100, number: 29134312, 230 V, 1 Ph, 50/60 Hz, 2.20 A, dimensions:	100
1112	Grundfos	Grundfos circulation pump, type: MAGNA3 65-80 F 340, serial number: 10002041, 230 V, 1 Ph, 50/60 Hz, 0.24/2.12 A, dimensions: 340 mm x 280 mm x 380 mm.	100
1113	Grundfos	Grundfos motor, dimensions: 300 mm x 150 mm x 200 mm.	50
1114	Grundfos		50



Nr	Title	Description	Start €
		Grundfos circulation pump, type: TP 40-120/2 A-F-A-BUBE, capacity: 11.4 m³ per hour, dimensions: 400 mm x 250 mm x 200 mm.	
1115	Danfoss	5 Danfoss frequency converters, model: VLT, dimensions: (5x) 400 mm x 100 mm x 250 mm.	100
1116	Nidec	2 Nidec frequency converters, model: M200-044 00135 A, dimensions: (2x) 270 mm x 1150 mm x 170 mm.	40
1117	Danfoss	2 Danfoss frequency converters, model: VLT, dimensions: (2x) 700 mm x 240 mm x 270 mm.	100
1118	Danfoss	2 Danfoss frequency converters, model: VLT, dimensions: (2x) 700 mm x 240 mm x 270 mm.	70
1119	Danfoss	4 Danfoss frequency converters, model: VLT, dimensions: (4x) 400 mm x 100 mm x 250 mm.	100
1120	Danfoss	2 Danfoss frequency converters, model: VLT, dimensions: (2x) 370 mm x 130 mm x 260 mm.	50
1121	Danfoss	2 Danfoss frequency converters, model: VLT, dimensions: (2x) 700 mm x 240 mm x 270 mm.	50
1122	Danfoss	Danfoss frequency converter, model; VLT, dimensions: 350 mm x 90 mm x 250 mm.	50
1123	NN electric parts	Various electric parts among others.	50
1124	NN drum motor	Drum motor, dimensions: Ø 130 mm x 450 mm.	50
1125	Holmatro	Holmatro hydraulic shear, model: CU3020+, year of construction: 2001, dimensions: 700 mm x 220 mm x 200 mm.	500
1126	Sala Safety Systems	Sala Safety Systems balancer, dimensions: 400 mm x 200 mm x 140 mm.	25
1127	Sick	Sick sensor, model: WL24-2B440.	30
1128	Sick	Sick sensor, model: WL11-2P2430.	30
1129	Sick	Sick sensor, model: WLA26P-24162100A00.	50
1130	Sick	Sick sensor, model: WL12G-3B2531.	30
1131	Sick	Sick sensor, model: WL12G-3B2531.	30
1132	Animo	Animo water dispenser, type: Opticool, number: 10445, 220/240 V, 1 Ph, 225 Watt, dimensions: 220 mm x 420 mm x 565 mm.	20
1133	Robot Coupe	Robot Coupe vegetable slicer, type: CL 52, dimensions: 340 mm x 350 mm x 700 mm.	100
1134	Elektrolux	Elektrolux slicer, model: K120, 380-415 V, 3 Ph, 5.5/3.7 A, 2200/1500 W, dimensions; 420 mm x 630 mm x 470 mm.	50
1135	Mareno	Mareno Au-bin marie, model: KBS-4EM, number: 85089, 220/380 V, 1 Ph, dimensions: 410 mm x 600 mm x 300 mm.	25
1137	HGZ	HGZ coffee machine, dimensions: 360 mm x 520 mm x 700 mm.	50
1138	NN Au-bin marie	Mobil Au-bin marie, dimensions: 600 mm x 820 mm x 580 mm.	50
1139	NN fryer		200



Nr	Title	Description	Start €
		Double fryer, model: 70/70 FRE 10, serial number: 2011092000138, 400 V, 3 Ph, 50 Hz, 15 kW, dimensions: 700 mm x 700 mm x 970 mm.	
1140	Vemag	Plastic crate with Vemag worm, dimensions: 600 mm x 400 mm x 200 mm.	290
1141	Vemag	Plastic crate with Vemag worm, dimensions: 600 mm x 400 mm x 200 mm.	290
1142	Bizerba	Bizerba slicer, type: VS 12 F, number: 10688893, year of construction: 2010, 230/400 V, 3 Ph, 50 Hz, 1.2/0.68 A, 0.270 kW, dimensions: 800 mm x 600 mm x 500 mm.	160
1143	Bizerba	Bizerba slicer, type: VS 12 F, number: 11753810, year of construction: 2020, 230/400 V, 3 Ph, 50 Hz, 1.2/0.68 A, 0.270 kW, dimensions: 800 mm x 600 mm x 500 mm.	160
1144	Liebherr	Liebherr freezer, model: GS 1502, type: 4 0060 1, serial number: 70.793.947.4, 220/230 V, 50 Hz, 120 W, volume: 113 liter, refrigerant: R12 120gr, dimensions: 600 mm x 630 mm x 850 mm.	50
1145	Gamko Holding BV	Gamko Holding BV refrigerator, type: HFK20/145, number: 200923 358063, year of construction: 2009, 220/240 V, 50 Hz, 1.6 A, refrigerant: R134A/135 gr, dimensions: 600 mm x 570 mm x 850 mm.	50
1146	Hoshizaki	Hoshizaki ice maker, model number: IM-21CLE, serial number: G12411, 220/240 V, 50 Hz, 250 W, 0.66 kVA, weight: 34 kg, refrigerant: R134a/0.110 kg, dimensions: 400 mm x 430 mm x 710 mm.	250
1147	N.V. Nationaal Kasregisters v.h. Cord H. v. Erk	N.V. Nationaal Kasregisters v.h. Cord H. v. Erk wooden cash register, dimensions: 500 mm x 410 mm x 430 mm.	750
1148	Nationaal	Nationaal Slicer with stand, dimensions: 780 mm x 600 mm x 640 mm.	4000
1149	NN chopping block	Wooden chopping block from the 18th century, dimensions: 560 mm x 480 mm x 650 mm.	200
1150	Berkel	Berkel weighing scale, diameter scale: 240 mm, total dimensions: 430 mm x 250 mm x 530 mm.	600
1151	DP	DP weighing scale, dimensions: 580 mm x 300 mm x 660 mm.	275
1152	NN sinks	2 s/s sinks, dimensions (2x): 540 mm x 540 mm x 300 mm.	75
1154	NN stove	Grill, model: GH-760, number: 07/09/SW09-6HB-13B/GH-760/13, year of construction: 26/07/2009, 380 V, 50 Hz, 9000 W, weight: 48 kg, year of construction: 2009, dimensions: 760 mm x 470 mm x 260 mm.	75
1155	NN ham	Plastic decorative ham, dimensions: 370 mm x 300 mm x 100 mm.	5
1156	The Automatic Scale Co. Ltd	The Automatic Scale Co. Ltd weighing scale, serial number: 6285, year of construction: 1906, diameter	1000



Nr	Title	Description	Start €
		scale: 250 mm, total dimensions: 740 mm x 330 mm x 830 mm.	
1157	Greeven en Lauwers	Greeven en Lauwers cast iron cash register, dimensions: 520 mm x 420 mm x 520 mm.	1250
1158	Berkel	Berkel automatic slicer, type: 834, number: 19008, 220 V, 50 Hz, 2.3 A, 1 Ph, dimensions: 450 mm x 600 mm x 450 mm.	350
1159	Berkel	Berkel automatic slicer, type: 834 EPB, number: 11 2000 10890, 230 V, 50 Hz, 375 W, dimensions: 900 mm x 600 mm x 600 mm.	500
1160	Berkel	Berkel automatic slicer, type: 834 EP, number: 4260, 220 V, 50 Hz, 375 W, dimensions: 750 mm x 600 mm x 600 mm.	500
1161	Bizerba	Bizerba automatic slicer, model: A 406 FB, number: 1492596, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, s/s mesh belt, belt width: 250 mm, total dimensions: 1150 mm x 1500 mm x 700 mm.	750
1162	Santos	Santos cheese grater, type: 02, number: 805566, year of construction: 2012, 220-240 V, 50 Hz, 3.5 A, 600 W, dimensions: 200 mm x 400 mm x 360 mm.	150
1163	Phillips	Philips kitchen machine, type: HR7781, 220-240 V, 50-60 Hz, 1200 W, dimensions: 230 mm x 230 mm x 470 mm.	50
1172	GF	6 GF indicators, model: ER52-4, 5/30 V, 100 mA, 65 Ip. Never used.	320
1173	Metrohm	Metrohm titrode WOC with S Coating.	200
1174	Endress + Hauser	Endress + Hauser flow meter, model: PMD75B-JTF9/0, serial number: X506120119A, year of construction: 2025-05.	500
1175	FIP	3 FIP valve, type: S12, code: C11HHVE81A21VHP, 2 bar. Never used.	500
1176	Allen-Bradley	3 Allen-Bradley electric part, model: 1734-TB3S. Never used.	400
1177	Allen-Bradley	13 Allen-Bradley flex terminal base, model: 1794-TB3, year of construction: 2025/03/24. Never used.	130
1178	Allen-Bradley	5 Allen-Bradley rockwell automation FLEX I/O Analog Input Module, model: 1734-IE8C. Never used.	250
1179	Allen-Bradley	15 Allen-Bradley rockwell automation control module, model: (3x) 1794-OE4, (3x) 1794-IE8, (6x) 1794-IB16, (3x) 1794-OB16, year of construction: 2025/01/06. Never used.	2800
1180	Allen-Bradley	2 Allen-Bradley electronic control board, model: 20-750-2262C-2R, serial number: 319142830.	200
1181	Mitsubishi Electric	3 Mitsubishi Electric control system. Never used.	300
1182	Samson	3 Samson fault indicators, model: 3730-30000000400000000.04, maximum supply: 7 bar / 105 psi. Never used.	2000
1183	Raychem		120



Nr	Title	Description	Start €
		3 Raychem electronic thermostat, model: AT-TS-13. Never used.	
1184	Allen-Bradley	Allen-Bradley soft starter, model: 150-C9NBD, serial: A, 200/480 V, 3 Ph, 50/60 Hz, 9 A. Never used.	200
1185	Endress + Hauser	Endress + Hauser kits retractable process assembly, model: Cleanfit CPA875. Never used.	400
1186	Rotronic	2 Rotronic hygroflex, model: HF532-WB5XX1XX, serial number: 82273720, 15/40 V, 12/28 V. Never used.	200
1187	GF	9 GF indicators, model: ER52-4, 5/30 V, 100 mA, 65 Ip. Never used.	500
1188	GF	9 GF indicators, model: ER52-4, 5/30 V, 100 mA, 65 Ip. Never used.	500
1189	GF	9 GF indicators, model: ER52-4, 5/30 V, 100 mA, 65 Ip. Never used.	500
1190	NN rollie	S/s rollie, dimensions: 620 mm x 420 mm x 120 mm.	20
1191	Linx	Linx injet printer, model: CJ400, serial number: 18061016C43ZH, year of construction: 2018, 100-230 V, 1 Ph, 50/60 Hz, 3-1 A, dimensions: 450 mm x 260 mm x 900 mm.	150
1192	Linx	Linx injet printer, model: CJ400, serial number: 18040006C43ZH, year of construction: 2018, 100-230 V, 1 Ph, 50/60 Hz, 3-1 A, dimensions: 450 mm x 260 mm x 900 mm.	150
1193	Zebra Technologies Corporation	Zebra Technologies Corporation label printer, model: ZM400, serial number: 08J103201319, 100/240 V, 4 A, 300 W, dimensions: 450 mm x 250 mm x 420 mm.	50
1194	Zebra Technologies Corporation	Zebra Technologies Corporation label printer, model: ZM400, serial number: 08J120501341, 100/240 V, 4 A, 300 W, dimensions: 450 mm x 250 mm x 420 mm.	50
1195	Zebra Technologies Corporation	Zebra Technologies Corporation label printer, model: ZM400, serial number: 08C08471081, 90/264 V, 4 A, 300 W, dimensions: 450 mm x 250 mm x 420 mm.	50
1196	Zebra Technologies Corporation	Zebra Technologies Corporation label printer, model: ZM400, serial number: 08J120700972, 100/240 V, 4 A, 300 W, dimensions: 450 mm x 250 mm x 420 mm.	50
1197	Motorola / Impres	Pallet with large amount of Motorola walkie-talkies and Impres charging stations, dimensions: 1200 mm x 800 mm x 500 mm. Technical condition unknown.	50
1198	ALMI	ALMI stone cutter, dimensions: 400 mm x 300 mm x 950 mm.	20
1199	NN trolley	S/s trolley, 7 floors, dimensions: 600 mm x 460 mm x 1300 mm.	10
1200	Kratos	Kratos balancer, serial number: AJ 1600057, year of construction: 06/2016, capacity: 250 kg, dimensions: 480 mm x 170 mm x 90 mm.	10
1201	Kratos		10



Nr	Title	Description	Start €
		Kratos balancer, serial number: AJ 1600058, year of construction: 06/2016, capacity: 250 kg, dimensions: 480 mm x 170 mm x 90 mm.	
1202	Switzner	Switzner kitchen knife set, dimensions: 370 mm x 140 mm x 60 mm.	20
1203	Toolcraft	Toolcraft 61 pieces tool box, model: X-561S, dimensions: 300 mm x 220 mm x 70 mm.	30
1204	Switzner	Switzner kitchen knife set, dimensions: 370 mm x 140 mm x 30 mm.	20
1205	NN soap dispensers	Plastic soap dispensers.	10
1206	NN display	Display, dimensions: 320 mm x 265 mm x 70 mm.	25
1207	NN control panels	2 Control panels, dimensions: (2x) 360 mm x 285 mm x 120 mm.	30
1208	Mupa	Mupa s/s switch cabinet, model: CONTROL BOX AKCC550A-KC-VC-CO2, 400/230 V, 3 Ph, 50 Hz, 16 A, year of construction: 2019, dimensions: 590 mm x 90 mm x 360 mm.	30
1209	Eurom	Eurom high pressure cleaner, type: FORCE 2000 PLUS, 220-240 V, 50 Hz, 2000 W, capacity: 400 liter per hour, maximum pressure: 150 bar, 8 meter hose with reel, total dimensions: 340 mm x 330 mm x 850 mm.	50
1210	Baby Royal	2 Baby Royal coffee machines, model: Mini-Pro 15M, 230 V, 50/60 Hz, 1550 W, capacity: 1.5 liter, dimensions: (2x) 370 mm x 210 mm x 450 mm.	20
1211	Champion	Champion electric angle grinder, type: CP-119.	40
1212	NN clamping kit	58 pieces clamping kit, dimensions: 330 mm x 210 mm x 80 mm.	20
1213	Deutsche Stahl	2 Deutsche Stahl screw machines, type: CB1280T, dimensions: 370 mm x 320 mm x 110 mm.	60
1214	NN vise	Steel vise, dimensions: 330 mm x 300 mm x 140 mm.	10
1215	Baby Royal	Baby Royal coffee machine, model: Mini-Pro 15M, 230 V, 50/60 Hz, 1550 W, capacity: 1.5 liter, dimensions: 370 mm x 210 mm x 450 mm.	25
1216	Ragnor	Ragnor, jack stands, dimensions: 200 mm x 200 mm x 350 mm.	50
1217	Ragnor	Ragnor tool bag, dimensions: 500 mm x 240 mm x 300 mm.	10
1218	Centurius	Centurius precision screwdriver set, dimensions: 100 mm x 130 mm x 30 mm.	25
1219	Scheppach	Scheppach sanding machine, dimensions: 240 mm x 160 mm x 80 mm.	50
1220	NN copper cable	Roll copper cable, thickness cable: 6 mm, length cabel: 100 metre.	50
1221	NN copper cable	Roll copper cable, thickness cable: 6 mm, length cabel: 76 metre.	50
1222	ABAC	ABAC air compressor, model: POLE POSITION 015, volume: 24 litres, capacity: 8 bar.	75



Nr	Title	Description	Start €
1223	Midori	Midori garden tools, type: MJ-195, 5.2 kW, 8000 rpm, dimensions: 280 mm x 280 mm x 1050 mm.	50
1224	Makita	Makita electric scarifier, type: UV3600, 200-240 V, 50 Hz, 1800 W, dimensions: 600 mm x 600 mm x 350 mm.	50
1225	Metabo	Metabo mitre saw, model: KGS 216 M, year of construction: 2015, 220/240 V, 1 Ph, 50/60 Hz, 5.5 A, 1.2 kW, saw diameter: 216 mm.	60
1226	NN chafing dish	Chafing dish, model: G-BS300, 220/240 V, 1 Ph, 50/60 Hz, 300 W, dimensions: 650 mm x 360 mm x 150 mm.	25
1227	Centurius	Centurius tool trolley, dimensions: 700 mm x 380 mm x 200 mm.	40
1228	Rioned	Rioned sewer inspection camera, type: Sanicam +, serial number: 0160, year of construction: 2017.	25
1229	Rioned	Rioned sewer inspection camera, type: Sanicam +, serial number: 0160, year of construction: 2017.	50
1230	TECHFOOD	TECHFOOD commercial crepe maker 30cm, model: 8804000049, serial number: 5193, year of construction: 2018, 230 Vac, 50/60 Hz, 1.8 kW, dimensions: 350 mm x 510 mm x 320 mm.	150
1231	VITA-MIX	VITA-MIX XL blender, model: VM0146, 1hp blender, year of construction: 2014, dimensions: 460 mm x 210 mm x 500 mm.	250
1232	Ragnor	Ragnor tool box, dimensions: 600 mm x 250 mm x 450 mm.	10
1233	Sanomat B.V.	Sanomat B.V. whipped cream machine, type: Euro Plus S Auto, number: 4537, 230 V, 50 Hz, 850 W, refrigerant: R134a/75 g, dimensions: 580 mm x 300 mm x 560 mm.	250
1234	Metro	Metro refrigerator, type: GPC1046, dimensions: 480 mm x 430 mm x 500 mm.	40
1235	NN cabinets	3 wooden cabinets, dimensions: (3x) 1300 mm x 500 mm x 1400 mm.	10
1236	NN rolls	Pallet with large amount of s/s rolls, dimensions: 1200 mm x 800 mm x 700 mm.	50
1237	NN chairs	4 chairs, dimensions: (4x) 400 mm x 300 mm x 950 mm.	5
1238	HELI	HELI electric pallet lifter, model: GBD15J, serial number: 08015JFJ217, year of construction: 2024, capacity: 1500 kg, fork length: 1150 mm, total dimensions: 1550 mm x 560 mm x 1220 mm.	350
1239	Lastekon s.a.	Lastekon s.a. mobile welding machine, type: LASWIG 460, number: 460111, 460/350/270 A, 28.4/24/20.8 V, 50 Hz, 10 A, 31 kW, dimensions: 1100 mm x 600 mm x 900 mm.	400
1240	Power Towers Ltd	Power Towers Ltd mobile working platform, type: Peco-lift, serial number: 11842130, year of construction: 2013, dimensions: 1100 mm x 650 mm x 1600 mm.	75
1241	Haffner	Haffner mobile dust extractor, dimensions: 1200 mm x 800 mm x 1800 mm.	75



Nr	Title	Description	Start €
1242	NN cabinets	Wooden cabinets, dimensions: 1400 mm x 1000 mm x 1800 mm.	50
1243	NN cabinet	Steel cabinet, dimensions: 950 mm x 380 mm x 1950 mm.	50
1244	NN roller stand	Roller stand, dimensions: 470 mm x 440 mm x 700 mm.	20
1245	Linak	Linak actuators, type: 363A75+8030022X, year of construction: 2017.03.14, 24 V, 13 A, dimensions: 1200 mm x 800 mm x 400 mm.	10
1246	Crimex B.V.	Crimex B.V. air compressor, type: CR270, number: 806178, year of construction: 1978, 990 rpm, volume: 270 liter per minute, dimensions: 1400 mm x 720 mm x 1020 mm.	50
1247	Haffner	Haffner mitre saw, number: 8003, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 3.8 A, diameter saw: 300 mm, total dimensions: 750 mm x 700 mm x 1200 mm.	100
1248	SEW-Eurodrive	Pallet with SEW-Eurodrive electromotors.	300
1249	NN parts	Pallet with large amount of machine parts.	150
1250	NN cooling compressor	Cooling compressor, dimensions: 1270 mm x 830 mm x 700 mm.	100
1251	DMW Copeland	DMW Copeland cooling compressor, model: D3DA4-50X-AWM/D, serial number: 1324398, dimensions: 1000 mm x 1000 mm x 940 mm.	300
1252	NN chains	Pallet with plastic and steel chains, dimensions: 1200 mm x 800 mm x 800 mm.	100
1253	Linak	Linak actuators, type: 31120R-00XXX02X, year of construction: 02/13/2018, 24 V, 13 A, dimensions: 1200 mm x 800 mm x 570 mm.	10
1254	NN lights	80 TL lights, length: 1300 mm.	80
1255	NN lights	30 TL lights, length: 1300 mm.	30
1256	TOF	TOF safety shower, serial number: 3534/16, dimensions: 400 mm x 480 mm x 300 mm.	15
1257	SKF	SKF bearing, type: 6228 MA/C3 FR 07 340P, diameter: 250 mm.	25
1258	SKF	SKF lock nut, model: KM 26, diameter: 170 mm.	10
1259	SKF	SKF bearing, type: 1026 01 328P, diameter: 200 mm.	25
1260	Spirax Sarco	Spirax Sarco temperature control unit, type: 128, dimensions: 640 mm x 190 mm x 80 mm.	10
1261	Aparte	Aparte speakers, model: SDQ5P, dimensions: (4x) 180 mm x 180 mm x 260 mm.	5
1300	NN cooking belt	Cooking belt with s/s mesh belt, belt width: 1200 mm, clearance: 1200 mm x 65 mm, total dimensions: 9300 mm x 1600 mm x 2520 mm. Technical condition unknown.	2000
1301	NN cage	Steel cage, dimensions: 1660 mm x 860 mm x 2010 mm.	50
1302	Climaveneta	Climaveneta water chiller, type: NECS/D/B 1816, serial number: 32024828, year of construction: 2012, 400 V, 3	2000



Nr	Title	Description	Start €
		Ph, 50 Hz, 231 kW, 384 A, weight: 3650 kg, 8 fans, dimensions: 5150 mm x 2300 mm x 2440 mm.	
1303	NN tank	S/s tank, number: 4914, dimensions: 2150 mm x 1750 mm x 1600 mm.	500
1304	NN tank	S/s tank with agitator, dimensions: 3700 mm x 2000 mm x 1800 mm.	500
1305	Hobart	Hobart dishwasher, dimensions: 1500 mm x 950 mm x 2200 mm. Including s/s sink, dimensions: 1500 mm x 900 mm x 500 mm.	350
1306	Keyfrost	Keyfrost cool unit, model: KBF 14 TNEM, serial number: 00050734, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 7.1 A, refrigerant: R404a / 0.95 kg, dimensions: 1060 mm x 680 mm x 240 mm.	50
1307	Endoline	Endoline mobile box closing machine, model: 702, serial number: 98017337, 415 V, 3 Ph, 50 Hz, plastic belts, belt width: (2x) 85 mm, steel rollers, roller width: 500 mm, total dimensions: 2500 mm x 1100 mm x 2050 mm. Incomplete.	200
1308	NN table	S/s table with plastic cutting board, dimensions: 3550 mm x 1850 mm x 850 mm.	150
1309	Emerson Climate Technologies S.R.O.	Emerson Climate Technologies S.R.O. condensing unit, model: ZXME-018E-PFJ-302, serial number: 21HZ48437M, year of construction: 2021-09-08, 220/240 V, 1 Ph, 50 Hz, 10.7 A, dimensions:	200
1310	Silensys	Silensys condensing unit, dimensions: 850 mm x 500 mm x 800 mm.	200
1311	Carrier	Carrier condensing unit, dimensions: 1200 mm x 1600 mm x 1400 mm.	400
1312	Smeva/Bitzer	Smeva water chiller with 2 Bitzer cooling compressors, model: IMS-SM02-B0066F4, serial number: 6060109, year of construction: 23/11/2016, 400 V, 3 Ph, 50 Hz, 25.4 kW, refrigerant: R407F, type compressors: (2x) 4CES-9Y-40S, capacity: (2x) 32.5/39.2 m³ per hour, dimensions: 2150 mm x 800 mm x 1900 mm.	1250
1313	Zanotti S.p.A.	Zanotti S.p.A. ceiling condensing unit, model: MSB120T002F, serial number: 05034271, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 3.2/4.4 A, 0.5/0.4 kW, refrigerant: R404A, dimensions: 430 mm x 340 mm x 750 mm.	100
1314	ProFroid / Carrier	ProFroid / Carrier condensing unit, type: QUIETIS WPH24A, serial number: 142931/140/82476, year of construction: 2011/03, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, dimensions: 1150 mm x 900 mm x 850 mm.	200
1315	NN rack	S/s mobile rack, 8 floors, dimensions: 830 mm x 570 mm x 1960 mm.	50
1316	NN infeed slide	Mobile infeed slide, dimensions: 1700 mm x 870 mm x 1730 mm.	50
1317	Trane		4000



Nr	Title	Description	Start €
		Trane air-cooled water chiller, model WCC 50. This air-cooled water chiller, which is in very good condition with low operating hours (formerly a rental unit), is equipped with the following main components: 2 scroll compressors (2 capacity stages) Plate heat exchanger/cooler with 1 cooling section Operating hours: approx. 3,000 h Built-in pump and buffer tank Cooling capacity: 50 kW/15 tonnes Number of cooling circuits: 1 Refrigerant type: R407C Refrigerant charge per circuit: 18 kg Nominal voltage: 400 V Max. current draw: 47 A Power consumption: 19.6 kW Dimensions: 3400 mm x 1230 mm x 2400 mm Weight: 1800 kg The stated cooling capacity of 50 kW is based on a water flow rate of +7°C/+12°C at an ambient temperature of +35°C. Cooling capacity at a water/glycol outlet temperature of -10°C is approx. 25 kW.	
1318	Challeng Air	Challeng Air roof condenser, dimensions: 3200 mm x 1200 mm x 900 mm.	200
1319	Kelvion	Kelvion evaporator, model: DFB 052 D COMPACT, year of construction: 2020, 230 V, 1 Ph, 50/60 Hz, 140 W, dimensions: 1400 mm x 650 mm x 300 mm.	150
1320	Günther AG & Co. KG	Günther AG & Co. KG evaporator, type: GHF 031.2F/17-ENW50.E, serial number: 401046781/23.01226, year of construction: 2014, dimensions: 760 mm x 520 mm x 420 mm.	200
1321	Helpman	Helpman evaporator, type: PX 1-7, serial number: 624-005, year of construction: 2000, 220 V, 1 Ph, 50 Hz, refrigerant: R22 / R134a, dimensions: 750 mm x 670 mm x 270 mm.	50
1322	Alfa Laval	Alfa Laval evaporator, type: PX 1-7 230, serial number: 80806050011-011176-0136, year of construction: 2008, 230 V, 1 Ph, 50 Hz, weight: 17 kg, dimensions: 750 mm x 270 mm x 650 mm.	50
1323	Delta Technics Engineering	Delta Technics Engineering evaporator, model: JHK 3515 E, serial number: 027966/5, year of construction: 2004, 230 V, 50 Hz, 0.6 A, 130 W, dimensions: 820 mm x 570 mm x 470 mm.	200
1324	NN roof fan	Roof fan, dimensions: 800 mm x 800 mm x 1800 mm.	150
1325	Stork	Stork pump installation, type: (2x) 2.MVR 403, capacity: 8 m ³ per hour, dimensions: 1150 mm x 700 mm x 1270 mm.	150
1326	DRU	DRU s/s cooled double jacketed milk tank with agitator, type: 32, serial number: 301622, capacity: 3210 liter, dimensions: 2700 mm x 14300 mm x 1960 mm.	1500
1327	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, dimensions: 4950 mm x 1150 mm x 2380 mm.	490
1328	Smeva	Smeva condensing unit, dimensions: 1450 mm x 520 mm x 1140 mm.	200



Nr	Title	Description	Start €
1329	Electrolux	Electrolux condenser, dimensions: 1650 mm x 650 mm x 650 mm.	150
1330	ProFroid / Carrier	ProFroid / Carrier condensing unit, type: QUIETIS WPH19A, serial number: 141894/140/81633, year of construction: 2010/48, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, dimensions: 1150 mm x 900 mm x 850 mm.	200
1331	NN rack	S/s mobile rack, 8 floors, dimensions: 830 mm x 570 mm x 1960 mm.	50
1332	NN trolley	S/s trolley, 13 floors, dimensions: 570 mm x 380 mm x 1750 mm.	50
1333	Smeva	Smeva outside cooling unit, dimensions: 1800 mm x 1160 mm x 1700 mm.	300
1334	ECO	ECO roof condenser, model: KCE51M3V.0007, serial number: BS201500352, year of construction: 09/02/2015, 230 V, 1 Ph, 50-60 Hz, 0.97-1.3 A, 22-290 W, dimensions: 1250 mm x 750 mm x 800 mm.	200
1335	Keyfrost	Steel cabinet with Keyfrost cooling compressor, model: KS 27 BTET, serial number: 00083729, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.7 kW, refrigerant: R404a, dimensions: 1000 mm x 570 mm x 400 mm.	50
1336	NN platform	S/s platform, working height: 610 mm, total dimensions: 1650 mm x 850 mm x 1580 mm.	400
1337	NN rack	S/s mobile rack, 7 floors, dimensions: 830 mm x 570 mm x 1670 mm.	50
1338	NN crates	6 pallets with 400 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: (6x) 1200 mm x 800 mm x 2400 mm.	600
1339	NN crates	Pallet with 240 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 2400 mm x 1200 mm x 2400 mm.	400
1340	NN cooling panels	2 pallets with cooling panels, dimensions: 2650 mm x 1500 mm x 1350 mm and 2800 mm x 1450 mm x 1400 mm.	10
1342	Itec	Itec hygiene station, brush length: (2x) 1600 mm, total dimensions: 1800 mm x 760 mm x 1300 mm.	500
1343	NN sink	S/s sink, dimensions: 1200 mm x 700 mm x 980 mm. Without faucet.	50
1344	Faber	Faber s/s trolley, 14 floors, floor dimensions: 820 mm x 610 mm, total dimensions: 780 mm x 670 mm x 1940 mm.	40
1345	Alfa-Laval	Alfa-Laval s/s milk cooling tank with mixing arm, type: HCA-C 7500, serial number: 10751, volume: 7800 litres, dimensions: 3350 mm x 1500 mm x 1750 mm. With integrated cooling system.	2000
1346	NN frame	S/s frame, dimensions: 500 mm x 440 mm x 1410 mm.	30
1347	Alfa Laval		2000



Nr	Title	Description	Start €
		Alfa Laval s/s cooled double jacketed milk tank with agitator, type: 03500, number: 4649, capacity: 3500 liter, dimensions: 3250 mm x 1820 mm x 2000 mm.	
1348	LU-VE	LU-VE air conditioning unit and heat exchanger, model air conditioner: ASHA14LGC, serial number: E006726, 230 V, 50 Hz, 4.9 A, 1.08 kW, model heat exchanger: SMA 321 N 70, serial number: 288693/2011, 230 V, 50 Hz, 0.34 A, 75 W, total dimensions: 1350 mm x 880 mm x 420 mm.	100
1349	NN crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 110 mm, total dimensions: 1200 mm x 800 mm x 2400 mm.	150
1350	Tecumseh Silensys	Tecumseh Silensys condensing unit, model: SILFH2511ZXG, serial number: SH70220210, year of construction: 2023, 380 V - 420 V, 3 Ph, 50 Hz, 5.3 A, refrigerant: R-452 A / R-404 A, dimensions: 1100 mm x 700 mm x 850 mm.	50
1351	Pump	Pump, dimensions: 1150 mm x 450 mm x 400 mm.	25
1352	Babcock Wanson	Babcock Wanson boiler in container, model: S-VAP 400 RR, fabrication number: 15.17.3103, year of construction: 09/11/2015, dimensions: 2450 mm x 3000 mm x 2650 mm.	3000
1353	Silensys / Fujitsu	Pallet with 2 condensing units, dimensions: 880 mm x 500 mm x 670 mm.	150
1354	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: LH64/FS76, serial number: 1676702501, type cooling compressor: 2CES-3Y-40S, serial number: 1696313488, capacity: 16.2/19.4 m ³ per hour, dimensions: 1070 mm x 900 mm x 1200 mm.	250
1355	NN trolley	S/s trolley, dimensions: 2000 mm x 700 mm x 1200 mm.	50
1356	Silensys	Silensys condensing unit, dimensions: 840 mm x 540 mm x 820 mm.	200
1357	J&E Hall	J&E Hall condensing unit, model: JEHSCU0200CM3, serial number: N000332, year of construction: 2018/01, 380-415 V, 3 Ph, 50 Hz, 3.5 A, refrigerant: R404A/R407A/R407F/R134a/R448A/R449A, dimensions: 1050 mm x 400 mm x 650 mm.	200
1358	NN sink	S/s double sink, dimensions: 2200 mm x 700 mm x 930 mm. Without faucet.	100
1359	Mueller	Mueller s/s cooled double jacketed milk tank with agitator, serial number: 18303, 220 V, 50 Hz, 1.5 A, capacity: 4130 liter, refrigerant: R12, dimensions: 2850 mm x 1760 mm x 1700 mm.	1750
1360	DRU	DRU s/s cooled double jacketed milk tank with agitator, type: 63, serial number: 601593, capacity: 6300 liter, refrigerant: R12, dimensions: 5000 mm x 800 mm x 1340 mm.	1750
1361	NN platform		200



Nr	Title	Description	Start €
		Steel mobile working platform, working height: 800 mm, total dimensions: 3700 mm x 1200 mm x 1700 mm.	
1362	Delta Technics Engineering	Delta Technics Engineering evaporator, model: FMT-3815 ECE, serial number: 00548, year of construction: 2018, 230 V, 50 Hz, 0.48 A, 110 W, dimensions: 840 mm x 640 mm x 450 mm.	200
1363	Delta Technics Engineering	Delta Technics Engineering evaporator, model: FMT-3815 ECE, serial number: 00548, year of construction: 2018, 230 V, 50 Hz, 0.48 A, 110 W, dimensions: 840 mm x 640 mm x 450 mm.	200
1364	NN evaporator	Evaporator, dimensions: 1060 mm x 680 mm x 240 mm.	50
1365	NN roll container	Roll container, dimensions: 800 mm x 725 mm x 1685 mm.	5
1366	Smeva	Smeva condensing unit, model: ICF-HL01-T0020Z6, serial number; 80100001, year of construction: 01/02/2018, 400 V, 3 Ph, 50 Hz, 4.75 kW, refrigerant: R449A, weight: 120 kg, dimensions: 1150 mm x 560 mm x 940 mm.	200
1367	Silensys	Silensys outside airco unit, dimensions: 1100 mm x 520 mm x 670 mm.	200
1368	Maf Roda	Maf Roda s/s platform, serial number: 22R0B01, year of construction: 31-10-2022, working height: 750 mm, total dimensions: 3750 mm x 700 mm x 1850 mm.	400
1369	NN trolley	S/s trolley, dimensions: 1150 mm x 700 mm x 1200 mm.	20
1370	NN apron washer	S/s apron washer, dimensions: 580 mm x 580 mm x 1620 mm.	150
1371	NN belt grill	Belt grill, maximum belt width: 700 mm, total dimensions: 3300 mm x 1150 mm x 1900 mm. Incomplete.	750
1372	NN milk tank	Talleres Fontserè S.A. s/s cooled double jacketed milk tank with agitator, type: 4100, number: 921424, volume: 4100 liter, dimensions: 3420 mm x 1400 mm x 2050 mm.	1750
1373	Copeland	Copeland condensing unit, dimensions: 1400 mm x 900 mm x 1000 mm.	100
1374	NN table	S/s table, dimensions: 4000 mm x 1150 mm x 900 mm.	100
1375	Luvata Italy S.R.L	Luvata Italy S.R.L evaporator, model: CTE063M6, serial number: AC201508869, year of construction: 03/09/2015, 230 V, 1 Ph, 50-60 Hz, dimensions: 1400 mm x 630 mm x 630 mm.	100
1376	Tecumseh	Tecumseh cooling compressor, model: TAJT4519Z HR, serial number: 11F17 070820 3446130262, 400/440 V 3 Ph, 50/60 Hz, 4.8/5.8 A, refrigerant: R404A, dimensions: 600 mm x 640 mm x 540 mm.	50
1377	Danfoss	Danfoss condensing unit, type: OP-LPHC068NTP00E, number: 114X3248, 400 V, 3 Ph, 50 Hz, 25 A, refrigerant:	200



Nr	Title	Description	Start €
		R404A R507A, dimensions: 1050 mm x 400 mm x 750 mm.	
1378	NN table	S/s table, dimensions: 2480 mm x 1200 mm x 1070 mm.	100
1379	Tecumseh Silensys	Tecumseh Silensys condensing unit, dimensions: 890 mm x 540 mm x 860 mm. Damaged.	20
1380	Tecumseh Silensys	Tecumseh Silensys condensing unit, model: SILFH2511ZXG, serial number: SSH70220210, year of construction: 6-5-2021, 380/420 V, 3 Ph, 50 Hz, 5.3 A, refrigerant: R-452 A / R-404 A, dimensions: 1100 mm x 440 mm x 820 mm.	200
1381	Copeland	Copeland condensing unit, model: MC-M(-ZBD45KE-TFD, serial number: 11H335047 M, dimensions: 800 mm x 800 mm x 800 mm.	200
1382	Tecumseh Silensys	Tecumseh Silensys condensing unit, model: SILAJ2464ZTZ, serial number: SJ90630202, year of construction: 1-7-2020, 400/440 V, 3 Ph, 50 Hz, 2.4/2.5 A, refrigerant: R-452 A / R-404 A, dimensions: 890 mm x 540 mm x 860 mm.	200
1383	Tecumseh Silensys	Tecumseh Silensys condensing unit, model: SILAJ2464ZTZ, serial number: SJ90630202, year of construction: 1-7-2020, 400/440 V, 3 Ph, 50 Hz, 2.4/2.5 A, refrigerant: R-452 A / R-404 A, dimensions: 890 mm x 540 mm x 860 mm.	200
1385	Altrex	Altrex working platform, product number: 820000459/T09023/OVERSTAP, year of construction: 04/2009, max capacity: 150 kg, working height: 820 mm, total dimensions: 1230 mm x 540 mm x 820 mm.	20
1386	Helpman	Helpman evaporator, type: LEX-6-E CB, 220/240 V, 1 Ph, 50 Hz, dimensions: 670 mm x 660 mm x 450 mm.	50
1387	Leone	Leone cooling compressor, model: AE4460P, serial number: 202432/0101, year of construction: 01/2024, dimensions: 400 mm x 610 mm x 350 mm.	50
1388	Carly	Carly cooling compressor, dimensions: 470 mm x 600 mm x 520 mm.	50
1389	Tecumseh	Tecumseh cooling compressor, model: CAJ9513Z, 220/240 V, 1 Ph, 50 Hz, 6.4 A, refrigerant: R404A, dimensions: 500 mm x 450 mm x 380 mm.	50
1390	Embraco	Embraco cooling compressor, model: NJ2212GK, 220-240 V, 50 Hz, refrigerant: R404A, dimensions: 410 mm x 530 mm x 500 mm.	50
1391	Kovu	S/s cabinet with Kovu cooling compressor, refrigerant: R507, dimensions: 770 mm x 570 mm x 600 mm.	25
1392	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 280 mm, distance between dividers: 180 mm, divider height: 30 mm, elevating height: 1900 mm, total dimensions: 1900 mm x 500 mm x 2000 mm.	200
1393	Rosenberg		50



Nr	Title	Description	Start €
		2 Rosenberg air handling units, type: Liberty 1010, serial number: 800175 / 800176, year of construction: 2008, dimensions: (2x) 850 mm x 1450 mm x 900 mm.	
1394	Sauer Getriebe	Sauer Getriebe plunger pump with hydraulic unit, type pump: OPV 1/070/R3P-RON, fabrication number: KD-17274, dimensions pump: 1400 mm x 400 mm x 400 mm, dimensions hydraulic unit: 900 mm x 600 mm x 800 mm.	200
1395	Zarges	Zarges aluminium platform, year of construction: 2008, weight: 70 kg, capacity: 300 kg, 4 steps, working height: 970 mm, total dimensions: 1500 mm x 680 mm x 970 mm.	75
1396	NN protection frame	S/s protection frame, dimensions: 2900 mm x 100 mm x 850 mm.	20
1397	Genus	Pallet with 58 Genus plastic crates, each crate: (58x) 400 mm x 600 mm x 70 mm, total dimensions: 820 mm x 800 mm x 1770 mm.	150
1398	Roma	Roma s/s refrigeration door, thickness: 150 mm, dimensions: 1000 mm x 2010 mm.	150
1399	Roma	Roma s/s refrigeration door, thickness: 150 mm, dimensions: 1000 mm x 2010 mm.	150
1400	NN silo	Plastic silo with s/s construction, dimensions: 1400 mm x 1250 mm x 1820 mm.	200
1401	Güntner	Güntner evaporator, 2 fans, type: GVH 0820, serial number: 100/11107.1/2, year of construction: 2000, 23 Bar, 100°C, 63 L, total dimensions: 4100 mm x 900 mm x 1400 mm.	550
1410	Mercedes-Benz	Mercedes-Benz delivery van, model: Sprinter, type: 316 2.2 CDI 432 HC DC, year of construction: 2011, transmission: manual, fuel: diesel, mileage: 515245 km.	2500
1411	Mercedes	Mercedes-Benz 300 SL, year of construction: 1985, transmission: manual, fuel: petrol, mileage: 332851.	25000
1412	BMW	BMW 116i Business+, year of construction: 2012, milage: 172xxx, 5 doors, fuel: petrol, MOT valid until: 9-1-2027, 136 hp. Options: Sport seats Heated seats Panoramic roof ABS Hill hold-function Start/stop system High-beam assistant	4500
1413	Abresch	Abresch mobile transport belt, type: Bufferband BB2133, serial number: 25738, year of construction: 2023, plastic belt, belt width: 2135 mm, total dimensions: 2330 mm x 3000 mm x 1180 mm.	500
1414	Abresch	Abresch 90° curve conveyor, type: Bochtbaan BB254, serial number: 25738, year of construction: 2023, s/s frame, plastic mesh belt, belt width: 255 mm, total dimensions: 1600 mm x 1600 mm x 1020 mm.	500
1415	Pester Pac Automation GmbH	Pester Pac Automation GmbH stretch wrapper, type: PEWO-pack 450, serial number: 22737-10000, year of construction: 2024, 400 V, 3 Ph, 50 Hz, 20 A, 5.7 kW, 5	7500



Nr	Title	Description	Start €
		bar, plastic belts, belt width: 410 mm and 380 mm, total dimensions: 2500 mm x 5650 mm x 2280 mm. Including Abresch transport belt, type: Aanvoerband BB310 met pushbalk, serial number: 25738, year of construction: 2023, plastic belt, belt width: 310 mm, total dimensions: 2230 mm x 830 mm x 1470 mm.	
1416	Brovind	Brovind cap feeder, model: OB850 DC, serial number: 2208500008, year of construction: 2022, 230 V, 50 Hz, weight: 200 kg, dimensions: 1300 mm x 1300 mm x 2360 mm with elevating belt with dividers, plastic belt, belt width: 460 mm, distance between dividers: 340 mm, divider height: 25 mm, total dimensions: 2750 mm x 1100 mm x 1740 mm.	1500
1417	Brovind	Brovind cap feeder, model: OB850 DC, serial number: 23085000046, year of construction: 2023, 230 V, 50 Hz, weight: 200 kg, dimensions: 1300 mm x 1300 mm x 2360 mm with elevating belt with dividers, plastic belt, belt width: 460 mm, distance between dividers: 340 mm, divider height: 25 mm, total dimensions: 2750 mm x 1100 mm x 1740 mm.	1500
1418	NN elevating belt	Elevating belt with dividers, plastic belt, belt width: 460 mm, distance between dividers: 340 mm, divider height: 25 mm, total dimensions' 2750 mm x 1100 mm x 1740 mm.	1500
1419	NN elevating belt	Elevating belt with dividers, plastic belt, belt width: 705 mm, distance between dividers: 360 mm, divider height: 25 mm, total dimensions' 2900 mm x 1310 mm x 1680 mm. Cap feeder, dimensions: 1580 mm x 1500 mm x 2360 mm.	1500
1420	NN cap feeder	Cap feeder, dimensions: 1580 mm x 1500 mm x 2360 mm.	1500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, providing a guide for writing. There are no margins, text, or other markings on the paper.



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing or drawing. There are no margins, text, or other markings on the page.

[illegible]



This image shows a full page of white paper with horizontal black ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

