



**Industrial
Auctions**

**2311: Online auction of potato and vegetable processing
machinery due to ending activities Marktfrisch in
Rothenburg (DE)**

END DATE

14 October 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	14 October 2026 from 14:00 hrs.
Viewing days	08 October 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	21 October 2026 from 09:00 till 16:00 hrs. 22 October 2026 from 09:00 till 16:00 hrs.
Pick up address	Dransfelder Str. 7 02929 Rothenburg Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	NN elevating belt	Elevating belt, rubber belt, belt width: 350 mm, elevating height: 1120 mm, total dimensions: 4650 mm x 600 mm x 1500 mm.	750
2	NN transport belt	Transport belt, rubber belt, belt width: 350 mm, total dimensions: 3160 mm x 520 mm x 1200 mm.	250
3	NN elevating belt	Elevating belt, rubber belt with dividers, belt width: 400 mm, divider height: 65 mm, distance between dividers: 400 mm, elevating height: 3000 mm, total dimensions: 5600 mm x 900 mm x 3500 mm.	750
4	NN transport belt	Transport belt, plastic belt, belt width: 400 mm, total dimensions: 9300 mm x 600 mm x 800 mm.	750
5	NN bunker	Double bunker, consisting of: 3 transport belts, plastic belts, belt width: (2x) 600 mm and (1x) 350 mm, belt length: (2x) 10300 mm and 5300 mm, total dimensions: 12300 mm x 6450 mm x 1120 mm.	750
6	NN elevating belt	Elevating belt, rubber belt with dividers, belt width: 400 mm, divider height: 60 mm, distance between dividers: 235 mm, elevating height: 2900 mm, total dimensions: 3800 mm x 650 mm x 3000 mm.	750
7	Limas AB	Limas AB pre-washer, serial number: L-1234-1, year of construction: 2020, ø funnel: 1360 mm, height: 1050 mm, ø drum: 750 mm, length: 2000 mm, working height platform: 2500 mm, total dimensions: 3450 mm x 2000 mm x 3460 mm.	1500
8	NN elevating screw	S/s elevating screw, elevating height: 3640 mm, total dimensions: 4000 mm x 600 mm x 4500 mm.	1000
9	VEB	VEB s/s bunker, type: 8260, machine number: 10227, year of construction: 1974, 220/380 V, roller width: 620 mm, inside dimensions: (2x) 790 mm x 1790 mm x 2500 mm, plastic belt width: (2x) 400 mm, total dimensions: 1950 mm x 1570 mm x 3600 mm.	1000
10	NN elevating screw	S/s elevating screw, ø screw: 400 mm, tier: 250 mm, elevating height: 2350 mm, total dimensions: 2600 mm x 600 mm x 3120 mm.	1000
11	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 400 mm, divider height: 60 mm, distance between dividers: 200 mm, total dimensions: 3700 mm x 500 mm x 1780 mm.	750
12	Limas AB	Limas AB 3-floor step peeler, serial number: L-1244, year of construction: 2021, infeed: 1250 mm x 325 mm, roller width: 2470 mm, total dimensions: 3100 mm x 2550 mm x 3052 mm. Including switch cabinet, dimensions: 800 mm x 500 mm x 2150 mm, 3 pallets and s/s frame with various parts.	5000
13	NN peeler	S/s peeler, dimensions infeed: 500 mm x 500 mm, ø: 950 mm, dimensions outfeed: 630 mm x 520 mm, total dimensions: 1600 mm x 1400 mm x 2150 mm.	1500
14	NN transport belt		750



Nr	Title	Description	Start €
		Transport belt, plastic belt, belt width: 400 mm, total dimensions: 6800 mm x 500 mm x 850 mm.	
15	Quiel GmbH Sondermaschinen	Quiel GmbH Sondermaschinen s/s elevating screw, type: SFRV5, machine number: 07396, 230/400 V, 50 Hz, 1.5 kW, elevating height: 3180 mm, total dimensions: 3380 mm x 950 mm x 4100 mm.	1250
16	NN vibrating gutter	Vibrating gutter, dimensions: 1600 mm x 800 mm x 820 mm.	500
17	Select	Select slicer, type: Agroselector, V-shaped infeed belt, plastic belt, belt width: 60 mm, ø knife: 500 mm, dimensions platform: 3250 mm x 2250 mm x 2800 mm, total dimensions: 3000 mm x 1400 mm x 1950 mm.	2500
18	Limas AB	Limas AB peeler, year of construction: 2007, dimensions infeed: 500 mm x 500 mm, ø: 950 mm, dimensions outfeed: 630 mm x 520 mm, total dimensions: 1600 mm x 1400 mm x 2150 mm. Including s/s switch cabinet, dimensions: 600 mm x 350 mm x 800 mm.	1750
19	NN slide	S/s slide, width: 210 mm, length: 2000 mm.	25
20	NN slicer	Slicer, ø infeed: 150 mm, total dimensions: 550 mm x 550 mm x 1630 mm.	150
21	NN elevating screw	S/s elevating screw, elevating height: 2300 mm, total dimensions: 2600 mm x 990 mm x 3300 mm.	1000
22	NN inspection table	Inspection table, roller width: 500 mm, total dimensions: 2900 mm x 1060 mm x 2120 mm.	500
23	NN elevating screw	S/s elevating screw, ø screw: 350 mm, tier: 170 mm, elevating height: 2250 mm, total dimensions: 2180 mm x 900 mm x 3200 mm.	750
24	Limas AB	Limas AB sorting installation, consisting of sorting drum, ø drum: 450 mm, length drum: 3000 mm, ø perforations: 23 mm, 38 mm, 50 mm, 65 mm and 4 Quiel GmbH Sondermaschinen hoppers with elevating screw, type: SFV 4, 230/400 V, 50 Hz, 25 kW, inside dimensions hopper: (4x) 1000 mm x 770 mm x 1450 mm, (4x) s/s elevating screw, ø: 260 mm, tier: 220 mm, outfeed height: 1690 mm, plastic belt width: 500 mm, total dimensions: 4200 mm x 2900 mm x 3700 mm.	4000
25	Limas AB	Limas AB potato slicer, type: 6x76, number: L-10-8-01, year of construction: 2008, plastic mesh belt, belt width: 850 mm, divider height: 50 mm, distance between dividers: 90 mm, plastic roller width: 720 mm, 6 knives, distance between knives: 115 mm, total dimensions: 3150 mm x 1550 mm x 2370 mm.	2500
26	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 520 mm, total dimensions: 2080 mm x 800 mm x 980 mm.	250
27	NN elevating screw	S/s elevating screw, elevating height: 1600 mm, total dimensions: 1900 mm x 750 mm x 2900 mm.	750
28	VEB		1000



Nr	Title	Description	Start €
		VEB mobile drum washer, machine number: 1204, 380 V, 50 Hz, , drum width: 470 mm, ø perforations: 10 mm, total dimensions: 1250 mm x 1100 mm x 1790 mm.	
29	NN batch weigher	Batch weigher, consisting of: elevating belt, plastic belt with dividers, belt width: 350 mm, 220 mm, divider height: 50 mm, distance between dividers: 90 mm, elevating height: 1700 mm and Systec weighing scale, type: IT3, dimensions scale: 770 mm x 440 mm x 520 mm, total dimensions: 3200 mm x 1000 mm x 2130 mm.	1000
31	NN elevating belt	Elevating belt, plastic belt width dividers, belt width: 350 mm, divider height: 15 mm, distance between dividers: 140 mm, total dimensions: 2650 mm x 500 mm x 1200 mm.	150
32	VEB	VEB drum washer, machine number: 1204, 380 V, 50 Hz, , drum width: 470 mm, ø perforations: 10 mm, total dimensions: 1250 mm x 1100 mm x 1790 mm.	1000
33	NN batch weigher	Batch weigher, consisting of: elevating belt, plastic belt with dividers, belt width: 350 mm, 220 mm, divider height: 50 mm, distance between dividers: 90 mm, elevating height: 1700 mm, and Rewa weighing scale, type: 83Z, min/max weight: 0.04/60 kg, dimensions scale: 770 mm x 440 mm x 520 mm, total dimensions: 3200 mm x 1000 mm x 2130 mm.	1000
34	NN frame	S/s frame, dimensions: 450 mm x 140 mm x 370 mm.	10
35	Solia	Solia slicer, type: G 450 mega, 400 V, 3 Ph, 50 Hz, 190 kg, capacity: 50 kg/min, capacity hopper: 100 kg, ø infeed: 340 mm, total dimensions: 2700 mm x 850 mm x 2300 mm.	1250
36	NN tub	S/s tub, dimensions: 1560 mm x 550 mm x 890 mm.	50
37	NN stairs	Steel stairs, 3 steps, dimensions: 850 mm x 640 mm x 590 mm.	5
38	NN sink	S/s sink, dimensions: 600 mm x 440 mm x 260 mm. Including Technolit paper dispenser en soap dispenser.	15
39	NN stairs	Steel stairs, 3 steps, dimensions: 850 mm x 640 mm x 590 mm.	5
40	Hepro GmbH	Hepro GmbH mobile industrial asparagus peeler, type: HSM-180, machine number: 0049-702-843, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 0.3 kW, dimensions: 2380 mm x 1050 mm x 1400 mm.	1750
41	Alexanderwerk	Alexanderwerk mobile universal machine, type: GUN, machine number: 05221964, 400 V, 3.3/9 A, ø knife: 270 mm, dimensions grids: 10 mm x 10 mm, total dimensions: 1000 mm x 600 mm x 1250 mm.	500
42	Halo Aqua	Halo Aqua insect killer, dimensions: 570 mm x 120 mm x 400 mm.	5
43	NN frame	S/s frame, dimensions: 450 mm x 140 mm x 370 mm.	5
44	NN table	S/s table, dimensions: 650 mm x 500 mm x 820 mm.	25
45	NN frames	3 s/s wall mounted frames, dimensions: 400 mm x 360 mm, 400 mm x 250 mm and 630 mm x 400 mm.	5



Nr	Title	Description	Start €
46	Dini Argeo	Dini Argeo weighing scale, model: DFWLI-2, serial number: 0732811214, min weight: 0.2/0.4 kg, max weight: 30/60 kg, e=10/20 g, dimensions scale: 400 mm x 400 mm, total dimensions: 510 mm x 400 mm x 540 mm.	25
47	NN tub	S/s tub with lid, dimensions: 1560 mm x 560 mm x 890 mm.	50
48	RotoPack	RotoPack traysealer, model: Papida Plus, number: 0224, year of construction: 2010, 230 V, 1600 W, dye: 340 mm x 260 mm, film width: 400 mm, total dimensions: 740 mm x 600 mm 600 mm.	200
49	NN table	S/s table, dimensions: 2500 mm x 660 mm x 870 mm.	50
50	NN platform	S/s platform, dimensions: 600 mm x 540 mm x 350 mm.	10
51	NN rack	S/s rack, 5 floors, dimensions: 1010 mm x 660 mm x 1670 mm.	50
52	Eloma GmbH	Eloma GmbH combi steamer, type: Multimax B 20-21, serial number: EL108808, year of construction: 09/2011, 400 V, 3 Ph, 50 Hz, dimensions: 1150 mm x 1300 mm x 1940 mm.	750
53	Güntner	Güntner evaporator, type: GACC RX 031.1/2WN/HHA7E/UNNN, serial number: 504327036/20.00465, year of construction: 2024, 2 fans, dimensions: 1400 mm x 450 mm x 440 mm.	250
54	Alexanderwerk	Alexanderwerk mobile slicer, type: AWBS 150, serial number: 830-0033, year of construction: 2007, 230 V, 50 Hz, belt width: 150 mm, total dimensions: 2530 mm x 830 mm x 1250 mm.	750
55	Alexanderwerk	Alexanderwerk mobile slicer, type: AWBS, machine number: 052000061, 230 V, 50 Hz, belt width: 150 mm, total dimensions: 2530 mm x 830 mm x 1250 mm.	750
56	NN trolley	S/s trolley with knives, ø knives: 530 mm, total dimensions: 600 mm x 440 mm x 1040 mm.	75
57	NN tub	Plastic rollie with plastic tub and various knives.	10
58	NN frames	S/s frames, dimensions: (2x) 450 mm x 140 mm x 370 mm.	10
59	NN frame	S/s wall mounted frame, dimensions: 900 mm x 430 mm x 450 mm.	5
60	Rhewa	Rhewa weighing scale, type: 83N, number: 041319, min weight: 100/200 g, max weight: 15/30 kg, e= 5/10 g, dimensions scale: 500 mm x 400 mm x 450 mm, dimensions indicator: 240 mm x 140 mm x 170 mm.	25
61	Sormac	Sormac centrifuge, type: MC-44, serial number: MC-44/07/052, year of construction: 2018, 230/400 V, 1 Ph, 50 Hz, 1.1 kW, 158 kg, dimensions: 920 mm x 560 mm x 900 mm.	500
62	NN rollies	6 s/s rollies, dimensions: (6x) 610 mm x 410 mm x 150 mm.	25
63	NN sink	S/s sink, dimensions: 600 mm x 440 mm x 260 mm. Including Technolit paper dispenser and soap dispenser.	15
64	NN table	S/s table, dimensions: 1500 mm x 600 mm x 850 mm. Including s/s wall mounted frame, dimensions: 1000 mm x 330 mm x 440 mm.	50



Nr	Title	Description	Start €
65	NN table	S/s table, dimensions: 1400 mm x 600 mm x 680 mm.	50
66	NN rack	S/s rack with 3 perforated floors, dimensions: 1300 mm x 920 mm x 2030 mm.	50
67	NN rack	S/s rack, 4 floors, dimensions: 2160 mm x 620 mm x 2020 mm.	50
68	Kelvion	Kelvion evaporator, model: KSC-302-6BE-HX32-1, serial number: 11040688/36, year of construction: 2023, 230 V, 1 Ph, 50/60 Hz, -40/100°C, 2 fans, dimensions: 1300 mm x 500 mm x 400 mm.	250
69	NN rack	S/s rack, dimensions: 3820 mm x 1000 mm x 1410 mm.	50
70	Kohlhoff	Kohlhoff hygiene station, type: DLSO-SL1100-EK400, machine number: 802712, year of construction: 03/2013, 3x 400 V, 0.8 kW, length brush: (2x) 700 mm, total dimensions: 1700 mm x 1050 mm x 1800 mm.	750
72	NN office inventory	Office inventory, consisting of: 3 desks, 3 cabinets and 3 cabinets.	50
73	Renner Kompressoren	Renner Kompressoren screw compressor, type: RS-Pro 11, number: 1005947, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 11 kW, 10 bar, 1560 l/min, dimensions: 830 mm x 530 mm x 1000 mm.	500
74	Mittweida GmbH	Mittweida GmbH pressure vessel, number: 35742, year of construction: 2001, 11 bar, -10/50°C, capacity: 500 liter, dimensions: 860 mm x 770 mm x 2080 mm.	150
75	Friulair S.r.l	Friulair S.r.l air dryer, model: GD 108, serial number: 210026929, year of construction: 2021, 230 V, 1 Ph, 50-60 Hz, refrigerant: R134a, 0.21 kg, dimensions: 520 mm x 370 mm x 470 mm.	150
76	Beko	Beko oil/water separator, model: Öwamat 2, dimensions: 450 mm x 350 mm x 760 mm.	15
77	NN boot dryer	S/s boot dryer, for 10 pairs of boots, dimensions: 600 mm x 400 mm x 1770 mm.	50
78	NN trolleys	5 s/s trolleys, 10 floors each, total dimensions: 900 mm x 750 mm x 1860 mm. Including approximately 50 perforated plates.	200
79	Joker	Joker tool trolley, 7 drawers, dimensions: 770 mm x 470 mm x 980 mm.	50
80	NN rack	S/s rack with 3 perforated floors, dimensions: 1270 mm x 910 mm x 2300 mm.	50
81	TPRO safe	TPRO safe, plastic dispenser for ear plugs, dimensions: 200 mm x 170 mm x 600 mm.	5
82	NN rack	S/s rack with 9 pegs, dimensions: 460 mm x 100 mm x 2700 mm.	25
83	NN ergo chairs	7 ergo chairs, dimensions: (7x): 500 mm x 530 mm x 860 mm.	75
84	Stihl	Stihl high pressure cleaner, model: RE 271 PLUS, 230 V, 1 Ph, 50 Hz, 3.2 kW, 14.3 A, dimensions: 450 mm x 450 mm x 1200 mm.	25



Nr	Title	Description	Start €
85	Still	Still electric pallet lifter, model: EGV 14, serial number: 71020248006461, year of construction: 2007, capacity: 1400 kg, weight without battery: 1200 kg, weight battery: 222 kg, 24 V, 1.2 kW, fork length: 1190 mm, total dimensions: 1900 mm x 860 mm x 1930 mm. Including charger and plastic tub, dimensions charger: 330 mm x 240 mm x 200 mm. Technical condition pallet lifter unknown.	750
86	Alexanderwerk AG	Alexanderwerk AG centrifuge, type: AWS 15 V, serial number: 840-0029, year of construction: 2008, 230 V, 50 Hz, dimensions: 800 mm x 730 mm x 960 mm.	250
87	NN trays	Pallet with plastic trays, dimensions: 160 mm x 130 mm x 60 mm and box with Hygostar hair nets.	10
88	NN inventory	Rollie with plastic tub, buckets and perforated basket.	5
89	NN labels	Pallet with large amount of labels, label width: 100 mm, total dimensions: 1200 mm x 800 mm x 600 mm.	25
90	Pulsotronic GmbH	Pulsotronic GmbH metal detector, type: M-Pulse, serial number: 90004150, year of construction: 2013, 230 V, 1 Ph, 50-60 Hz, 350 W, plastic mesh belt, belt width: 400 mm, clearance: 450 mm x 250 mm, total dimensions: 1800 mm x 900 mm x 1360 mm.	750
91	Nilfisk	Nilfisk scrubber/dryer, model: BA 610 D, serial number: 034812012, 230 V, 50 Hz, 150 kg, dimensions: 1400 mm x 660 mm x 1030 mm.	150
92	TGL	TGL column drill, type: 63000.204/6, year of construction: 1962, 500 V, dimensions: 1800 mm x 840 mm x 2600 mm.	500
93	NN office inventory	Office inventory, consisting of desk, wooden cabinet, (3x) steel 2-doors cabinet and wooden rack.	50
94	Güde GmbH	Güde GmbH column drill, type: GTB 16/5 A, serial number: 4545009080465, year of construction: 2009, 230 V, 50 Hz, dimensions: 500 mm x 350 mm x 850 mm.	75
95	VEM	VEM grinder, type: BS 5-20, number: 430901, 220/380 V, 50 Hz, 2750 U/min, 2.1/1.2 A, 0.5 kW, dimensions: 480 mm x 280 mm x 280 mm.	25
96	NN work table	Worktable with Einhell grinder, type: NTS 200, dimensions: 800 mm x 440 mm x 1250 mm.	15
97	NN work bench	Workbench, dimensions: 2120 mm x 840 mm x 1100 mm. Including 2 vices and various tools.	25
98	NN work table	Work table, dimensions: 1500 mm x 570 mm x 900 mm.	10
99	Rhewa	Rhewa scale, type: 529, number: 10203, dimensions scale: 520 mm x 480 mm, total dimensions: 600 mm x 520 mm x 1030 mm.	10
100	NN locker	Steel 2-doors locker, dimensions: 600 mm x 520 mm x 1800 mm.	10
101	NN locker	Steel 2-doors locker, dimensions: 600 mm x 520 mm x 1800 mm. Including various content.	15
102	NN locker	Steel 2-doors locker, dimensions: 600 mm x 520 mm x 1800 mm.	10



Nr	Title	Description	Start €
103	NN cabinet	Steel 2-doors cabinet, dimensions: 1200 mm x 520 mm x 1960 mm. Including various content.	25
104	NN work table	Steel work table with vice, ø table: 1200 mm, total dimensions: 1500 mm x 1200 mm x 1070 mm.	50
105	Busch	2 Busch vacuum pumps, type: L RA 0063 F 5K3, number: 140016348, year of construction: 2014, capacity: 63 m³/h, dimensions: 850 mm x 400 mm x 400mm and type: RA 0100 E 521, number: 01054038, capacity: 100 m³/h, dimensions: 550 mm x 450 mm x 630 mm. Incomplete.	25
106	NN anvil	Anvil, dimensions: 670 mm x 350 mm x 330 mm.	10
107	NN parts	Steel rack with various parts, among others: drum motors and motors, dimensions rack: 970 mm x 920 mm x 2020 mm.	75
108	NN parts	2 racks with various parts, among others: drum motors and high pressure nozzles, dimensions racks: 900 mm x 460 mm x 1810 mm and 1060 mm x 520 mm x 2020 mm.	50
109	NN cleaning supplies	Rack with various cleaning supplies, among others: inox cleaner and brooms, dimensions rack: 1670 mm x 920 mm x 1940 mm.	50
110	NN workshop inventory	Rack with various content, among others: plastic belts and s/s rollers, dimensions rack: 2620 mm x 720 mm x 2200 mm.	50
111	NN workshop inventory	Rack and 4 cabinets with large amount of workshop inventory, among others, motors, bearings, electric parts and lights.	100
112	NN palletbox	Plastic palletbox, dimensions: 1200 mm x 800 mm x 900 mm.	15
113	NN locker	Steel 2-doors locker with various cleaning supplies, dimensions: 600 mm x 500 mm x 1800 mm.	10
114	Stihl	Stihl vacuum cleaner, type: SE 122, 230/240 V, 50/60 Hz, 10 kg, dimensions: 600 mm x 450 mm x 600 mm.	25
115	NN lockers	8 steel 2-doors lockers, dimensions: (8x) 600 mm x 500 mm x 1800 mm.	10
116	Osma	Osma boot dryer for 5 pairs of boots, type: Blow 5 'elegance', serial number: B0515042, year of construction: 2015, 230 V, 50 Hz, 110 W, dimensions: 400 mm x 310 mm x 1800 mm.	100
117	NN lockers	8 steel 2-doors lockers, dimensions: (8x) 600 mm x 500 mm x 1800 mm.	125
118	NN lockers	12 steel 2-doors lockers, dimensions: (8x) 600 mm x 500 mm x 1800 mm.	200
119	Osma	Osma boot dryer for 5 pairs of boots, type: Blow 5 'elegance', 230 V, 50 Hz, 110 W, dimensions: 400 mm x 310 mm x 1800 mm.	100
120	NN canteen inventory	Various canteen inventory, consisting of: 8 tables, dimensions: (8x) 800 mm x 1200 mm x 730 mm, Siemens dishwasher, stove, wooden cabinet and chairs.	150



Nr	Title	Description	Start €
121	NN lockers	Approximately 12 steel 2-doors lockers, dimensions: (8x) 600 mm x 500 mm x 1800 mm.	100
122	RotoPack	RotoPack traysealer, model: Rapida Plus, serial number: 061, year of construction: 2007, 240 V, 1600 W, dye: (2x) 250 mm x 135 mm, film width: 400 mm, total dimensions: 750 mm x 600 mm x 500 mm.	75
123	NN dicer	S/s dicer, dimensions press: 55 mm x 55 mm, total dimensions: 420 mm x 330 mm x 760 mm. Incomplete.	25
124	NN rollers	Europallet with large amount of rollers, roller width: 400 mm x 350 mm and 305 mm, dimensions: 1200 mm x 800 mm x 520 mm.	25
125	NN lockers	2 steel 2-doors lockers, dimensions: (2x) 600 mm x 500 mm x 1800 mm.	30
126	NN peeling rolls	16 peeling rolls, length: 1500 mm.	150
127	NN saw table	Saw table, dimensions: 1180 mm x 680 mm x 840 mm.	25
128	NN parts	Rack with large amount of parts, dimensions rack: 2800 mm x 930 mm x 1900 mm.	75
129	CF Gastro	CF Gastro mobile container, dimensions: 820 mm x 720 mm x 1550 mm.	10
130	Battioni	Battioni vacuum pump, type: 800 H LF DX D80 STD G3,5, serial number: 401894, year of construction: 2012, 2.2 kW, 1.5 bar, 1400 rpm, 8100 l/min, dimensions: 650 mm x 400 mm x 600 mm.	25
131	NN parts	2 racks with large amount of parts, among others: motors and belts, dimensions: (2x) 1900 mm x 900 mm x 1650 mm.	75
132	NN drum motors	Pallet with large amount of drum motors, length: (3x) 400 mm, 530 mm, 560 mm, 750 mm.	25
133	NN cover	Plastic cover for vacuum machine, dimensions: 780 mm x 700 mm x 120 mm.	5
134	NN tub	S/s mobile tub, dimensions: 750 mm x 450 mm x 800 mm.	15
135	NN sink	S/s double sink, dimensions: 1500 mm x 600 mm x 80 mm.	10
136	SEW-Eurodrive	2 SEW-Eurodrive motors, dimensions: 2x) 510 mm x 200 mm x 250 mm.	50
137	NN transport belt	Plastic belt with dividers, divider height: 70 mm, distance between dividers: 240 mm, belt width: 400 mm, total dimensions: 750 mm x 400 mm x 500 mm.	10
138	NN workshop inventory	Rack with various workshop inventory, among others: heater, lights and s/s frames, dimensions: 1650 mm x 950 mm x 1950 mm.	50
139	NN frame	Frame for transport belt, width: 530 mm, total dimensions: 2500 mm x 600 mm x 250 mm.	10
140	NN kitchen counter	Kitchen counter with s/s sink and gas heated grill, dimensions: 1750 mm x 600 mm x 930 mm. Including hood, dimensions: 900 mm x 500 mm x 260 mm.	50
141	NN transport belt	Plastic transport belt with dividers, belt width: 490 mm, divider height: 60 mm, total dimensions: 700 mm x 490 mm x 400 mm.	10



Nr	Title	Description	Start €
142	NN workshop inventory	Rack with various inventory, dimensions: 2800 mm x 950 mm x 1900 mm.	50
143	NN switch cabinet	Switch cabinet, dimensions: 600 mm x 600 mm x 300 mm.	5
144	NN screw	S/s screw.	50
145	Küba	Küba evaporator, type: SGBE 43, serial number: 722019, year of construction: 1991, 3 fans.	150
146	Prestwold	Prestwold cooling compressor, model: PL 300/0050-42 T, serial number: 0965070, year of construction: 1993, 220/240/380/420 V, 50 Hz, 13.1/7.7 A, 1450 rpm, 18.1 m ³ /h.	75
147	NN film	Pallet with film.	25
148	NN cages	4 s/s cages.	100
149	ORPU	ORPU steel tank, serial number: 549781, year of construction: 2015, capacity: 150 liter, including ORPU pump, type: SK 32/3/MGk, serial number: 25/10, dimensions: 1200 mm x 400 mm x 950 mm. Pump defect.	100
150	NN hygiene equipment	Various hygiene equipment, consisting of 7 brooms and 3 shovels.	10
151	Desa	Desa mobile heater, model: BV 170 E, serial number: PC831201194, year of construction: 2011, 220-240 V, 50 Hz, 2.3 A, 0.65 kW, 47 kW, 40000 kcal/h, 1800 m ³ /h, dimensions: 1350 mm x 500 mm x 1000 mm.	25
152	Technolit	Technolit air compressor, type: K500/60, serial number: 09126027, year of construction: 2012, 500 l/min, 10 bar, dimensions: 980 mm x 400 mm x 700 mm.	50
153	NN elevating belt	Mobile elevating belt, rubber belt, belt width: 400 mm, total dimensions: 9800 mm x 2250 mm x 4600 mm.	500
154	NN elevating belt	Mobile elevating belt, rubber belt, belt width: 470 mm, total dimensions: 6600 mm x 1300 mm x 1300 mm.	250
155	NN elevating belt	Mobile elevating belt, rubber belt, belt width: 470 mm, total dimensions: 5650 mm x 900 mm x 1300 mm.	250
156	NN tank	S/s tank in isolated shed, dimensions: 6800 mm x 2750 mm x 2460 mm.	250
157	NN buffer belt	Buffer belt, belt width: 750 mm, total dimensions: 7700 mm x 2000 mm x 1080 mm.	150
158	VEB	VEB, buffer belt, type: T 258, 380/220 V, 50 Hz, belt width: 800 mm, total dimensions: 8200 mm x 2200 mm x 1600 mm.	250
159	VEB	VEB slurry tank, type: FKB1/1, year of construction: 1983, capacity: 10.000 liter, dimensions: 7250 mm x 2430 mm x 3200 mm.	500
160	NN screw	S/s screw, ø: 380 mm, tier: 230 mm, length: 4900 mm.	50
161	NN transport belt	Transport belt, belt width: 600 mm, total dimensions: 15500 mm x 900 mm x 900 mm.	250
162	NN transport belt	Mobile transport belt, plastic belt, belt width: 630 mm, total dimensions: 8450 mm x 1200 mm x 1500 mm.	250
163	NN transport belt		250



Nr	Title	Description	Start €
		Mobile transport belt, plastic belt, belt width: 630 mm, total dimensions: 8450 mm x 1200 mm x 1500 mm.	
170	NN infeed bunker	Infeed bunker, consisting of 12 rubber belts, belt width: 1100 mm, and 2 dividing belts, belt width: 320 mm, total dimensions: 12500 mm x 4100 mm x 700 mm.	750
171	VEB	VEB elevating belt, type: T427, machine number: 1579, year of construction: 1976, 220/380 V, 2.2 kW, plastic belt, belt width: 480 mm, elevating height: 3250 mm, total dimensions: 9750 mm x 1000 mm x 3700 mm.	500
172	NN soil and fine-debris separator	Soil and fine-debris separator, roller width: 945 mm, rubber outfeed belt width: 990 mm, total dimensions: 2800 mm x 1500 mm x 3300 mm.	500
173	Inno KAT Anlagentechnik GmbH	Inno KAT Anlagentechnik GmbH roller sorter, type: Walzensortierer W5 1200-12, year of construction: 2013, 230/400 V, 400 kg, roller width: 1200 mm, total dimensions: 2050 mm x 2100 mm x 2100 mm.	500
174	VEB	VEB elevating belt, type: T427, machine number: 3036, year of construction: 1979, 220/380 V, 2.2 kW, plastic belt, belt width: 480 mm, elevating height: 3250 mm, total dimensions: 9750 mm x 1000 mm x 3700 mm.	500
175	NN soil and fine-debris separator	Soil and fine-debris separator, roller width: 945 mm, rubber outfeed belt width: 990 mm, total dimensions: 2800 mm x 1500 mm x 3300 mm.	500
176	Inno KAT Anlagentechnik GmbH	Inno KAT Anlagentechnik GmbH roller sorter, type: Walzensortierer W5 1200-12, year of construction: 2013, 230/400 V, 400 kg, roller width: 1200 mm, total dimensions: 2050 mm x 2100 mm x 2100 mm.	500
177	VEB	VEB elevating belt, type: T427, 220/380 V, 2.2 kW, plastic belt, belt width: 480 mm, elevating height: 3250 mm, total dimensions: 9750 mm x 1000 mm x 3700 mm.	750
178	NN soil and fine-debris separator	Soil and fine-debris separator, roller width: 945 mm, rubber outfeed belt width: 990 mm, total dimensions: 2800 mm x 1500 mm x 3300 mm.	500
179	Inno KAT Anlagentechnik GmbH	Inno KAT Anlagentechnik GmbH roller sorter, type: Walzensortierer W5 1200-12, year of construction: 2013, 230/400 V, 400 kg, roller width: 1200 mm, total dimensions: 2050 mm x 2100 mm x 2100 mm.	500
180	Vebkombinat Impulsa	Vebkombinat Impulsa transport belt, rubber belt, belt width: 650 mm, total dimensions: 13000 mm x 850 mm x 520 mm.	1000
181	NN elevating belt	Mobile elevating belt, rubber belt, belt width: 620 mm, elevating height: 5300 mm, total dimensions: 15500 mm x 2350 mm x 5700 mm.	750
182	NN transport system	Transport system, consisting of, transport belt, rubber belt, belt width: 600 mm, steel platform, working height: 4800 mm, total dimensions platform: 2600 mm x 2270 mm x 5800 mm platform with 2 bunkers, dimensions bunkers: (2x) 410 mm x 2250 mm x 600 mm, working height: 3300	2000



Nr	Title	Description	Start €
		mm, dimensions platform: 7100 mm x 6200 mm x 4400 mm.	
183	NN transport belt	Transport belt, rubber belt, belt width: 550 mm, total dimensions: 19000 mm x 1000 mm x 1330 mm.	1000
184	NN elevating belt	Mobile elevating belt, rubber belt, belt width: 530 mm, divider height: 50 mm, distance between dividers: 550 mm, elevating height: 4700 mm, total dimensions: 10000 mm x 2300 mm x 5000 mm.	750
185	NN transport belt	Transport belt, rubber belt, belt width: 530 mm, total dimensions: 11000 mm x 1400 mm x 800 mm.	750
186	NN elevating belt	Elevating belt, plastic belt, belt width: 550 mm, divider height: 50 mm, total dimensions: 10000 mm x 1030 mm x 4300 mm.	750
187	NN transport belt	Transport belt, rubber belt, belt width: 550 mm, total dimensions: 12000 mm x 1030 mm x 800 mm.	750
188	NN bunker	Bunker, dimensions: 6000 mm x 4500 mm x 9000 mm.	500
189	NN transport belt	Transport belt, rubber belt, belt width: 520 mm, total dimensions: 20000 mm x 850 mm x 1450 mm.	1000
190	NN elevating belt	Mobile elevating belt, belt width: 500 mm, divider height: 50 mm, distance between dividers: 600 mm, elevating height: 3100 mm, total dimensions: 10000 mm x 2320 mm x 2300 mm.	750
191	NN elevating belt	Elevating belt, rubber belt, belt width: 460 mm, elevating height: 3050 mm, total dimensions: 19000 mm x 1200 mm x 3170 mm.	1000
192	NN transport belt	Transport belt, rubber belt, belt width: 530 mm, total dimensions: 5900 mm x 2400 mm x 2700 mm.	500
193	NN elevating belt	Mobile elevating belt, rubber belt, belt width: 350 mm, elevating height: 2700 mm, total dimensions: 6000 mm x 1500 mm x 2800 mm.	500
194	NN transport belt	Transport belt, plastic belt, belt width: 860 mm, total dimensions: 4860 mm x 2000 mm x 2700 mm.	500
195	NN elevating belt	Elevating belt, rubber belt, belt width: 450 mm, elevating height: 3500 mm, total dimensions: 4150 mm x 700 mm x 3750 mm.	500
196	NN washing machine	Drum washing machine, Ø drum: 950 mm, drum length: 2500 mm, plastic belt with dividers, belt width: 680 mm, dividers height: 80 mm, distance between dividers: 170 mm, total dimensions: 5550 mm x 2000 mm x 3890 mm. Including tubs: (2x) 1100 mm x 1100 mm x 1020 mm.	1250
197	Schneider	Schneider drying belt, type: WT 265, number: 2411, year of construction: 1997, 1.5 kW, rollers width: 1000 mm, total dimensions: 2650 mm x 1350 mm x 3600 mm.	250
198	NN dividing belt	Dividing belt, 4 stations, plastic belt, belt width: 800 mm, total dimensions: 10700 mm x 1080 mm x 1500 mm.	1000
199	NN inspection table	Inspection table, 4 seats, roller width: 860 mm, total dimensions: 2850 mm x 2000 mm x 1300 mm.	500



Nr	Title	Description	Start €
200	NN inspection table	Inspection table, 4 seats, roller width: 860 mm, total dimensions: 2850 mm x 2000 mm x 1300 mm.	500
201	NN inspection table	Inspection table, 4 seats, roller width: 860 mm, total dimensions: 2850 mm x 2000 mm x 1300 mm.	500
202	NN inspection table	Inspection table, 4 seats, roller width: 860 mm, total dimensions: 2850 mm x 2000 mm x 1300 mm.	500
203	VEB Kombinat Impulsa	VEB Kombinat Impulsa transport belt, type: T+25, machine number: 6635, year of construction: 1970, 220/380 V, plastic belt, belt width: 400 mm, total dimensions: 13800 mm x 520 mm x 600 mm.	750
204	NN transport belt	Transport belt, plastic belt, belt width: 400 mm, total dimensions: 12000 mm x 560 mm x 780 mm.	750
205	NN transport belt	Transport belt, rubber belt, belt width: 500 mm, total dimensions: 20000 mm x 850 mm x 1300 mm.	1000
206	VEB Kombinat Impulsa	VEB Kombinat Impulsa mobile elevating belt, type: T425, machine number: 6876, year of construction: 1979, 220/380 V, 0.8 kW, rubber belt, belt width: 400 mm, elevating height: 1200 mm, total dimensions: 6200 mm x 550 mm x 1330 mm.	500
207	NN elevating belt	Elevating belt, rubber belt, belt width: 420 mm, elevating height: 2000 mm, total dimensions: 6300 mm x 750 mm x 2200 mm.	750
208	NN elevating belt	Elevating belt, rubber belt with dividers, belt width: 650 mm, divider height: 60 mm, distance between dividers: 600 mm, total dimensions: 12400 mm x 950 mm x 6400 mm.	1000
209	NN bunkers installation	Bunker installation, consisting of: (3x) steel bunker, dimensions: (3x) 4110 mm x 4260 mm x 4051 mm. (2x) dividing transport belts. Total dimensions installation: 13500 mm x 4070 mm x 6000 mm.	2500
210	NN transport belt	Mobile transport belt, rubber belt, belt width: 330 mm, elevating height: 1630 mm, total dimensions: 13000 mm x 800 mm x 1760 mm.	750
211	NN elevating belt	Elevating belt, rubber belt with dividers, belt width: 500 mm, dividers height: 60 mm, distance between dividers: 600 mm, elevating height: 5170 mm, total dimensions: 10000 mm x 1060 mm x 5400 mm.	1000
212	NN bunker and transport system	Bunker and transport system, consisting of: (2x) VEB Wägetechnik Weimar bunkers, type: K961, number: 4228, inside dimensions: 1780 mm x 1780 mm x 900 mm, (1x) Transport belt, rubber belt, belt width: 690 mm, total dimensions: 9400 mm x 1100 mm x 800 mm. Total dimensions installation: 12550 mm x 3400 mm x 4850 mm.	1250
213	NN bunker	Steel bunker, dimensions: 1420 mm x 1420 mm x 3260 mm.	500
214	NN transport belt	Transport belt, plastic belt, belt width: 500 mm, total dimensions: 6300 mm x 750 mm x 450 mm.	250
215	Gekupack	Gekupack 9-heads linear weigher, type: GKV 2009, machine number: 216, year of construction: 1990, 220/380 V, 50 Hz, line width: (9x) 110 mm, line length: (9x) 600 mm, plastic	750



Nr	Title	Description	Start €
		belt, belt width: 130 mm, total dimensions: 2700 mm x 2000 mm x 2800 mm.	
216	Lockwood International	Lockwood International sewing line for packaging bags, code number: LS-HS-N25/1, machine number: 85-056, year of construction: 6-1985, plastic belt, belt width: 300 mm, mesh bags width: 790 mm, infeed clearance: 300 mm x 340 mm, knife length: 750 mm, total dimensions: 4550 mm x 1800 mm x 2300 mm.	750
217	Gekupack	Gekupack sewing line for packaging bags, type: SKV2100, machine number: 217, year of construction: 1990, 220/380 V, 50 Hz, plastic belt, belt width: 200 mm, mesh bags width: 600 mm, knife length: 570 mm, total dimensions: 2700 mm x 850 mm x 1730 mm.	250
218	Manter BV	Manter BV 10-heads linear weigher, machine code: DIS 30-240 and VP 10000, machine number: 203-1045 and 203-043, year of construction: 05-2003, machine weight: 175 kg and 1450 kg, plastic belt, belt width: 250 mm, 10000 liter, total dimensions: 2700 mm x 2300 mm x 2850 mm.	2000
219	Ilapak	Ilapak vertical bag fill-, form-, and seal machine, model: Vegatronix 2000/400, diameter filling pipe: 170 mm, vertical seal length: 400 mm, horizontal seal length: 400 mm, mesh bag width: 600 mm, plastic belt, belt width: 300 mm, elevating height: 700 mm, total dimensions: 3900 mm x 1640 mm x 1870 mm.	3500
220	Manter BV	Manter BV sewing line for packaging bags with labeller, machine code: RSB-M, machine number: 211-132, year of construction: 06-2011, machine weight: 600 kg, rubber belt, belt width: 300 mm, mesh bags width: 600 mm, seal length: 700 mm, label width: 65 mm, total dimensions: 4500 mm x 1250 mm x 2300 mm.	1500
221	NN scale	Potato starch content determination scale with underwater weighing basket, dimensions: 900 mm x 500 mm x 1220 mm.	25
222	Rehwa	Rehwa weighing scale, model: 1042, serial number: J22952, Emax: 20 kg, Tedea-Huntleigh weighing cel, model number: 1042, scale dimensions: 350 mm x 280 mm, total dimensions: 450 mm x 350 mm x 710 mm.	25
223	Nagama	Nagama weighing scale, type: 35/011/011, number: 120456, year of construction: 1981, machine weight: 280 kg, minimum weight: 10, maximum weight: 300, scale: 780 mm x 830 mm, total dimensions: 1150 mm x 800 mm x 2240 mm.	75
224	Still	Still forklift, model: R70-16, working hours: 1885442, fork length: 1200 mm, total dimensions: 3400 mm x 1070 mm x 2100 mm.	1250
225	NN transport belt	Mobile transport belt, rubber belt, belt width: 640 mm, total dimensions: 6200 mm x 1050 mm x 2100 mm.	500
226	Still		1750



Nr	Title	Description	Start €
		Still forklift, model: R70-20, number: 517062200598, year of construction: 1998, weight: 3455 kg, total dimensions: 2800 mm x 1700 mm x 2220 mm.	
227	MAN	MAN cool truck, total dimensions: 9800 mm x 2960 mm x 3650 mm. Engine defect. Technical condition unknown.	5000
228	Mercedes	Mercedes cool truck, total dimensions: 11350 mm x 2900 mm x 3600 mm. Engine defect. Technical condition unknown.	7500
229	Still	Still forklift, type: R70-20, number: 517065303178, year of construction: 2003, lifting capacity: 2000 kg, unladen weight: 3482 kg, rated drive power: 33.0 kW, permissible gross weight: 6140 kg, permissible front axle load: 5800 kg, permissible rear axle load: 2000 kg, fork length: 1170 mm, total dimensions: 3850 mm x 1200 mm x 2200 mm.	1750
230	NN steel boxes	20 steel stacking cages, total dimensions: (20x) 1120 mm x 1120 mm x 1430 mm.	200
231	NN steel box	Steel stacking cage, dimensions: 2230 mm x 1100 mm x 1050 mm.	25
232	NN buffer belt	Mobile buffer belt, rubber belt, belt width: 810 mm, total dimensions: 7900 mm x 2000 mm x 1000 mm.	250
234	NN transport belt	Mobile transport belt, plastic belt, belt width: 630 mm, total dimensions: 8450 mm x 1200 mm x 1500 mm.	500
235	NN elevating belt	Mobile elevating belt, rubber belt with dividers, belt width: 800 mm, dividers height: 100 mm, distance between dividers: 185 mm, elevating height: 3800 mm, total dimensions: 11000 mm x 2350 mm x 3850 mm.	750
236	VEB Kombinat Impulsa	VEB Kombinat Impulsa transport belt, type: T425, number: 4623, year of construction: 1977, 220/380 V, 0.8 kW, rubber belt, belt width: 380 mm, total dimensions: 7350 mm x 550 mm x 300 mm.	250
237	NN transport belt	Transport belt, rubber belt, belt width: 400 mm, total dimensions: 3220 mm x 580 mm x 500 mm.	150
238	NN transport belt	Transport belt, dimensions: 4500 mm x 750 mm x 550 mm.	150
239	NN elevating belt	Mobile elevating belt, rubber belt, belt width: 450 mm, elevating height: 1750 mm, total dimensions: 10400 mm x 1100 mm x 1900 mm.	250
240	NN elevating belt	Mobile elevating belt, rubber belt with dividers, belt width: 800 mm, dividers height: 100 mm, distance between dividers: 185 mm, elevating height: 3800 mm, total dimensions: 11000 mm x 2350 mm x 3850 mm.	750
241	NN transport belt	Mobile transport belt, plastic belt, belt width: 630 mm, total dimensions: 8450 mm x 1200 mm x 1500 mm.	500
242	NN transport belt	Mobile transport belt, plastic belt, belt width: 630 mm, total dimensions: 8450 mm x 1200 mm x 1500 mm.	500
243	CAB	CAB label printer, model: A4+/300, serial number: 0122707 W47, 100/240 V, 50/60 Hz, 2 A, dimensions: 380 mm x 250 mm x 280 mm.	25



Nr	Title	Description	Start €
244	Microline	Microline printer, model: D21001A, 120/230 V, 50/60 Hz, 2.5/1.3 A, dimensions: 750 mm x 370 mm x 370 mm. Technical condition unknown.	25
245	Microline	Microline printer, model: D21001A, serial number: AG22000069 D0, 120/230 V, 50/60 Hz, 2.5/1.3 A, dimensions: 750 mm x 370 mm x 370 mm. Technical condition unknown.	25
246	Microline	Microline printer, model: D21001A, serial number: AG22000071 D0, 120/230 V, 50/60 Hz, 2.5/1.3 A, dimensions: 750 mm x 370 mm x 370 mm. Technical condition unknown.	25
247	Microline	Microline printer, model: D21001A, serial number: AG66001548, 120/230 V, 50/60 Hz, 2.5/1.3 A, dimensions: 750 mm x 370 mm x 370 mm. Technical condition unknown.	25

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]



This image shows a single sheet of white paper with horizontal blue or grey ruling lines, typical of notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

