



**Industrial
Auctions**

**2313: Online auction machinery for the dairy and food
industry in Reggio Emilia (IT)**

END DATE

15 October 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	15 October 2026 from 14:00 hrs.
Viewing days	13 October 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	22% over the highest bid including premium
Pick up days	22 October 2026 from 09:00 till 16:00 hrs.
Pick up address	Via Botticelli 6 42124 Reggio Emilia Italy
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	CMT	CMT forming machine, type: H4/2C, model: H4C-91-2379, year of construction: 1991, 6 kW, 4 heads, diameter: (4x) 120 mm, total dimensions: 2100 mm x 1550 mm x 1810 mm.	1250
2	PFM	PFM vertical bag form-, fill- and seal machine, model: PV 260, serial number: 3938, year of construction: 1994, 380 V, 10.5 A, 4 W, film width: 300 mm, pipe diameter: 75 mm, vertical seal: 160 mm, horizontal seal: 260 mm, total dimensions: 1800 mm x 1600 mm x 1830 mm. With infeed belt, inside dimensions: 1560 mm x 700 mm x 410 mm, plastic belt with dividers, belt width: 250 mm, compartments:(2x) 75 mm x 90 mm x 50 mm, elevating height: 2300 mm, total dimensions: 3750 mm x 1430 mm x 2500 mm.	1500
3	CSF	CSF progressing cavity pump, model: MAN 100-1/AFT33, serial number: 17163, dimensions: 2500 mm x 500 mm x 750 mm.	1000
4	CSF	CSF progressing cavity pump, model: MAN 125-2/AA.T32, serial number: 20943, dimensions: 3180 mm x 460 mm x 650 mm.	1000
5	Spiraflo	Spiraflo heat exchanger, type: Monoch, number: 32103-104, year of construction: 1991, dimensions: (4x) Ø 100 mm x 3100 mm.	400
6	NN pipes	Pallet box with s/s pipe corner pieces, diameter: 60 mm, total dimensions: 1300 mm x 1100 mm x 1100 mm.	250
7	Roversi	Roversi tumbler for butter, volume: 1700 liter, dimensions: 2600 mm x 1350 mm x 2200 mm.	1250
8	NN traysealer	Traysealer, dimensions dye: 240 mm x 190 mm, total dimensions: 1700 mm x 1350 mm x 1800 mm. Incomplete, missing cover, extra dye: Ø 225 mm and (12x) 130 mm x 40 mm. Without vacuum pump.	500
9	NN tank	S/s de-gassing tank, dimensions tank: Ø 530 mm x 860 mm, total dimensions: 750 mm x 750 mm x 2440 mm.	250
10	Grob AG	Grob AG bottle washer for milk bottles with 48 heads, inside dimensions: 1220 mm x 400 mm, total dimensions: 1800 mm x 1550 mm x 2300 mm.	750
11	Grob AG	Grob AG bottle filling machine for tray with 12 milk bottles, crate size: 400 mm x 320 mm, total dimensions: 1300 mm x 1000 mm x 2300 mm.	1250
12	NN tub	S/s mobile tub for butter, inside dimensions: 1600 mm x 1000 mm x 330 mm, total dimensions: 1700 mm x 1100 mm x 510 mm.	150
13	NN tub	S/s mobile tub for butter, inside dimensions: 1400 mm x 850 mm x 250 mm, total dimensions: 1500 mm x 950 mm x 900 mm.	150
14	Skremak	Skremak separator, dimensions: 1060 mm x 1600 mm x 1160 mm.	1000
15	Maxim		250



Nr	Title	Description	Start €
		Maxim cooking vessel with agitator, 380 V, 3 Ph, number: 28910, 12000 W, inside dimensions: Ø 645 mm x 600 mm, total dimensions: 1200 mm x 800 mm x 1200 mm.	
16	Pieralisi	Pieralisi 3 double jacketed tank for yoghurt, type: maturatore panna, model: VP AG MP 500, serial number: 05922, volume: 500 liter, year of construction: 2005, dimensions: 1000 mm x 900 mm x 2900 mm.	1250
17	Dixie-Union Verpackungen GmbH	Dixie-Union Verpackungen GmbH thermoformer, type: DV 2000, serial number: 357.0680, year of construction: 1979, 380 V, 50 Hz, 20 A, film width: 324 mm, dimensions dye: approx. 125 mm x 120 mm, index: 360 mm, top film width: 304 mm, Busch vacuum pump, type: 025-136, 49950, Rietschle vacuum pump, type: VCA 100 (01), total dimensions: 3500 mm x 800 mm x 1760 mm.	500
18	Union Verpackung GmbH	Union Verpackung GmbH thermoformer, type: RF 8 V, number: RF 8040, year of construction: 1979, 380 V, 50 Hz, 16 A, film width: 420 mm, dye: (2x) 265 mm x 188 mm, index: 290 mm, top film: 406 mm, total dimensions: 3020 mm x 860 mm x 2200 mm. Without vacuum pump.	500
19	PFM	PFM flowpacker, model: 2500, push belt, belt width: 30 mm, distance between dividers: 330 mm, plastic outfeed belt, belt width: 240 mm, with date stamp, total dimensions: 4520 mm x 1230 mm x 2200 mm. Incomplete, seal is missing, technical condition unknown.	450
20	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: CVS/PN-35-VG+I, number: 1402/97, year of construction: 3-6-1998, 380 V, 3 Ph, 50 Hz, plastic belt, belt width: 150 mm, dye: (2x) 120 mm x 120 mm, film width: 175 mm, plastic rollers, roller width: 270 mm, total dimensions: 2100 mm x 850 mm x 1930 mm. Without vacuum pump. Including infeed belt, with s/s frame and chain belt, belt width: 115 mm, distance between dividers: 350 mm, total dimensions: 3120 mm x 420 mm x 1500 mm.	1500
21	Belloni	Belloni pharmaceutical tablet press, model: B-CM/01, type: 1312, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 6.4 A, 3.5 kW, tablet dye: 20 mm x 8 mm, and Ø 10 mm, total dimensions: 850 mm x 630 mm x 1800 mm.	1250
22	Almac	Almac forming machine for mozzarella, model: F.CMT, serial number: 122/02, year of construction: 09/02, 400 V, 3 Ph, 50 Hz, 20 A, diameter mozzarella: 75 mm, total dimensions: 2600 mm x 1100 mm x 2150 mm.	1500
23	Essegi	Essegi vertical bag form-, fill- and seal machine for liquids, model: F 700 Pneumatic, serial number: 26/2010, 400 V, 3 Ph, film width: 644 mm, pipe clearance: 220 mm x 95 mm, vertical seal: 620 mm, horizontal seal: 355 mm, total dimensions: 2450 mm x 1300 mm x 2800/2320 mm. Used for milk in 500 ml bags.	2500
24	U. Roversi		750



Nr	Title	Description	Start €
		U. Roversi pressure cooker for cheese and jam, volume: 50 liter, dimensions: 1900 mm x 700 mm x 1700 mm. No control panel, technical condition unknown.	
25	CMT	CMT forming machine for mozzarella, type: H2MS, serial number: H2M-92-2617, year of construction: 1992, dye: Ø 40 mm, Ø 65 mm and Ø 90 mm, total dimensions: 1450 mm x 1150 mm x 1850 mm.	1250
26	NN parts	Pallet with various electrical parts such as electric motors, dimensions: 1200 mm x 1000 mm x 600 mm.	100
28	Bilanciai	Bilanciai floor weighing scale and indicator, type indicator: EV22, maximum load: 1500 kg, minimum load: 10 kg, e=0.5 kg, scale dimensions: 2000 mm x 1200 mm, total dimensions: 2200 mm x 1570 mm x 350 mm.	100
29	NN cabinets	3 s/s cabinets, 3 doors, inside dimensions: 520 mm x 680 mm x 600 mm, total dimensions: (3x) 1620 mm x 750 mm x 700 mm. Incomplete.	150
30	Drive systems srl	3 Drive systems srl electric motors used for cap closer, type: 77 L, number: 36008, year of construction: 1991, dimensions: 1200 mm x 800 mm x 350 mm.	100
31	NN cleaner	Cheese cleaning machine, brush dimensions: (2x) 270 mm and (1x) 110 mm, total dimensions: 1000 mm x 600 mm x 1100 mm.	250
32	NN dryer for powder	S/s dryer for powders, 7 floors, floor dimensions: 1200 mm x 1200 mm, total dimensions: 1700 mm x 1700 mm x 2550 mm. Technical condition unknown. Including pallet with parts, dimensions: 1500 mm x 1500 mm x 1400 mm.	250
33	NN ice machine	Ice machine, dimensions: 690 mm x 590 mm x 1100 mm. Technical condition unknown.	50
34	APV	APV homogenizer, type: K6 3BS, serial number: 6-7115, dimensions: 1150 mm x 1000 mm x 1150 mm. Incomplete, minor parts missing.	250
35	NN frame	S/s frame, dimensions: 1360 mm x 750 mm x 650 mm.	200
36	Hankook	4 wheels with Hankook winter tyres, tyre dimensions: 205/55/R16.	25
37	Maranconi	Maranconi wheels, tyre dimensions: 18x7-8/4.33	25
38	NN gear wheels	Pallet with various gear wheels and chains, dimensions: 1200 mm x 800 mm x 400 mm.	50
39	Hlaind srl	Pallet with Hlaind srl electrical parts, dimensions: 1200 mm x 800 mm x 400 mm.	50
40	NN gear wheels	Pallet box with gear wheels, dimensions: 850 mm x 850 mm x 710 mm.	250
41	NN chains	Steel pallet box with chains, dimensions: 1200 mm x 800 mm x 800 mm.	250
42	Perani	Perani freezer, model: UFV 260, serial number: 1053, year of construction: 1992, 220 V, 50 Hz, 0.750 kW, refrigerant: R502 23, dimensions: inside dimensions: 570 mm x 500 mm x 780 mm, total dimensions: 900 mm x 850 mm x 1540 mm.	100



Nr	Title	Description	Start €
43	ammann+CO waagenfabrik	ammann+CO waagenfabrik weighing scale with hook, serial number: 91150178, 220 V, 47-62 Hz, maximum load: 200 kg, minimum load: 2 kg, dimensions: 750 mm x 250 mm x 700 mm.	50
44	Busch	Busch weighing scale with hook, model: minipond 21, number: 101509, maximum load: 240 kg, minimum load: 4 kg, T- 240 kg, e= 0.2 kg, dimensions: 350 mm x 720 mm x 720 mm.	50
45	Busch	Busch weighing scale with hook, type: K, number: 56206, year of construction: 1959, maximum load: 40 kg, minimum load: 100 g, dimensions: 900 mm x 500 mm x 130 mm.	25
46	NN press	Pneumatic press, dimensions: 1200 mm x 500 mm x 900 mm.	50
47	NN press	Pneumatic press, dimensions: 600 mm x 160 mm x 800 mm.	50
48	F.G.M.	F.G.M. welding machine, type: 210 SI, number: FO 1065, 220/380 V, 50 Hz, dimensions: 930 mm x 500 mm x 800 mm.	50
49	GIS	GIS hoist, model: EM50/2NE.1Am, number: EM50 33310 00, year of construction: 1999, 380/400 V, 3 Ph, 3.1/1.6 A, 0.52/0.09 kW, capacity: 0.8 ton,	50
50	Haisland	Haisland table model vegetable cutter, model: HSL-20, serial number: HSL080305-013, year of construction: apr 22 2008, 220 V, 1 Ph, 50 Hz, 550 W, dimensions: 600 mm x 250 mm x 500 mm.	25
51	C.EL.ME srl	C.EL.ME srl table model slicer, model: Cheff pizza inox cub.mn, number: 16050012, 230 V, 1 Ph, 50 Hz, 350 W, knife diameter: 200 mm, total dimensions: 600 mm x 250 mm x 500 mm.	50
52	Rheninghaus	Rheninghaus table model grinder, model: Saturno, serial number: 489 3673, 380 V, 50 Hz, 2.8 A, plate diameter: 82 mm, total dimensions: 500 mm x 250 mm x 450 mm.	50
53	Emmepi srl	Emmepi srl table model slicer, model: Inox/T, number: 03P0074, year of construction: 2003/04, 230 V, 50 Hz, 515 W, weight: 24 kg, knife diameter: 200 mm, dimensions: 300 mm x 500 mm x 500 mm.	25
54	NN slicer	table model slicer, knife diameter: 200 mm, total dimensions: 300 mm x 300 mm x 500 mm.	25
55	AN	AN table model slicer, model: 419, 220 V, 50 Hz, 150 W, dimensions: 450 mm x 300 mm x 300 mm.	50
56	Mazzer	Mazzer grinder for coffee beans, dimensions: 200 mm x 250 mm x 320 mm. No funnel.	25
57	Medi-Cam	Medi-Cam pharmaceutical mobile elevating belt, model: EL 2001, plastic belt, belt width: 180 mm, distance between dividers: 120 mm, divider height: 20 mm, elevating height: 1900 mm, total dimensions: 1450 mm x 640 mm x 2190 mm.	1250
58	NN tub	S/s tub, inside dimensions: 2120 mm x 560 mm x 550 mm, total dimensions: 1290 mm x 850 mm x 700 mm.	100



Nr	Title	Description	Start €
59	NN tumbler	Mobile pharmaceutical tumbler for buckets, bucket size: Ø 365 mm x 450 mm, total dimensions: 1310 mm x 800 mm x 960 mm.	500
60	W.IN.DOS.	W.IN.DOS. pharmaceutical linear weigher, model: Feeder L5, type: PN3, number: 08-018, year of construction: 2008, weighing range: 5 g - 20 kg, gutter width: 200 mm, total dimensions: 900 mm x 1000 mm x 2110 mm.	1000
61	NN lifter	S/s lifter, lifting height: 1450 mm, total dimensions: 1300 mm x 500 mm x 2300 mm.	750
62	Westfalia	Westfalia separator for parts, type: SA35-36-076, number: 1658 395, year of construction: 1978, dimensions: 900 mm x 900 mm x 1250 mm. Incomplete.	250
63	I.M.A.	I.M.A. butter portioning and packing machine, dimensions: 2450 mm x 1100 mm x 1350 mm. Incomplete.	250
64	Zanasi Nigris	Zanasi Nigris tablet press, tablet dimensions: Ø 7 mm, total dimensions: 650 mm x 800 mm x 1650 mm. Incomplete.	450
65	Smipack	Smipack mobile weighing and packaging machine, model: S-560 NA, serial number: 0011291, year of construction: 2004, 220-240 V, 50-60 Hz, 16 A, 3640 W, roller width: 380 mm, total dimensions: 1550 mm x 800 mm x 1120 mm.	500
66	Vacuumpump SpA	Vacuumpump SpA mobile shrink tunnel, model: SV61, serial number: 89560101, year of construction: 2001, 380 V, 50 Hz, 9 kW, weight: 220 kg, s/s rollers, roller width: 500 mm, clearance: 500 mm x 230 mm, total dimensions: 1650 mm x 880 mm x 1130 mm.	500
67	U.S. Standard Test Sieve	31 U.S. Standard Test Sieve sieves with various meshes with a diameter of: 215 mm, packed in a box, box dimensions: 620 mm x 450 mm x 300 mm.	250
68	CMT	CMT forming machine for mozzarella, dye: Ø 40 mm, Ø 20 mm, and 280 mm x 80 mm, total dimensions: 1250 mm x 950 mm x 1900 mm.	1500
69	NN filling machine	Mobile cup filling and closing machine, model: 800-RM-SP25, cup diameter: 90 mm, total dimensions: 1400 mm x 1150 mm x 2020 mm. Incomplete.	500
70	Fluxinos Italia S.r.l.	Fluxinos Italia S.r.l. mobile positive displacement pump, model: G/Export, dimensions: 700 mm x 400 mm x 660 mm.	150
71	Clauger	13 s/s switch cabinets with Clauger control panels, dimensions: (13x) 550 mm x 400 mm x 200 mm.	250
72	I.M.A.	I.M.A. butter portioning and packing machine, model: P3C, butter packs in 100 or 200 gram, dimensions: 2450 mm x 1100 mm x 1350 mm.	1000
73	Packo	Packo cooled tub with agitator, type: OM/IB, serial number: 16207, year of construction: 07/88, volume: 800 liter, refrigerant: R12, dimensions: 2350 mm x 1150 mm x 1100 mm.	500
74	Tetra Pak	Tetra Pak aseptic homogenizer, model: A20/80 BAR, number: T5856817153, year of construction: 2007, dimensions: 1250 mm x 1250 mm x 1300 mm.	2500



Nr	Title	Description	Start €
75	PFM	PFM vertical bag form-, fill- and seal machine, model: Zenith, number: 3926, year of construction: 1994, 380 V, 10.5 A, 4 W, film width: 540 mm, pipe diameter: 155 mm, vertical seal: 355 mm, horizontal seal: 300 mm, total dimensions: 1700 mm x 1300 mm x 1750 mm.	750
76	NN pipes	Pallet with various pipes and clams, dimensions: 1150 mm x 1200 mm x 1000 mm.	100
77	Tecnico Pompe Zanin	Tecnico Pompe Zanin centrifugal pump, model: ZC20, number: 026273, dimensions: 500 mm x 250 mm x 400 mm.	100
78	Cavecchi	Cavecchi cheese cleaning machine, model: Pulitrice, number: 1001, 380 V, 7 kW, brush length: (2x) 275 mm and (1x) 240 mm, total dimensions: 1250 mm x 800 mm x 1270 mm.	250
79	NN pump	Centrifugal pump, type: TCP-30, number: 30-0019, 6.2 A, Q.I/1: 500, 2890 rpm, dimensions: 900 mm x 300 mm x 400 mm.	250
80	NN pump	Centrifugal pump, dimensions: 550 mm x 300 mm x 400 mm.	150
81	NN pump	Centrifugal pump, dimensions: 500 mm x 250 mm x 450 mm.	150
82	Hilge GmbH	Hilge GmbH centrifugal pump, type: EURO-HYGIA-I-BLOC-SUPER, number: 984038890000 SAP. 98403889, 3.0 kW, Q: 8 m³/h, H: 35 m, 2900 rpm, dimensions: 650 mm x 300 mm x 350 mm.	250
83	NN pump	Centrifugal pump, dimensions: 640 mm x 330 mm x 400 mm.	150
84	Loher	Loher GmbH electro motor for Westfalia separator, type: A 160 LA-4, number: 6684952, 220/380 V, 52/30 A, 15 kW, 1450 rpm, shaft diameter: 41 mm, total dimensions: 650 mm x 450 mm x 350 mm.	150
85	CSF	CSF centrifugal pump, model: CLC 40-2-3/A.T31, number: 29987, 220/380 V, 50 Hz, 2900 rpm, dimensions: 470 mm x 300 mm x 320 mm.	250
86	NN pump	Submersible pump, dimensions: Ø 160 mm x 300 mm.	25
87	NN pump	Pump with Lafert electro motor, type: 90L S2, 220/380 V, dimensions: 400 mm x 200 mm x 250 mm.	100
88	NN parts	Various parts, dimensions: 800 mm x 400 mm x 300 mm.	25
90	NN trolleys	3 s/s trolleys with 5 wooden floors, floor dimensions: 2010 mm x 670 mm, total dimensions: (2x) 2010 mm x 770 mm x 2040 mm and (1x) 2010 mm x 770 mm x 1070 mm.	225
91	I.M.A.	I.M.A. butter cartoning machine, model: M.I.21, belt width: 180 mm, carton size: 200 mm x 100 mm, total dimensions: 1900 mm x 1500 mm x 1600 mm. Incomplete.	250
92	NN trolley	S/s trolley for butter collection, dimensions: 1200 mm x 800 mm x 1150 mm.	100
93	NN trolley	S/s trolley for butter collection, dimensions: 1230 mm x 1000 mm x 800 mm.	100



Nr	Title	Description	Start €
94	I.M.A.	I.M.A. butter cartoning machine, carton size: 350 mm x 220 mm, total dimensions: 1650 mm x 1500 mm x 1660 mm. Incomplete.	250
95	Contistock/Simon Freres	Contistock/Simon Freres, packing machine for butter, s/s rollers, roller width: 350 mm, total dimensions: 1750 mm x 1020 mm x 1000 mm. Incomplete.	250
96	Scremac	Scremac purifier, type: pulitrice, model: SMP3, number: 90594, year of construction: 1997, dimensions: 1200 mm x 800 mm x 1400 mm.	1000
97	Westfalia	Westfalia separator, type: CNB 45-01-076, number: 1691 790, year of construction: 1990, dimensions: 2 pallets, 1200 mm x 800 mm x 1000 mm and 1200 mm x 800 mm x 1900 mm.	4500
98	General Machines	General Machines table model cheese grinder, type: GS, serial number: 3106/2000, 400 V, 3 Ph, 50 Hz, 0.8 kW, working width: 135 mm, total dimensions: 400 mm x 200 mm x 400 mm.	50
99	Rietschle	Rietschle vacuum pump, type: VCAH 250 (01) 102163-0112, serial number: 1877434, year of construction: 1997, capacity: 250 m³/h, 5.5 kW, dimensions: 950 mm x 850 mm x 610 mm.	250
100	Interroll	Interroll plastic conical rollers, length: 550 mm, total dimensions: 1200 mm x 800 mm x 850 mm.	50
101	Interroll	Interroll plastic rollers, roller length: 450 mm, total dimensions: 800 mm x 650 mm x 750 mm.	50
102	NN cooling equipment	2 pallets with various cooling equipment, dimensions: (2x) 1200 mm x 800 mm x 1750 mm.	500
103	I.M.A.	I.M.A. butter portioning and packing machine, dimensions: 1950 mm x 1200 mm x 1750 mm. Incomplete.	250
104	Westfalia	Westfalia separator, type: SA14 47 476, number: 1665 748, year of construction: 1979, dimensions: 1200 mm x 800 mm x 1300 mm.	2000
105	Westfalia	Westfalia separator for oil with oil burner, type: OTB2-00-066, number: 5010 882, year of construction: 1991, dimensions: 1200 mm x 1000 mm x 1300 mm. Used on ships.	1250
106	Onda	Onda hydraulic unit, type: SA 150-1044PV15/PV50, number: 166/86, dimensions: 1200 mm x 800 mm x 1100 mm.	250
107	NN tub	Mobile s/s heated tub, inside dimensions: 740 mm x 580 mm, total dimensions: 1100 mm x 1100 mm x 1600 mm.	250
108	I.M.A.	I.M.A. butter portioning and packing machine, model: P3C, dimensions: 2000 mm x 1300 mm x 1600 mm. Technical condition unknown.	250
109	I.M.A.	I.M.A. butter cartoning machine, model: M.I.21, carton size: 250 mm x 200 mm, total dimensions: 1500 mm x 1600 mm x 1300 mm. Incomplete.	250
110	Westfalia		1500



Nr	Title	Description	Start €
		Westfalia separator, type: SA14-47-076, number: 1674 256, year of construction: 1981, dimensions: 1200 mm x 800 mm x 1300 mm.	
111	Zenith	Zenith weighing scale, weighing range: 5 - 100 kg, e=d= 100 g, scale dimensions: 650 mm x 600 mm, total dimensions: 650 mm x 600 mm.	150
112	Westfalia	Westfalia butter depositor, clearance: 270 mm x 270 mm, total dimensions: 1400 mm x 800 mm x 1450 mm.	250
113	I.M.A.	I.M.A. forming machine for butter, clearance: 340 mm x 125 mm, total dimensions: 1800 mm x 1700 mm x 1800 mm. Incomplete.	250
114	Toledo	Toledo weighing scale, number: 0004333, weighing range: 20 g - 20 kg, scale dimensions: 460 mm x 520 mm, total dimensions: 650 mm x 800 mm x 1930 mm.	250
115	Roto	Roto weighing scale, weighing range: 20 g - 60 kg, scale dimensions: 510 mm x 560 mm, total dimensions: 520 mm x 740 mm x 1470 mm.	150
116	Alfa	Alfa weighing scale, weighing range: 50 g - 150 kg, scale dimensions: 605 mm x 625 mm, total dimensions: 605 mm x 930 mm x 1720 mm.	250
117	I.M.A.	I.M.A. butter portioning and packing machine, dimensions: 2500 mm x 1500 mm x 1850 mm.	1250
118	Roan	Roan butter portioning-, forming- and packing machine, model: P-5, weight of blocks: 250 or 500 g, dye: 55 mm x 55 mm, total dimensions: 1960 mm x 830 mm x 1680 mm.	1250
119	NN trolley	S/s trolley, 22 perforated floors, floor dimensions: 510 mm x 1000 mm, total dimensions: 1030 mm x 550 mm x 1990 mm.	50
120	I.M.A.	I.M.A. butter portioning and packing machine, dimensions: 2500 mm x 1500 mm x 1200 mm.	1250
121	Hittpac	Hittpac mobile cup filling and closing machine, type: AKH-005, number: 1366.22.5, cup diameter: 68 mm, total dimensions: 760 mm x 800 mm x 1610 mm. Used for yoghurt.	500
122	Westfalia	Westfalia separator, type: 3-B-41-4, number: 1206636, 220-380 V, 50 Hz, 12.5-7.2 A, 3.3 kW, dimensions: 560 mm x 530 mm x 900 mm. Incomplete.	100
123	PFM	PFM vertical bag form-, fill- and seal machine for liquids, model: Zenith milk, serial number: C 8413, year of construction: 2007, 380 V, 50 Hz, 8 A, 4.5 kW, weight: 800 kg, film width: 460 mm, pipe diameter: 130 mm, (2x) 100 mm and (1x) 60 mm, vertical seal: 400 mm, horizontal seal: 250 mm, total dimensions: 2000 mm x 1400 mm x 3000 mm. With extra parts.	2500
125	NN tumbler	S/s tumbler for butter, volume: 2000 liter, dimensions: 2900 mm x 1500 mm x 2200 mm.	1250
126	Reda	Reda cheese press, 4x 8 floors, floor dimensions: 900 mm x 500 mm, total dimensions: 4300 mm x 500 mm x 1900 mm.	1000



Nr	Title	Description	Start €
127	NN spinning device	2 Steel spinning machines, dimensions: Ø 500 mm x 800 and Ø 500 mm x 1000 mm.	50
128	Arioli Afro & F	2 Arioli Afro & F spinning machines, spinning platform: Ø 250 mm and Ø 330 mm, total dimensions: 760 mm x 800 mm x 970 mm and 840 mm x 760 mm x 1060 mm.	100
129	NN tank	Mobile s/s tank with vacuum pump, type: Medio Jet, 220-380 V, 50 Hz, dimensions: 1320 mm x 770 mm x 1440 mm.	100
130	NN cheese press	S/s cheese press, 4x 10 floors, floor dimensions: 550 mm x 500 mm, total dimensions: 2800 mm x 550 mm x 2200 mm.	750
131	NN tumbler	S/s tumbler for butter, volume: 1600 liter, dimensions: 2300 mm x 1300 mm x 1800 mm.	1250
132	NN tumbler	S/s tumbler for butter, volume: 1600 liter, dimensions: 2600 mm x 1300 mm x 2000 mm.	1250
133	Casearmeccanica Vicentina	Casearmeccanica Vicentina cheese cleaning machine, brush length: (2x) 300 mm and (1x) 160 mm, total dimensions: 1000 mm x 600 mm x 1100 mm.	500
134	NN tub	Mobile s/s tub, inside dimensions: 1100 mm x 750 mm x 350 mm, total dimensions: 1150 mm x 800 mm x 850 mm.	100
135	Karr	Karr mobile automatic depositor, number: AF 1320, dimensions: 760 mm x 700 mm x 1520 mm.	250
136	Arioli Afro & F	Arioli Afro & F cheese cleaning machine, brush length: (3x) 300 mm, total dimensions: 1200 mm x 550 mm x 950 mm.	250
137	NN pump	Pump, dimensions: 800 mm x 330 mm x 330 mm.	100
138	Inoxpa	Inoxpa centrifugal pump, model: A-80, number: 1222829-A, year of construction: 2015, dimensions: 550 mm x 350 mm x 400 mm.	250
139	NN pump	Centrifugal pump, dimensions: 620 mm x 300 mm x 400 mm.	150
140	APV	APV centrifugal pump, type: W+55/35-380 210, serial number: J8139390606012453490, year of construction: 1999, dimensions: 700 mm x 500 mm x 500 mm.	250
141	Ebara	Ebara centrifugal pump, type: CD 200/12, number: 1990100004, 230-240/400-415 V, 3 Ph, 50 Hz, Q: 80-250 l/min, H: 20.7-12.5 m, dimensions: 350 mm x 200 mm x 200 mm.	150
142	NN pump	Centrifugal pump, dimensions: 350 mm x 250 mm x 250 mm.	150
143	DAB	DAB centrifugal pump, model: EUROINOX 50/50 T, 400 V, 3 Ph, 50 Hz, dimensions: 500 mm x 200 mm x 200 mm.	150
144	Lowara	Lowara centrifugal pump, type: BG3/A, number: 01991, 220-240/380-415 V, 3 Ph, 50 Hz, dimensions: 350 mm x 200 mm x 200 mm.	150
145	Ebara	Ebara centrifugal pump, type: JE 100-20 V, number: 1653051404, 230-240/400-415 V, 3 Ph, 50 Hz, Q: 20-70 l/min, H: 37-21 m, dimensions: 500 mm x 200 mm x 200 mm.	50
146	Frau		350

Nr	Title	Description	Start €
		Frau centrifugal pump, dimensions: 400 mm x 300 mm x 600 mm.	
147	Frau	Frau centrifugal pump, type: EC 90 S4, number: 2917685, 220-380 V, 50 Hz, dimensions: 400 mm x 400 mm x 500 mm.	350
148	Frau	Frau centrifugal pump, type: EC 90 S4, number: 2924571, 220-380 V, 50 Hz, dimensions: 400 mm x 400 mm x 500 mm.	350
149	Frau	Frau centrifugal pump, dimensions: 400 mm x 300 mm x 600 mm.	350
150	Inoxpa	Inoxpa centrifugal pump, type: Hyginox SE 20 Ø 145 mm, number: 000107490IIN/10, year of construction: 2020, dimensions: 550 mm x 300 mm x 400 mm.	500
151	NN pump	Centrifugal pump, model: TCP-11, number: 11-0026, dimensions: 500 mm x 200 mm x 400 mm.	250
152	O.L.R.A.-I	O.L.R.A.-I centrifugal pump, dimensions: 600 mm x 300 mm x 400 mm.	250
153	NN pump	Centrifugal pump, dimensions: 500 mm x 300 mm x 300 mm.	250
154	NN pump	Centrifugal pump, dimensions: 550 mm x 300 mm x 400 mm.	250
155	Westfalia	Westfalia separator for oil, dimensions: 700 mm x 400 mm x 900 mm.	500
156	NN pump	Pump, type: D325, dimensions: 600 mm x 200 mm x 300 mm.	50
157	NN pump	Centrifugal pump, dimensions: 500 mm x 350 mm x 350 mm.	50
158	Edur	Edur pump with Schorch electro motor, dimensions: 600 mm x 250 mm x 300 mm.	50
159	Venturini	Venturini mobile in height adjustable working platform, type: super, number: 252, year of construction: 1976, maximum working height: 2500 mm, total dimensions: 2150 mm x 1020 mm x 1800 mm.	250
160	NN extraction hood	S/s extraction hood, dimensions: 4000 mm x 200 mm x 800 mm.	100
161	NN steamer	S/s steamer for quark, dimensions: 2200 mm x 2000 mm x 700 mm.	500
162	NN tank	Double jacked s/s tank for milk, volume: 5800 liter, dimensions: 3000 mm x 1600 mm x 2500/2800 mm.	1250
163	Pedrollo	Pedrollo centrifugal pump, 220-230/380-400 V, 3 Ph, 50 Hz, dimensions: 600 mm x 300 mm x 500 mm.	100
164	Dmac	Dmac centrifugal pump, dimensions: 800 mm x 400 mm x 450 mm.	200
165	Pumpe Robuschi	Electro motor, dimensions: 650 mm x 300 mm x 500 mm.	100
166	NN pump	Pumpe Robuschi centrifugal pump, type: R71B2, number: Z 40682, 220/380 V, 50 Hz, 2.6/1.5 A, dimensions: 400 mm x 200 mm x 300 mm.	25
167	NN saw table	Saw table, dimensions: 660 mm x 660 mm x 1000 mm.	50
168	BM		50



Nr	Title	Description	Start €
		BM cooling unit, type: BM 78, serial number: 486, dimensions: 900 mm x 700 mm x 810 mm. Incomplete.	
169	Baron Termo Dinamica	Baron Termo Dinamica compressor rack with 3 DWM Copeland cooling compressors, type: (2x) D9RC-1000-EWL-00, year of construction: 1984, dimensions: 2900 mm x 1400 mm x 1520 mm.	750
170	NN mixer	S/s double jacked mixer, volume: 500 liter, dimensions: Ø 1000 mm x 2400 mm.	750
171	Frau	Frau s/s double jacked tank with agitator, volume: 200 liter, dimensions: 1450 mm x 930 mm x 1360 mm.	500
172	NN parts	Rack with various parts for various separators, dimensions: 4100 mm x 700 mm x 2000 mm and 5 pallets.	1000
173	NN parts	2 pallets with various parts.	200
174	NN tub	S/s tub in frame, dimensions: 1000 mm x 500 mm x 1800 mm.	150
175	Frau	Frau cheese press, 4x 8 floors, floor dimensions: 900 mm x 500 mm, total dimensions: 4300 mm x 500 mm x 1900 mm.	1000
176	SS afiman	SS afiman cheese cleaning machine, brush length: (2x) 300 mm x (1x) 150 mm, total dimensions: 800 mm x 550 mm x 1000 mm.	250
177	Farck	Farck s/s double jacked tank with agitator, volume: 1000 liter, dimensions: Ø 1300 mm x 1660 mm.	500
178	Sordi	Sordi suction tank, dimensions: 1600 mm x 1300 mm x 1750 mm.	1000
179	NN elevating belt	Elevating belt with s/s frame and plastic belt with dividers, belt width: 280 mm, distance between dividers: 200 mm, divider height: 60 mm, elevating height: 1000 mm, total dimensions: 1700 mm x 600 mm x 1100 mm.	250
180	NN infeed belt	Infeed belt with s/s frame and plastic push belt, belt width: 80 mm, distance between dividers: 250 mm, total dimensions: 2930 mm x 650 mm x 1040 mm. Belt is broken.	250
181	NN elevating belt	Elevating belt with s/s frame and plastic belt, belt width: 260 mm, elevating height from 800 mm - 1050 mm, total dimensions: 2200 mm x 400 mm x 1130 mm.	250
182	Padovan	Padovan mobile filter tank for milk, dimensions: 2000 mm x 1300 mm x 1900 mm.	750
183	MilkyLab	MilkyLab glazing belt, model: LAB DREN, serial number: 21/98, year of construction: 1998, 380 V, plastic mesh belt, belt width: 1120 mm, elevating height: 400 mm. Without motor.	500
184	NN filter unit	Filter unit, dimensions: 3560 mm x 2050 mm x 2650 mm.	1250
185	Ingersoll Rand	Ingersoll Rand compressor, dimensions: 2850 mm x 1340 mm x 1800 mm.	500
186	Frascold	Frascold cool compressor with evaporator, dimensions evaporator: 1400 mm x 550 mm x 660 mm, total dimensions: 1650 mm x 600 mm x 1650 mm.	250
187	Frascold		250



Nr	Title	Description	Start €
		Frascold cool compressor with evaporator, dimensions evaporator: 1400 mm x 550 mm x 660 mm, total dimensions: 1650 mm x 600 mm x 1650 mm.	
188	NN tank	S/s double jacked tank with agitator, volume: 420 liter, dimensions: Ø 940 mm x 1200 mm.	500
189	NN tank	S/s double jacked tank with agitator, dimensions: Ø 1550 mm x 1600 mm.	500
190	NN dryer for powder	S/s dryer for powders, 8 floors, floor dimensions: 950 mm x 740 mm, total dimensions: 1650 mm x 1300 mm x 2260 mm. Technical condition unknown.	750
191	Ing. F. De Lama & C.	Ing. F. De Lama & C. s/s dryer for powders, dimensions: 1650 mm x 1300 mm x 2260 mm. Technical condition unknown.	750
192	NN dryer for powder	S/s dryer for powders, inside dimensions: 1130 mm x 1910 mm x 1280 mm, total dimensions: 2300 mm x 1350 mm x 2230 mm. Technical condition unknown.	750
193	Ingersoll Rand	Ingersoll Rand compressor, model: R1601-A7.5, serial number: 6006020, 400 V, 3 Ph, 50 Hz, year of construction: 2010, weight: 2926 kg, dimensions: 1700 mm x 3000 mm x 2040 mm.	500
194	Frau	Frau double jacked tank, dimensions: Ø 2900 mm x 3700 mm.	5000
195	NN tubs	2 s/s double jacked tubs, dimensions: (2x) Ø 1700 mm x 1300 mm.	2500
197	Frau	Frau double jacked tank, dimensions: Ø 2900 mm x 3700 mm.	5000
199	Espera	Espera weighing and labelling machine, dimensions: 2000 mm x 800 mm x 2000 mm.	250
200	Prisma	Pallet with Prisma metal detector for liquids, serie: PRT 08, number: 283601, year of construction: 2001, 220 V, 50 Hz, 0.4 kW, weight: 60 kg, among other parts, dimensions: 1200 mm x 800 mm x 900 mm.	150
201	Alfa Laval	Alfa Laval wooden butter tumbler, volume: 70 liter, dimensions: 1100 mm x 900 mm x 1450 mm.	250
202	NN rollers	Steel rollers, length: 800 mm.	200
203	NN rollers	Steel rollers, various lengths.	100
204	NN platform	Steel frame for platform, beam length: 2690 mm, total dimensions: 2800 mm x 800 mm x 650 mm.	100
205	NN tub	S/s mobile tub, inside dimensions: 2570 mm x 1370 mm x 300 mm, total dimensions: 2670 mm x 1480 mm x 840 mm.	180
206	NN tub	S/s mobile tub, inside dimensions: 3260 mm x 1410 mm x 200 mm, total dimensions: 3360 mm x 1530 mm x 900 mm.	180
207	NN trolley	S/s trolley, 5 floors, distance between floors: 200 mm, total dimensions: 1890 mm x 900 mm x 1490 mm.	190
208	NN tub	S/s mobile tub with drain, dimensions: Ø 1150 mm x 850 mm.	100
209	NN tub		400



Nr	Title	Description	Start €
		S/s tub, inside dimensions: 1440 mm x 1290 mm x 470 mm, total dimensions: 1550 mm x 1550 mm x 800 mm.	
210	NN tub	S/s mobile tub, inside dimensions: 3090 mm x 1230 mm x 300 mm, total dimensions: 3200 mm x 1360 mm x 920 mm.	180
211	NN tub	S/s mobile tub, inside dimensions: 3540 mm x 1420 mm x 320 mm, total dimensions: 3660 mm x 1530 mm x 910 mm.	180
212	NN trolley	S/s trolley, 4 floors, dimensions: 2050 mm x 930 mm x 1220 mm.	200
213	NN trolley	S/s trolley, 12 floors, dimensions: 1020 mm x 460 mm x 1890 mm.	100
215	NN tub	S/s mobile tub, inside dimensions: 4050 mm x 1100 mm x 220 mm, total dimensions: 4170 mm x 1230 mm x 950 mm.	180
216	NN tub	S/s mobile tub, inside dimensions: 4050 mm x 1100 mm x 220 mm, total dimensions: 4170 mm x 1230 mm x 950 mm.	180
217	NN trolley	S/s trolley, 5 floors, dimensions: 1890 mm x 900 mm x 1500 mm.	150
218	GIS	GIS hoist, type: 50/5, serial number: 075724.02, year of construction: 1966, 380 V, capacity: 250 - 500 kg, dimensions: 1400 mm x 1400 mm x 500 mm.	100
219	NN tub	S/s tub, dimensions: Ø 950 mm x 560 mm.	200

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal black lines, resembling notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

