



**Industrial
Auctions**

**2319: Online auction machinery for the food industry in
Hassfurt (DE)**

END DATE
21 October 2026 14:00

WWW.INDUSTRIAL-AUCTIONS.COM



General terms and conditions of the online auction

End date	21 October 2026 from 14:00 hrs.
Viewing days	20 October 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	28 October 2026 from 09:00 till 16:00 hrs.
Pick up address	Industriestraße 26 97437 Hassfurt Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Lutetia	Lutetia vacuum tumbler, type: T40, serial number: 100442, year of construction: 2016, 400 V, 50 Hz, 6.7 kW, maximum capacity: 2200 kg, volume: 1800 liter, dimensions: 3950 mm x 1950 mm x 2150 mm. Including Lutetia steam unit, type: 24 KW, serial number: 100441, year of construction: 2015, 400 V, 50 Hz, 24 kW, capacity: 23 liter, weight: 60 kg, dimensions steam unit: 900 mm x 500 mm x 1300 mm and Busch vacuum pump, type: RA 0100 F 503, serial number: D15060623, year of construction: 2015, capacity: 100 m³ per hour.	3500
2	Nowicki	Nowicki vacuum tumbler, model: MA-5400 PS, serial number: 22816030, year of construction: 2016, 400 V, 3 PH, 50 Hz, volume: 5400 liter, capacity: 3000 kg, weight: 3400 kg, Busch vacuum pump, type: RA 0100 F 503, serial number: D16011620, year of construction: 2016, capacity: 100 m³ per hour, total dimensions: 4100 mm x 1960 mm x 2280 mm.	8500
3	CFS	CFS vacuum cutter with lifter for 200 liter meat bins and ejector, type: CutMasterV 200, machine number: 286/0305, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 250 A, s/s bowl, volume bowl: 200 liter, s/s knives, weight: 5200 kg, dimensions: 3450 mm x 3000 mm x 1950 mm. Including 2 pallets with parts.	20000
4	Seydelmann	Seydelmann vacuum cutter with lifter for 200 liter meat bins and ejector, type: K124H-AC8VA, machine number: 13199-1, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 175 A, 93 kW, weight: 2200 kg, s/s bowl, volume: 124 liter, s/s knives, dimensions: 3050 mm x 2450 mm x 1870 mm. Including s/s switch cabinet, dimensions switch cabinet: 1200 mm x 550 mm x 1700mm, s/s control panel and pallet with parts.	15000
5	Alfa Laval / Krämer + Grebe	Alfa Laval / Krämer + Grebe vacuum cutter with lifter for 200 liter meat bins and ejector, type: VSM 200, number: 208/202/1, year of construction: 1991, type lift: Beschick, number: 274/547, year of construction: 1991, s/s bowl, volume: 200 liter, s/s knives, total dimensions: 2800 mm x 2300 mm x 1700 mm. Including s/s switch cabinet, dimensions: 1800 mm x 600 mm x 1700 mm and 3 pallets with various parts and a vacuum pump.	9500
6	CFS / GEA	CFS / GEA vacuum cutter with lifter for 200 liter meat bins and ejector, model: CutMaster V 750, year of construction: 1999 (control panel overhauled in 2022), s/s bowl, volume: 750 liter, s/s knives, weight: 9000 kg, dimensions: 4300 mm x 2800 mm x 2000 mm. Including pallet with 2 control panels and tools.	9500
7	CFS / GEA	CFS / GEA vacuum cutter with lifter for 200 liter meat bins and ejector, model: CutMaster V 200, machine number: 286/0324, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 250 A, 106 kW, s/s bowl, volume: 200 liter, s/s knives, weight: 4000 kg, dimensions: 2800 mm x 2300 mm x 1700 mm.	35000



Nr	Title	Description	Start €
		Including Busch vacuum pump, type: 160-116, number: 135, capacity: 160 m ³ per hour, and a pallet with parts and tools.	
8	Inotec GmbH	Inotec GmbH mobile emulsifier, type: I175CD-75D, machine number: 0408-17500370, year of construction: 2004, 230/400 V, 3 Ph, 50 Hz, 142 A, 88 kW, dimensions: 2000 mm x 1160 mm x 1250 mm.	8000
9	CFS	CFS cutter with lifter for 200 liter meat bins and ejector, model: CM-325, number: 302/0132, year of construction: 2001, 400 V, 50 Hz, s/s bowl, volume: 325 liter, s/s knives, dimensions: 3800 mm x 2650 mm x 1900 mm.	20000
10	Seydelmann	Seydelmann cutter with lifter for 200 liter meat bins and ejector, model: K506 AC 8, number: 06093-1, year of construction: 2006, 400 V, 50 Hz, 384 A, s/s bowl, volume: 550 liter, s/s knives, dimensions: 3800 mm x 2650 mm x 1900 mm. Including 2 pallets with parts, of which among others knives and a s/s divider.	27500
11	DWC	DWC weighing scale, model: YES 701, serial number: 20221379, year of construction: 2021, 240 V, 5 A, weighing range: 20-3000g, e=1g, T -3000g, dimensions: 400 mm x 1000 mm x 1600 mm.	250
12	Handtmann	Handtmann vacuum filling machine, type: VF611, number: 23623, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 6.5 A, 3.5 kW, Mc 4 controller, Busch vacuum pump, type: KC0016 E, dimensions: 1060 mm x 970 mm x 2000 mm.	9500
13	Handtmann	Handtmann high speed sausage stuffing and linking machine, type: 242-01, number: 785, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, weight: 1100 kg, dimensions: 2550 mm x 930 mm x 1540 mm. Including s/s tool trolley.	7500
14	Handtmann	Handtmann mobile hanging line, type: 242-16, number: 10903456, year of construction: 2018, weight: 230 kg, dimensions: 3300 mm x 700 mm x 1450 mm.	2000
15	Handtmann	Handtmann mobile hanging line, type: 242-16, number: 10903072, year of construction: 2016, weight: 210 kg, dimensions: 2600 mm x 840 mm x 1450 mm. Including crate with parts.	2000
16	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 828 S, number: 47502, year of construction: 2021, 380-440 V, 15.2 A, 10.0 kW, Busch vacuum pump, dimensions: 1800 mm x 1500 mm x 2500 mm. Including crate with parts.	35000
17	Handtmann	Handtmann mobile linking machine, type: 246-01, number: 17600521, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 9 A, 5.5 kW, weight: 785 kg, dimensions: 1750 mm x 930 mm x 1500 mm. Including s/s tool trolley, dimensions tool trolley: 1000 mm x 820 mm x 1020 mm.	8500
18	Handtmann	Handtmann mobile hanging line, type: 242-16, number: 10902083, year of construction: 2015, weight: 180 kg, dimensions: 3500 mm x 800 mm x 1450 mm.	2000



Nr	Title	Description	Start €
19	Handtmann	Handtmann mobile hanging line, type: 242-16, number: 10901002, year of construction: 2009, dimensions: 2650 mm x 700 mm x 1450 mm.	2000
20	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 616, number: 24776, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 6 A, 8.7 kW, Busch vacuum pump, serial number: CZM120300610, dimensions: 1950 mm x 1350 mm x 2000 mm.	9500
21	Loma	Loma pipeline metal detector, model: IQ ² , serial number: EPL61200-04789D / MHPLEU-04790D, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 1.2 A, clearance: Ø 50 mm, total dimensions: 370 mm x 530 mm x 510 mm.	500
22	Handtmann	Handtmann mobile linking machine, type: 226-01, number: 673, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 9 A, 5 kW, dimensions: 1720 mm x 850 mm x 1460 mm. Including crate with parts.	7000
23	Handtmann	Handtmann mobile hanging line, type: 242-16, number: 10902081, year of construction: 2015, weight: 180 kg, dimensions: 3500 mm x 800 mm x 1500 mm.	2000
24	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, inline grinding system and software for Handtmann ConPro link, type: VF 616, number: 32373, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 17.3 A, 12.0 kW, type: inline grinding system: 93-3, number: 14302987, Busch vacuum pump, type: KB 0040 D, dimensions: 1800 mm x 1500 mm x 2500 mm.	17500
25	Handtmann	Handtmann ConPro Link system, with co-extrusion, portioning and linking machine, type: 162-01, number: 17500259, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 9 A, 5.5 kW, dimensions: 1400 mm x 800 mm x 1300 mm. Including Handtmann ConPro attachment, type: 150-1, number: 11800547 and large amount of parts.	12500
26	Handtmann	Handtmann mobile hanging line, type: 242-16, number: 10901728, year of construction: 2014, dimensions: 2600 mm x 650 mm x 1350 mm.	2500
27	Handtmann	Handtmann mobile vacuum filling machine with software for Handtmann ConPro link, type: VF 608, number: 35342, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 4.3 A, 3.0 kW, Busch vacuum pump, type: KC 0016 E 320, dimensions: 1000 mm x 670 mm x 1740 mm. Including s/s tool trolley, dimensions tool trolley: 900 mm x 800 mm x 1050 mm. Without Handtmann conpro attachment.	9500
28	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: Flexon, machine number: 275001.70151.106347, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 3.9 A, 1.2 kW, weight: 230 kg, dimensions chamber: 95 mm x 95 mm, total dimensions: 1580 mm x 600 mm x 1050 mm. Including extra grids and knife.	3500
29	Handtmann		12500



Nr	Title	Description	Start €
		Handtmann vacuum filling machine with lifter for 200 liter meat bins, linking gearbox and case holding device, type: VF 612 K, number: 38118, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 6.5 A, 4.5 kW, Busch vacuum pump, type: KC 0016 E 320, type linking gearbox: 410, number: 16006630, year of construction: 2018, dimensions: 2150 mm x 1300 mm x 2050 mm.	
30	Handtmann	Handtmann case holding device, type: 216-01, number: 1737, dimensions: 600 mm x 330 mm x 140 mm.	500
31	Franz	Franz mobile turning table, type: RT 1200, machine number: 2051/1, year of construction: 2011, 400 V, 0.37 kW, plastic top, dimensions: Ø 1500 mm x 940 mm.	300
32	Baader	Baader cooking tunnel, consisting of: Baader cooking tunnel, type: (2x) OK1000, number: (1x) 99-160-025, (1x) 89-169-034, year of construction: 1999, 230/400 V, 50 Hz, 0.39 A, infeed clearance: 1000 mm x 230 mm, s/s mesh belt, belt width: 1000 mm, total dimensions: 14700 mm x 2100 mm x 2600 mm. Buco plate heat exchanger, serial number: P19238-1F12-1S, year of construction: 2013, volume: 73 liter, dimensions: 2270 mm x 780 mm x 2470 mm. Funke heat exchanger, model: FP14-59-1-1 G77110, dimensions: 1250 mm x 1700 mm x 2220 mm. Dofa GmbH s/s tube heat exchanger, dimensions: 2700 mm x 850 mm x 1420 mm. Pressure vessels, dimensions: 950 mm x 1400 mm x 1350 mm. S/s pallet box with pipes, dimensions: 1250 mm x 880 mm x 1600 mm. S/s pallet box with pumps and plates, dimensions: 1250 mm x 880 mm x 1600 mm. Pallet with pipes, dimensions: 3250 mm x 1000 mm x 600 mm. Pallet with motors, dimensions: 1200 mm x 800 mm x 530 mm. Pallet with s/s mesh belt and parts, belt width: 1000 mm, dimensions: 1200 mm x 800 mm x 550 mm. Pallet with switch cabinets and oil unit, dimensions: 1200 mm x 800 mm x 1360 mm. S/s switch cabinet, dimensions: 2000 mm x 1050 mm x 800 mm.	6500
33	Fuji Machinery Co. Ltd.	Fuji Machinery Co. Ltd. Flowpacker with PBI Dansensor gas mixing station, model: FW3710BS/B, serial number: 001108, year of construction: 07/2012, 200 V, 3 Ph, 50/60 Hz, 30 A, plastic belt, belt width: 240 mm, seal width: 300 mm, total dimensions: 3600 mm x 1270 mm x 1580 mm. Including Multivac infeed conveyor, plastic belts, belt width: 280 mm and (2x) 80 mm, total dimensions infeed conveyor: 4750 mm x 900 mm x 1400 mm.	3500
34	Videojet	Videojet inkjet printer, model: 1880, serial number: 21354006C61ZH, year of construction: 2022, 200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, dimensions: 600 mm x 350 mm x 1300 mm. Including plastic crate with extra parts.	3000
35	Fuji Machinery Co. Ltd.	Fuji Machinery Co. Ltd. Flowpacker with PBI Dansensor gas mixing station, model: FW3710, serial number: 124 401,	5000



Nr	Title	Description	Start €
		distance between dividers: 330 mm, seal width: 300 mm, plastic belt, belt width: 240 mm, total dimensions: 4900 mm x 1200 mm x 2150 mm.	
36	Multivac	Multivac thermoformer capable for soft / hard film and vacuum gas skin packaging, type: R260, number: 1965, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 52 A, 19 kW, film width: 420 mm, plastic belt, belt width: 350 mm, index: 254 mm, cutting width: 381 mm, dimensions dye: Ø (6x) 112 mm, total dimensions: 6000 mm x 1200 mm x 2200 mm. Including Busch vacuum pump: RA 0302 D 5H3, year of construction: 2017, capacity: 300 m ³ per hour and crate with dye, dimensions dye's: (6x) 112 mm x 109 mm.	8000
37	GEA	GEA smoked sausage filling machine, type: RWF, serial number: 245/0173, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 25 A, 32.5 kW. Technical condition unknown. Lot is professionally dismantled.	7000
38	Ishida	Ishida infeed conveyor, type: BUFFER INFEED CONVEYOR, serial number: 581429, year of construction: MARCH 2015, 230 V, 50 Hz, 200 kg, plastic mesh belt, dimensions: 2000 mm x 1000 mm x 1000 mm.	950
39	Ishida	Ishida traysealer, model: QX1100 FLEX, year of construction: 11-2012, 380-415 V, 3 Ph, 50-60 Hz, weight: 3000 kg, clearance: 550 mm x 120 mm, plastic belt, belt width: (2x) 200 mm, dimensions: 4500 mm x 1600 mm x 2100 mm. Including 1 pallets with dye set.	2500
40	Ishida	Ishida traysealer, model: QX1100 SPLIT DUAL LANE, 380-415 V, 3 Ph, 50-60 Hz, clearance: 550 mm x 120 mm, plastic belt, belt width: (2x) 200 mm, dimensions: 4500 mm x 1600 mm x 2100 mm. Including 1 pallet with dye set.	2500
41	Ishida	Ishida traysealer, model: QX1100 SPLIT SL & TL, serial number: 560010854, year of construction: JULY 2016, 380-415 V, 3 Ph, 50-60 Hz, clearance: 550 mm x 120 mm, plastic belt, belt width: (2x) 200 mm, dimensions dye: (6x) 180 mm x 125 mm, weight: 3000 kg, dimensions: 4500 mm x 1600 mm x 2100 mm. Including pallet with 1 dye set and set with grippers.	2500
42	Handtmann	Handtmann mobile linking machine, type: 241-01, number: 677, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 7.3 A, 5 kW, dimensions: 1750 mm x 800 mm x 1360 mm.	5000
43	Handtmann	Handtmann mobile hanging line, type: 220-16, number: 10701940, year of construction: 2011, dimensions: 2500 mm x 700 mm x 1500 mm.	1500
44	Tipper Tie Technopack	Tipper Tie Technopack clipper, type: TC 107-F-2.0-HA-848-136, dimensions: 350 mm x 200 mm x 820 mm.	300
45	Reich	Reich 200 liter meat bin washer with lifter, year of construction: 2013, clearance: 850 mm x 740 mm, belt width: 770 mm, total dimensions: 9200 mm x 1550 mm x 2050 mm. Including lifter for meat bins, type: Wender,	7500



Nr	Title	Description	Start €
		number: 1246, dimensions: (2x) 1550 mm x 1450 mm x 2160 mm.	
46	Handtmann	Handtmann mobile linking and hanging line, type linking machine: 241-01, number: 787, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 7.3 A, 5 kW, type hanging line: 220-16, number: 10701969, year of construction: 2012, dimensions linking machine: 1750 mm x 800 mm x 1400 mm, dimensions hanging line: 2450 mm x 600 mm x 1400 mm. Including s/s trolley with parts.	5900
47	Würschum	Würschum depositor on s/s table, type: TOUCHFILL 1000-UA-MV, number: 13 03-7567, year of construction: 2013, dimensions: 1200 mm x 700 mm x 860 mm. Including pallet with parts, dimensions: 1200 mm x 800 mm x 400 mm.	2000
48	Föratec	Föratec cheese breaker, type: BGR203477, serial number: 90627, year of construction: 2023, working width: 900 mm, total dimensions: 1900 mm x 1400 mm x 2350 mm.	3500
49	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: EVM 3006, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 0,75 kW, working width: 540 mm, total dimensions: 540 mm x 900 mm x 1050 mm.	750
50	Inotec GmbH	Inotec GmbH mobile sausage cutter, type: WT99-iT, machine number: 1 000 000 425, year of construction: 2020, 200/240/400/460 V, 2 Ph, 50/60 Hz, 12/10/6/5 A, 1.6 kW, 290 kg, working hours: 190 cuts, dimensions: 1200 mm x 600 mm x 700 mm.	12500
51	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Divider 400 PLUS, machine number: 53 00S1.61890.102729, year of construction: 2007, 400 V, 16 A, 4.8 kW, weight: 775 kg, plastic outfeed belt, belt width: 340 mm, total dimensions: 2350 mm x 900 mm x 2200 mm. Including 2 pallets with parts and Treif Maschinenbau GmbH knife sharpener, model: HS-380, machine number: 243002.61953.103219, year of construction: 2007, weight: 90 kg.	7500
52	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: DIVIDER 660+, machine number: 660003.244831.144173, year of construction: 2020, 380/480 V, 3 Ph, 50/60 Hz, 32 A, 7.5 kW, weight: 850 kg, plastic outfeed belt, belt width: 420 mm, total dimensions: 2550 mm x 940 mm x 2500 mm. Including 2 pallets with parts and Treif Maschinenbau GmbH knife sharpener, model: HS DIVIDER 440/660, machine number: 024203.61973.144301, year of construction: 2020, weight: 90 kg.	12500
53	Handtmann	Handtmann mobile forming machine, type: FS 510, number: 43345, year of construction: 2019, 400 V, 50 Hz, 9 A, 5.5 kW, weight: 800 kg, plastic belt, belt width: 600 mm, total dimensions: 3470 mm x 1400 mm x 1650 mm. Including 5 crates with parts.	19500
54			5500



Nr	Title	Description	Start €
	Bizerba GmbH & Co. KG	Bizerba GmbH & Co. KG checkweigher with top and bottom labeller, type: GLM-I, number: 10868884, 230 V, 50 Hz, 2.4 A, plastic belts, belt width: 300 mm, total dimensions: 3450 mm x 930 mm x 2050 mm.	
55	CRM s.r.l.	CRM s.r.l. automatic meat slicer, type: SECTOR MATIC 300, 380 V, plastic belt, belt width: 390 mm, distance between knives: 50 mm, dimensions slicer: 3850 mm x 1100 mm x 1550 mm. Including 1 extra set of knives, distance between knives: 50 mm, dimensions trolley: 700 mm x 650 mm x 1230 mm. Including 5 crates with parts.	4500
56	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP15E, number: 1620247, year of construction: 2010, 400-460 V, 37 A, 20 kW, volume hopper: 350 liter, weight: 1300 kg, Busch vacuum pump, dimensions: 2400 mm x 1400 mm x 2150 mm.	12500
57	Günther Maschinebau GmbH	Günther Maschinebau GmbH injector with s/s filter trolley, type: PI 54/105, machine number: 37100, year of construction: 2021, 400 V, 16 A, 6.5 kW, plastic mesh belt, belt width: 340 mm, 105 needles, diameter needles: (105x) 4 mm, type filter trolley: GRF 200 L, total dimensions: 1750 mm x 900 mm x 2600 mm, 1500 mm x 600 mm x 850 mm.	4500
58	NN meat bin	S/s meat bin, volume: 200 liter.	100
59	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 612 K, number: 34390, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 6.5 A, 4.5 kW, dimensions: 1850 mm x 1350 mm x 2050 mm. Including Handtmann linking attachment, type: 60-7, number: 1174 and Handtmann case holding device, type: 410, number: 16003151, year of construction: 2014.	12500
60	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 80, number: 836, year of construction: 2019, 400 V, 3 Ph, 50/60 Hz, 16 A, 3 kW, 5-7 bar, plastic outfeed belt, belt width: 75 mm, total dimensions: 1650 mm x 1000 mm x 2000 mm. Including 2 rolls clips and box with casings.	25000
61	ELS GmbH & Co. KG	ELS GmbH & Co. KG mobile top labeller, model: TL2-DB1319, machine number: 11259, year of construction: 2015, 230 V, 50/60 Hz, 1500 VA, plastic belts, belt width: (2x) 80 mm, total dimensions: 1300 mm x 600 mm x 1860 mm.	1500
62	S+S Technology GmbH	S+S Technology GmbH mobile pipeline metal detector, type: LiquiScan 54/40/216/83, serial number: 11027001075-H / 044013, clearance: Ø 52 mm, total dimensions: 720 mm x 600 mm x 1170 mm.	1500
63	Vemag	Vemag mobile flexible sausage line, type: FSL210, number: 2100363, year of construction: 2020, 400-460 V, 3 Ph, 50/60 Hz, 10 A, weight: 548 kg, dimensions: 2060 mm x 800 mm x 1300 mm.	7500
64	Frey		7500

Nr	Title	Description	Start €
		Frey vacuum filling machine, model: F-LINE F 60, serial number: 111246, dimensions: 1030 mm x 800 mm x 1770 mm. Including linking attachment, case holding device and case spooling device.	
65	Knecht	Knecht knife sharpener, type: W300, machine number: 1590566300, year of construction: 2019, 400 V, 50 Hz, 11 A, 6 kW, weight: 750 kg, dimensions: 1480 mm x 1100 mm x 1730 mm. Including steel water tub and plastic crate with parts.	6500
66	Knecht	Knecht knife sharpener, model: E 50, number: 33046350, year of construction: 2016, 400 V, 50 Hz, 5.6 A, 2.5 kW, dimensions: 2390 mm x 1392 mm x 2190 mm.	8500
67	Webomatic	Webomatic double chamber vacuum machine, type: PNC 20-G-PR, machine number: 539PA3058, 400 V, 3 Ph, 50 Hz, seal length: (2x) 840 mm, dimensions chamber: (2x) 620 mm x 850 mm, total dimensions: 2140 mm x 880 mm x 1500 mm. Including Busch vacuum pump on s/s frame, type: RA 0160 C 461 GQZZ, number: NJ04440101, year of construction: 1996, capacity: 160 m ³ per hour, dimensions: 920 mm x 460 mm x 800 mm.	2500
68	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 250 mm, total dimensions: 2500 mm x 1300 mm x 1270 mm.	850
69	S+S Technology GmbH	S+S Technology GmbH mobile pipeline metal detector, type: LiquiScan VF 54/42/83+4, serial number: 2009-11-H3414, year of construction: 2009, 100-240 VAC, 50/60 Hz, 0.25-0.12 A, clearance: Ø 55 mm, total dimensions: 600 mm x 560 mm x 1270 mm.	1500
70	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 838 S, number: 46953, year of construction: 2021, 380/440 V, 3 Ph, 50/60 Hz, 30.4 A, 20.0 kW, weight: 1500 kg, dimensions: 2400 mm x 1400 mm x 1950 mm. Including Handtmann grinding head.	25000
71	Handtmann	Handtmann vacuum filling machine, type: VF 838 S, number: 38899, year of construction: 2017, 380/440 V, 3 Ph, 50/60 Hz, 30.4 A, 20.0 kW, Busch vacuum pump, weight: 1500 kg, dimensions: 2400 mm x 1400 mm x 1950 mm.	12500
72	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, type: EVM 4004, serial number: M-48301, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 2.15 A, 0.75 kW, working width: 430 mm, dimensions: 900 mm x 700 mm x 1100 mm. Including crate with knives.	950
73	Hermann Wiegand GmbH	Hermann Wiegand GmbH mobile binding machine with s/s work table, type: Hängfix, number: B-20KT 121201, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 0.37 kW, dimensions: 1700 mm x 700 mm x 1330 mm.	750
74	Wiegand Maschinenbau	Wiegand Maschinenbau meat press, model: 30 E, number: 4201, year of construction: 2016, clearance: Ø 115 mm, total dimensions: 1300 mm x 730 mm x 1190 mm.	850



Nr	Title	Description	Start €
75	Baader	Baader separator with NIMO KG lifter for 200 liter meat bins, type Baader: 604-530, machine number: 4806040106, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 21 A, 9.0 kW, s/s mesh belt, belt width: 210 mm, total dimensions: 1650 mm x 1500 mm x 2500 mm. Including NIMO KG lifter for 200 liter meat bins, type: SKV 300 C3-VS, serial number: 12809, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 14 A, lifting height: 2500 mm, total dimensions lifter: 970 mm x 800 mm x 3100 mm and s/s tool trolley with parts and 2 drums, perforations drums: 2 mm and 5 mm, total dimensions trolley: 1450 mm x 850 mm x 1720 mm.	25000
76	Ceia	Ceia metal detector, model: THS, serial number: 20700205005, plastic mesh belt, belt width: 750 mm, clearance: 800 mm x 260 mm, total dimensions: 1900 mm x 1400 mm x 1200 mm.	1500
77	SuperVac	SuperVac shrinking tunnel, type: AS860E, serial number: 2023095, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 90 A, 61.6 kW, plastic mesh belt, belt width: 850 mm, total dimensions: 1750 mm x 1570 mm x 1840 mm.	4500
78	SuperVac	SuperVac drying tunnel, type: BL 15, serial number: 2020106, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 40 A, 16 kW, plastic mesh belt, belt width: 850 mm, s/s mesh belt, belt width: 860 mm, total dimensions: 2140 mm x 1250 mm x 1380 mm.	3500
79	MB Bergmann	MB Bergmann conveyor line, consisting of 5 transport belts, s/s frames, plastic belts, belt width: 755 mm, total dimensions: (4x) 1340 mm x 1100 mm x 1000 mm and 1700 mm x 1100 mm x 1000 mm and s/s switch cabinet, dimensions switch cabinet: 1220 mm x 510 mm x 2500 mm.	3250
80	Multivac	Multivac inliner, model: MBS100, number: 192341, plastic mesh belt, belt width: 380 mm, total dimensions: 1500 mm x 1160 mm x 970 mm. Incomplete.	750
81	Bizerba GmbH & Co. KG / Multiscan Tehcnologies S.L.	Bizerba GmbH & Co. KG / Multiscan Technologies X-Ray scanner, model: MULTISCAN MXV-PACK 4015, serial number: 1910, year of construction: 2015, 230 V, 1 Ph, 50/60 Hz, 8.6 A, 2 kW, weight: 600 kg, plastic belt, belt width: 430 mm, clearance: 450 mm x 170 mm, total dimensions: 1270 mm x 1050 mm x 1840 mm. Including rejector, plastic belt, belt width: 410 mm, total dimensions rejector: 1300 mm x 820 mm x 1160 mm.	3500
82	Bizerba GmbH & Co. KG / Multiscan Tehcnologies S.L.	Bizerba GmbH & Co. KG / Multiscan Technologies X-Ray scanner, model: MXV-PACK 4015, serial number: 2192, year of construction: 2016, 230 V, 1 Ph, 50/60 Hz, 8.6 A, 2 kW, weight: 600 kg, plastic belt, belt width: 430 mm, clearance: 450 mm x 170 mm, total dimensions: 1270 mm x 1050 mm x 1840 mm. Including rejector, plastic belt, belt width: 410 mm, total dimensions rejector: 1300 mm x 820 mm x 1160 mm.	3500



Nr	Title	Description	Start €
83	NN centrifugal pump	Centrifugal pump with WEG motor, dimensions: 990 mm x 380 mm x 450 mm.	450
84	Baader	Baader infeed installation with lifter for 200 litres meat bins and working platform, type: 512, machine number: 12-6771-0512, 380 V, 3 Ph, 50 Hz, dimensions outfeed: 360 mm x 360 mm, total dimensions: 5900 mm x 1600 mm x 3600 mm.	2500
85	Sepamatic	Sepamatic separator, type: SEPA 2000 V, machine number: 196093, 400 V, 50 Hz, 11 kW, 22 A, diameter drum holes: 10 mm, diameter drum: 300 mm, total dimensions: 1500 mm x 1450 mm x 1550 mm.	8500
86	NN elevating belt	Elevating belt, plastic belt, belt width: 300 mm, elevating height: 1730 mm, total dimensions: 2000 mm x 400 mm x 1800 mm.	500
87	Baader	Baader separator, type: 699 S, machine number: 12-7050-0699, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 15.0 A, diameter drum holes: 10 mm, diameter drum: 280 mm, total dimensions: 1500 mm x 1450 mm x 1700 mm. Including s/s trolley with extra drum parts.	7500
88	Selo	Selo slicer with Franz slicing unit, type: AE0178665, serial number: 046, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 5.5 kW, 6 bar, 140 l/min, empty weight: 1150 kg, clearance infeed: (2x) Ø 105 mm, clearance output: (4x) 120 mm x 80 mm, Franz slicing unit type: MST 64/580 OS, machine number: 1160/1, year of construction: 2019, 400 V, 0.75 kW, 4 knife sets, 28 knives per set, distance between knives: 0,5 mm, total dimensions: 2400 mm x 1800 mm x 3000 mm. Including 2 trolleys for knives, dimensions trolley: (2x) 800 mm x 700 mm x 1000 mm and transport belt, s/s frame, plastic belt.	5500
89	Wolf Power Systems	Wolf Power Systems combined heat and power plant, type: GTK 50E08, year of construction: 2021, 400 VAC, 3 Ph, 50 Hz, electrical output: 50 kW, thermal output: 90 kW, power input (fuel input): 146 kW, fuel: Natural Gas H, gas connection pressure range: 25–60 mbar, maximum operating pressure: 4 bar, maximum flow temperature: 90 °C. Never used, no operating hours. Dimensions plant: 2880 mm x 1020 mm x 2000 mm. Including s/s switch cabinet, dimensions: 1000 mm x 410 mm x 2000 mm.	15000
90	Inotec GmbH	Inotec GmbH emulsifier, I225CD-132D, machine number: 200-01165, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 242 A, 151 kW, weight: 1130 kg, dimensions: 2880 mm x 1020 mm x 2000 mm. Including 2 pallets with parts.	9500
91	NN meat bin	S/s meat bin, volume: 200 liter.	100
92	Meissner	Meissner cutter with lifter for 200 liter meat bins and ejector, model: RS 325, s/s bowl, volume: 325 liter, s/s knives, dimensions: 3550 mm x 2500 mm x 1890 mm. Including s/s tool trolley, dimensions tool trolley: 1280 mm x 960 mm x	5000



Nr	Title	Description	Start €
		860 mm, s/s switch cabinet, dimensions switch cabinet: 1600 mm x 430 mm x 1300 mm and pallet with parts.	
93	Kaufler	Kaufler mobile slicer, type: KR 370/120, number: 1210092, year of construction: 2008, 400 V, 6 bar, infeed clearance: (2x) 100 mm x 100 mm, dimensions: 2000 mm x 1300 mm x 1000 mm.	6000
94	Laska	Laska mobile elevating screw, type: SF 2633, number: H 170, year of construction: 1996, 380/400 V, 3 Ph, 50 Hz, 5.6 A, 2.4 kW, screw width: 260 mm, tier: 220 mm, elevating height: 1300 mm, total dimensions: 3400 mm x 1400 mm x 1650 mm.	1500
95	Inotec GmbH	Inotec GmbH emulsifier, type: I175CK-90D, machine number: 101-01336, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 169 A, 104 kW, weight: 750 kg, diameter knife: 175 mm, dimensions: 1800 mm x 1150 mm x 1220 mm. Including crate with parts.	9500
96	NN meat bin	S/s meat bin, volume: 300 liter.	120
97	Laska	Laska mobile emulsifier, type: FZ 175, machine number: 15367, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 155 A, 91 kW, dimensions: 2040 mm x 1170 mm x 1330 mm. Including crate with parts.	9500
98	Boge	Boge air compressor, type: S 60-2, machine number: 5024879, year of construction: 2008, capacity: 6.3 m ³ per minute, dimensions: 1620 mm x 960 mm x 1940 mm.	1000
99	Boge	Boge air compressor, type: S 60, machine number: 47755, year of construction: 2002, capacity: 5.25 m ³ per minute, dimensions: 1620 mm x 960 mm x 1440 mm.	1000
100	Boge	Boge air compressor, type: S 100-2, machine number: 5030659, year of construction: 2009, capacity: 10.5 m ³ per minute, maximum pressure: 10 bar, dimensions: 2000 mm x 1070 mm x 1450 mm.	1250
101	Boge	Boge air compressor, type: S 50, machine number: 22724, year of construction: 1996, capacity: 4.45 m ³ per minute, dimensions: 1620 mm x 960 mm x 2040 mm.	1000
102	Boge	Boge air compressor, type: S 60-2, machine number: 5024878, year of construction: 2008, capacity: 6.3 m ³ per minute, dimensions: 1620 mm x 960 mm x 2040 mm.	1000
103	Velati VbA	Velati VbA mixing installation consisting of: Velati VbA double shaft paddle-mixer, type: MISCELATORE LT2000, machine number: 349/88, 380 V, 50 Hz, volume: 2000 litres Double shaft paddle-mixer, inside dimensions: 1900 mm x 1050 mm x 500 mm Elevating screw, screw width: 330 mm, tier: 290 mm Outfeed conveyor, plastic belt, belt width: 500 mm Total dimensions: 5000 mm x 4800 mm x 3400 mm.	8500
104	NN infeed conveyor system	Infeed conveyor system, consisting of: 2 indeed conveyors, s/s frame, plastic belts, belt width: (2x) 250 mm and 760 mm, total dimensions infeed conveyors: (2x) 3300 mm x 1400 mm x 1330 mm and 1 transport belt, s/s frame, plastic belt, belt	1500



Nr	Title	Description	Start €
		width: 250 mm, total dimensions transport belt: 3050 mm x 500 mm x 1300 mm. Including crate with parts.	
105	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: TWISTER, machine number: 041208.183436.124214, year of construction: 2015, 380-480 V, 3 Ph, 50/60 Hz, 16 A, 4.5 kW, dimensions chamber: 120 mm x 120 mm, plastic outfeed belt, belt width: 250 mm, total dimensions: 1900 mm x 1600 mm x 1250 mm. Including pallet with grids and crate with parts.	4500
106	Günther Maschinebau GmbH	Günther Maschinebau GmbH injector with s/s filter trolley, type: PI 54/105, machine number: 32561, year of construction: 2014, 400 V, 16 A, 6.5 kW, plastic mesh belt, belt width: 340 mm, 54 needles, diameter needles: (54x) 4 mm, total dimensions: 1750 mm x 900 mm x 2600 mm. Including mobile filter tub.	4500
107	DWC	DWC weighing scale, model: YES 701, serial number: 20221380, year of construction: 2021, 240 V, 5 A, weighing range: 20-3000g, e=1g, T -3000g, dimensions: 400 mm x 1000 mm x 1600 mm.	500
108	Foss Analytical A/S	Foss Analytical A/S mobile inline x-ray analyser, model: MeatMaster II, serial number: 91873338, year of construction: 2021, 220-240 VAC, 50-60 Hz, 1500 VA, plastic belt, belt width: 620 mm, clearance: 480 mm x 260 mm, total dimensions: 2550 mm x 1000 mm x 2250 mm. Including s/s tool trolley, dimensions tool trolley: 1150 mm x 950 mm x 2030 mm.	12500
109	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH mobile tenderizer, type: GT 400 S, number: 29194, year of construction: 2005, 400 V, 16 A, 1 kW, working width: 390 mm, plastic belt, belt width: 400 mm, total dimensions: 1500 mm x 1300 mm x 1380 mm. Overhauled in 2023.	4000
110	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: PUMA 700 F/FB (HS), serial number: 019219.239432. 144524, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 8.2 A, 3.5 kW, clearance: 220 mm x 240 mm., weight: 285 kg, total dimensions: 2100 mm x 900 mm x 1480 mm.	4500
111	Weber	Weber slicer line consisting of: Weber slicer, type: CCS 304, serial number: 561, year of construction: 09/2006, 400 V, 50 Hz, 5 kW, 6 bar, maximum cutting width: 400 mm, weight: 1010 kg, total dimensions: 2800 mm x 1100 mm x 2000 mm. Weber weighing unit, type: CCW, dimensions: 480 mm x 920 mm x 1170 mm. Weber rejecting belt, type: CCR, dimensions: 480 mm x 920 mm x 1170 mm. Weber transport belt, type: CCU, dimensions: 1000 mm x 2600 mm x 1140 mm. Weber knife sharpener, type: MSG 460, number: 237, 380 V, 50 Hz, 0.18 kW, weight: 50 kg, dimensions: 700 mm x 700 mm x 700 mm.	7500
112	Pulsotronic	Pulsotronic checkweigher with metal detector and double rejector, type: CW2, serial number: 90007328, year of	3500



Nr	Title	Description	Start €
		construction: 2018, 230 V, 50 Hz, weighing range: 50-1.000 gram, type metal detector: M-Pulse 2 BD-HD 350x150 LPW MFT, serial number: 90007264, year of construction: 2018, total dimensions: 2700 mm x 1130 mm x 1200 mm.	
113	Handtmann	Handtmann vacuum filling machine with linking attachment and case holding device, type: VF610, serial number: 18125, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 5.1 A, weight: 475 kg, with Busch vacuum pump, total dimensions: 1200 mm x 1220 mm x 2000 mm.	7500
114	Pulsotronic	Pulsotronic metal detector on elevating belt, type belt: Transportband HQ 2500x500 Thermo Gurt, serial number: 80000664, year of construction: 2020, 230 V, 1 Ph, 50-60 Hz, type metal detector: M-Pulse2 BD-HD 600x300 HPW MFT, serial number: 90006653, year of construction: 2020, total weight: 300 kg, total dimensions: 2500 mm x 1000 mm x 1600 mm.	1500
115	Ekomex	Ekomex double shaft cooking paddle mixer, type: ML 1500G, serial number: 16220090022, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 16 kW, weight: 2300 kg, volume: 1500 liter, capacity: 900-1000 kg, dimensions: 3200 mm x 2500 mm x 2950 mm. Including Ekomex lifter for 200 liter meat bins, type: ZM200K, serial number: 10122090664, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 1.1 kW, capacity: 250 kg, weight: 220 kg, dimensions: 1180 mm x 960 mm x 2750 mm.	17500
116	Multivac	Multivac thermoformer, type: R225, serial number: 300092, year of construction: 2020, 400/230 V, 3 PH, 50 Hz, 35 A, 14 kW, Busch vacuum pump, type: RA 0250, dimensions dye: 80.25 mm x 102 mm x 30 mm, film width: (top) 420 mm and (bottom) 422 mm, MR labelling unit, type: MR 6000, total dimensions: 7755 mm x 1425 mm x 1925 mm.	25000
117	TipperTie Technopack	TipperTie Technopack mobile double clipper, model: KDCM 90, serial number: 4805.407.511, year of construction: 2011, 230 V, 1 Ph, 50/60 Hz, 16 A, maximum pressure: 6 bar, weight: 100 kg, caliber: 25-85 mm, dimensions: 1250 mm x 700 mm x 1800 mm.	1800
118	Rühle	Rühle injector / steaker, model: IR 59, serial number: 30080018, year of construction: 2020, 400 V, 3 Ph, 50/60 Hz, 21.4 A, 10.1 W, 59 needles, s/s mesh belt, belt width: (2x) 345 mm, clearance: 720 mm x 280 mm, weight: 900 kg, total dimensions: 1300 mm x 1950 mm x 1950 mm. Including s/s mobile filter tub.	12000
119	Peukert	Peukert smoke chamber for 1 trolley, model: Finish Roboter 200, friction smoke, electric heated, inside dimensions: 1100 mm x 1050 mm x 2050 mm, total dimensions: 1200 mm x 1200 mm x 2800 mm.	1000
120	Peukert	Peukert smoke chamber for 1 trolley, model: Finish Roboter 200, friction smoke, electric heated, inside dimensions: 1100	1000



Nr	Title	Description	Start €
		mm x 1050 mm x 2050 mm, total dimensions: 1200 mm x 1200 mm x 2800 mm.	
121	Asca Consulting GmbH	Asca Consulting GmbH autoclave, type: AUTOKLAV "ASCAMAT" 240, number: 0902300121, year of construction: 2009, 400 V, 50 Hz, 18.0 kW, maximum pressure: 2.5 bar, maximum temperature: 130 °C, volume: 240 liter, electric heated, dimensions: 860 mm x 960 mm x 950 mm.	750
122	Loma / Laska	Loma mobile metal detector with Laska elevating belt, model Loma: IQ ³ +E Metal Detector, serial number: QEU75-35-34022D, year of construction: 2016, 110-240 V, 1 Ph, 50/60 Hz, 0.5-1.0 A, type Laska: Conveyor Belt FBK 6030, machine number: 15548, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 2.5 A, 1 kW, plastic belt with dividers, belt width: 590 mm, elevating height: 2131 mm, total dimensions: 3656 mm x 1200 mm x 2200 mm.	3500
123	Laska	Laska frozen block grinder, type: Mincer WWB 200, machine number: 15549, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 126 A, 67 kW, plate diameter: 200 mm, total dimensions: 2400 mm x 1500 mm x 1700 mm. Including s/s tool trolley, dimensions tool trolley: 1600 mm x 1500 mm x 1800 mm.	22500
124	Laska	Laska elevating belt, type: Conveyor Belt FBS 6080 X, machine number: 15550, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 2.5 A, 1 kW, pneumatic lifted, height adjustable from 1300 mm to 2700 mm, total dimensions: 7200 mm x 900 mm x 1300 mm.	1250
125	Laska	Laska cooled double shaft paddle mixer, type: Mixer ME 1000 PPAB, machine number: 15552, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 16 A, 8 kW, volume: 1000 liter, weight: 2750 kg, dimensions: 1400 mm x 2100 mm x 2500 mm.	17500
126	Laska	Laska cooled double shaft paddle mixer, type: Mixer ME 1000 PPAB, machine number: 15553, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 16 A, 8 kW, volume: 1000 liter, weight: 2750 kg, dimensions: 1400 mm x 2100 mm x 2500 mm.	17500
127	Laska	Laska transport belt, type: Conveyor Belt, FBV 6020 X, machine number: 15554, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 2.5 A, 1 kW, plastic belt, weight: 250 kg, dimensions: 2165 mm x 795 mm x 1200 mm.	750
128	Laska	Laska control panel and s/s switch cabinet for complete line, year of construction: 2016, dimensions control panel: 500 mm x 500 mm x 1300 mm, dimensions switch cabinet: 1100 mm x 400 mm x 2000 mm.	750
129	Laska	Laska transport belt, type: Conveyor Belt FBV 6020 X, machine number: 15555, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 2.5 A, 1 kW, plastic belt, weight: 250 kg, dimensions: 2165 mm x 790 mm x 1210 mm.	750
130	Laska	Laska mobile elevating belt, type: Conveyor Belt FBS 6070 X, machine number: 15556, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 2.5 A, 1 kW, plastic belt, pneumatic lifter, in height	1250



Nr	Title	Description	Start €
		adjustable, weight: 550 kg, total dimensions: 6000 mm x 1600 mm x 1500 mm.	
131	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, model: VF 620, number: 43782, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 11.5 A, 8.0 kW, Busch vacuum pump, dimensions: 2830 mm x 1350 mm x 2065 mm.	17500
132	Handtmann	Handtmann mobile linking machine, type: PVLH 246, number: 43779, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 8.3 A, 5.5 kW, capacity: 2500 portions per minute, kaliber: 13*50 mm, weight: 450 kg, dimensions: 3000 mm x 1500 mm x 1400 mm.	8500
133	Handtmann	Handtmann mobile hanging line, type: AHE 242-16, number: 10905912, year of construction: 2019, weight: 210 kg, dimensions: 3000 mm x 500 mm x 1200 mm.	2000
135	CFS Slagelse A/S	CFS Slagelse A/S lifter for 600 liter tubs, model: CFS ColumnLoader 1000 S, number: 50000065117, year of construction: 2006, weight: 490 kg, dimensions: 700 mm x 1000 mm x 4200 mm. Including s/s mobile tub, volume: 600 liter, dimensions tub: 1100 mm x 1200 mm x 1200 mm.	2500
136	CFS Slagelse A/S	CFS Slagelse A/S frozen block grinder, type: AUTOGRIND-280, machine number: 5000064238, year of construction: 2005, 400 V, 50 Hz, 223.04 A, 116.5 kW, diameter plate: 280 mm, weight: 5000 kg, dimensions: 2930 mm x 1280 mm x 1950 mm. Including s/s trolley with large amount of tools, dimensions tool trolley: 1200 mm x 600 mm x 1400 mm and s/s platform, dimensions platform: 2900 mm x 1200 mm x 1800 mm.	15000
137	Carnitech	Carnitech lifter for 200 liter meat bins, type: I 25, number: 09 4844, year of construction: 2008, 400 V, 3 Ph, 0.75 kW, capacity: 350 kg, weight: 250 kg, dimensions: 1000 mm x 800 mm x 3000 mm.	1200
138	CFS Slagelse A/S	CFS Slagelse A/S double shaft paddle mixer, type: UNIMIX I 1500, machine number: 5000065113, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 28.6 A, 15 kW, volume: 1500 liter, weight: 3500 kg, dimensions: 3400 mm x 1600 mm x 2200 mm. Including s/s switch cabinet, dimensions switch cabinet: 1000 mm x 400 mm x 1000 mm.	8500
139	CFS Aalborg A/S	CFS Aalborg A/S lifter for 200 liter meat bins, type: 300 S, serial number: 10323, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 2.0 A, 1.4 kVA, capacity: 300 kg, lifting height: 2255 mm, total dimensions: 665 mm x 500 mm x 3120 mm.	1200
140	Inotec GmbH	Inotec GmbH mobile emulsifier, type: 1175CD-90D, machine number: 101-00837, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 169 A, 105 kW, 118 kVA, weight: 750 kg, dimensions: 1920 mm x 1150 mm x 1400 mm. Including pallet with large amount of knives and plates.	9000
144	Heinrich Stein		500



Nr	Title	Description	Start €
		Heinrich Stein s/s cooking kettle, serial number: 92, year of construction: 1998, 220 V, 50 Hz, 0.5 kW, inside dimensions: 1080 mm x 870 mm x 500 mm, total dimensions: 1350 mm x 1200 mm x 900 mm.	
145	Peukert	Peukert s/s cooking kettle, capacity: 300 liter, inside dimensions: 850 mm x 850 mm x 450 mm, total dimensions: 1030 mm x 1220 mm x 950 mm.	500
146	Fessmann	Fessmann s/s cooking kettle, dimensions: 1000 mm x 1300 mm x 1100 mm. Including control panel.	500
147	NN baskets	4 s/s baskets with 2 s/s trolleys, dimensions baskets: (4x) 860 mm x 780 mm x 360 mm.	400
148	Vemag	Vemag vacuum filling machine, type: HP 20 E, number: 1630308, year of construction: 2010, 400-460 V, 20 kw, weight: 1400 kg, dimensions: 2400 mm x 1400 mm x 2150 mm.	14500
149	Poly Clip Systeme GmbH & Co KG	Poly Clip Systeme GmbH & Co KG mobile automatic double clipper, type: FCA80, number: 159, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 3 kW, weight: 350 kg, dimensions: 1650 mm x 1000 mm x 2000 mm.	12500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles it to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

