Industrial Auctions

2335: Online auction machinery for the food industry in Boxtel (NL)

END DATE
04 November 2026 14:00

General terms and conditions of the online auction

End date	04 November 2026 from 14:00 hrs.
Viewing days	03 November 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	11 November 2026 from 09:00 till 16:00 hrs.
Pick up address	Schouwrooij 29 5281 RE Boxtel Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.

Nr	Title	Description	Start €
1	Pattyn	Pattyn apple counting system, consisting of: Ammeraal Beltech elevating belt with dividers on s/s frame, serial number: 245, infeed clearance: 470 mm x 600 mm, plastic belt, belt width: 470 mm, divider width: (2x) 200 mm, divider height: (2x) 45 mm, distance between dividers: 160 mm, elevating height: 2300 mm, total dimensions: 3300 mm x 900 mm x 3300 mm. Pattyn vibration counting machine, type: DLBI, serial number: 1449M000, year of construction: 11/2015, 400 V, 50 Hz, 6 Bar, working width: 520 mm, 4 lanes, lane width: 120 mm x 70 mm, total dimensions: 2200 mm x 900 mm x 1150 mm. S/s platform with stairs, working height: 2120 mm, total dimensions: 2300 mm x 4850 mm x 3250 mm. Switch cabinet, dimensions: 1300 mm x 400 mm x 1900 mm.	7500
2	Manter	Manter bag filling and closing machine, type: WB-Le SA, serial number: 215-258, year of construction: 11-2015, 400 V, 3 Ph, 50 Hz, 9 A, weight: 350 kg, filling clearance: 100 mm x 150 mm, plastic belt, belt width: 300 mm, bag width: 240 mm, with Kwik Lok corporation automatic bag closing machine, type: 865A, model: AKM57NRPL, serial number: 94950-2012, total dimensions: 1500 mm x 1420 mm x 2040 mm. Including Busch vacuum pump, type: RA 0063 F 503, serial number: D15240221, year of construction: 2015, Vmax: 76 m³/h, dimensions: 750 mm x 380 mm x 540 mm.	6000
3	Risco	Risco vacuum filling machine with linking attachment, model: RS1040/150 C, serial number: A269011, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 4.4 kW, weight: 540 kg, Busch vacuum pump, type: KC 0016 E 3Z0, dimensions: 1000 mm x 960 mm x 1670 mm.	2000
4	Mado	Mado mobile mixer-grinder, type: MEW 723, model: Ultra Mono, number: 109724, year of construction: 2011, 230/400 V, 3 Hz, 50 Hz, 24.4/14.6 A, 6.6 kW, plate diameter: 110 mm, plastic screw, total dimensions: 1260 mm x 800 mm x 1500 mm.	3000
5	Girbau	Girbau industrial towel folding machine, type: FT-POLY 4, serial number: PAV 897, year of construction: 2013, dimensions: 4470 mm x 1500 mm x 1960 mm.	2500
6	Eillert	Eillert vegetable slicer, type: BL-1000 A, machine number: 129, year of construction: 2000-44, 400 V, 3 Ph, 3.8 A, dimensions: 1500 mm x 860 mm x 1730 mm.	1500
7	Kiremko	Kiremko brushing machine, screw diameter: 600 mm, tier: 300 mm, brush length: 2200 mm, total dimensions: 3500 mm x 1800 mm x 1900 mm.	4000
8	Treif	Treif mobile bread slicer, type: 2604, model: Pegasus, machine number: 260405.60791.0274, year of	500

Nr	Title	Description	Start €
		construction: 1996, 400/230 V, 50 Hz, 2.5/10 A, 0.75 kW, weight: 190 kg, clearance: 150 mm x 200 mm, dimensions: 1000 mm x 640 mm x 1150 mm.	
9	Treif	Treif slicer, type: 1090, machine number: 109002.6001.0339, year of construction: 1987, 380 V, 3 Ph, 50 Hz, 7/16 A, chamber dimensions: 180 mm x 180 mm, total dimensions: 2440 mm x 780 mm x 1250 mm.	900
10	Treif	Treif slicer, chamber dimensions: 180 mm x 180 mm, total dimensions: 2440 mm x 780 mm x 1250 mm.	900
11	NN bandsaw	Bandsaw, dimensions: 630 mm x 630 mm x 1590 mm.	500
12	Bizerba	Bizerba bandsaw, type: FK 23, serial number: 10760805, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 2.3 A, dimensions: 600 mm x 520 mm x 1560 mm.	500
13	Electrolux	Electrolux blast chiller, model: RBC051, serial number: 33610001, year of construction: 2013, 230 V, 1 Ph, 50 Hz, refrigerant: R134a, 0.66 kg, dimensions: 760 mm x 700 mm x 850 mm.	250
14	Electrolux	Electrolux blast chiller, model: RBC051, serial number: 51110001, year of construction: 2015, 230 V, 1 Ph, 50 Hz, refrigerant: R134a, 0.48 kg, dimensions: 760 mm x 700 mm x 850 mm.	250
15	Electrolux	Electrolux blast chiller, model: RBC051, serial number: 10507001, year of construction: 2011, 230 V, 1 Ph, 50 Hz, refrigerant: R134a, 1.1 kg, dimensions: 760 mm x 700 mm x 850 mm.	400
16	Electrolux	Electrolux blast chiller, model: RBC051, serial number: 10707001, year of construction: 2011, 230 V, 1 Ph, 50 Hz, refrigerant: R134a, 1.1 kg, dimensions: 760 mm x 700 mm x 850 mm.	350
17	Maja-Maschinenfabrik	Maja-Maschinenfabrik ice machine with plastic tub, dimensions: 1210 mm x 790 mm x 1900 mm.	1000
18	Wiesheu GmbH	Wiesheu GmbH oven with hood, type: B8TS200 (A), serial number: 96281, year of construction: 2004-02, 400 V, 3 Ph. 50/60 Hz, 26.6 A, 18.4 kW, 8 floors, floor dimensions: 620 mm x 400 mm, total dimensions: 1100 mm x 930 mm x 2050 mm.	300
19	Küppersbusch	Küppersbusch combisteamer, type: KEG0105, serial number: 698951 K 002017-510535001-9906, 230 V, 3 Ph, 50 Hz, 18.9 kW, 10 floors, floor dimensions: 550 mm x 320 mm, total dimensions: 970 mm x 870 mm x 1930 mm.	400
20	Duurland b.v.	Duurland b.v. salad spinner, type: duet, number: 8165, year of construction: 1989, 380 V, 0.37 kW, dimensions: 600 mm x 550 mm x 1200 mm.	500
21	Talsa	Talsa mobile mixer, model: MIX-80P, serial number: 110199, year of construction: 2011, 230/400 V, 3 Ph,	300

Nr	Title	Description	Start €
		50 Hz, 2.3/4.1 A, 0.8 kW, volume: 80 liter, dimension: 860 mm x 620 mm x 1100 mm.	
22	Tefcold	Tefcold freezer, model: UFSC370G, serial number: (01)05708181993054(11)210906(21)0005, 230 V, 50 Hz, 4 A, refrigerant: R290, dimensions: 640 mm x 600 mm x 1830 mm.	50
23	Rational	Rational combisteamer, type: CD 201, serial number: 20165020125, 380 V, 3 Ph, 50 Hz, 36.6 kW, dimensions: 950 mm x 900 mm x 1800 mm. Damaged.	1000
24	LG	LG heat pump, type: ZRUM080LTE6, dimensions: 950 mm x 770 mm x 1750 mm. Never used.	2000
25	Systec	Systec autoclave, type: VE-75, serial number: 2711, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 15.5 A, volume: 80 liter, dimensions: 780 mm x 550 mm x 950 mm.	1000
26	Koppens	Koppens belt fryer, type: BR 4500/600, machine number: 1219, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 27 A, 13 kW, s/s belt, belt width: 600 mm, frying length: 4500 mm, total dimensions: 7620 mm x 1620 mm x 1880 mm. Including pallet wiht s/s belt, belt width: 600 mm and s/s switch cabinet, dimensions switch cabinet: 800 mm x 500 mm x 1700 mm. Without transport rollies.	10000
27	Frey Maschinenbau	Frey Maschinenbau vacuum filling machine with lifter for 200 liter meat bins, type: F-Line F223, machine number: F223PT1092864, year of construction: 2014, 400 V, 50/60 Hz, 10.45 kW, Busch vacuum pump, type: RC 0021 C 3Z3, serial number: D18180231, year of construction: 2018, capacity: 24 m^3 per hour, total dimensions: 2000 mm x 1300 mm x 2100 mm. Including box with various parts.	16000
28	Nesto	Nesto frozen block cutter, type: CUT MAX, serial number: 2069, year of construction: 2026, 400 V, 3 Ph, 50 Hz, 5 kW, weight: 530 kg, working width: 470 mm, total dimensions: 2100 mm x 800 mm x 1800 mm. Never used.	20000
29	Tipper Tie Technopack	Tipper Tie Technopack clipper, type: IC 500 61 430 PNME, dimensions: 580 mm x 160 mm x 1720 mm.	500
30	Tipper Tie Technopack	Tipper Tie Technopack clipper, type: IC 500318, dimensions: 580 mm x 160 mm x 1720 mm.	500
31	Pierantognetti & Vio GmbH & Co.KG	Pierantognetti & Vio GmbH & Co.KG double stacked pizza oven, type: PAIZER, machine number: DEAEBR895020045, year of construction: 1995, 400 V, 13.2 kW, dimensions: 900 mm x 1150 mm x 740 mm.	250
32	WP Haton	WP Haton mobile conical rounder, machine number: H711382, year of construction: 1979, 380 V, 50 Hz, 2 A, 0.8 kW, dimensions: 1020 mm x 1000 mm x 1280 mm.	200
33	Bartscher GmbH		100

Nr	Title	Description	Start €
		Bartscher GmbH heated showcase, type: R60-3, 230 V, 50 Hz, 2200 Watt, dimensions: 1200 mm x 500 mm x 800 mm.	
34	Bartscher GmbH	Bartscher GmbH heated showcase, type: Deli-II, 230 V, 50/60 Hz, 1840 Watt, dimensions: 1200 mm x 500 mm x 800 mm.	100
35	Danfoss	Danfoss outside airco unit, serial number: 032775BP3808, 400 V, 50 Hz, 3 Ph, dimensions: 1420 mm x 590 mm x 1800 mm.	500
36	Danfoss	Danfoss outside airco unit, serial number: 032548BP3608, 400 V, 50 Hz, 3 Ph, dimensions: 1420 mm x 590 mm x 1800 mm.	500
37	NN heater	Heater, type: MAN20, 230 V, 50 Hz, 2000 Watt, dimensions: 500 mm x 450 mm x 750 mm.	10
38	Multivac	Multivac mobile traysealer, type: T100, serial number: 209115, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 11.8/16 A, 1.75 kW, dye: 180 mm x 125 mm, film width: 200 mm, total dimensions: 720 mm x 540 mm x 1670 mm. Including gas bottle.	1000
39	Maja-Maschinenfabrik	Maja-Maschinenfabrik ice machine, type: SA 415 S, serial number: I-39202, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 5.4 A, 1.9 kW, refrigerant: R 404A, 2 kg, dimensions: 780 mm x 610 mm x 970 mm.	500
40	NN heater	Heater, model: K35, serial number: LX160321090, year of construction: 2016/03, 230 V, 50 Hz, 2.8 A, dimensions: 470 mm x 400 mm x 520 mm.	50
41	Fenwick	Fenwick electric pallet lifter, type: D08, capacity: 1800 kg, lifting height: 2110 mm, total dimensions: 1970 mm x 720 mm x 1500 mm.	500
42	Blue Drops	Blue Drops heat pump for swimming pool, model: IN-Vert 16KW, 230 V, 1 Ph, 50 Hz, 11.5 A, 11.1/16.1 kW, dimensions: 1050 mm x 400 mm x 700 mm. Never used.	500
43	Blue Drops	Blue Drops heat pump for swimming pool, model: IN-Vert 16KW, 230 V, 1 Ph, 50 Hz, 11.5 A, 11.1/16.1 kW, dimensions: 1050 mm x 400 mm x 700 mm. Never used.	500
44	Embraco	Embraco outside airco unit, model: UP-SE6018GS-EAE00, serial number: 1019352569, 400 V, 3 Ph, 50 Hz, 45.5 A, 120 Watt, dimensions: 1050 mm x 430 mm x 700 mm. Never used.	500
46	Convotherm	Convotherm combisteamer, type: C4eD 6.10 ES, serial number: XS116056353, 400 V, 3 Ph, 50/60 Hz, 15.9 A, 11 kW, 6 floors, floor dimensions: 540 mm x 310 mm, total dimensions: 880 mm x 800 mm x 760 mm.	300
47	Fedegari	Fedegari autoclave, model: FVG2, serial number: NB1557AM, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 9.5 A, dimensions: 700 mm x 650 mm x 980 mm.	1000

Nr	Title	Description	Start €
48	Maja-Maschinenfabrik	Maja-Maschinenfabrik ice machine, type: RVE 200 S, serial number: I-41835, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 1.07 A, 0.28 kW, refrigerant: R404A, dimensions: 910 mm x 510 mm x 520 mm.	500
49	Maja-Maschinenfabrik	Maja-Maschinenfabrik ice machine, type: RVE 400 CO2D, serial number: I-46311, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 1 A, 0.28 kW, refrigerant: R744, dimensions: 1170 mm x 540 mm x 520 mm. Missing cover.	500
50	Hobart	Hobart dishwasher, dimensions: 1400 mm x 810 mm x 1490 mm.	700
51	SES	SES mobile labelling machine, dimensions: 750 mm x 750 mm x 1760 mm.	50
52	Goedhart	Goedhart evaporator, 1 fan, type: SKU38 41634, manufacturing number: PJV071615. VK0701376/270702180, year of construction: 2007, fluid: R404a, maximum work pressure: 28 bar, working temperature: +55/-1^{o}C, volume: 15 dm^{3}, dimensions: 1660 mm x 730 mm x 1080 mm.	150
53	Maja-Maschinenfabrik	Maja-maschinenfabrik mobile skinning machine, type: AEM 438, number: 3669, year of construction: 1993, 380 V, 3 Ph, 50 Hz, working width: 430 mm, total dimensions: 770 mm x 720 mm x 1000 mm.	400
54	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 0259001, year of construction: 2002, 400/230 V, 3 Ph, 50 Hz, 3 kW, dye: (2x) 145 mm x 210 mm, film width: 230 mm, total dimensions: 4550 mm x 700 mm x 1750 mm.	750
55	NN tub	S/s mobile tub, dimensions: 1000 mm x 950 mm x 1010 mm.	200
56	NN tub	S/s mobile tub, dimensions: 1000 mm x 950 mm x 1010 mm.	200
57	NN tub	S/s mobile tub, dimensions: 1000 mm x 950 mm x 1010 mm.	200
58	Bizerba	S/s mobile frame with Bizerba weighing scale, type weighing scale: 50/352, number: 67/513, year of construction: 1987, dimensions: 1000 mm x 950 mm x 1200 mm.	30
59	Silko	Silko show kitchen consisting of: Silko kitchen with pasta cooker and (2x) induction wok, dimensions kitchen: 2000 mm x 800 mm x 1300 mm, s/s hood, dimensions hood: 1900 mm x 1300 mm x 1200 mm, and s/s cabinet with vessel, dimensions cabinet: 300 mm x 270 mm x 800 mm.	400
60	Lutetia	Lutetia vacuum tumbler, serial number: 6732, 220 V, 3 Ph, dimensions drum: Ø 1300 mm x 1600 mm, total dimensions: 2900 mm x 1450 mm x 1950 mm. Without vacuum pump, lids are with the machine.	2000

Nr	Title	Description	Start €
61	Platz	Platz pump, serie: 48975, type: 407336, year of construction: 2002, 400 V, 50 Hz, 8.2 kW, capacity: 72 liter per minute, dimensions: 1140 mm x 760 mm x 1030 mm.	100
62	Carpigiani	Carpigiani mobile ice cream machine, type: LABO 20/30w, serial number: 355451, 380 V, 3 Ph, 50 Hz, 6.6 A, 2 kW, refrigerant: R502, dimensions: 800 mm x 600 mm x 1250 mm.	1300
63	NN film roll holder	Film roll holder, total dimensions: 775 mm x 770 mm x 700 mm.	50
64	Econo Pak	Econo Pak case packing line consisting of: Econo Pak carton denester, type: PH-KT, machine number: 1273/PH, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 10 A, dimensions: 4800 mm x 1400 mm x 2450 mm and Econo Pak box closing machine, type: GVL, machine number: 1273/2, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 14 A, dimensions: 7000 mm x 1200 mm x 2450 mm. Incomplete.	1500
65	Weber Waagenau U. Wägeelktronik GmbH	Weber Waagenau U. Wägeelktronik GmbH mobile bag filling machine, type: Dialog 165V-SWA, fabrication number: 6907, year of construction: 2001, 230/400 V, 50 Hz, weighing range: 0.05-2.5 kg, dimensions: 1350 mm x 1200 mm x 3100 mm.	500
66	Bizerba	3 sets of Bizerba weighing scales with indicator and label printer, model scale: KF D08-09-021, serial number: 10810802, 230 V, 50 Hz, 0.35 A, scale dimensions: 280 mm x 280 mm.	80
67	Frey Maschinenbau	Frey Maschinenbau casing sealer, type: CLIPEX, machine number: CX 0452337, year of construction: 2007, 220 V, 50/60 Hz, 0.7 kW, dimensions: 370 mm x 300 mm x 150 mm	90
68	Ohaus	Ohaus indicator, type: Defender 3000XtremeW, model: T32XW, serial number: B912385294, Nmax: 6000 gram.	30
69	NN stunners	2 stunners, type: N-BT-1.	100
70	Ohaus	Ohaus weighing scale with indicator, model scale: D60VL, serial number: B416519059, capacity: 60 kg, e min: 0.02 kg, n max: 3000 gram, type indicator: Defender 3000XtremeW, scale dimensions: 550 mm x 400 mm.	100
71	Laska	Plastic crate with 6 knives for Laska cutter, dimensions: 600 mm x 400 mm x 200 mm.	10
72	Frey Maschinenbau	Frey Maschinenbau casing sealer, type: CLIPEX, machine number: CX 0130853, year of construction: 2003, 220 V, 50/60 Hz, 0.7 kW, dimensions: 370 mm x 300 mm x 150 mm	90
73	Frey Maschinenbau	Frey Maschinenbau casing sealer, type: CLIPEX, machine number: CX 0130863, year of construction:	90

Nr	Title	Description	Start €
		2003, 220 V, 50/60 Hz, 0.7 kW, dimensions: 370 mm x 300 mm x 150 mm	
74	Bosgraaf	3 Bosgraaf s/s dispensers, dimensions: 280 mm x 250 mm x 400 mm.	10
75	Siat	Siat box closing machine, model: SM11/4.P C, serial number: 39678, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 1.08 A, 260 Watt, dimensions: 2000 mm x 950 mm x 2000 mm.	300
76	Bettcher Industries, Inc.	Bettcher Industries, Inc. trimmer, type: UN-84, number: 95110542, 230 V, 1 Ph, 50 Hz, 2.1 A, 250 Watt, dimensions: 300 mm x 200 mm x 600 mm. Incomplete.	100
77	Bettcher Industries, Inc.	Bettcher Industries, Inc. trimmer, type: UN-84, 230 V, 1 Ph, 50 Hz, 2.1 A, 250 Watt, dimensions: 300 mm x 200 mm x 600 mm. Incomplete.	100
78	Cimbria S.r.l.	Cimbria S.r.l. colour sorting machine, model: CHROMEX-3 TN-TR, serial number: CX3-TN-TRC1680-17, year of construction: 2017, 230 V, 1 Ph, 50-60 Hz, weight: 1060 kg, 6 digital color cameras and additionally 3 NIR and 3 NIR InGaAs cameras for best possible detection, 2 CCD cameras per chute for real color detection, 4,048 pixels, camera resolution 0.07 mm/pixel, number of nozzles: 162, nozzle spacing: 5 mm, automatic interval cleaning of the detection system, chute width: from 810 mm, total dimensions: 1800 mm x 1100 mm x 2300 mm. Including 3 pallets with parts.	10000
79	NN diaphragm	Mobile diaphragm, diameter pipe: 65 mm, total dimensions: 1000 mm x 770 mm x 1350 mm.	600
80	NN diaphragm	Mobile diaphragm, diameter pipe: 65 mm, total dimensions: 760 mm x 1400 mm x 1370 mm. Incomplets.	250
81	Packtech bv	Packtech bv case packer, type: CASE PACKER, machine number: 2002165 (LIJN3), year of construction: 2002, belt width: 180 mm, 400 V, 3 Ph, 50 Hz, 5 kW, plastic belt, belt width: 180 mm, dimensions: 3000 mm x 2600 mm x 2250 mm. Incomplete.	1000
82	Charot	Charot boiler, serial number: 229-98-2, year of construction: 09-93, 400 V, 48 kW, dimensions: 780 mm x 600 mm x 1800 mm.	200
83	Tevopharm	Tevopharm flowpacker with ZodiacES coding attachment, seal width: 190 mm, plastic belt, belt width: 250 mm, total dimensions: 3650 mm x 1150 mm x 2100 mm.	750
84	Searle	Searle evaporator, 2 fans, model: DSR116-6 AL, serial number: 928888, maximum work pressure: 21 bar, 220/240 V, 1 Ph, 50 Hz, 70 W, dimensions: 2530 mm x 950 mm x 450 mm.	75

Nr	Title	Description	Start €
85	Helpman	Helpman evaporator, 2 fans, dimensions: 1600 mm x 680 mm x 600 mm.	100
86	NN evaporator	Evaporator, 2 fans, dimensions: 1450 mm x 800 mm x 450 mm.	75
87	Inauen	Inauen VC999 mobile vacuum machine, with Rietschle vacuum pump, type: CLFH 220 (20), dimensions: 1100 mm x 800 mm x 1020 mm. Technical condition unknown.	150
88	Dorit	Dorit tumbler, type: VV-2-300, serial number: 92650-346, 380 V, 3 Ph, 50 Hz, 1.7 A, 0.7 kW, volume: 300 liter, dimensions: 1450 mm x 1000 mm x 1700 mm. Technical condition unknown.	2000
89	NN stairs	S/s stairs, top platform height: 1050 mm, total dimensions: 1500 mm x 600 mm x 1920 mm.	100
90	NN evaporator	Evaporator, 2 fans, dimensions: 1700 mm x 1800 mm x 550 mm.	50
91	Maja-Maschinenfabrik	Maja-maschinenfabrik mobile skinning machine, type: VM EASY-1, serial number: 44696, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, working width: 430 mm, total dimensions: 750 mm x 600 mm x 100 mm.	480
92	NN meat bin	S/s meat bin, volume: 300 liter.	250
93	Selo	Selo mobile steak scorer, type: B.S.R. 240317, serial number: 201701, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 0.3 kW, weight: 150 kg, plastic belt, belt width: 400 mm, working width: 380 mm, total dimensions: 1000 mm x 700 mm x 1050 mm.	750
94	Bedo-Verpackungsmaschinen	Bedo-Verpackungsmaschinen box closing machine, model: VA 300, serial number: 4515, year of construction: 1988, 380 V, 3 Ph, 50 Hz, 2.2 A, adjustable clearance, dimensions: 2100 mm x 1000 mm x 2150 mm.	100
95	Puljolàs	Puljolàs dicer, model: PC300, serial number: 030601, year of construction: 2006, 230 V, dimensions chamber: 640 mm x 180 mm x 115 mm, 3 knifes, distance between knifes: 30 mm, total dimensions: 2370 mm x 600 mm x 950 mm.	1000
96	Helpman	Helpman evaporator, 2 fans, dimensions: 1600 mm x 680 mm x 600 mm.	100
97	Weber	Weber mobile skinning machine, type: ASE 553, number: 869, 230 V, 50 Hz, 0.4 A, working width: 500 mm, total dimensions: 800 mm x 550 mm x 1000 mm. Incomplete.	100
98	Nilfisk	Nilfisk mobile high pressure cleaner, model: Typhoon 50HZ, serial number: 94665, year of construction: 20.09.2013, 380 V, 50 Hz, 4.75 A, weight: 126 kg, max temperature: 70 ^{o}C, maximum water supply: 50 litres	600

Nr	Title	Description	Start €
		per minute, dimensions: 1450 mm x 600 mm x 1020 mm.	
99	Bobet Materiel	Bobet Materiel boot cleaner, type: L.B.M 92E, serial number: 1255, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 0.75 kW, weight: 110 kg, brush length: (2x) 350 mm, total dimensions: 1500 mm x 600 mm x 1280 mm.	400
100	MECAPACK	MECAPACK traysealer, type: Q^2 2500 HSK, serial number: O08757, year of construction: 2020, 400 V, 3 Ph, 6 A, 16 kW, dye: 225 mm x 200 mm, film width: 460 mm, total dimensions: 4400 mm x 1300 mm x 2100 mm. Including outfeed belt, plastic belt, belt width: 460 mm, total dimensions: 1550 mm x 740 mm x 1180 mm and pallet with parts. Dye is incomplete.	4000
101	Silko	Silko show kitchen consisting of: Silko kitchen with pasta cooker and (2x) induction wok, dimensions kitchen: 2000 mm x 800 mm x 1300 mm, s/s hood, dimensions hood: 1900 mm x 1300 mm x 1200 mm, and s/s cabinet with vessel, dimensions cabinet: 300 mm x 270 mm x 800 mm.	400
102	Silko	Silko show kitchen consisting of: Silko kitchen with pasta cooker and (2x) induction wok, dimensions kitchen: 2000 mm x 800 mm x 1300 mm, s/s hood, dimensions hood: 1900 mm x 1300 mm x 1200 mm, and s/s cabinet with vessel, dimensions cabinet: 300 mm x 270 mm x 800 mm.	400
103	Marden Edwards	Marden Edwards flowpacker, type: LX100 FF, machine number: 6420, year of construction: 1999, 400 V, 3 Ph, 50 Hz, dimensions: 2000 mm x 1500 mm x 2400 mm. Incomplete.	750
104	Delta Technics Engineering B.V.	Delta Technics Engineering B.V. evaporator, 3 fans, model: DS263, serial number: SIA40099-04, 220 V, 50 Hz, dimensions: 1500 mm x 720 mm x 250 mm	100
105	Bitzer Kühlmaschinenbau GmbH	Carrier compressor rack with 3 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) HSK6461-60-40P, serial number: 1079100320, 1079100321, 1079100318, capacity: 165/198 m^3 per hour, year of construction: 2013, refrigerant: R404A, dimensions: 3600 mm x 1350 mm x 1970 mm. Including 2 Tecnac liquid receiver, model: (2x) RV-610-300, number: RV-0772-13, RV-0773-13, volume: 300 liter, maximum temperature: -20/100 ^oC, maximum pressure: 32 bar, dimensions: 1780 mm x 1180 mm x 1580 mm.	3000
106	Sorgo	Sorgo smoke generator for wood chips, dimensions inside: Ø 620 mm x 440 mm, total dimensions: 1000 mm x 750 mm x 1500 mm.	400
107	NN parts	Pallet with various parts, among others: sealing bars.	5
108	Audion Elektro		1250

Nr	Title	Description	Start €
		Audion Elektro vertical form-fill and seal machines, type: AVMS 190HS-SP, series: 1016968/SP14016, year of construction: 2014, 230/400 V, 3 Ph, 50/60 Hz, 3200 Watt, seal length: 260 mm, diameter filling pipe: 40 mm, dimensions: 2300 mm x 870 mm x 1500 mm.	
109	Bandall	Bandall mobile banding machine, type: TRLS24/20-50, machine number: 17341867, year of construction: 2012, 230 V, 50 Hz, dimensions: 900 mm x 1050 mm x 1620 mm.	1250
110	Carrier	Carrier air treatment unit, type: 39HQ 08.06, order number: 201011446, year of construction: 2010, weight: 569 kg, dimensions: 3000 mm x 1580 mm x 1230 mm.	1500
111	LH Packaging	LH Packaging traysealer, type: LH sealer 1/4 Gastro, serial number: MP/LHPA02A/03, year of construction: 2020, 230 V, 3.5 A, dye: (1x) 245 mm x 135 mm, total dimensions: 1000 mm x 800 mm x 850 mm.	400
112	Hobart	Hobart bandsaw, model: 5700-D, serial number: 27-136-462, 380 V, 3 Ph, 50 Hz, 4.6 A, 2850 rpm, table dimensions: 800 mm x 600 mm, total dimensions: 1100 mm x 1000 mm x 2000 mm.	1250
113	TVM GmbH & Co KG	TVM GmbH & Co KG mobile portioning machine, type: Portio 4000, serial number: 05-00.26725215, year of construction: 2000, machine weight: 380 kg, plastic belt, belt width: 200 mm, total dimensions: 1800 mm x 800 mm x 1750 mm. Including trolley with parts.	300
114	Mammuth	Mammuth mobile foldable engine hoist, capacity: 1000 kg, dimensions: 1450 mm x 1250 mm x 1400 mm.	50
115	LH Packaging	LH Packaging traysealer, type: Sealmachine R 330 en H 45, serial number: MP/LHPA02A/193281, year of construction: 2021, 230 V, 3.5 A, dye: (2x) 120 mm x 120 mm, total dimensions: 1000 mm x 800 mm x 850 mm.	400
116	Küppersbusch	Küppersbusch roasting pan, type: KCF 0033, serial number: 697823 L 0420 001581-522386001-8853, 230/400 V, 3 Ph, 50 Hz, 10.85 kW, dimensions: 1100 mm x 1000 mm x 1120 mm.	700
117	LH Packaging	LH Packaging traysealer, type: 265 x 160 x 350, serial number: MP/LHPA02A/192829, year of construction: 2020, 230 V, 3.5 A, dye: (1x) 245 mm x 135 mm, total dimensions: 1000 mm x 800 mm x 850 mm.	400
118	LH Packaging	LH Packaging traysealer, type: LH-sEALER SA, serial number: LH-MP/LHSAV-115-2/2, year of construction: 2019, 230 V, 3.5 A, dye: (2x) 105 mm x 105 mm, total dimensions: 1000 mm x 800 mm x 850 mm.	400
119	LH Packaging	LH Packaging traysealer, type: 4x1 Cup, serial number: MP/LHPA02A/193574, year of construction: 2021, 230	400

Nr	Title	Description	Start €
		V, 3.5 A, dye: (4x) 85 mm x 85 mm, total dimensions: 1000 mm x 800 mm x 850 mm.	
120	LH Packaging	LH Packaging traysealer, type: LH-sEALER SA, serial number: LH-MP/LHSAV-115-2/1, year of construction: 2019, 230 V, 3.5 A, dye: (2x) 105 mm x 105 mm, total dimensions: 1000 mm x 800 mm x 850 mm.	400
121	NN platform	3 aluminium platforms, dimensions: 2500 mm x 800 mm x 280 mm.	80
122	NN film	Pallet large amount of film, film with: 210 mm, 1000 metres per roll.	100
123	Parker	Parker nitrogen generator, model: MAXIGAS106 ECBLL, serial number: 11MX0024, year of construction: 2011, volume: 157.5 liters, dimensions: 2000 mm x 900 mm x 600 mm.	800
124	NN platform	Aluminium mobile working platform, dimensions: 2200 mm x 500 mm x 290 mm.	25
125	NN frame	S/s frame for transport belt, plastic belt, belt width: 400 mm, total dimensions: 1450 mm x 460 mm x 240 mm.	50
126	KBN weegtechniek	KBN weegtechniek floor weighing scale with indicator, model indicator: DXN-1500, serial number: 1171105, 220-230 V, 50 Hz, maximum weight: 1500 kg, minimum weight: 10 kg, e = 0.5 kg, dimensions scale: 1500 mm x 1500 mm.	950
127	Goedhart Bohemia	Goedhart Bohemia evaporator, 2 fans, type: BSD 452-7-230 E, number: 99 1063 000, 400 V, 50 Hz, 8760 W, maximum work pressure: 19.5 bar, weight: 158 kg, dimensions: 2200 mm x 1050 mm x 550 mm.	100
128	NN evaporator	Evaporator, 2 fans, dimensions: 1700 mm x 2000 mm x 540 mm.	50
129	Goedhart Bohemia	Goedhart Bohemia evaporator, 2 fans, type: BSD 452-7-230 E, number: 99 1063 000, 400 V, 50 Hz, 8760 W, maximum work pressure: 19.5 bar, weight: 158 kg, dimensions: 2200 mm x 1050 mm x 550 mm.	100
130	HTS	HTS vacuum filling machine with lifter for 200 liter meat bins, type: 200, serial number: 200520495, year of construction: 1995, dimensions: 1600 mm x 1350 mm x 1950 mm.	1500
131	Kärcher	Kärcher floor scrubbing machine, type: BD 55/60 W, number: 012758, dimensions: 1300 mm x 400 mm x 1300 mm.	500
132	Schröter GmbH	Schröter GmbH cooking chamber, type: K-BA 1 Wg, number: 140-0599, year of construction: 08-99, 230/400 V, 72 kW, steam heated, total dimensions: 1650 mm x 1650 mm x 3200 mm. Including switch cabinet, dimensions: 1200 mm x 800 mm x 530 mm.	750
133	NN mixer		800

Nr	Title	Description	Start €
		Mixer, inside dimensions: 1350 mm x 1300 mm x 1300 mm, total dimensions: 2700 mm x 2300 mm x 1900 mm.	
134	Kenwei	Kenwei 14-head multihead weigher, type: JW-A14, identify code: A14-1-17, 220V, 50/60 Hz, 10 A, 1200W, weight: 470 kg, hopper volume: 1.6/2.5L, dimensions: 1300 mm x 1200 mm x 1900 mm. Including s/s infeed frame and pallet box with parts.	3000
135	Vito AG	Vito AG mobile oil filter, model: Vito XS, serial number: 633, 220-240 V, 50/60 Hz, dimensions: 550 mm x 550 mm x 680 mm.	480
136	Vito AG	Vito AG mobile oil filter, model: Vito XS, serial number: 710, 220-240 V, 50/60 Hz, dimensions: 550 mm x 550 mm x 680 mm.	480
137	Tehabo	Tehabo filling machines, type: TAM250, serial number: 2170860, year of construction: 2017, 230 VM 50 Hz, dimensions: 900 mm x 450 mm x 500 mm.	400
138	Berto's S.P.A.	Berto's S.P.A. au-bain marie, model; E7BM8M, number: 03255/03576, 230 V, 50/60 Hz, 3 kW, inside dimensions: (2x) 500 mm x 300 mm x 150 mm, dimensions: 800 mm x 730 mm x 950 mm.	100
139	NN vibrating gutter	Vibrating gutter, gutter width: 300 mm, total dimensions: 1650 mm x 630 mm x 1250 mm.	300
140	Rhima	Rhima dishwasher, model: MDR145, serial number: DWH1011369, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 1250 W, dimensions: 600 mm x 700 mm x 1400 mm.	150
141	NN divider	Mobile s/s divider, dimensions: 2620 mm x 900 mm x 2100 mm.	10
142	Iarp	Iarp freezer, model: CF 900 T, serial number: 05ND04756, 230 V, 50 Hz, 3.1 A, 460 Watt, refrigerant: R 404A, dimensions: 2020 mm x 800 mm x 960 mm.	80
143	NN lockers	Lockers, dimensions: 2600 mm x 500 mm x 2200 mm.	20
144	NN lockers	Lockers, dimensions: 1750 mm x 500 mm x 2100 mm.	10
145	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999/07P F 15/W500, machine number: 07052425, 400 V, 3 Ph, 50 Hz, 11.5 A, 7.5 kW, dimensions chamber: 950 x 450 mm, seal length: (2x) 440 mm and (1x) 940 mm, total dimensions: 1300 mm x 850 mm x 1080 mm. Without vacuum pump.	600
146	CRM / Termoelettroneccanica spa	CRM / Termoelettroneccanica spa mobile ice cream machine, model: EX42-60 W, serial number: 05/871, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 13 A, 6.7 kW, refrigerant: R404, dimensions: 750 mm x 500 mm x 1150 mm.	500
147	NN infeed table	S/s infeed table, dimensions: 900 mm x 1050 mm x 800 mm.	20
148	Küppersbusch		200

Nr	Title	Description	Start €
		Küppersbusch 6-pits stove, model: FGH 610, serial number: 697777L 0303 000892 522087001, year of construction: 2003, dimensions: 1200 mm x 850 mm x 760 mm.	
149	Animo	Animo coffee machine, type: (2x) CN10e and CB 2x10W, dimensions: 1050 mm x 400 mm x 800 mm.	200
150	LETS bv	LETS bv hand disinfection unit with tourniquet, type: LTC-ST, serial number: 298803003, year of construction: 02/2020, dimensions: 800 mm x 800 mm x 1350 mm.	450
151	Electrolux	Electrolux grill, dimensions: 800 mm x 730 mm x 300 mm.	400
152	Merrychef	Merrychef turbo oven, model: eikon e3, serial number: 1701213090427, 400 V, 2 Ph, 50 Hz, 2 floors, dimensions each floor: 330 mm x 300 mm, total dimensions: 630 mm x 590 mm x 550 mm.	200
153	Merrychef	Merrychef turbo oven, model: eikon e3, serial number: 1402213091046, 400 V, 2 Ph, 50 Hz, 2 floors, dimensions each floor: 330 mm x 300 mm, total dimensions: 630 mm x 590 mm x 550 mm.	200
154	Merrychef	Merrychef turbo oven, model: eikon e3, serial number: 1806213090740, 400 V, 2 Ph, 50 Hz, 2 floors, dimensions each floor: 330 mm x 300 mm, total dimensions: 630 mm x 590 mm x 550 mm.	300
155	Merrychef	Merrychef turbo oven, model: eikon e3, serial number: 1901213091520, 400 V, 2 Ph, 50 Hz, 2 floors, dimensions each floor: 330 mm x 300 mm, total dimensions: 630 mm x 590 mm x 550 mm.	350
156	Kärcher	Kärcher floor scrubbing machine, type: B60 W B9, serial number: 010368, year of construction: 2015, 100-240 V, 50/60 Hz, dimensions: 1300 mm x 400 mm x 1300 mm.	500
157	Meissner	Meissner bowl cutter, type: RN-45, machine number: 118 7139, 380 V, 14/17 A, 6.2/7.8 kW, steel bowl, s/s knifes, volume: 45 liter, total dimensions: 1100 mm x 1000 mm x 1150 mm. Lid broken.	1500
158	Hans Kratt	Hans Kratt whipped cream machine, fabrication number: 4994402B, 230 V, 50 Hz, 500 Watt, refrigerant: R 134a, dimensions: 600 mm x 260 mm x 420 mm.	250
159	MKN	MKN combisteamer, type: EKECOD610T0001, serial number: 16201420, year of construction: 2016, 380-415 V, 3 Ph, 50 Hz, 7.8 kW, 7 floors, floor dimensions: 330 mm x 420 mm, total dimensions: 550 mm x 860 mm x 800 mm.	500
160	Berkel	Berkel weighing scale, type: CX20, serial number: 00 011739, maximum weight: 6/15 kg, minimum weight:	10

Nr	Title	Description	Start €
		40 gram, e = 2/5 gram, T = -2kg, dimensions: 410 mm x 430 mm x 210 mm.	
161	Goburg	Goburg s/s turning table, type: 001, year of construction: 2021/001/013, year of construction: 2021, 380 V, 50-60 Hz, 1.83/1.05 A, 0.37 kW, dimensions: 1600 mm x 1550 mm x 1100 mm.	450
162	Marka	Marka flake ice machine, type: RE 600, serial number: 01112, year of construction: 1997, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, dimensions: 910 mm x 750 mm x 550 mm.	700
163	Saro	Saro refrigerated showcase, model: CELIA, serial number: 3613050300016, 230 V,50 Hz, refrigerant: R404a, dimensions: 900 mm x 1000 mm x 1680 mm.	50
164	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA02015464, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	380
165	Mantle packaging machinery Ltd	Mantle packaging machinery Ltd packaging machine, model: TWS45, serial number: 21.10.238, 220/240 V, 50/60 Hz, 3 A, dimensions: 660 mm x 510 mm x 150 mm.	20
166	Modular	Modular cooking vessel, model: 90/120 BRE, machine number: 2011053000085, 400 V, 3 Ph, 50/60 Hz, 15 kW, dimensions: 1200 mm x 1000 mm x 1010 mm.	450
167	Wiesheu Gmbh	Wiesheu Gmbh mobile oven, type: M08-EM-MAN, serial number: 10156314, year of construction: 2010-10, 400 V, 3 Ph, 50 Hz, 12.1 A, 8.4 kW, dimensions: 930 mm x 950 mm x 1680 mml.	300
168	Legion	Legion mobile double jacked cooking vessel, model: LEC-60, serial number: 850391, year of construction: 1985, 380 V, 3 Ph, 50 Hz, 24 kW, steam heated, dimensions: 1100 mm x 930 mm x 1200 mm.	500
169	Leventi	Leventi double stacked oven, type: (2x) BM 6 MM NG, serial number: 11 05 52151 and 11 05 52152, 400 V, 3 Ph, 50/60 Hz, 9 kW, (2x) 6 floors, floor dimensions: 600 mm x 400 mm, dimensions: 900 mm x 1000 mm x 2100 mm.	500
170	Foster	Foster refrigerated showcase model: EP1/2H, serial number: E5424341, 230 V, 1 Ph, 50 Hz, 2/10 A, refrigerant: R290, 150 g, capacity: 280 liter, dimensions: 1420 mm x 700 mm x 900 mm.	200
171	Foster	Foster mobile refrigerator, model: HR360, serial number: E5143968, 230 V, 1 Ph, 50 Hz, 10 A, refrigerant: R134A, dimensions: 1210 mm x 800 mm x 1010 mm.	100
172	Mado	Mado bandsaw, type: MKB 654, model: Selekta 3, number: 30404, year of construction: 2003, 230/400 V,	1500

Nr	Title	Description	Start €
		3 Ph, 50 Hz, 8.6/5 A, 2.2 kW, dimensions: 1000 mm x 1300 mm x 1800 mm.	
173	Additif	Additif film unwinding device, dimensions: 1300 mm x 870 mm x 910 mm.	50
174	Frima	Frima VarioCookingCenter double roasting pan, model: VCC 112 +, serial number: E11PH13028012778, 400 V, 3 Ph, 50/60 Hz, 19.4 kW, volume: (2x) 16 liter, total dimensions: 1200 mm x 800 mm x 1100 mm.	2000
175	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA020153035, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	380
176	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA020154434, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	380
177	NN table	Table, s/s frame, plastic worktop, dimensions: 2000 mm x 600 mm x 800 mm.	100
178	NN frame	S/s frame, dimensions: 450 mm x 400 mm x 600 mm.	5
179	NN sealer	Sealer, length seal: 410 mm, total dimensions: 600 mm x 80 mm x 200 mm.	10
180	NN plastic belt	Plastic belt, belt width: 150 mm, estimated length: 12 meter.	10
181	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA020155461, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	380
182	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA020155628, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	380
183	Nuttall	Nuttall mobile heated showcase, model: TS210714S-WA1, serial number: 0217023867, year of construction: 01/2017, 230 V, 50 Hz, 2900 Watt, weigh: 190 kg, dimensions: 1040 mm x 750 mm x 2000 mm.	100
184	Vito AG	Vito AG mobile oil filter, model: Vito XS, serial number: 325, 220-240 V, 50/60 Hz, dimensions: 550 mm x 550 mm x 680 mm.	480
185	PSS	PSS mobile micro cutter, type: M-4000, year of construction: 2007, weight: 585 kg, dimensions: 1350 mm x 750 mm x 1150 mm. Including crate with knives. Incomplete, missing motor.	400
186	NN platform		400

Nr	Title	Description	Start €
		Aluminium mobile working platform, working height: 800 mm, total dimensions: 3700 mm x 1200 mm x 1700 mm.	
187	Bizerba	Bizerba packaging machine, type: FP M, number: 2031420, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 2.3 A, 530 VA, dye: 220 mm x 170 mm, film width: 250 mm, total dimensions: 780 mm x 500 mm x 420 mm.	25
188	NN platform	3 aluminium platforms, dimensions: 2500 mm x 800 mm x 280 mm.	50
189	Packtech bv	Packtech bv case packer, type: CASE PACKER, machine number: 2002155 (LIJN1), year of construction: 2002, 400 V, 3 Ph, 50 Hz, 5 kW, dimensions: 2700 mm x 1400 mm x 2200 mm. Incomplete.	1000
190	Packtech bv	Packtech bv case packer, dimensions: 2200 mm x 1400 mm x 2200 mm. Incomplete.	1000
191	Fagor	Fagor combisteamer, model: ACE-061, serial number: 8101762203, year of construction: 05/19, 400/230 V, 3 Ph, 50/60 Hz, 18/28 A, 10.2 kW, 6 floors, floor dimensions: 310 mm x 520 mm, total dimensions: 900 mm x 900 mm x 900 mm.	200
192	Audion Elektro	Audion Elektro vertical form-fill and seal machines, type: AVM 190 HS SERVO, series: SP06102, year of construction: 2006, 230/400 V, 3 Ph, 50/60 Hz, 3000 Watt, seal length: 300 mm, diameter filling pipe: 40 mm, dimensions: 870 mm x 1600 mm x 1200 mm. Incomplete.	480
193	Solia	Solia vegetable washer, type: SWA 75.2, machine number: 0822235 22 B, year of construction: 2022, 230 V, 50 Hz, 4.9 A, 1.1 kW, dimensions: 1000 mm x 750 mm x 850 mm.	1000
194	Rubbens	Rubbens cooking vessel, type: KCL 1023, serial number: 960252 L 0630 002619-522430001-9751, 230/400 V, 3 Ph, 50 Hz, 12.55 kW, inside dimensions: 480 mm x 480 mm x 370 mm, total dimensions: 700 mm x 800 mm x 850 mm.	400
195	ECO Refrigerazione	ECO Refrigerazione evaporator, 6 fans, model: CTE217-6, serial number: C9921101, year of construction: 03/1999, 230 V, 1 Ph, 50 Hz, 3 A, 630 W, dimensions: 3000 mm x 600 mm x 650 mm.	400
196	ECO Refrigerazione	ECO Refrigerazione evaporator, 6 fans, model: CTE291M6ED, serial number: AC200910266, year of construciton: 11/09/2009, 230 V, 1 Ph, 50-60 Hz, 2.52-3.6 A, 570-810 W, dimensions: 3000 mm x 600 mm x 650 mm.	400
197	NN platform	Aluminium mobile working platform, working height: 1900 mm, total dimensions: 2100 mm x 2100 mm x 2850 mm.	400

Nr	Title	Description	Start €
198	Legion	Legion cooking vessel, model: LEC-60, serial number: 850396, double jacketed, electric heated, volume: 60 liter, dimensions: Ø 1000 mm x 1200 mm.	350
199	Falcon	Falcon gas stove with oven, model: G1006FX, serial number: F574077, dimensions: 900 mm x 950 mm x 900 mm.	75
200	Leventi	Leventi combisteamer, 10 floors, floor dimensions: 550 mm x 400 mm, total dimensions: 970 mm x 900 mm x 1020 mm.	300
201	Freshtech Solutions	Freshtech Solutions 90° curved conveyor, model: Food Schakelband, serial number: 19003, year of construction: 2019, s/s frame, plastic mesh belt, belt width: 430 mm, total dimensions: 1950 mm x 5200 mm x 900 mm.	2000
202	Dorit	Switch cabinet for Dorit tumbler, dimensions: 300 mm x 250 mm x 1000 mm.	100
203	Hatco	Hatco food warmer, dimensions: 1800 mm x 300 mm x 695 mm.	50
204	Treif	Treif dicer, model: FELIX100-CE, type: 2710, machine number: 271002.68911.0380, year of construction: 1999, 400 V, 50 Hz, 10 A, 1.0 kW, weight: 174 kg, dimensions chamber: 95 mm x 95 mm, total dimensions: 980 mm x 650 mm x 1040 mm. Without knife grids.	1500
205	Henkelman	Henkelman mobile vacuum machine, seal length: 830 mm and 520 mm, chamber dimensions: 770 mm x 520 mm, vacuum pump, total dimensions: 930 mm x 760 mm x 1100 mm.	1500
206	Silko	Silko show kitchen consisting of: Silko kitchen with pasta cooker and (2x) induction wok, dimensions kitchen: 2000 mm x 800 mm x 1300 mm, s/s hood, dimensions hood: 1900 mm x 1300 mm x 1200 mm, and s/s cabinet with vessel, dimensions cabinet: 300 mm x 270 mm x 800 mm.	380
207	Grote	Grote mobile slicer, model: SNP-412, serial number: 11356229, 208/240 V, 1 Ph, 50/60 Hz, FLA: 5.0, dimensions: 1300 mm x 1050 mm x 1800 mm. Including pallet with parts.	1500
208	Tristar	Tristar contact grill, model: PD-8707, serial number: 2696-8707, 220-240 V, 50/60 Hz, 1500 W, dimensions: 350 mm x 280 mm x 120 mm.	20
209	Talsa	Talsa mobile mixer, model: MIX 150, serial number: 235765, year of construction: 2003, 225/390 V, 3 Ph, 50 Hz, 2.5 A, volume: 150 liter, dimension: 1150 mm x 800 mm x 1300 mm. Lid broken and bowl damaged.	800
210	Rietschle	Rietschle vacuum pump, type: VC 500 (10), number: 2283754, year of construction: 2000, capacity: 550 m^3 per hour, dimensions: 950 mm x 950 mm 650 mm and	750

Nr	Title	Description	Start €
		650 mm x 500 mm x 500 mm. Technical condition unknown.	
211	Intermas Nets S.A.	Intermas Nets S.A. pack and labelling machine, serial number: 4230, year of construction: 2010, dimensions: 1000 mm x 700 mm x 900 mm.	250
212	Conpax	Conpax packaging machine on s/s trolley, film width: 230 mm, dye: 220 mm x 170 mm, total dimensions: 780 mm x 480 mm x 1150 mm.	150
213	Intermas Nets S.A.	Intermas Nets S.A. pack and labelling machine, serial number: 4170, year of construction: 2009, dimensions: 970 mm x 650 mm x 910 mm.	250
214	Silko	Silko show kitchen consisting of: Silko kitchen with pasta cooker and (2x) induction wok, dimensions kitchen: 2000 mm x 800 mm x 1300 mm, s/s hood, dimensions hood: 1900 mm x 1300 mm x 1200 mm, and s/s cabinet with vessel, dimensions cabinet: 300 mm x 270 mm x 800 mm.	380
215	Townsend	Townsend mobile skinning machine, working width: 500 mm, total dimensions: 850 mm x 550 mm x 1000 mm. Incomplete.	100
216	NN sink	S/s sink with faucet, sensor control, dimensions: 450 mm x 500 mm x 1000 mm.	50
217	Ziegra-Eismaschinen	Ziegra-Eismaschinen ice machine, type: ZBE 350EV, serial number: 140536, 400 V, 3 Oh, 50 Hz, 6 A, refrigerant: R744, dimensions: 700 mm x 600 mm x 600 mm.	300
218	Alto Shaam	Alto Shaam heated cabinet, model: 500-1D, serial number: 1985323-000, year of construction: 18/05/17, 230 V, 1 Ph, 50/60 Hz, 590 Watt, dimensions: 670 mm x 620 mm x 295 mm.	250
219	BT	BT electric pallet lifter, serial number: 6107048/2010, fork length: 1150 mm, total dimensions: 2000 mm x 850 mm x 1900 mm. Including MicroPower battery charger, type: STC 24/40, 24 V.	2000
220	Cryovac	Cryovac belt vacuum machine, model number: VS 90, serial number: A03301339, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 20 A, 5 kW, 15 Nm^3/h, 6 bar, belt width: 660 mm, seal length: (2x) 960 mm, dimensions chamber: 960 mm x 720 mm, total dimensions: 2240 mm x 1200 mm x 1960 mm, including Busch vacuum pump, type: RA 0160 D 5Z1 GQXX, year of construction: 2010, dimensions: 860 mm x 500 mm x 600 mm. Incomplete.	500
221	Marel	Marel weighing and sorting line, consisting of: Marel grader and Marel 14-stations sorting line, type grader: Vision Unit-300, serial number: A038511, year of construction: 2006, 230/400 V, 3 Ph, 0.15 kW, plastic mesh belt, belt width: 310 mm, total dimensions	2000

Nr	Title	Description	Start €
		grader: 1750 mm x 800 mm x 2470,Marel transport belt, type: con-mstr, serial number: A044894, year of construction: 2007, 230/400 V, 3 Ph, 0.25 kW, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions transport belt: 1050 mm x 700 mm x 1550 mm, Marel 14-stations sorting line, type: dis-ma43, serial number: A045229, year of construction: 2007, 230/400 V, 3 Ph, 0.75 kW, 2x elevating belt with dividers, plastic mesh belt, belt width: 560 mm, distance between dividers: 195 mm and 1800 mm, divider height: 25 mm and 100 mm, elevating height: 1450 mm, total dimensions sorting line: 7100 mm x 2200 mm x 2100 mm	
222	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. product pump, type: 518, machine number: 21290, year of construction: 2001, 400 V, 50 Hz, 23 A, dimensions: 1550 mm x 1050 mm x 1400 mm.	300
223	NN sink	S/s sink with faucet, dimensions: 800 mm x 700 mm x 1540 mm.	20
224	Novameta	Novameta heated cabinet, model: LPK1, serial number: 002G1033706100101, year of construction: 2021, 230 V, 50 Hz, 2.2 A, 500 Watt, dimensions: 600 mm x 700 mm x 1500 mm.	100
225	NN mixer	Mixer, s/s bowl, inside dimensions: 250 mm x 250 mm x 250 mm, total dimensions: 500 mm x 380 mm x 650 mm.	100
226	Infrico	Infrico refrigerated counter, model: BMGN 1470II, serial number: 052720035171039, 220-230 V, 50 Hz, 3.13 A, 550 W, net volume: 295 liter, refrigerant: R134a / 260-230 gram, dimensions: 1470 mm x 700 mm x 970 mm.	150
227	Hoshizaki	Hoshizaki ice machines, model: FM-80EE-N, serial number: K01050, 220-240 V, 50 Hz, 220/240 V, 50 Hz, 1.78 A, refrigerant: R134a, 0.140 kg, dimensions: 650 mm x 620 mm x 800 mm.	400
228	Leonhardt	Leonhardt depositor, type: TG1/100, number: 0140/974, year of construction: 1998, dimensions: 1450 mm x 550 mm x 1280 mm.	300
229	Arneg	Arneg refrigerated showcase, dimensions: 1050 mm x 700 mm x 1300 mm.	100
230	Arneg	Arneg refrigerated showcase, model: Banco Genius G.I. H145 L100, serial number: 1D08881401, year of construction: 2004, 230 V, 50 Hz, refrigerant: R404A, dimensions: 1000 mm x 700 mm x 1450 mm.	100
231	Franstal	Franstal combisteamer, type: CLASAGB101/17, number: LA020151670, year of construction: 2019, 230 V, 50 Hz, 0.55/1 kW, dimensions: 950 mm x 900 mm x 1750 mm.	400

Nr	Title	Description	Start €
232	Electrolux/Zanussi	Electrolux/Zanussi pasta cooker, model: Z7PCEH2KFO, serial number: 02420001, year of construction: 2020, 380-400 V, 3 Ph, 50/60 Hz, 12 kW, dimensions: 1200 mm x 750 mm x 1550 mm.	400
233	Frigomat	Frigomat mobile ice cream machine, dimensions: 850 mm x 460 mm x 1250 mm. Incomplete, technical condition unknown.	50
234	SMEG	SMEG dish washer, model: UG520DL, serial number: 12430858012300010307, dimensions: 600 mm x 600 mm x 720 mm.	100
235	Follet	Follet ice bunker with cart, clearance: 570 mm x 270 mm, total dimensions: 1050 mm x 800 mm x 1700 mm.	500
236	NN rollies	47 plastic rollies, dimensions: 590 mm x 390 mm x 150 mm.	50
237	Bandall	Bandall mobile fully automatic banding machine, type: TXL24/15-62, machine number: 22606962, year of construction: 2016, 230 V, 50/60 Hz, clearance: 170 mm x 200 mm, plastic rollers, roller width: 300 mm, total dimensions: 1400 mm x 1250 mm x 1850 mm. Including Markem-Imaje, inkjet printer, serial number: GJ16273049, year of construction: 04/07/16.	3000
238	Hobart	Hobart dishwasher, model: ECO-F504-12B, serial number: 867181685, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 9.9 A, 5.9 kW, crate dimensions: 495 mm x 495 mm, total dimensions: 595 mm x 575 mm x 810 mm.	200
239	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic belt, belt width: 400 mm, distance between dividers: 150 mm, divider height: 30 mm, elevating height: 2010 mm, total dimensions: 1700 mm x 1200 mm x 2400 mm.	500
240	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF300 B, number: 700, 420 V, 50 Hz, 23.6 A, 9.5 kW, dimensions: 1700 mm x 1300 mm x 2020 mm.	3000
241	Grote	Grote mobile slicer, model: SNP-412, serial number: 11356227, 208/240 V, 1 Ph, 50/60 Hz, FLA: 5.0, dimensions: 1300 mm x 1050 mm x 1800 mm.	1500
242	Bastra	Bastra cooking vessel, gas heated, dimensions inside: 1150 mm x 800 mm x 400 mm, total dimensions: 1360 mm x 1330 mm x 1060 mm. Including switch cabinet, dimensions: 700 mm x 300 mm x 340 mm.	1000
243	Convotherm	Convotherm combisteamer, model: OES 6.10M, number: EIMEL0281, 400 V, 3 Ph, 50/60 Hz, 14.8 A, 7.1 kW, 3 floors, floor dimensions: 320 mm x 520 mm, total dimensions: 850 mm x 850 mm x 1470 mm.	250
244	Gastro-Cool	Gastro-Cool refrigerated showcase, model: GCUC301, serial number: 245403-0516-10008, 220-240 V, 50 Hz, 1.2 A, 220 W, refrigerant: R600A/0.073 kg, weight: 83	200

Nr	Title	Description	Start €
		kg, volume: 301 liter, 6 floors, dimensions each floor: (6x) 395 mm x 320 mm, total dimensions: 1350 mm x 520 mm x 860 mm.	
245	Hoyer	Hoyer continuous ice cream freezer, type: KF1150, serial number: 114-2001, dimensions: 1950 mm x 750 mm x 2140 mm.	1000
246	NN tilting device for barrels	S/s tilting device for barrels, dimensions: 1200 mm x 1000 mm x 1210 mm.	250
247	Vito AG	Vito AG mobile oil filter, model: Vito XS, serial number: 682, 220-240 V, 50/60 Hz, dimensions: 550 mm x 550 mm x 680 mm.	480
248	Vito AG	Vito AG mobile oil filter, model: Vito XS, serial number: 804, 220-240 V, 50/60 Hz, dimensions: 550 mm x 550 mm x 680 mm.	480
249	Knecht	Knecht mobile portioning machine and filling machine, type: BWA 45, number: 73054545, year of construction: 1998, dimensions: 1000 mm x 750 mm x 1550 mm.	150
250	TAP Machinebouw BV.	TAP Machinebouw BV. mobile 3-lanes vibrating gutter, type: STR, serial number: 012-0170370, year of construction: 2017, gutter width: 85 mm, total dimensions: 1300 mm x 850 mm x 1560 mm. Incomplete, missing one infeed funnel.	300
251	Dorin	Dorin cooling compressor, model: HEX5500CC, serial number: 18070361H, capacity: 164.3/197 MC per hour, dimensions: 900 mm x 550 mm x 700 mm.	300
252	Ergoline	Ergoline tanning bed, type: VIT 2.4 2S 380W, number: 927892, dimensions: 2250 mm x 1600 mm x 1600 mm.	40
253	Parise	Parise air compressor, model: P150 CT, fabrication number: L1867/11, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 2.2 kW, 10 bar, dimensions: 1340 mm x 500 mm x 850 mm.	80
254	NN forming machine	Mobile forming machine, 3 forms, form dimensions: 60 mm x 25 mm, total dimensions: 1300 mm x 800 mm x 1700 mm.	400
255	Helpman	Helpman evaporator, 2 fans, dimensions: 1600 mm x 630 mm x 650 mm.	100
256	Knight	Knight hygiene dosing system, model: 7630165 / KP1H, serial number: 1731586 / 5013429.	25
257	Pitco Frialator	Pitco Frialator fryer, model: 35C, number: G12DA014199, gas heated, dimensions: 760 mm x 370 mm x 1200 mm.	50
258	Dean	Dean fryer, model: SR42GN, serial number: 1508MA0112, gas heated, dimensions: 750 mm x 410 mm x 1200 mm.	50
259	Townsend	Townsend skinning machine, model: 7620, serial number: 1497, year of construction: 1996, 380 V, 3 Ph,	400

Nr	Title	Description	Start €
		50 Hz, 2 A, working width: 500 mm, total dimensions: 900 mm x 700 mm x 1000 mm.	
260	Leventi	Leventi combisteamer, type: BM MM Q4, serial number: 069020064, year of construction: 2007, 380/415 V, 3 Ph, 50/60 Hz, 18.5 kW, 12 floors, floor dimensions: 600 mm x 400 mm, total dimensions: 900 mm x 900 mm x 2120 mm.	600
261	Electrolux	Electrolux dishwasher, model: HHT8, serial number: 91610005, year of construction: 2019, 400 V, 3 Ph, 50 Hz, dimensions: 750 mm x 870 mm x 1550 mm.	400
262	Globe	Globe mobile conical rounder, machine number: 165.488, 380 V, 3 Ph, 50 Hz, 1.5 kW, dimensions: 1100 mm x 1000 mm x 1400 mm.	600
263	Werner & Pfleiderer Haton BV	Werner & Pfleiderer Haton BV mobile conical rounder, machine number: H 711351, 380/220 V, 50 Hz, 16 A, dimensions: 1000 mm x 1000 mm x 1360 mm.	200
264	Pitco Frialator	Pitco Frialator fryer, model: RC400, serial number: 02/17/BHC1602/RC400/26, gas heated, dimensions: 800 mm x 400 mm x 1050 mm.	80
265	Pitco Frialator	Pitco Frialator fryer, model: 12L-P, number: 51WFJ175RN1, year of construction: 1988, gas heated, dimensions: 800 mm x 260 mm x 1160 mm.	80
266	BON-Line	BON-Line fryer, model: RC400, number: 09/16/ BHC1601/RC400/17, gas heated, dimensions: 770 mm x 400 mm x 1200 mm.	50
267	Nilfisk	Nilfisk floor scrubbing machine, type: CA 530, serial number: 020801281, 230 V, 50 Hz, 1900 W, weight: 134 kg, dimensions: 1300 mm x 700 mm x 1100 mm.	350
268	Cissell	Cissell dryer, model: LZBUR30S, serial number: 0505983253, 240 V, 1 Ph ,50 Hz, 6.5 A, dimensions: 750 mm x 1100 mm x 1750 mm.	200
269	RAASM S.p.A.	4 RAASM S.p.A. s/s hose reels, model: 200 INOX, dimensions: 1200 mm x 800 mm x 400 mm.	100
270	Afinox	Afinox blast chiller, model: Infinity 8T RU EF GFMULTIFUN+EVO 230V, serial number: 4007156101, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 8.62 A, 900 W, refrigerant: R452A/1.10 kg, 8 floors, floor dimensions: 600 mm x 300 mm, total dimensions: 790 mm x 800 mm x 1330 mm.	1000
271	NN cooking vessel	Mobile cooking vessel, electric heated, inside dimensions: Ø 690 mm x 540 mm, total dimensions: 850 mm x 1000 mm x 1000 mm.	500
272	Audion Elektro	Audion Elektro mobile packaging machine, type: D552 H-2, serial number: 4131018.07, 230 V, 50 Hz, 1100 W, plastic belt, belt width: 240 mm, total dimensions: 1400 mm x 600 mm x 1100 mm.	350
273	Certis	Certis mobile strapping machine, type: OR-T 2800, machine number: 41117, year of construction: 2004,	80

Nr	Title	Description	Start €
		220-240 V, 50 Hz, 2.2 A, 0.41 kW, dimensions: 940 mm x 520 mm x 800 mm.	
274	Mafo	Mafo crate washer, serial number: MAFO 230 SN, dimensions: 3200 mm x 1000 mm x 1670 mm.	1500
275	Gram	Gram freezer, type: 0522-4A6B, serial number: 010120077, 230 V, 50 Hz, 2.5 A, 270 W, volume: 610 liter, refrigerant: R134A / 0.325 kg, dimensions: 2100 mm x 800 mm x 850 mm.	80
276	AHT	AHT freezer, type: B 803N, 220-240 V, 50 Hz, 3.5 A, 430 W, volume: 710 dm^3, refrigerant: R290 / 0.100 kg, dimensions: 2100 mm x 800 mm x 850 mm.	80
277	NN rollie	S/s rollie, dimensions: 655 mm x 410 mm x 200 mm.	20
278	Gram	Gram freezer, dimensions: 2100 mm x 800 mm x 850 mm.	80
279	Winterhalter	Winterhalter dishwasher, type: GS 660, serial number: 813305, 400 V, 3 Ph, 50 Hz, 16.5 A, dimensions: 1380 mm x 880 mm x 1780 mm.	1500
280	Gram	Gram freezer, type: 0522-4A6B, serial number: 0101120094, 230 V, 50 Hz, 2.5 A, 270 W, volume: 541 liter, refrigerant: R134A / 0.325 kg, dimensions: 2100 mm x 800 mm x 850 mm.	80
281	Gram	Gram freezer, dimensions: 2100 mm x 800 mm x 850 mm.	80
282	AHT	AHT freezer, type: B 803N, 220-240 V, 50 Hz, 3.5 A, 430 W, volume: 710 dm^3, refrigerant: R290 / 0.100 kg, dimensions: 2100 mm x 800 mm x 850 mm.	80
283	Scanvaegt	Scanvaegt weighing scale, type: 411, serial number: BPE02687 C, maximum weight: 15 kg, minimum weight: 0.1 kg, e = 0.005 kg, dimensions: 400 mm x 420 mm x 540 mm.	10
284	Uwe	Uwe weighing scale, serial number: APM-C1160, maximum weight: 30 kg, minimum weight: 200 gram, T= -9.99 kg, e=d= 10 gram, dimensions: 290 mm x 420 mm x 110 mm.	10
285	Uwe	Uwe weighing scale, model: PM-30, serial number: NRF/, 9 V, dimensions: 290 mm x 420 mm x 110 mm.	10
286	Kern	Kern weighing scale, maximum weight: 30000 gram, d = 5 gram, dimensions: 300 mm x 320 mm x 130 mm.	10
287	NN sink	S/s double sink, dimensions: 1900 mm x 720 mm x 1200 mm.	50
288	Riba Weegtechniek B.V.	Riba Weegtechniek B.V. weighing scale with indicator, model indicator: VPS-30, serial number: VPS-D1056, maximum weight: 15/30 kg, minimum weight: 0.1 kg, T= 9.995 kg, e= 5/10 kg, dimensions: 450 mm x 330 mm x 100 mm.	10
289	Foster	Foster mobile refrigerated counter, model: 43-102 EP1/2H, serial number: E6029371, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 0.9 A, volume:	200

Nr	Title	Description	Start €
		172.3 liter, refrigerant: R290, 110 gram, dimensions: 1370 mm x 700 mm x 860 mm.	
290	Kitchen Concept	Kitchen Concept s/s table, dimensions: 750 mm x 700 mm x 940 mm.	20
291	NN pump	Pump with Kubota diesel motor, type: EA300ENB1, dimensions: 810 mm x 1210 mm x 780 mm.	200
292	Kolbe	Kolbe bandsaw, type: K 440, machine number: 96 1408, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 5.4 A, 2.5 kW, dimensions: 1000 mm x 950 mm x 1850 mm.	2000
293	Schröder	Schröder mobile injector, type: IMAX 350, number: 350.416.06, year of construction: 2007, 400/440 V, 50/60 Hz, 16 A, 8 kW, 96 needles, walking beam, beam width: 350 mm, total dimensions: 1550 mm x 900 mm x 1900 mm. Including crate with extra needles.	2500
294	NN skinning machine	Mobile skinning machine, working width: 520 mm, total dimensions: 950 mm x 650 mm x 950 mm.	400
295	NN defrosting trolley	S/s defrosting trolley, 8 floors, floor dimensions: 1260 mm x 1310 mm, total dimensions: 1260 mm x 1390 mm x 1940 mm.	100
296	Ascobloc Gastro-Gerätebau GmbH	Ascobloc Gastro-Gerätebau GmbH mobile cooking vessel, inside dimensions: 1040 mm x 600 mm x 1900 mm, total dimensions: 1200 mm x 1000 mm x 980 mm.	40
297	LEDA technologies	LEDA technologies oven for eggs, type: POLLUX 60 R01, serial number: SNPX60PXPX07210503, inside dimensions: 500 mm x 320 mm x 95 mm, total dimensions: 620 mm x 600 mm x 250.	100
298	EGGcellent Foodservice GmbH	EGGcellent Foodservice GmbH oven for eggs, type: POLLUX 60, serial number: SNP60PX0800N1143, 3x400 V, 3 Ph, 5 kW, inside dimensions: 500 mm x 320 mm x 95 mm, total dimensions: 620 mm x 600 mm x 250.	100
299	Gastrotec	Gastrotec s/s sink with faucet, dimensions: 1300 mm x 710 mm x 1150 mm. Faucet is broken.	50
300	Bolzoni	Bolzoni clamp device, type: KS10CNA, serial number: 9812084/001, year of construction: 1998, cap structure: 1000 kg, weight: 476 kg, 120 bar, dimensions: 1400 mm x 1070 mm x 1200 mm.	400
301	Scanvaegt	Scanvaegt grader with transport belt, type: ScanGrader 7100, serial number: BGH00470, plastic belt, belt width: 200 mm, total dimensions: 1100 mm x 900 mm x 1700 mm and 1000 mm x 500 mm x 640 mm.	400
302	Hakvoort	Hakvoort s/s heated cabinet, model: BWK-60, article number: 4295.005, 230 V, 0.8 kW, 4 floors, dimensions each floor: 380 mm x 400 mm, total dimensions: 485 mm x 450 mm x 870 mm.	150
303	Leventi	Leventi combisteamer, model: Combimat Mk3.1 MM 3B 6PL, number: 019040033, 3 x 380/415 V, 3 Ph, 50 Hz, 16 A, 9.5 kW, 6 floors, floor dimensions: (6x) 550	200

Nr	Title	Description	Start €
		mm x 400 mm, total dimensions: 965 mm x 850 mm x 800 mm.	
304	Hakvoort	Hakvoort Au-bin Marie, total dimensions: 1200 mm x 700 mm x 930 mm.	100
305	Enterpack/Conpax	Enterpack/Conpax packaging machine, model: EPA-350AD, serial number: 3500E-01600, 230 V, 50 Hz, 340-480 Watt, diameter dye: 135 mm, maximum film width: 310 mm, dimensions: 452 mm x 354 mm x 410 mm.	400
306	Gram	Gram mobile refrigerator, type: K600, serial number: 516/12, 4 floors, dimensions each floor: 525 mm x 590 mm, total dimensions: 700 mm x 850 mm x 2000 mm.	100
307	Leventi	Leventi double stacked combisteamer with hood, 5 and 6 floors, dimensions each floor: 600 mm x 400 mm, total dimensions: 1050 mm x 900 mm x 2210 mm. Missing cover.	600
308	Gram	Gram mobile refrigerator, type: K600, serial number: 516/12, 4 floors, dimensions each floor: 525 mm x 590 mm, total dimensions: 700 mm x 850 mm x 2000 mm.	100
309	Merrychef Ltd	Merrychef high speed oven, serial number: 1206213090771, dimensions: 600 mm x 600 mm x 1000 mm.	650
310	Leventi	Leventi combisteamer, model: CM 1.20 MM BDI ME, serial number: 16 05 67127, 400 V, 3 Ph, 50/60 Hz, 36 kW, total dimensions: 910 mm x 910 mm x 2150 mm.	3500
311	A&J	A&J crate washer, type: MP-300, serial number: 47/2011, year of construction: 2011, 400 V, 3 Ph, 37.5 Kw, crate dimensions: 600 mm x 200 mm, total dimensions: 3300 mm x 1050 mm x 1850 mm.	2000
312	Maurer-Atmos GmbH	Maurer-Atmos GmbH smoke chamber for 1 smoke rack, dimensions: 1400 mm x 1300 mm x 3000 mm. Including pallet with pipes.	4000
313	NN smoke racks	6 s/s smoke racks, 6 floors, floor dimensions: 950 mm x 815 mm, total dimensions: 820 mm x 1050 mm x 1480 mm.	600
314	Multivac	Multivac thermoformer, type: R515, serial number: 16767, year of construction: 2012, dimensions: 8000 mm x 1100 mm x 2100 mm. Including pallet with parts, without vacuum pump.	12000
315	Spako	Spako cooking vessel, type number: RHU 1100 V, year of construction: 2010, natural gas, 230 V, 50 Hz, 60 W, volume: 1100 liter, dimensions inside: 1400 mm x 1300 mm x 600 mm, total dimensions: 2300 mm x 1670 mm x 1280 mm.	1500
316	Spako	Spako cooking vessel, type number: RHU 1100 V, year of construction: 2010, natural gas, 230 V, 50 Hz, 60 W, volume: 1100 liter, dimensions inside: 1400 mm x 1300 mm x 600 mm, total dimensions: 2300 mm x 1670 mm	1500

Nr	Title	Description	Start €
		x 1280 mm. Including: Spako parts for cooking vessel, dimensions switch cabinet: 830 mm x 570 mm x 330 mm, dimensions pallet with parts: 3450 mm x 1000 mm x 600 mm.	
317	Spako	Spako cooking vessel, type number: RHU 1100 V, year of construction: 2010, natural gas, 230 V, 50 Hz, 60 W, volume: 1100 liter, dimensions inside: 1400 mm x 1300 mm x 600 mm, total dimensions: 2300 mm x 1670 mm x 1280 mm.	1500
318	NN cooling unit	Cooling unit, dimensions: 630 mm x 370 mm x 620 mm.	50
319	NN cooling unit	Cooling unit, dimensions: 630 mm x 370 mm x 620 mm.	50
320	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 4 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4JTC-10KY-40P, 4JTC-10KY-40S, serial number: 1672506278, 1672504853, 1672504854, 1672504851, capacity: (4x) 9/10.9 m^3 per hour, dimensions: 2200 mm x 1150 mm x 1950 mm.	2000
321	Rühle	Rühle dicer with lifter for 200 liter meat bins, type: SR 3, number: 0071, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 32 A, 7 kW, dimensions: 3150 mm x 1400 mm x 2070 mm.	3000
322	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: E3, fabrication number: 33004666, year of construction: 2006, 230 V, 50/60 Hz, plastic belt, belt width: 400 mm, total dimensions: 900 mm x 2400 mm x 1700 mm.	1500
323	Lundgrens IBS	Lundgrens IBS carton erector, type: E21, serial number: 99-291, 230/400 V, 3 Ph, 50/60 Hz, 3.7 kW, air pressure: 600 kPa, infeed width: 630 mm, total dimensions: 2500 mm x 1900 mm x 2250 mm.	750
324	Maurer+Söhne GmbH	Maurer+Söhne GmbH cooking vessel, inside dimensions: 800 mm x 900 mm x 450 mm, total dimensions: 900 mm x 1000 mm x 1500 mm.	1500
325	Dorit	Dorit vacuum tumbler, type: VV-2-300, serial number: 93650-353, 380 V, 50 Hz, 3 Ph, 1.7 A, 0.7 kW, dimensions: 1500 mm x 1200 mm x 1750 mm. Without vacuum pump.	2000
326	NN trolley	S/s trolley, 11 floors, dimensions each floor: 535 mm x 700 mm, total dimensions: 700 mm x 590 mm x 1600 mm.	10
327	NN frame	S/s frame, dimensions: 820 mm x 630 mm x 260 mm.	10
328	Bosgraaf	Bosgraaf hygiene station with sole cleaner and tourniquet, length brush: (4x) 710 mm, total dimensions: 3600 mm x 1500 mm x 1280 mm.	1500
329	Fanuc	Fanuc palletizing robot with part for palletising system, pallet size: 1200 mm x 1000 mm x 145 mm, system: R-	200

Nr	Title	Description	Start €
		J3IC, type robot: A05B-2513-B010, dimensions robot: 2950 mm x 1200 mm x 2290 mm, dimensions platform: 1700 mm x 1550 mm x 1700 mm. Including pallet with parts.	
330	Teraoka Seiko co., LTD.	Teraoka Seiko co., LTD. mobile weigh-, wrap-, and label machine, model: AW-5600FX, serial number: 18110306, year of construction: 2018, 220/240 V, 1 Ph, 50/60 Hz, 1.8 kW, maximum: 3/6 kg, minimum: 20g, e=1/2 kg, T=-2999 g, m=250 kg, clearance: 380 mm x 280 mm, film width: 380 mm, total dimensions: 970 mm x 800 mm x 1440 mm.	2000
331	Siat	Siat box closing machine, model: SM11/4.P C, serial number: 39677, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 1.08 A, 260 Watt, dimensions: 2000 mm x 950 mm x 2000 mm.	300
332	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 300 mm, total dimensions: 3000 mm x 360 mm x 1000 mm.	100
333	Selo	Selo flattener, plastic belt, belt width: (2x) 250 mm, total dimensions: 1500 mm 730 mm x 1200 mm. Completely overhauled.	750
334	Dowson	Dowson mobile bread slicer, model: D55-1, serial number: 02531096, 50 knives, distance between knives: 14 mm, total dimensions: 850 mm x 620 mm x 1120 mm.	50
335	Dorit	Dorit washing machine for smoke trolley, type: KRW 1, serial number: 20.022, 400 V, 3 Ph, 50 Hz, 6.5 kW, dimensions inside: 1150 mm x 1080 mm x 2150 mm, total dimensions: 2250 mm x 1700 mm x 2950 mm. Missing pump.	2300
337	Linde	Linde freezer, type: Grandor 2587 G, serial number: J70900384, year of construction: 2007, refrigerant: R404a, dimensions: 2500 mm x 860 mm x 850 mm.	50
338	ALMiG Kompressoren GmbH	ALMiG Kompressoren GmbH air compressor with air dryer, type air compressor: FAS 6-10, number: S0052767, year of construction: 2019, 5.5 kW, maximum pressure: 10 bar, volume flow: 0.70 m^3 per minute, model air dryer: MKE 53, serial number: 3618MA16034, 230 V, 1 Ph, 50 Hz, 4.0 A, 0.37 kW, maximum pressure: 16 bar, refrigerant: R134a / 0.32 kg, total dimensions: 1550 mm x 830 mm x 1500 mm.	1750
339	Effedue srl	Effedue srl mixer, model: M130 UNI C9 R20, serial number: 215741, year of construction: 05/2021, 400 V, 3 Ph, 50 Hz, 11.4 A, 5.75 kW, volume: 130 liter, weight: 495 kg, dimensions: 1300 mm x 830 mm x 1400 mm.	500
340	Ziegra-Eismaschinen	Ziegra-Eismaschinen ice machine, type: ZBE 550 EV, serial number: 09 4928, 400 V, 3 Ph, 50 Hz, 6 A,	500

Nr	Title	Description	Start €
		refrigerant: R 404A, dimensions: 800 mm x 650 mm x 1570 mm.	
341	NN transport belt	Transport belt, steel frame, plastic belt, belt width: (5x) 50 mm, total dimensions: 1900 mm x 600 mm x 770 mm.	100
342	Numaric	Numaric floor scrubbing machine, type: ETB4045/100, 220-240 V, 50/60 Hz, 10 A, 400 Watt, dimensions: 1200 mm x 700 mm x 1000 mm.	50
343	Taski	Taski floor scrubbing machine, type: CO755.1X, model: Swingo, number: 7516826024777, 240 V, 50-60 Hz, 300 Watt, dimensions: 1120 mm x 450 mm x 1150 mm.	50
344	ALMiG Kompressoren GmbH	ALMiG Kompressoren GmbH air compressor with air dryer, type air compressor: FAS 6-10, number: S0054284, year of construction: 2019, 5.5 kW, maximum pressure: 10 bar, volume flow: 0.70 m^3 per minute, model air dryer: MKE 53, serial number: 3918MA17259, 230 V, 1 Ph, 50 Hz, 4.0 A, 0.37 kW, maximum pressure: 16 bar, refrigerant: R134a / 0.32 kg, total dimensions: 1550 mm x 830 mm x 1500 mm.	1750
345	Grundfos	Grundfos circulation pump, type: MGE112MC2-28FF215D1, serial number: 1993, 380-480 V, 3 Ph, 50/60 Hz, 4.00 kW, 8.10/6.60 A, weight: 43.50 kg, dimensions: 350 mm x 300 mm x 1040 mm.	250
346	Grundfos	Grundfos circulation pump, type: MGE112MC2-28FF215D1, serial number: 1982, 380-480 V, 3 Ph, 50/60 Hz, 4.00 kW, 8.10/6.60 A, weight: 43.50 kg, dimensions: 350 mm x 300 mm x 1040 mm.	250
347	NN cheese boards	2 pallets with approximately 102 wooden cheese boards on each pallet, dimensions each board: 1700 mm x 420 mm x 20 mm, total dimensions: (2x) 1700 mm x 1250 mm x 830 mm.	50
348	SEW Eurodrive / Lenze	Pallet with 11 various SEW Eurodrive and Lenze electro motors, dimensions pallet: 1200 mm x 800 mm x 400 mm.	110
349	ATB / AEG / Cantoni	Pallet with 6 various ATB, AEG and Cantoni electromotors, dimensions pallet: 1200 mm x 800 mm x 500 mm.	60
350	SEW Eurodrive	Pallet with 5 various SEW Eurodrive electromotors, dimensions pallet: 1200 mm x 800 mm x 450 mm.	50
351	Worthington Corporation	Worthington Corporation cooling compressor, model: 2VXC4, serial number: 36A65G0848, dimensions: 1500 mm x 650 mm x 840 mm.	350
352	Rotor	Rotor electromotor, type: XE250M02.60, number: 5123216, 380 V, 50 Hz, 105 A, weight: 457 kg, dimensions: 960 mm x 450 mm x 600 mm.	100
353	Copeland		50

Nr	Title	Description	Start €
		Copeland cooling compressor, model: 9RT1-1500-THV, serial number: E 65L 07035, 380 V, 3 Ph, 50 Hz, dimensions: 800 mm x 300 mm x 530 mm.	
354	Grundfos	Grundfos circulation pump, model: MAGNA3 65-120 F 340, serial number: 10030181, 230 V, 1 Ph, 50/60 Hz, 0.18/3.45 A, 16/763 W, dimensions: 340 mm x 260 mm x 390 mm.	50
355	Lowara	Lowara centrifugal pump, model: CA 120/55/P, number: 00863, year of construction: 2013-11-29, 220-240/38-415 V, 3 Ph, 50 Hz, 8.05/4.65 A, 2.2 kW, capacity: 50-150 liter per minute, dimensions: 450 mm x 250 mm x 250 mm.	50
356	Elmo Rietschle	Elmo Rietschle side channel vacuum pump, type: ZFP 216 (52), capacity: 216 m³ per hour, dimensions: 1150 mm x 620 mm x 680 mm.	100
357	SEW Eurodrive	Pallet with 11 various SEW Eurodrive motors, dimensions pallet: 1200 mm x 800 mm x 400 mm.	110
358	Alpeninox	Alpeninox refrigerated counter with 6 drawers, model: HB2PNT, serial number: 61510001, inside dimensions: (6x) 300 mm x 520 mm x 100 mm, total dimensions: 1220 mm x 700 mm x 820 mm.	390
359	NN frying pan	Tiltable frying pan, type: 700/930, serial number: AS07885001, 400 V, 3 Ph, 50 Hz, 7.8 kW, 500 kPa, inside dimensions: 600 mm x 430 mm x 200 mm, total dimensions: 810 mm x 750 mm x 1030 mm.	400
360	Hatco	Hatco s/s kitchen counter with au Bain marie, model: GRAH-48, serial number: 7959302109, 220-230 V, 50-60 Hz, 5/5.2 A, 1100/1202 W, dimensions: 2600 mm x 720 mm x 1710 mm.	550
361	Diamond	Diamond refrigerator, 3 doors, model: TS3N/L, serial number: 1737.0006, 220-240 V, 50-60 Hz, refrigerant: R404a, floor dimensions: 320 mm x 530 mm, inside dimensions: 1230 mm x 500 mm x 570 mm, total dimensions: 1600 mm x 700 mm x 900 mm.	350
362	Top Cold	Top Cold refrigerated counter, model: TCTP-7-180-30 SP, serial number: 1711220270P, year of construction: 2017, 50 Hz, refrigerant: R-134a, 370 gram, floor dimensions: 570 mm x 330 mm, total dimensions: 1800 mm x 700 mm x 900 mm.	400
363	NN refrigerator	Refrigerator, dimensions: 2370 mm x 740 mm x 730 mm.	450
364	BT	BT electric pallet lifter, serial number: 6107048/2010, fork length: 1150 mm, total dimensions: 2000 mm x 850 mm x 1900 mm. Including MicroPower battery charger, type: STC 24/40, 24 V.	2400
365	Parker	Parker chiller, model: ICE029A4003501P50FF000000, serial number: 398505670001, 400 V, 3 Ph, 50 Hz,	1250

Nr	Title	Description	Start €
		15.95 A, 8.62 kW, refrigerant: 407C / 6.8 kg, weight: 380 kg, dimensions: 2350 mm x 750 mm x 1300 mm.	
366	BVC	BVC industrial vacuum cleaner, model: TI 80 DLF, serial number: AC 00047, 400 V, 3 Ph, 50 Hz, 15 kW, dimensions: 1800 mm x 600 mm x 1850 mm.	50
367	Mettler-Toledo GmbH	Mettler-Toledo GmbH pipe line metal detector, diameter clearance: 150 mm, total dimensions: 450 mm x 450 mm x 500 mm.	40
368	Edlund	Edlund can opener, diameter: 155 mm, dimensions: 250 mm x 320 mm x 700 mm.	40
369	SureService Ltd	SureService Ltd weighing and labelling machine, model: GEMINI, serial number: HS85195, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, maximum weight: 4 kg, minimum weight: 0.1 kg, e=d= 0.002 kg, 60 packs per minute, plastic belt, belt width: 230 mm and (2x) 100 mm, total dimensions: 1700 mm x 800 mm x 2100 mm.	200
370	Loma Systems	Loma Systems checkweigher with metal detector and rejector, model: 7000 series, serial number: PC39162-31458, year of construction: 2003, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 250 mm, clearance: 350 mm x 130 mm, total dimensions: 1650 mm x 1000 mm x 1370 mm. Incomplete.	200
371	Loma Systems	Loma Systems metal detector, model: Euroscan F, serial number: 32F188, year of construction: march 1991, 415/240 V, 3 Ph, 50 Hz, clearance: 450 mm x 140 mm, plastic belt, belt width: 350 mm, total dimensions: 1500 mm x 900 mm x 1370 mm.	150
372	4-matic design	4-matic design mobile roller press, working width: 1000 mm, dimensions: 2200 mm x 1200 mm x 2200 mm.	150
373	Carver	Carver compression moulding press, model: CMG75H-24-CX-CE, serial number: 210499, year of construction: 02-2022, 415 V, 3 Ph, 50 Hz, 15000 Watt per plate, weight: 3039 kg, dimensions: 1550 mm x 1550 mm x 2000 mm.	500
374	NN platform	S/s platform with 2 steps, dimensions: 1240 mm x 740 mm x 500 mm.	50
375	Clark	Clark forklift, model: IM 15N, serial number: IM145-7686-GFF, capacity: 1500 kg, fork length: 1000 mm, total dimensions: 2800 mm x 1100 mm x 2150 mm. Including battery charger.	1500
376	Rhima	Rhima dishwasher, model: DR 60, serial number: 95.811, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 25 A, 10 kW, dimensions: 800 mm x 700 mm x 1450 mm.	250
377	NN tub	S/s tub, inside dimensions: 390 mm x 450 mm x 400 mm, total dimensions: 1270 mm x 800 mm x 1320 mm.	20
378	Sibola A/S		20

Nr	Title	Description	Start €
		Sibola A/S trolley, serial number: 11445, year of construction: 1991, 220/240 V, 0.26 A, 480 W, dimensions: 620 mm x 550 mm x 970 mm.	
379	NN motor	Motor, dimensions: 700 mm x 300 mm x 300 mm.	10
380	NN platform	Aluminium mobile working platform, working height: 800 mm, total dimensions: 3700 mm x 1200 mm x 1700 mm.	400
381	Sienz S.L.	Sienz S.L. mobile transport belt, model: FC-M0106, serial number: 20154900/0901, year of construction: 2022, plastic belt, belt width: 300 mm, total dimensions: 4800 mm x 500 mm x 1400 mm.	300
382	Dini Argeo srl	Dini Argeo srl weighing scale, model: DFWLKI, serial number: 0100402635, 110-220 V, 50-60 Hz, 15 W, maximum weight: 60 kg, minimum weight: 0.2 kg, e= 10 gram, dimensions scale: 600 mm x 500 mm, total dimensions: 580 mm x 600 mm x 650 mm. New calibrated.	75
383	Robopack s.a.	Robopack s.a. mobile box closing machine with infeed roller conveyor, model: ROBOTAPE 50 A, serial number: KN/048456, year of construction: 03/2002, 400 V, 3 Ph, 50 Hz, 1.6 A, 0.6 kW, weight: 197 kg, plastic roller, roller width: 400 mm, dimensions: 4350 mm x 1150 mm x 1870 mm.	350
384	Kortlever	Kortlever mobile cheese shredder, type: STRETTER, machine number: 2435, year of construction: 2006, infeed clearance: 500 mm x 140 mm, s/s rollers, roller width: 500 mm, total dimensions: 1210 mm x 550 mm x 1660 mm.	650
385	SB Pack GmbH	SB Pack GmbH mobile depositor, dimensions infeed: (2x) 335 mm x 245 mm x 300 mm, diameter outfeed: (2x) 20 mm, total dimensions: 1450 mm x 1050 mm x 1580 mm.	450
386	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD hamburger forming machine on s/s trolley, model: C SERIES FORMATIC MACHINE, serial number: C4000/12/04/060, 220/240 V, 50 Hz, 1.1 kW, dimensions forming machine: 840 mm x 640 mm x 840 mm, dimensions trolley: 800 mm x 650 mm x 820 mm. Incomplete, technical condition unknown.	850
387	Fri-Jado bv	Fri-Jado bv rotissery grill, model: STG 5-E, number: 100007252, year of construction: 2000, 400/230 V, 3 Ph, 50 Hz, 9 A, 6100 W, dimensions: 900 mm x 660 mm x 1750 mm. Glass broken.	350
388	Convochill	Convochill blast chiller, model: T5/20 A, serial number: 000 807 01099, year of construction: 2008, 230 V, 50 Hz, 10 A, 1200 W, refrigerant: R404a / 1.30 kg, 5 floors, dimensions floors: (5x) 530 mm x 310 mm, total dimensions: 800 mm x 700 mm x 900 mm.	550

Nr	Title	Description	Start €
389	Electrolux	Electrolux blast chiller, 6 floors, dimensions floors: (6x) 530 mm x 350 mm, total dimensions: 760 mm x 700 mm x 840 mm.	550
390	NN tank	S/s tank, dimensions: 1220 mm x 1020 mm x 1700 mm.	350
391	NN tank	S/s tank, dimensions: 1220 mm x 1020 mm x 1700 mm.	350
392	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 600 mm, total dimensions: 2400 mm x 900 mm x 1080 mm.	250
393	Koppens	Koppens mobile shuttle conveyor, type: SCB 1900/600, machine number: SCB 1900/600-203, 380 V, 3 Ph, 50 Hz, 0.40 A, 0.12 kW, weight: 175 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 2250 mm x 850 mm x 1200 mm.	1000
394	Henkelman	Henkelman mobile double chamber vacuum machine, type: POLAR 2-85, serial number: P501202005, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 20.5 A, 7 kW, Busch vacuum pump, type: RA 0302 D 5Z1 CUXX, capacity: 300 m³/h, seal length: (4x) 830 mm, chamber dimensions: (2x) 850 mm x 880 mm, total dimensions: 1900 mm x 1300 mm x 1150 mm.	2500
395	Atlas Copco	Atlas Copco air compressor, type: GA15VSD+ FF, serial number: API277983, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 15 kW, capacity: 2.5 m³ per minute, maximum pressure: 12.75 bar, weight: 279 kg, dimensions: 1200 mm x 630 mm x 1220 mm. Including oil water seperator, type: OSC 85, number: SIR0078745, year of construction: 2022.	1500
396	Airpress Holland	Airpress Holland air compressor, type: APS 9, serial number: ITJ591158, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 7.5 kW, maximum pressure: 10 bar, dimensions: 700 mm x 620 mm x 950 mm.	850
397	Airpress Holland	Airpress Holland air compressor, type: APS 9, serial number: ITJ591181, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 7.5 kW, maximum pressure: 10 bar, dimensions: 700 mm x 620 mm x 950 mm.	850
398	NN silo	Mobile s/s silo, dimensions: 1000 mm x 1100 mm x 2420 mm.	550
399	Busch	S/s rack with 2 Busch vacuum pump, type: (2x) RA 0302 D 5Z3 DIXX, number: C1234000008 / C1329000111, year of construction: 2022 / 2013, capacity: 300 m³ per hour,	1200
400	Interbake	Interbake planetary mixer, type: V-mix 100, number: 93, year of construction: 2022/11, volume: 100 liter, dimensions: 900 mm x 1020 mm x 1820 mm. Including pallet with parts.	4000
401	Whirlpool		150

Nr	Title	Description	Start €
		Whirlpool microwave, model: AVM 860/WP/ST, 230 V, 50 Hz, 2.7 kW, dimensions: 660 mm x 600 mm x 470 mm.	
402	Möller & Co	Möller & Co tenderizer, working width: 200 mm, total dimensions: 210 mm x 410 mm x 420 mm.	200
403	NN organ hooks	2 organ hooks, dimensions: (2x) 400 mm x 1700 mm.	50
404	Berkel	Berkel slicer, model: 834, number: 61514, 220 V, 50 Hz, 220 W, dimensions: 600 mm x 600 mm x 450 mm.	500
405	Sweepix	Sweepix floor scrubbing machine, type: YZ-X4, serial number: 57277CX20250826003, dimensions: 800 mm x 1300 mm x 1140 mm.	1000
406	Bizerba	Bizerba slicer, type: VS 8, machine number: 1221010, 220 V, 50 Hz, 1.7 A, 0.3 kW, dimensions: 550 mm x 600 mm x 550 mm.	400
407	Bizerba	Bizerba slicer, type: VS 8, machine number: 1221003, 220 V, 50 Hz, 1.7 A, 0.3 kW, dimensions: 550 mm x 600 mm x 550 mm.	400
408	Bizerba	Bizerba slicer, type: VS 8, machine number: 1205607, 220 V, 50 Hz, 1.7 A, 0.3 kW, dimensions: 550 mm x 600 mm x 550 mm.	400
409	Bizerba	Bizerba slicer, dimensions: 550 mm x 600 mm x 550 mm.	400
410	Graef	Graef slicer, type: Euro 3310, serial number: 6255730, year of construction: 2007, 230 V, 50 Hz, 2.2 A, 500 Watt, dimensions: 650 mm x 700 mm x 450 mm.	400
411	Berkel	Berkel slicer, type: 834 S, number: 626354W 95, with weighing scale, 230 V, 1 Ph, 50 Hz, 220 W, dimensions: 600 mm x 700 mm x 450 mm.	600
412	Diamond	Diamond mobile refrigerated showcase, type: RDN 800 FB, serial number: 19040306, 220-240 V, 50-60 Hz, 2200 Watt, refrigerant: R 452 A, 650 gram, dimensions: 800 mm x 650 mm x 1860 mm.	850
413	Lexovac	Lexovac mobile vacuum machine, type: 503 CE, machine number: 40303035, 400 V, 3 Ph, 2700 Watt, seal length: 800 mm and 500 mm, chamber dimensions: 800 mm x 500 mm, Busch vacuum pump, total dimensions: 920 mm x 750 mm x 1070 mm.	1500
414	Ifooma / Freund	Ifooma / Freund grinder, type: TG 101, number: 602997, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 3.5 A, 1.5 kW, plate diameter: 83 mm, total dimensions: 400 mm x 400 mm x 440 mm.	1000
415	Talsa	Talsa mobile piston filler, model: F14A, serial number: 1913951, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 1.9/3.3 A, 0.56 kW, dimensions: 800 mm x 800 mm x 1010 mm.	1950
416	Bosgraaf	Bosgraaf s/s writing desk, dimensions: 600 mm x 510 mm x 1160 mm.	50

Nr	Title	Description	Start €
417	Electrolux	Electrolux dishwasher, model: EHT8IWSG, serial number: 70310003, year of construction: 2017, 400/230 V, 3/1 Ph, 50 Hz, 12.9 kW, inside dimensions: 500 mm x 500 mm x 440 mm, total dimensions: 760 mm x 900 mm x 1550 mm.	800
418	Henkelman	Henkelman mobile dip tank, type: DT 60, number: DT107011, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, dimensions: 730 mm x 800 mm x 1500 mm.	800
419	Seffelaar & Looyen B.V.	Seffelaar & Looyen B.V. mobile flattener, type: SP250, number: SM152080, 220/380 V, 3 Ph, 50 Hz, 1.9/1.1 A, 0.3 kW, plastic belt, belt width: 250 mm, total dimensions: 1350 mm x 780 mm x 1350 mm.	1600
420	Vakona GmbH	Vakona GmbH mobile vacuum tumbler, type: 150 IPV, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 16 A, 1 kW, capacity: 150 liter, Busch vacuum pump, type: KC 0010 D, capacity: 10 m^3 per hour, dimensions: 1200 mm x 700 mm x 1300 mm.	4000
421	Rühle GmbH	Rühle GmbH vacuum tumbler, type: MTR 150, number: 219, volume: 150 liter, dimensions: 1100 mm x 750 mm x 1400 mm.	2400
422	NN frame for oven	S/s frame for oven, dimensions: 980 mm x 610 mm x 720 mm.	50
423	Giorik	Giorik combisteamer, model: KB061W, serial number: 004740/05/20, 400 V, 3 Ph, 50 Hz, 6.6 kW, 10 floors, floor dimensions: 530 mm x 330 mm, total dimensions: 800 mm x 600 mm x 800 mm.	1500
424	Stephanal Alvac	Stephanal Alvac mobile double chamber vacuum machine, type: Gemini, machine number: 1049-5437, year of construction: 2019, 230/400 V, 3 Ph, 50 Hz, 8.5/5 A, 2.2 kW, seal length: (4x) 550 mm, chamber dimensions: 615 mm x 550 mm, Busch vacuum pump, type: RA 0100 F 5R3, serial number: D18061371, capacity: 100 m^3 per hour, total dimensions: 1500 mm x 500 mm x 1500 mm.	2900
425	Henkelman	Henkelman mobile double chamber vacuum machine, type: POLAR 2-85, serial number: P500702016, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 20.5 A, 7 kW, Busch vacuum pump, type: RA 0302 D 5Z1 QMXX, capacity: 300 m^3/h, seal length: (4x) 830 mm, chamber dimensions: 830 mm x 830 mm, total dimensions: 1900 mm x 1300 mm x 1100 mm.	4800
426	Henkelman	Henkelman mobile vacuum machine, type: Atmoz 90, machine number: H0A10170008, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 11.5 A, 3.5 kW, chamber: 760 mm x 630 mm, seal length: (2x) 685 mm, Gardner Denver vacuum pump, type: V-VC 100 (20), capacity:	3000

Nr	Title	Description	Start €
		100/120 m³ per hour, total dimensions: 1000 mm x 1000 mm x 1120 mm.	
427	Henkovac	Henkovac mobile vacuum machine, seal length: (2x) 500 mm, dimensions chamber: 610 mm x 510 mm, Busch vacuum pump, type: RA 0063, capacity: 63 m³ per hour, total dimensions: 680 mm x 600 mm x 1070 mm.	1000
428	Electrolux/Zanussi	Electrolux/Zanussi pasta cooker with s/s sink with faucet, model: Z7PCEH2KFO, serial number: 03620001, year of construction: 2020, 380-400 V, 3 Ph, 50/60 Hz, 12 kW, dimensions: 1200 mm x 750 mm x 1550 mm.	1000
429	Kolbe	Kolbe bandsaw, number: 940135, dimensions: 900 mm x 1000 mm x 1800 mm.	1500
430	Boons	Boons wall-mounted cleaning unit with centrifugal frequency-controlled booster pump and integrated satellite, type: SWU-20/1-GR, serial number: BO21/02-SWU-005, year of construction: 2021, 400 V, 50/60 Hz, 2.2 kW, weight: 80 kg, pressure: 20 bar, maximum temperature: 70°C, dimensions: 520 mm x 900 mm x 550 mm.	2500
431	Maja	Maja mobile skinning machine, type: EVM 3006, number: 41726, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2 A, 0.75 kW, working width: 550 mm, foot controll, total dimensions: 900 mm x 550 mm x 1000 mm.	1000
432	Maja	Maja mobile skinning machine, type: ESM 435, number: 41319, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2 A, 0.75 kW, working width: 430 mm, total dimensions: 770 mm x 730 mm x 980 mm.	850
433	Maja	Maja mobile skinning machine, type: 435 ESM, 220/380 V, 0.75 kW, working width: 425 mm, total dimensions: 770 mm x 570 mm x 920 mm.	850
434	NN table	S/s table, dimensions: 1500 mm x 700 mm x 820 mm.	200
435	Frey	Frey mobile piston filler, type: KOMPAKTA2, machine number: K230C10434895, year of construction: 2015, 400 V, 50 Hz, 3.7 kW, dimensions: 1000 mm x 800 mm x 1230 mm.	4000
436	NN sink	S/s sink, dimensions: 1600 mm x 750 mm x 900 mm.	100
437	NN trolleys	2 s/s trolleys for combisteamer, 20 floors, floor dimensions: 610 mm x 410 mm, total dimensions: 800 mm x 470 mm x 1800 mm.	600
438	K+G Wetter	K+G Wetter mobile grinder, type: Profi, machine number: 640/1066, year of construction: 2007, 400 V, 6.3 A, 3 kW, plate diameter: 98 mm, total dimensions: 500 mm x 800 mm x 1350 mm.	1400
439	Moller & Co	Moller & Co grinder, plate diameter: 98 mm, total dimensions: 600 mm x 900 mm x 1200 mm.	800
440	Ifooma / Freund		1900

Nr	Title	Description	Start €
		Ifooma / Freund Maschinenfabrik GmbH grinder, type: TGR 103, number: 700289, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 1.5/3.5 kW, diameter plate: 80 mm, total dimensions: 500 mm x 500 mm x 490 mm. Never used.	
441	Alto Shaam	Alto-Shaam mobile heated cabinet, model: 500-2DN, serial number: 2726582-000, year of construction: 2020, 230 V, 1 Ph, 50/60 Hz, 590 W, dimensions: 420 mm x 750 mm x 480 mm.	750
442	Stephan	Stephan universal machine, type: UM 44, machine number: 716.629.01, year of construction: 1990, 220 V, 50 Hz, 22.5/29.4 A, 5.5/7.5 kW, volume: 40 liter, dimensions: 800 mm x 540 mm x 1200 mm.	3500
443	Stephan	Stephan universal machine, type: UM 44A, machine number: 722479.01, year of construction: 1996, 400 V, 50 Hz, 8.1/9.5 A, 3.3/4.5 kW, volume: 40 liter, dimensions: 800 mm x 540 mm x 1200 mm.	2000
444	Rational	Rational combisteamer, model: ClimaPLus Combi CPC 201, serial number: E21CD02111079329, 400 V, 50 Hz, electric heated, 2 s/s trolleys, 20 floors, dimensions each floor: 530 mm x 330 mm, dimensions trolley: 850 mm x 540 mm x 1800, total dimensions: 1000 mm x 900 mm x 1900 mm.	3200
445	Convotherm	Convotherm combisteamer on s/s frame, type: C4eT 6.10ES, serial number: XS117109476, 400 V, 3 Ph, 50/60 Hz, 15.9 A, 11 kW, 7 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 1000 mm x 800 mm x 1530 mm.	1000
446	Rational	Rational combisteamer, 400 V, 50 Hz, 8 floors, floor dimensions: (8x) 410 mm x 610 mm, total dimensions: 980 mm x 850 mm x 1860 mm.	2000
447	Rational	Rational combisteamer, model: SCC WE 61G, serial number: G61SH14012387070, 230 V, 1 Ph, 50-60 Hz, 400 Watt, 13 kW, gas heated, 6 floors, floor dimensions: 340 mm x 530 mm, total dimensions: 850 mm x 900 mm x 1600 mm.	2000
448	Alto Shaam	Alto Shaam mobile heated cabinet, model: 500-S, serial number: 2472085-000, year of construction: 2019, 230 V, 1 Ph, 50/60 Hz, 950 W, 11 floors, floor dimensions: 500 mm x 330 mm, total dimensions: 650 mm x 460 mm x 820 mm.	750
449	Hoshizaki	Hoshizaki ice machine, model: FM-150KE-50-N, serial number: G21816, 220-240 V, 50 Hz, 5 A, weight: 81 kg, refrigerant: R134a/0.22 kg, dimensions: 940 mm x 620 mm x 800 mm.	850
450	Alto Shaam	Alto Shaam heated cabinet, model: 500-1D, serial number: 2556107-000, year of construction: 2019, 230 V, 1 Ph, 50/60 Hz, 590 W, tray dimensions: 500 mm x	400

Nr	Title	Description	Start €
		300 mm x 150 mm, total dimensions: 630 mm x 600 mm x 300 mm.	
451	Talsa	Talsa mobile mixer, model: MIX95, serial number: 1711191, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 1 A, 0.8 kW, volume: 95 liter, dimensions: 1280 mm x 840 mm x 1150 mm.	1500
452	Küppersbusch	Küppersbusch cooking vessel, inside dimensions: Ø 590 mm x 460 mm, total dimensions: 800 mm x 940 mm x 980 mm.	800
453	Spako	Spako cooking vessel with agitator, type: TRK100, serial number: 21.532, year of construction: 2006, 230/400 V, 50 Hz, 9.5 kW, inside dimensions: Ø 600 mm x 400 mm, total dimensions: 1160 mm x 880 mm x 1590 mm.	3000
454	Tender Star	Tender Star tenderizer, number: 92293, working width: 200 mm, total dimensions: 500 mm x 600 mm x 1700 mm.	200
455	NN sink	S/s sink with faucet, dimensions: 1400 mm x 700 mm x 960 mm.	250
456	NN clipper	Clipper, number: MH.1222 303, dimensions: 300 mm x 350 mm x 800 mm.	300
457	Nesto	Nesto double shaft paddle mixer, type: MIX MAXI-200, serial number: 2014, year of construction: 2024, 400 V, 3 Ph, 50 Hz, weight: 300 kg, volume: 200 liter, dimensions: 1450 mm x 700 mm x 1500 mm. Never used.	11000
458	NN de-scaler	De-scaler, dimensions: 200 mm x 280 mm x 250 mm.	100
459	Nesto	Nesto double shaft paddle mixer with lifter for 200 liter meat bins, type: MIX MAXI-450, serial number: 1030, year of construction: 2026, 400 V, 3 Ph, 4 kW, weight: 620 kg, volume: 450 liter, total dimensions: 2000 mm x 610 mm x 470 mm. Never used.	21500
460	Soehnle	Soehnle weighing scale with indicator, model: 3700, serial number: 9121.052008026, 100-240 V, 50-60 Hz, maximum weight: 60 kg, d= 2 gram, dimensions: 400 mm x 380 mm x 80 mm.	50
461	NN table	S/s table, dimensions: 2000 mm x 600 mm x 880 mm.	300
462	Rational	Trolley for Rational combisteamer, 10 floors, floor dimensions: 400 mm x 610 mm, total dimensions: 470 mm x 730 mm x 1780 mm.	200
463	Freund	Freund bandsaw, type: TBS28FT, number: 700039, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 2.62 A, 1500 W, 1425 rpm, table dimensions: 800 mm x 700 mm, total dimensions: 800 mm x 800 mm x 1700 mm. Never used.	2000
464	Wiesheu GmbH	Wiesheu GmbH mobile combisteamer, type: M216CR+TS350+P.C1, number: 62678, year of construction: 1999, 400 V, 50 Hz, 18.6 kW, 10 floors,	400

Nr	Title	Description	Start €
		dimensions each floor: 520 mm x 330 mm, total dimensions: 950 mm x 870 mm x 2050 mm.	
465	Eurochef	Eurochef double deep fryer, type: Multi Fry, model: KLO, serial number: TD 18041, year of construction: 2015, 380 V, 3 Ph, 50/60 Hz, dimensions: 700 mm x 800 mm x 820 mm.	800
466	Henkelman	Henkelman vacuum machine, type: JUMBO 35, machine number: J200509131, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.6 kW, seal length: 360 mm, dimensions chamber: 360 mm x 365 mm x 45 mm, total dimensions: 550 mm x 450 mm x 430 mm.	500
467	Food Machine	Food Machine mixer, type: FM20, serial number: 07020366, year of construction: 2007/03, 230 V, 1 Ph, 50 Hz, 5.5 A, inside dimensions: Ø 320 mm x 270 mm, total dimensions: 400 mm x 520 mm x 1200 mm.	100
468	Electrolux	Electrolux 4-pits stove, dimensions: 800 mmx 940 mm x 900 mm.	300
469	Baron	Baron grill and 2-pits gas stove, 400 V, 50/60 Hz, dimensions: 570 mm x 370 mm x 510 mm.	250
470	Alto Shaam	Alto Shaam oven, model: VMC-H4H, serial number: 2145219-000, year of construction: 12/13/17, 380-415 V, 3 Ph, 50/60 Hz, 10800-12700 W, 4 floors, dimensions each floor: 500 mm x 370 mm x 120 mm, total dimensions: 900 mm x 500 mm x 1100 mm.	4000
471	HFE Vacuum Systems	HFE Vacuum Systems mobile vacuum machine, type: EP 95, number: 20020555, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 9 A, 4.4 kW, seal length: 800 mm and 500 mm, chamber dimensions: 740 mm x 500 mm, Busch vacuum pump, type: RA 0100 E 5Z1, number: 02008455, total dimensions: 850 mm x 700 mm x 1040 mm.	1500
472	Giorik	Giorik combisteamer, 400 V, 3 Ph, 50 Hz, 6 floors, dimensions each floor: 510 mm x 330 mm, total dimensions: 850 mm x 850 mm x 830 mm.	1000
473	Franstal	Franstal combisteamer on s/s frame, type: ME061T, serial number: LA020009220, 6 floors, floor dimensions: 530 mm x 300 mm, total dimensions: 950 mm x 900 mm x 1720 mm.	500
474	Convotherm	Convotherm combisteamer on s/s rack, type: OES 10.10, number: FS301003000A00, 400 V, 3 Ph, 50/60 Hz, 26.3 A, 19.8 kW, 11 floors, dimensions each floor: 530 mm x 320 mm, total dimensions: 900 mm x 930 mm x 1800 mm.	800
475	Franstal	Franstal refrigerator, type: FHIM 70TNN AR., serial number: HPO20032096, year of construction: 2021, 220-240 V, 50 Hz, 1.13 A, 250 W, refrigerant: R290, 2 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 720 mm x 800 mm x 2000 mm.	800

Nr	Title	Description	Start €
476	Everlasting	Everlasting refrigerator, (2x) 6 floors, dimensions each floor: 650 mm x 530 mm, maximum temperature: -2/+10℃, total dimensions: 1480 mm x 840 mm x 2080 mm.	950
477	NN platform	S/s platform with 2 steps, dimensions: 900 mm x 770 mm x 440 mm.	45
478	NN gutter	S/s mobile gutter, dimensions: 2350 mm x 1100 mm x 1340 mm.	150
479	Stork Titan B.V.	Stork Titan B.V. mobile battering machine, model: TEM 400, year of construction: 1998, 380 V, s/s mesh belt, belt width: 400 mm, total dimensions: 1550 mm x 900 mm x 1520 mm.	1500
480	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 450 mm, total dimensions: 2150 mm x 700 mm x 1670 mm.	250
481	NN trolley	Steel trolley for film reels, dimensions: 1800 mm x 500 mm x 580 mm.	75
482	Koppens B.V.	Koppens B.V. mobile 90° curve conveyor, type: RT90-8/600R, machine number: 346, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, s/s mesh belt, belt width: 600 mm, total dimensions: 2000 mm x 950 mm x 1020 mm.	450
483	NN tool trolley	S/s tool trolley, dimensions: 900 mm x 610 mm x 1500 mm.	150
484	Freund	Freund bandsaw, type: TBS19KT, serial number: 700045, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 2.62 A, 1100 W, 1420 rpm, table dimensions: 580 mm x 500 mm, total dimensions: 600 mm x 500 mm x 1000 mm. Never used.	1500
485	Gesame	Gesame hamburger forming machine, model: MH-100, serial number: 101129, year of construction: 2018, 230 V, 2 Ph, 50/60 Hz, 2.14 A, 0.37 kW, dye: Ø 90 mm, total dimensions: 600 mm x 450 mm x 700 mm. Including extra forming head.	1450
486	Frey Maschinenbau	Frey Maschinenbau piston filler, type: KOMPAKTA2, serial number: K230C11735976, year of construction: 2016, 400 V, 50 Hz, 3.70 kW, capacity: 30 liter, dimensions: 800 mm x 650 mm x 1300 mm.	6000
487	Wolfking A/S	Wolfking A/S mobile paddle mixer-grinder, type: SFG 150/100, number: 57243, year of construction: 1994, 400 V, 50 Hz, 7.8/9.1 A, 3.7/4.4 kW, plate diameter: 100 mm, total dimensions: 1300 mm x 600 mm x 1500 mm.	2450
488	Stephan	Stephan universal machine, type: UM 44A, machine number: 719.061.01, year of construction: 1982, 220 V, 50 Hz, 20.9/20.9 A, 3.3/4.5 kW, capacity: 44 liter, dimensions: 800 mm x 550 mm x 1100 mm.	2600
489	Mado		2350

Nr	Title	Description	Start €
		Mado mobile grinder, type: MEW 717, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 7.0 A, 2.95 kW, 1440 rpm, plate diameter: 100 mm, total dimensions: 1050 mm x 520 mm x 1380 mm.	
490	Vakona GmbH	Vakona GmbH mobile vacuum mixer, type: 100 IP, number: 410, 220/380 V, 50 Hz, 2.5/1.45 A, 0.37 kW, dimensions: 1160 mm x 700 mm x 1310 mm. With vacuum pump.	1000
491	Frigoglass Romania SRL	Frigoglass Romania SRL refrigerator, type: ICOOL-150 C, serial number: R05812054450, year of construction: 17/10/17, 230 V, 50 Hz, 0.65 A, 98 W, refrigerant: R600a, 0.065 kg, capacity: 136/120 liter, dimensions: 600 mm x 500 mm x 900 mm.	150
492	Colged	Colged dishwasher, type: Gold74, serial number: 116688, year of construction: 09/02/2006, 400 V, 3 Ph, 50 Hz, 11.1 kW, inside dimensions: 500 mm x 500 mm x 320 mm, total dimensions: 700 mm x 800 mm x 1300 mm.	300
493	Star	Star battery charger, dimensions: 620 mm x 420 mm x 750 mm.	50
494	NN coat / boot rack	S/s mobile coat / boot rack, total 69 pegs, length pegs: (22x) 50 mm / (30x) 200 mm / (17x) 310 mm, total dimensions: 1500 mm x 850 mm x 1880 mm.	150
495	Stephan	Stephan microcutter, type: MCH 20 K, machine number: M06014, year of construction: 2006, 400 V, 50 Hz, 28.5 A, 15.37 kW, infeed clearance: 540 mm x 450 mm, diameter knives: 125 mm / 175 mm, total dimensions: 1520 mm x 750 mm x 1690 mm.	1500
497	Inomak SA	Inomak SA mobile refrigerator, model: CE2140/WC, serial number: 1386771, 230 V, 50 Hz, 5.4 A, 1244 W, refrigerant: R134a, 0.50 kg, dimensions: 1540 mm x 830 mm x 2120 mm.	400
498	Crionovo	Crionovo blast chiller, model: W5UG, serial number: 012001022, 220/240 V, 50 Hz, 5.2 A, 1030 W, refrigerant: R452A, 1400 g, 11 floors, floor dimensions: 530 mm x 300 mm, total dimensions: 720 mm x 700 mm x 860 mm. Incomplete.	500
499	Koppens B.V.	Koppens B.V. mobile batter mixer, inside dimensions: Ø 500 mm x 420 mm, volume: 70 liter, total dimensions: 800 mm x 600 mm x 900 mm.	650
500	NN turning table	S/s turning table, dimensions: Ø 1500 mm x 870 mm.	250
501	Franstal	Franstal refrigerated cabinet, model: FSAUEBM-0P4H, 230 V, 50 Hz, 1.4 A, 280 W, R290, 0.70 kg, dimensions: 1850 mm x 700 mm x 870 mm.	500
502	NN deep fryer	Double deep fryer, inside dimensions: 340 mm x 220 mm, total dimensions: 800 mm x 700 mm x 870 mm.	500
503	Ecofrost	Ecofrost refrigerated cabinet, model: 4750.058, 220/240 V, 50 Hz, 1.2 A, 170 W, refrigerant: R600a, 65	200

Nr	Title	Description	Start €
		g, weight: 81 kg, dimensions: 900 mm x 700 mm x 1000 mm.	
504	Witt-Gasetechnik GmbH & Co. KG	Witt-Gasetechnik GmbH & Co. KG leak tester, type: Leak-Master-Easy, serial number: 949122 5901LME-002, year of construction: 2018, Pv minimum: 6 bar, Pv maximum: 8 bar, inside dimensions: 510 mm x 320 mm x 260 mm, total dimensions: 610 mm x 610 mm x 1540 mm.	650
505	Hakpro	Hakpro heated cabinet, 230 V, 50 Hz, 0.75 kW, dimensions: 1000 mm x 820 mm x 1560 mm.	500
506	Mercatus	Mercatus refrigerator, model: GE PAST 1400BT, serial number: 158436, year of construction: 2017, 220/240 V, 50 Hz, 3.8 A, 790 W, refrigerant: R-404A, 470 g, 10 floors, floor dimensions: 600 mm x 400 mm, total dimensions: 1450 mm x 850 mm x 2060 mm.	750
507	REA	3 plastic REA racks, dimensions: (1x) 1460 mm x 300 mm x 1500 mm, (1x) 1650 mm x 530 mm x 150 mm, (1x) 2000 mm x 510 mm x 1740 mm.	300
508	Gram	Gram refrigerator, 4 floors, floor dimensions: 530 mm x 430 mm, total dimensions: 600 mm x 750 mm x 2000 mm.	500
509	Ecofrost	Ecofrost refrigerator, model: 4752. 005, serial number: 6951 1419 2001 0507, 220/240 V, 50 Hz, 1 A, 170 W, refrigerant: R290, 95 g, weight: 134 kg, 5 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 740 mm x 840 mm x 2000 mm.	300
510	Franstal	Franstal refrigerator, type: FSANE7-0P4H, year of construction: 19/09/23, 230 V, 50 Hz, 1.2 A, 210 Watt, refrigerant: R290, 0.08 kg, 20 floors, floor dimensions: (20x) 635 mm x 525 mm, total dimensions: 800 mm 690 mm x 2000 mm.	500
511	Franstal	Franstal refrigerator, type: FSAHD7-OP4H, serial number: 11720057601, year of construction: 19-09-2021, 230 V, 50 Hz, 1.2 A, 250 W, 4 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 720 mm x 800 mm x 2000 mm.	500
512	Franstal	Franstal refrigerator, type: FHIM 70TNN AR., serial number: HPO20032094, year of construction: 2021, 220-240 V, 50 Hz, 1.13 A, 250 W, refrigerant: R290, 3 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 720 mm x 800 mm x 2000 mm.	500
513	Foster	Foster mobile refrigerator, model: EPRO25BSF, serial number: E5411154, 230 V, 1 Ph, 50 Hz, 3.2 A, 675 W, refrigerant: R290, 150 gram, 16 floors, 5 plastic crates, crate dimensions: 760 mm x 450 mm x 90 mm, total dimensions: 700 mm x 930 mm x 2270 mm.	500
514	Foster	Foster mobile refrigerator, model: EP820LW, serial number: E5465284, 230 V, 1 Ph, 50 Hz, 5.2 A, 1025 W,	500

Nr	Title	Description	Start €
		refrigerant: R404a, 3 floors, dimensions each floor: 540 mm x 650 mm, total dimensions: 800 mm x 700 mm x 2050 mm.	
515	Leventi	Leventi combisteamer, model: CM 1.20 MM BDI ME, serial number: 16 05 67126, 400 V, 3 Ph, 50/60 Hz, 36 kW, total dimensions: 910 mm x 910 mm x 2150 mm. Including s/s trolley, 20 floors, dimensions each floor: 600 mm x 400 mm.	2000
516	Leventi	Leventi double stacked combisteamer with hood, model: BM 6 MM YOU, serial number: 14 03 61910, 400 V, 50-60 Hz, 9 kW, 5 and 6 floors, dimensions each floor: 600 mm x 400 mm, total dimensions: 900 mm x 900 mm x 2210 mm.	2000
517	Giorik S.p.A.	Giorik S.p.A. oven, model: KB061W, serial number: 007517/09/20, 400 V, 3 Ph, 50 Hz, 6.6 kW, 11 floors, dimensions each floor: 330 mm x 420 mm, total dimensions: 600 mm x 850 mm x 800 mm.	1600
518	NN denester	Denester, 4 nests, clearance: (4x) 200 mm x 100 mm, total dimensions: 1450 mm x 1250 mm x 1810 mm.	750
519	Sealpac	Sealpac traysealer, type: SEALPAC 750, serial number: TVG 04 1029 01, year of construction: 2004, 400/230 V, 3 Ph, 6.5 kW, infeed chains, dimensions dye: (5x) 575 mm x 105 mm, outfeed plastic wire belt, belt width: 320 mm, total dimensions: 3640 mm x 800 mm x 1900 mm. Including parts.	950
520	Electrolux	Electrolux refrigerator, model: V400 WHITE, serial number: 02300032, 230 V, 50 Hz, 280 W, refrigerant: R134a / 0.230 kg, volume: 400 liter, dimensions: 700 mm x 610 mm x 1980 mm.	150
521	Hobart	Hobart dishwasher, clearance inside: 500 mm x 500 mm, total dimensions: 870 mm x 830 mm x 1590 mm.	650
522	Winterhalter	Winterhalter dishwasher, clearance inside: 480 mm x 480 mm, total dimensions: 820 mm x 750 mm x 1580 mm.	650
523	Hobart	Hobart dishwasher, clearance inside: 500 mm x 500 mm, total dimensions: 820 mm x 710 mm x 1510 mm.	350
524	Hobart	Hobart dishwasher, model: PREMAX, clearance inside: 500 mm x 500 mm, total dimensions: 900 mm x 820 mm x 1530 mm.	650
525	Diamond	Diamond grill plate, dimensions: 800 mm x 750 mm x 960 mm.	350
526	Winterhalter	Winterhalter dishwasher, type: GS 515, serial number: 1068743, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 25 A, 15.6 kW, clearance inside: 500 mm x 500 mm, total dimensions: 840 mm x 810 mm x 1540 mm.	250
527	Rational AG	Rational AG combi steamer, model: SCC XS 6 2/3 E, serial number: E60SI18122717534, 400 V, 3 Ph, 50/60 Hz, electric heated, 4 floors, dimensions floors: (4x)	2750

Nr	Title	Description	Start €
		400 mm x 320 mm, total dimensions: 660 mm x 560 mm x 570 mm.	
528	Haier	Haier refrigerator, model: SC-76J/JA/JB/JC/JN, serial number: BW00M BE4CO 0B2F6 G0048, year of construction: 20150616, 220-240 V, 50 Hz, 1.2 A, 140 W, refrigerant: R600a / 37 gram, volume: 76 liter, weight: 33 kg, dimensions: 620 mm x 520 mm x 660 mm.	50
529	Haier	Haier refrigerator, model: SC-76J/JA/JB/JC/JN, serial number: BW00M BE4CO 0B2F6 G0062, year of construction: 20150616, 220-240 V, 50 Hz, 1.2 A, 140 W, refrigerant: R600a / 37 gram, volume: 76 liter, weight: 33 kg, dimensions: 620 mm x 520 mm x 660 mm.	50
530	Jungheinrich	Jungheinrich pallet lifter, type: AM 22, serial number: 14904199, year of construction: 2016/09, weight: 63 kg, capacity: 2200 kg, fork length: 1150 mm, total dimensions: 1550 mm x 520 mm x 1240 mm.	200
531	Rational AG	Rational AG Vario Cooking Center, dimensions: 1160 mm x 930 mm x 1100 mm.	3000
532	Hobart	Hobart dishwasher, model: GC-10A, serial number: 866104418, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 12.6 A, 4.6 kW, clearance inside, 400 mm x 400 mm, total dimensions: 590 mm x 460 mm x 800 mm. Including Hobart osmose unit, model: RO-S, serial number: 396937514, year of construction: 2025-04, 220-240 V, 50/60 Hz, 1.5 A, dimensions osmose unit: 560 mm x 150 mm x 440 mm.	650
533	Hakvoort	Hakvoort grill, dimensions: 790 mm x 400 mm x 390 mm.	150
534	Rational AG	Rational AG combi steamer, model: SCC WE 61E, electric heated, 6 floors, dimensions floors: (6x) 530 mm x 330 mm, total dimensions: 850 mm x 780 mm x 780 mm.	2750
535	NN frame	S/s frame for rational oven / combisteamer, dimensions: 840 mm x 580 mm x 680 mm.	75
536	NN frame	S/s frame for rational oven / combisteamer, dimensions: 780 mm x 640 mm x 710 mm.	75
537	NN frame	S/s frame for rational oven / combisteamer, dimensions: 840 mm x 580 mm x 680 mm.	75
538	NN frame	S/s frame for rational oven / combisteamer, dimensions: 840 mm x 580 mm x 680 mm.	75
539	Hobart	Hobart dishwasher, serial number: 86599768, clearance inside: 500 mm x 500 mm, total dimensions: 810 mm x 760 mm x 1540 mm.	250
540	Loma Systems	Loma Systems x-ray scanner with rejector belt, model x-ray scanner: X5c COMPACT, serial number: AXRS4197-60175F, year of construction: 2019, 230 V, 1	2500

Nr	Title	Description	Start €
		Ph, 50 Hz, 5 A, plastic belt, belt width: 285 mm, clearance: 350 mm x 130 mm, total dimenisons x-ray scanner: 1590 mm x 780 mm x 1550 mm, model rejector belt: X5s Reject Conveyor, serial number: ACV54198 60176F, year of construction: 2019, 230 V, 1 Ph, 50 Hz, 4 A, dimensions rejector belt: 1400 mm x 800 mm x 1260 mm. Calibration and performance validation certification issued in July 2026.	
541	Loma Systems	Loma Systems metal detector with rejector, model: IQ3+E ST, serial number: QEU45-25-50419D, year of construction: 5.12.2019, 100-240 V, 50/60 Hz, plastic mesh belt, belt width: 400 mm, clearance: 450 mm x 210 mm, total dimensions: 2100 mm x 1120 mm x 1400 mm.	2500
542	Loma Systems	Loma Systems metal detector with rejector, model: Blue IQ3+ ST, serial number: QPB55-25-29014D, year of construction: 9.6.2019, 85-265 V, 50/60 Hz, plastic mesh belt, belt width: 500 mm, clearance: 550 mm x 200 mm, total dimensions: 2160 mm x 1450 mm x 1360 mm.	2500
543	Loma Systems	Loma Systems mobile metal detector, model: Harsh IQ3 ST, serial number: Q3W35R25-30293D, year of construction: 18.9.2015, 110/240 V, 50/60 Hz, 0.3/0.6 A, plastic mesh belt, belt width: 300 mm, clearance: 190 mm x 350 mm, total dimensions: 1800 mm x 830 mm x 1370 mm.	1250
544	Medoc	Medoc bandsaw, model: STL 390, dimensions table: 850 mm x 780 mm, total dimensions: 970 mm x 860 mm x 1760 mm.	750
545	Supertape	Supertape mobile box closing machine, plastic belts, belt width: (2x) 50 mm, total dimensions: 1150 mm x 970 mm x 1650 mm.	250
546	CVP SYSTEMS INC	CVP SYSTEMS INC mobile modified atmosphere packaging machine, model number: A-300, serial number: 9313-27, 240 V, 1 Ph, 50/60 Hz, 10 A, seal length: 1400 mm, LEYBOLD S.A. vacuum pump, total dimensions: 1500 mm x 1150 mm x 1950 mm.	1250
547	Diosna	Diosna mixer, machine type: D 200/2G, machine number: 7-2341, 380 V, 3 PH, 50 Hz, s/s bowl, 200 kg capacity, total dimensions: 1100 mm x 1090 mm x 1160 mm.	1000
548	Kärcher	Kärcher floor sweeper, model: Professional KM 70/20 C, dimensions: 1000 mm x 1000 mm x 1100 mm.	75
549	Thompson Meat Machinery	Thompson Meat Machinery mobile mixer-grinder, type: 900, serial number: 900-M1-4-13, year of construction: 03-05, 240 V, 50 Hz, 20.2/7.0 A, 3.7/1.1 kW, diameter plate: 100 mm, total dimensions: 1000 mm x 950 mm x 1180 mm.	1500

Nr	Title	Description	Start €
550	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: DERBY CE, dimensions chamber: 840 mm x 840 mm, total dimensions: 1560 mm x 700 mm x 1120 mm.	1250
551	Jungheinrich	Jungheinrich electric pallet lifter, model: EJD 120, serial number: 98427291, year of construction: 2024, fork dimensions: 1150 mm x 540 mm, operating hours: 40 hours, lifting height: 1660 mm, total dimensions: 1750 mm x 700 mm x 1320 mm, including Jungheinrich battery charger, model: SLH 90, output: 24 V/35 A, dimensions: 420 mm x 120 mm x 260 mm.	2500
552	ManSerPack S.L	ManSerPack S.L control panel, model: MTS-LST-SA-CU, serial number: 22049, year of construction: 2022, 230 V, 50 Hz, 0.12 kW, dimensions: 510 mm x 440 mm x 1300 mm.	100
553	Multivac	Multivac thermoformer, type: R085, serial number: 312009, year of construction: 2021, 415 V, 3 Ph, 50 Hz, 24 A, 7 kW, distance between chains: 420 mm, dimensions dye: 375 mm x 250 mm, plastic outfeed roller, roller width: 380 mm, Multivac vacuum pump, type: MRP150, serial number: 2112777, year of construction: 2021, capacity: 106/127 m^3 per hour, total dimensions: 3840 mm x 1100 mm x 1700 mm. Including pallet with parts and tools, dimensions dye's: (2x) 250 mm x 180 mm.	17500
554	Henkelman	Henkelman mobile double chamber vacuum machine, type: Titaan 2-90, machine number: HTN10190004, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 5.5 kW, seal length: (4x) 850 mm, chamber dimensions: (2x) 850 mm x 900 mm, working hours: 46:32, Busch vacuum pump, type: RD 0360 A 5H3, capacity: 300 m^3 per hour, total dimensions: 2500 mm x 1200 mm x 1150 mm. Only 40 working hours.	17500
555	Henkelman	Henkelman mobile dip tank, type: Diptank 100, machine number: H0D10190033, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 24 A, 15 kW, capacity: 100 liter, dimensions: 1000 mm x 830 mm x 1400 mm.	1650
556	Sweepix	Sweepix vacuum cleaner, type: YZ-106 Commercial vacuum cleaner, serial number: 57277CX20250829035, 220 V, 50-60 Hz, 1600 W, barrel capacity: 35 liter, dimensions: 400 mm x 400 mm x 700 mm. Never used.	100
557	Sweepix	Sweepix vacuum cleaner, type: YZ-106 Commercial vacuum cleaner, serial number: 57277CX20250829018, 220 V, 50-60 Hz, 1600 W, barrel capacity: 35 liter, dimensions: 400 mm x 400 mm x 700 mm. Never used.	100
558	Sweepix	Sweepix vacuum cleaner, type: YZ-302 Commercial vacuum cleaner, serial number: 57277CX20250826058, 220 V, 50-60 Hz, 3200 W, barrel capacity: 70 liter, dimensions: 600 mm x 700 mm x 900 mm. Never used.	250

Nr	Title	Description	Start €
559	Sweepix	Sweepix floor scrubbing machine, type: YZ-X7 Ride-on Floor scrubber, serial number: 57277CX20250826009, dimensions: 1700 mm x 1000 mm x 1400 mm. Never used.	4000
560	NN tub	S/s mobile tub, inside dimensions: 1430 mm x 600 mm x 300 mm, total dimensions: 1600 mm x 660 mm x 810 mm.	150
561	NN tub	S/s mobile tub, inside dimensions: 1430 mm x 600 mm x 300 mm, total dimensions: 1600 mm x 660 mm x 810 mm.	150
562	Pietroberto	Pietroberto mixer, 16152 working hours, dimensions: 1450 mm x 900 mm x 1580 mm. Including 2 s/s mobile bowls, s/s bowls, inside dimensions: (3x) Ø 800 mm x 430 mm, total dimensions: (3x) 930 mm x 850 mm x 840 mm.	2000
563	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, model: MUSTANG 100-CE, type: 2731, machine number: 273100.68801.0105, year of construction: 1998, 230/400 V, 50 Hz, 10 A, 1.75 kW, weight: 395 kg, dimensions chamber: 95 mm x 95 mm, total dimensions: 1900 mm x 820 mm x 1140 mm. Incomplete, without knives and grids.	950
564	Wetrok	Wetrok floor scrubbing machine, model: Discomatic Mambo, 45cm 30L, number: 50025-02278, year of construction: 12/2014, 230 V, 290 W, 24 VDC, 500 W, 24 V/40Ah, weight: 63 kg, cleaning width: 400 mm, dimensions: 1000 mm x 500 mm x 1140 mm.	350
565	Weber	Weber mobile skinning machine, type: ASE 400, number: 192, year of construction: 2008, 400 V, 50 Hz, 0.37 kW, weight: 190 kg, working width: 380 mm, total dimensions: 720 mm x 610 mm x 980 mm.	850
566	Weber	Weber mobile skinning machine, type: ASE 400, number: 191, year of construction: 2008, 400 V, 50 Hz, 0.37 kW, weight: 190 kg, working width: 380 mm, total dimensions: 720 mm x 610 mm x 980 mm.	850
567	Eureka S.p.a.	Eureka S.p.a. floor scrubbing machine, model: E61-V3, 24 V, 1.30 kW, weight: 203 kg, dimensions: 700 mm x 500 mm x 300 mm.	400
568	Safeline	Safeline mobile metal detector, type: R Series Profile, model: V4-REM, serial number: 86206, 100-240 Vac, 50/60 Hz, 340 W, plastic mesh belt, belt width: 225 mm, clearance: 250 mm x 90 mm, total dimensions: 1220 mm x 850 mm x 1100 mm.	1200
569	Conpax	Conpax packaging machine, type: Rapidpack, serial number: AKK 7927, year of construction: 2002, 230 V, 0.5 kW, film width: 230 mm, seal length: 170 mm x 220 mm, total dimensions: 1130 mm x 500 mm x 1050 mm.	150
570			400

Nr	Title	Description	Start €
	Precision Labelling Systems Limited	Precision Labelling Systems Limited mobile double labeller, serial number: 4721, 240 V, 50 Hz, plastic belt, belt width: 450 mm, total dimensions: 2000 mm x 1000 mm x 1850.	
571	Weber	Weber mobile skinning machine, type: ASE 553, number: 641, 415 V, 50 Hz, 0.4 A, working width: 490 mm, total dimensions: 770 mm x 520 mm x 980 mm.	500
572	Eureka S.p.a.	Eureka S.p.a. floor scrubbing machine, model: E61 ECO, 24 V, 1.30 kW, weight: 203 kg, dimensions: 700 mm x 500 mm x 300 mm, including crate with parts.	400
573	Henny Penny	Henny Penny triple fryer, model: LVE-FFF, serial number: BH1002190, 230/400 V, 3 Ph, 50 Hz, 24.3 A, 14 kW, inside dimensions: (3x) 400 mm x 300 mm x 150 mm, total dimensions: 1200 mm x 770 mm x 1220 mm.	450
574	NN tubs	3 plastic tubs with lids, dimensions: (3x) 960 mm x 750 mm x 850 mm.	150
575	GGM Gastro	GGM Gastro s/s table, dimensions: 1500 mm x 600 mm x 900 mm.	100
576	Maxima	Maxima spiral mixer, article: 09361906, serial number: 24303-2407083, 230 V, 50 Hz, 6.3 A, 1500 W, weight: 135 kg, s/s bowl, dimensions bowl: Ø 400 mm x 250 mm, total dimensions: 780 mm x 450 mm x 720 mm.	350
577	Maxima	Maxima spiral mixer, article: 09361906, serial number: 24303-2407081, 230 V, 50 Hz, 6.3 A, 1500 W, weight: 135 kg, s/s bowl, dimensions bowl: Ø 400 mm x 250 mm, total dimensions: 780 mm x 450 mm x 720 mm.	350
578	Maxima	Maxima spiral mixer, article: 09361906, serial number: 24303-2407080, 230 V, 50 Hz, 6.3 A, 1500 W, weight: 135 kg, s/s bowl, dimensions bowl: Ø 400 mm x 250 mm, total dimensions: 780 mm x 450 mm x 720 mm.	350
579	Maxima	Maxima spiral mixer, article: 09361906, serial number: 24303-2407041, 230 V, 50 Hz, 6.3 A, 1500 W, weight: 135 kg, s/s bowl, dimensions bowl: Ø 400 mm x 250 mm, total dimensions: 780 mm x 450 mm x 720 mm.	350
580	Maxima	Maxima spiral mixer, article: 09361906, serial number: 24303-2407007, 230 V, 50 Hz, 6.3 A, 1500 W, weight: 135 kg, s/s bowl, dimensions bowl: Ø 400 mm x 250 mm, total dimensions: 780 mm x 450 mm x 720 mm.	350
581	NN table	S/s table, dimensions: 1000 mm x 600 mm x 900 mm.	75
582	NN table	S/s table, dimensions: 1800 mm x 700 mm x 850 mm.	100
583	GGM Gastro	GGM Gastro s/s table, dimensions: 2000 mm x 600 mm x 850 mm.	125
584	NN table	S/s table, dimensions: 1800 mm x 700 mm x 850 mm.	100
585	Diamond	Diamond s/s table, dimensions: 1000 mm x 700 mm x 960 mm.	100
586			250

Nr	Title	Description	Start €
	NN refrigerated showcase	Mobile refrigerated showcase, dimensions: 850 mm x 750 mm x 1340 mm.	
587	S.A.M.	S.A.M. slicing and packing line, consisting of: S.A.M. slicer, model: S.A.M. 329CP, serial number: 19338, year of construction: 2003, 1.54 A, dimensions: 870 mm x 700 mm x 730 mm. S.A.M. sealing machine, model: S.A.M. IL-4-220, serial number: 100609, year of construction: 2006, 230 V, 50 Hz, 0.43 A, film width: 210 mm, total dimensions: 750 mm x 410 mm x 390 mm. S.A.M. interleaver, dimensions: 600 mm x 350 mm x 290 mm. Including knife sharpener and box with tools.	850
588	NN counter	Mobile s/s work counter with plastic top, 3 drawers, dimensions: 2300 mm x 700 mm x 1030 mm.	250
600	Avercon Packaging Solutions	Avercon Packaging Solutions case erector, working width: approximately 400 mm, outfeed clearance: 550 mm x 800 mm, Becker vacuum pump, type: VT 4.25, serial number: B 2484887, year of construction: 2010, capacity: 25/30 m³/h, total dimensions: 2650 mm x 3500 mm x 2000 mm.	2000
601	Ilapak	Ilapak vertical bag form-, fill- and seal machine, type: VT 2000 OF P, serial number: 0630740047 S 3147 / 14, year of construction: 05/2014, 400 V, 50 Hz, diameter filling pipe: 170 mm, vertical seal length: 440 mm, horizontal seal width: 450 mm, total dimensions: 2250 mm x 1750 mm x 2250 mm.	7000
602	Ilapak	Ilapak vertical bag form-, fill- and seal machine, type: VT 2000 300 S, serial number: S 1806 06, year of construction: 06/2006, 400 V, 50 Hz, 5000 W, diameter filling pipe: 185 mm, vertical seal length: 435 mm, horizontal seal width: 300 mm, total dimensions: 2350 mm x 1500 mm x 1960 mm. Broken doors.	4500
603	Ilapak	Ilapak vertical bag form-, fill- and seal machine, type: VT 1000 S, serial number: S 1757 06, year of construction: 02/2006, 400 V, 50 Hz, 5000 W, diameter filling pipe: 120 mm, vertical seal length: 435 mm, horizontal seal width: 380 mm, total dimensions: 2300 mm x 1450 mm x 1980 mm.	6000
604	Affeldt	Affeldt mobile netting machine, diameter filling pipe: (2x) 185 mm, plastic belt, belt width: 255 mm, with CV Valentin barcode printer, total dimensions: 2200 mm x 1300 mm x 1650 mm.	8000

General terms of the online auction

Article 1. Definitions
Delivery: the actual delivery of the lot to the buyer or to his authorized representative;
Bid: each by a user in the auction (for a lot) bid amount;
User: the one who has registered on the website;
User Agreement: the agreement between Industrial Auctions and the user;
Lot: an article, or a number of articles that are auctioned together (under one number);
Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;
Purchase Agreement: the purchase agreement between buyer and seller;
Buyer: the user to whom the lot is allocated;
Registration: registration of the user on the website by completing the registration form found on the website;
Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;
Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);
Auction: internet sales organized by Industrial Auctions of movable goods;
Seller: the person(s) a lot is being auctioned in whom/whose commission;
Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability
2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.
2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use
3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.
3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.
3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.
3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.
3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.
3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.
3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction
4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.
4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.
4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.
4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:
- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;

- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;
4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security
5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.
5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.
5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots
6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.
6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or aplied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation
7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annuled clause, as far as possible the scope of the invalid/annuled clause shall be respected.
7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.
7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.
7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions
8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.
8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:
- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement
9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.
9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.
9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.
9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).
9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.
9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.
9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.
9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.
9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities
10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial

Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.
10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.
10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.
10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer
11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.
11.2. The buyer is not entitled to any settlement or suspension.
11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.
11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.
11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days
12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery
13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions

can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.
13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.
13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).
13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.
13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination
14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.
14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.
14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability
15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herselve is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law

and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.
15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.
15.3 Industrial Auctions and the seller are not liable for:
- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;
15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.
15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law
16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.
16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.
16.3 In the event of a dispute, the competent court within the district of “Oost-Brabant” has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

Notes

Notes

CONTACT

info@industrial-auctions.com

+31 (0)40 240 9208