

Industrial Auctions

2340: Online auction commercial kitchen and catering equipment in Milsbeek (NL)

END DATE
09 November 2026 14:00

General terms and conditions of the online auction

End date	09 November 2026 from 14:00 hrs.
Viewing days	05 November 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	17 November 2026 from 09:00 till 16:00 hrs.
Pick up address	Sprokkelveld 5 6596 DH Milsbeek Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.

Nr	Title	Description	Start €
1	Rational	Rational combi steamer, model: SCC 202, serial number: E22SE06022056148, year of construction: 2006, 400 V, 3 Ph, 50-60 Hz, 62.0 kW, s/s rack, 20 floors, dimensions floors: (20x) 650 mm x 530 mm, total dimensions: 1100 mm x 1100 mm x 1800 mm.	1500
2	Diamond	Diamond piston filler, model: BSH-25B, serial number: 25BBJB0099, 230 V, 50 Hz, 560 W, 3 A, weight: 91 kg, inside dimensions: ø 250 mm x 420 mm, total dimensions: 400 mm x 500 mm x 1050 mm. Never used.	1250
3	Rational	Rational combi steamer, model: SCC 101, serial number: E22SG09092193038, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 19.0 kW, 10 floors, dimensions floors: (10x) 540 mm x 330 mm, total dimensions: 850 mm x 830 mm x 1020 mm.	950
4	F.A.C. Srl	F.A.C. Srl automatic slicer, type: F 350 I AUTOMATIC M8S, number: 24000280, year of construction: 2024, 230 V, 50 Hz, 0.370 kW, dimensions: 700 mm x 550 mm x 700 mm.	650
5	Rational	Rational combi steamer on s/s frame, model: CombiMaster Plus, 19 kW, 10 floors, dimensions floors: (10x) 530 mm x 320 mm, total dimensions: 900 mm x 850 mm x 2000 mm.	950
6	MKN	MKN combi steamer, type: FKECOD115T0007, serial number: 19209604, year of construction: 2019, 380-415 V, 3 Ph, 50 Hz, 15.9 kW, dimensions: 900 mm x 1000 mm x 1700 mm.	750
7	Rational	Rational combi steamer, type: SCC 61 E, serial number: E61SE07122124975, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 6 floors, dimensions floors: (6x) 550 mm x 330 mm, total dimensions: 900 mm x 840 mm x 850 mm.	950
8	Turbovac	Turbovac vacuum machine, model: S40, serial number: 20161209, year of construction: 2016, 220-240 V, 1 Ph, 50/60 Hz, 5.5 A, seal length: 420 mm, dimensions chamber: 425 mm x 445 mm, total dimensions: 550 mm x 540 mm x 400 mm.	450
9	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH s/s sink with knee control, dimensions: 400 mm x 340 mm x 595 mm.	50
10	Stephanal & Co. Machines B.V.	Stephanal & Co. Machines B.V. mobile bowl mixer, type: 120-86, machine number: R10200-125, 380 V, 3 Ph, 50 Hz, 3.5-2 A, 0.75-0.5-0.37 kW, volume: 120 litres, dimensions: 950 mm x 700 mm x 1350 mm.	650
11	Hobart	Hobart dishwasher, model: AGPT-10A, serial number: 866042057, 400 V, 3 Ph, 50 Hz, 22,5 kW, 35.1 A, inside dimensions: (2x) 500 mm x 500 mm, total dimensions: 800 mm x 1500 mm x 1530 mm.	350
12	NN oven rack	Mobile s/s oven rack, 20 floors, dimensions floors: (20x) 650 mm x 530 mm, total dimensions: 900 mm x 650 mm x 1720 mm.	50
13	DEBAG		300

Nr	Title	Description	Start €
		DEBAG double bake-off oven, type: DiLa 10, DiLa 5 number: D 305595, D 305594, year of construction: 2016, 400 V, 50 Hz, 18.5/9.5 kW, 26.8/14.5 A, dimensions: 1250 mm x 950 mm x 2100 mm. Missing circuit board.	
14	DEBAG	DEBAG double bake-off oven, type: DiLa 10, DiLa 5 number: D 305601, D 305600, year of construction: 2016, 400 V, 50 Hz, 18.5/9.5 kW, 26.8/14.5 A, dimensions: 1250 mm x 950 mm x 2100 mm. Missing circuit board.	300
15	Polar	Polar display refrigerator, model: DP289-E-02, serial number: 4991111200082, 230 V, 50 Hz, 250 W, 1.5 A, ambient range: 16-32°C, refrigerant: R600a/100g, dimensions: 480 mm x 530 mm x 1700 mm.	150
16	Pro Select	Pro Select freezer, model: 1126184, serial number: SD00114001125022200074, year of construction: 2025, 220-240 V, 50 Hz, 1.0 A, refrigerant: R290/68 kg, dimensions: 700 mm x 800 mm x 900 mm.	250
17	Saro Gastro-Products GmbH Gastro-Products GmbH	Saro Gastro-Products GmbH saladette, model: VRX 1600 S/S, serial number: 23026598, 220-240 V, 50 Hz, 110 W, refrigerant: R600a/0.045g, dimensions: 395 mm x 1600 mm x 230 mm.	100
18	NN trolley	S/s trolley, dimensions: 860 mm x 550 mm x 920 mm.	75
19	NN refrigeration counter	S/s refrigeration counter, dimensions: 750 mm x 1470 mm x 850 mm.	125
20	Pro Select	Pro Select slicer with knife sharpener, model: 1143152, serial number: PO24FPXH03-HL-048, year of construction: 2025, 230 V, 1 Ph, 50 Hz, 150 W, dimensions: 500 mm x 400 mm x 500 mm.	150
21	NN suction hood	S/s suction hood, dimensions: 750 mm x 1000 mm x 260 mm.	100
22	NN sink	S/s sink, dimensions: 700 mm x 1000 mm x 1000 mm.	200
23	Kiremko	Kiremko deep fryer, type: HRF 2, serial number: 120624/A, year of construction: 2012, 230 V, 50 Hz, 0.05 kW, gas heated, dimensions: 850 mmm x 400 mm x 1200 mm.	550
24	NN blast chiller	Blast chiller, model: BF051AG-P ABB B, serial number: FR020172130, year of construction: 2021, 230 V, 1 Ph, 50 Hz, 6.7 A, 1.4 kW, dimensions: 700 mm x 800 mm x 900 mm. Without cooling compressor.	250
25	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH double coffee machine, model: THERMO 48 ECO, serial number: 20251115, 230 V, 50/60 Hz, 3.1 kW, 13.48 A, capacity: 2x 2.5 litres, dimensions: 400 mm x 400 mm x 600 mm.	50
26	Rational	Rational combi steamer, 6 floors, dimensions floors: (6x) 530 mm x 325 mm, total dimensions: 900 mm x 840 mm x 850 mm.	750
27	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH dishwasher, model: DISHWASHER MODELL MUNCHEN, serial number: 2412023585, 220-240 V, 1 Ph, 50/60 Hz, 2600 W, 11.5 A,	200

Nr	Title	Description	Start €
		inside dimensions: 500 mm x 500 mm, total dimensions: 500 mm x 530 mm x 430 mm.	
28	Zanussi	Zanussi dishwasher, model: LS14EA, serial number: 65000008, year of construction: 2006, 400 V, 3 Ph, 50 Hz, inside dimensions: 500 mm x 500 mm, total dimensions: 850 mm x 750 mm x 1530 mm.	100
29	CaterChef	CaterChef microwave, model: 688212, serial number: C702406325, year of construction: 2024, 230 V, 1 Ph, 50 Hz, 1000 W, frequency: 2450 MHz, dimensions: 500 mm x 560 mm x 360 mm.	75
30	CASTA SRL	CASTA SRL induction plate, model: E7/CUI4BB.L, number: 1930899, 400 V, 3 Ph, 50/60 Hz, 14.00 kW, dimensions: 700 mm x 800 mm x 370 mm.	350
31	Lubron	Lubron water softener, serial number: 11091407, year of construction: 2011, 230 V, 50 Hz, capacity: 280 l/h, volume: 7 litres, dimensions: 500 mm x 200 mm x 600 mm.	25
32	Itho Daalderop	Itho Daalderop boiler, type: CLOSE-IN 10, serial number: KLB241080153, 220-240 V, 2200 W, volume: 10 litres, dimensions: 300 mm x 300 mm x 500 mm.	45
33	Zanussi	Zanussi s/s cabinet, dimensions: 730 mm x 400 mm x 300 mm.	75
34	NN table	S/s table, dimensions: 700 mm x 1200 mm x 850 mm.	150
35	NN table	S/s table, dimensions: 600 mm x 1800 mm x 850 mm.	200
36	NN table	S/s table, dimensions: 700 mm x 2000 mm x 850 mm.	200
37	NN table	S/s table, dimensions: 700 mm x 1400 mm x 850 mm.	150
38	NN refrigeration counter	Refrigeration freezer counter, model: TF1SC710, serial number: BN020289401, year of construction: 2019, 230 V, 50 Hz, 3 A, 480 W, dimensions: 690 mm x 910 mm x 870 mm. Without top.	150
39	Zanussi	Zanussi s/s cabinet, dimensions: 950 mm x 800 mm x 250 mm.	75
40	Rational	Rational combi steamer, model: CPC 101, serial number: E11CD02021062349, year of construction: 2002, 400 V, 3 Ph, 50-60 Hz, 19.0 kW, 10 floors, dimensions floors: (10x) 530 mm x 235 mm, total dimensions: 850 mm x 900 mm x 1100 mm.	850
41	WAS Germany	WAS Germany coffee machine, 220-240 V, 50/60 Hz, 1885-2243 W, dimensions: 400 mm x 200 mm x 630 mm.	50
42	NN cabinet	S/s cabinet, dimensions: 220 mm x 1000 mm x 250 mm.	100
43	NN refrigeration counter	S/s refrigeration counter, dimensions: 700 mm x 1370 mm x 900 mm.	150
44	Saro Gastro-Products GmbH	2 Saro Gastro-Products GmbH hand desinfection poles, dimensions: (2x) 250 mm x 250 mm x 1450 mm.	80
45	NN punch bowl	S/s punch bowl, dimensions: ø 400 mm x 200 mm.	10
46	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH dishwasher, model: DISHWASHER MODELL MARBURG, serial number: 2503025228, 220-240 V, 1 Ph, 50/60 Hz, 3600 W, inside	100

Nr	Title	Description	Start €
		dimensions: 500 mm x 500 mm, total dimensions: 620 mm x 570 mm x 850 mm.	
47	Master Frost	Master Frost ice machine, model: C 600, dimensions: 590 mm x 500 mm x 920 mm.	100
48	Metos B.V.	Metos B.V. double pasta cooker, serial number: BN020202920, year of construction: 2016, 400 V, 3 Ph, 50/60 Hz, 11.34 kW, inside dimensions: (2x) 340 mm x 300 mm x 310 mm, total dimensions: 770 mm x 800 mm x 950 mm.	250
49	Hakvoort	Hakvoort kitchen counter, dimensions: 600 mm x 2200 mm x 1250 mm.	450
50	Zorro	Zorro beverage refrigerator, model: ZK 280, year of construction: 2025, 220-240 V, 50 Hz, 180 W, 1.3 A, refrigerant: R600a/62g, volume: 260 litres, dimensions: 600 mm x 570 mm x 1850 mm.	150
51	Wiesheu	Wiesheu electric oven, 6 floors, dimensions floors: (6x) 330 mm x 530 mm, total dimensions: 770 mm x 910 mm x 680 mm.	350
52	NN cabinet	S/s cabinet, dimensions: 700 mm x 600 mm x 300 mm.	150
53	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee machine, model: Saro Gastro-Products GmbHMICA THERMO 24, serial number: SRRLA25D0327, 220-240 V, 50-60 Hz, 1739-2069 W, 8-9 A, dimensions: 400 mm x 200 mm x 600 mm.	50
54	Chefs Heat	3 Chefs Heat warming lamps, model: CH-01, 230 V, 50-60 Hz, 0.25 kW, dimensions: (3x) 310 mm x 310 mm x 310 mm.	75
55	NN table	S/s table, dimensions: 700 mm x 1800 mm x 860 mm.	200
56	ALI S.P.A.	ALI S.P.A. electric oven, type: REC023M, number: LA020107004, year of construction: 2015, 230 V, 50 Hz, 2.6 kW, 7 floors, dimensions floors: (7x) 330 mm x 350 mm, total dimensions: 600 mm x 640 mm x 540 mm.	400
57	Novameta	Novameta heating cabinet, model: WP0-NLU, 230 V, 50 Hz, 8.7 A, 2000 W, temperature range: 30-85°C, dimensions: 675 mm x 1300 mm x 820 mm. Without top.	450
58	Witech	Witech dishwasher, model: VS-MV, type: VS-MV530, serial number: 3059874, 400 V, 3 Ph, 50 Hz, 5.05 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 670 mm x 600 mm x 880 mm.	100
59	MACH S.p.A.	MACH S.p.A. dishwasher, type: 100MS, model: MS 800E, machine number: 10040931, 400 V, 3 Ph, 50 Hz, 6.75 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 620 mm x 600 mm x 1520 mm.	100
60	Colged	Colged dishwasher, type: TT820R, model: NRGTECH832, serial number: 4216781, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 10.6 kW, inside dimensions: 500 mmx 500 mm, total dimensions: 800 mm x 750 mm x 2150 mm.	200
61	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: SK 301, serial number: 4, 220-240 V, 1 Ph, 50 Hz, 165 W,	350

Nr	Title	Description	Start €
		refrigerant: R600a/0.060kg, dimensions: 700 mm x 450 mm x 1900 mm.	
62	NN heating cabinet	S/s plate heating cabinet, dimensions: 700 mm x 810 mm x 720 mm.	200
63	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH s/s refrigeration counter, dimensions: 700 mm x 1800 mm x 900 mm.	400
64	NN minibar refrigerator	Minibar refrigerator, dimensions: 440 mm x 410 mm x 510 mm.	100
65	Miele	Miele steam oven, type: DG 5061, fabrication number: 55/000110647283/019, 230-240 V, 50/60 Hz, 2.6-2.8 kW, dimensions: 500 mm x 600 mm x 460 mm.	100
66	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee machine, model: Saro Gastro-Products GmbHMICA 6010, serial number: SR18824110054, year of construction: 2024, 230 V, 50/60 Hz, 1.5 kW, 7 A, volume: 10 litres, dimensions: 360 mm x 320 mm x 570 mm.	50
67	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction, model: 301-1025/CW-35A, serial number: 190412018, 230 V, 50 Hz, 3500 W, dimensions: 550 mm x 400 mm x 250 mm.	50
68	AEG	AEG dryer, model: LAVATHERM 37520-W, serial number: 30575478, 230 V, 50 Hz, 3000 W, dimensions: 600 mm x 600 mm x 850 mm.	75
69	Metos B.V.	Metos B.V. ice machine, model: B95C AX, serial number: CMH1010539, 220-240 V, 1 Ph, 50 Hz, 2.6 A, 410 W, refrigerant: R-290/0.070kg, dimensions: 630 mm x 500 mm x 800 mm. Defect.	45
70	Metos B.V.	Metos B.V. ice machine, model: B160C AX, serial number: CMH1006397, year of construction: 2024, 220-240 V, 1 Ph, 50 Hz, 3.9 A, 610 W, refrigerant: R-290/0.130kg, dimensions: 650 mm x 700 mm x 1000 mm. Defect.	45
71	NN refrigerator	Double refrigerator, (2x) 20 floors, dimensions floors: (40x) 680 mm x 520 mm, total dimensions: 810 mm x 1350 mm x 2000 mm.	400
72	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH bain marie, model: 172-3015, 230 V, 1 Ph, 50/60 Hz, 1000 W, inside dimensions: 510 mm x 305 mm x 200 mm, dimensions: 550 mm x 340 mm x 300 mm.	100
73	WIHA	WIHA cup heating cabinet, type: Tassenwärmeschrank, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 1300 W, dimensions: 650 mm x 600 mm x 830 mm.	200
74	Mo-El	Mo-El insect killer, type: 46, 230 V, 50 Hz, 85 W, dimensions: 700 mm x 200 mm x 400 mm.	25
75	NN table	S/s table, dimensions: 600 mm x 700 mm x 1000 mm.	100
76	NN saladette	S/s refrigerated counter, dimensions: 700 mm x 1370 mm x 900 mm.	350
77	Zanussi	Zanussi salamander, gass heated, dimensions: 600 mm x 800 mm x 450 mm.	100

Nr	Title	Description	Start €
78	Krefft GmbH	Krefft GmbH stove, type: KIM0005, 380 V, 3 Ph, 50 Hz, 4.0 kW, dimensions: 650 mm x 400 mm x 340 mm.	50
79	Maxima	Maxima deep fryer, model: OFEI 4090, serial number: 7856N14090802230053, year of construction: 2023, 400 V, 3 Ph, 50-60 Hz, 18 kW, dimensions: 900 mm x 400 mm x 900 mm.	150
80	Casselin	Casselin toaster, model: CTV600B, 220-240 V, 50-60 Hz, 2200 W, dimensions: 680 mm x 200 mm x 600 mm.	300
81	Electrolux	Electrolux furnace, dimensions: 900 mm x 1020 mm x 800 mm.	150
82	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: SC-380, year of construction: 2025, 220-240 V, 50 Hz, 300 W, volume: 343 litres, dimensions floors: 420 mm x 510 mm, total dimensions: 570 mm x 620 mm x 1840 mm.	200
83	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH cold banquet trolley, model: KBW-21, serial number: 721915G2100240013, year of construction: 2024, 220-240 V, 50 Hz, 1.3 A, 15 floors, dimensions floors: (15x) 530 mm x 530 mm, total dimensions: 1000 mm x 700 mm x 1800 mm.	250
84	Nilfisk	Nilfisk floor scrubber and dryer, model: SC400 43 B FULL PKG, serial number: 3510162604432, dimensions: 1150 mm x 450 mm x 1050 mm. Battery defect.	100
85	NN frame	S/s frame for combi steamer, dimensions: 640 mm x 800 mm x 650 mm.	50
86	NN refrigeration counter	Refrigeration counter, model: START INOX 700, serial number: 1827.0071, 230 V, 50 Hz, 2.1 A, 360 W, refrigerant: R134a, 0.3 kg, dimensions: 2600 mm x 720 mm x 900 mm.	150
87	NN shelf	S/s shelf, dimensions: 400 mm x 1300 mm.	45
88	NN roller conveyor for dishwasher	Mobile roller conveyor for dishwasher, plastic rollers, total roller width: 530 mm, total dimensions: 1150 mm x 650 mm x 900 mm.	50
89	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH minibar refrigerator, model: MB 50U, serial number: 3442503140038, year of construction: 2025, 220-240 V, 50 Hz, dimensions: 450 mm x 400 mm x 680 mm.	75
90	Frima	Frima vario cooking center, type: VCC 211+, number: E21PH12028010513, year of construction: 2012, 400 V, 3 Ph, 28 kW, electric heated, volume: 100 liter, dimensions: 1170 mm x 950 mm x 1120 mm.	2250
91	Bosch	Bosch oven, type: HTHB78s, number: 387100241782001583, 220-240 V, 50/60 Hz, 3.65 kW.	200
92	AEG	AEG oven, model: BE2003221M, 5 floors, dimensions floors: (5x) 450 mm x 400 mm.	200
93	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee machine, model: THERMO 24 ECO, serial number: SRP38625060068, year of construction: 2025, 230 V, 50/60 Hz, 8.26 A, 1.9 kW,	50

Nr	Title	Description	Start €
		capacity: 2.5 litres, dimensions: 450 mm x 210 mm x 600 mm.	
94	NN table for dishwasher	S/s table for dishwasher, dimensions: 1320 mm x 570 mm x 670 mm.	150
95	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH electric oven, model: TERNI, serial number: 2511057067, year of construction: 2026, 230 V, 1 Ph, 50 Hz, 2.67 kW, 11.6 A, 4 floors, dimensions floors: (4x) 330 mm x 450 mm, total dimensions: 600 mm x 600 mm x 580 mm.	150
96	Pro Select	Pro Select freezer, model: 1159216, 220-240 V, 50 Hz, 1.2 A, 2.81 kW/24h, refrigerant: R290/103g, dimensions: 700 mm x 1200 mm x 1350 mm. Incomplete, front glass missing.	150
97	Animo	Animo coffee machine, model: EXCELSO, 220-240 V, 1 Ph, 50-60 Hz, 2250 W. Damaged.	50
98	Milantoast	Milantoast toaster, serial number: 0070002505221202, 220-230 V, 50/60 Hz, 1.25-1.37 kW, dimensions: 350 mm x 200 mm x 300 mm.	50
99	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee machine, model: ECO 48, serial number: SRBD3862408032, 230 V, 50/60 Hz, 2.06 kW, 9 A, , capacity: (2x) 1.8 litres, dimensions: 400 mm x 400 mm x 500 mm.	50
100	Miele	Miele washing machine, type: PW 5065, dimensions: 700 mm x 600 mm x 900 mm.	50
101	NN washing table	S/s sink, dimensions: 700 mm x 1200 mm x 960 mm.	75
102	NN sink	S/s sink, sensor control, dimensions: 350 mm x 480 mm x 600 mm.	50
103	NN trolley	S/s trolley, dimensions: 1050 mm x 450 mm x 1000 mm.	50
104	Metos B.V.	Metos B.V. electric oven, type: Chef 50, serial number: 125327/02, 230/400 V, 3 Ph, 50 Hz, 7.5 kW, 11 A, 5 floors, dimensions floors: (5x) 450 mm x 580 mm, total dimensions: 900 mm x 800 mm x 1200 mm.	100
105	Gram Commercial A/S	Gram Commercial A/S refrigerator, type: ECO PLUS K 70 RAG L2, serial number: 10225228, year of construction: 2016, dimensions floors: 600 mm x 550 mm, dimensions: 870 mm x 700 mm x 2120 mm.	450
106	Metro	Metro freezer, model: GFR4600, serial number: 8103087955, year of construction: 2024, 230 V, 1 Ph, 50 Hz, 1.3 A, refrigerant: R-290/106g, 6 floors, dimensions floors: (6x) 480 mm x 650 mm, total dimensions: 750 mm x 800 mm x 1930 mm.	250
107	Kubota	Kubota rice and vinegar mixer, type: KS726-CB, number: 10128, year of construction: 2009, 220 V, 50/60 Hz, 230/310 W, dimensions: 620 mm x 750 mm x 1250 mm.	450
108	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH grill plate, model: GPK 400, serial number: XD 174000, year of construction: 2025, 230 V, 50/60 Hz, 3 kW, 10.9 A, dimensions: 500 mm x 400 mm x 260 mm.	150

Nr	Title	Description	Start €
109	Rhima	Rhima water softener, dimensions: 500 mm x 270 mm x 500 mm.	50
110	Karma Global Ltd.	Karma Global Ltd. rice cooker, model: CE870-114, serial number: C3882512001, year of construction: 2025, 230 V, 1 Ph, 50 Hz, 2000 W, dimensions: 470 mm x 400 mm x 400 mm.	75
111	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH nacho warmer, model: BORA, serial number: 2070-2024080023, year of construction: 2024, 230 V, 50 Hz, 0.465 kW, 2 A, dimensions: 340 mm x 460 mm x 600 mm.	125
112	Ambach	Ambach deep fryer, dimensions: 770 mm x 400 mm x 1100 mm.	150
113	ALI Group Srl	ALI Group Srl frying pan, model: D73/10 KBEF, serial number: BN020313266, year of construction: 2021, 380-415 V, 3 Ph, 50-60 Hz, 8.1 kW, dimensions: 750 mm x 600 mm x 1000 mm.	150
114	Hakvoort	Hakvoort s/s suction hood, dimensions: 1000 mm x 800 mm x 600 mm.	75
115	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH salamander, model: ORPHEUS, serial number: XD 180346, year of construction: 2025, 230 V, 50/60 Hz, 3 kW, 13 A, 3 floors, dimensions floors: (3x) 340 mm x 645 mm, total dimensions: 450 mm x 800 mm x 360 mm.	50
116	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigeration showcase, model: SC 80, serial number: 1696505040029, year of construction: 2025, 220-240 V, 50 Hz, 1.2 A, refrigerant: R600a/40g, dimensions: 390 mm x 440 mm x 960 mm.	100
117	Inoxfera	Inoxfera heating plate, model: PV6-3, serial number: 19043199200519019, 220-240 V, 1 Ph, 50-60 Hz, 1335 W, temperature range: 30-120°C, dimensions: 1120 mm x 610 mm x 950 mm.	75
118	Maxima	Maxima vacuum machine, model: MVAC400, serial number: 400-122, 230 V, 1 Ph, 50 Hz, 900 W, seal length: 440 mm, dimensions chamber: 450 mm x 460 mm, total dimensions: 570 mm x 540 mm x 440 mm.	200
119	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: ZHT 400 R, serial number: 21188546, 230 V, 50 Hz, 185 W, refrigerant: R600a/0.075kg, temperature range: -2/8°C, dimensions floors: 420 mm x 500 mm, total dimensions: 600 mm x 600 mm x 1860 mm.	250
120	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH saladette, model: ES 900G, year of construction: 2023, 220-240 V, 50 Hz, 170 W, 1.2 A, refrigerant: R600a/45g, dimensions: 700 mm x 900 mm x 1380 mm.	150
121	NN frame for oven	S/s frame for oven, dimensions: 705 mm x 900 mm x 770 mm.	50
122	NN table	S/s table, dimensions: 700 mm x 1400 mm x 960 mm.	150
123	Coldline		100

Nr	Title	Description	Start €
		Coldline refrigeration counter, model: TS13/4M-760, serial number: 022203330, 220-240 V, 50 Hz, 1.15 A, 250 W, refrigerant: R290/110g, dimensions: 680 mm x 1300 mm x 900 mm.	
124	Tecnodom	Tecnodom electric oven, 4 floors, dimensions floors: (4x) 540 mm x 340 mm, total dimensions: 660 mm x 700 mm x 600 mm.	250
125	Aequator	Aequator coffee machine, machine number: 214338006, 230 V, 50 Hz, 13 A, dimensions: 600 mm x 330 mm x 850 mm.	50
126	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: GN 350 TN, serial number: 25105714, 220-240 V, 1 Ph, 50 Hz, 170 W, refrigerant: R600a/0.095kg, dimensions floors: 530 mm x 330 mm, total dimensions: 700 mm x 500 mm x 1970 mm.	250
127	Electrolux	Electolux dishwasher, model: EHTAI, serial number: 24410021, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 9.9 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 850 mm x 750 mm x 1520 mm.	100
128	Hoshizaki	Hoshizaki showcase refrigerator, model: HNC-210BE-BLH, 220-240 V, 50 Hz, 1.0 A, 0.39 kVA, dimensions: 350 mm x 2070 mm x 300 mm.	400
129	Gamko	Gamko refrigerator, type: FK20/2I, year of construction: 2009, 220-240 V, 50 Hz, 245 W, 1.6 A, refrigerant: R134a/200g, dimensions: 600 mm x 560 mm x 860 mm.	200
130	NN rack	Mobile s/s rack with plates, 15 floors, dimensions floors: (15x) 600 mm x 400 mm, total dimensions: 600 mm x 460 mm x 1740 mm.	50
131	Novameta	Novameta refrigeration counter, model: F00-P212, serial number: 002W61144121501, year of construction: 2016, 230 V, 50 Hz, 410 W, 1.8 A, refrigerant: R134a/0.15kg, dimensions: 680 mm x 1300 mm x 900 mm.	150
132	NN shelf	S/s shelf, dimensions: 320 mm x 1000 mm x 200 mm.	50
133	NN suction hood	S/s suction hood, dimensions: 1400 mm x 1000 mm x 550 mm.	100
134	Metos B.V.	Metos B.V. stove, model: 74/10 CTE, serial number: MA020254230, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 10 kW, dimensions: 750 mm x 800 mm x 1000 mm.	150
135	NN pan	S/s pan, dimensions: ø 250 mm x 210 mm.	10
136	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: ZHT 200 R, serial number: 21188530, 230 V, 50 Hz, 100 W, refrigerant: R600a/0.035kg, dimensions floors: 370 mm x 500 mm, total dimensions: 600 mm x 600 mm x 820 mm.	150
137	Olis	Olis cooking vessel, model: 73/10 PEI05, serial number: MA020313502, year of construction: 2016, 400 V, 3 Ph, 50/60 Hz, 9.8 kW, inside dimensions: ø 400 mm x 450 mm, total dimensions: 780 mm x 600 mm x 1020 mm.	350

Nr	Title	Description	Start €
138	Liebherr	Liebherr refrigerator, model: BKv 5040 Index 20C/001, serial number: 83.693.609.2, 220-240 V, 50 Hz, 1.5 A, refrigerant: R600a/60 g, dimensions: 750 mm x 750 mm x 1650 mm.	50
139	Gastro-Inox	Gastro-Inox refrigerator, serial number: D2437G119WR60G078, 220-240 V, 50 Hz, 1.0 A, 115 W, volume: 533 litres, refrigerant: R290/107g, dimensions floors: 500 mm x 650 mm, total dimensions: 740 mm x 770 mm x 1870 mm.	250
140	Culion	Culion saladette, dimensions: 400 mm x 1200 mm x 260 mm.	100
141	NN frame	S/s frame, dimensions: 585 mm x 840 mm x 230 mm.	25
142	NN rack	Mobile s/s rack, 36 floors, dimensions floors: (36x) 660 mm x 535 mm, total dimensions: 600 mm x 700 mm x 1720 mm.	50
143	Ambach	Ambach stove, dimensions: 760 mm x 700 mm x 900 mm.	100
144	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH rotational refrigeration display, model: ISABELL, serial number: 1224907110106, year of construction: 2022, 220-240 V, 50 Hz, 230 W, 1.3 A, refrigerant: R600a/53g, 4 floors, dimensions floors: ø 350 mm, total dimensions: 500 mm x 480 mm x 860 mm.	100
145	NN cabinet	S/s cabinet, dimensions: 570 mm x 400 mm x 330 mm.	50
146	Dadeaux	Dadeaux slicer with knife sharpener, model: MAJOR SLICE, 220-230 V, 1 Ph, 50/60 Hz, dimensions: 750 mm x 400 mm x 600 mm.	150
147	Novameta	Novameta heating plate, model: UWP1, serial number: 001W6021402250203, year of construction: 2016, 230 V, 50 Hz, 3.7 A, 840 W, temperature range: 30-90°C, dimensions: 1310 mm x 540 mm x 240 mm.	100
148	Gamko	Gamko beverage refrigerator, type: ECO222VS, year of construction: 2005, 220-240 V, 50 Hz, 60 W, dimensions: 520 mm x 1700 mm x 900 mm. Including cooling compressor.	150
149	Jordao	Jordao showcase refrigerator, serial number: 23.63813, year of construction: 2024, 230 V, 50 Hz, 7.28 A, refrigerant: R290, dimensions: 620 mm x 1030 mm x 2190 mm.	250
150	NN suction hood	S/s suction hood, dimensions: 1050 mm x 920 mm x 350 mm.	100
151	NN table	S/s table, dimensions: 700 mm x 700 mm x 880 mm.	100
152	Rhima	Rhima dishwasher, model: NDR 50 I, serial number: DWH1019011, year of construction: 2014, 380-415 V, 3 Ph, 50 Hz, 15.1 A, 5060 W, inside dimensions: 500 mm x 500 mm, total dimensions: 610 mm x 600 mm x 880 mm.	100
153	Moreillon	Moreillon silver burnisher, model: Goliath II, dimensions: 560 mm x 720 mm x 910 mm.	250
154	Diamond	Diamond saladette, model: CRVDI7-3, serial number: 190585081903112001, 220-240 V, 1 Ph, 50 Hz, 402 W,	150

Nr	Title	Description	Start €
		refrigerant: R452A/580g, dimensions: 720 mm x 1120 mm x 750 mm.	
155	NN frame for oven	S/s frame for oven, dimensions: 580 mm x 780 mm x 720 mm.	50
156	NN rack	Mobile aluminium rack, 18 floors, dimensions floors: (18x) 610 mm x 410 mm, total dimensions: 620 mm x 480 mm x 1720 mm.	50
157	Zorro	Zorro beverage refrigerator, model: ZK 280, year of construction: 2024, 220-240 V, 50 Hz, 1.3 A, 180 W, refrigerant: R600a/62g, dimensions floors: 400 mm x 400 mm, total dimensions: 600 mm x 540 mm x 1830 mm.	200
158	NN freezer	Mobile freezer, year of construction: 2025, 220-240 V, 50 Hz, 3.7 A, 733 W, refrigerant: R290/150g, temperature range: -18/-22°C, dimensions floors: 640 mm x 500 mm, total dimensions: 810 mm x 1420 mm x 2070 mm.	250
159	MBM	MBM stove, model: GT2SD7, dimensions: 700 mm x 1100 mm x 1000 mm.	150
160	Robot Coupe	Robot Coupe mixer, type: MP 450 FW Ultra, serial number: S7632119001, 220-240 V, 50-60 Hz, 500 W, dimensions: 100 mm x 150 mm x 800 mm.	100
161	NN kitchen counter	Kitchen counter, dimensions: 870 mm x 2250 mm x 1200 mm.	250
162	Grundig	Grundig induction plate, dimensions: 510 mm x 580 mm.	100
163	SIQ	SIQ dryer, type: TD75.C170, model: DAMV7, serial number: 20230015, 220-240 V, 60 Hz, 16 A, 3300 Watt, dimensions: 600 mm x 700 mm x 900 mm. Never used.	250
164	Carimali	Carimali coffee machine, dimensions: 600 mm x 360 mm x 800 mm.	50
165	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee machine, 220-240 V, 50/60 Hz, 8-9 A, 1739-2069 W, dimensions: 550 mm x 300 mm x 700 mm.	50
166	Diamond	Diamond heating lamps and heated plate, serial number: 202201496, year of construction: 2022, 230 V, 1 Ph, 50/60 Hz, 4.35 A, 1000 W, dimensions: 530 mm x 700 mm x 650 mm.	150
167	Keyfrost s.r.l.	Keyfrost s.r.l. cooling unit, model: KS 11 TNEM, serial number: 00081488, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 1.2 kW, refrigerant: R404a, dimensions: 730 mm x 450 mm x 400 mm.	50
168	Blanco	Blanco mobile basket dispenser, model: CEK 53/53, dimensions baskets: 500 mm x 500 mm, total dimensions: 800 mm x 700 mm x 930 mm.	50
169	Kubota	Kubota rice washing machine, type: KP90KN-CE, number: 10070, 220/240 V, 50 Hz, 6 A, dimensions: 600 mm x 650 mm x 1750 mm.	350
170	Hobart	Hobart high speed cooker, model: 305G, serial number: 97-0205-236, year of construction: 2012, 400 V, 3 Ph, 50/60 Hz, 38.7 A, 26.7 kW, 4 floors, dimensions floors: (4x)	200

Nr	Title	Description	Start €
		320 mm x 540 mm, total dimensions: 800 mm x 650 mm x 1700 mm.	
171	NN suction hood	S/s suction hood, dimensions: 1000 mm x 1200 mm x 550 mm.	100
172	Ubert Gastrotechnik GmbH	Ubert Gastrotechnik GmbH grill, type: AGB800S, serial number: AGB800S-0818-492, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 17.2 A, 8 kW, dimensions: 730 mm x 800 mm x 200 mm.	200
173	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee machine, model: ECO, serial number: SRB28625120132, year of construction: 2025, 230 V, 50/60 Hz, 2.06 kW, 9 A, capacity: (2x) 1.8 litres, dimensions: 400 mm x 220 mm x 700 mm.	50
174	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigeration showcase, model: SC 100 DT, serial number: 1615401200250, year of construction: 2025, 220-240 V, 50 Hz, 180 W, 1.2 A, refrigerant: R600a/40g, dimensions floors: 350 mm x 350 mm, total dimensions: 400 mm x 450 mm x 1100 mm.	200
175	Juno	Juno deep fryer, dimensions: 800 mm x 350 mm x 1000 mm.	150
176	Unox	Unox electric oven, model: XF003, serial number: 2016G0055480, 220-240 V, 1 Ph, 50/60 Hz, 2.7 kW, 3 floors, dimensions floors: (3x) 250 mm x 340 mm, total dimensions: 600 mm x 500 mm x 400 mm.	150
177	Metos B.V.	Metos B.V. electric oven, type: CHEF 240, serial number: 115344/06, year of construction: 2011, 230/400 V, 3 Ph, 50 Hz, 11 A, 7.6 kW, 2 floors, dimensions floors: (2x) 650 mm x 540 mm, total dimensions: 900 mm x 800 mm x 500 mm.	150
178	Hendi	2 Hendi infrared cookers, 230-240 V, 50 Hz, 2200 W, dimensions: (2x) 450 mm x 300 mm x 100 mm, dimensions box: (2x) 500 mm x 350 mm x 120 mm.	100
179	Olis	Olis grill, model: D92/10SFTEC, serial number: BN020360993, year of construction: 2024, 380-415 V, 3 Ph, 50-60 Hz, 5 kW, dimensions: 980 mm x 430 mm x 980 mm.	100
180	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH dry-aging cabinet, model: DA 388 GWS, 220-240 V, 50 Hz, 170 W, 0.85 A, refrigerant: R600a/50g, dimensions floors: 500 mm x 480 mm, total dimensions: 820 mm x 600 mm x 1720 mm.	350
181	NN saladette	Saladette, serial number: 18.07.795, 220-230 V, 50-60 Hz, 0.35 kW, refrigerant: R134a/280g, dimensions: 800 mm x 1250 mm x 1400 mm.	150
182	Fri-jado	Fri-jado cooking vessel, inside dimensions: ø 490 mm x 300 mm, total dimensions: 950 mm x 720 mm x 900 mm.	300
183	NN shelves	2 s/s shelves, dimensions: (2x) 1200 mm x 400 mm.	100
184	Metos	Metos s/s refrigeration counter, model: KST03TN H71 TAV, serial number: BN020214537, year of construction: 2016, 230 V, 50 Hz, 2.53 A, refrigerant: R134a/290g, dimensions: 700 mm x 1720 mm x 900 mm.	150
185			100

Nr	Title	Description	Start €
	NN display refrigerator	Display refrigerator, 6 floors, dimensions floors: (6x) 420 mm x 500 mm, dimensions: 600 mm x 600 mm x 830 mm.	
186	NN rack	Mobile s/s rack, 10 floors, dimensions floors: (10x) 600 mm x 410 mm, total dimensions: 615 mm x 460 mm x 900 mm.	50
187	NN rack	Mobile s/s rack, (2x) 11 floors, dimensions floors: (22x) 740 mm x 460 mm, total dimensions: 800 mm x 1040 mm x 1940 mm.	50
188	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: GTK 600 pro, year of constructions: 2024, 220-240 V, 50 Hz, 2.3 A, 2.5 kW, net weight: 130 kg, gross/net volume: 514/459 liters, temperature: -1° - +10°, 5 floors, floor dimensions: (5x) 520 mm x 650 mm, total dimensions: 730 mm x 750 mm x 2040 mm.	250
189	Convotherm	Convotherm combi steamer, model: OD 6, 10 C, number: P1C99112192, 380-415 V, 3 Ph, 50/60 Hz, 14-16 A, 9-11 kW, 6 floors, floor dimensions: (6x) 320 mm x 520 mm. total dimensions: 850 mm x 1100 mm x 710 mm.	500
190	NN suction motor	Suction motor, 230 V, 50 Hz, dimensions: 600 mm x 500 mm x 500 mm.	50
191	NN heating lamp	Heating lamp, model: L598, 220-240V, 50 Hz, 250 W, weight: 2 kg, dimensions: 200 mm x 500 mm.	10
192	Metos	Metos dishwasher, model: DW124E, serial number: DWN100386, year of construction 2017, 380-415 V, 50 Hz, 15.1 A, 5150 W, 200-400 kPa, inside dimensions: 500 mm x 500 mm, total dimensions: 650 mm x 600 mm x 870 mm.	150
193	NN frame	S/s frame, dimensions: 500 mm x 300 mm x 900 mm.	50
194	Ikea	Ikea oven, type: FXZM6, 230 V, 50 Hz, 2,6 kW, 4 floors, floor dimensions: (4x) 380 mm x 450 mm, total dimensions: 650 mm x 600 mm x 620 mm.	45
195	NN table	S/s table, 3 drawers, dimensions: 705 mm x 1600 mm x 930 mm.	150
196	NN counter	Mobile s/s counter with heating lamps and heated cabinet dimensions: 1400 mm x 760 mm x 970 mm.	200
197	NN table	S/s table, dimensions: 700 mm x 900 mm x 900 mm.	100
198	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model MB 40U, serial number: 3012503130008, year of construction: 2025, 220-240 V, 50 Hz, 0.23 A, 50 W, net weight: 17.5 kg, net volume: 31 liter, dimensions: 480 mm x 400 mm x 970 mm.	200
199	Metos	Metos dishwasher, model: LUX 60 EL, serial number: DWD1020535, 220-240V, 50 Hz, 15.5 A, year of construction: 2010, inside dimensions: 500 mm x 500 mm, total dimensions: 650mm x 600 mm x 850 mm.	100
200	Indesit	Indesit freezer, model: UFAN 400, serial number: 908040018, 220-240 V, 52 Hz, 0.4 A, 5 floors, floor dimensions: (5x) 400 mm x 400 mm, total dimensions: 670mm x 630 mm x 1740 mm.	50

Nr	Title	Description	Start €
201	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH s/s sink, dimensions 840 mm x 1200 mm x 1120 mm.	75
202	NN cooling compressor unit	Cooling compresser unit, total dimensions: 770 mm x 490 mm x 550 mm.	50
203	NN housing for cooling compressor	S/s housing for cooling compressor, dimensions: 620 mm x 250 mm x 520 mm.	20
204	Hendi	Hendi tap with pull out rinser, dimensions: 800 mm x 400 mm x 80 mm.	20
205	NN cooling compressor unit	Cooling compressor unit, total dimensions: 950 mm x 700 mm x 730 mm.	50
206	Hendi	Hendi dry aging cabinet, item number: QM 148, serial number: 5CB2A0R2506790020, year of construction: 2025, 220-240 V, 50 Hz, 1.0A, 350 W, temperature: +2° - +10°, dimensions: 550 mm x 610 mm x 900 mm.	350
207	CombiSteel	CombiSteel flake ice machine, model : VDB-80S, article number: 7476.0145, serial number: VDB80S17060015, 220-240 V, 50 Hz, 360 W, net weight: 52 kg, capacity: 80 kg / 24h, ice storage capacity: 8.5 kg, dimensions: 600 mm x 500 mm x 850 mm.	350
208	Fogal	Fogal refrigerated wall display cabinet, model: MURALE ALASKA MT 150 CON GRUPO, serial number: FA171494, 230 V, 50 Hz, 6.84 A, dimensions: 850 mm x 1500 mm x 2060 mm.	150
209	Ingersoll-Rand	Ingersoll-Rand compressor, model: ESP 7.5, serial number: 2015044, 400 V, 3 P, 50 Hz, 16.6 A, dimensions: 1500 mm x 750 mm x 1300 mm.	50
210	Juno	Juno griddle, 3 zones, dimensions: 700 mm x 500 mm x 950 mm.	75
211	Juno	Juno electric stove, type: 44603, serial number: 261045, type: 44607, serial number: 250785, type: 4621, serial number: 261115, year of construction 1985, 220 V, 3500 W, dimensions: 600 mm x 1200 mm x 940 mm.	150
212	Aro	Aro freezer, type: TZW8650E, serial number: TZW8650EZI0079V1, 220-240 V, 50 Hz, 0.6 A, dimensions: 500 mm x 500 mm x 850 mm.	45
213	NN plate rack	Plate rack, dimensions: 1200 mm x 900 mm x 1000 mm.	100
214	NN table	S/s table, dimensions: 700 mm x 700 mm x 910 mm.	100
215	Novameta	Novameta au bain-marie, model: UWM2, serial number: 002W7012103090101, year of construction: 2017, 230 V, 50 Hz, 8,7 A, 2.0 kW, net weight: 55 kg, net volume: 73 liter, temperature: +30° - + 90°, inside dimensions: 1070 mm x 310 mm x 200 mm, total dimensions: 1220 mm x 700 mm x 300 mm.	100
216	Mobile Containing B.V.	Mobile Containing B.V. mobile plate dispenser, model: 2THN-MS 280, 230 V, 50 Hz, clearance: (2x) ø 280mm, total dimensions: 880 mm x 550 mm x 920 mm.	50
217	Zorro		75

Nr	Title	Description	Start €
		Zorro service trolley, article number: 706.414.005, dimensions: 860 mm x 550 mm x 920 mm.	
218	NN wall cabinet	S/s wall cabinet, serial number: V2605G125WCSS144WTR031, gross/net weight: 41 / 39.4 kg, dimensions: 1400 mm x 400 mm x 660 mm.	75
219	Metos	2 Metos ice machines, model: B95C AX, serial number: CMH1006114 / CMI1004456, year of construction: 2024, 220-240 V, 1 Ph, 50 Hz, 2.6 A, 410 W, refrigerant: R-290 / 0.070 kg, dimensions: (2x) 600 mm x 500 mm x 700 mm. Defect.	50
220	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH saladette, model: VRX 1800, serial number: 170601491, 220-240 V, 50/60 Hz, 122 W, refrigerant: R600a/0.045g, dimensions: 400 mm x 1800 mm x 230 mm.	100
221	NN kitchen counter	Kitchen counter with 2 ETNA Pelgrim ovens en 2 Bosch induction plates, model ovens: A 7300 FTRVS/E03, total dimensions: 2230 mm x 1200 mm x 920 mm.	250
222	Ascobloc	Ascobloc grill, model: MEB 440, serial number: 0004, year of construction: 2016, 230/400 V, 3 Ph, 50/60 Hz, 9.3 kW, dimensions: 860 mm x 600 mm x 930 mm.	350
223	Euroceppi	Euroceppi wooden chop block, s/s frame, dimensions: 660 mm x 600 mm x 830 mm.	100
224	NN table	S/s table, dimensions: 700 mm x 2200 mm x 950 mm.	200
225	EazyZap	EazyZap insect killer, model: CT870, serial number: 2287000030, 220-240 V, 50/60 Hz, dimensions: 260 mm x 125 mm x 340 mm.	25
226	NN shelve	S/s shelve, dimensions: 550 mm x 1600 mm x 350 mm.	25
227	Wexiödisk	Wexiödisk dishwasher, type: WD-7, serial number: WD1221183, 400 V, 3 Ph, 50 Hz, 25 A, 13.8 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 800 mm x 750 mm x 2250 mm.	100
228	Remeha	Remeha boiler, model: GWH120/300, serial number: 1434006739, year of construction: 2014, 230 V, 50 Hz, 170 W, gass heated, dimensions: 900 mm x 700 mm x 2000 mm.	150
229	Saro Gastro-Products GmbH	16 Saro Gastro-Products GmbH s/s gastronorm bins, size: 1/3-20.	80
230	Saro Gastro-Products GmbH	7 Saro Gastro-Products GmbH s/s gastronorm bins, size: 1/2-65.	35
231	Saro Gastro-Products GmbH	7 Saro Gastro-Products GmbH s/s gastronorm bins, size: 1/2-200.	24
232	Metro	Metro s/s shelve, model: GWMS, dimensions: 1000 mm x 300 mm.	25
233	NN table	S/s table, dimensions: 700 mm x 1800 mm x 900 mm.	200
234	NN trolleys	2 trolleys with large amount of plates, dimensions: (2x) 550 mm x 720 mm x 1650 mm.	50
235	Roller Grill		75

Nr	Title	Description	Start €
		Roller Grill heated cabinet, type: WD 100, serial number: 010700207, 230 V, 50 Hz, 650 W, dimenisons: 370 mm x 600 mm x 300 mm.	
236	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH heating lamp, model: CALIMA, serial number: 2090-2025050011, year of construction: 2025.05.15, 230 V, 50 Hz, 1.1 A, 0.25 kW, dimensions: 400 mm x 400 mm x 600 mm.	25
238	NN trolley	S/s trolley, 14 floors, dimensions floors: (14x) 600 mm x 400 mm, total dimensions: 650 mm x 500 mm x 1740 mm.	50
239	Lubron	Lubron water softener, model: ECONOMINDER, dimensions: 500 mm x 300 mm x 750 mm.	25
240	Manconi & C. s.r.l.	Manconi & C. s.r.l. slicer, type: 250 J B, serial number: 3077/04, 220-230 V, 50 Hz, 220 W, dimensions: 600 mm x 500 mm x 450 mm. Including knife sharpener.	150
241	Copeland Scroll	Copeland Scroll cooling compressor, model: ZR61KCE-TFD-522, serial number: 09C212438 C, 380-420/460 V, 3 Ph, 50 Hz, capacity: 14.37/17.34 m^3 per hour, dimensions: 300 mm x 270 mm x 500 mm.	50
242	Ascobloc	Ascobloc build-in fryer, volume: 24 liter, inside dimensions: 400 mm x 400 mm, total dimensions: 750 mm x 600 mm x 400 mm.	150
243	NN menu holders	Box with approximately 20 menu holders, size: 300 mm x 220 mm x 375 mm.	15
244	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH hot water boiler, model: HOT DRINK MINI, serial number: SR10025040014, year of construction: 2025-04-05, 220-240 V, 50/60 Hz, 10 A, 2.016-2.4 kW, volume: 10 liter, dimensions: 300 mm x 250 mm x 500 mm.	50
245	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH griddle plate, model: 172-3205, serial number: 477576, 230 V, 1 Ph, 50/60 Hz, 3500 W, dimensions: 500 mm x 600 mm x 230 mm.	75
246	Comenda	Comenda dishwasher, model: LF 322M, serial number: CQ0051030614, 380-400 V, 3 Ph, 50 Hz, 11.0 A, 5.45 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 630 mm x 600 mm x 820 mm.	100
247	Winterhalter	Winterhalter dishwasher, type: UC-M Energy, serial number: 1142236, year of construction: 2014, 380-415/220-240 V, 3 Ph, 50 Hz, 7.9-6.0/4.2-3.2-2.6/1.8 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 680 mm x 600 mm x 800 mm.	100
248	NN presentation plates	2 boxes with 10 pieces each steel presantation plates, dimensions each plate: 300 mm x 400 mm.	25
249	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH freezer, model: HT 601, serial number: 442407060021, 220-240 V, 50 Hz, 2.0 A, 350 W, weigth: 81.5 kg, gross volume: 534 liter, net volume: 411 liter, refrigerant: R290/120 gram, 6 floors, dimensions floors: (6x) 490 mm x 630 mm, total dimensions: 630 mm x 780 mm x 1900 mm.	200

Nr	Title	Description	Start €
250	ALI Group Srl	ALI Group Srl built-in pasta cooker, model: DPCPE60, serial number: MA020379799, year of construction: 12/2018, 380/415 V, 3 Ph, 50-60 Hz, 9.000 kW, volume: 42 liter, dimensions: 600 mm x 800 mm x 730 mm.	200
251	Holland Techno Groep	Holland Techno Groep oven, model: Hot Air-OO-P-E-Man/N-IE, serial number: HA-CO-E-Man/M-TML-015, 400 V, 3 Ph, 50/60 Hz, 28 A, 12 floors, dimensions floors: (12x) 460 mm x 590 mm, total dimensions: 800 mm x 1060 mm x 1060 mm.	200
252	Pro Select	Pro Select s/s hood, model: 1126214, serial number: C3762503295, year of construction: 03-2025, 230 V, 1 Ph, 50 Hz, 230 W, dimensions: 550 mm x 900 mm x 900 mm.	50
253	Pro Select	Pro Select refrigeration counter, model: 1113014, serial number: SK2224FP04SH901008, 220 V, 50 Hz, 1.4 A, refrigerant: R600a / 105 gr, dimensions: 710 mm x 900 mm x 900 mm.	150
254	Wexiödisk	Wexiödisk crate washer, type: WD-11, number: 067309, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 35 A, 19.7 kW, clearance: 520 mm x 250 mm, total dimensions: 1650 mm x 800 mm x 1720 mm.	300
255	Metos	Metos dishwasher, model: METOS PREMIUM50 PS DDE BT PAP 380/3N/50, serial number: DWD1027756, year of construction: 2010, 380-415 V, 3 Ph, 50 Hz, 12.0 A, 650 W, inside dimensions: 500 mm x 500 mm, total dimensions: 640 mm x 600 mm x 1370 mm.	100
256	Carlisle	Carlisle plastic trolley, dimensions: 800 mm x 530 mm x 950 mm.	25
257	NN floor scrubbing machine	Floor scrubbing machine, model: I45B, serial number: 2310, year of construction: 1999, dimensions: 900 mm x 400 mm x 1000 mm.	100
258	NN cabinet	Cabinet, dimensions: 770 mm x 1400 mm x 1050 mm.	75
259	NN hood	S/s hood, dimensions: 960 mm x 960 mm x 600 mm.	100
260	Infinition	Infinition induction plate, model: IND3BK8G32, serial number: IND3BK8G32202408260114, 220-240/380-415 V, 3 Ph, 50/60 Hz, 7400 W, dimensions: 520 mm x 590 mm x 60 mm.	50
261	NN table	S/s table, dimensions: 700 mm x 2000 mm x 920 mm.	200
262	NN sink	S/s sink, dimensions: 600 mm x 500 mm x 850 mm.	75
263	Castra	Castra grill, model: E7/KTE1BALK, serial number: 2549785, 380-415 V, 3 Ph, 50/60 Hz, 5.4 kW, dimensions: 700 mm x 400 mm x 930 mm.	400
264	Iarp	Iarp refrigerator, model: ABX500PV JUMBO, serial number: 01NA42977, 230 V, 50 Hz, 180/410 W, refrigerant: R134a / 0.160 kg, 1 floor, dimensions floor: 500 mm x 600 mm, gross volume: 521 liter, total dimensions: 600 mm x 800 mm x 1800 mm.	150
265	Wexiödisk	Wexiödisk dishwasher, type: WD-6E, number: 055946, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 25 A, 13.8 kW,	150

Nr	Title	Description	Start €
		inside dimensions: 500 mm x 500 mm, total dimensions: 750 mm x 700 mm x 1450 mm.	
266	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH freezer, model: BD401S, serial number: 25012380, 220-240 V, 50 Hz, 1.3 A, refrigerant: R600a/0.115 kg, inside dimensions: 1240 mm x 500 mm x 650 mm, total dimensions: 1440 mm x 750 mm x 950 mm.	150
267	NN thermo container	Thermo container, dimensions: Ø 350 mm x 600 mm.	25
268	NN trolley	S/s trolley, (2x) 10 floors, dimensions floors: (20x) 700 mm x 460 mm, dimensions: 1040 mm x 700 mm x 1400 mm.	75
269	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH griddle plate, model: GPK 400, serial number: XD 148407, year of construction: 17.11.2023, 230 V, 50/60 Hz, 13 A, 3000 W, dimensions: 480 mm x 410 mm x 250 mm.	50
270	ALI Group Srl	ALI Group Srl build-in cooker/frying pan, model: DPKBEF60, serial number: MA020379802, year of construction: 12/2018, 380-415 V, 3 Ph, 50-60 Hz, 8.100 kW, volume: 21 liter, dimensions: 810 mm x 630 mm x 400 mm.	250
271	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH sausage warmer, model: HD 200, serial number: 364961, 230 V, 1 Ph, 50/60 Hz, 2000 W, inside dimensions: (2x) 300 mm x 235 mm x 140 mm, total dimensions: 400 mm x 550 mm x 230 mm.	50
272	Alinox	Alinox refrigerated showcase, dimensions: 400 mm x 1600 mm x 420 mm.	150
273	Afinox	Afinox refrigerated counter, model: LINEAR 70 4 I TN SP SP SP SP, serial number: 3016068001, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 5.22 A, 275 W, refrigerant: R404a/0.25 kg, dimensions: 2200 mm x 700 mm x 820 mm.	150
274	TP	TP grill furnace, model: PPC8FG7, serial number: 53710004, dimensions: 800 mm x 700 mm x 1050 mm.	100
275	Indesit	Indesit refrigerator / freezer combination, model: BAAN 13, serial number: 607194429, 220-240 V, 50 Hz, 0.65 A, gross volume: 330/113 liter, refrigerant: R600a/0.056 kg, dimensions: 600 mm x 580 mm x 1870 mm.	50
276	NN trolley	S/s trolley, dimensions: 1300 mm x 600 mm x 850 mm.	50
277	Silver King	Silver King refrigeration counter, model: SKP4812A/CUK2, serial number: BNDP240193A, 230 V, 50/60 Hz, 2.2 A, dimensions: 1220 mm x 840 mm x 1140 mm.	150
278	Rational	Rational combi steamer, type: 61 G, number: G61SH15032450014, 6 floors, dimensions floors: (6x) 540 mm x 330 mm, total dimensions: 850 mm x 850 mm x 800 mm.	750
279	Diamond	Diamond heated cabinet, model: VBE-211, serial number: 220604225, 220-240 V, 50-60 Hz, 3500 W, dimensions: 700 mm x 600 mm x 670 mm.	100
280	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH s/s sink, dimensions: 600 mm x 600 mm x 950 mm.	75

Nr	Title	Description	Start €
281	NN trolley	S/s trolley, 10 floors, dimensions floors: (10x) 610 mm x 400 mm, total dimensions: 620 mm x 470 mm x 900 mm.	50
282	NN trolley	S/s trolley, (2x) 10 floors, dimensions floors: (20x) 550 mm x 330 mm, dimensions: 550 mm x 740 mm x 1410 mm.	75
285	NN cooling unit	Cooling unit, dimensions: 500 mm x 150 mm x 1650 mm.	25
286	NN crates	15 plastic crates, dimensions: (15x) 600 mm x 400 mm x 420 mm.	15
287	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH heated banquette trolley, model: BW 11, serial number: 79197018200250319, year of construction: 1.10.2025, 220-240 V, 50/60 Hz, 9.0 A, 22 floors, dimensions floors: (22x) 650 mm x 530 mm, total dimensions: 950 mm x 800 mm x 1800 mm.	650
288	NN wall cabinet	S/s wall cabinet, serial number: V2605G125WCSS164WTR034, dimensions: 1600 mm x 400 mm x 660 mm.	150
289	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH mobile mixer, model: 395-1020, serial number: 61302-043, year of construction: 2025, 400 V, 3 Ph, 50 Hz, 1.1 kW, s/s bowl, dimensions bowl: Ø 350 mm x 180 mm, total dimensions: 650 mm x 400 mm x 700 mm.	250
290	NN shelves	3 plastic shelves, dimesnions: 1700 mm x 300 mm, 2100 mm x 350 mm and 2470 mm x 300 mm.	30
291	NN frame	S/s mobile leaking frame, dimensions: 650 mm x 700 mm x 1260 mm.	10
292	Hoshizaki	Hoshizaki ice machine, model: FM-120KE-HCN, serial number: R01760G, 220-240 V, 50 Hz, 2.2 A, weight: 66 kg, refrigerant: R290/100 gram, dimensions: 650 mm x 650 mm x 720 mm.	750
293	NN hood	S/s hood, dimensions: 3000 mm x 1800 mm x 600 mm.	450
294	NN rack	S/s rack, 2 floors, dimensions: 2000 mm x 300 mm x 730 mm.	50
295	Cater Chef	Cater Chef food dehydrator, model: 680080, serial number: C1942401027, year of construction: 2024, 230 V, 1 Ph, 50 Hz, 1000 W, 10 floors, dimensions floors: (10x) 350 mm x 400 mm, total dimensions: 440 mm x 400 mm x 530 mm.	50
296	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH juice dispenser, model: 398-1004, serial number: KL25095AX2505D2140, year of construction: 2025, 220 V, 1 Ph, 50 Hz, 1.9 A, 0.29 kW, volume: 12 liter, refrigerant: R290/30 gram, dimensions: 450 mm x 250 mm x 650 mm.	150
297	Menumaster	Menumaster microwave, model: RCS511DSE, serial number: 1812630336, 230-240 V, 50 Hz, 1600 W, frequency: 2450 MHz, dimensions: 560 mm x 500 mm x 370 mm.	50
298	ALI Group Srl	ALI Group srl build-in pasta cooker, model: DPCPE60, serial number: MA020379799, year of construction: 2018, 380-415 V, 3 Ph, 50-60 Hz, 9 kW, dimensions: 800 mm x 600 mm x 380 mm.	150

Nr	Title	Description	Start €
299	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH cold banquet trolley, model: KBW-11, serial number: 721915G1100240013, year of construction: 2024, 220-240 V, 50 Hz, 1.3 A, 0.21 kW, 15 floors, dimensions floors: (15x) 530 mm x 530 mm, total dimensions: 900 mm x 500 mm x 1800 mm.	250
300	NN table	S/s table, dimensions: 1800 mm x 700 mm x 930 mm.	150
301	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH salamander, model: LANA, serial number: 1050-2025090004, year of construction: 2025.09.20, 230 V, 50 Hz, 13 A, 3 kW, weight: 14.5 kg, 3 floors, dimensions floors: (3x) 430 mm x 330 mm, total dimensions: 600 mm x 540 mm x 380 mm.	50
302	Hendi	Hendi soup kettle, serial number: 56047825-860557-000102, 220-240 V, 50/60 Hz, 500 W, volume: 8 liter, dimensions: Ø 360 mm x 370 mm.	50
303	Hegro	Hegro au bain-marie, dimensions: 850 mm x 680 mm x 1550 mm.	200
304	Hegro	Hegro counter with 2 grill plates, dimensions: 2400 mm x 900 mm x 1550 mm.	850
305	Hegro	Hegro fryer, 3 pans, type: Tornado HR44, fatory number: 0624052017 / 0524052017 / 0424052017, year of construction: 2017, 230 V, 50 Hz, 21 kW, gas heated, dimensions: 2400 mm x 900 mm x 1550 mm.	1250
306	Hegro	Hegro fryer, 3 pans, type: Tornado NG3, fatory number: 0324052017 / 0224052017 / 0124052017, year of construction: 2017, 230 V, 50 Hz, 25 kW, gas heated, dimensions: 2400 mm x 900 mm x 1550 mm.	1250
307	Hegro	Hegro s/s counter, dimensions: 600 mm x 800 mm x 1550 mm.	100
309	Metos	Metos ice machine, model: CB 249A HC, number: 2022081139990, year of construction: 2022, 220-240 V, 50 Hz, 270 W, refrigerant: R290 / 0.075 kg, dimensions: 470 mm x 400 mmx 700 mm.	250
310	Mile High Equipment	Mile High Equipment condenser, model: VRC2061B1, serial number: 12051280010674, 208/230 V, 1 Ph, 60 Hz, 15 A, dimensions: 760 mm x 700 mm x 2650 mm.	150
311	NN cooking pots	2 cooking pots, inside dimensions ø: 330 mm x 310 mm, ø: 450 mm x 280 mm, total dimensions: 470 mm x 620 mm x 320 mm, 335 mm x 420 mm x 350 mm.	20
312	Saro Gastro-Products GmbH	5 Saro Gastro-Products GmbH s/s gastronorm bins size: 1/2-65.	10
313	Severin	Severin coffee machine, type: 9314, art. KA 9315, 220-240 V, 50-60Hz, 2000 W.	25
314	Saro Gastro-Products GmbH	5 Saro Gastro-Products GmbH s/s gastronorm bins, size: 1/3-150.	10
315	NN pasta basket	4 s/s pasta baskets, dimensions: (4x) 355 mm x 205 mm x 230 mm.	10
316	NN racks		20

Nr	Title	Description	Start €
		8 steel racks, dimensions: (8x) 595 mm x 560 mm x 585 mm.	
317	WMF	WMF heated coffee dispenser.	25
318	NN cutlery	Various cutlery.	5
319	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH sausage heater, model: HD 200, serial number: 364963, 230 V, 50/60 Hz, inside dimensions: 295 mm x 238 mm x 170 mm, total dimensions: 430 mm x 555 mm x 320 mm.	50
320	NN silicone spatulas	Various silicone spatulas.	5
321	NN plates	Large amount of plates, approximately 500 pcs, diameter plastes: 210 mm, 230 mm and 235 mm.	25
322	NN locker	Steel locker, dimensions: 920 mm x 420 mm x 1945 mm.	50
323	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction cooking plate, model: AKIM, order number: 360-1115, serial number: 2025040683, year of construction: 04/2025, 280-400 V, 3 Ph, 50-60 Hz, 8000 W, net weight: 10.3 kg, dimensions: 440 mm x 545 mm x 145 mm.	50
324	Pujadas	Pujadas non stick frying pan, type: INOX PRO, diameter plate: 400 mm, total dimensions: 720 mm x 415 mm x 200 mm.	50
325	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH soup kettle, model: RETRO rot, order number: 175-2200, serial number: 175-2200-0014, year of construction: 04-09-2021, 220-240 V, 1 Ph, 50-60 Hz, 6.3 A, 1.28 - 1.525 kW, net weight: 8 kg, capacity gross/ netto: 11 / 10.4 Liters, temperature: + 30° / + 100°, total dimensions: ø 398 mm x 365 mm.	25
326	Severin	2 Severin water kettle, model number: WK 3409, 220 - 240 V, 50-60 Hz, 1850 - 2200 W, dimensions: 190 mm x 240 mm x 230 mm.	20
327	Pro Select	Pro Select silent minibar refrigerator, model number 1126219, serial number: US03501014023, 220-240 V, 50-60 Hz, 58 W, volume: 30 L, dimensions: 415 mm x 385 mm x 480 mm.	50
328	NN kitchen utensils	Various kitchen utensils.	25
329	NN colander	Colander, inside dimensions: 390 mm x 400 mm x 200 mm, total dimensions: 400 mm x 500 mm x 225 mm.	25
330	NN cutlery	Various cutlery.	10
331	NN guide rails	Guide rails.	5
332	NN chafing dish	2 chafing dish, dimensions: 575 mm x 350 mm x 335 mm.	10
333	NN gastronorm lids	Various s/s gastronorm lids.	10
334	NN cutlery	Various cutlery.	10
335	Bain Marie	Bain Marie, model number: 7476.0010, serial number: 2016122600057, 230 V, 50 Hz, 1200 W. inside dimensions: 510 mm x 305 mm x 160 mm, total dimensions: 585 mm x 335 mm x 250 mm.	25
336			50

Nr	Title	Description	Start €
	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction cooking plate, model number: 301-1100 / AB-20A, serial number, 200610046, 230 V, 50 Hz, 2000 W, dimensions: 380 mm x 360 mm x 80 mm.	
337	NN table leg	Design table leg, dimensions: 800 mm x 490 mm x 700 mm.	5
338	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH laundry trolley, model: AF 264, dimensions: 900 mm x 650 x mm 850 mm.	25
339	NN mobile s/s plate dispenser trolley	Mobile s/s plate dispenser, trolley top, diameter plates: (2x) 220 mm, total dimensions: 1200 mm x 575 mm x 1100 mm.	50
340	NN	Oven trays, inside dimensions: 470 mm x 280 mm x 55 mm, total dimensions: 580 mm x 330 mm x 70 mm.	10
341	NN gastronorm pans and food storage containers	Various gastronorm bins and food storage containers.	25
342	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction cooking plate, model: DENISE, order number: 360-1040, serial number: 2025040422, year of construction: 04/2025, 220-240 V, 1Ph, 50-60 Hz, 16 A, 3500 W (1800 W + 1700 W), net weight: 5.7 kg, temperature: 60° - 240°, dimensions: 581 mm x 299 mm x 64 mm.	50
343	Scholl	Scholl heating plate, model number: 26060 FB DIG, article number: C5110, serial number: 554325-002, 230 V, 50Hz, 1,0 kW, temperature: 30 - 150°, dimensions: 600 mm x 400 mm x 110 mm.	50
344	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction cooking plate, model number: 301-1100 / AB-20A, serial number: 200610064, 230 V, 50 Hz, 2000 W, dimensions: 380 mm x 360 mm x 80 mm.	50
345	Saro Gastro-Products GmbH	13 Saro Gastro-Products GmbH s/s gastronorm bins, size: 2/3-20.	25
346	NN gastronorm pans and food storage containers	Various gastronorm bins and food storage containers.	10
347	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH heated showcase, model: Marie 4, item number: 330-1092, serial number: 1806612240027, year of construction: 12/2025, 220 - 240 V, 50 Hz, 2.2 A, 500 W, temperature: 30 - 90°, dimensions: 780 mm x 440 mm x 335 mm.	50
348	NN chafing dish	2 chafing dishes, dimensions: (2x) 575 mm x 350 mm x 335 mm.	25
349	Severin	Severin stab mixer-set, article number: SM 3772, 600 W, dimensions: 255 mm x 155 mm 255 mm.	25
350	NN kitchen utensils	Various kitchen utensils.	10
351	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH hot water boiler, model: HOT DRINK MINI, item number: 317-2010, serial number: SR10026040062, year of construction: 2026, 220 - 240 V,	50

Nr	Title	Description	Start €
		50/60Hz, 10 A, 2,016 - 2,4 kW, net weight: 3.1 kg, capacity: 10 liter, dimensions: 290 mm x 330 mm x 500 mm.	
352	Hendi	Hendi combi steamer, model 225929, serial number: 260300136, 230 V, IPX3, 50/60 Hz, 3,1 kW, 100-300 kPa, 4-floors, dimensions: 620 mm x 625 mm x 590 mm.	200
353	NN mobile tray rack	Mobile tray rack, 24 floors, floor dimensions: 370 mm x 510 mm, total dimensions: 590 mm x 880 mm x 1790 mm.	200
354	NN mobile tray rack	Mobile s/s rack, 10 floors, floor dimensions: 500 mm x 505 mm, total dimensions: 570 mm x 615 mm x 1680 mm.	75
355	Stilfer	Stilfer ceramic cooking plate, model: 0104, serial number: 2407078, 230 V, 50-60Hz, 2,1 kW, IPX3, dimensions: 415 mm x 415 mm x 105 mm.	50
356	Hendi	4 Hendi cream whippers, capacity: 0,25 L, whipper dimensions: ø 80 mm x 200 mm, total dimensions: 90 mm x 90 mm x 270 mm.	20
357	NN sharpening rods	4 sharpening rods.	10
358	NN Knifes	Various knifes.	5
359	NN kitchen tongs	Various kitchen tongs.	5
360	Inventum	Inventum induction cooking plate, model number: VKI6010ZIL/01, serial number: 22160040, 220-240 V, 50/60 Hz, 3500 W. gross/net weight: 13,2 / 11,3 kg, dimensions: 625 mm x 680 mm x 145 mm.	50
361	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee machine, model name: SAROMICA 6005, item number: 317-1000, serial number: SRPC16726110238, year off construction: 2025, 230 V, 50/60 Hz,7 A, 1,5 kW, capacity: 6,75 liters, net weight: 3,5 kg, dimensions: 350 mm x 300 mm x 490 mm.	50
362	Hendi	Hendi infrared cooking plate, model: 239353, serial number, 901381-000330, year of construction: 2009, 220-240 V, 50 Hz, 2200 W, IP20, dimensions: 465 mm x 340 mm x 120 mm.	50
363	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH sausage warmer, model: LYRIA, order number: 443-1085, serial number: 1085-2025050015, year of construction: 5/2025, 230 V, 1 Ph, 50 Hz, 4A, 0.9 kW, net weight: 4.5 kg, capacity: 10 liters, temperature: 35/85°, dimensions: 320 mm x 260mm x 260 mm.	50
364	NN electric heating pot	Electric heating pot, model: ZG-NTB10L-A, serial number: CCTI-2022010803C, 220 V, 50 Hz, 400 W, capacity: 10 liter, dimensions: 320 mm x 320 mm x 365 mm.	25
365	Hendi	Hendi s/s hot drinks boiler, item number: 211427, serial number: HK063224-211427-000274, 220-240 , 50/60 Hz, 1650 W, IPX1, capacity: 16 liters, dimensions: 340 mm x 340 mm x 535 mm.	50
366	Hendi	Hendi BBQ, dimensions: 590 mm x 480 mm x 55 mm.	25
367	NN cooking pot		25

Nr	Title	Description	Start €
		S/s cooking pot, inside dimensions: ø 200 mm x 190 mm, total dimensions: 325 mm x 435 mm x 200 mm.	
368	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH grill plate, model: GPK 600, article number: 458-1040, serial number: XD 162457, year of construction: 09/2024, 400 V, 50 Hz, 19. A,4,5 Kw, IPX3, dimensions: 520 mm x 600 mm x 250 mm.	200
369	NN cutlery	Various cutlery.	5
370	Saro Gastro-Products GmbH	11 Saro Gastro-Products GmbH s/s gastronorm bins size: 1/3-150.	110
371	NN cutlery	Various cutlery.	5
372	NN ventilator	2 ventilator, ref: 219509/53W, year of construction: 01/2005,220-240 V, 50 Hz.	5
373	NN motors	3 motors.	15
375	Elsto	Elsto motor, 0.12 kW.	5
376	Selbach	Selbach cool unit, type: 09R7109E0000, serial number: BL 31582, 230 V, 50 Hz, 1,4 A, 250 W, 35 bar, dimensions: 390 mm x 300 mm x 330 mm.	5
377	NN motor	Motor, 0,12 kW.	5
378	NN motor	Motor, 0,12 kW.	5
379	NN motor	Motor.	5
380	NN motor	Motor.	5
381	NN motor	Motor.	5
382	NN motor	Motor.	5
383	Meiko	Meiko pump.	5
384	NN motor	Motor.	5
385	NN parts for jacuzzi	Various parts for jacuzzi.	25
390	NN motor	Motor.	5
391	NN motor	Motor.	5
392	NN motor	Motor.	5
393	NN motor	Motor.	5
394	Lenze	Lenze motor 0,11kW.	5
395	NN motor	Motor.	5
396	Grundfos	Grundfos centrifugal pump.	5
397	NN cooling unit	2 cooling units, dimensions 360 mm x 190 mm x 450 mm.	10
398	NN trays	10 trays, dimensions: 600 mm x 415 mm x 50 mm.	25
399	NN stools	6 stools, dimensions: 430 mm x 450 mm x 970 mm.	20
400	Bauer	Bauer motor.	5
401	NN motor	Motor.	5
402	Fir	Fir motor, type: 1226.2705.	5
403	Meiko	Meiko pump.	5
404	Meiko	Meiko pump.	5
405	Meiko	2 pumps for Meiko dishwasher.	10
406	Bauer	2 Bauer motors.	10
407	NN motor	Motor.	5
408	NN motors	3 motors.	15
409			5

Nr	Title	Description	Start €
	Van West Koeltechniek	Van West Koeltechniek cooling unit, model: WWKGD40de, serial number: B20062074, year of construction: 2006, 230 V, 50 Hz, 1.1 A, 170 W, refrigerant: R134a/0.165 kg, dimensions: 290 mm x 290 mm x 380 mm.	
410	Meiko	Meiko pump.	5
411	NN motor	Motor.	5
412	NN motor	Motor.	5
413	Himmel	Himmel motor.	5
414	NN motor	2 motors.	10
415	NN motor	Motor.	5
416	NN fan for extraction hood.	Fan for extraction hood.	5
417	NN motor	Motor.	5
418	NN pump	Pump.	5
419	NN motor	Motor.	5
420	NN motor	Motor.	5
421	NN electric parts	Plastic crate with electric parts.	25
422	Stilfer	Stilfer ceramic cooking plate, model: 0104, serial number: 2404016, 230 V, 50-60Hz, 2,1 kW, IPX3, dimensions: 415 mm x 415 mm x 105 mm.	100
423	Rational	Rational combi steamer, model: CMP 61G, serial number: G61MH13072359668, year of construction: 2013, 230 V, 50/60Hz, 400 W, 150-600 kPa, 6 floors, dimensions floors: (6x) 530 mm x 330 mm, total dimensions: 850 mm x 820 mm x 780 mm.	750
424	Rational	Rational combi steamer, model: SCC_61 G, serial number: G61SG10012204989, year of construction: 2010, 230V, 50/60 Hz, 6 floors, floor dimensions: (6x) 530 mm x 330 mm, total dimensions: 850 mm x 820 mm x 820 mm, hose missing.	850
425	Rational	Rational combi steamer, model: CMP 61, E61MH13022339275, year of construction: 2013, 400 V, 50/60 Hz, 11 kW, 150-600 Kpa,IPX5, 6 floors, floor dimensions: (6x) 530 mm x 330 mm, total dimensions: 670 mm x 600 mm x 600 mm.	850
426	Rational	Rational combi steamer, model: SCC XS 6 2/3 E, number: E60SI18022647364, 400 V, 50/60 Hz, 5,7 kW, 150-600 kPa, IPX5, 6 floors, dimensions floors: (6x) 350 mm x 330 mm, total dimensions: 670 mm x 600mm x 600 mm.	850
427	Rational	Rational combi steamer, model: CPC 101, 26,5 A, 10 floors, floor dimensions: (10x) 530 mm x 330 mm, total dimensions: 850 mm x 820 mm x 1020 mm.	650
428	NN rack	S/s rack, dimensions 460 mm x 1000 mm x 1800 mm.	75
429	NN rack	S/s rack, dimensions 440 mm x 880 mm x 2100 mm.	75
430	NN cabinet	S/s work cabinet, serial number: V2605G125VTS207WTR012, dimensions: 2000 mm x 700 mm x 900 mm.	200

Nr	Title	Description	Start €
431	NN cabinet	S/s work cabinet, serial number: V2605GI25VTS107WTR001, dimensions: 1000 mm x 700 mm x 900 mm.	100
432	NN cabinet	S/s work cabinet, serial number: V2605GI25VTSB147WTR018, dimensions: 1400 mm x 700 mm x 900 mm.	150
433	NN cabinet	S/s wall cabinet, serial number: V2605GI25WCSS184WTR036, dimensions: 1800 mm x 400 mm x 600 mm.	200
435	NN table	S/s mobile table with plastic worktop, dimensions: 1200 mm x 600 mm x 920 mm.	150
436	NN outfeed table for dishwasher	S/s mobile outfeed table for dishwasher, dimensions: 1600 mm x 625 mm x 930 mm.	50
437	F.R.C.	2 F.R.C blast chillers, model: F512TS BF081A / F517TS BF121AV DX, serial number: FR020158780 / FR020142928, 230/400 V, 50/60 Hz, 5.1/7.4 A, 2.11/4.81 kW, dimensions: 800 mm x 800 mm x 1430 mm and 800 mm x 800 mm x 1800 mm. Defect, technical condition unknown.	50
438	Metos	2 Metos ice machines, dimensions: 750 mm x 700 mm x 1180 mm and 750 mm x 700 mm x 1130 mm. Defect, technical condition unknown.	50
439	Gram	Gram blast chiller, 10 floors, dimensions floors: (10x) 370 mm x 600 mm, total dimensions: 800 mm x 750 mm x 1770 mm. Defect, technical condition unknown.	25
440	NN tubs	24 plastic tubs, dimensions: (24x) 530 mm x 320 mm x 200 mm.	60
441	NN sink	S/s sink, dimensions: 2100 mm x 700 mm x 1800 mm.	100
442	NN hood	S/s hood, dimensions: 2200 mm x 1400 mm x 500 mm.	150
443	Hobart	Hobart grinder, serial number: 50895, 220 V, 1 Ph, 50 Hz, dimensions: 500 mm x 400 mm x 700 mm.	25
444	Hoshizaki	Hoshizaki ice machine, model: FM-120EE, serial number: E05060, 220-240 V, 50 Hz, 3.5 A, weight: 71 kg, refrigerant: R134a/150 gram, dimensions: 650 mm x 600 mm x 800 mm. Defect.	45
445	Pro Select	Pro Select freezer, model: CGN650F, serial number: SK2224FP03G650B149, 220 V, 50 Hz, 3.5 A, refrigerant: R290, temperature range: -18/-22 °C, dimensions floors: 650 mm x 520 mm, total dimensions: 870 mm x 750 mm x 1970 mm.	200
446	NN outfeed table for dishwasher	S/s outfeed table for dishwasher, plastic rollers, roller width: 500 mm, total dimensions: 2160 mm x 580 mm x 950 mm.	50
447	Gram / Diamond / Metos / Hoshizaki / Scottsman / Master Frost / Arhtic	12 various ice machines, 2x Gram / 1x Diamond / 1x Arktic / 5x Metos / 1x Hoshizaki / 1x Master Frost / 1x Scottsman. Defect, technical condition unknown.	250
448	Metos		1250

Nr	Title	Description	Start €
		4 Metos dishwashers, inside dimensions: (4x) 500 mm x 500 mm, total dimensions: (4x) 800 mm x 750 mm x 2100 mm. Recently tested.	
449	Wexiödisk	4 Wexiödisk dishwashers, inside dimensions: (4x) 500 mm x 500 mm, total dimensions: 800 mm x 680 mm x 1430 mm. Recently tested.	1250
450	NN refrigerator	Refrigerator, dimensions: 1000 mm x 700 mm x 2030 mm.	100
451	Luvata	Luvata roof condenser, 3 fans, model: KCE53A3V.0008, serial number: BS201201313, year of construction: 28/05/2012, dimensions: 3150 mm x 850 mm x 1570 mm.	450

General terms of the online auction

Article 1. Definitions
Delivery: the actual delivery of the lot to the buyer or to his authorized representative;
Bid: each by a user in the auction (for a lot) bid amount;
User: the one who has registered on the website;
User Agreement: the agreement between Industrial Auctions and the user;
Lot: an article, or a number of articles that are auctioned together (under one number);
Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;
Purchase Agreement: the purchase agreement between buyer and seller;
Buyer: the user to whom the lot is allocated;
Registration: registration of the user on the website by completing the registration form found on the website;
Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;
Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);
Auction: internet sales organized by Industrial Auctions of movable goods;
Seller: the person(s) a lot is being auctioned in whom/whose commission;
Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability
2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.
2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use
3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.
3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.
3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.
3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.
3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.
3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.
3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction
4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.
4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.
4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.
4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:
- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;

- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;
4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security
5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.
5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.
5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots
6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.
6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or aplied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation
7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annuled clause, as far as possible the scope of the invalid/annuled clause shall be respected.
7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.
7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.
7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions
8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.
8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:
- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement
9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.
9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.
9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.
9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).
9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.
9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.
9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.
9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.
9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities
10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial

Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.
10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.
10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.
10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer
11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.
11.2. The buyer is not entitled to any settlement or suspension.
11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.
11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.
11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days
12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery
13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions

can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.
13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.
13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).
13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.
13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination
14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.
14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.
14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability
15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herselve is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law

and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.
15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.
15.3 Industrial Auctions and the seller are not liable for:
- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;
15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.
15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law
16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.
16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.
16.3 In the event of a dispute, the competent court within the district of “Oost-Brabant” has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

Notes

Notes

Notes

CONTACT

info@industrial-auctions.com

+31 (0)40 240 9208

