

Industrial Auctions

2341: Online auction machinery for the food industry in Sevenum (NL)

END DATE
10 November 2026 14:00

General terms and conditions of the online auction

End date	10 November 2026 from 14:00 hrs.
Viewing days	05 November 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	17 November 2026 from 09:00 till 16:00 hrs.
Pick up address	Spoorstraat 7 5975 RK Sevenum Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.

Nr	Title	Description	Start €
1	Kalfass GmbH & Co	Kalfass GmbH & Co shrink packaging line, consisting of: Kalfass packing machine, type: etracta 600, machine number: 7.79.617, year of construction: 1979, 220/380 V, 50 Hz, 16 A, 2,4 kW, film width: 400 mm, plastic belt width: 500 mm, total dimensions: 1900 mm x 1300 mm x 2600 mm. Kalfass shrinktunnel, type: Universal 650 N, clearance: 650 mm x 450 mm, total dimensions: 2600 mm x 1300 mm x 2600 mm.	2500
2	Imball SRL	Imball SRL carton sleever machine, model: Multipack 200 R P340 DX, serial number: 909080040, 400 V, 50 Hz, 11 kW, weight: 2500 kg, clearance: 275 mm x 250 mm, plastic lane with dividers, lane width: 90 mm, distance between dividers: 350 mm, plastic outfeed belt, belt width: 90 mm, with Nordson glue unit, model: Series 3500 V, total dimensions: 7000 mm x 1400 mm x 2500 mm.	7500
3	GEA Food Solutions Germany GmbH	GEA Food Solutions Germany GmbH thermoformer, type: PowerPak, serial number: 70600106, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 42 A, 28 kW, film width: 600 mm, dimensions dye: 555 mm x 380 mm, GEA TiroLabel labelling unit, Busch vacuum pump, type: RA 0160 D 5Z1 QLXX, capacity: 160 m^3 per hour, total dimensions: 10400 mm x 1550 mm x 2080 mm. Including pallet with extra parts and transport beams.	24500
4	Hema Technologies	Hema Technologies volumetric inline can filler, machine: GPF.3, serial number: 114, year of construction: 1992, 6 filling heads, plastic belt width: 80 mm, diameter cans: 73 mm, total dimensions machine: 2600 mm x 2400 mm x 2200 mm, including J. Legendre outfeed belt used for cans, s/s frame, s/s belt, belt width: 80 mm, total dimensions outfeed belt: 6600 mm x 350 mm x 1750 mm, s/s trolley with spare parts, dimensions trolley: 1270 mm x 770 mm x 1100 mm.	6500
5	NN bucket sealer	Bucket sealer, plastic belt, belt width: 350 mm, film width: 330 mm, dye dimensions: Ø 250 mm, Ø 220 mm and Ø 290 mm, total dimensions: 3000 mm x 1060 mm x 2620 mm. Including extra crate with extra parts and 2 extra dyes.	1950
6	RSW	RSW mobile depositor, type: Füllomat, model: DO-H2500, machine number: 115684 ZK, number of fillings per hour: 240-1020, output: Ø 35 mm, total dimensions: 1400 mm x 800 mm x 2220 mm.	350
7	LH packaging BV	LH packaging BV traysealer, type: MAP Traysealer, serial number: MP/LH280A/101, year of construction: 2020, 400 V, 50 Hz, 6.5 kW, plastic infeed belt, belt width: 260 mm, dimensions dye: (4x) Ø 125 mm, plastic outfeed belt, belt width: 260 mm, total dimensions: 3700 mm x 900 mm x 2200 mm.	3000
8	NN forks	4 steel forks, (2x) hydraulic, dimensions: (2x) 1000 mm x 120 mm, (2x) 1200 mm x 80 mm.	150

Nr	Title	Description	Start €
9	Hermann Waldner GmbH & Co. KG	Hermann Waldner GmbH & Co. KG cup filling and sealing machine, type: Dosomat 10/2, serial number: 527, year of construction: 1989, 220/380 V, 50 Hz, 20 A, 11 kW, weight: 2100 kg, capacity: 3600 per hour, plastic belt, belt width: 155 mm, total dimensions: 3700 mm x 1900 mm x 2820 mm.	6500
10	Turbochef	Turbochef speed oven, model: C3/Multi, serial number: C331691, year of construction: March 2003, 380-415 V, 3 Ph, 50 Hz,15 A, 2.1/5.2 kW, inside dimensions: 450 mm x 350 mm x 180 mm, total dimensions: 700 mm x 750 mm x 700 mm.	150
11	Krones	Krones labelling machine for cans, type: canmatic K.730-154, year of construction: 1989, 380 V, 50 Hz, can Ø 75 mm, total dimensions: 2300 mm x 2200 mm x 2100 mm. Including pallet with parts.	2500
12	E-packaging	E-packaging labelling machine, serial number: 4212, year of construction: 2010, plastic belt, belt width: (1x) 350 mm, (1x) 250 mm, total dimensions: 2150 mm x 850 mm x 1750 mm.	1250
13	J. Kugler & Co. GmbH	J. Kugler & Co. GmbH closing machine, model: VA58, number: 15.105, year of construction: 1993, dimensions: 2700 mm x 1500 mm x 2300 mm.	1500
14	NN gas powered high pressure washer	NN gas powered high pressure washer, dimensions: 600 mm x 700 mm x 1000 mm.	175
15	Komen & Kuin	Komen & Kuin strainer, dimensions: 2000 mm x 1200 mm x 2020 mm. Including Hitachi inverter.	6500
16	Polyketting	Polyketting transport belt, type: PL, 0.25 kW, plastic belt, belt width: 80 mm, total dimensions: 5700 mm x 750 mm x 1070 mm.	1400
17	NN elevating screw	Mobile s/s elevating screw, Ø screw: 370 mm, tier: 200 mm, elevating height: 1800 mm, total dimensions: 5850 mm x 710 mm x 1920 mm.	950
18	PFM S.p.a	PFM S.p.a. flowpacker, model: TORNADO BB LD, serial number: C.6561, year of construction: 2002, 380 V, 50 Hz, 33.5 A, 19.5 kW, weight: 1680 kg: s/s rollers, roller width: 240 mm: plastic belt, belt width: 150 mm: seal length: 220 mm: dimensions roller conveyor: 2750 mm x 600 mm x 1420 mm: dimensions flowpacker: 5700 mm x 1150 mm x 1750 mm: dimensions film holder: 3350 mm x 1050 mm x 1050 mm: dimensions switch cabinet: 1700 mm 620 mm x 2380 mm: Including 2 mobile suction devices for rest films, dimensions: (2x) 500 mm x 500 mm x 1150 mm. Including s/s platform, dimensions: 1600 mm x 600 mm x 350 mm.	6000
19	A. van Kaick Ettlingen	A. van Kaick Ettlingen colloid mill, type: KMR 5642, serial number: 111500, 380 V, 8.5 A, 4 kW, 2875 U/min, dimensions: 800 mm x 600 mm x 1220 mm.	750
20	NN juicer		400

Nr	Title	Description	Start €
		Juicer, perforations: 4 mm, total dimensions: 580 mm x 620 mm x 1300 mm.	
21	Turbo Systems	Turbo Systems mobile depositor, machine number: D9001431668, output: Ø 19 mm, total dimensions: 1050 mm x 1550 mm x 1870 mm. Including crate with parts.	2000
22	Remeha	Remeha central heating boiler, model: GAS 210-ECO-160, serial number: 2003L39426665, year of construction: 2003, 230 V, 50 Hz, gas heated, maximum pressure: 25 bar, dimensions: (2x) 1200 mm x 450 mm x 1350 mm. Including control panel, type: 1.2/h10b, serial number: 57429, 230 V, 50 Hz, 6 VA.	600
23	NN transport belt	Transport belt with TAI LI speed controller, plastic belt, belt width: 260 mm, total dimensions: 1550 mm x 450 mm x 1110 mm.	100
24	OCME	OCME filling line for barrels, machine type: LFT 300, serial number: 1/116/90, 380 V, 50 Hz, 40 A, diameter barrel: 600 mm, height barrel: 885 mm, dimensions filling line: 5900 mm x 2000 mm x 2900 mm, dimensions control panel: 600 mm x 500 mm x 970 mm, dimensions switch cabinet: 2000 mm x 500 mm x 2000 mm, including pallet with spare parts.	3500
25	Veenstra / Asea	Veenstra / Asea agitators, Veenstra type: fra25, axle dimensions: 750 mm, Asea agitator with s/s support, axle dimensions: 650 mm, total dimensions: 1200 mm x 800 mm x 144 mm.	250
26	Sterling Fluid Systems	Sterling Fluid Systems centrifugal pump, type: ZLND080160 AB, year of construction: 2005, dimensions: 950 mm x 350 mm x 450 mm.	400
27	Johnson Pump Water B.V.	Johnson Pump Water B.V. centrifugal pump, type: CN80-160 G1S2L2, number: 08-1852271B, dimensions: 950 mm x 350 mm x 450 mm.	400
28	Johnson Pump Water B.V.	Johnson Pump Water B.V. centrifugal pump, type: CN80-160 G1S2L2, number: 09-1898511B, dimensions: 950 mm x 350 mm x 450 mm.	400
29	Stork/Alcoa	Stork/Alcoa bottle filling and closing machine with elevating belt, type filling and closing machine: 32 kops vuller + 8 kops sluiter, year of construction: 02-07-2008, dimensions: 3050 mm x 2300 mm x 3000 mm. Dico elevating belt, plastic belt, belt width: 200 mm, divider height: 55 mm, distance between dividers: 130 mm, total dimensions: 2450 mm x 800 mm x 3350 mm.	9000
30	Procomac	Procomac rinser for empty bottles, machine: GRIPSTAR, type: 1R 8.32.131, serial number: P573, year of construction: 1986, 415 V, 50 Hz, 1.5 kW, for bottles of 300 and 500 ml, 32 stations, total dimensions: 3100 mm x 2400 mm x 2300 mm. Including pallet with parts and Siemens control, dimensions pallet: 3100 mm x 1200 mm x 500 mm.	4500
31	Hoppmann International		400

Nr	Title	Description	Start €
		Hoppmann International centrifugal cap feeder, model: FT30, fabrication number: 00/9186, dimensions: Ø 1030 mm x 650 mm.	
32	Infront	Infront mini track skid steer loader, diesel engine, bucket dimensions: 960 mm x 500 mm x 350 mm, total dimensions: 2850 mm x 1000 mm x 1700 mm.	2000
33	Label Aire	Label Aire mobile labelling machine, height adjustable, label width: 60 mm, total dimensions: 1200 mm x 1000 mm x 1700 mm.	750
34	LH packaging BV	LH packaging BV mobile traysealer, type: LH-GTS-1/4, serial number: GTS-/1420140801, year of construction: 2014, 230 V, 16 A, 6 bar, film width: 340 mm, dimensions dye: 240 mm x 135 mm, total dimensions: 2760 mm x 800 mm x 1850 mm.	1000
35	Garvens	Garvens checkweigher, type: E3-DMS, serial number: 333351, year of construction: 2005, 230 V, 50 Hz, 6 kPa, maximum weight: 1000 gram, minimum weight: 20 gram, e= 1 gram, d= 1 gram, T=-1000 gram, plastic belt, belt width: 130 mm, total dimensions: 1020 mm x 700 mm x 1500 mm.	1250
36	Label Aire	Label Aire mobile labelling machine, height adjustable, label width: 60 mm, total dimensions: 1200 mm x 1000 mm x 1700 mm.	750
37	NN roller conveyor	Pallet with 4 roller conveyors, steel frame, plastic rollers, roller width: 495 mm, length: (4x) 2470 mm, total dimensions: 2470 mm x 800 mm x 430 mm.	200
38	NN carriage	Carriage, dimensions: 1580 mm x 3550 m x 1540 mm.	900
39	NN sieve	S/s sieve with centrifugal pump, working width: 400 mm, pump type: CL 40-4-1.5/B.T31, serial number: 19782, 220/380 V, 50 Hz, total dimensions: 1100 mm x 850 mm x 730 mm.	150
40	SEW Eurodrive	4 SEW Eurodrive electro motors, dimensions: 800 mm x 800 mm x 250 mm.	200
41	Ravas	Ravas steel pallet lifter with weighing unit, type: Ravas-1100, serial number: 22305619.232801, year of construction: 6-7-2023, maximum capacity: 2000 kg, e=d= 1.0 kg, fork length: 1150 mm, total dimensions: 1540 mm x 555 mm x 1220 mm.	175
42	SIAT	SIAT automatic box closing machine, model: AS24 HS, serial number: 50021, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 3.8 A, 660 W, s/s and plastic rollers, roller width: 560 mm / 500 / mm / 430 mm, plastic belt, belt width: 300 mm, total dimensions: 3600 mm x 1150 mm x 1980 mm. Including switch cabinet, dimensions: 600 mm x 400 mm x 1200 mm.	3250
43	NN agitators	Pallet with 4 agitators, dimensions: 1200 mm x 800 mm x 450 mm.	200
44	Stork Bepak B.V.		2500

Nr	Title	Description	Start €
		Stork Bepak B.V. palletizer consisting of: Roller conveyor, steel roller, roller width: 920 mm, dimensions roller conveyor: 2700 mm x 1250 mm x 1170 mm. Stork Bepak B.V. pallet loader, type: Centurion 4000, number: 03567601, year of construction: 1990, 380 V AC, 24 V DC, steel rollers, roller width: 1380 mm, dimensions pallet loader: 2900 mm x 2200 mm x 3400 mm. Pallet turning device, steel rollers, roller width: 1300 mm, 1100 mm, 650 mm, dimensions turning device: 2000 mm x 1950 mm x 600 mm. Pallet stacking machine, steel rollers, roller width: 1300 mm, dimensions stacking machine: 2100 mm x 1700 mm x 1400 mm. Switch cabinet, dimensions: 1200 mm x 480 mm x 1160 mm.	
45	Bibus Hydraulik AG	Bibus Hydraulik AG hydraulic pump for Provatec forming machine, serie: 10603, number: 14, dimensions: 1200 mm x 800 mm x 1000 mm.	500
46	Goutherm Engineering	Goutherm Engineering 6-heads depositor, machine number: 1723, year of construction: 2003, 400 V, 50 Hz, 6 A, 0.4 kW, dimensions: 3000 mm x 1200 mm x 2420 mm. Including pallet with extra parts.	1500
47	Serac	Serac rotating can filling and closing machine, type: R12 V6 / 1080, serial number: 165, year of construction: 1990, 380 V, 3 Ph, 50 Hz, 6 bar, plastic belt, belt width: 80 mm, 12 and 6 heads, clearance: 230 mm x 130 mm, total dimensions: 4550 mm x 2680 mm x 2770 mm. Including control panel, dimensions control panel: 700 mm x 620 mm x 2140 mm, switch cabinet, dimensions switch cabinet: 1200 mm x 410 mm x 2330 mm, 3 racks with parts, dimensions racks: (3x) 1400 mm x 1000 mm x 1680 mm, 2 pallets with worms and s/s parts, dimensions pallets: (2x) 1200 mm x 800 mm x 450 mm and 2 lid feeders, dimensions: (2x) 1000 mm x 700 mm x 2160 mm.	7500
48	Trabant	Trabant car, type: 601 Special, dimensions: 3580 mm x 1500 mm x 1340 mm.	3500
49	Webe	Webe de-palletizing machine, type: MCC33, pallet size: 1200 mm x 1000 mm, s/s rollers, roller width: 1100 mm, total dimensions: 3150 mm x 2450 mm x 4700 mm.	4000
50	NN depositor	Mobile s/s depositor on s/s frame, diameter pipe: 65 mm, total dimensions: 700 mm x 1000 mm x 1750 mm.	950
51	IMC	IMC automatic can seamer, type: 478, serial number: 335, can diameter: 127 mm, total dimensions: 1900 mm x 2700 mm x 2700 mm.	2250
52	IKA-Machinenbau	Pallet with 2 IKA-Machinenbau agitators, dimensions: (1x) Ø 300 mm x 1500 mm, (1x) 230 mm x 1020 mm.	125
53	NN cap feeder	Cap feeder, type: SFA 18, machine number: 77039, year of construction: 1998, 230 V, 50 Hz, 0.25 A, dimensions: 900 mm x 650 mm x 470 mm.	250
54	Veenstra B.V.		250

Nr	Title	Description	Start €
		2 Veenstra B.V. agitators, type: FRA-25, machine numbers: 98.037/98.111, dimensions: (2x) 760 mm x 140 mm x 140 mm.	
56	Metaal van Breugel N.V.	Metaal van Breugel N.V. wall mixer, dimensions: 1000 mm x 700 mm x 600 mm.	50
57	Plochingen	Plochingen cap feeder, type: VSZ 650 GU, number: 167 86, 220 V, 50 Hz, 2 A, diameter input: (3x) 20 mm, total dimensions: 740 mm x 650 mm x 490 mm.	500
58	Inauen Maschinen AG	Inauen Maschinen AG double chamber vacuum machine, type: Vc999/04 1 I FNS, machine number: 0496 184, 400 V, 3 Ph, 50 Hz, 17.5 A, 10 kW, 0/5-6 bar, dimensions chamber: (2x) 640 mm x 1090 mm x 280 mm, total dimensions: 2260 mm x 770 mm x 1020 mm.	1250
59	NN magnetic belts	Pallet with s/s magnetic belts, belt width: 825 mm, 190.5 mm, belt length: 3048 mm / 10 feet, total dimensions: 1200 mm x 800 mm x 500 mm.	250
60	KEY technology b.v.	Key technology vibrating gutter sieve, vibrating gutter width: 560 mm, sieve: 3 mm, total dimensions: 1350 mm x 1300 mm x 600 mm.	250
61	NN belts	Pallet with various plastic belts, various belt widths, total dimensions: 1200 mm x 800 mm x 650 mm.	100
62	Jungheinrich	Jungheinrich electric pallet lifter, type: AME 15, serial number: N21062033349, year of construction: 02/2024, capacity: 1500 kg, weight: 119 kg, fork length: 1150 mm, total dimensions: 1500 mm x 540 mm x 1270 mm. Including charger and battery.	200
63	NN forklift	Electric forklift, model: CPO25J, serial number: 120629894, year of construction: 2012, capacity: 2500 kg, fork length: 1595 mm, total dimensions: 2430 mm x 1300 mm x 2070 mm. Including charger. Battery in bad condition.	500
64	Lenze	Pallet with 5 pumps among others: Lenze pump, type: 11.710.05.00, number: 977000/3651, 1.5 kW, dimensions: 1200 mm x 1000 mm x 470 mm.	200
65	NN belts	Pallet with various belts, various belt widths, total dimensions: 1200 mm x 800 mm x 960 mm.	200
66	Siemens/Omron/ Danfoss.	Industrial PLCs, frequency converters and control panels, including brands such as Siemens, Omron and Danfoss.	350
67	NN breading machine	S/s breading machine, model: 200W Econocrumb M/C, serial number: EC 05/07/029, 380/415 V, 50 Hz, 1.75 kW, s/s mesh belt, belt width: 205 mm, diameter screw: 100 mm, total dimensions: 1600 mm x 640 mm x 1920 mm.	2250
68	Stork Bepak B.V.	Stork Bepak B.V. 16 heads can filling station, type: VD 16, serial number: 02133000, year of construction: 1984, 380 V, diameter dye: Ø 48 mm, total dimensions: 2290 mm x 1750 mm x 1990 mm. Missing belt.	1500
69	Gray Company, Inc.	Gray Company, Inc. pneumatic barrel pump, model power head: 204640, series: 6B2, model pump: 204924, series: 6 A 2, ratio: 20-1, dimensions: 1200 mm x 800 mm x 1650 mm.	450

Nr	Title	Description	Start €
70	Bentley Nevada	Bentley Nevada transport belt, type: 4X, year of construction: 2003, s/s mesh belt, belt width: 205 mm, total dimensions: 2700 mm x 500 mm x 1220 mm.	250
71	NN strip cutter	Strip cutter, plastic belt width: 425 mm, working width: 250 mm, 51 knives, distance between knifes: 5 mm, total dimensions: 1300 mm x 700 mm x 2140 mm.	750
72	NN labeller	Mobile labeller, plastic rollers, roller width: 200 mm, total dimensions: 2150 mm x 940 mm x 1380 mm.	750
73	Groninger + Co GmbH	Groninger + Co GmbH 6-heads filling machine, machine type: DFV 6000, serial number: 5488, year of construction: 2001, total dimensions: 2200 mm x 1800 mm x 2800 mm, switch cabinet, dimensions: 800 mm x 500 mm x 2000 mm.	4250
74	NN film	Pallet with approximately 10 rolls of film, film width: 230 mm.	100
75	Mettler Toledo Garvens Automation GmbH	Mettler Toledo Garvens Automation GmbH checkweigher, type: S3, serial number: 331648, year of construction: 2002, 230 V, 50 Hz, max: 300 gram, min: 10 gram, e= 0.2 gram, T= -300 gram, dimensions scale: 430 mm x 150 mm, plastic belt, belt width: 150 mm, dimensions checkweigher: 1140 mm x 610 mm x 1610 mm, dimensions control panel: 580 mm x 440 mm x 1400 mm.	2000
76	NN trolley	S/s trolley, dimensions: 910 mm x 1080 mm x 980 mm.	100
77	NN trolley	S/s trolley, dimensions: 870 mm x 1000 mm x 960 mm.	100
78	NN drum motors	Pallet with large amount of various sizes drum motors, total dimensions: 1200 mm x 1150 mm x 800 mm.	150
79	NN trolley	S/s trolley, dimensions: 1330 mm x 800 mm x 1000 mm.	100
80	NN table	Mobile s/s table, dimensions: 600 m x 500 mm x 620 mm.	50
81	NN table	S/s table, dimensions: 920 mmx 430 mm x 630 mm.	50
82	Weber	Weber labelling unit, model: Geset, type: 141, serial number: 50026077, year of construction: 13/06/18, dimensions: 900 mm x 430 mm x 440 mm.	1950
83	Mettler Toledo Garvens Automation GmbH	Mettler Toledo Garvens Automation GmbH checkweigher, type: S3, fabric number: 331647, year of construction: 2002, 230 V, 50 Hz, maximum weight: 300 g, minimum weight: 5 g, e= 0.2 g, d= 0.2 g, T= -300 g, belt width: 135 mm, dimensions checkweigher: 1120 mm x 640 mm x 1660 mm, dimensions mobile display: 500 mm x 560 mm x 1450 mm.	2000
84	NN chain belts	Steel chain belts with plastic rollers, belt width: 370 mm, total dimensions: 1200 mm x 800 mm x 910 mm.	250
85	NN chain belts	Steel container with steel chain belts, belt width: 320 mm, total dimensions: 1240 mm x 840 mm x 980 mm.	250
86	NN electro motors	Pallet with various electro motors, dimensions: 1200 mm x 800 mm x 400 mm.	500
87	Ecolab	2 plastic vessels filled with Ecolab P3-horolith, vessel dimensions: (2x) Ø 580 mm x 940 mm.	25
88			450

Nr	Title	Description	Start €
	RR-industrietechnik GmbH	RR-industrietechnik GmbH container dumper, inside dimensions: 1500 mm x 1000 mm x 700 mm, total dimensions: 1580 mm x 1160 mm x 1030 mm.	
89	Mecha Concorde	Mecha Concorde air compressor, type: CXR4050, dimensions: 1000 mm x 400 mm x 750 mm.	100
90	NN transport belts	3 s/s frames for transport belt, (1x) 90° curve conveyor, dimensions: 1400 mm x 700 mm x 350 mm, (2x) S-shaped conveyor, dimensions: 2000 mm x 600 mm x 350 mm.	150
91	Alfa-Laval	2 Alfa-Laval centrifugal pumps, type: ALC-3/175 S 11.0KW, serial number: 31460-23926, capacity: 60 m^3 per hour, dimensions: 1200 mm x 800 mm x 420 mm.	200
92	Mauk	Mauk diesel pump with liter counter, model: YB600BT3, serial number: 2010-679, 230 V, 50 Hz, 600 W, 2400 liter per hour, dimensions: 400 mm x 300 mm x 600 mm.	100
93	Strapex	Strapex mobile strapper, machine number: 5887, 220/240 V, 1 Ph, 50 Hz, 2.2 A, working width: 760 mm, total dimensions: 950 mm x 600 mm x 850 mm.	50
94	Samson	Pallet with 6 Samson valves, dimensions: 1200 mm x 800 mm x 400 mm.	300
95	Hugo Beck	Hugo Beck flowpacker, type: Standard 500 S, serial number: 14 733, year of construction: 04/2008, 400 V, 50 Hz, 5 A, 3 kW, film width: 420 mm, seal width: 480 mm, plastic belt, belt width: 380 mm, total dimensions: 3050 mm x 1500 mm x 1500 mm.	2500
96	NN belts	Pallet with plastic mesh belts, belt width: 82 mm and 137 mm, total dimensions: 1200 mm x 800 mm x 400 mm.	100
97	Berendsen	Berendsen hydraulic unit, dimensions: 500 mm x 360 mm x 700 mm.	200
98	Airpress	Airpress air compressor, model: 5900B/270 CT 5.5, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 4 kW, maximum air pressure: 11 bar, dimensions: 1630 mm x 600 mm x 1300 mm.	200
99	Guk Falzmashinen	Guk Falzmashinen folding machine, type: FA 23/4 - R1-AS 23 Automatic 720, machine number: 31621, year of construction: 1992, 220 V, 50 Hz, 1,7 A, 0.2 kW, working width: 235 mm, total dimensions: 1200 mm x 800 mm x 700 mm. Including parts.	250
100	NN 45˚roller conveyor	45˚curve conveyor, s/s frame, plastic rollers, roller length: 400 mm, total dimensions: 1900 mm x 900 mm x 820 mm.	100
101	NN drum motors	Pallet with large amount of various sizes drum motors, total dimensions: 1200 mm x 1380 mm x 720 mm.	150
102	IMC	IMC automatic can seamer, dimensions lid: Ø 90 mm, total dimensions: 1550 mm x 1150 mm x 2150 mm.	1750
103	Bretech	Bretech elevating belt, number: 70714, s/s belt with dividers, belt width: 200 mm, dividers height: 10 mm, distance between dividers: 110 mm, elevating height: 3300 mm, infeed clearance: 980 mm x 510 mm, total dimensions: 1600 mm x 1050 mm x 3300 mm.	750

Nr	Title	Description	Start €
104	Enbe	Enbe s/s belt slicer, plastic belt, belt width: 265 mm, clearance: 265 mm x 85 mm, working width: 210 mm, 39 knives, distance between knives: 5 mm, total dimensions: 1550 mm x 550 mm x 980 mm.	950
105	NN belts	2 pallets with plastic mesh belts, belt width: 303 mm, total dimensions: 1200 mm x 800 mm x 1510 mm.	250
106	NN lockers	2 s/s 6-doors lockers with Olssen locks, inside dimensions each locker, 300 mm x 480 mm x 890 mm, total dimensions: (2x) 900 mm x 500 mm x 1800 mm.	50
107	Stork	Stork mobile transport belt, s/s frame, number: 67-034079, plastic belt, belt width: 680 mm, total dimensions: 3850 mm x 880 mm x 1570 mm.	250
108	Clemens & Vogl	Clemens & Vogl mobile can seamer, model: VHST-B469, serial number: 72157, year of construction: 1972, diameter cans: 230 mm, total dimensions: 1100 mm x 900 mm x 2100 mm.	3500
109	Calumatic	Calumatic metal lid feeder, diameter cups: 85 mm, total dimensions: 1300 mm x 1300 mm x 900 mm.	100
110	NN lockers	2 s/s 6-doors lockers with Olssen locks, inside dimensions each locker, 300 mm x 480 mm x 890 mm, total dimensions: (2x) 900 mm x 500 mm x 1800 mm.	50
111	Coeman Packaging	Coeman Packaging mobile box closing machine, model: EXC-103SD, serial number: C1051427, 230 V, 50 Hz, s/s rollers, roller width: 670 mm, total dimensions: 920 mm x 950 mm x 1570 mm. Including parts.	450
112	Mailbox	5 Mailbox tubs, year of construction: 2013, steel frame, plastic tubs, dimensions tub: Ø 800 mm x 780 mm, total dimensions: (5x) 800 mm x 1150 mm.	375
113	NN lockers	2 s/s 6-doors lockers with Olssen locks, inside dimensions each locker, 300 mm x 480 mm x 890 mm, total dimensions: (2x) 900 mm x 500 mm x 1800 mm.	50
114	Bonino	Bonino elevating belt with infeed bunker, type: AUXILIARY FEEDER, number: 42363, year of construction: 31/10/13, 380 V, 50 Hz, 1 A, 0.18 kW, plastic belt with dividers, belt width: 200 mm, distance between dividers: 120 mm, divider height: 45 mm, elevating height: 2720 mm, total dimensions: 2620 mm x 1200 mm x 3700 mm.	1250
115	NN concrete mixer	Concrete mixer, clearance: 390 mm, total dimensions: 1400 mm x 860 mm x 1350 mm.	25
116	Alexanderwerk	Alexanderwerk table grinder, diameter plate: 70 mm, total dimensions: 300 mm x 330 mm x 110 mm.	50
117	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher, type: C 3570, number: 1438016140010, year of construction: 2020, 100-240 V, 1 Ph, 50-60 Hz, maximum weight: 1400 gram, minimum weight: 360 gram, e= 1 gram, d= 1 gram, T= -1260 gram, maximum belt speed: 100 meter per minute, plastic belt, belt width: 200 mm, total dimensions: 1200 mm x 1000 mm x 2000 mm.	4000

Nr	Title	Description	Start €
118	Olland	Olland weighing scale, model number: 268 A, dimensions scale: 210 mm x 210 mm, total dimensions: 230 mm x 330 mm x 540 mm.	25
119	NN lifting platform	Lifting platform with hydraulic unit, belt width: 1040 mm, total dimensions: 2550 mm x 1250 mm x 700 mm, dimensions hydraulic unit: 750 mm x 450 mm x 900 mm.	200
120	KSB	KSB centrifugal pump on steel frame, model: MOVI 50/24 C4.60.G1G, dimensions: 1550 mm x 500 mm x 550 mm.	750
121	Massi Services	Massi Services mobile cap feeder with magnetic elevating belt, type: Alimentateur, serial number: 06119, year of construction: 1999, inside dimensions bunker: 650 mm x 1300 mm x 500 mm, clearance: 55 mm x 15 mm, elevating height: 3600 mm, total dimensions: 1200 mm x 1500 mm x 4000 mm.	1250
122	NN oat crusher	Steel oat crusher on s/s frame, dimensions: 1050 mm x 1020 mm x 620 mm.	175
123	Ferm	Ferm air compressor, serial number: 320202295, year of construction: 2002, 230 V, 1 Ph, 50 Hz, 5.9 A, 1.5 kW, weight: 15 kg, dimensions: 470 mm x 220 mm x 500 mm.	25
124	Packo Inox Ltd	Packo Inox Ltd centrifugal pump, type: FP/66-32/044, serial number: 209483, year of construction: 22 23, Q: 5m³/h, H: 3m, weight: 13 kg, dimensions: 450 mm x 250 mm x 310 mm.	200
125	NN turning table	Turning table, steel frame, s/s top, diameter top: 1300 mm, total dimensions: 1400 mm x 1350 mm x 1080 mm.	250
126	NN lockers	2 s/s 6-doors lockers with Olssen locks, inside dimensions each locker, 300 mm x 480 mm x 890 mm, total dimensions: (2x) 900 mm x 500 mm x 1800 mm.	50
127	NN elevating belt	Mobile elevating belt, plastic belt with dividers, belt width: 400 mm, divider height: 70 mm, distance between dividers: 250 mm, elevating height: 4000 mm, total dimensions: 2700 mm x 700 mm x 4100 mm.	1000
128	NN divider belt	Divider belt, type: Z800, machine number: 5.414, year of construction: 1995, s/s frame, plastic belt, belt width: 800 mm, total dimensions: 2200 mm x 1300 mm x 1300 mm.	1750
129	Atlet AB	Atlet AB electric pallet lifter, model: PLL/145, serial number: PLL40253/01, year of construction: 2006, 24 V, loading capacity: 1450 kg, distance between forks: 600 mm, fork length: 1000 mm, Fronlus loading station, model: Active Inverter 2020E, serial number: 20031144, 230 V, 50/60 Hz, 20 A, total dimensions: 1460 mm x 680 mm x 1430 mm.	350
130	Atlet AB	Atlet AB electric pallet lifter, model: PLL/145, serial number: PLL40254/01, year of construction: 2006, 24 V, loading capacity: 1450 kg, distance between forks: 600 mm, fork length: 1000 mm, total dimensions: 1460 mm x 680 mm x 1430 mm. Missing loading station.	300
131	NN table with computer	S/s table, dimensions: 1400 mm x 700 mm x 850 mm.	100

Nr	Title	Description	Start €
132	NN table	Mobile s/s table with plastic top, dimensions: 1500 mm x 750 mm x 850 mm.	100
133	Novexx Solutions	Novexx Solutions mobile labelling machine, type: LA-CE Wipe RH, serial number: N400562.1279.0518, plastic belt, belt width: 270 mm, label width: 95 mm, total dimensions: 2050 mm x 1300 mm x 1450 mm. With 2 pallets with labels.	1850
134	NN lockers	2 s/s 6-doors lockers with Olssen locks, inside dimensions each locker, 300 mm x 480 mm x 890 mm, total dimensions: (2x) 900 mm x 500 mm x 1800 mm.	50
135	NN lockers	S/s 6-doors locker with Olssen locks, inside dimensions each locker, 300 mm x 480 mm x 890 mm, total dimensions: 900 mm x 500 mm x 1800 mm.	25
136	Vac control	Vac control control panel with rejector, model: vacCONTROL 810-M5, serial number: 1276, panel dimensions: 630 mm x 450 mm x 180 mm, total dimensions: 800 mm x 700 mm x 310 mm.	250
137	Rationator GmbH	Rationator GmbH rotary cap feeder, type: CS 1100, machine number: 116340/26139, year of construction: 05/2001, weight: 225 kg, diameter caps: 30 mm, dimensions: 1180 mm x 1200 mm x 1920 mm.	500
139	Wolfking A/S	Wolfking A/S cheese-breaker, type: CHEESE-BREAKER, number: 56130, 415/660 V, 50 Hz, 22-20/13 A, 11 kW, width outfeed belt: 500 mm, including elevating belt with dividers, belt width: 500 mm, divider height: 30 mm, distance between dividers: 520 mm, total dimensions: 3600 mm x 1500 mm x 3200 mm.	1950
140	NN tumbler	S/s tumbler on weighing cells with outfeed roller conveyor, dimensions mixer: 800 mm x 1250 mm x 2650 mm, roller conveyor, steel frame, plastic rollers, roller width: 500 mm, dimensions roller conveyor: 2070 mm x 720 mm x 400 mm. Without indicator.	950
141	NN tumbler	S/s tumbler on Tedea-Huntleigh weighing cells with outfeed roller conveyor, dimensions mixer: 1800 mm x 1250 mm x 2650 mm, roller conveyor, steel frame, plastic rollers, roller width: 500 mm, dimensions roller conveyor: 2070 mm x 720 mm x 400 mm. Without indicator.	950
142	Lowara / Pomac B.V.	Pallet with various centrifugal pumps, various brands among others Lowara and Pomac B.V, dimensions pallet: 1120 mm x 890 mm x 450 mm.	600
143	NN mixing tank	S/s mixing tank, inside dimensions: Ø 890 mm x 700 mm, total dimensions: 980 mm x 1350 mm x 1720 mm.	1100
144	Shuttleworth	Shuttleworth slip-torque roller conveyor with 90˚angle, roller width: 230 mm, total dimensions: 1600 mm x 1050 mm x 1100 mm.	400
145	Shuttleworth	Shuttleworth slip-torque roller conveyor with 90˚angle, roller width: 230 mm, total dimensions: 1600 mm x 1050 mm x 1100 mm.	400
146	BFB S.p.A.		1950

Nr	Title	Description	Start €
		BFB S.p.A. overwrapping machine, model: 3701u, serial number: 3970, 380 V, 3 Ph, 50 Hz, 12 A, 10 kA, belt width: 190 mm, total dimensions: 2600 mm x 1500 mm x 1800 mm. Including transport belt, plastic belt, belt width: 200 mm, total dimensions: 2550 mm x 550 mm x 400 mm.	
147	Etipack	Etipack mobile labeller, model: STAMPETICHETT, serial number: 04/000002528, year of construction: 2004, 230 V, 1 Ph, 50-60 Hz, 2 A, plastic belt, belt width: 190 mm, total dimensions: 1050 mm x 750 mm x 1680 mm.	1250
148	NN roller conveyor	Electric roller conveyor, s/s rollers, roller width: 500 mm, total dimensions: 700 mm x 500 mm x 740 mm.	125
149	NN can seamer	Semi-automatic can seamer, total dimensions: 900 mm x 370 mm x 780 mm.	2000
150	De Hoop	De Hoop carton erector, type: TF3600, serial number: 2151974, 220/380 V, 50 Hz, 1.5 kW, clearance: 400 mm x 285 mm, total dimensions: 2000 mm x 900 mm x 2200 mm. Including trolley, dimensions: 900 mm x 900 mm x 1300 mm.	500
151	GNB	GNB charger, type: 3SGM24/50-NG, serial number: 201022 3 SGM917, 230 V, 50 Hz, 8.05/50 A, 1852 VA, dimensions: 480 mm x 280 mm x 310 mm. Including trolley.	50
152	NN mixer	S/s mixer, inside dimensions: Ø 800 mm x 460 mm, total dimensions: 1400 mm x 900 mm x 1350 mm.	200
153	NN electro motors	Pallet with various brands of electro motors, among others: HEW, 0.55 kW, Lenze, 0.55 kW, Stober Antriebtechnik, 0.25 kW, Hans Ströter KG, Nord, VEM, dimensions pallet: 1200 mm x 800 mm x 450 mm.	500
154	NN heater	Heater, dimensions: 1170 mm x 650 mm x 1280 mm.	150
155	NN cooking screw	Cooking screw, plastic belt, belt width: 200 mm, total dimensions: 5800 mm x 2100 mm x 2550 mm.	2250
156	DDMM Kolding	DDMM Kolding s/s tank, code number: 42131016, capacity|: 2500 liter, dimensions: Ø 1900 mm x 3000 mm.	1250
158	Superior B.V.	Superior B.V. s/s vibrating gutter, year of construction: 1986, WOS: 5008, gutter width: 500 mm, total dimensions: 1400 mm x 800 mm x 1370 mm.	500
159	Fujitsu/HP	4 Fujitsu and 1 HP computer screens.	50
160	TurboChef	TurboChef speed oven, model: C3/Multi, serial number: C331694, year of construction: March 2003, 380-415 V, 3 Ph, 50 Hz,15 A, 2.1/5.2 kW, inside dimensions: 450 mm x 190 mm x 370 mm, total dimensions: 700 mm x 800 mm x 550 mm.	150
161	B+B Systemen BV	B+B Systemen BV mobile can washing machine for bottles or cans, type: ML 18 BL, number: 517 R, year of construction: 2001, clearance: 750 mm x 130 mm, s/s belt, belt width: 80 mm, total dimensions: 3250 mm x 750 mm x 1450 mm. Including 3 extra spirals.	1250
162	Polyketting		150

Nr	Title	Description	Start €
		Polyketting 45° curve conveyor, steel frame, plastic rollers, roller width: 395 mm, total dimensions: 1300 mm x 800 mm x 450 mm.	
163	Fimer S.N.C.	Fimer S.N.C. monoblock filler for liquids with 12 filling heads and bottle closer, model: DRT 2-12-1PK, serial number: 2506, year of construction: 2007, 380 V, 50 Hz, 5.5 kW, 3-6 bar, input bottle: 9 mm, Canelli Tech srl. elevating belt with dividers, model: VB-CAP, serial number: A07000600, year of construction: 2007, 400 V, 50 Hz, 0.37 kW, s/s frame, plastic belt with dividers, belt width: 150 mm, distance between dividers: 130 mm, elevating height: 3500 mm, total dimensions: 2800 mm x 1420 mm x 3350 mm. Including 2 trolleys with 6 crates of parts.	7250
164	Engels	Engels waste bin with cleaning equipment, dimensions: 750 mm x 540 mm x 1020 mm.	25
165	NN electric driven roller conveyor	Steel electric roller conveyor, steel rollers, roller width: 600 mm, total dimensions: 850 mm x 1060 mm x 1060 mm.	200
166	Wacker Hatz	Wacker vibratory plate, Hatz diesel engine, engine type: ES 75, 3000 / 60 rpm, power: 6 hp, plate dimensions: 640 mm x 700 mm, total dimensions: 1500 mm x 640 mm x 700 mm.	450
167	Polyketting	Polyketting roller conveyor, type: ARB, fabrication number: 981016, year of construction: 1998, 0.25 kW, chain driven, roll width: 400 mm, total dimensions: 1600 mm x 850 mm x 1550 mm, dimensions switch cabinet: 520 mm x 250 mm x 500 mm.	250
168	Stiletto	Stiletto infeed bunker with vibrating gutter used for spaghetti, type: VR 70, number: 8870, 220 V, 2 A, 3000 vibration per minute, dimensions infeed: 920 mm x 920 mm, total dimensions: 1000 mm x 1000 mm x 1930 mm.	500
169	Youngsunpack Europe	Youngsunpack Europe pallet wrapper, type: MH-FG-1000A, serial number: 80907322, year of construction: 2009, 380 V, 3 Ph, 60 Hz, 750 W, diameter platform: 1500 mm, film width: 500 mm, total dimensions: 4250 mm x 1500 mm x 2470 mm.	500
170	Schneider Electric	2 Schneider Electric switch cabinets, dimensions: (1x) 600 mm x 600 mm x 220 mm, (1x) 1200 mm x 800 mm x 300 mm.	250
171	Bardani Valvole Spa	10 Bardani Valvole Spa valves, dimensions pallet: 1200 mm x 800 mm x 300 mm.	500
172	Bardani Valvole Spa	4 Bardani Valvole Spa valves, dimensions pallet: 1200 mm x 800 mm x 300 mm.	400
173	Van der Lande	2 Van der Lande transport belts, plastic belt width: (2x) 650 mm, total dimensions: (2x) 1040 mm x 770 mm x 310 mm.	400
174	PestWest	PestWest insect killer, model: Chameleon 4x4 White, serial number: 0407440018, 230 V, 50 Hz, 190 W, dimensions: 650 mm x 170 mm x 620 mm.	15
175	PestWest		15

Nr	Title	Description	Start €
		PestWest insect killer, model: Chameleon 4x4 White, serial number: 0407440017, 230 V, 50 Hz, 190 W, dimensions: 650 mm x 170 mm x 620 mm.	
176	Alup	Alup steel pressure vessel, dimensions: Ø 500 mm x 1700 mm.	250
177	Bardani Valvole Spa	12 Bardani Valvole Spa valves, dimensions pallet: 1200 mm x 800 mm x 300 mm.	600
178	Anker	Anker labelling machine, s/s belt, belt width: 85 mm, 8 heads, diameter head: (8x) 20 mm, total dimensions: 3600 mm x 1600 mm x 1650 mm.	1250
179	NN table	S/s table, dimensions: 1600 mm x 700 mm x 900 mm.	100
180	TechnoPack Hund GmbH	TechnoPack Hund GmbH tube sealing machine, type: TSG, machine number: 183, year of construction: 1995, seal length: 430 mm, total dimensions: 1300 mm x 500 mm x 800 mm. Including box with forms.	150
181	NN table	S/s table, dimensions: 1400 mm x 700 mm x 850 mm.	100
182	SCJ Professional soap dispenser	SCJ Professional soap dispenser, dimensions: 300 mm x 400 mm x 1440 mm.	40
183	Scheppach	Scheppach saw table, with 2 circle saws, width adjustable, diameter saw: 395 mm, total dimensions: 2300 mm x 1300 mm x 850 mm.	250
184	KO	KO autoclave, inside dimensions: Ø 475 mm x 500 mm, total dimensions: 840 mm x 630 mm x 1170 mm.	1250
185	Sihi / Nijhuis	Pallet with Nijhuis NV centrifugal pump, type: 1-80235, number: 18-55, capacity: 21 m^3 per hour and Sihi centrifugal pump, type: NOWA8016A, year of construction: 2002, total dimensions pallet: 1200 mm x 800 mm x 500 mm.	400
186	Krones	Krones bottle labelling machine, type: 480-12, machine number: K 747-554, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 12 A, 1.26 kA, plastic mesh in/outfeed belt, belt width: 80 mm, Ø bottles: 35 mm, total dimensions: 5000 mm x 3200 mm x 2300 mm, 1 pallet with labeller, 1 pallet with roll on unit, dimensions switch cabinet: 800 mm x 650 mm x 2370 mm.	3000
187	Edelstahl Maschinenbau Engler	Edelstahl Maschinenbau Engler 12-heads can filling machine, type: K 12 links, serial number: 2033, year of construction: 11.1987, dimensions: 2550 ,mm x 1760 mm x 2400 mm.	11750
188	Sihi-Masters B.V. / Johnson Pump B.V.	Sihi-Masters B.V. centrifugal pump, type: NOWA 4032/285, serial number: 3434527, capacity: 2-16.5 m^3 per hour, dimensions: 1000 mm x 400 mm x 600 mm, Johnson Pump B.V. multistage pump, type: MCVS14AC1,5, number: 99/87141801, dimensions: 370 mm x 300 mm x 800 mm.	250
189	Gallay	Gallay s/s tank, serial number: 25990, inside dimensions: 1000 mm x 1200 mm x 780 mm, total dimensions: 1040 mm x 1250 mm x 1440 mm.	250
190	NN stairs		150

Nr	Title	Description	Start €
		Aluminium stairs, 6 steps, dimensions: 2700 mm x 650 mm x 750 mm.	
191	NN waste bag holder	2 s/s waste bag holders, dimensions: (2x) 700 mm x 630 mm x 1360 mm.	15
192	Caterpillar	Caterpillar electric pallet lifter, model: NPP16M, serial number: 2AMO1299, year of construction: 2009, capacity: 1600 kg, lifting height: 200 mm, fork length: 1140 mm, total dimensions: 1600 mm x 700 mm x 1300 mm. With Benning battery charger, technical condition unknown.	750
193	NN 90° curve conveyor	90° curve conveyor, s/s frame, plastic rollers, roller width: 300 mm, total dimensions: 1890 mm x 750 mm x 170 mm.	75
194	Gallay	Gallay s/s heating tank, serial number: 27651, inside dimensions: 1000 mm x 1200 mm x 780 mm, total dimensions: 1040 mm x 1250 mm x 1440 mm.	250
195	Hermann Waldner GmbH & Co.	Hermann Waldner GmbH & Co. cup filling and closing machine, type: DOSOMAT 1/1, machine number: 421, year of construction: 1986, 220/380 V, 50 Hz, 6 A, 3000 W, capacity: 2700 pcs/h, weight: 970 kg, 8 dyes, diameter dye: (8x) 85 mm, plastic outfeed belt, belt width: 100 mm, total dimensions: 1900 mm x 1750 mm x 1900 mm.	3500
196	NN refrigerated work bench	Refrigerated work bench, model: SEC903 S/S TOP, serial number: 307292, 220-240 V, 50-60 Hz, 1.6 A, 230 W, refrigerant: R134a/260 g, weight: 110 kg, dimensions: 1370 mm x 700 mm x 1030 mm.	150
197	NN elevating belt	Mobile elevating belt, plastic infeed belt, belt width: 910 mm, plastic elevating belt with dividers, belt width: 920 mm, distance between dividers: 200 mm, divider height: (2x) 30 mm, elevating height: 2250 mm, total dimensions: 1800 mm x 1520 mm x 2500 mm.	750
198	NN gastronorm bins	2 pallets with large amount of gastronorm bins in different sizes, among others: 530 mm x 325 mm x 100 mm, 330 mm x 255 mm x 75 mm. Including and a few pans and colanders.	150
199	Kettner	Kettner bottle packing line consisting of: infeed transport belt, s/s belt, belt width: (5x) 80 mm, Kettner packing robot, type: Rob. E2/C-H, year of construction: 1985, 12 suckers, diameter each sucker: 90 mm, outfeed transport belt, plastic belt, belt width: (4x) 50 mm, total dimensions: 4900 mm x 3200 mm x 2660 mm.	1250
200	NN carriage	Carriage, dimensions: 2700 mm x 1720 mm x 2450 mm.	950
201	Bardani Valvole Spa	12 Bardani Valvole Spa valves, dimensions pallet: 1200 mm x 800 mm x 300 mm.	600
202	KSB	KSB centrifugal pump, type: (1x) ETB 080-065-125 GGSAV100200074, (1x) ETABLOC-GN 65-125/552, year of construction: 1999/ 2017, Q: 10.00/40.00 m³/h, H: 4.43m, dimensions: (1x) 530 mm x 350 mm x 250 mm, (1x) 670 mm x 300 mm x 280 mm.	600
203	Hagra		300

Nr	Title	Description	Start €
		Hagra melting machine for lead, volume: 300 kg, 220-380 V, 3x 2400 W, maximum heat: 450° C, 3 forms, dimensions forms: (3x) 645 mm x 70 mm x 45 mm, total dimensions: 1200 mm x 650 mm x 1150 mm.	
204	Ostma GmbH	Ostma GmbH carton erector, type: OSA-1-1-1100, machine number: 01.88-716, year of construction: 1988, 220/380 V, 12 A, 5 kW, clearance: 610 mm x 400 mm, total dimensions: 1600 mm x 2020 mm x 2070 mm. Including trolley, dimensions: 900 mm x 900 mm x 1110 mm.	750
205	De Hoop	De Hoop carton erector, type: TF3600, clearance: 400 mm x 320 mm, total dimensions: 2000 mm x 900 mm x 2200 mm. Including trolley, dimensions: 900 mm x 900 mm x 1300 mm.	500
206	NN film	Pallet with 54 rolls of film, 100 meter film per roll, film width: 230 mm.	400
207	Bardani Valvole Spa	11 Bardani Valvole Spa valves, dimensions pallet: 1200 mm x 800 mm x 300 mm.	550
208	Langguth GmbH & Co	Langguth GmbH & Co rotating labelling machine with 3 Herma labelling units and Nordson glue unit, type: moduLAN 812, machine number: 812.003, year of construction: 2015, 12 stations, diameter station: 115 mm, maximum foil width: 245 mm, Nordson glue unit, type: PROBLUE 4, serial number: SA14L09372, 400/230 V, 50/60 Hz, 26 A, total dimensions: 4590 mm x 3000 mm x 2800 mm. Including 7 pallets with parts.	17500
209	NN belts	Pallet with plastic mesh belts, belt width: 500 mm and 400 mm, dimensions pallet: 1200 mm x 800 mm x 640 mm.	250
210	NN chain conveyor	Chain conveyor, conveyor width: 730 mm, total dimensions: 1400 mm x 850 mm x 560 mm.	250
211	NN separator	Water separator with press, outfeed diameter: 30 mm, total dimensions: 2500 mm x 600 mm x 1500 mm.	350
212	Simplex	Simplex depositor on mobile s/s frame, diameter depositor: 9 mm and 21 mm, foot control, dimensions: 1000 mm x 700 mm x 2100 mm.	400
213	AVC	AVC sealing machine, seal length: 540 mm, total dimensions: 560 mm x 200 mm x 250 mm.	50
214	Einhell	Einhell hoist, model: SHZ 125/250, serial number: BN-2441, year of construction: 2007/04, 230 V, 50 Hz, 2.2 A, 500 W, dimensions: 350 mm x 240 mm x 140 mm.	50
215	NN heater	S/s heater, model: TA-500A, 220 V, 500 W, dimensions: 410 mm x 320 mm x 180 mm.	50
216	Vileda	2 Vileda waste bin, foot control, dimensions: 400 mm x 400 mm x 680 mm.	10
217	Multipond	Multipond 10-heads multihead weigher, type: 1012, fabrication number: 827, year of construction: 1995, total dimensions: 1700 mm x 1800 mm x 2700 mm.	1500
218	NN curve conveyor	45° curve conveyor, steel frame, plastic rollers, roll width: 400 mm, total dimensions: 1900 mm x 800 mm x 900 mm.	75

Nr	Title	Description	Start €
219	Beerepoot BV	Beerepoot BV double transport belt, steel frame, type: BE, serial number: 042256, plastic belts, belt width: (2x) 500 mm, total dimensions: 2900 mm x 750 mm x 940 mm.	500
220	Sussmeyer	Sussmeyer mixer, type: TB3, number: 29881, year of construction: 20-08-1962, including 2 s/s tubs, tub dimensions: Ø 1070 mm x 1200 mm, dimensions mixer: 1500 mm x 2000 mm x 3000 mm. Including pallet with extra parts.	1500
221	Value Vacuum Technology	Value Vacuum Technology vacuum pump, type: VSV-40, serial number: SVAV110231, year of construction: 11/2019, capacity: 40 m^3 per hour, dimensions: 550 mm x 330 mm x 270 mm.	100
222	Herbort	Herbort mobile strip cutter for leafy vegetables, machine type: 130, machine number: 77, year of construction: 1992, working width: 250 mm, distance between knives: 5 mm, plastic belt, belt width: 260 mm, total dimensions: 2100 mm x 700 mm x 2100 mm. Crate with extra transport belts.	3500
223	NN cable ducts	Pallet with different sizes s/s cable ducts, total dimensions: 3250 mm x 750 mm x 1400 mm.	100
224	NN strip cutter	Mobile strip cutter, working width: 150 mm, distance between knives: 5 mm, plastic belt, belt width: 150 mm, total dimensions: 1800 mm x 700 mm x 1700 mm. Including crate with knives.	950
226	Signode	5 Signode steel strapping trolleys, dimensions: (3x) 500 mm x 530 mm x 1000 mm, including 2 steel boxes with clips.	75
227	SEW Eurodrive / Vector	Pallet with 8 motors among others: SEW Eurodrive and Vector motors, dimensions: 1200 mm x 800 mm x 410 mm.	150
228	NN mixer for meat bins	paddle mixer for 200 liter meat bins, type: W440, serial number: 016201, dimensions: 1250 mm x 750 mm x 380 mm.	350
229	VanRiet	VanRiet pallet destacker, order number: 5187, year of construction: 1990, dimensions: 2300 mm x 1700 mm x 2000 mm.	500
230	Becker	4 Becker vacuum pumps, type: VT 3.6/08, year of construction: 1999, capacity: 6/7.5 m^3/h, dimensions: (4x) 180 mm x 280 mm x 180 mm.	325
231	NN water pump	Water pump, dimensions: 350 mm x 350 mm x 500 mm.	25
232	NN table	S/s table, dimensions: 2000 mm x 700 mm x 810 mm.	100
233	Intralox	Intralox transport belt, s/s frame, type: Passieve Transporteur, number: E2010PAT152, plastic belt with rollers, belt width: 510 mm, total dimensions: 4780 mm x 770 mm x 1040 mm.	1250
234	NN turning table	s/s turning table, diameter table: 1130 mm, total dimensions: Ø 1130 mm x 1140 mm.	200
235	Meca Plastic	Meca Plastic traysealer, type: MECA 2002, number: 5397, year of construction: 12/02, chain infeed conveyor with dividers, distance between dividers: 325 mm, 3 infeed lanes, lane width: (3x) 120 mm, film width: 450 mm, plastic	2500

Nr	Title	Description	Start €
		outfeed belt, belt width: 355 mm, total dimensions: 5500 mm x 860 mm x 2320 mm. Including pallet with additional dye sets. Without vacuum pump, vacuum was centrally regulated.	
236	Benzlers	Benzlers drum with valve, drum dimensions: Ø 600 mm x 500 mm, total dimensions: 1050 mm x 800 mm x 700 mm.	150
237	Kaltenbach Maschinenfabrik KG	Kaltenbach Maschinenfabrik KG circular sawing machine, dimensions: 1100 mm x 950 mm x 1650 mm.	350
238	NN mixing tanks	2 s/s heated mixing tanks with pumps on s/s platform, dimensions tanks: Ø 600 mm x 1030 mm, working height: 750 mm, total dimensions: 2350 mm x 1500 mm x 2450 mm.	750
239	Soco Systems	Soco System mobile box closing machine with bottom and top taper, number: 1.029.06, roller width: 510 mm and 560 mm, belt width: 380 mm, total dimensions: 2400 mm x 850 mm x 1860 mm.	250
240	DWM Copeland	DWM Copeland Semi-hermetic piston compressor, model: DLLP-40X-EWL, serial number: 2098980, year of construction: 2004, 380-420 V, 3 Ph, 50 Hz, 9.5 A, capacity: 18.2 m^3/h, dimensions: 470 mm x 340 mm x 350 mm.	200
241	EFM	EFM mobile overflow briner, inside dimensions: 780 mm x 900 mm, perforations: 1 mm, total dimensions: 860 mm x 1400 mm x 1450 mm.	950
242	Breda Packaging	Breda Packaging tray stacker, belt width: 360 mm, stacker length: 1100 mm, total dimensions: 2350 m x 1200 mm x 1550 mm.	500
243	Lachnit	Lachnit s/s tilting device for pallet boxes, dimensions: 1400 mm x 1300 mm x 1610 mm.	950
244	Sacmo	Sacmo elevating belt with infeed bunker, serial number: CG04071/1, year of construction: 2006, dimensions infeed: 760 mm x 760 mm, plastic belt with dividers, belt width: 200 mm, divider width: (2x) 45 mm and (1x) 70 mm, divider height: 45 mm, distance between dividers: 150 mm, total dimensions: 1900 mm x 800 mm x 2200 mm.	1950
245	Inmarco AG	Inmarco AG carton erector, type: T-900, fabrication number: 05.106, year of construction: 1990, maximum tray width: 645 mm, with Valco Cincinnati glue unit, total dimensions: 4800 mm x 1650 mm x 2600 mm.	1500
246	Lowara	Pallet with 2 submersible pumps, type lower pump: DL125/A, number: 01157, year of construction: 2018, capacity: 200-700 l/min, dimensions pallet: 800 mm x 600 mm x 1000 mm.	250
247	NN vertical bag fill-, form,- and seal machine	Mobile vertical bag fill-, form,- and seal machine, diameter infeed funnel: 60 mm, vertical seal length: 330 mm, horizontal seal length: 220 mm, film width: 260 mm, total dimensions: 1300 mm x 1000 mm x 1400 mm. Including additional infeed pipe, diameter: 120 mm.	1250

Nr	Title	Description	Start €
248	Hardland Machine Systems	Harland Machine Systems rotary labelling machine with 12 heads, type: EUROPA, serial number: J17305/02, year of construction: 2007, 240 V, 50 Hz, 20 A, weight: 3000 kg, (2x) plastic mesh belt, belt width: 80 mm, belt width: 60 mm, total dimensions: 3500 mm x 2380 mm x 2230 mm.	1500
249	NN cultivator	Cultivator, dimensions: 2800 mm x 1900 mm x 1300 mm.	250
250	NN lid pressers	4 lid pressers, dimensions: (4x) 700 mm x 500 mm x 120 mm.	650
251	Würschum GmbH	Würschum GmbH mobile depositor for 500 ml cream or liquid, type: H 500 , machine number: 92 01-4 28 8, tube dimensions: Ø 200 mm x 300 mm, output dimensions: 4 mm, foot control, total dimensions: 1100 mm x 700 mm x 1560 mm. Including crate with parts	450
252	NN transport belt	Transport belt with rejector, type: Z800 / 1992, serial number: 5.328, belt width: 800 mm, plastic belt, 3 lanes: 240 mm x 350 mm, 320 mm x 350 mm and 200 mm x 350 mm, total dimensions: 2200 mm x 1400 mm x 1300 mm.	500
253	Quantofoil Instruments GmbH	Quantofoil Instruments GmbH shaker, type: BioShake iQ, serial number: 15500, 4.5 A, 85 W, dimensions: 140 mm x 170 mm x 100 mm.	50
254	NN depositor	Depositor, model: TAM1000, serial number: 2160252, dimensions: 1200 mm x 400 mm x 700 mm.	250
255	NN cable gutters	Pallet box with flexible cable gutters in various widths, dimensions: 1000 mm x 1200 mm x 800 mm.	150
256	NN depositor	Depositor, model: TAM1000, serial number: 2160253, dimensions: 1100 mm x 400 mm x 400 mm.	250
257	Bosch-Strunk	Bosch-Strunk capping machine with cap feeder, type: VSRE01, plastic belt, working width: 300 mm, infeed belt for caps, belt width: 40 mm, total dimensions: 3000 mm x 1000 mm x 2300 mm, dimensions cap feeder: 1100 mm x 1100 mm x 1800 mm.	2750
258	Machinebouw Ter Hart Ulft	Machinebouw Ter Hart Ulft punching machine, type: E.P. 25, number: 86310, cap pressure: 25000 kg, 140 punches per minute, dimensions: 700 mm x 900 mm x 1900 mm.	500
259	Numafa	Numafa washing machine for buckets and jerry cans, type: VWC 100, serial number: 600809, year of construction: 2000, Lowara centrifugal pump, type pump: HTS 25-160/22, capacity: 7.5 - 20 m^3 per hour, 2.2 kW, dimensions: 1500 mm x 1300 mm x 1950 mm.	1750
260	Krones	Krones labelling machine, number: 047-UO3, year of construction: 1997, 230/400 V, 3 Ph, 50 Hz, 3 A, s/s belt, belt width: 80 mm, label width: 150 mm, total dimensions: 3500 mm x 1300 mm x 1800 mm.	2250
261	Soco System	Soco System box closing machine with top and bottom taper, model: T-01, number: 052-05, year of construction: 1980, maximum clearance: 460 mm x 620 mm, total dimensions: 2400 mm x 900 mm x 1800 mm. Incomplete.	550
262	Pedak		25

Nr	Title	Description	Start €
		Pedak salt meter, model: YK-31SA, range: 0-10%, dimensions: 200 mm x 70 mm x 40 mm.	
263	Eshuis BV	Eshuis BV mobile labelling machine with Kortho Labeller, type labeller: 80680 4 08 94, plastic rollers, roller width: 200 mm, labelling width: 75 mm, total dimensions: 2350 mm x 900 mm x 1850 mm.	750
264	NN mixing tank	S/s mixing tank with agitator and outfeed pump, project number: 98 44 185, year of construction: 1999, weight: 375 kg, dimensions tank: Ø 1050 mm x 740 mm, total dimensions: 2750 mm x 1100 mm x 2000 mm.	1950
265	Fuji	Fuji flowpacker, model: WRAPPER II, type: FW3400, type: DDMQF-F10500, serial number: 01575, year of construction: 11-1990, 200 V, 50/60 Hz, seal width: 200 mm, plastic belt, belt width: 160 mm, total dimensions: 4400 mm x 1000 mm x 1500 mm.	2500
266	CSF	CSF centrifugal pump, type: CS40-145-2-4/BAPT82, serial number: C080119, 230/400 V, 50 Hz, 3 kW, 2900 r.p.m., dimensions: 640 mm x 320 mm x 420 mm.	150
267	Siat S.p.a.	Siat S.p.a mobile box closing machine, model: SM8/4.P, type: A, serial number: 25771, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 1 A, 180 W, maximum clearance: 490 mm x 400 mm, total dimensions: 920 mm x 850 mm x 1750 mm.	450
268	Möller&Co	Möller&Co mixer for 200 liter meat bins, total dimensions: 690 mm x 750 mm x 1200 mm. Including 200 liter meat bin.	400
269	Pester	Pester Verpackungsmaschinen shrink packaging machine, type: PEWO-PACK 450 SN, machine number: V-2778, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 75 A, 32.7 kW, plastic mesh belt, belt width: 450 mm, film width: 400 mm, total dimensions: 4400 mm x 2900 mm x 2700 mm with 2 film unwinders, total dimensions: (2x) 1100 mm x 800 mm x 1000 mm.	1250
270	NN Blower	Blower and 2 air filters, dimensions blower: 800 mm x 400 mm x 570 mm, dimensions filters: (2x) Ø 320 mm x 670 mm.	150
272	Ecolab	2 Ecolab soap mixers, model: NOMMO, number: 110005688, year of construction: 03-04-2024, dimensions: (2x) 250 mm x 250 mm x 180 mm.	100
273	Fetak	Fetak transport belt, number: 92144, s/s frame, plastic belt, belt width: 190 mm, total dimensions: 3350 mm x 650 mm x 950 mm.	650
274	Marin G&C s.r.l.	Marin G&C s.r.l. liquid filling machine, model: PN1/1000 BR, serial number: 011026, dimensions: 750 mm x 500 mm x 1800 mm.	550
275	Eppendorf AG	Eppendorf AG centrifuge, type: 5420, serial number: 5420IN102116, 230 V, 50-60 Hz, 2.1 A, 290 W, kinetic energy: 4120 J, maximum density of liquid: 1.2 g / mL, dimensions: 240 mm x 330 mm x 200 mm.	950

Nr	Title	Description	Start €
276	Schrader	Schrader lid applicator, plastic belt, belt width: 80 mm, total dimensions: 4300 mm x 1400 mm x 2680 mm.	3750
277	Avercon	Avercon packaging machine, type: WRAP AROUND/TRAY PACKER, number: 663, year of construction: 2009, 380 V, 3 Ph, 50 Hz, 25 A, clearance denester: 480 mm x 560 mm, belt with dividers, clearance belt: 350 mm x 290 mm, plastic rollers, roller width: 550 mm, total dimensions: 4100 mm x 2700 mm x 2420 mm. Product: Apple sirup, 2 types of trays: 350 gram, Ø 94 mm, height: 82 mm, speed: 80 pcs / minute and 450 gram, Ø 94 mm, height: 103 mm, speed: 80 pcs/ minute,	6500
278	Voltman	2 Voltman agitators, dimensions: (2x) Ø 140 mm x 1220 mm, total dimensions: 1900 mm x 280 mm x 280 mm.	250
279	Marin G&C s.r.l.	Marin G&C s.r.l. liquid filling machine, model: PN1/1000 BR, serial number: 011025, dimensions: 750 mm x 500 mm x 1800 mm.	550
280	Rover Pompe	5 Rover Pompe electric pumps, type: (4x) NOVAX 30 B, 230 V, 50 Hz, 5 A, 1000 W, 1.2 HP, (1x) NOVAX 20 B, 230 V, 50 Hz, 1.8 A, 340 W, 0.5 HP dimensions: (5x) 150 mm x 240 mm x 300 mm.	75
281	Gröninger	Gröninger IBC discharging and cleaning line consisting of: 5 IBC discharging and cleaning stations on Denios drip trays, 5 cleaning heads for spray cleaning and residue gas extraction on Tecna balancer, 2 CSF pumps, type: A 41-4-1.5/ BD.PZ0T8B, dimensions drip trays: 1400 mm x 1350 mm x 1900 mm, dimensions s/s cleaning frame: 7550 mm x 1800 mm x 4300 mm, dimensions platform: 7500 mm x 2100 mm x 2800 mm. Without blower for gas extraction.	9500
282	Pall	2 pall filters and 1 pressure vessel, filter type: DMS011G16J, filter dimensions (2x): 500 mm x 500 mm x 520 mm pressure vessel dimensions: 450 mm x 400 mm x 1300 mm.	450
283	Webe	Webe de-palletizing machine, type: MCC33, pallet size: 1200 mm x 1000 mm, s/s rollers, roller width: 1100 mm, total dimensions: 3150 mm x 2450 mm x 4700 mm.	4000
284	NN chain conveyor	Chain conveyor, steel frame, steel chains.	300
285	NN elevating belt	Elevating belt with dividers, s/s frame, plastic belt, belt width: 300 mm, distance between dividers: 290 mm, divider height: 10 mm, elevating height: 1750, total dimensions: 3800 mm x 600 mm x 2050 mm.	750
286	Becker / P. Lemmens	3 Blowers, Becker type: SV 2.130/2, number: E 959029, year of construction: 1987, capacity: 70 m³ per hour, dimensions: 600 mm x 300 mm x 250 mm, P. Lemmens type: DD 9-7 TH TAC2 1/2, number: 720064, dimensions: 800 mm x 400 mm x 450 mm, blower dimensions: 500 mm x 500 mm x 500 mm.	150
287	NN elevating belt	Elevating belt with dividers, s/s frame, plastic belt, belt width: 480 mm, distance between dividers: 185 mm, divider	750

Nr	Title	Description	Start €
		height: 40 mm, elevating height: 2200, total dimensions: 2500 mm x 750 mm x 2300 mm.	
288	Hema	Hema Technologies lidder for cans, type: SHV60, serial number: 139, with denester, diameter denester: 80 mm, steel chain with dividers, total dimensions: 3750 mm x 850 mm x 1940 mm.	4500
289	EFM Machinery	EFM Machinery s/s mixing tank, type: MENGTANK, serial number: 1164, year of construction: 2006, inside dimensions: 2000 mm x 1000 mm x 920 mm, total dimensions: 2150 mm x 1110 mm x 1620 mm.	250
290	LTC	LTC depositor, dimensions cone: Ø 520 mm x 600 mm, total dimensions: 620 mm x 880 mm x 2400 mm.	1750
291	Lock Inspection Systems LTD	Lock Inspection Systems LTD metal detector, model: Metal check 20, serial number: 88691, year of construction: 18-09-95, 240 V, 1 Ph, 50/60 Hz, 0.11 A, clearance: 230 mm x 85 mm, plastic belt, belt width: 210 mm, total dimensions: 3640 mm x 920 mm x 1180 mm.	950
292	TAP Machinebouw BV	TAP Machinebouw BV s/s turning table, type: DT1000, serial number: 084-06943, year of construction: 2010, diameter table: 1000 mm, height: 900 mm.	250
293	Marin G&C s.r.l.	Marin G&C s.r.l. liquid filling machine, model: PN1/1000 BR, serial number: 011027, dimensions: 750 mm x 500 mm x 1800 mm.	550
294	Holland Food Machinery	Holland Food Machinery transport belt, year of construction: 1997, s/s frame, plastic belt, belt width: 330 mm, total dimensions: 5800 mm x 500 mm x 550 mm.	750
295	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 6300 mm x 700 mm x 450 mm.	750
296	Superfos	Superfos mobile bucket sealing machine with gassing option, year of construction: 1993, dimensions dye: Ø 205 mm, film width: 210 mm, s/s rollers, roller width: 350 mm, total dimensions: 1200 mm x 980 mm x 2260 mm.	3500
297	Multi-Homo	Multi-Homo homogenizer, type: MH-150, inside dimensions: Ø 600 mm x 800 mm, total dimensions: 1550 mm x 1380 mm x 2050 mm.	1250
298	Millipore	Millipore pressure filter housing, maximum pressure 10 bar at 25°C, dimensions: 350 mm x 200 mm x 800 mm.	25
299	Blom & Maters Machinefabriek NV	Blom & Maters Machinefabriek NV turning table, type: DER-RGL-2000, number: 77-9-344, s/s top, diameter top: 2000 mm, total dimensions: Ø 2050 mm x 1120 mm.	350
300	Anckaerts Belting NV	Anckaerts Belting NV transport belt, steel frame, plastic belt, belt width: 400 mm, total dimensions: 6200 mm x 900 mm x 700 mm.	950
301	Airpress	Airpress mobile compressor, model: B 3800B/100 CT3 V400 HK425/100, serial number: 4116022794, year of construction: 2012, capacity: 100 liter, dimensions: 1020 mm x 440 mm x 870 mm.	150
302	Expresso		50

Nr	Title	Description	Start €
		Expresso trolley for barrels, dimensions: 800 mm x 400 mm x 1300 mm.	
303	Kwang Dah Enterprise Co., Ltd.	Kwang Dah Enterprise Co., Ltd. capsules and tablet inspection machine, model: KDI-1, serial number: F-180, year of construction: 1998, 220 V, 50 Hz, belt width: 240 mm, total dimensions: 1800 mm x 500 mm x 1350 mm.	200
304	MG2	MG2 vibrating/sorting gutter, serial number: 2621, 380 V, 50 Hz, 1.6 KW, gutter width: 250 mm, total dimensions: 1200 mm x 600 mm x 700 mm.	750
305	NN tablet grading machine	Tablet grading machine, dimensions: 650 mm x 300 mm x 850 mm.	100
306	Lowara	Pallet with various centrifugal pumps, among others: (3x) Lowara type: CEA210/4/A V, 1,84 kW, 220/380 V, 6.04/3.49 A, 120-300l/min, dimensions pallet: 1200 mm x 800 mm x 550 mm.	950
307	NN table	Table with cabinet and 4 chairs, table height: 1100 mm, total dimensions: 760 mm x 1600 mm x 2190 mm.	50
308	Jungheinrich	Jungheinrich mast for forklift, dimensions: 650 mm x 280 mm x 2300 mm.	300
309	NN depositor	Mobile depositor with 2 mobile infeed hoppers, dimensions hoppers: (2x) 880 mm x 880 mm x 850 mm, diameter pipe: 30 mm, dimensions depositor: 800 mm x 1500 mm x 1260 mm.	1250
310	Bebo Plastik	Bebo Plastik traysealer, type: 500, number: 312, year of construction: 05-92, film width: 360 mm, dimensions dye: 210 mm x 150 mm, total dimensions: 750 mm x 670 mm x 740 mm.	300
311	Herz Electromechanick GmbH	Herz Electromechanick GmbH suction device with filter, type: 4040, serial number: 2003102, 400 V, 50 Hz, 4.0 kW, dimensions: 640 mm x 510 mm x 1850 mm.	200
312	NN vibrating infeed bunker	S/s vibrating infeed bunker, dimensions bunker: 910 mm x 710 mm x 500 mm, gutter width: 100 mm, total dimensions: 1350 mm x 730 mm x 1550 mm.	300
313	Rotodyne	Rotodyne blower, type: CA-160-2T-3, year of construction: 1996, dimensions: 1000 mm x 900 mm x 1300 mm.	500
314	Hobart	Hobart high speed cooker, model: 21, serial number: 86 033561, 380 V, 3 Ph, 50 Hz, 25 A, 16.5 kW, diameter infeed: 270 mm, inside dimensions: 370 mm x 280 mm x 280 mm, total dimensions: 850 mm x 460 mm x 1500 mm.	400
315	NN tank	S/s mobile tank with agitator, diameter: 630 mm, height: 960 mm, total dimensions: 950 mm x 950 mm x 1640 mm. Including part.	300
316	J. u. Ch. Straßmayr	J. u. Ch. Straßmayr crack-sealing machine, type: RWK 100, number: 1362, year of construction: 1980, dimensions: 2000 mm x 700 mm x 1400 mm.	150
317	Leonhardt	Leonhardt mobile filling station for cans, type: AG 1 DPE 150 S, number: 0140 958, year of construction: 1997,	3250

Nr	Title	Description	Start €
		dimensions: 1980 mm x 880 mm x 2020 mm. Including switch cabinet, dimensions: 840 mm x 620 mm x 1100 mm.	
318	Soco Systems	Soco Systems mobile roller conveyor, plastic rollers, roller width: 600 mm, total dimensions: 800 mm x 650 mm x 800 mm.	100
319	NN blanching screw	Blanching screw, screw Ø 280 mm, tier: 220 mm, elevating height: 640 mm, total dimensions: 2250 mm x 750 mm x 1050 mm.	750
320	NN trolley for barrels	2 s/s trolleys for barrels, dimensions: (2x) 560 mm x 600 mm x 1220 mm.	75
321	Van Wijk & Boerma pompen B.V.	Van Wijk & Boerma pompen B.V. mobile centrifugal pump, type: NCRMK32 200/4, number: 211742, capacity: 3 m^3/h, dimensions: 730 mm x 410 mm x 770 mm.	750
322	ENTEK / Pomac / APV	Pallet with 3 centrifugal pumps, 1x ENTEK, 1.1 kW, dimensions 760 mm x 200 mm x 450 mm, 1x Pomac, 30 m3/h, 380 V, 50 Hz, 7A, dimensions: 620 mm x 340 mm x 400 mm, 1x APV, type: W-30/25-220N 150, serial number: 12232324041207, dimensions: 760 mm x 340 mm x 400 mm, dimensions pallet: 1200 mm x 800 mm x 600 mm.	300
323	Carnitech	Carnitech vibrating gutter, type: 1211.70, number: 95251, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 1.1 kW, gutter width: 700, total dimensions: 2950 mm x 870 mm x 1560 mm. Including switch cabinet, dimensions: 580 mm x 650 mm x 1410 mm.	2750
324	SEW Eurodrive	Pallet with 11 SEW Eurodrive motors, dimensions: 1200 mm x 800 mm x 380 mm.	150
325	Würschum GmbH	Würschum GmbH depositor for 200 ml cream or liquid, type: H200, number: 92 01/4287, foot control, full pneumatic, dimensions: 1100 mm x 400 mm x 650 mm.	500
326	Jpack	Jpack traysealer, model: TSS102-R, serial number: 01-258, year of construction: 01-2011, 230 V, 50 Hz, 4 A, 750 W, dye: 180 mm x 245 mm, total dimensions: 300 mm x 460 mm x 600 mm.	350
327	Debem S.r.l	2 Debem S.r.l air driven diaphragm pumps, type: (2x) IB15-PCNTTPD-C, year of construction: 10/2020, dimensions: (2x) 150 mm x 80 mm x 170 mm.	50
328	NN construction fencing	Construction fencing, 20 fences, dimensions: (20x) 3450 mm x 2000 mm, and 1 pallet with stone blocks.	100
329	Ditzler Dornach	Ditzler Dornach PVC welding device, dimensions: 400 mm x 220 mm x 300 mm.	15
330	LH packaging BV	LH packaging BV depositing installation, consisting of 8 piston pumps on s/s trolley and s/s table with tray lifter and outfeed heads, type: 8 x 100 ml, serial number: MP / 50 / 194291, year of construction: 2022, 230 V, 3 A. 6 bar input, dimensions: 2560 mm x 1060 mm x 1130 mm and 1200 mm x 700 mm x 1570 mm.	4000
331	Anker	Anker labelling machine, type: Variant 3, fabrication number: 285, year of construction: 1983, 220/380 V, 50 Hz,	1250

Nr	Title	Description	Start €
		4 A, s/s belt, belt width: 80 mm, working width: 190 mm, total dimensions: 3050 mm x 1060 mm x 1410 mm.	
332	NN frame	3 steel frames, dimensions: (3x) 2900 mm x 1010 mm x 3520 mm.	250
333	Rittal	Rittal switch cabinet, type: AE 1019.600, dimensions: 1000 mm x 300 mm x 1200 mm.	200
334	Novopac	Novopac bundling machine with side sealing group, model: CD1 110 + SL 070, machine number: 1243397, year of construction: 1997, 380 V, 50 Hz, 10 kW, seal length: (3x) 700 mm, steel mesh belt, belt width: 615 mm, total dimensions: 3000 mm x 2100 mm x 2000 mm.	4500
335	NN shrink caps	2 shrink caps for oil drums.	25
336	NN gate	Steel gate, dimensions: 4080 mm x 100 mm x 2450 mm.	100
337	NN turning table	S/s turning table, diameter table: 1270 mm, height: 890 mm.	250
338	Steven BV	Steven BV s/s turning table, machine number: 10050, serial number: DT-1250-30, year of construction: 2010, 400 V, diameter table: 1250 mm, height: 950 mm.	250
339	NN meat bin	S/s 200 liter meat bin, dimensions: 750 mm x 670 mm x 700 mm.	50
340	Tecno S.r.l.	Tecno S.r.l. coding conveyor, model: NA0038-00, serial number: C-0140/98, year of construction: 1998, plastic belt, belt width: (2x) 150 mm, total dimensions: 970 mm x 750 mm x 1270 mm.	250
341	NN tubs	Mobile double jacketed tub, inside dimensions: Ø 1030 mm x 960 mm, total dimensions: Ø 1070 mm x 1300 mm.	1250
342	Petric	Container with Petric boiler, boiler type: K11 (pp 27 A), serial number: 5-16-007, year of construction: 2016, boiler power: 33 kW, fuel type: C1, wooden pallets, normal heat output: 32,97 kW, minimal heat output: 9,15 kW, power supply: 230 V, 50 Hz, 1,5 A, wattage: 341 W, water content: 85 L, maximum operating water temperature: 80 degrees Celsius, maximum allowable operating pressure: 2 bar, mass of boiler: 315 kg, total dimensions: 2450 mm x 1450 mm x 2650 mm.	2850
343	NN hoses and valves	2 Pallets with s/s hoses and valves, DN32, PN 63, dimensions: 1200 mm x 1000 mm x 500 mm.	500
344	Supertape	Supertape box closing machine, type: SO-7000-K, code number: 138-306, number: 86-70761, 220 V, 50 Hz, 2 A, dimensions: 1000 mm x 950 mm x 1780 mm.	300
345	KSB	KSB submersible pump, type: AMAREX F80-210, number: 2-L27-930054, capacity: 13.76 l/sec., dimensions: 550 mm x 280 mm x 550 mm.	150
346	KEY technology b.v.	2 KEY technology b.v. vibrator motors, type BX 150-6, year of construction: 2008, dimensions: (2x) 500 mm x 230 mm x 300 mm.	400
347	Kaup		200

Nr	Title	Description	Start €
		Kaup part for forklift truck, dimensions: 1050 mm x 600 mm.	
349	KMG Systems Limited	KMG Systems limited vibrating gutter, serial number: 9524035688, 220 V, 50 Hz, gutter width: 300 mm, total dimensions: 2370 mm x 750 mm x 580 mm.	450
350	Label Aire	2 Label Aire mobile labelling machines, height adjustable, label width: 60 mm, total dimensions: (2x) 1200 mm x 1000 mm x 1700 mm. Including pallet with labellers.	2000
351	Pomac B.V. / Elmo	Pallet with 4 centrifugal pumps, among others:2x Pomac B.V. pump and 1x Elmo pump, dimensions pallet:: 1200 mm x 800 mm x 600 mm.	450
352	NN trolley for barrels	trolley for barrels, dimensions: 670 mm x 360 mm x 1600 mm.	50
353	NN tank	S/s tank, dimensions tank: Ø 1010 mm x 1540 mm, total dimensions: 1480 mm x 1010 mm x 1620 mm.	450
354	Berendsen / NAWI	Berendsen / Nawi hydraulic unit, type: 40 LTR 4.3CC 1.5K, serial number: 993675, year of construction: 1999, dimensions: 620 mm x 420 mm x 700 mm.	375
355	NN washing drum	S/s washing drum, drum diameter: Ø 970 mm, perforations: 30 mm, total dimensions: 5000 mm x 1420 mm x 1620 mm.	2750
356	Radri	2 Radri steel trolleys, type number: 907 475 B / 907 475 A, year of construction: 2009, dimensions: (1x) 3940 mm x 1200 mm x 820 mm, (1x) 3940 mm x 1200 mm x 530 mm.	250
357	NN can seamer	Mobile can seamer, lid dimensions: Ø 90 mm, can dimensions: Ø 90 mm x 180 mm, total dimensions: 1000 mm x 520 mm x 1740 mm.	2500
358	NN carriage	Carriage, year of construction: 20-03-1926, dimensions: 2200 mm x 1520 mm x 2100 mm.	300
359	NN lifting platform	S/s lifting platform, dimensions: 1250 mm x 1000 mm x 350 mm.	450
360	Domnick Hunter	Domnick Hunter filter unit, dimensions: 850 mm x 550 mm x 2280 mm.	400
361	Bauer	Bauer infeed bunker, type: SGS 50, serial number: 810195, year of construction: 2019, inside dimensions: 1130 mm x 930 mm x 775 mm, clearance: 255 mm x 230 mm, total dimensions: 1000 mm x 1190 mm x 940 mm.	250
362	KMG Systems Limited	KMG Systems limited vibrating gutter, serial number: 952436389, 220 V, 50 Hz, gutter width: 300 mm, total dimensions: 2370 mm x 750 mm x 580 mm.	450
363	Cascade	Cascade forks for forklift with side shift, fork length: 930 mm, total dimensions: 1660 mm x 1100 mm x 520 mm.	200
364	Jespers machinebouw	Jespers machinebouw 1-heads pressure closer, diameter upper stations: 35 mm, diameter lower stations: 60 mm, plastic belt, belt width: 90 mm, clearance: 100 mm x 320 mm, total dimensions: 2900 mm x 1100 mm x 2300 mm. Including pallet with spare parts.	1000
365	NN storage tanks		25

Nr	Title	Description	Start €
		2 plastic chemical storage tanks with dosing pump, dimensions: (1x) 960 mm x 1560 mm, (1x) 960 mm x 2000 mm.	
369	Terlet	Terlet tank with agitator and scrapers, dimensions: 1500 mm x 1370 mm x 3300 mm.	750
370	NN elevating belt	S/s mobile elevating belt with infeed bunker, plastic belt with dividers, belt width: 180 mm, dividers height: 60 mm, distance between dividers: 250 mm, elevating height: 2900 mm, infeed clearance: 930 mm x 510 mm, total dimensions: 2900 mm x 960 mm x 3370 mm.	750
371	Heraeus	W.C. Heraeus Hanan 1150 °C chamber furnace, type: KR 170, fabrication number: 0002423, 220 V, 1 Ph, 50 Hz, 14 A, maximum temperature: 1150 °C, dimensions chamber: 230 mm x 175 mm x 90 mm, total dimensions: 720 mm x 630 mm x 780 mm.	275
373	NN trolley	Trolley, dimensions: 1140 mm x 760 mm x 1130 mm.	50
374	Dunlop	4 Dunlop wheels for Range Rover, tire size: 235/55 R19, dimensions: 1500 mm x 800 mm x 650 mm.	75
376	NN meat bin	S/s 200 liter meat bin, dimensions: 750 mm x 800 mm x 730 mm.	50
377	Soco System	Soco System mobile box closing machine, plastic rollers, roller width: (2x) 250 mm, plastic belt, belt width: 40 mm, total dimensions: 1550 mm x 750 mm x 1660 mm.	500
378	Holke	Holke vertical milling machine, type: F-10-V, dimensions: 1650 mm x 1550 mm x 2110 mm.	1200
380	NN turning table	Mobile turning table, s/s frame, plastic top, diameter: 1200 mm, height: 950 mm.	150
381	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 800 mm, elevating height: 1580 mm, total dimensions: 770 mm x 1020 mm x 1670 mm.	500
382	NN elevating belt	Elevating belt, s/s belt, dividers height: 10 mm, distance between dividers: 110 mm, elevating height: 3750 mm, total dimensions: 1900 mm x 960 mm x 4100 mm.	650
383	NN tubs	2 plastic tubs with drains, inside dimensions: (2x) 2450 mm x 2450 mm x 2000 mm, total dimensions: (2x) 2455 mm x 2455 mm x 2180 mm.	350
384	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 410 mm, total dimensions: 5950 mm x 1250 mm x 2600 mm.	500
386	NN table	S/s table, dimensions: 1600 mm x 700 mm x 900 mm.	100
387	NN table	S/s table, dimensions: 2000 mm x 700 mm x 890 mm.	100
388	CML	CML mobile hardness tester for peas, working width: 100 mm, maximum weight: 180 kg, total dimensions: 800 mm x 600 mm x 1750 mm.	150
391	NN tilting device	S/s tilting device, clearance: 1300 mm x 1050 mm, total dimensions: 2100 mm x 1350 mm x 1700 mm.	450
392	Busch		500

Nr	Title	Description	Start €
		Busch vacuum pump, type: RA 0160 D 561 VRXX, number: C1327000101, capacity: 160 m³ per hour, dimensions: 800 mm x 500 mm x 700 mm.	
393	Juki	Juki sewing machine, number: DDL-555-4, dimensions: 1060 mm x 600 mm x 1100 mm.	175
394	Siemerink B.V. Geertruidenberg	Siemerink B.V. Geertruidenberg vertical autoclave, model: 5013/2, serial number: 1001100, year of construction: 1991, pressure: 5 bar, inside dimensions: 1200 mm x 1200 mm x 1650 mm, dimensions autoclave: 2100 mm x 1550 mm x 2500 mm, with s/s platform, 6 steps, platform height: 1320 mm, dimensions platform: 1850 mm x 2700 mm. With 3 trolleys, 2 empty baskets and 1 wooden pallet box with spare parts.	3500
395	Pomac B.V. / Ahlborn / Alfa laval	3 centrifugal pumps, Alfa Laval type: LKH-10/150 SSS, 1.5 kW, dimensions: 500 mm x 300 mm x 380 mm, Pomac B.V. dimensions: 650 mm x 300 mm x 420 mm, Ahlborn type: 1.440.112, 3 kW, dimensions: 580 mm x 300 mm x 460 mm, pallet dimensions: 1200 mm x 800 mm x 600 mm.	450
400	NN screen filter	S/s screen filter, sieve: 3 mm, total dimensions: 2430 mm x 1450 mm x 1850 mm.	700
402	Linde	Linde mast for forklift, used for 2.5 tons forklift, dimensions: 1150 mm x 250 mm x 2420 mm.	300
403	NN mixing tank	S/s mixing tank with steel outer frame, Ø 1600 mm x 2800 mm.	650
404	Toshiba	Toshiba label printer, model: B-SA4TP, serial number: 2609K560236, 100-240 V, 50-60 Hz, 2.1-1.1 A, label width: 105 mm, total dimensions: 340 mm x 240 mm x 330 mm.	200
405	Toshiba	Toshiba label printer, model: B-SA4TP, serial number: 2609K560233, 100-240 V, 50-60 Hz, 2.1-1.1 A, label width: 105 mm, total dimensions: 340 mm x 240 mm x 330 mm.	200
406	NN double labeller	Mobile double labeller, plastic belt width: 100 mm, total dimensions: 1700 mm x 1900 mm x 1580 mm.	500
407	NN tilting device	Hydraulic tilting device for pallet boxes, infeed dimensions: 1400 mm x 1200 mm x 1300 mm, total dimensions: 2700 mm x 2200 mm x 2700 mm. Technical condition unknown.	950
408	NN tank	S/s tank, dimensions: Ø 1500 mm x 2900 mm.	350
411	Ultra-Lite	Ultra-Lite aluminum ramps, capacity: 12000 kg, dimensions: (2x) 4000 mm x 480 mm x 150 mm.	750
412	NN cooking kettle	Double cooking kettle, volume: (2x) 1400 liter, total dimensions: 3700 mm x 2300 mm x 2800 mm.	2250
413	NN plastic chairs	26 plastic chairs, dimensions: (26x) 450 mm x 500 mm x 800 mm.	100
416	Loher / Lenze	Pallet with large amount of various motors, among others: Hans Ströter KG / Lebel-Simplabelt / Robert Stahlschmidt / Mafa Carl Rehfuss / Loher / Lenze, dimensions: 1200 mm x 800 mm x 470 mm.	150
417	Emco		1000

Nr	Title	Description	Start €
		Emco lathe bench, model: Maximat Mentor 10, dimensions: 1200 mm x 600 mm x 1700 mm.	
418	NN roller conveyor	Bag compactor, steel frame, aluminum rollers, roller width: 340 mm, total dimensions: 820 mm x 860 mm x 670 mm.	50
419	G&M Engineering	G&M Engineering s/s double jacked tank with mixing arm, type GV-300,number: 002/2007, year of construction: 2007, weight: 350 kg, total dimensions: Ø 1000 mm x 2300 mm.	950
420	Steinbach Erraini	Steinbach Erraini packaging machine, type: UL 300, machine number: 2/13/047/94, 220 V, 50 Hz, 1.2 kW, working width: 350 mm, total dimensions: 870 mm x 660 mm x 1200 mm.	200
421	NN vibrating gutter with sorting belt	S/s vibrating gutter with sorting belt, gutter width: 850 mm, plastic belts, belt width: (2x) 200 mm, (1x) 700 mm, (1x) 300 mm, total dimensions: 2820 mm x 2400 mm x 1900 mm.	1250
422	SEW / Stephan	Pallet with 9 SEW electro motors and 1 Stephan electro motor, 4x 0.37 kW, 2x 0.55, 1x 0.25 kW, dimensions pallet: 1200 mm x 800 mm x 400 mm.	150
423	NN roller conveyor	Roller conveyor, roller width: 600 mm, total dimensions: 2000 mm x 650 mm x 605 mm.	150
425	Lenze / Sarok / Flender	Pallet with large amount of various motors, among others: Lenze / Sarok / Flender, dimensions: 1200 mm x 800 mm x 480 mm.	250
427	NN table	Mobile s/s table, dimensions: 1450 mm x 650 mm x 875 mm.	50
428	Alup Kompressoren GmbH	Alup Kompressoren GmbH air dryer, serial number: ITJ759432, 230 V, 1 Ph, 50 Hz, 0.385 kW, refrigerant: R513A, dimensions: 350 mm x 500 mm x 430 mm.	150
430	Variostep-system	Variostep-system platform, working height: 1000, total dimensions 1840 mm x 670 mm x 2000 mm.	450
431	Imaco	Imaco closing machine, 6 heads, model: Hermes, serial number: 627, year of construction: 2005, 400/230 V, 3 Ph, 50 Hz, 4 A, closing head diameter: Ø 60 mm, clearance: 140 mm x 140 mm, total dimensions: 2100 mm x 1350 mm x 2200 mm.	2000
432	NN transport belt	Transport belt, s/s frame, s/s mesh belt, belt width: 1000 mm, total dimensions: 1850 mm x 1200 mm x 850 mm.	1000
433	Pro-line/Ramex	Pro-line/Ramex fire hose reels, dimensions: (2x) 600 mm x 180 mm.	200
434	SIAT	SIAT mobile box closing machine, model: SM8.P, type: A, serial number: 30112, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 1 A, 180 W, s/s rollers, roller width: 500 mm, total dimensions: 2000 mm x 800 mm x 160 mm.	500
435	SIAT	SIAT mobile box closing machine, model: SM8.P, type: A, serial number: 33015, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 1 A, 180 W, s/s rollers, roller width: 500 mm, total dimensions: 2000 mm x 800 mm x 160 mm.	500
437			500

Nr	Title	Description	Start €
	NN cap closing machine	Trigger spray cap closing machine, plastic belt, belt width: 90 mm, total dimensions: 2400 mm x 560 mm x 1300 mm.	
438	NN curve conveyor	45° curve conveyor, s/s frame, s/s rollers roller width: 300 mm, total dimensions: 1800 mm x 900 mm x 900 mm.	150
439	Value	Value vacuum pump, type: VSV-65, serial number: SVBA123948, year of construction: 12/2024, 380 V, 50 Hz, 4.1 A, capacity: 65 m³/h, dimensions: 600 mm x 380 mm x 430 mm. Including s/s cover.	100
441	Rexnord	Pallet with Rexnord plastic mesh belts, belt width: 680 mm, dimensions pallet: 1400 mm x 1020 mm x 1200 mm.	300
442	AK	AK / Ramon piston filler, type: 25 STAR INOX, serial number: AZ-2969, 400 V, 3 Ph, 50 Hz, 2.9 A, 1.12 kW, 1400 r.p.m., capacity: 25 liter, inside dimensions: Ø 280 mm x 380 mm, total dimensions: 750 mm x 460 mm x 1270 mm.	1500
443	Cabinplant	Cabinplant rotating filling machine, type: Rotation filler, number: 7395-03, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 8/30/50 A, s/s infeed bunker, plastic belt, belt width: 800 mm, total dimensions: 2200 mm x 1140 mm x 650 mm, s/s vibrating gutter with plastic outfeed belt, belt width: 740 mm, total dimensions: 2100 mm x 700 mm x 280 mm, s/s rotating station, dye: Ø 50 mm, clearance: 340 mm x 360 mm, total dimensions: Ø 2300 mm x 1800 mm, rotating station, dye: 130 mm, plastic belt, belt width: 120 mm, transport belt with s/s belt, belt width: 120 mm, total dimensions: 7700 mm x 5000 mm x 3600 mm. Including 3 pallets with parts.	9500
444	AK	AK / Ramon piston filler, type: 25 STAR INOX, serial number: AZ-2989, 400 V, 3 Ph, 50 Hz, 2.05 A, 0,75 kW, 1500 r.p.m., capacity: 25 liter, total dimensions: 750 mm x 460 mm x 1270 mm.	1500
446	Meypack	Meypack bottle packaging line consisting of divider/infeed belt, plastic mesh belt, belt width: 680 mm, 6 lanes, lane width: (6x) 85 mm, clearance: 85 mm x 280 mm, total dimensions: 1240 mm x 1600 mm x 2000 mm, Meypack shrink wrapper, model: SW90 M40-2, serial number: 858308, year of construction: 2003, s/s mesh belt, belt width: 900 mm, clearance: (6x) 65 mm x 230 mm, plastic buffer and outfeed belt, belt width: 800 mm, film width: 500 mm, total dimensions: 5700 mm x 2600 mm x 2200 mm, Meypack shrink tunnel, model: STU 10040-32, serial number: 853660, year of construction: 2003, s/s mesh belt, belt width: 950 mm, clearance: 950 mm x 350 mm, total dimensions: 4850 mm x1650 mm x 1950 mm, dimensions switch cabinet: 2400 mm x 650 mm x 2150 mm. Capacity: up to 40 cycles per minute.	19500
447	Van Eck Beesd B.V.	Van Eck Beesd B.V. refrigerated trailer with floor roller tracks, type: ut-3, chassis number: xl9ut334260017158,	6250

Nr	Title	Description	Start €
		year of construction: 2005, inside dimensions: 13350 mm x 2250 mm x 2700 mm.	
448	NN tank	S/s tank, tank dimensions: Ø 2300 mm x 3000 mm, total dimensions: 2400 mm x 2400 mm x 6000 mm.	750
449	NN elevating belt	Steel mobile elevating belt, plastic belt, belt width: 360 mm, elevating height: 1300 mm, total dimensions: 5500 mm x 850 mm x 1900 mm.	500
450	NN tub	S/s tub with drain, inside dimensions: 1100 m x 810 mm x 640 mm, total dimensions: 1160 mm x 880 mm x 750 mm.	375
451	Busch	Busch vacuum pump, type: RA 0063 E, number: 050002711, capacity: 63 m^3 per hour, dimensions: 600 mm x 320 mm x 280 mm.	100
452	NN table saw	Table saw, knife diameter: 80 mm, table top dimensions: 400 mm x 360 mm, total dimensions: 640 mm x 470 mm x 340 mm.	25
453	NN washing drum	S/s washing drum, drum diameter: Ø 800 mm, total dimensions: 3600 mm x 1200 mm x 1900 mm.	2000
454	NN tub	plastic tub with drain, inside dimensions: 2450 mm x 2450 mm x 2000 mm, total dimensions: 2455 mm x 2455 mm x 2180 mm.	175
455	N.V. Terlet-Zutphen Holland	N.V. Terlet-Zutphen Holland double jacketed pressure tank, number: 86659, max pressure tank: 6 bar, max pressure jacket: 3 bar, dimensions: Ø 1150 mm x 3500 mm.	1000
456	NN platform	Steel platform, working height: 1300 mm, total dimensions: 3400 mm x 800 mm x 2300 mm.	150
457	NN table saw	Table saw, knife diameter: 100 mm, total dimensions: 310 mm x 200 mm x 270 mm.	25
458	PET	9 pallets with 1/6e gastro 100 black trays, 20 boxes each pallet, 192 each box.	225
459	NN platform	Steel platform, working height: 1440 mm, total dimensions: 3000 mm x 600 mm x 2300 mm.	150
460	PET	4 pallets with tapas trays, 20 boxes each pallet, 192 trays each box, tray dimensions: 250 mm x 120 mm x 30 mm.	100
461	Ten Brink Epe	Ten Brink Epe s/s sorting drum with 5 outfeed stations, type: FS/5500, number: 857, year of construction: 1985, 380 V, drum diameter: Ø 640 mm, perforations: 10 mm x 10 mm, total dimensions: 7000 mm x 900 mm x 1170 mm.	1250
462	Ten Brink Epe	Ten Brink Epe s/s sorting drum with 5 outfeed stations, type: GS/6000, number: 8513, year of construction: 1985, 380 V, drum diameter: Ø 640 mm, total dimensions: 5000 mm x 900 mm x 1170 mm.	1450
463	NN sieve gutter	Vibrating sieve gutter, gutter width, 1220 mm, total dimensions: 4400 mm x 1500 mm x 1850 mm.	2500
464	NON	NON sorting machine for stone and glass, type: AUSTRAGBANDER, number: 0-119, year of construction: 1990, 220/380 V, 50 Hz, belt width: 390 mm, dimensions	750

Nr	Title	Description	Start €
		perforations: 4 mm x 4 mm, total dimensions: 3100 mm x 1400 mm x 1750 mm.	
465	HP	Table with 8 HP computer screens and other computer equipment, dimensions monitors: (8x) 540 mm x 300 mm, table dimensions: 1200 mm x 700 mm x 750 mm.	250
466	SEW	Pallet with 11 SEW electro motors, among others: 2x 0.25 kW, 3x 0.37 kW, 2x 1.5 kW, 0.55 kW dimensions pallet: 1200 mm x 800 mm x 450 mm.	250
467	Becker	Becker vacuum pump, type: VT 3.25, serial number: G 1350492, year of construction: 1995, capacity: 25/30 m³/h, dimensions: 480 mm x 270 mm x 270 mm.	250
468	Vileda	Vileda cleaning equipment, dimensions trolley: 550 mm x 400 mm x 800 mm, dimensions: bucket: 350 mm x 300 mm x 600 mm.	50
469	Wilhelm Fricke SE	Wilhelm Fricke SE steel pallet lifter, type: HPT-A, year of construction: 2017, weight: 76 kg, fork length: 1190 mm, total dimensions: 1600 mm x 1600 mm x 1300 mm.	25
470	Gamko Holding BV	Pallet with 2 Gamko cooling units, type: (2x) BKG50/54V, serial number: 20534105 / 210 42 007, year of construction: 2005 / 2010, 220-240 V, 50 Hz, 710 W, dimensions: (2x) 400 mm x 400 mm x 900 mm.	250
471	Rietschle	Rietschle vacuum pump, dimensions: 700 mm x 400 mm x 275 mm.	250
472	NN laboratory equipment	Pallet with laboratory equipment.	100
473	Rubbermaid	4 Rubbermaid plastic waste bins, of which 2 are mobile, type: BRUTE, dimensions: (2x) Ø 630 mm x 700 mm and (2x) Ø 630 mm x 840 mm. 1 lid is missing.	30
474	NN working clothes	2 trolleys with used working clothes, dimensions: (2x) 825 mm x 640 mm x 1700 mm.	125
475	Leibinger	3 Leibinger inkjet printers, type: Leibinger-Jet 2, serial number: 05 21 0286 / 05 21 0166, year of construction: 2005, 100-240 V, 1 Ph, 50-60 Hz, 0.4 A, 50 VA, dimensions: (3x) 500 mm x 320 mm x 500 mm.	1950
476	NN plastic tubs	2 Plastic tubs with drain, dimensions: (2x) 1020 mm x 1020 mm x 1130 mm.	200
477	NN trays	7 pallets with large amount of plastic trays, 400 pieces per box, dimensions each tray: 250 mm x 120 mm x 30 mm.	175
478	NN pallets	56 pallets, dimensions: (56x) 1200 mm x 1000 mm x 150 mm.	200
479	VEM / IVT-pumpen	Pallet with 2 VEM electro motors 1x 0.83 kW, 1x 0.85 kW, 2 IVT-pumpen pumps, dimensions VEM: 600 mm x 300 mm x 350 mm and 600 mm x 260 mm x 370 mm, dimensions pumps: (2x) 800 mm x 400 mm x 560 mm.	1400
480	Engels	7 Engels plastic waste containers, volume: 200 liter, dimensions: (7x) 720 mm x 760 mm x 950 mm.	35
481	Anema		350

Nr	Title	Description	Start €
		Pallet with Anema 0,78 kW centrifugal pump and 2 other centrifugal pumps, dimensions pallet: 1200 mm x 800 mm x 550 mm.	
482	Alfa Laval	2 Alfa Laval centrifugal pumps, type: FM-0/93.	950
483	VH	VH marathon carriage single/double span, hand brake, mill brake, rear wheel brake, all around brake discs, seat adjustable suspension.	1100
484	NN pallets	52 pallets, dimensions: (52x) 1200 mm x 800 mm x 150 mm.	150
485	NN scaffold clamps	2 crates with scaffold clamps.	75
486	NN screen filter	Screen filter, screen dimension: 590 mm, total dimensions: 2000 mm x 750 mm x 2300 mm.	500
487	Avery Maschinen GmbH	Avery Maschinen GmbH labeller, type: ALS330L, serial number: 08870-02-0648, year of construction: 1998, 240/220/110 V, 4.0 A, 250 W, dimensions: 800 mm x 1000 mm x 2000 mm.	750
488	NN shelter	Steel and glass shelter used as smoking area, dimensions: 3880 mm x 1320 mm x 2330 mm.	200
489	Schmalbach-Lubeca GmbH	Schmalbach-Lubeca GmbH magnetic elevating belt, serial number: 04.51.32.032, elevating height: 3000 mm , dividers dimensions: 115 mm x 20 mm, total dimensions: 3450 mm x 1250 mm x 1100 mm.	2000
490	NN s/s tank	S/s tank, total dimensions: 900 mm x 450 mm x 2000 mm.	300
491	Bertolaso	Bertolaso lid closing machine, suitable for alcoa lids, lid diameter: Ø 32 mm x 24 mm, suitable for glass bottles with diameter: Ø 80 mm, weight: 750 kg, total dimensions: 2100 mm x 1000 mm x 2100 mm.	2500
492	NN s/s tub	S/s tub, total dimensions: Ø 1240 mm x 1180 mm.	500
493	NN tank	Tank, tank dimensions: 1500 mm x 1400 mm x 1500 mm, total dimensions: 1500 mm x 1400 mm x 3400 mm.	950
494	NN s/s tub	S/s tub, (3x) total dimensions: 1400 mm x 1700 mm x 1030 mm.	600
495	NN screen filter	S/s screen filter, tank dimensions: 1500 mm x 1000 mm x 1500 mm, total dimensions: 1900 mm x 1300 mm x 3250 mm. Filter screen is missing.	950
496	NN s/s tank	S/s tank, tank dimensions: 1500 mm x 1400 mm x 1500 mm, total dimensions: 1500 mm x 1400 mm x 2950 mm.	850
497	NN s/s sieve drum	S/s sieve drum, dimensions drum Ø: 580 mm x 1060 mm, perforation: 2 mm, total dimensions: 1600 mm x 900 mm x 1200 mm.	650
498	Dorr-oliver	Dorr-oliver sieve, type: DO-DSM ZEEFBOCHT, number: S 20403/12 01 264/3, width: 600 mm, dimensions perforations: 1 mm x 4 mm, on s/s steel platform, total dimensions: 2600 mm x 2450 mm x 3550 mm.	1250
499	NN screen filter		650

Nr	Title	Description	Start €
		Screen filter, perforation: 30 x 5 mm, ø screen: 130 mm, tier 160 mm, total dimensions: 1560 mm x 1870 mm x 2700 mm.	
500	NN lockers	4 s/s 6-doors lockers with Olssen locks, inside dimensions each locker, 300 mm x 480 mm x 890 mm, total dimensions: (4x) 900 mm x 500 mm x 1800 mm.	100
501	NN screen filter	S/s screen filter, working width: 600 mm, perf: 20 x 5 mm, total dimensions: 680 mm x 1000 mm x 2000 mm.	200
502	FP International	FP International mini pak'r air cushion machine, model: MM2MEA000A, serial number: MP-6010963, year of construction: 2014, 230 V, 50 Hz, 270 W, weight: 6 kg, dimensions: 380 mm x 300 mm x 300 mm.	50
503	FP International	FP International mini pak'r air cushion machine, model: MM2MEA000A, serial number: MP-6010462, year of construction: 2014, 230 V, 50 Hz, 270 W, weight: 6 kg, dimensions: 380 mm x 300 mm x 300 mm.	50
504	ProKraft	ProKraft generator, model: KP1800, 230 V, 50 Hz, peak output: 650 W, rated output: 550 W, weight: 18 kg, fuel tank capacity: 4.1 liter, dimensions: 480 mm x 325 mm x 425 mm.	100
505	Keystone	Pallet with keystone pneumatic vales.	350
506	G.v.d. Weijer	G.v.d. Weijer trailer, type: W2000, chassis number: 5688, year of construction: 1987, dimensions: 3900 mm x 2080 mm x 2100 mm.	750
507	NN cobble stones	Cobble stones 6 pallets with various dimensions.	250
508	Value vacuum technology	Value vacuum pump, type: VSV-100FP, serial number: SVAW121466, 200-220 V, 50/60 Hz, 5.5 / 8.8 A, nominal pumping speed: 100 m^3/h, ultimate partial pressure: 0.3 mbar, oil capacity: 2.5 liters, dimensions: 650 mm x 350 mm x 300 mm.	250
509	NN shelter	Steel and glass shelter used as smoking area, dimensions: 3880 mm x 1320 mm x 2330 mm.	200
510	Keystone	Pallet with keystone pneumatic vales.	350
511	Calumatic	Calumatic filling and capping machine, type: CLW-5, year of construction: 02-05-2012, 400 V, 50 Hz, 16 A, dimensions: 2400 mm x 800 mm x 2070 mm.	1250
512	NN lockers	2 s/s 6-doors lockers with Olssen locks, inside dimensions each locker, 300 mm x 480 mm x 890 mm, total dimensions: (2x) 900 mm x 500 mm x 1800 mm.	50
513	NN table	Mobile s/s table, dimensions: 2400 mm x 800 mm x 850 mm.	100
514	Abarka	Abarka traysealer, type: HSA 90-v4, serial number: 17.90-E-023, year of construction: 2017, 230 V, 50 Hz, 2.5 A, film width: 190 mm, dimensions dye: Ø 90 mm, total dimensions: 430 mm x 340 mm x 650 mm. New in box.	300
515	Weisser maschinenbau KG	Weisser filling and dosing machine, type: AP 1, serial number: 870877, 380 V, 550 W, inside dimensions funnel: ø	1150

Nr	Title	Description	Start €
		500 mm x 350 mm, total dimensions: 600 mm x 600 mm x 1400 mm.	
516	NN pumps	Pallet with 5 Rinus pumps.	800
517	NN lockers	2 s/s 6-doors lockers with Olssen locks, inside dimensions each locker, 300 mm x 480 mm x 890 mm, total dimensions: (2x) 900 mm x 500 mm x 1800 mm.	50
518	Posimat S.A.	Posimat S.A. unscrambler / bottle feeder, model: master, serial number: OC 8282, year of construction: 1991, consisting of: Elevating belt, plastic belt with dividers, belt width: 360 mm, divider height: 60 mm, distance between dividers: 3850 mm x 1120 mm x 3100 mm, Unscrambler, dimensions: 2250 mm x 2000 mm x 2680 mm, Outfeed belt, plastic belt, belt width: 90 mm, total dimensions: 3200 mm x 550 mm x 1120 mm. Dimensions bottles: Ø 65 mm x 195 mm.	1750

General terms of the online auction

Article 1. Definitions
Delivery: the actual delivery of the lot to the buyer or to his authorized representative;
Bid: each by a user in the auction (for a lot) bid amount;
User: the one who has registered on the website;
User Agreement: the agreement between Industrial Auctions and the user;
Lot: an article, or a number of articles that are auctioned together (under one number);
Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;
Purchase Agreement: the purchase agreement between buyer and seller;
Buyer: the user to whom the lot is allocated;
Registration: registration of the user on the website by completing the registration form found on the website;
Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;
Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);
Auction: internet sales organized by Industrial Auctions of movable goods;
Seller: the person(s) a lot is being auctioned in whom/whose commission;
Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability
2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.
2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use
3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.
3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.
3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.
3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.
3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.
3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.
3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction
4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.
4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.
4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.
4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:
- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;

- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;
4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security
5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.
5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.
5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots
6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.
6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or aplied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation
7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annuled clause, as far as possible the scope of the invalid/annuled clause shall be respected.
7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.
7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.
7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions
8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.
8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:
- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement
9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.
9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.
9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.
9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).
9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.
9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.
9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.
9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.
9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities
10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial

Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.
10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.
10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.
10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer
11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.
11.2. The buyer is not entitled to any settlement or suspension.
11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.
11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.
11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days
12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery
13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions

can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.
13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.
13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).
13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.
13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination
14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.
14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.
14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability
15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herselve is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law

and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.
15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.
15.3 Industrial Auctions and the seller are not liable for:
- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;
15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.
15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law
16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.
16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.
16.3 In the event of a dispute, the competent court within the district of “Oost-Brabant” has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

Notes

Notes

Notes

CONTACT

info@industrial-auctions.com

+31 (0)40 240 9208

