

Industrial Auctions

2349: Online auction meat and vegetable processing machinery in Stowmarket (UK)

END DATE
17 November 2026 14:00

General terms and conditions of the online auction

End date	17 November 2026 from 14:00 hrs.
Viewing days	12 November 2026 from 09:00 till 16:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	20% over the highest bid including premium
Pick up days	24 November 2026 from 09:00 till 16:00 hrs.
Pick up address	Haughley Park IP14 3JZ Stowmarket United Kingdom
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.

Nr	Title	Description	Start €
1	Stephan	Stephan cooking mixer, type: KM450, number: 723.349, year of construction: 2002, 400 V, 50 Hz, 21.6 A, 9.6 kW, volume: 300 liter, dimensions: 2350 mm x 1600 mm x 1900 mm.	12500
2	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, type: WARAN, serial number: 416004.163815.110053, year of construction: 2010, 380-480 V, 3 Ph, 50/60 Hz, 28-22 A, 15/20.4 kW, chamber dimensions: 500 mm x 130 mm x 130 mm, dice dimensions: 12 mm x 12 mm, plastic outfeed belt, belt width: 250 mm, total dimensions: 2450 mm x 1960 mm x 2100 mm. Including elevating belt with dividers, plastic belt, divider width: 510 mm, divider height: 70 mm, distance between dividers: 400 mm, elevating height: 1100 mm, total dimensions: 1850 mm x 950 mm x 2030 mm.	7500
3	Kolbe	Kolbe grinder, type: SW100, serial number: 68 9696, year of construction: 2024, 400 V, 3 Ph, 50 Hz, 5.9 A, 2.9 kW, plate diameter: 100 mm, total dimensions: 1050 mm x 550 mm x 1140 mm.	2500
4	BW Flexible Systems	BW Flexible Systems vertical bag form-, fill- and seal machine, type: AURA 320-LD, serial number: MCHSPI878UA, year of construction: 2019, 400 V, 3 Ph, 50/60 Hz, diameter pipe: 190 mm, vertical seal length: 430 mm, horizontal seal width: 330 mm, total dimensions: 1980 mm x 1810 mm x 2050 mm.	4500
5	Ceia S.p.A.	Ceia S.p.A. pipeline metal detector with rejector, type: THS/PLVMEAT21, serial number: 21800244006, year of construction: 2018, 100-240 V, 1 Ph, 50/60 Hz, 2.2 A, diameter pipe: 95 mm, total dimensions: 700 mm x 560 mm x 1200 mm.	1250
6	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF628, serial number: 16380, year of construction: 2003, 420 V, 3 Ph. 50 Hz, 18.6 A, 13.5 kW, with Busch vacuum pump, type: K8 0040 D, serial number: 02037659, capacity: 40 m^3 per hour, total dimensions: 1900 mm x 1420 mm x 2100 mm.	16000
7	Handtmann	Handtmann mobile linking machine, type: PVLS143, number: 47190, year of construction: 2021, 420 V, 3 Ph, 50/60 Hz, 7.9 A, 5.5 kW, weight: 845 kg, dimensions: 1900 mm x 1000 mm x 1470 mm. Missing belt.	7500
8	Fillpack	Fillpack mobile bottle/can filling machine, type: R01-TI, number: WA 14.155, year of construction: 2015, 400 V, 50 Hz, 16 A, plastic mesh belt, belt width: 100 mm, diameter bottle/can: 65 mm, total dimensions: 1600 mm x 720 mm x 1890 mm.	1000
9	Rheon	Rheon encrusting machine, model: KN400, number: 521, year of construction: sep-1999, 380 V, 50 Hz, 3.17 kW, 7.7 A, dimensions: 1840 mm x 940 mm x 1900 mm.	3500
10	Guttridge EasyFlow	Mobile Guttridge EasyFlow elevating screw for dry products, machine type: EASYFLO (C), machine number: 594183-1-1,	2000

Nr	Title	Description	Start €
		year of construction: 08/16, diameter screw: 70 mm, elevating height: 2400 mm, total dimensions: 700 mm x 1900 mm x 2550 mm.	
11	D.C. Norris	D.C. Norris tumble chiller, model: 48/36, serial number: DCN 012, year of construction: 04.92, 415 V, 3 Ph, 50 Hz, 9 A, drum dimensions: Ø 1170 mm x 970 mm, total dimensions: 1550 mm x 2150 mm x 1820 mm.	2000
12	Total Bakery Engineers Ltd	Total Bakery Engineers Ltd mobile dough sheeter, working width: 200 mm, plastic belt, belt width: 240 mm, total dimensions: 1700 mm x 900 mm x 1750 mm.	1250
13	Nilma	Nilma mobile oil pump, type: POMPA OLIO, serial number: 1319303, year of construction: 2013, 240/415 V, 3 Ph, 50 Hz, 0.7 kW, volume: 160 litres, maximum charge: 40 l/min, weight: 70 kg, dimensions: 950 mm x 1000 mm x 1200 mm.	750
14	IWM	IWM double Dolav box and meat bin washer, model: DC40G TT, serial number: 1495, year of construction: 24/10/2016, 400 V, 3 Ph, 50 Hz, 130 A, 80 kW, clearance: 580 mm x 1220 mm, total dimensions: 4500 mm x 2800 mm x 3150 mm.	9000
15	Nilma	Nilma spin dryer, type: IDROVER 50, serial number: 1411618, year of construction: 2014, 240/415 V, 3 Ph, 50 Hz, 1.1 kW, capacity: 8 kg, weight: 100 kg, dimensions: 660 mm x 820 mm x 950 mm.	750
16	Loma Systems	Loma Systems metal detector with rejector, model: IQ3+, serial number: MDP304-09735-D, year of construction: 19/02/2009, 230 V, 1 Ph, 50 Hz, 0.3 A, clearance: 300 mm x 155 mm, plastic belt, belt width: 250 mm, total dimensions: 1900 mm x 800 mm x 2050 mm.	1000
17	Food Dosing Packing Machines SP. Z.O.O.	Food Dosing Packing Machines SP. Z.O.O. cup filling and sealing machine, type: PAK 4LP, machine number: 468, year of construction: 2016, 400 V, 3 Ph, 8 k W, weight: 2700 Kg, 4 lane cup denester, 4 lanes, cup dimensions: Ø (4x) 75 mm, total dimensions: 3950 mm x 2100 mm x 2550 mm.	15000
18	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Puma-CE/F, type: 1921, machine number: 192105.91723.1017, year of construction: 1999, 400/230 V, 50 Hz, 7.8/16 A, 3.40 kW, weight: 285 kg, chamber: 230 mm x 250 mm, diameter knife: 580 mm, outfeed height: 620 mm, total dimensions: 1800 mm x 850 mm x 1600 mm.	3000
19	GIC	GIC vertical bag form-, fill- and seal machine, type: GIC 3100, serial number: 960540, year of construction: 10-2019, 400 V, 3 Ph, 50 Hz, 25 A, film width: 450 mm, vertical seal length: 265 mm, horizontal seal width: 330 mm, diameter filling pipe: 105 mm, total dimensions: 2700 mm x 2000 mm x 2100 mm.	3000
20	Freemantle	Freemantle sleever, model: S23, serial number: 13-745, year of construction: 2013, 240 V, 1 Ph, maximum box dimensions: 150 mm x 130 mm x 80 mm, plastic belt, belt width: 300 mm, total dimensions: 4700 mm x 1350 mm x 1650 mm.	5000
21	Foodlogistik		7500

Nr	Title	Description	Start €
		Foodlogistik dicer, type: Crozzdicr Comfort 120, serial number: 2162950, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 18 kW, chamber dimensions: 620 mm x 120 mm x 120 mm, dicer grid dimensions: 10 mm x 10 mm, plastic outfeed belt, belt width: 255 mm, total dimensions: 2270 mm x 1600 mm x 2200 mm. Including infeed elevating belt, plastic belt, belt width: 650 mm, elevating height: 1950 mm, total dimensions elevating belt: 2300 mm x 1100 mm x 2300 mm. Missing infeed belt and knife.	
22	Equimex	Equimex mobile 3-lane slicer, plastic belt, belt width: (3x) 130 mm, total dimensions: 2050 mm x 1200 mm x 1350 mm.	2500
23	BPT	BPT double jacketed cooking vessel with agitator, model: PD 5500 Cat.3, serial number: P00324, year of construction: 2008, maximum heated: 162 °C, dimensions: 2600 mm x 1500 mm x 2400 mm.	3000
24	Alpha Circle	Alpha Circle mobile steam deglazer, serial number: 01-03-04, year of construction: 2004, s/s mesh belt, belt width: 600 mm, total dimensions: 3420 mm x 1200 mm x 2250 mm / 3000 mm.	1750
25	BCH	BCH tumble chiller, year of construction: 2017, reference: 9/35992-XRC4, dimensions: 2300 mm x 3100 mm x 2520 mm.	3000
26	NN mixer	Mixer, dimensions: 700 mm x 300 mm x 2300 mm.	1000
27	O/K International Ltd.	O/K International Ltd. Mobile bag sealer, model: Supersealer, type: SS-2, serial number: 214-2525-64, seal length: (2x) 160 mm, total dimensions: 1150 mm x 800 mm x 1620 mm.	400
28	Koppens B.V.	Koppens B.V. fryer, type: BR3000/1000, machine number: 1212, year of construction: 1998, 415 V, 3 Ph, 50 Hz, 20 A, 7 kW, machine weight: 4850 kg, s/s mesh belt, belt width: 1000 mm, belt length: 3000 mm, clearance: 1020 mm x 90 mm, total dimensions: 6950 mm x 2100 mm x 3000 mm.	10000
29	Ilapak	Ilapak flowpacker, model: Astra PLC, serial number: 0680100023, year of construction: 12.2014, 400 V, 3 Ph, 50/60 Hz, 5000 W, 9 A, plastic belt, belt width: 295 mm, seal length: 365 mm, total dimensions: 3350 mm x 1500 mm x 1900 mm.	3500
30	GEA CFS Bakel B.V.	GEA CFS Bakel B.V. grinder, type: UNIGRIND 250, machine number: 1007, year of construction: 2012, 415 V, 3 Ph, 50 Hz, 105 A, 56 kW, 1.570 kg, plate diameter: 250 mm, total dimensions: 2000 mm x 1200 mm x 2300 mm.	6000
31	Markem-Imaje	Markem-Imaje laser printer with laser coder fume extractor, type laser printer: Smartlaser C350, serial number: US14270458, type laser coder fume extractor: ES500+, year of construction: 03/2016, 50/60 Hz, 10 A, dimensions laser printer: 750 mm x 270 mm x 180 mm, dimensions laser coder fume extractor: 500 mm x 430 mm x 1220 mm.	250
32	Syspal	Syspal tumbler for meat bins, type: 600/TT100-06, serial number: 32370-4, year of construction: 2021, dimensions: 1700 mm x 1900 mm x 1880 mm.	3500

Nr	Title	Description	Start €
33	Hermann Waldner GmbH	Hermann Waldner GmbH rotating cup filling and sealing machine, type: DOSOMAT 12.6, machine number: 2245, year of construction: 2008, 230/400 V, 50 Hz, 25 A, 18 kW, weight: 3300 kg, 6 lanes, cup dimensions: Ø 82 mm, total dimensions: 4100 mm x 2600 mm x 3000 mm.	25000
34	TipperTie	TipperTie mobile automatic double clipper, machine number: RS4202, serial number: T0011925, year of construction: 1-13-08, diameter filling pipe: 50 mm, belt width: 250 mm, total dimensions: 3300 mm x 1200 mm x 2200 mm.	3500
35	Grote	Grote mobile slicer, model: 613-VS2-LES, serial number: 1187467, year of construction: 2017, 208/240 V, 1 Ph, 50/60 Hz, working width: 350 mm, total dimensions: 1100 mm x 900 mm x 1700 mm. With Grote mobile slicer outfeed conveyor, model: AUTOLOAD 613-LES, serial number: 1187468, year of construction: 2017, 208/240 V, 1 Ph, 50/60 Hz, plastic mesh belt, belt width: 300 mm, total dimensions: 1600 mm x 1000 mm x 1270 mm.	18500
36	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, model: HP 10 C, number: 142 1500, year of construction: 2005, 400-460 V, 3 Ph, 50/60 Hz, 29 A, 20 kW, dimensions: 2000 mm x 1300 mm x 2150 mm. Incomplete, missing screws.	5000
37	Fortress technology	Fortress technology metal detector, model: Fortress Phantom Encl.- Type 4, serial number: 4125, 100-240 Vac, 50-60 Hz, 1.00 A, plastic mesh belt, belt width: 400 mm, clearance: 460 mm x 329 mm, total dimensions: 1900 mm x 950 mm x 1570 mm.	2500
38	Cintex	Cintex metal detector and checkweigher system, model metal detector: Sentry, serial number: CXMD02-02043D, year of construction: oct 2005, 85-265 V, 50-60 Hz, plastic belt, belt width: 390 mm, clearance: 550 mm x 110 mm, total dimensions: 1200 mm x 1360 mm x 1500 mm. With double rejector, plastic mesh belt, belt width: 490 mm, total dimensions: 1800 mm x 1490 mm x 1700 mm.	1500
39	Loma Systems	Loma Systems metal detector with rejector, model: Blue IQ3 ST, serial number: Q3B25-15-42954D, year of construction: 24.4.2018, 85-265 V, 50-60 Hz, plastic belt, belt width: 200 mm, clearance: 250 mm x 110 mm, total dimensions: 1920 mm x 840 mm x 1880 mm.	1750
40	Proseal	Proseal mobile traysealer, type: GT5, serial number: 2873, year of construction: 2013, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 170 mm, plastic wire belt, belt width: 125 mm, dye dimensions: (5x) 155 mm x 155 mm, total dimensions: 4350 mm x 800 mm x 2280 mm.	4000
41	Grote	Grote mobile multi slicer, type: 613, serial number: 1114810, s/s mesh belt, belt width: 325 mm, total dimensions: 1030 mm x 950 mm x 1690 mm.	3000
42			4500

Nr	Title	Description	Start €
	GEA Food Solutions Bakel B.V.	GEA Food Solutions Bakel B.V. double shaft vacuum paddle mixer on weighing cells with CO2 injection, type: GEA UniMix 400, machine number: 1030, year of construction: 2014, 415 V, 3 Ph, 50 Hz, 15 A, 7 kW, weight: 670 kg, dimensions: 1600 mm x 2200 mm x 2200 mm. Incomplete.	
43	Handtmann	Handtmann vacuum filling machine, model: VF80, number: 2833, 420 V, 50 Hz, 11 A, Becker vacuum pump, type: U 1.16 SA -31, year of construction: 1988, dimensions: 750 mm x 950 mm x 1700 mm.	3000
44	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF100B, number: 850, 420 V, 50 Hz, 14.4 A, 5.5 kW, Becker vacuum pump, dimensions: 1880 mm x 1200 mm x 2280 mm. Including Handtmann case holding device with spooling and linking attachment, case holding device type: 60-7, number: 4418, spooling device type: 78-5, number: 1397, 220-240 V, 50 Hz, 0.45 A, 01-012 kW, linking device type: 34-4, number: 5408, dimensions: 520 mm x 470 mm x 330 mm.	4500
45	Rational	Rational combi steamer, dimensions: 900 mm x 860 mm x 1800 mm. Including s/s trolley, 20 floors, dimensions floors: 530 mm x 330 mm.	1500
46	StaTech	StaTech elevating belt, serial number: CPF0001, plastic belt with dividers, belt width: 400 mm, distance between dividers: 200 mm, divider height: 60 mm, elevating height: approximately 5500 mm, total dimensions: 8600 mm x 1000 mm x 1700 mm.	2500
47	Ishida	Ishida 16-heads multihead weigher, model: SCW-R-216B-D/ 33-WP, serial number: 556041, year of construction: 2006, 240 V, 1 Ph, 50 Hz, 4.4 A, weight: 788 kg, basket dimensions: 120 mm x 150 mm x 250 mm, total dimensions: 1500 mm x 1500 mm x 1800 mm.	7500
48	PFM	PFM vertical bag form-, fill-, and seal machine, model: PV 320 LD INOX, serial number: D2855, year of construction: 2014, 400 V, 50 Hz, 22 A, 11 kW, weight: 1100 kg, pipe diameter: 130 mm, vertical seal length: 200 mm, horizontal seal length: 350 mm, total dimensions: 1800 mm x 2050 mm x 2200 mm. 2 extra filling pipes, diameter: 200 mm and 150 mm. Outfeed elevating belt, type: Nastro Di Uscita, model: 2601021605, serial number: 2140365, year of construction: 2014, plastic belt with dividers, belt width: 505 mm, distance between dividers: 345 mm, dividers height: 25 mm, elevating height: 900 mm, total dimensions: 2100 mm x 950 mm x 1000 mm.	5000
49	NN platform	S/s platform, working height: 3030 mm, total dimensions: 3400 mm x 3400 mm x 4330 mm, with s/s stairs, dimensions: 4000 mm x 750 mm x 800 mm.	5000
50	Morton	Morton gridlap mixer, inside dimensions: 760 mm x 510 mm x 620 mm, total dimensions: 1970 mm x 1220 mm x 1860 mm.	1250
51			1000

Nr	Title	Description	Start €
	GEBA GmbH & Co. KG	GEBA GmbH & Co. KG salmon slicer, type: HS 240, number: 2400234, year of construction: 2002, 220-240 V, 50/60 Hz, 1.4 kW, weight: 250 kg, working width: 250 mm, total dimensions: 1580 mm x 800 mm x 1250 mm.	
52	ButcherBoy	ButcherBoy elevating screw with infeed hopper, elevating height: 2300 mm, total dimensions: 2800 mm x 1800 mm x 2850 mm.	1250
53	Toyo Jidoki Co., Ltd	Toyo Jidoki Co., Ltd pouch filling and closing machine, model: TVP E3, machine number: 2383, year of construction: 96.07, dimensions chamber: (12x) 310 mm x 280 mm, plastic belt, belt width: 260 mm, total dimensions: 5330 mm x 2480 mm x 2580 mm.	12500
54	Handtmann	Handtmann vacuum filling machine with lifter for 200 litres meat bins, model: VF611, number: 25422, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 5.1 A, 3.5 kW, dimensions: 1900 mm x 1400 mm x 2000 mm, including tool trolley, dimensions: 1600 mm x 600 mm x 1400 mm.	10000
55	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, model: VF611, number: 24453, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 5.1 A, 3.5 kW, dimensions: 1900 mm x 1400 mm x 2000 mm.	15000
56	Magurit	Magurit frozen block cutter, clearance: 500 mm x 290 mm, knife width: 490 mm, total dimensions: 1350 mm x 760 mm x 1920 mm.	1500
57	Syspal	Syspal lifter for 200 liter meat bins, type: GE100 1034, serial number: K 5238, year of construction: 2015, safe work load: 100 kg, lifting height: 2700 mm, total dimensions: 1200 mm x 1350 mm x 4800 mm.	3000
58	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, model: VF622, number: 20527, year of construction: 2006, 420 V, 3 Ph, 50 Hz, 12.4 A, 9 kW, dimensions: 1900 mm x 1350 mm x 2000 mm. Incomplete, missing rotor and vacuum pump.	7500
59	Multivac	Multivac thermoformer, type: R245, serial number: 143650, year of construction: 2011, 415 V, 3 Ph, 50 Hz, 33/50 A, 13.5 kW, film width: 400 mm, belt width: 390 mm, index: 350 mm, plastic mesh belt, belt width: 380 mm, total dimensions: 7880 mm x 1220 mm x 2110 mm. Missing dye.	12500
60	Marel	Marel trimming robot, machine: ITM2, model: itm-p001-x350B5, type: 0033-001, serial number: A100681, year of construction: 2013, 380-400 V, 3 Ph, 50-60 Hz, 32 A, 37 kW, weight: 3500 kg, plastic perforated belt, belt width: (2x) 340 mm, total dimensions: 4500 mm x 2100 mm x 2530 mm. Incomplete.	14500
61	Nimo KG	Nimo KG lifter for 200 liter meat bins, type: SKV 200 MK, number: 10394, year of construction: 2006, capacity: 250 kg, lifting height: 1800 mm, total dimensions: 1650 mm x 1310 mm x 1720 mm.	1500

Nr	Title	Description	Start €
62	ABL	ABL vegetable slicer/chunker for pineapple, melon and papaya, model: GTF, serial number: 107, year of construction: 2017, 415 V, 50 Hz, 5.3 kW, weight: 1800 kg, working width: 255 mm x 260 mm, plastic belt, belt width: 300 mm, total dimensions: 7000 mm x 1350 mm x 2050 mm.	2500
63	Riggs	Riggs depositor, dimensions: 1500 mm x 650 mm x 2100 mm. Technical condition unknown.	250
64	T.Giusti & Son LTD	T.Giusti & Son LTD s/s mixing tank with bottom part double jacketed, serial number: WJ9731, year of construction: 21.6.02, capacity: 500 liter, dimensions: 1150 mm x 1200 mm x 1900 mm.	500
65	NN tank	S/s double jacketed tank used for broth, year of construction: 15.10.07, inside dimensions: Ø 1400 mm x 850 mm, total dimensions: Ø 1570 mm x 1400 mm.	500
66	NN tank	S/s double jacketed tank used for broth, serial number: 11637, year of construction: 14.7.11, inside dimensions: Ø 1400 mm x 850 mm, total dimensions: Ø 1570 mm x 1500 mm.	500
67	NN tank	S/s double jacketed tank used for broth, serial number: 11637, year of construction: 14.7.11, inside dimensions: Ø 1400 mm x 850 mm, total dimensions: Ø 1570 mm x 1500 mm.	500
68	NN tank	S/s double jacketed tank used for broth, serial number: 11637, year of construction: 6.11.08, inside dimensions: Ø 1400 mm x 850 mm, total dimensions: Ø 1570 mm x 1500 mm.	500
69	NN tank	S/s steam noodle pot with bottom part double jacketed, serial number: 6634/3, year of construction: November 2017, inside dimensions: Ø 900 mm x 800 mm, total dimensions: 1200 mm x 1150 mm.	500
70	T.Giusti & Son LTD	T.Giusti & Son LTD s/s mixing tank with bottom part double jacketed, serial number: J6020A, year of construction: 10.2.76, capacity: 270 gallon, dimensions: 1900 mm x 1250 mm x 1620 mm.	500
71	Base Handling Products Ltd	Base Handling Products Ltd mobile lifter for 200 liter meat bins, serial number: 156767, year of construction: 12-15, capacity: 250 kg, elevating height: 2170 mm, total dimensions: 1400 mm x 1250 mm x 3100 mm.	1250
72	NN mixer for tubs	Mobile s/s mixer for tubs, dimensions: 1100 mm x 1000 mm x 1900 mm.	500
73	Syspal	Syspal lifter for 200 liter meat bins, type: 600/SCB-1371, serial number: K8592/1-1, year of construction: 2020, lifting height: 2850 mm, total dimensions: 1240 mm x 1300 mm x 3550 mm. Including switch cabinet, dimensions: 600 mm x 430 mm x 260 mm.	1750
74	Syspal	Syspal lifter for 200 liter meat bins with s/s protection cage, type: SC100B 1134, serial number: K3445, year of construction: 2011, safe work load: 250 kg, lifting height:	1500

Nr	Title	Description	Start €
		1580 mm, total dimensions: 1200 mm x 1350 mm x 2550 mm.	
75	Elpress	Elpress tourniquet, type: 83201030, serial number: 40892-001, year of construction: 2022-11, 230 V, 50 Hz, 16 A, 0.1 kW, weight: 45 kg, dimensions: 780 mm x 900 mm x 1530 mm.	600
76	Russell Finex Ltd	Russell Finex Ltd mobile magnetic vibratory sieve, model: 17240, serial number: DF4231, year of construction: 2014, diameter sieve: 510 mm, output: Ø 150 mm, perforations: 5 mm x 5 mm, total dimensions: 1670 mm x 1300 mm x 1350 mm.	750
77	Proseal	Proseal mobile bench mounted sealing machine, type: PBS, serial number: 3266, year of construction: 2015, 110 V, 50 Hz, total dimensions: 730 mm x 1030 mm x 1700 mm. Technical condition unknown.	500
78	Telford Process Engineering ltd.	Telford Process Engineering ltd. nut roaster type: 20, machine number: 2409/506, s/s mesh belt, belt width: 1200 mm, with Comtherm ltd. burner, model: PCI-B, serial number: C6999-1, year of construction: April 06, 415 V, 3 Ph, 50 Hz, total dimensions: 3950 mm x 2000 mm x 2600 mm.	5000
79	Baader	Baader mobile separator, model: 603, serial number: 12-5356-2903, year of construction: 1994, plastic belt, belt width: 205 mm, perforations: 1 mm, total dimensions: 1300 mm x 950 mm x 1550 mm. Incomplete.	1750
80	Turbovac	Turbovac mobile dip tank, model: TV-55/75, serial number: 20221209, year of construction: 2022, 380-415 V, 3 Ph, 50/60 Hz, 21.5 A, 14 kW, inside dimensions: 740 mm x 560 mm x 250 mm, total dimensions: 2300 mm x 755 mm x 1430 mm. Never used.	3000
81	Formax	Formax mobile forming machine, model: U-26, serial number: U4MR10, 420 V, 50 Hz, 35 A, plastic belt, belt width: 700 mm, total dimensions: 3100 mm x 1450 mm x 2550 mm. Incomplete, no forming plates.	12500
82	Sotemapack Robopac	Sotemapack Robopac cardboard collator / shrink wrapping machine, model: MONOBLOCCO 70, serial number: M 01187, year of construction: 2021, 400 V, 50 Hz, 20 kW, weight: 1500 mm, s/s mesh belt: belt width: 700 mm, plastic belt, belt width: 505 mm, clearance: 740 mm x 620 mm, foil width: 500 mm, total dimensions: 5400 mm x 2150 mm x 2050 mm.	5000
83	Inotec	Inotec double shaft vacuum mixer, type: IM2000VAC, serial number: 0104.023, year of construction: 2001, 400 V, 50 Hz, 17 kW, dimensions: 3750 mm x 1660 mm x 2200 mm.	7500
84	Inotec	Inotec double shaft mixer, dimensions: 3600 mm x 2050 mm x 2500 mm.	5000
85	Industrial Washing Machines LTD.	Industrial Washing Machines LTD. 2 lane washer for E2 crates, type: Crusader 1000SP, serial number: 208-C10SPA/296/01X, year of construction: 24/09/99, clearance: (1x) 390 mm x 450	2500

Nr	Title	Description	Start €
		mm, (1x) 490 mm x 640 mm, total dimensions: 7700 mm x 2050 mm x 1930 mm. Incomplete.	
86	Wright Pugson	Wright Pugson cheese dicer, clearance: 430 mm x 260 mm, total dimensions: 2800 mm x 2000 mm x 1350 mm. Incomplete.	750
87	Terlet	Terlet skid with 2 double jacketed tanks, year of construction: 2010, 415 V, 50 Hz, 7.5 kW, weight: (2x) 1800 kg, volume: (2x) 132 liter, total dimensions: 3500 mm x 1250 mm x 2550 mm. Tank is damaged.	4000
88	NN mixer for tubs	Mobile s/s mixer for tubs, dimensions: 1100 mm x 1000 mm x 1900 mm.	500
89	Giusti	Giusti s/s double jacketed tank with mixing arm, serial number: TM2241, year of construction: 28.10.04, capacity: 750 liter, dimensions: 1500 mm x 1300 mm x 2100 mm.	750
90	Giusti	Giusti s/s double jacketed tank with mixing arm on weighing cells, serial number: M11664A, year of construction: 28.11.94, capacity: 500 liter, dimensions: 1450 mm x 1280 mm x 2700 mm.	750
91	Giusti	Giusti s/s double jacketed tank with mixing arm on weighing cells, serial number: M11664B, year of construction: 28.11.94, capacity: 500 liter, dimensions: 1450 mm x 1280 mm x 2700 mm.	750
92	Packaging Automation Ltd	Packaging Automation Ltd rotary traysealer, type: 182/5, serial number: 157918213336, 240 V, 50 Hz, 2 stations, dye dimensions: (2x) 115 mm x 115 mm, total dimensions: 1350 mm x 1030 mm x 1700 mm. Including pallet with extra dye's, dye dimensions among others: 170 mm x 140 mm, 180 mm x 130 mm, 185 mm x 125 mm, total dimensions: 1200 mm x 800 mm x 600 mm.	1750
93	Dodman	Dodman destoner, serial number: DL 521, year of construction: 22-04-1992, dimensions: 1550 mm x 2350 mm x 4250 mm.	1250
94	Rondo Doge	Rondo Doge dough sheeting line consisting of: Mobile elevating belt, plastic belt, belt width: 640 mm, distance between dividers: 500 mm, divider height: 45 mm, elevating height: 2300 mm, total dimensions elevating belt: 3500 mm x 1200 mm x 2500 mm. Dough sheeter, working width: 650 mm, total dimensions: 1150 mm x 1800 mm x 1900 mm. Outfeed belt with Rondo Doge flowering machine, model: Sfarinatore, number: D-122182070013, year of construction: 2007, 220 V, cloth belt, belt width: 680 mm, elevating height: 1000 mm, total dimensions: 2700 mm x 1100 mm x 1400 mm.	7500
95	Niros	Niros walk through boot cleaning machine, type: DR/ 1000V300, serial number: N3F38-05, year of construction: 09/2015, 400 V, 3 Ph, 50 Hz, 1 kW, brush length: (2x) 1200 mm, (3x) 300 mm, total dimensions: 2700 mm x 1100 mm x 1450 mm.	2500

Nr	Title	Description	Start €
96	Jasa	Jasa 90° curve conveyor, plastic belt, belt width: 220 mm, total dimensions: 1670 mm x 1060 mm x 1240 mm.	500
97	BCH	BCH double jacketed s/s tank with agitator, serial number: 9/13635 Y, year of construction: 9-2002, dimensions: 1450 mm x 1550 mm x 2540 mm.	1500
98	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine, model: HP 3, number: 170 0334, year of construction: 2019, 400-460 V, 3 Ph, 50-60 Hz, 8 A, 4.25 kW, dimensions: 800 mm x 750 mm x 1800 mm.	12500
99	Cintex	Cintex double metal detector, model: KH30 Dual, serial number: 83518A, year of construction: 2004, 415 V, 3 Ph, 50-60 Hz, weight: 400 kg, plastic mesh belt, belt width: 300 mm, clearance: 350 mm x 93 mm, total dimensions: 2150 mm x 950 mm x 1030 mm.	1200
100	Minebea Intec	Minebea Intec checkweigher with metal detector, model: SYNUS 15 WS 2kg WZGP, number: 1101897532-0020, year of construction: 2019, 230 V, 1 Ph, 50 Hz, 10 A, plastic belt, belt width: 200 mm, clearance: 275 mm x 110 mm, total dimensions: 1700 mm x 1250 mm x 2100 mm.	1250
101	GEA Westfalia	GEA Westfalia continues separator, for dewatering industrial and municipal waste water sludge, model: UCD-205-00-02, serial number: 8060-054, year of construction: 2007, dimensions: 2050 mm x 1100 mm x 1050 mm.	17500
102	NN tank	S/s tank, dimensions: Ø 1700 mm x 4300 mm.	1250
103	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine, model: Robot 500, serial number: 128 5859, year of construction: 2020, 400-460 V, 3 Ph, 50/60 Hz, 4.9 kW, with Busch / Vemag vacuum pump, type: KC 0016 E 3Z0, serial number: V19400110, year of construction: 2019, Vmax: 19 m^3/h, total dimensions: 950 mm x 700 mm x 1950 mm.	5000
104	Reiser	Reiser mobile hamburger forming machine, type: RUK-CONV-030, serial number: 10871-5, plastic belt, belt width: 230 mm, output: Ø 100 mm, knife width: 120 mm, total dimensions: 1820 mm x 450 mm x 1320 mm.	1250
105	Packaging Automation Ltd	Packaging Automation Ltd cup filling and closing machine, serial number: FF40-MO-00003, 415 V, 50 Hz, cup diameter: Ø 85 mm, plastic belt, belt width: 115 mm, total dimensions: 1100 mm x 1700 mm x 1900 mm. Including crate with parts.	2500
106	Ceia	Ceia metal detector with rejector, model: T/21E-350150-0065, serial number: 21200227060, plastic belt, belt width: 245 mm, clearance: 350 mm x 100 mm, total dimensions: 1640 mm x 900 mm x 1600 mm.	1500
107	Sartotius	Sartotius checkweigher, model: SYNUS 15 / WS 2kg WZGP, number: 1101077504-0100, 230 V, 1 Ph, 50 Hz, 10 A, plastic belt, belt width: 300 mm, total dimensions: 1500 mm x 800 mm x 1860 mm.	1000
108	L.S. s.r.l.	L.S. s.r.l. filling machine with 4 heads, year of construction: 2009, 415 V, 50 Hz, 8.5 kW, plastic infeed belt with 8 lanes,	3500

Nr	Title	Description	Start €
		belt width: 80 mm, total dimensions: 2600 mm x 1400 / 2600 mm x 2700 mm.	
109	Serap	Serap tank, type: Curve stockage eau chaude, serial number: FA-03-016l 001P, year of construction: 26/11/2008, capacity: 20.000 liter, weight: 2500 kg, dimensions: Ø 2250 mm x 7400 mm.	2000
110	Pökomat	Pökomat injector, type: P 25/320 SE, serial number: 3974, year of construction: 09/1995, 400 V, 4.5 A, 1500 W, weight: 250 kg, plastic mesh belt, belt width: 300 mm, clearance: 320 mm x 180 mm, 25 needles, total dimensions: 2120 mm x 650 mm x 2150 mm. Missing cover.	1250
111	Ulma	Ulma flowpacker, type: Baltic-C, serial number: 1610678, year of construction: 2008, 380 V, 50 Hz, 9 A, 0.9 kW, plastic belt, belt width: 210 mm, seal width: 300 mm, total dimensions: 2800 mm x 1300 mm x 1850 mm. Including PBI dansensor gas mixing station, model: Module TGC-2 122 and infeed belt, plastic belt, belt width: 300 mm, total dimensions: 2400 mm x 650 mm x 1280 mm.	9000
112	Winyard Engineering Ltd	Winyard Engineering Ltd 2 lane vegetable spiralizer, model: VL2+, serial number: VL170735, knife diameter: (2x) 150 mm, total dimensions: 1700 mm x 1400 mm x 1460 mm.	2500
113	Hydro Products	Hydro Products hydraulic power pack, model: HPMTG448WHSNN15SC6834, serial number: 21038, year of construction: 2/16, 415 V, max pressure: 70 bar, dimensions: 900 mm x 250 mm x 220 mm.	250
114	Hydro Products	Hydro Products hydraulic power pack, model: HPMTG448WHSNN15SC6834, serial number: 21038, year of construction: 2/16, 415 V, max pressure: 70 bar, dimensions: 900 mm x 250 mm x 220 mm.	250
115	Ebara	Ebara centrifugal pump, type: MD/A-200/7.5, 380-415 V, 3 Ph, 50 Hz, 15.5/9 A, 6-36 m^3/h, maximum height: 58, dimensions: 750 mm x 300 mm x 800 mm.	150
116	Ebara	Ebara centrifugal pump, type: MD/A 40-200/7.5, serial number: 1230890006A, 380-415 V, 3 Ph, 50 Hz, 15.5/9 A, 6-36 m^3/h, maximum pump height: 57.5-45 m, dimensions: 750 mm x 300 mm x 500 mm.	150
117	Leader	Leader centrifugal pump, model: EN 40/200 A, 400 V, 50 Hz, 16.8/9.7 A, dimensions: 750 mm x 300 mm x 800 mm.	150
118	NN blower	Blower, dimensions: 700 mm x 500 mm x 500 mm.	150
119	Skaginn 3X	Skaginn 3X frame cutter for fish, model: 10 FFC02, serial number: 3X009306, year of construction: 2021, 0.91 kW, weight: 215 kg, knife width: Ø 200 mm, clearance: 130 mm x 50 mm, total dimensions: 1670 mm x 830 mm x 2030 mm.	4000
120	CES	CES rotating cooling/freezing drum, model: CES-TF-LIN-5mx098-NS, serial number: CES 641, year of construction: 04.03.99, 400 V, 3 Ph, 50 Hz, 7.5 kW, weight: 7500 kg, inside dimensions: Ø 600 mm x 5000 mm, total dimensions: 5500 mm x 2300 mm x 4050 mm.	10000

Nr	Title	Description	Start €
121	Apple International	Apple International mobile depositor, model: LP, serial number: 1106710, year of construction: 2011, 240 V, 1 Ph, 50 Hz, 16 A, dimensions depositor: 1000 mm x 800 mm x 1650 mm. With Hi-Tech machinery Ltd curve conveyor, model: Hook RG27 9GR, serial number: E1954/2006, 415 V, 50 Hz, 6 A, plastic mesh belt, belt width: 110 mm, total dimensions: 3900 mm x 2300 mm x 1700 mm.	2500
122	API Food Equipment	API Food Equipment mobile mixer and depositor, inside dimensions: Ø 550 mm x 700 mm, total dimensions: 2700 mm x 1600 mm x 2900 mm.	4500
123	BPT	BPT double jacked mixer, serial number: F5335, year of construction: 07-06-05, inside dimensions: Ø 800 mm x 700 mm, total dimensions: 1300 mm x 2100 mm x 3050 mm.	4500
124	Schur Technology a/s	Schur Technology a/s pouch packaging machine, type: 3030-C, number: 618 Y309, 3x400 V, 50 Hz, 16 A, 3.5 kW, 500 kPa, capacity: 3-30 m/min, weight: 700 kg, dimensions: 10000 mm x 950 mm x 1300 mm.	4500
125	Ilapak	Ilapak vertical bag fill-, form,- and seal machine, type: VT 4000 S, serial number: 0850709003, year of construction: 02/09, 400 V, 50 Hz, 5000 W, filling pipe dimensions: 135 mm x 55 mm, vertical seal length: 280 mm, horizontal seal length: 450 mm, with Busch vacuum pump, type: SV 1025 C 000 IKXX, serial number: C1317000247, year of construction: 2013, total dimensions: 2000 mm x 2550 mm x 2000 mm.	2500
126	Marel Stork Titan B.V	Marel Stork Titan B.V. twin drum spiral oven, model: TSO 600/96/4 EL TH0302, type: 4786432AA, serial number: 10077687, year of construction: 2010, belt width s/s mesh belt: 600 mm, clockwise rotation, left hand execution, total dimensions oven: 8500 mm x 4000 mm x 3500 mm, dimensions in-and outfeed station: (2x) 1300 mm x 1200 mm x 1400 mm.	50000
127	F.P.E.	F.P.E. grinder, model: FG-250, number: 14GC070303, year of construction: 15-01, 415 V, 3 Ph, 50 Hz, 68 A, 34 kW, capacity: 3000~5000 kg/h, dimensions: 2100 mm x 1100 mm x 2150 mm.	17000
128	Alco	Alco mobile preduster, type: ADF 300 Pro, serial number: 02480228, year of construction: 2007, 400 V, 50 Hz, 16 A, 1 kW, weight: 400 kg, dimensions: 1400 mm x 1200 mm x 1660 mm.	4500
129	Laska	Laska bowl cutter with lifter for 200 liter meat bins and ejector, type: KCU 200, serial number: 6145, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 239 A, 93 kW, dimensions: 3100 mm x 2400 mm x 1830 mm.	22500
130	Maschinenfabrik Seydelmann	Maschinenfabrik Seydelmann grinder, machine type: AW 300 U AC 6, machine number: 16 074-1, year of construction: 2016, 400 V, 50 Hz, 220 kW, 400 A, weight: 6000 kg, plate diameter: 300 mm, total dimensions: 2300 mm x 2900 mm x	45000

Nr	Title	Description	Start €
		2850 mm. Trolley for worm and tools, dimensions: 1800 mm x 900 mm x 1250 mm.	
131	Maschinenfabrik Seydelmann	Maschinenfabrik Seydelmann double shaft paddle mixer-grinder, machine type: AMR1800/250, machine number: 16 051-1, year of construction: 2016, 400 V, 50 Hz, 101 kW, 190 A, air pressure: 6-10 bar, water pressure: 4-6 bar, weight: 6000 kg, plate diameter: 250 mm, total dimensions: 2000 mm x 4000 mm x 2950 mm.	45000
132	A.E.W.	A.E.W. bandsaw, model: 400M, type: KM.11, 415 V, 3 Ph, 6.2 A, serial number: LH.164188, table dimensions: 1050 mm x 900 mm, total dimensions: 1250 mm x 1050 mm x 1900 mm.	350
133	Siat	Siat box closing machine, type: S8/4-S, serial number: S8S0000000009250050, year of construction: 2017, 220/240 V, 1 Ph, 50 Hz, 2 A, 180 W, working width: maximum 530 mm, total dimensions: 1000 mm x 950 mm x 1550 mm.	300
134	Marel	Marel speed batcher, type: SBS-3000, serial number: A054438, 400 V, 3 Ph, 50/60 Hz, 25 A, 13 kW, plastic mesh belt with dividers, belt width: 410 mm, divider height: 100 mm, distance between dividers: 120 mm, total dimensions: 2500 mm x 1000 mm x 2080 mm.	3500
135	Skaginn 3X	Skaginn 3X elevating belt with infeed hopper, model: 1070069, serial number: 3X009895, year of construction: 2021, 0.75 kW, plastic mesh belt with dividers, belt width: 610 mm, divider height: 50 mm, distance between dividers: 200 mm, total dimensions: 2600 mm x 1320 mm x 1440 mm.	2000
136	Seydelmann	Seydelmann double shaft ribbon mixer on weighing cells, type: MR 600, machine number: 16 648-1, year of construction: 2016, 400 V, 50 Hz, 21 A, 11 kW, weight: 1500 kg, dimensions: 2000 mm x 1400 mm x 2290 mm. With lifter for 200 liter meat bins type: B 300, machine number: 16 130-1, year of construction: 2016, 400 V, 50 Hz, 3 A, 1.5 kW, capacity: 350 kg, weight: 450 kg, dimensions lifter: 3100 mm x 800 mm x 1500 mm.	17500
137	BCH	BCH double jacked mixer, serial number: 9.7866, year of construction: 05-1997, dimensions: 1300 mm x 400 mm x 1900 mm.	2500
138	Rational	Rational combi steamer, type: SCC WE 201G, serial number: G21Si16112554309, year of construction: 2016, 230 V, 1 Ph, 50/60 Hz, 950 W, dimensions: 880 mm x 880 mm x 1800 mm. Including trolley, 20 floors, floor dimensions: 550 mm x 330 mm, trolley dimensions: 740 mm x 460 mm x 1700 mm.	1750
139	Metos	Metos cooking vessel with agitator, type: Proveno 300E M C2PTX, serial number: 10910502160060, 400/230 V, 3 Ph, 50 Hz, 83 A, 49.5 kW, capacity: 300 liter, inside dimensions: Ø 950 mm x 520 mm, total dimensions: 1620 mm x 1200 mm x 1430 mm.	1500
140	Bradman Lake	Bradman Lake mobile cartoner, type: SL903 0/H, serial number: 67930810, year of construction: 2010, 400 V, 3 Ph,	2000

Nr	Title	Description	Start €
		50 Hz, 25 A, 14 kW, infeed belt width: 175 mm, clearance: 180 mm x 80 mm, carton clearance: 190 mm x 210 mm, total dimensions: 5650 mm x 2100 mm x 2050 mm. 2 Transport belts, plastic belt, belt width: 150 mm and 900 mm, total dimensions: 2500 mm x 800 mm x 1010 mm and 2900 mm x 2100 mm x 900 mm.	
141	Hayssen Sandiacare	Hayssen Sandiacare vertical bag form-, fill- and seal machine, model: TG320LF, serial number: MCHSP03469, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 25 A, 15 kW, pipe diameter: 170 mm, vertical seal length: 530 mm, horizontal seal length: 330 mm, total dimensions: 2200 mm x 1250 mm x 2000 mm.	2000
142	REV Packaging Solutions	REV Packaging Solutions elevating belt, model: REV-F16TL, serial number: 1440, year of construction: 2018, 400 V, 50 Hz, 1.3 kW, 3 lanes, working width: (3x) 300 mm, plastic rollers, roller width: 100 mm, elevating height: 1050 mm, plastic outfeed belt, belt width: 230 mm, outfeed height: 1900 mm, total dimensions: 3950 mm x 1100 mm x 2280 mm.	750
143	Stork Titan B.V.	Stork Titan B.V. mobile breading machine, model: RotoCrumb, type: TRC 630 TD22112, serial number: 470314/100, year of construction: 2005, s/s mesh belt, belt width: 630 mm, working width: 600 mm, total dimensions: 2650 mm x 1500 mm x 2080 mm.	8000
144	Bradman Lake	Bradman Lake robotic top loader, type: DKT, serial number: 67940810, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 25 kW, belt width: 180 mm, clearance: 400 mm x 125 mm, plastic belt with dividers, belt width: 260 mm, dividers height: 20 mm, distance between dividers: 45 mm, total dimensions: 2550 mm x 1900 mm x 2600 mm.	4000
145	NN turning table	S/s turning table, table dimensions: Ø 1195 mm, total dimensions: Ø 1250 mm x 780 mm.	300
146	Babcock Wanson	Babcock Wanson heat recovery unit for oil/steam, model: SOV600, serial number: 12.25.5719, year of construction: 2012, weight: 850 kg, dimensions: 2500 mm x 1600 mm x 2200 mm.	1500
147	Multivac	Multivac thermoformer, model: R 250, serial number: 298, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 33 A, 13.5 kW, film width: 460 mm, top film width: 423 mm, 4 dyes, dye dimensions: (4x) 160 mm x 287 mm, index: 360 mm, plastic belt, belt width: 360 mm, total dimensions: 7750 mm x 1100 mm x 2100 mm. Including pallet with chains and Busch vacuum pump, model: RA 0302 D 521 ZZBC, capacity: 300 m³/h, dimensions: 1200 mm x 1000 mm x 700 mm.	7500
148	Fomaco	Fomaco mobile injector, model: FGM 16/64F, number: 10850-2006, 400 V, 3 Ph, 50 Hz, 2.8 A, plastic mesh belt, belt width: 240 mm, total dimensions: 1700 mm x 600 mm x 1670 mm.	2000
149	FMC		15000

Nr	Title	Description	Start €
		FMC autoclave, model: A146, serial number: 338, year of construction: 06/1999, inside dimensions: Ø 1200 mm x 6050 mm, total dimensions: 7150 mm x 2000 mm x 2000 mm.	
150	Hoegger	Hoegger separator, type: FS201A, serial number: 143519, year of construction: 2014, 380-420 V, 3 Ph, 50/60 Hz, 12 A, 3.5 kW, weight: 1000 kg, inside dimensions: 880 mm x 880 mm x 550 mm, total dimensions: 1850 mm x 1050 mm x 1750 mm.	4000
151	Bobet Materiel	Bobet Materiel hygiene station, type: C.C 2200, serial number: 1154, year of construction: 2002, brush length: (4x) 370 mm, (5x) 430 mm, total dimensions: 2200 mm x 1100 mm x 1630 mm.	1500
152	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF628, number: 32445, code: 134, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 26.0 A, 18.0 kW, Busch vacuum pump, type: KB 0040 D 100, serial number: DEM120270311, capacity: 40 m^3/per hour, dimensions: 1750 mm x 1400 mm x 2050 mm.	20000
153	Handtmann	Handtmann mobile linking machine, type: PVLS143, number: 47099, year of construction: 2021, 420 V, 3 Ph, 50/60 Hz, 7.9 A, 5.5 kW, weight: 845 kg, dimensions: 1800 mm x 1000 mm x 1500 mm. Missing belt.	7500
154	Handtmann	Handtmann collating system for sausages consisting of: Collating module: 310-01, number: 521, year of construction: 2018,420 V, 50/50 Hz, 5.1 A, 3.5 kW, weight: 380 kg, working width: 400 mm, total dimensions: 1900 mm x 900 mm x 1410 mm. Feeding belt: ZB311, number: 40681, year of construction: 2018, 420 V, 50/60 Hz, 5.1 A, 3.5 kW, plastic belt, belt width: 330 mm, total dimensions: 2900 mm x 900 mm x 1100 mm. Total dimensions: 2900 mm x 2150 mm x 1850 mm.	12500
155	Elite Engineering Solutions Ltd	Elite Engineering Solutions Ltd s/s turning table, table dimensions: Ø 980 mm, total dimensions: Ø 1010 mm x 730 mm.	300
156	Sandiacre	Sandiacre vertical bag form-, fill-, and seal machine, pipe diameter: 125 mm, vertical seal length: 500 mm, horizontal seal length: 335 mm, total dimensions: 2300 mm x 1550 mm x 2100 mm.	1000
157	CFS Aquarius	CFS Aquarius vertical bag form-, fill-, and seal machine, type: CX360, machine number: 6528, year of construction: 2001, 230/400 V, 3 Ph, 50 Hz, 5.5 kW, weight: 950 kg, pipe diameter: 105 mm, vertical seal length: 320 mm, horizontal seal length: 375 mm, with Markem Imaje SmartDate, total dimensions: 2400 mm x 1850 mm x 2020 mm.	5000
158	Elpress	Elpress tourniquet with hand disinfection unit, type: 83201050, serial number: 40274-004, year of construction: 2022-08, 230 V, 50 Hz, 16 A, 0.1 kW, weight: 50 kg, dimensions: 1400 mm x 800 mm x 1200 mm.	1250

Nr	Title	Description	Start €
159	Source Technology	Source Technology heating and portioning line consisting of: Power heater, type: PH100, serial number: 62467-120, year of construction: 2017, weight: 850 kg, dimensions: 3300 mm x 1000 mm x 2250 mm. Portioning machine, type: FlexiCut, serial number: 62718-110455, year of construction: 2018, weight: 780 kg, 5 heads of which 1 in use, diameter head: 30 mm, plastic belt, belt width: 700 mm, total dimension: 2100 mm x 1600 mm x 1700 mm. Including trolley with parts.	35000
160	Blentech	Blentech vacuum tumbler with CO2, model: VT1-0150-S, serial number: 990796, dimensions: 2500 mm x 1900 mm x 1800 mm.	4500
161	Steriflow	Steriflow autoclave for 5 trolleys, type: Steriflow 1351 EA, serial number: S 2300, year of construction: 1999, steam heated, volume: 6570 dm^3, dimensions: 6200 mm x 1500 mm x 2300 mm.	22500
162	Steriflow	Steriflow autoclave for 5 trolleys, type: Steriflow 1351 EA, serial number: S 2120, year of construction: 1996, steam heated, volume: 6570 dm^3, dimensions: 6200 mm x 1500 mm x 2300 mm.	22500
163	Steriflow	Steriflow autoclave for 5 trolleys, type: Steriflow 1351 EA, serial number: S 2121, year of construction: 1996, steam heated, volume: 6570 dm^3, dimensions: 6200 mm x 1500 mm x 2300 mm.	22500
164	Serap	Serap tank, type: Curve de stockage, serial number: PA-03-0160 001P, year of construction: 26/11/2008, capacity: 15.000 liter, weight: 2000 kg, dimensions: Ø 2200 mm x 5500 mm.	2000
165	Laska	Laska lifter for 200 liter meat bins, type: BA 24, serial number: 11070, year of construction: 2004, lifting height: 1750 mm, total dimensions: 1410 mm x 1150 mm x 2880 mm.	750
166	Tong Engineering LTD	Tong Engineering LTD elevating belt, type: Conveyor, serial number: 16-19033, year of construction: 2016, plastic belt with dividers, belt width: 300 mm, distance between dividers: 300 mm, elevating height: 970 mm, total dimensions: 3500 mm x 550 mm x 1220 mm.	400
167	Tong Engineering LTD	Tong Engineering LTD elevating belt, type: Conveyor, serial number: 16-19031, year of construction: 2016, plastic belt with dividers, belt width: 300 mm, distance between dividers: 300 mm, divider height: 20 mm, elevating height: 1050 mm, total dimensions: 2300 mm x 550 mm x 1350	400
168	NN transport belt	Mobile transport belt, plastic mesh belt, belt width: 305 mm, total dimensions: 4500 mm x 650 mm x 870 mm.	300
169	Multivac	Multivac suction device for rest film, type: ASE230, serial number: 20149622, year of construction: 2015, 230 V, 50/60 Hz, 8 A, 1.8 kW, dimensions: 750 mm x 700 mm x 1630 mm.	400
170	Unitech Engineering	Unitech Engineering dish washer, model: PIWASH2, serial number: 31016, year of construction: 2019, 400 V, 50 Hz,	950

Nr	Title	Description	Start €
		inside dimensions: 1660 mm x 850 mm x 700 mm, total dimensions: 2500 mm x 1100 mm x 1990 mm. Incomplete.	
171	Ulma	Ulma vertical bag form-, fill-, and seal machine, model: ETNA-280HT, serial number: 60281092, year of construction: 2005, 400 V, 50 Hz, 16 A, 6 kW, diameter pipe: 165 mm, vertical seal length: 400 mm, horizontal seal length: 300 mm, film width: 600 mm, total dimensions: 2220 mm x 1430 mm x 2120 mm.	2500
172	Bio Commercial	Bio Commercial cold press juicer, dimensions: 1400 mm x 660 mm x 1600 mm. Including extra knives.	400
173	Winyard Engineering Ltd	Winyard Engineering Ltd double depositor on mobile s/s frame, type: Magnum, serial number: MG5-150319, output: (2x) Ø 35 mm, total dimensions: 1500 mm x 930 mm x 2050 mm.	750
174	Charles Wait / Frigomilk	Charles Wait ice cream line consisting of: Frigomilk s/s cooled tub, model cooled tub: G1, serial number: 0141506004, 230 V, 1 Ph, 50 Hz, 4.7 A, 0.87 kW, volume: 300 liter, refrigerant: R404a, 0.9 kg, dimensions: 1100 mm x 950 mm x 1120 mm. Charles Wait ice cream machine, model: PHF-HF, dimensions: 770 mm x 1300 mm x 1330 mm. Charles Wait heat exchanger, model: S8 FT 37, serial number: C3844, year of construction: 2003, volume: 8 liter, dimensions: 1400 mm x 650 mm x 1680 mm. APV centrifugal pump, dimensions: 1200 mm x 600 mm x 450 mm. Polar mobile cooled au bain-marie, model: DB319, serial number: 8873122000018, 220/240 V, 50 Hz, 1.8 A, 162 W, refrigerant: R290, 63 g, volume: 67 liter, dimensions: 800 mm x 660 mm x 1000 mm.	1500
175	Heidolph	Heidolph weighing scale, type: MR Hei-Mix D, serial number: 031201462, 230/240 V, 50/60 Hz, 20 W, dimensions: 160 mm x 280 mm x 95 mm.	25
176	Sartorius	Sartorius weighing scale, type: 1.12000 S, number: 37030039, 220 V, 50/60 Hz, 7 A, dimensions: 300 mm x 310 mm x 120 mm.	25
177	Heckmann	Heckmann dryer, machine number: 22562, year of construction: 2016, 415 V, 32 A, 8 kW, charge: 800 kg, 6 floors, floor dimensions: 450 mm x 450 mm, total dimensions: 1400 mm x 1200 mm x 2350 mm.	1250
178	Risco S.P.A.	Risco S.P.A. double shaft paddle mixer with lifter for 200 liter meat bins, type: RS 450.1, serial number: I113013, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 4.75 kW, machine weight: 550 kg, dimensions mixer: 1850 mm x 1100 mm x 1580 mm.	2500
179	Hobart	Hobart dish washer, model: UX60, serial number: 86372327, year of construction: 2000, 415 V, 3 Ph, 50 Hz, 38.5 A, 24.6 kW, inside dimensions: 1200 mm x 700 mm x 600 mm, total dimensions: 1380 mm x 830 mm x 1700 mm.	750
180	Fortress / Sartorius	Fortress / Sartorius metal detector with checkweigher and 2 rejectors, Fortress metal detector, model: Phantom,	500

Nr	Title	Description	Start €
		clearance: 350 mm x 125 mm, Sartorius checkweigher, type: EWK3010/WS2kg M CD, year of construction: 2005, 230 V, 50 Hz, plastic belt, belt width: 265 mm, total dimensions: 2250 mm x 1350 mm x 1800 mm.	
181	IXIA UK Ltd.	IXIA UK Ltd. mobile 2-lane denester, clearance: (2x) 130 mm x 160 mm, total dimensions: 1200 mm x 1100 mm x 1650 mm.	400
182	Herma	Herma transport belt with labeller, model: 552, machine number: 552/38131, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 2.5 A, plastic belt, belt width: (2x) 230 mm, total dimensions: 1120 mm x 950 mm x 1040 mm.	500
183	Hoshizaki	Hoshizaki flake ice machine, model: FM-481AGE, 220-240 V, 50 Hz, 1525 W, refrigerant: R404/0.770 kg, weight ice machine: 97 kg, with Follett ice storage, model: ITS700SG-30, dimensions: 1200 mm x 800 mm x 1930 mm.	1500
184	Key Technology	Key Technology vibrating gutter, type: MVIFD, number: 12611, year of construction: 2002, gutter width: 495 mm, total dimensions: 200 mm x 2100 mm x 2200 mm.	500
185	Bradman Lake	Bradman Lake tray erector, machine type: XS 2/60, serial number: 6350-03-04, 400 V, 3 Ph, 50 Hz, 20 A, total dimensions: 1600 mm x 1800 mm x 2040 mm.	1500
186	Bradman Lake	Bradman Lake carton erector, model: 2-60, clearance: 400 mm x 480 mm, total dimensions: 1500 mm x 1320 mm x 2780 mm.	750
187	NN slicer	Mobile slicer, dimensions: 680 mm x 680 mm x 1250 mm.	400
188	Charvet S.A.	Charvet S.A. cooking kettle, 230 V, 1 Ph, 50 Hz, gas heated, inside dimensions: 695 mm x 650 mm x 580 mm, total dimensions: 1200 mm x 1270 mm x 1280 mm.	400
189	PCL	PCL metal detector and checkweigher with double rejector, model checkweigher: 2020, serial number: 8648C, 240 V, 1 Ph, model metal detector: Fortress, serial number: ER3362, clearance: 200 mm x 56 mm, total dimensions: 2060 mm x 900 mm x 1660 mm.	1500
190	Packaging Automation Ltd	Packaging Automation Ltd mobile traysealer, model: Eclipse SL6, serial number: EC6-MC-00018, 415 V, 50 Hz, plastic belt, belt width: 345 mm, dye: (6x) 164 mm x 120 mm, total dimensions: 3800 mm x 1200 mm x 2100 mm.	1500
191	Promens	Promens traysealer, model: 511-VG, machine number: 3808079, year of construction: 2008, 400 V, 3 Ph, 50 Hz, film width: 430 mm, dimensions dye: 385 mm x 275 mm, total dimensions: 950 mm x 700 mm x 1500 mm.	500
192	Anritsu	Anritsu elevating metal detector with rejector, type: KD8124NW, serial number: 4600244461, 100-240 Vac, 1 Ph, 50/60 Hz, clearance: 450 mm x 100 mm, plastic belt, belt width: 350 mm, elevating height: 880 mm, total dimensions: 2500 mm x 1100 mm x 1120 mm.	1250
193	Henkelman	Henkelman mobile double chamber vacuum machine, model: Polar 2-50, chamber dimensions: (2x) 620 mm x 500 mm, seal length: (4x) 620 mm, Busch vacuum pump, RA 0100 F 4R3,	1500

Nr	Title	Description	Start €
		capacity: 100 m³/h, total dimensions: 1500 mm x 900 mm x 1200 mm.	
194	Proseal UK ltd.	Proseal UK ltd. mobile traysealer, model: FastPack F45, serial number: 1555, 415 V, 50 Hz, plastic wire belt, belt width: 180 mm, 5 dyes, dye dimensions: (5x) 180 mm x 110 mm, total dimensions: 3600 mm x 880 mm x 1980 mm. Incomplete, missing dye set.	1000
195	Marel/Thermo Fischer	Thermo Fischer metal detector and Marel checkweigher with double rejector, type checkweigher: MarelCheck RF8 8023.30, serial number: E010768, year of construction: 2009, 200-240 V, 1 Ph, 50/60 Hz, 5.0 A, clearance metal detector: 350 mm x 120 mm, plastic belt, belt width: 230 mm, total dimensions: 2650 mm x 1150 mm x 2000 mm.	1250
196	Apple Engineering Ltd.	Apple Engineering Ltd. mobile depositor, model: MR300, serial number: 20302, year of construction: 2005, dimensions: 1300 mm x 550 mm x 2000 mm.	500
197	Endoline	Endoline box closing machine, model: 607, serial number: 00069229, 415 V, 3 Ph, 50 Hz, 6.0 bar, roller width: 300 mm, total dimensions: 3500 mm x 900 mm x 1800 mm. Incomplete.	350
198	Tong Engineering LTD	Tong Engineering LTD turning table with Tong Engineering LTD infeed belt, turning table model: Rotary Table, serial number: 16-19038B, year of construction: 2016, infeed belt type: Conveyor, serial number: 16-19038A, year of construction: 2016, plastic belt, belt width: 300 mm, clearance: 330 mm x 190 mm, diameter table: 1550 mm, total dimensions: 2500 mm x 1600 mm x 1360 mm.	500
199	Peal Engineering LTD	Peal Engineering LTD turning table with Tong Engineering LTD infeed belt, turning table model: Rotary Table, serial number: 00094, infeed belt type: Conveyor, serial number: 11-13608, year of construction: 2011, plastic belt, belt width: 300 mm, clearance: 330 mm x 190 mm, diameter table: 1550 mm, total dimensions: 2500 mm x 1600 mm x 1360 mm.	500
200	SPX Waukesha	SPX Waukesha Cherry-Burrel positive displacement pump, model: 134U1, serial number: 1000002931407, year of construction: 05/19/14, dimensions: 1500 mm x 800 mm x 1100 mm.	500
201	SPX Waukesha	SPX Waukesha Cherry-Burrel positive displacement pump, model: 134U1, serial number: 1000002777973, year of construction: 06/19/12, dimensions: 1500 mm x 800 mm x 1100 mm.	500
202	Pals	Pals labelling machine, model: FL 50150 HSL, serial number: HSL 072, year of construction: 2006, dimensions: 1500 mm x 800 mm x 1950 mm. Incomplete.	1250
203	NN roller conveyor	S/s roller conveyor, s/s rollers, roller width: 700 mm, total dimensions: 1500 mm x 800 mm x 930 mm.	250
204	NN table	S/s table, dimensions: 1210 mm x 1210 mm x 900 mm.	100
205	Endoline		400

Nr	Title	Description	Start €
		Endoline mobile box closing machine with infeed belt, model: 706, serial number: 171181433-6, year of construction: 2017, 230 V, 1 Ph, 50 Hz, belt width: 160 mm, tape width: 50 mm, total dimensions: 2020 mm x 800 mm x 1570 mm.	
206	Endoline	Endoline mobile box closing machine with infeed belt, model: 101, serial number: 171181433-3, year of construction: 2017, pneumatics: 5.5 bar, belt width: 150 mm, total dimensions: 1600 mm x 630 mm x 1500 mm. Missing taper.	400
207	Loveshaw	Loveshaw mobile box closing machine, model: LD3SB/CE/V-2, serial number: 313034SBX, year of construction: 06-11-13, 230 V, 3 Ph, 50 Hz, machine weight: 130 kg, belt width: 85 mm, total dimensions: 1260 mm x 1050 mm x 1700 mm.	250
208	Videojet	Videojet inkjet printer, type: 1560, serial number: 17285001C46ZH, 200-240 V, 1 Ph, 50/60 Hz, 3 A, 120 W, total dimensions: 800 mm x 850 mm x 1660 mm.	250
209	Locosc Ningbo Precision Technology Corp	Locosc Ningbo Precision Technology Corp weighing scale, type: LP7510B, serial number: 4203084600016, scale dimensions: 500 mm x 400 mm, total dimensions: 630 mm x 400 mm x 850 mm.	25
210	NN weighing scale	Weighing scale, scale dimensions: 500 mm x 400 mm, total dimensions: 630 mm x 400 mm x 780 mm.	25
211	Syspal	Syspal turning table, type: 516006072, serial number: 321170, year of construction: 2010, table dimensions: Ø 1200 mm, total dimensions: Ø 1430 mm x 880 mm	150
212	NN table	S/s table, dimensions: 920 mm x 920 mm x 920 mm.	100
213	Toshiba TEC Corporation	Toshiba TEC Corporation label printer, type: B-SX4T-GS20-QM-R, serial number: 2607P500819, 100-240 V, 50/60 Hz, 2.5-1.1 A, dimensions: 300 mm x 500 mm x 320 mm.	75
214	NN weighing scale	Weighing scale, serial number: 1303804, 12 V, max weight: 30 kg, scale dimensions: 300 mm x 300 mm, total dimensions: 300 mm x 430 mm x 420 mm.	25
215	NN bag sealing machine	Mobile continuous plastic bag sealing machine, type: FRM-1100BL, serial number: L 22041, year of construction: 08/2022, 220 V, 50 Hz, 1.08 kW, sealing speed: 0-16 m/min, sealing thickness: 0.04-0.4 mm, conveyor lifting: 100-600 mm, maximum weight: 5 kg/bag, seal length: (2x) 140 mm, plastic belt, belt width: 185 mm, total dimensions: 1300 mm x 530 mm x 1500 mm.	500
216	Codeology ltd.	Codeology ltd. labeller, plastic belt, belt width: 430 mm, total dimensions: 1460 mm x 900 mm x 1320 mm.	400
217	Maverick Automation	Maverick Automation double denester, model: twin denester 1050 A, serial number: 2021-977, year of construction: 11-2021, tray dimensions: 160 mm x 150 mm, total dimensions: 1370 mm x 1150 mm x 1640 mm.	400
218	Anritsu	Anritsu metal detector with checkweigher, serial number: K 099009, year of construction: 1999, weighing range: 50-3000 gram, maximum speed: 180 pcs/min, 100-120/200-240/480	400

Nr	Title	Description	Start €
		V, 1 Ph, 50/60 Hz, clearance: 140 mm x 300 mm, total dimensions: 1000 mm x 800 mm x 1750 mm. Incomplete.	
219	PCL/Fortress	PCL checkweigher and metal detector system with 2 rejectors, Fortress metal detector, model: PHANTOM, serial number: ER 3178, clearance: 350 mm x 150 mm, total dimensions: 2340 mm x 1100 mm x 1750 mm. Incomplete, missing belt.	400
220	SPP Pumps	SPP Pumps centrifugal pumps, serial number: 1501803/1, year of construction: 2015, weight: 710 kg, dimensions: 1600 mm x 930 mm x 820 mm.	400
221	Marco	Marco transport belt with DataLogic scanner, model: Touchscreen DataMaster, serial number: 0611889, 100-240 V, s/s frame, plastic belt, belt width: 210 mm, total dimensions: 2150 mm x 840 mm x 1720 mm.	250
222	Busch	Busch vacuum pump, type: RA 0160 D 5Z1 VRXX, serial number: C1142000039, year of construction: 2011, capacity: 160 m³, dimensions: 850 mm x 450 mm x 420 mm.	400
223	Busch	Busch vacuum pump, type: WV 1000 C 001 ZZAA, serial number: C1217000059, year of construction: 2012, capacity: 1000 m³, dimensions: 850 mm x 450 mm x 420 mm.	750
224	Busch	Busch vacuum pump, type: RA 0400 B 46I DUB1, number: C0224000307, capacity: 400 m³/h, dimensions: 1320 mm x 850 mm x 1020 mm.	750
225	NPE	NPE bandsaw, dimensions table: 1150 mm x 760 mm, total dimensions: 1180 mm x 1180 mm x 1840 mm. Missing saw blade.	400
226	SF Engineering	SF Engineering labelling machine, serial number: SF 444614.659, year of construction: 2014, plastic belt, belt width: 370 mm, with domino label printer, type: M-series plus-T100-Left-160-11, total dimensions: 1100 mm x 1150 mm x 1950 mm.	500
227	Leonhardt	Leonhardt mobile s/s depositor, type: TGS 2 H, number: 0140.1249.1, year of construction: 2012, clearance pipes: (3x) 30 mm, total dimensions: 1730 mm x 730 mm x 1560 mm. Incomplete, missing transport belt and outfeed pipe.	1250
228	Multiforce	Multiforce mobile tub, number: 1586, year of construction: 2004, inside dimensions: Ø 960 mm x 800 mm, total dimensions: 1150 mm x 1150 mm x 1500 mm.	500
229	Gei Turbo	Gei Turbo depositor, type: D100P, serial number: D100P4907475, dimensions: 1100 mm x 600 mm x 1600 mm.	350
230	Loma Systems	Loma Systems pipeline metal detector with rejector, serial number: EPL080238-07615D, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 1.2 A, diameter pipe: 45 mm, total dimensions: 850 mm x 750 mm x 1550 mm.	500
231	PCL	PCL checkweigher with rejector, model: C2010, serial number: 7388B, year of construction: 23/09/2014, 240 V, 1 Ph, 10 A, maximum load: 15 kg, plastic belt, belt width: 200 mm, total dimensions: 1480 mm x 1000 mm x 1550 mm.	500

Nr	Title	Description	Start €
232	Supervac	Supervac drying tunnel, type: BL 15, serial number: 20 11085, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 23 A, 11.5 kW, plastic mesh belt, belt width: 830 mm, s/s mesh belt, belt width: 860 mm, clearance: 920 mm x 250 mm, total dimensions: 1720 mm x 1200 mm x 1390 mm.	750
233	Turbo Systems LTD.	Turbo Systems LTD. mobile dosing machine, type: VOLUMETRIC DOSER, machine number: AV1807029, year of construction: 2018, infeed clearance: 350 mm x 390 mm, vibrating gutter length: 520 mm, vibrating gutter width: 145 mm, outfeed pipe: Ø 105 mm, total dimensions: 1050 mm x 960 mm x 2310 mm. Including extra dosing head, diameter outfeed pipe: Ø 80 mm.	500
234	NN bowl mixer	S/s bowl mixer, inside dimensions: Ø 850 mm x 500 mm, total dimensions: 1950 mm x 1700 mm x 1700 mm.	750
235	NN curve conveyor	Mobile 45° curve conveyor, s/s mesh belt, belt width: 400 mm, total dimensions: 1700 mm, 1050 mm, 1940 mm.	300
236	Turbo Systems Ltd	Turbo Systems Ltd mobile depositor with infeed hopper, machine number: ED92064406157, dimensions: 1400 mm x 1000 mm x 1550 mm.	400
237	Steck	Steck mobile depositor, diameter outfeed: 350 mm, total dimensions: 1500 mm x 700 mm x 1300 mm.	400
238	Busch	Busch vacuum pump, type: RA 0630 B 4Z1 EECJ, serial number: C1035000711, year of construction: 2010, capacity: 630 m³/h, dimensions: 1700 mm x 850 mm x 950 mm.	750
239	NN batter mixer	Mobile batter mixer, diameter tank: 930 mm, total dimensions: 1200 mm x 1300 mm x 1300 mm.	500
240	Loma Systems	Loma Systems checkweigher with metal detector and double rejector, model: IQ 3, serial number: MD301EU-07764D, year of construction: 02-05-2008, plastic belt, belt width: 150 mm, clearance: 250 mm x 115 mm, total dimensions: 1940 mm x 950 mm x 1680 mm. Missing one belt.	500
241	G.WEBB Automation LTD	G.WEBB Automation LTD filling machine, Ø output: 27 mm, total dimensions: 650 mm x 500 mm x 2300 mm.	500
242	Purex	Purex fume extractor, Model: 9000 - 1500i VOLUME, serial number: 038920, year of construction: 27-08-2021, 230V, 50/60Hz, 2.95 kW, dimensions: 1150 mm x 710 mm x 2170 mm.	400
243	Boxer Lab Equipment Ltd.	Boxer Lab Equipment Ltd. autoclave, type: 300-75LR, serial number: K1318-1009, 240 V, 50 Hz, volume: 75 liter, dimensions: 540 mm x 900 mm x 1070 mm.	250
244	Prevost	Prevost air hose reel, type: DRF 0812N, serial number: 2073, year of construction: 2023, dimensions: 300 mm x 350 mm x 100 mm.	50
245	Prevost	Prevost air hose reel, type: DRF 0812N, serial number: 2094, year of construction: 2024, dimensions: 300 mm x 350 mm x 100 mm.	50
246	Retracta	Retracta air hose reel, dimensions: 500 mm x 250 mm x 500 mm.	75

Nr	Title	Description	Start €
247	Robopack	Robopack pallet wrapper, model: ECOPLAT PPS, serial number: 30129551, year of construction: 2014, 200-230 V, 1 Ph, 50/60 Hz, 1.6 A, 0,4 kW, weight: 350 kg, working width: 1650 mm, total dimensions: 1650 mm x 2700 mm x 350 mm.	500
248	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD hamburger forming machine on s/s trolley, plastic belt, belt width: 150 mm, diameter form: 100 mm, total dimensions: 1400 mm x 1000 mm x 1840 mm.	400
249	NN floor weighing scale	Floor weighing scale, model: BX24-W, serial number: X700618354, 100-240 V, 50-60 Hz, scale dimensions: 1250 mm x 1250 mm, total dimensions: 1250 mm x 1250 mm x 500 mm.	100
250	CFS Bakel B.V.	CFS Bakel B.V. mobile deglazer, type: STD 2000/600, machine number: 887, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 0.8 A, 0.18 kW, weight: 275 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 1600 mm x 900 mm x 1530 mm.	1000
251	Koppens B.V.	Koppens B.V. mobile forming machine, type: VM 600 HS, serial number: 336/1, 380 V, 3 Ph, 50 Hz, 45 A, 22 kW, weight: 1750 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 2400 mm x 1200 mm x 2200 mm.	4000
252	NN vacuum machine	Mobile double chamber vacuum machine, seal length: (4x) 860 mm, chamber dimensions: 1000 mm x 1000 mm, total dimensions: 2040 mm x 1200 mm x 1530 mm.	500
253	Jugema	Jugema cooking chamber, inside dimensions: 2300 mm x 1480 mm x 1450 mm, total dimensions: 1650 mm x 2650 mm x 2400 mm.	1500
254	Packaging Automation Ltd	Packaging Automation Ltd rotary traysealer, type: 182/5, serial number: 1077182, 240 V, 50 Hz, total dimensions: 1450 mm x 1150 mm x 1700 mm. Missing dyes.	500
255	Schur Engineering a/s	Schur Engineering a/s bag sealer, type: 225 VR, serial number: 2089 P875, year of construction 1997, plastic belt, belt width: 200 mm, seal length: 280 mm, total dimensions: 4100 mm x 750 mm x 1650 mm.	250
256	Handtmann	Handtmann infeed belt, type: ZB311, serial number: 41633, year of construction: 2018, 420 V, 50/60 Hz, 5.1 A, 3.5 kW, total dimensions: 2850 mm x 700 mm x 1050 mm. Incomplete, technical condition unknown.	500
257	Poly-clip	Poly-clip mobile clipper, type: EZ 8045 P, dimensions: 620 mm x 770 mm x 1750 mm.	50
258	Redmond's	Redmond's cooking kettle, inside dimensions: 550 mm x 550 mm x 465 mm, total dimensions: 835 mm x 960 mm x 1030 mm.	1250
259	Handtmann	Handtmann mobile linking machine, type: 141-01, serial number: 156, 420 V, 50 Hz, 6.9 A, total dimensions: 1750 mm x 850 mm x 1360 mm. Including parts of linking attachments.	1500
260	Unikon	Unikon washer for 200 liter meat bins, type: BRW-1500, serial number: 1503125, 400 V, 3 Ph, 50 Hz, 40 A, weight: 600 kg,	1500

Nr	Title	Description	Start €
		clearance: 680 mm x 720 mm, total dimensions: 1700 mm x 1800 mm x 1780 mm.	
261	SüMann	SüMann cooking chamber, type: KK 12, 415 V, 6 kW, 4 floors, floor dimensions: 700 mm x 560 mm, total dimensions: 1100 mm x 840 mm x 1580 mm.	750
264	Bradman Lake / Yamato / BW Flexible Systems	Bradman Lake / Yamato / BW Flexible Systems packaging line, consisting of: Wiese Förderelemente elevating belt with infeed hopper, type: P 10, serial number: 215231 - 3975/2018, hopper infeed clearance: 800 mm x 800 mm x 450 mm, total dimensions: 4150 mm x 1000 mm x 4400 mm. S/s platform with stairs, dimensions: 4900 mm x 3100 mm x 3700 mm. Yamato multihead weigher, 14 heads, dimensions: 1250 mm x 1250 mm x 1750 mm. Ceia metal detector, type: THS/G21-150, serial number: 21800240003, year of construction: 2018. BW Flexible Systems vertical bag form-, fill- and seal machine, model: Verus 35 S, serial number: MCHSP03790, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, diameter pipe: Ø 115 mm, vertical seal length: 550 mm, horizontal seal width: 360 mm, total dimensions: 2350 mm x 1400 mm x 2150 mm. curved conveyor, plastic mesh belt, belt width: 240 mm, total dimensions: 3850 mm x 2500 mm x 1200 mm. Bradman Lake cascade loader, type: cascade loader, serial number: 6995-5-2016, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 11 kW, dimensions: 2600 mm x 3500 mm x 1580 mm. Bradman Lake end load cartoning machine, type: SL902XL, serial number: RF6371-5-2016, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 14 kW, dimensions: 5100 mm x 2250 mm x 2000 mm. Conveyor, plastic belt, belt width: 300 mm, total dimensions: 650 mm x 500 mm x 850 mm. Domino inkjet printer, model: DPX1000, serial number: 023153, year of construction: 08/02/2019, 230 V, 50/60 Hz, 1.2 kW, dimensions: 550 mm x 550 mm x 1300 mm. Outfeed belt, plastic belt, belt width: 200 mm, total dimensions: 4450 mm x 500 mm x 900 mm.	25000
265	Nowicki / Smarttech	Nowicki / Smarttech crate washer, type: MPU-600 P, serial number: 95517294, year of construction: 2017, 400 V, 3 Ph, 50 Hz, clearance: 830 mm x 750 mm, total dimensions: 5100 mm x 1500 mm x 2400 mm. Including filter tub, s/s heating cabinet and safety racks, dimensions filter tub: 1300 mm x 950 mm x 1160 mm, dimensions heating cabinet: 1020 mm x 450 mm x 1250 mm, dimensions safety rack: 1900 mm x 1400 mm x 1940 mm / 1850 mm x 1620 mm x 1970 mm.	1500
266	Nowicki / Smarttech	Nowicki / Smarttech crate washer, type: MPU-600 P, serial number: 95517292, year of construction: 2017, 400 V, 3 Ph, 50 Hz, clearance: 570 mm x 420 mm, total dimensions: 5600 mm x 1350 mm x 2350 mm. Including filter tub and s/s heating cabinet, dimensions filter tub: 1300 mm x 950 mm x	1500

Nr	Title	Description	Start €
		1160 mm, dimensions heating cabinet: 1020 mm x 450 mm x 1250 mm.	

General terms of the online auction

Article 1. Definitions
Delivery: the actual delivery of the lot to the buyer or to his authorized representative;
Bid: each by a user in the auction (for a lot) bid amount;
User: the one who has registered on the website;
User Agreement: the agreement between Industrial Auctions and the user;
Lot: an article, or a number of articles that are auctioned together (under one number);
Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;
Purchase Agreement: the purchase agreement between buyer and seller;
Buyer: the user to whom the lot is allocated;
Registration: registration of the user on the website by completing the registration form found on the website;
Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;
Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);
Auction: internet sales organized by Industrial Auctions of movable goods;
Seller: the person(s) a lot is being auctioned in whom/whose commission;
Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability
2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.
2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use
3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.
3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.
3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.
3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.
3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.
3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.
3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction
4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.
4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.
4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.
4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:
- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;

- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;
4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security
5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.
5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.
5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots
6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.
6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or aplied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation
7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annuled clause, as far as possible the scope of the invalid/annuled clause shall be respected.
7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.
7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.
7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions
8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.
8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:
- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement
9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.
9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.
9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.
9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).
9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.
9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.
9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.
9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.
9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities
10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial

Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.
10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.
10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.
10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer
11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.
11.2. The buyer is not entitled to any settlement or suspension.
11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.
11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.
11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days
12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery
13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions

can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.
13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.
13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).
13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.
13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination
14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.
14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.
14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability
15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herselve is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law

and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.
15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.
15.3 Industrial Auctions and the seller are not liable for:
- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;
15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.
15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law
16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.
16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.
16.3 In the event of a dispute, the competent court within the district of “Oost-Brabant” has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

Notes

CONTACT

info@industrial-auctions.com

+31 (0)40 240 9208

