

Industrial Auctions

2353: Online auction machinery and inventory for the meat processing industry due to bankruptcy Plataforma Cárnica in Barcelona (ES)

END DATE
19 November 2026 14:00

General terms and conditions of the online auction

End date	19 November 2026 from 14:00 hrs.
Viewing days	12 November 2026 from 09:00 till 13:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	02 December 2026 from 09:00 till 16:00 hrs.
Pick up address	Calle Ebro 42 08223 Terrassa (Barcelona) Spain
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.

Nr	Title	Description	Start €
1	Astech Food Machinery S.L.L.	Astech Food Machinery S.L.L. automatic bandsaw for cutting frozen and tempered bone-in or boneless products, model: SRA 1A, number: 012-17, year of construction: 07/2017, 400 V, 3 Ph, 50 Hz, 6/8 kW, 16 A, weight: 900 kg, maximum loading dimensions: 650 mm x 1000 mm, maximum cutting height: 300 mm, plastic mesh outfeed belt, belt width: 350 mm, total dimensions: 2500 mm x 2500 mm x 2000 mm.	7500
2	Mado	Mado bandsaw, type: MKB 654, number: 31954, year of construction: 2008, 230/400 V, 3 Ph, 50 Hz, 9.9/6.0 A, 2.2 kW, weight: 225 kg, table dimensions: 835 mm x 850 mm, total dimensions: 1000 mm x 1000 mm x 1850 mm. Without saw blade.	1000
3	Mado	Mado bandsaw, type: MKB 654, number: 30591, year of construction: 2007, 230/400 V, 3 Ph, 50 Hz, 9.9/6.0 A, 2.2 kW, weight: 225 kg, table dimensions: 835 mm x 850 mm, total dimensions: 1000 mm x 1000 mm x 1850 mm.	1000
4	Mado	Mado bandsaw, type: MKB 652, number: 9630636, 230/400 V, 3 Ph, 50 Hz, 6.2/3.7 A, 1.5 kW, table dimensions: 835 mm x 850 mm, total dimensions: 1000 mm x 1000 mm x 1850 mm. Without saw blade.	1000
5	Roser	Roser deboning table, 11 cutting tables, dimensions: 7500 mm x 3100 mm x 900 mm. Missing some plastic tops.	400
6	NN table	S/s table, dimensions: 2500 mm x 1300 mm x 1200 mm.	200
7	Ulma	Ulma packaging machine, model: SUPER CHIK 45, machine number: 2105501, year of construction: 2018, 400 V, 50 Hz, 8 A, 2.8 kW, infeed clearance: 250 mm x 200 mm, film width: 440 mm, plastic outfeed belt, belt width: 280 mm, plastic rollers, roller width: 380 mm, total dimensions: 3300 mm x 900 mm x 1600 mm.	2750
8	Bizerba	Bizerba weighing and labelling machine, model labeller: GLEmaxx Labeler, serial number: 11751175, 240 V, 50 Hz, 2.4 A, model weigher: GLM-Emaxx 50, serial number: 11751164, T= -0.4 max, 240 V, 50/60 Hz, 5.0 A, plastic belt, belt width: (2x) 135 mm, total dimensions: 1900 mm x 530 mm x 1700 mm.	2500
9	Tecnotrip	Tecnotrip mobile double chamber vacuum machine, type: EVD-16-2-G-CD-TS, serial number: EV003053, year of construction: 29-10-2001, chamber dimensions: (2x) 950 mm x 900 mm, seal length: (4x) 810 mm, Gardner Denver vacuum pump, type: V-VC 303 (20), capacity: 300 m^3 per hour, total dimensions: 2000 mm x 1100 mm x 1300 mm.	1000
10	NN table	S/s table, dimensions: 1000 mm x 700 mm x 830 mm.	75
11	NN table	S/s table, dimensions: 1500 mm x 600 mm x 800 mm.	75
12	Ohaus	Ohaus weighing scale, model: V22XWE15T, maximum weight: 15000 g, d= 2 g, dimensions: 250 mm x 300 mm x 130 mm.	25

Nr	Title	Description	Start €
13	NN table	S/s table, dimensions: 1900 mm x 900 mm x 750 mm.	75
14	NN deboning belt	Mobile deboning belt, plastic belt, belt width: 400 mm, total dimensions: 3050 mm x 1270 mm x 1000 mm. Missing 2 plastic tops.	300
15	Congost	Congost plastic waste container, dimensions: 550 mm x 500 mm x 700 mm.	5
16	Roser	Roser s/s sink, dimensions: 500 mm x 500 mm x 1300 mm, Papelmatic paper dispenser, dimensions: 250 mm x 200 mm x 350 mm.	40
17	NN hose reel	S/s hose reel with plastic hose, dimensions: 650 mm x 150 mm x 350 mm.	10
18	Roser	Roser s/s wall cabinet for knife disinfection, dimensions each basket: 300 mm x 40 mm x 350 mm, dimensions cabinet: 1030 mm x 350 mm x 1900 mm.	250
19	Jarvis	Jarvis electric reciprocating saw, dimensions: 950 mm x 200 mm x 200 mm.	350
20	Ulma/Anritsu	Ulma/Anritsu metal detector, model: KD1115AW, serial number: 4600057637, year of construction: 2008, plastic belt, belt width: 220 mm, clearance: 300 mm x 120 mm, total dimensions: 850 mm x 620 mm x 1400 mm.	750
21	Bizerba	Bizerba weighing scale with label printer, type load receptor: iL Economy 300F/SP Type2, serial number: 11746593, year of construction: 2020, model label printer: GLP-W maxx, serial number: 11746593, year of construction: 2020, 240 V, 50/60 Hz, 1.2 A, maximum weight: 15/30 kg, minimum weight: 100 g, e= 5/10 g, dimensions load receptor: 400 mm x 500 mm x 90 mm, dimensions label printer: 450 mm x 250 mm x 500 mm.	250
22	NN table	S/s table, dimensions: 950 mm x 700 mm x 740 mm.	75
23	NN bags	Plastic rack with various plastic bags, dimensions rack: 980 mm x 400 mm x 1600 mm.	25
24	NN trolleys	3 s/s trolleys, dimensions: (3x) 1300 mm x 500 mm x 1000 mm.	75
25	NN steps	S/s steps, dimensions: 650 mm x 500 mm x 600 mm.	25
26	NN overhead conveyor	Steel manual overhead conveyor, total length: approximately 40 meters.	250
27	NN plastic curtains	Plastic curtains, dimensions: 1960 mm x 2500 mm.	15
28	Infraca S.L.	Infraca S.L. isolated sliding door, dimensions door: 1600 mm x 120 mm x 2100 mm, rail length: 3500 mm.	250
29	NN plastic curtains	Plastic curtains, dimensions: 1500 mm x 2300 mm.	15
30	NN overhead conveyor	Steel manual overhead conveyor, total length: (6x) 6 meters.	150
31	ECO	ECO evaporator, 4 fans, dimensions: 2200 mm x 700 mm x 700 mm.	200
32	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	100
33	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	150
34	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	150

Nr	Title	Description	Start €
35	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	150
36	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	150
37	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	150
38	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	100
39	NN isolated door	Isolated sliding door, dimensions door: 2300 mm x 120 mm x 2600 mm, rail length: 4300 mm.	250
40	Jungheinrich	Jungheinrich reach truck, serial number: 91049344, capacity: 1200 kg, fork length: (2x) 1150 mm, total dimensions: 2300 mm x 1150 mm x 2700 mm. type battery: D400V G 48/70 B-SLT 100, serial number: 93466617, year of construction: 2008, battery capacity: 360-750 AH / 7.5/14 H, dimensions: 500 mm x 500 mm x 750 mm.	1000
41	NN evaporator	Evaporator, 2 fans, dimensions: 2000 mm x 1200 mm x 700 mm.	200
42	NN evaporator	Evaporator, 2 fans, dimensions: 2000 mm x 1200 mm x 700 mm.	200
43	NN evaporator	Evaporator, 2 fans, dimensions: 2000 mm x 1200 mm x 700 mm.	200
44	NN evaporator	Evaporator, 2 fans, dimensions: 2000 mm x 1200 mm x 700 mm.	200
45	NN evaporator	Evaporator, 2 fans, dimensions: 2000 mm x 1200 mm x 700 mm.	200
46	NN evaporator	Evaporator, 2 fans, dimensions: 2000 mm x 1200 mm x 700 mm.	200
47	NN crates	19 plastic crates, dimensions: (19x) 600 mm x 400 mm x 150 mm.	10
48	NN rack	Steel rack, dimensions: 10000 mm x 400 mm x 2500 mm.	100
49	Ulma	Ulma packaging machine, model: SUPER CHIK 45, machine number: 2105502, year of construction: 2018, 400 V, 50 Hz, 8 A, 2.8 kW, infeed clearance: 250 mm x 200 mm, film width: 440 mm, plastic outfeed belt, belt width: 280 mm, plastic rollers, roller width: 380 mm, total dimensions: 3300 mm x 900 mm x 1600 mm.	2750
50	Bizerba	Bizerba weighing and labelling machine, model: GV, serial number: 10251178, 230 V, 50 Hz, 1.7 A, plastic belt, belt width: (2x) 140 mm, total dimensions: 1100 mm x 800 mm x 1600 mm.	750
51	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 350 mm, total dimensions: 1370 mm x 440 mm x 850 mm.	50
52	Grasselli	Grasselli horizontal slicer, model: KSL, serial number: V13000/114, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 3 A, 1.5 kW, plastic belt, belt width: 380 mm, working width: 400 mm, distance between knives: 10 mm, total dimensions: 1500 mm x 1800 mm x 1300 mm.	4000
53	Ramon Riera	Ramon Riera deboning belt, model: RR5, serial number: 002, year of construction: 2006, s/s belt with cones, belt	1000

Nr	Title	Description	Start €
		width: 150 mm, distance between cones: 250 mm, total dimensions: 5500 mm x 1050 mm x 1600 mm.	
54	NN table	S/s table, dimensions: 1800 mm x 1200 mm x 900 mm.	200
55	NN table	S/s table, dimensions: 1500 mm x 600 mm x 850 mm.	100
56	NN table	S/s table, dimensions: 1800 mm x 1200 mm x 900 mm.	200
57	NN table	S/s table, dimensions: 1500 mm x 1200 mm x 870 mm.	200
58	NN table	S/s table, dimensions: 1000 mm x 600 mm x 720 mm.	90
59	Ulma	Ulma traysealer consisting of: Anritsu infeed belt, belt width: 500 mm, total dimensions: 750 mm x 900 mm x 1100 mm, Ulma traysealer, type: SCORPIUS 850, serial number: 7300093, year of construction: 2007, 380 V, 50 Hz, 32 A, 18 kW, film width: 470 mm, dimensions dye: (3x) 250 mm x 200 mm, plastic outfeed belt, belt width: 520 mm, total dimensions: 4200 mm x 1200 mm x 2000 mm, S/s tool trolley for dye sets, dimensions: 1400 mm x 550 mm x 600 mm, Gardner Denver vacuum pump, type: V-VC 303 OXY, capacity: 300/360 m^3 per hour, dimensions: 980 mm x 550 mm x 600 mm, Maper air dryer, dimensions: 570 mm x 600 mm x 1100 mm.	5000
60	Bizerba	Bizerba weighing and labelling machine, model: GV, serial number: 10378609, 230 V, 50 Hz, 1.7 A, plastic belt, belt width: (2x) 140 mm, total dimensions: 1100 mm x 800 mm x 1600 mm.	750
61	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 400 mm, total dimensions: 1000 mm x 460 mm x 930 mm.	50
62	Xuclà/Roser	Xuclà knife sterilizer, model: F610PC/01/06, number: 3025, year of construction: 2006, 400 V, 3 Ph, 50 Hz, dimensions: 1300 mm x 530 mm x 1000 mm, Roser s/s wall cabinet for knife disinfection, dimensions each basket: 300 mm x 40 mm x 350 mm, dimensions cabinet: 1030 mm x 350 mm x 1900 mm.	700
63	Kimberly-Clark	Kimberly-Clark paper dispenser, dimensions: 300 mm x 220 mm x 400 mm.	5
64	Papelmatic	Papelmatic paper dispenser, dimensions: 250 mm x 200 mm x 350 mm.	5
65	NN hose reel	S/s hose reel with plastic hose, dimensions: 650 mm x 150 mm x 350 mm.	10
66	Friga-Bohn	Friga-Bohn evaporator, model: NCP 3162/EP, serial number: 772360/01, 230/400 V, 3 Ph, 50 Hz, 4.4 A, dimensions: 2160 mm x 1000 mm x 800 mm.	200
67	NN aprons	S/s peg with 9 aprons, length peg: 1500 mm.	25
68	Infraca S.L.	Infraca S.L. isolated sliding door, dimensions door: 1900 mm x 110 mm x 2050 mm, rail length: 4000 mm.	250
69	ECO	ECO evaporator, model: CTE128-3, serial number: C9705014, year of construction: 06/97, 230 V, 1 Ph, 50 Hz, 3 fans, dimensions: 1700 mm x 550 mm x 500 mm.	200
70	Infraca S.L.		250

Nr	Title	Description	Start €
		Infraca S.L. isolated sliding door, dimensions door: 1500 mm x 110 mm x 2550 mm, rail length: 4000 mm.	
71	Sumal	Sumal 32 plastic rollies, dimensions: (32x) 800 mm x 700 mm x 200 mm.	100
72	NN rollies	4 plastic rollies, dimensions: (4x) 400 mm x 600 mm x 150 mm.	15
73	Bizerba	Bizerba weighing scale with label printer, type load receptor: iL Economy 300F/SP Type2, serial number: 12308984, year of construction: 2023, model label printer: GLP-W maxx, serial number: 12221340, year of construction: 2023, 240 V, 50/60 Hz, 1.2 A, maximum weight: 15/30 kg, minimum weight: 100 g, e= 5/10 g, dimensions load receptor: 400 mm x 500 mm x 90 mm, dimensions label printer: 450 mm x 250 mm x 500 mm, with computer screen.	250
74	NN table	S/s table, dimensions: 1500 mm x 700 mm x 800 mm.	100
75	NN table	S/s table, dimensions: 1500 mm x 600 mm x 770 mm.	100
76	Sacopisa	Sacopisa manual wrapper, type: PHW-460, film width: 460 mm, dimensions: 600 mm x 480 mm x 130 mm.	10
77	NN tubs	3 s/s tubs, dimensions: (3x) 1100 mm x 650 mm x 740 mm.	250
78	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	100
79	NN meat bins	5 s/s meat bins, volume: (5x) 200 liter.	250
80	NN meat bins	5 s/s meat bins, volume: (5x) 200 liter.	250
81	NN meat bins	5 s/s meat bins, volume: (5x) 200 liter.	250
82	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	100
83	Infraca S.L.	Infraca S.L. isolated sliding door, dimensions door: 1600 mm x 110 mm x 2250 mm, rail length: 3000 mm.	250
84	Infraca S.L.	Infraca S.L. isolated sliding door, dimensions door: 1250 mm x 90 mm x 1800 mm, rail length: 2000 mm.	250
85	NN overhead conveyor	Steel manual overhead conveyor, total length: (5x) 8 meters, with various hooks.	150
86	NN rollie	S/s rollie, dimensions: 2200 mm x 950 mm x 320 mm.	75
87	NN hose reel	S/s hose reel with plastic hose, dimensions: 650 mm x 150 mm x 350 mm.	10
88	Infraca S.L.	Infraca S.L. isolated sliding door, dimensions door: 1300 mm x 140 mm x 2280 mm, rail length: 3000 mm.	250
89	ECO	ECO evaporator, model: I CE025-10ED, serial number: I 200103124, year of construction: 14/03/2001, 400 V, 3 Ph, 50 Hz, 2 fans, dimensions: 2100 mm x 700 mm x 700 mm.	150
90	Infraca S.L.	Infraca S.L. isolated sliding door, dimensions door: 1600 mm x 110 mm x 2260 mm, rail length: 4000 mm.	250
91	NN trolley	S/s trolley, 4 floors, distance between floors: 380 mm, total dimensions: 1250 mm x 900 mm x 1920 mm.	75
92	NN trolley	S/s trolley, 2 floors, distance between floors: 750 mm, total dimensions: 1250 mm x 900 mm x 1840 mm.	75
93	NN trolley	S/s trolley, 2 floors, distance between floors: 800 mm, total dimensions: 1250 mm x 900 mm x 1900 mm.	75

Nr	Title	Description	Start €
94	NN trolleys	7 s/s trolleys, 2 floors each, distance between floors: 750 mm, total dimensions: (7x) 1250 mm x 900 mm x 1840 mm.	500
95	NN trolleys	2 s/s trolleys, dimensions: (2x) 1300 mm x 800 mm x 1800 mm.	100
96	NN trolley	S/s trolley, 3 floors, distance between floors: 530 mm, total dimensions: 1550 mm x 750 mm x 1900 mm.	75
97	NN trolley	S/s trolley, 3 floors, distance between floors: 540 mm, total dimensions: 1300 mm x 800 mm x 1850 mm.	75
98	NN trolley	S/s trolley, 3 floors, distance between floors: 500 mm, total dimensions: 1500 mm x 750 mm x 1850 mm.	75
99	NN trolleys	8 s/s trolleys, 3 floors each, distance between floors: 380 mm, total dimensions: (8x) 1500 mm x 700 mm x 1900 mm.	550
100	NN trolley	S/s trolley, 2 floors, distance between floors: 800 mm, total dimensions: 1500 mm x 700 mm x 1880 mm.	75
101	NN trolleys	4 s/s trolleys, (2x) 2 floors, distance between floors: 800 mm, (1x) 6 floors, distance between floors: 240 mm, (1x) 3 floors, distance between floors: 500 mm, total dimensions: (4x) 1500 mm x 750 mm x 1900 mm.	300
102	NN trolley	S/s trolley, 2 floors, distance between floors: 800 mm, total dimensions: 1250 mm x 950 mm x 1900 mm.	75
103	NN trolley	S/s trolley, 4 floors, distance between floors: 400 mm, total dimensions: 1250 mm x 950 mm x 1900 mm.	75
104	ECO	ECO evaporator, model: CTE354A6ED, serial number: AC201400278G, year of construction: 03/02/2014, 400 V, 3 Ph, 50 Hz, 4 fans, dimensions: 2500 mm x 600 mm x 600 mm.	200
105	ECO	ECO evaporator, model: CTE354A6ED, serial number: AC201201847G, year of construction: 12/03/2012, 400 V, 3 Ph, 50 Hz, 4 fans, dimensions: 2500 mm x 600 mm x 600 mm.	200
106	Roser	Roser knife sterilizer, dimensions: 1300 mm x 470 mm x 1100 mm.	350
107	Xuclà	Xuclà knife sterilizer, model: F610PC/01/06, number: 3468, year of construction: 2007, 400 V, 3 Ph, 50 Hz, dimensions: 1350 mm x 850 mm x 1050 mm.	350
108	NN knife sterilizer	S/s wall cabinet for knife disinfection, dimensions each basket: 300 mm x 40 mm x 350 mm, dimensions cabinet: 1900 mm x 350 mm x 800 mm.	250
109	Grasselli	Grasselli slicer, type: NSL400, serial number: W25006/530, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 4 A, 8.2 kW, working width: 400 mm, distance between knives: 8 mm, total dimensions: 1300 mm x 1000 mm x 1500 mm.	3000
110	NN deboning belt	Deboning belt, plastic belt, belt width: 400 mm and 330 mm, total dimensions: 2950 mm x 1250 mm x 1400 mm.	400
111			200

Nr	Title	Description	Start €
	NN de-elevating belt	De-elevating belt, plastic belt, belt width: 300 mm, total dimensions: 2000 mm x 700 mm x 1400 mm.	
112	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: Evo384VG, serial number: A/11/A-00300, year of construction: 08/2011, 400 V, 3 Ph, 50 Hz, plastic infeed belt, belt width: 300 mm, film width: 340 mm, dimensions dye: (4x) 220 mm x 170 mm, string outfeed belt, belt width: 300 mm, total dimensions: 5000 mm x 940 mm x 2150 mm, s/s tool trolley for dye sets, dimensions: 1600 mm x 700 mm x 1500 mm, Gardner Denver vacuum pump, type: V-VC 303, capacity: 300 m^3 per hour, dimensions: 900 mm x 600 mm x 800 mm.	5500
113	Bizerba	Bizerba weighing and labelling machine, model: GLM-E, serial number: 10700899, T= -0.4 max, 240 V, 50/60 Hz, 5.0 A, plastic belt, belt width: (2x) 140 mm, total dimensions: 2000 mm x 800 mm x 1700 mm.	2500
114	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 400 mm, total dimensions: 1020 mm x 480 mm x 850 mm.	50
115	NN peg	S/s wall mounted peg, length: 1500 mm.	15
116	Papelmatic	Papelmatic paper dispenser, dimensions: 250 mm x 200 mm x 350 mm.	5
117	NN table	S/s table with computer and phone, dimensions table: 1200 mm x 700 mm x 850 mm.	100
118	Congost	Congost plastic waste container, dimensions: 550 mm x 500 mm x 700 mm.	5
119	NN table	S/s table, dimensions: 1200 mm x 700 mm x 950 mm.	100
120	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Puma CE 1100 F, machine number: 193108.61773.5602, year of construction: 2004, 400/230 V, 50 Hz, 7.8/16 A, 3.4 kW, weight: 305 kg, dimensions: 2600 mm x 900 mm x 1600 mm.	2000
121	Becker	Becker vacuum pump, type: U5.301/2 02-PACK, number: 3548068, year of construction: 2021, capacity: 300/360 m^3 per hour, dimensions: 950 mm x 550 mm x 330 mm.	600
122	NN evaporator	Evaporator, 4 fans, dimensions: 2200 mm x 800 mm x 400 mm.	75
123	NN evaporator	Evaporator, 4 fans, dimensions: 2200 mm x 800 mm x 400 mm.	75
124	SIA	SIA grinder with lifter for 200 liter meat bins, type lifter: ELEVADOR, model: ELE-300 FD, fabrication number: 07111254, year of construction: 2011, 380 V, 3 Ph, 50 Hz, 3.5 A, 1.5 kW, type grinder: PICADORA, model: PIC-160, fabrication number: 171151, year of construction: 2011, 380 V, 3 Ph, 50 Hz, 56 A, 30 kW, dimensions lifter: 1150 mm x 700 mm x 2750 mm, dimensions grinder: 1400 mm x 1300 mm x 1750 mm.	3500
125	SIA	SIA vacuum mixer with lifter for 200 liter meat bins, type lifter: ELEVADOR, model: ELE-300 FD, fabrication number: 11161291, year of construction: 2016, 380 V, 3 Ph, 50 Hz,	3500

Nr	Title	Description	Start €
		3.5 A, 1.5 kW, type mixer: AM 802 A, serial number: 0797232, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 25 A, 12 kW, Busch vacuum pump, type: RA 0063 F 403, capacity: 63 m^3 per hour, dimensions lifter: 1200 mm x 650 mm x 2800 mm, dimensions mixer: 2300 mm x 1600 mm x 2700 mm (lid open).	
126	NN table	S/s table, dimensions: 1500 mm x 1000 mm x 1850 mm.	100
127	NN table	S/s table, dimensions: 2500 mm x 600 mm x 830 mm.	100
128	Dordal	Dordal transport belt, model: TBT, serial number: 787, year of construction: 2012, plastic belt, belt width: 250 mm, total dimensions: 2000 mm x 700 mm x 900 mm.	75
129	Medoc S.A.	Medoc S.A. bandsaw, model: STL 390 CE, number: 878.498, year of construction: 2013, dimensions: 950 mm x 850 mm x 1800 mm.	1000
130	Lorenzo Barroso	Lorenzo Barroso mobile automatic double clipper, model: K460 H2700, number: 199, year of construction: 2017, 230 V, 50 Hz, 0.1 A, 0.024 kW, dimensions: 1050 mm x 800 mm x 1700 mm. Including box with clips.	2500
131	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile forming machine, type: Ball Control, model: 237, number: 2370012, year of construction: 2012, 220-240 V, 3 Ph, 50/60 Hz, 6 A. 1.2 kW, diameter output: 60 mm, total dimensions: 770 mm x 700 mm x 1500 mm.	950
132	Holac Maschinenbau GmbH	Holac Maschinenbau GmbH mobile dicer, type: Cubixx 100 L , serial number: 003-48-179, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 9 A, 3.3 kW, chamber dimensions: 100 mm x 100 mm x 400 mm, total dimensions: 1250 mm x 650 mm x 1100 mm.	3000
133	Henri Biaugeaud	Henri Biaugeaud can opener, type: GES Acier 380 V TRI, number: 3365, year of construction: 2005, dimensions: 330 mm x 450 mm x 900 mm.	30
134	Zermat	Zermat automatic casing loading device, dimensions: 400 mm x 250 mm x 450 mm.	50
135	Lorenzo Barroso	Lorenzo Barroso table model clipper, type: MULTICARGA, machine number: 1073, dimensions: 300 mm x 200 mm x 850 mm. Including box with clips.	75
136	NN table	S/s mobile table, dimensions: 2450 mm x 1400 mm x 800 mm.	100
137	NN hose reel	S/s hose reel with plastic hose and spray pistol, dimensions: 650 mm x 150 mm x 350 mm.	20
138	NN hose reel	S/s hose reel with plastic hose, dimensions: 650 mm x 150 mm x 350 mm.	15
139	Roser	Roser s/s sink, dimensions: 500 mm x 500 mm x 1300 mm, Papelmatic paper dispenser, dimensions: 250 mm x 200 mm x 350 mm.	40
140	NN hose reel	S/s hose reel with plastic hose, dimensions: 650 mm x 150 mm x 350 mm.	15

Nr	Title	Description	Start €
141	TecniPés'89 S.L.	TecniPés'89 S.L. s/s floor weighing scale with indicator, dimensions scale: 1250 mm x 1500 mm, dimensions indicator: 250 mm x 150 mm x 150 mm.	200
142	Congost	Congost plastic waste container, dimensions: 550 mm x 500 mm x 700 mm.	5
143	NN table	S/s mobile table, dimensions: 2900 mm x 1400 mm x 830 mm.	100
144	NN table with computer	S/s mobile table with computer, dimensions table: 1000 mm x 500 mm x 1000 mm.	75
145	Xuclà	Xuclà s/s wall cabinet for knife disinfection, dimensions each basket: 300 mm x 40 mm x 350 mm, dimensions cabinet: 1200 mm x 500 mm x 970 mm.	250
146	NN knife sterilizer	S/s knife sterilizer, dimensions: 300 mm x 100 mm x 400 mm.	25
147	Congost	Congost plastic waste container, dimensions: 550 mm x 500 mm x 700 mm.	5
148	NN hose reel	S/s hose reel with plastic hose, dimensions: 650 mm x 150 mm x 350 mm.	15
149	Kimberly-Clark	2 Kimberly-Clark paper dispensers, dimensions: (2x) 300 mm x 220 mm x 440 mm.	10
150	NN isolated door	Isolated sliding, dimensions door: 1550 mm x 120 mm x 1900 mm, rail length: 4000 mm.	250
151	NN plastic curtains	Plastic curtains, dimensions: 1950 mm x 2100 mm.	15
152	ECO	ECO evaporator, model: CTE354E6ED, serial number: AC200716246, year of construction: 31/10/2007, 400 V, 3 Ph, 50-60 Hz, 4 fans, dimensions: 2500 mm x 500 mm x 500 mm.	200
153	Bizerba	Bizerba weighing scale with label printer, type load receptor: iL Economy 300F/SP Type2, serial number: 12008355, year of construction: 2021, model label printer: GLP-W maxx, serial number: 12009971, year of construction: 2020, 240 V, 50/60 Hz, 1.2 A, maximum weight: 15/30 kg, minimum weight: 100 g, e= 5/10 g, dimensions load receptor: 400 mm x 500 mm x 90 mm, dimensions label printer: 450 mm x 250 mm x 500 mm.	250
154	NN table	S/s table, dimensions: 1500 mm x 600 mm x 900 mm.	100
155	NN door	Plastic swing door, dimensions: 1200 mm x 50 mm x 2050 mm.	25
156	Tecnivap	Tecnivap cooking kettle, inside dimensions: 2000 mm x 800 mm x 600 mm, total dimensions: 2250 mm x 1100 mm x 1150 mm, s/s basket, dimensions: 2000 mm x 800 mm x 630 mm, control cabinet, dimensions: 330 mm x 200 mm x 450 mm.	400
157	Tecnivap	Tecnivap cooking kettle, inside dimensions: 1150 mm x 700 mm x 600 mm, total dimensions: 1500 mm x 1000 mm x 1000 mm, 2 s/s baskets, dimensions: (2x) 1150 mm x 650	400

Nr	Title	Description	Start €
		mm x 550 mm, control cabinet, dimensions: 330 mm x 200 mm x 450 mm.	
158	Tecnivap	Tecnivap cooking kettle, inside dimensions: 2000 mm x 800 mm x 600 mm, total dimensions: 2250 mm x 1100 mm x 1150 mm, s/s basket, dimensions: 2000 mm x 800 mm x 630 mm, control cabinet, dimensions: 330 mm x 200 mm x 450 mm.	400
159	NN tub	S/s tub, inside dimensions: 2250 mm x 1050 mm x 920 mm, total dimensions: 2350 mm x 1150 mm x 1060 mm.	300
160	NN hoist	Hoist, capacity: 1000 kg, dimensions: 500 mm x 600 mm x 500 mm.	100
161	NN aprons	15 aprons.	20
162	Roser	Roser s/s sink, dimensions: 500 mm x 500 mm x 1300 mm.	40
163	NN hose reel	S/s hose reel, dimensions: 650 mm x 150 mm x 350 mm.	15
164	NN isolated door	Isolated sliding door, dimensions door: 1550 mm x 110 mm x 2180 mm, rail length: 3000 mm.	250
165	NN plastic curtains	Plastic curtains, dimensions: 1500 mm x 2200 mm.	15
166	NN meat bin	S/s meat bin, volume: 200 liter.	50
167	Friga-Bohn	Friga-Bohn evaporator, model: NCP 2393, serial number: 961290/02, 230 V, 1 Ph, 50 Hz, dimensions: 2000 mm x 1100 mm x 700 mm. Including air socks, length: 17 meters.	250
168	Friga-Bohn	Friga-Bohn evaporator, model: NCP 2393, serial number: 961290/01, 230 V, 1 Ph, 50 Hz, dimensions: 2000 mm x 1100 mm x 700 mm. Including air socks, length: 17 meters.	250
169	TecniPés'89 S.L.	TecniPés'89 S.L. s/s floor weighing scale with indicator, dimensions scale: 1500 mm x 1500 mm, dimensions indicator: 250 mm x 150 mm x 150 mm.	250
170	NN table	S/s mobile table, dimensions: 2900 mm x 1400 mm x 900 mm.	200
171	NN table	S/s mobile table, dimensions: 1800 mm x 800 mm x 800 mm.	100
172	NN table	S/s table, dimensions: 1960 mm x 950 mm x 830 mm.	100
173	NN roller conveyor	Roller conveyor, s/s rollers, roller width: 350 mm, total dimensions: 1200 mm x 500 mm x 900 mm.	50
174	Dordalpack	Dordalpack mobile packaging machine, model: 0120.3UCST, serial number: 167, year of construction: 2012, plastic string belt, belt width: 160 mm, plastic belt, belt width: 90 mm, total dimensions: 2600 mm x 1200 mm x 1950 mm.	750
175	Cato	Cato sausage peeler, type: PTF, serial number: 460, year of construction: 2017, 380 V, 50 Hz, 3.5 kW, dimensions: 1400 mm x 600 mm x 1300 mm.	3000
176	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile linking machine, model: LPG 202, serial number: 2020372, year of construction: 2008, 5/16 A, dimensions: 1300 mm x 600 mm x 1200 mm.	950
177	NN table		200

Nr	Title	Description	Start €
		Mobile s/s table, dimensions: 2800 mm x 1100 mm x 800 mm.	
178	NN frame	S/s frame, dimensions: 400 mm x 500 mm x 650 mm.	50
179	NN table	Mobile s/s table, dimensions: 2900 mm x 1100 mm x 860 mm.	200
180	Ulma	Ulma traysealer, model: SCORPIUS 600, machine number: 7500163, year of construction: 2008, 380 V, 50 Hz, 22 A, 10 kW, plastic infeed belt belt width: 300 mm / (2x) 150 mm, dimensions dye: (3x) 210 mm x 130 mm, plastic outfeed belt, belt width: 300 mm, total dimensions: 3700 mm x 1100 mm x 2050 mm, Gardner Denver vacuum pump, type: V-VC 303 OXY (40), capacity: 300/360 m³ per hour, dimensions: 900 mm x 750 mm x 800 mm.	5000
181	Ceia	Ceia metal detector with rejector, model: THS, serial number: 20900237030, plastic belt, belt width: 200 mm, dimensions clearance: 350 mm x 150 mm, total dimensions: 1600 mm x 1200 mm x 1600 mm.	1000
182	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 400 mm, total dimensions: 1000 mm x 450 mm x 950 mm.	50
183	Alabart Food Machinery	Alabart Food Machinery mobile deboning belt, plastic belt, belt width: 400 mm and 300 mm, total dimensions: 3000 mm x 1000 mm x 1500 mm.	750
184	NN de-elevating belt	Mobile de-elevating belt, plastic belt, belt width: 300 mm, total dimensions: 1800 mm x 450 mm x 1400 mm.	200
185	Ulma	Ulma traysealer, model: SCORPIUS 400, serial number: 7500139, year of construction: 2008, 380 V, 50 Hz, 22 A, 10 kW, plastic infeed belt, belt width: 300 mm, film width: 350 mm, dimensions dye: (2x) 170 mm x 230 mm, total dimensions: 3700 mm x 1050 mm x 2000 mm, Busch vacuum pump, type: RA 0160 DX MCAI, capacity: 160 m³ per hour, 2 s/s tool trolley and frame for dye sets, dimensions additional dye: 270 mm x 230 mm, total dimensions trolley: 950 mm x 800 mm x 1300 mm, total dimensions frame: 1800 mm x 500 mm x 1250 mm.	5000
186	Bizerba	Bizerba weighing and labelling machine, model labeller: GLE, serial number: 11230438, 230/240 V, 50 Hz, 2.4 A, model weigher: GLM-Emaxx, serial number: 11230425, T= -0.4 max, 240 V, 50/60 Hz, 5.0 A, plastic belt, belt width: (2x) 135 mm, total dimensions: 1900 mm x 530 mm x 1700 mm.	1900
187	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 410 mm, total dimensions: 1050 mm x 500 mm x 830 mm.	50
188	Juan Alabart	Juan Alabart mobile coating machine, type: NP250, number: 100440, year of construction: 2004, 380 V, 50 Hz, s/s mesh belt, belt width: 250 mm / 370 mm, total dimensions: 1900 mm x 700 mm x 1800 mm.	1500
189		Vemag Maschinenbau GmbH mobile sausage cutter, type: TM 203, serial number: 2030270, year of construction:	1750

Nr	Title	Description	Start €
	Vemag Maschinenbau GmbH	2008, 16 A, 5 kW, dimensions: 700 mm x 600 mm x 1600 mm. Incomplete, without belts.	
190	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile sausage cutter, type: TM 203, serial number: 202084, year of construction: 2016, 16 A, 5 kW, weight: 225 kg, dimensions: 700 mm x 600 mm x 1600 mm.	3000
191	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile high-speed length portioning machine with casing applier, type: LPG208 Servo, serial number: 2080561, year of construction: 2016, 400-460 V, 50/60 Hz, 4.5 kW, weight: 517 kg, type casing applier: DA804, year of construction: 2016, dimensions: 1750 mm x 800 mm x 1350 mm. Including meat bin with parts.	5500
192	Roser	Roser s/s sink, dimensions: 500 mm x 500 mm x 1300 mm, paper dispenser, dimensions: 250 mm x 200 mm x 350 mm.	40
193	NN hose reel	S/s hose reel with plastic hose, dimensions: 650 mm x 150 mm x 350 mm.	15
194	Intarcon	Intarcon evaporator, 2 fans, dimensions: 1900 mm x 500 mm x 600 mm. Including air socks, length: 13 meters.	250
195	NN rack with packaging material	S/s rack with various packaging material, dimensions rack: 3500 mm x 400 mm x 1200 mm.	100
196	NN table with computer	S/s table with computer, dimensions: 1000 mm x 500 mm x 1550 mm.	100
197	Intarcon	Intarcon evaporator, year of construction: 2016, 2 fans, dimensions: 1900 mm x 500 mm x 600 mm. Including air socks, length: 13 meters.	250
198	Roser	Roser s/s sink, dimensions: 500 mm x 500 mm x 1300 mm, paper dispenser, dimensions: 250 mm x 200 mm x 350 mm.	40
199	NN electric shutter door	Electric shutter door, door clearance: 1800 mm x 2300 mm, total dimensions: 2050 mm x 2700 mm.	200
200	NN electric shutter door	Electric shutter door, door clearance: 1800 mm x 2300 mm, total dimensions: 2050 mm x 2700 mm.	200
201	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH slicer, type: CCS 302-UB, number: 358, year of construction: 10/2005, 400 V, 50 Hz, 7 kW, 6 bar, dimensions: 2150 mm x 900 mm x 2100 mm. Incomplete, missing outfeed belt and cover. 2 knives included.	3900
202	Ulma	Ulma thermoformer, model: TF-MINI, machine number: 3020587, year of construction: 2006, 380 V, 50 Hz, 11 A, 5 kW, film width: 360 mm, dimensions dye: (2x) 230 mm x 150 mm, plastic outfeed belt, belt width: 300 mm, Busch vacuum pump, type: RA 0100 E 501, capacity: 100m³ per hour, total dimensions: 4500 mm x 800 mm x 1600 mm, with Hitema air cooled liquid chiller, model: ENR 003/PH-SP, serial number: C04BC160, year of construction:	1750

Nr	Title	Description	Start €
		04/2016, 230 V, 1 Ph, 50 Hz, refrigerant: R410A, dimensions: 650 mm x 600 mm x 1450 mm.	
203	Bizerba	Bizerba mobile weighing and labelling machine, model: GV, number: 10178634, year of construction: 2005, 230 V, 50 Hz, 1.7 A, plastic belt, belt width: (2x) 140 mm, total dimensions: 2000 mm x 650 mm x 1400 mm.	750
204	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH slicer, type: CCS 305, number: CCS03051-10122, year of construction: 2016, 400 V, 50 Hz, 5 kW, 6 bar, weight: 1010 kg, plastic outfeed belt, belt width: 320 mm, total dimensions: 3500 mm x 800 mm x 2100 mm. 3 knives included.	7000
205	Intarcon	Intarcon evaporator, type: MKH-NH-1245A, serial number: 160505A005, year of construction: 2016, 400 V, # Ph, 50 Hz, 2 fans, dimensions: 1900 mm x 500 mm x 600 mm. Including air socks, length: 7 meters.	250
206	NN crates	Approximately 200 plastic crates, dimensions crates: 600 mm x 400 mm x 130 mm and 700 mm x 400 mm x 180 mm.	200
207	Mainca	Mainca grinder, type: PT-98L, number: 1072, 220/380 V, 50 Hz, 8.7/5 A, 2.21 kW, dimensions: 750 mm x 450 mm x 1000 mm. Incomplete.	100
208	Rothstein	Rothstein mobile transport belt, type: R080-1265x200, serial number: 06-102777-01.01, 230 V, 50 Hz, 0.07 kW, plastic belt, belt width: 180 mm, total dimensions: 500 mm x 300 mm x 930 mm.	75
209	Ferroflex	Ferroflex electric shutter door, door clearance: 1800 mm x 2300 mm, total dimensions: 2050 mm x 2700 mm.	200
210	Intarcon	Intarcon evaporator, type: MKC-NH-2235A, serial number: 160505A001, year of construction: 2016, 400 V, # Ph, 50 Hz, 2 fans, dimensions: 1900 mm x 500 mm x 600 mm.	250
211	NN isolated door	Isolated sliding door, dimensions door: 1900 mm x 110 mm x 2250 mm, rail length: 4000 mm.	250
212	EVair	EVair maturing system, EVair maturing unit, dimensions: 2300 mm x 1800 mm x 2100 mm, length air channels: 12 meters. Doors and wall panels not included.	1750
213	NN smoke trolleys	10 s/s smoke trolleys, 3 floors each, distance between floors: 430 mm, total dimensions: (10x) 1200 mm x 950 mm x 1900 mm.	500
214	NN smoke trolleys	6 s/s smoke trolleys, 3 floors each, distance between floors: 430 mm, total dimensions: (6x) 1200 mm x 950 mm x 1900 mm.	300
215	NN smoke trolleys	3 s/s smoke trolleys, 3 floors each, distance between floors: 430 mm, total dimensions: (3x) 1200 mm x 950 mm x 1900 mm.	150
216	Infraca S.L.	Infraca S.L. isolated sliding door, dimensions door: 1300 mm x 110 mm x 2270 mm, rail length: 3000 mm.	250
217	NN plastic curtains	Plastic curtains, dimensions: 1200 mm x 2200 mm.	15

Nr	Title	Description	Start €
218	Intarcon	Intarcon evaporator, 2 fans, dimensions: 1900 mm x 500 mm x 600 mm.	250
219	Mecoima	Mecoima s/s sink, dimensions: 2000 mm x 450 mm x 800 mm, 2 paper dispensers, dimensions: (2x) 250 mm x 200 mm x 350 mm.	75
220	Intarcon	Intarcon evaporator, 2 fans, dimensions: 1900 mm x 500 mm x 600 mm. Including air socks, length: 13 meters.	250
221	NN meat bin	S/s meat bin, volume: 200 liter.	50
222	NN isolated door	Isolated sliding door, dimensions door: 1900 mm x 110 mm x 2250 mm, rail length: 4000 mm.	250
223	NN plastic curtains	Plastic curtains, dimensions: 1800 mm x 2200 mm.	15
224	Intarcon	Intarcon evaporator, 2 fans, dimensions: 1900 mm x 500 mm x 600 mm.	250
229	NN switch cabinet	Steel switch cabinet, dimensions: 1000 mm x 300 mm x 1400 mm.	100
230	NN meat bin	S/s meat bin, volume: 200 liter.	50
232	Supraform	Pallet with 9 rolls of Supraform film, production date: 2023-11-15, film width: 360 mm.	400
233	Formaspack	Pallet with 11 rolls of Formaspack film, production date: 26/09/2023, film width: 420 mm.	400
234	Ecotech	Pallet with 23 rolls of Ecotech film, production date: 15/01/21, film width: 415 mm.	400
235	San Cayetano	4 pallets with large amount of carton packaging material, dimensions: 253 mm x 182 mm.	200
236	Supraform	Pallet with 10 rolls of Supraform film, production date: 2023-11-02, film width: 440 mm.	400
237	NN film	Pallet with 18 rolls of film, type film: PA/PE, film width: 335 mm.	400
238	Formaspack	Pallet with 16 rolls of Formaspack film, production date: 26/09/2023, film width: 420 mm.	400
239	NN bags	Pallet with large amount of plastic bags, 100 pieces per box, dimensions bags: 300 mm x 500 mm.	200
240	Supraform	Pallet with 15 rolls of Supraform film, production date: 2023-11-15, film width: 360 mm.	400
241	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, dimensions: 1600 mm x 600 mm x 900 mm.	500
242	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4GE-30Y-40P, serial number: 1692302779, capacity: 84.5/102 m^3 per hour, dimensions: 1600 mm x 600 mm x 900 mm.	500
243	Ingersoll Rand	Ingersoll Rand air compressor, model: UP5-22-75, serial number: 2231352, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 22 kW, working pressure: 75 bar, weight: 540 kg, dimensions: 1250 mm x 900 mm x 1100 mm.	750
244	Greenheiss	Greenheiss hot water tank, dimensions: Ø 900 mm x 1800 mm.	200

Nr	Title	Description	Start €
246	SMC	SMC air dryer, type: IDFA37E-236-V, serial number: yR 0871C, year of construction: 2020, refrigerant: R407C(HFC), dimensions: 850 mm x 300 mm x 600 mm.	75
247	SiCC	SiCC pressure vessel, dimensions: Ø 600 mm x 2000 mm.	75
248	Ingersoll Rand	Ingersoll Rand air compressor, model: RSE22N-A10 V3, serial number: BA66461001, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 52 A, 22 kW, capacity: 3.15 m³ per hour, dimensions: 630 mm x 800 mm x 1150 mm.	500
249	Ingersoll Rand	Ingersoll Rand air dryer, model: D225IN-A, year of construction: 2023, 230 V, 1 Ph, 50 Hz, 0.84 kW, refrigerant: R407C-0.51Kg, dimensions: 600 mm x 500 mm x 600 mm.	100
250	SiCC	SiCC pressure vessel, dimensions: Ø 600 mm x 2000 mm.	75
251	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (2x) 4NCS-202Y-40P capacity: (2x) 56.2/67.9 m³ per hour, dimensions: 2100 mm x 1000 mm x 1600 mm.	1250
252	Frascold S.p.A.	Frascold S.p.A. cooling compressor and condensing unit, type: LBQ-733.1-OY-2T, serial number: 0N001279, type compressor: Q 733.1 Y, year of construction: 2014, 400 V, 3 Ph, 50 Hz, dimensions: 1300 mm x 900 mm x 800 mm.	400
253	Frascold S.p.A.	Frascold S.p.A. cooling compressor and condensing unit, type: LBQ-733.1-OY-2T, serial number: 0N001279, type compressor: Q 733.1 Y, capacity: 32.66/39.19 m³ per hour, year of construction: 2014, 400 V, 3 Ph, 50 Hz, dimensions: 1300 mm x 900 mm x 800 mm.	400
254	Carrier	Carrier cooling compressor, year of construction: 2003, dimensions: 1100 mm x 600 mm x 500 mm.	300
255	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4PCS-15.2Y-40P, serial number: 1680716794, capacity: 48.5/58.5 m³ per hour, dimensions: 1250 mm x 1000 mm x 1000 mm.	400
256	NN cooling compressor	Cooling compressor and condensing unit, dimensions: 1200 mm x 800 mm x 700 mm.	300
257	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4FC-5.2Y-40S, serial number: 1680409855, capacity: 18.05/21.78 m³ per hour, dimensions: 1360 mm x 900 mm x 700 mm.	400
258	Frascold S.p.A.	Frascold S.p.A. cooling compressor and condensing unit, type compressor: D3-18.1Y1000, number: 0N001262, dimensions: 700 mm x 700 mm x 500 mm.	400
259	Frascold S.p.A.	Frascold S.p.A. cooling compressor, type: S15-52Y, number: 3Q002048, capacity: 51.50/61.80, dimensions: 1400 mm x 700 mm x 900 mm.	250
260	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4FC-5.2Y-40S, serial number: 1673010561, capacity: 18.05/21.78 m³ per hour, dimensions: 800 mm x 500 mm x 600 mm.	300

Nr	Title	Description	Start €
261	NN cooling compressor	Cooling compressor and condensing unit, dimensions: 800 mm x 700 mm x 500 mm.	200
262	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 4H-25.2&-40P, serial number: 1672911687, capacity: 73.7/88.9 m³ per hour, dimensions: 1400 mm x 800 mm x 900 mm.	300
263	Frascold S.p.A.	Frascold S.p.A. cooling compressor and condensing unit, type compressor: A 0.7 5, serial number: 0H000087, dimensions: 500 mm x 700 mm x 500 mm.	300
264	Frascold S.p.A.	Frascold S.p.A. cooling compressor and condensing unit, type compressor: D 3 18.1 Y 1000, serial number: 0F000729, capacity: 17.93/21.52 m³ per hour, dimensions: 500 mm x 700 mm x 500 mm.	300
265	NN cooling compressor	Cooling compressor, dimensions: 1050 mm x 650 mm x 600 mm.	200
266	NN cooling compressor	Cooling compressor and condensing unit, dimensions: 1000 mm x 900 mm x 900 mm.	200
267	Frascold S.p.A.	Frascold S.p.A. cooling compressor, type: Q7-33.1Y1000, number: 0N001279, capacity: 32.66/39.19 m³ per hour, dimensions: 450 mm x 300 mm x 300 mm.	150
268	Circutor	Circutor server cabinet, dimensions: 800 mm x 800 mm x 1900 mm.	150
269	NN switch cabinet	Steel switch cabinet, dimensions: 2300 mm x 400 mm x 1700 mm.	250
270	NN tumbler	Tumbler, dimensions: 2300 mm x 400 mm x 1700 mm.	100
271	Gram	Gram s/s weighing scale with indicator, dimensions scale: 600 mm x 600 mm x 300 mm.	50
272	NN smoke trolleys	3 s/s smoke trolleys, 3 floors each, distance between floors: 430 mm, total dimensions: (3x) 1200 mm x 950 mm x 1900 mm.	150
273	Procar Arluno	Procar Arluno foam trolley, type: SX 100, year of construction: 2015, dimensions: 500 mm x 500 mm x 1000 mm.	50
274	Kärcher	Kärcher floor scrubbing machine, type: BDS 51/180 C, dimensions: 600 mm x 500 mm x 1150 mm.	25
275	NN trolleys	2 s/s trolleys, dimensions: (2x) 1000 mm x 500 mm x 1600 mm.	150
276	NN rollies	4 s/s rollies, dimensions: (4x) 600 mm x 800 mm x 150 mm.	50
277	NN trolley	S/s trolley for meat bins, dimensions: 1500 mm x 800 mm x 1750 mm.	50
278	VAM	VAM grinding machine, model: VAM 400, serial number: 616, year of construction: 05/17, 5 kW, weight: 750 kg, diameter grinding surface: 200 mm, dimensions: 1400 mm x 1200 mm x 1900 mm.	750
279	NN workshop	Complete workshop with large amount of parts, among other: pallet rack with parts, frame for Bizerba weighing	1000

Nr	Title	Description	Start €
		scale, Roser knife sterilizer, worktable with drill, belts, lights, electrical parts.	
280	International Paper	Pallet with International Paper carton boxes, 600 pieces, dimensions each box: 400 mm x 300 mm x 130 mm.	75
281	International Paper	Pallet with International Paper carton boxes, 600 pieces, dimensions each box: 400 mm x 300 mm x 130 mm.	75
282	NN carton boxes	Pallet with 2000 carton boxes, dimensions each box: 267 mm x 617 mm x 150 mm.	75
283	NN plastic crates	7 pallet with plastic crates, approximately 80 crates per pallet, dimensions crates: 700 mm x 380 mm x 200 mm.	350
284	NN plastic crates	7 pallet with plastic crates, approximately 80 crates per pallet, dimensions crates: 700 mm x 380 mm x 200 mm.	350
285	NN plastic crates	10 pallet with plastic crates, approximately 80 crates per pallet, dimensions crates: 700 mm x 380 mm x 200 mm.	500
286	NN plastic crates	5 pallet with plastic crates, approximately 80 crates per pallet, dimensions crates: 700 mm x 380 mm x 200 mm.	250
287	NN plastic crates	10 pallet with plastic crates, approximately 80 crates per pallet, dimensions crates: 700 mm x 380 mm x 200 mm.	500
288	TecniPés'89 S.L.	S/s computer cabinet with TecniPés'89 S.L. weighing scale and indicator, dimensions: 1100 mm x 700 mm x 1800 mm.	200
289	NN tubs	3 s/s mobile tubs, dimensions: (3x) 1100 mm x 700 mm x 800 mm.	150
290	NN computer cabinet	S/s computer cabinet, dimensions: 1100 mm x 700 mm x 1800 mm.	75
291	TecniPés'89 S.L.	S/s computer cabinet with TecniPés'89 S.L. weighing scale and indicator, dimensions: 1100 mm x 700 mm x 1800 mm.	200
292	NN plastic bags	Pallet with large amount of plastic bags, dimensions each bag: 800 mm x 1000 mm.	75
293	NN plastic bags	Pallet with large amount of plastic bags, dimensions each bag: 800 mm x 1000 mm.	75
294	NN plastic bags	Pallet with large amount of plastic bags, dimensions each bag: 800 mm x 1000 mm.	75
295	San Cayetano	Pallets with large amount of carton packaging material, dimensions: 253 mm x 182 mm.	50
296	San Cayetano	Pallets with large amount of carton packaging material, dimensions: 253 mm x 182 mm.	50
297	San Cayetano	Pallets with large amount of carton packaging material, dimensions: 253 mm x 182 mm.	50
298	San Cayetano	Pallets with large amount of carton packaging material, dimensions: 253 mm x 182 mm.	50
299	San Cayetano	Pallets with large amount of carton packaging material, dimensions: 253 mm x 182 mm, including box with knives.	50
300	San Cayetano	Pallets with large amount of carton packaging material, dimensions: 253 mm x 182 mm.	50
301	Alfareria Alfaz Rioja S.L.	Pallet with large amount of glasses and Alfareria Alfaz Rioja S.L. ceramic tapas plates.	50
302	KIG Group	Pallet with large amount of KIG Group glassware.	50

Nr	Title	Description	Start €
303	NN plastic crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 150 mm.	50
304	NN plastic crates	3 pallets with approximately 240 plastic crates, dimensions each crate: 600 mm x 400 mm x 150 mm.	150
305	NN plastic crates	3 pallets with approximately 240 plastic crates, dimensions each crate: 600 mm x 400 mm x 150 mm.	150
306	NN plastic crates	6 pallets with approximately 480 plastic crates, dimensions each crate: 600 mm x 400 mm x 150 mm.	300
307	NN plastic crates	9 pallets with approximately 720 plastic crates, dimensions each crate: 600 mm x 400 mm x 150 mm.	450
308	NN plastic crates	3 pallets with approximately 240 plastic crates, dimensions crates: 600 mm x 400 mm x 150 mm and 700 mm x 360 mm x 200 mm.	150
309	NN plastic crates	3 pallets with approximately 240 plastic crates, dimensions crates: 600 mm x 400 mm x 150 mm and 700 mm x 360 mm x 200 mm.	150
310	NN plastic crates	3 pallets with approximately 240 plastic crates, dimensions each crate: 600 mm x 400 mm x 150 mm.	150
311	NN plastic crates	3 pallets with approximately 240 plastic crates, dimensions each crate: 600 mm x 400 mm x 150 mm.	150
312	NN plastic crates	10 pallets with approximately 800 plastic crates, dimensions each crate: 600 mm x 400 mm x 150 mm.	500
313	NN plastic crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 150 mm.	50
314	NN plastic crates	Pallet with 80 plastic crates, dimensions each crate: 600 mm x 400 mm x 150 mm.	50
315	Koxka	Koxka refrigerated showcase, model: SVS724-6.05, serial number: 661841, year of construction: 05/2007, 230 V, 2 Ph, 50 Hz, refrigerant: R404A, dimensions: 15000 mm x 1100 mm x 1600 mm.	400
316	NN rack	Steel rack, dimensions: 3800 mm x 600 mm x 2200 mm.	50
317	Fricon	Fricon freezer, model: SMR DA 2200 AD, serial number: 2015/S8638, 220 V, 60 Hz, 3.22 A. 437 W, refrigerant: R404=600g, net volume: 833 liter, dimensions: 2200 mm x 1000 mm x 800 mm.	75
318	Fricon	Fricon freezer, model: SMR DA 2200 AD, 220 V, 60 Hz, 3.22 A. 437 W, refrigerant: R404=600g, net volume: 833 liter, dimensions: 2200 mm x 1000 mm x 800 mm.	75
319	Fricon	Fricon freezer, model: SMR DA 2200 AD, serial number: 2014/S11302, 220 V, 60 Hz, 3.22 A. 437 W, refrigerant: R404=600g, net volume: 833 liter, dimensions: 2200 mm x 1000 mm x 800 mm.	75
320	NN table	Wooden table, dimensions: 1000 mm x 700 mm x 850 mm.	35
321	NN checkout counter	Steel checkout counter, dimensions: 1100 mm x 1500 mm x 900 mm.	50
322	NN lockers	Steel 8 doors-lockers, dimensions: 1200 mm x 500 mm x 1850 mm.	50

Nr	Title	Description	Start €
323	NN rack	S/s rack, dimensions: 900 mm x 500 mm x 1900 mm.	25
324	NN cold storage room	Cold storage room, dimensions: 3900 mm x 2500 mm x 2500 mm.	1000
325	Maneurop	Maneurop compressor rack with Maneurop reciprocating compressors, model: (3x) MTZ40JH4AVE, 380/400 V, 3 Ph, 50 Hz, 10 A, refrigerant: R134a-R507a-R404A-R407C, dimensions: 1950 mm x 800 mm x 2050 mm.	2000
326	NN overhead conveyor	Steel manual overhead conveyor, total length: approximately 60 meters.	250
327	NN crate washing machine	S/s crate washing machine, clearance: 550 mm x 400 mm, total dimensions: 5500 mm x 1400 mm x 1500 mm.	1250
328	Iveco Aifo S.p.A.	Iveco Aifo S.p.A. diesel generator, type: 8361 SR1 25.07 A 560, number: 474557, year of construction: 1998, 400/230 V, 50 Hz, 120 kW, dimensions: 2630 mm x 830 mm x 1690 mm.	2000
329	NN cooling compressor	Cooling compressor and condensing unit, dimensions compressor: 750 mm x 600 mm x 850 mm, dimensions condensing unit: 1600 mm x 1300 mm x 1100 mm.	1000
330	Ferroli	Ferroli steam generator with Riello burner, type: VAPOPREX HVP 1000/10, serial number: 8232, year of construction: 2015, rated heat output: 694 kW. Rated heat input: 771 kW, design pressure: 10 bar, maximum working temperature: 164ºC, total content: 1400 liter, dimensions: 3200 mm x 1500 mm x 1900 mm.	2000
331	NN tank	S/s tank, dimensions: Ø 900 mm x 1800 mm.	400
332	NN water softener	Water softener cylinder, dimensions: 500 mm x 300 mm x 1300 mm, with plastic salt tub, dimensions: Ø 660 mm x 900 mm.	50
333	NN diesel tank	Steel diesel tank, dimensions: Ø 1200 mm x 3100 mm. With diesel transfer pump.	750
334	NN trolley	Steel trolley, dimensions: 1830 mm x 950 mm x 1500 mm.	50
335	NN diesel tank	Steel diesel tank, dimensions: Ø 1200 mm x 2300 mm.	750
336	Inagua Ingenieria de Auguas S.L.	Inagua Ingenieria de Auguas S.L. complete water treatment installation, consisting of: Steel tank with filter for water treatment, model: TR1.16.21.1, serial number: 257.308.40, dimensions: Ø 2200 mm x 3100 mm, steel tank, dimensions: Ø 1900 mm x 3500 mm, steel tank, dimensions: Ø 1200 mm x 1800 mm, switch cabinet, dimensions: 850 mm x 350 mm x 1000 mm, associated pumps and piping system.	3500
338	Mercedes Benz	Mercedes Benz reefer truck, fabrication number: CR-10360/18, year of construction: 06/09/2018, Equipfred trailer, fabrication number: CR-10360/18, year of construction: 06/09/2018, volume: 33.64 m^3, dimensions: 6275 mm x 2530 mm x 2513 mm.	10000
340	Roser	Roser s/s sink, dimensions: 500 mm x 500 mm x 1300 mm, Kimberly-Clark paper dispenser, dimensions: 250 mm x 200 mm x 350 mm.	40

Nr	Title	Description	Start €
341	Klight	Klight insect killer, 230 V, 50 Hz, 4x15 W, dimensions: 500 mm x 100 mm x 400 mm.	15
342	Klight	Klight insect killer, 230 V, 50 Hz, 4x15 W, dimensions: 500 mm x 100 mm x 400 mm.	15
343	NN carton boxes	Pallet with large amount of carton boxes, dimensions: 270 mm x 350 mm x 140 mm.	50
344	NN carton boxes	Pallet with large amount of carton boxes, dimensions: 600 mm x 500 mm x 300 mm.	50
345	NN carton boxes	Pallet with large amount of carton boxes, dimensions: 267 mm x 617 mm x 150 mm.	50
346	International Paper	Pallet with International Paper carton boxes, 600 pieces, dimensions each box: 400 mm x 300 mm x 130 mm.	50
347	Formaspack	Pallet with large amount of Formaspack plastic trays, dimensions: 275 mm x 240 mm x 55 mm.	100
348	NN trolleys	15 plastic rollies with large amount of s/s racks, dimensions: (15x) 800 mm x 700 mm x 2000 mm.	200
349	Sumal	Sumal 50 plastic rollies, dimensions: (50x) 800 mm x 700 mm x 200 mm.	150
350	International Paper	7 Pallet with International Paper carton boxes, 600 pieces per pallet, dimensions each box: 400 mm x 300 mm x 130 mm.	350
351	NN isolated door	Isolated sliding door, dimensions door: 1850 mm x 110 mm x 2250 mm, rail length: 4000 mm.	250
352	NN plastic curtains	Plastic curtains, dimensions: 1900 mm x 2500 mm.	15
353	ECO	ECO evaporator, model: CTE354A8ED, serial number: AC20110329G, year of construction: 14/07/2011, 400 V, 3 Ph, 50 Hz, 4 fans, dimensions: 3000 mm x 500 mm x 500 mm.	200
354	ECO	ECO evaporator, model: CTE354A8ED, serial number: AC201102210G, year of construction: 14/07/2011, 400 V, 3 Ph, 50 Hz, 4 fans, dimensions: 3000 mm x 500 mm x 500 mm.	200
355	NN server cabinet	Server cabinet, dimensions: 800 mm x 1000 mm x 2100 mm.	200
356	HP	HP server cabinet, dimensions: 600 mm x 1000 mm x 2000 mm.	200
357	HP	HP printer, dimensions: 400 mm x 450 mm x 400 mm.	20
358	HP	HP printer, dimensions: 400 mm x 450 mm x 400 mm.	20
359	HP	HP printer, dimensions: 400 mm x 450 mm x 400 mm.	20
360	HP	HP printer, dimensions: 400 mm x 450 mm x 400 mm.	20
361	NN office inventory	Complete room with various office inventory, among others: computer screens, cash drawers, printers, phones and keyboards.	350
362	NN working clothes	Complete room with various working equipment, among others: safety shoes, working clothes, s/s gloves and s/s aprons, working gloves.	500
363	ACV		100

Nr	Title	Description	Start €
		ACV vending machine, dimensions: 1030 mm x 750 mm x 1850 mm.	

General terms of the online auction

Article 1. Definitions
Delivery: the actual delivery of the lot to the buyer or to his authorized representative;
Bid: each by a user in the auction (for a lot) bid amount;
User: the one who has registered on the website;
User Agreement: the agreement between Industrial Auctions and the user;
Lot: an article, or a number of articles that are auctioned together (under one number);
Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;
Purchase Agreement: the purchase agreement between buyer and seller;
Buyer: the user to whom the lot is allocated;
Registration: registration of the user on the website by completing the registration form found on the website;
Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;
Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);
Auction: internet sales organized by Industrial Auctions of movable goods;
Seller: the person(s) a lot is being auctioned in whom/whose commission;
Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability
2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.
2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use
3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.
3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.
3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.
3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.
3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.
3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.
3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction
4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.
4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.
4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.
4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:
- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;

- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;
4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security
5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.
5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.
5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots
6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.
6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or aplied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation
7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annuled clause, as far as possible the scope of the invalid/annuled clause shall be respected.
7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.
7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.
7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions
8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.
8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:
- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement
9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.
9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.
9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.
9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).
9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.
9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.
9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.
9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.
9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities
10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial

Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.
10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.
10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.
10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer
11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.
11.2. The buyer is not entitled to any settlement or suspension.
11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.
11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.
11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days
12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery
13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions

can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.
13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.
13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).
13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.
13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination
14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.
14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.
14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability
15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herselve is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law

and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.
15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.
15.3 Industrial Auctions and the seller are not liable for:
- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;
15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.
15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law
16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.
16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.
16.3 In the event of a dispute, the competent court within the district of “Oost-Brabant” has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

Notes

CONTACT

info@industrial-auctions.com

+31 (0)40 240 9208

