

Industrial Auctions

2365: Online auction machinery for the food industry in Brokstedt (DE)

END DATE
01 December 2026 14:00

General terms and conditions of the online auction

End date	01 December 2026 from 14:00 hrs.
Viewing days	26 November 2026 from 09:00 till 12:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	09 December 2026 from 09:00 till 16:00 hrs.
Pick up address	Osterfeld 14 24616 Brokstedt Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.

Nr	Title	Description	Start €
1	Handtmann	Handtmann mobile vacuum filling machine, type: VF 838 S, serial number: 47233, year of construction: 2021, 380 V, 50 Hz, 30.4 A, total dimensions: 1600 mm x 1300 mm x 2300 mm. Including tool trolley.	29500
2	Handtmann	Handtmann mobile filling flow divider, model: Füllstromteiler, type: FST546, serial number: 18200578, year of construction: 2021, dimensions: 1600 mm x 1300 mm x 2200 mm. Including 2 crates with parts.	4900
3	Ulma	Ulma flow packer, type: FM 505, serial number: 1223229, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 18 A, 6.8 kW, dimensions: 4300 mm x 1150 mm x 1950 mm.	26900
4	WB Busser Technologie GmbH	WB Busser Technologie GmbH washing machine for pallet boxes, type: WB 501-1, machine number: 20081390, year of construction: 2009, dimensions: 10800 mm x 2300 mm x 3300 mm.	2800
5	Risco	Risco vacuum filling machine with infeed tub, model: RS 2005 V, serial number: H208009, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 7.6 kW, weight: 1340 kg, dimensions infeed tub: 2700 mm x 1560 mm x 1100 mm, total dimensions vacuum filling machine: 1350 mm x 1100 mm x 2800 mm	4900
7	Kerres	Kerres smoke-air smoke chamber for 1 trolley, inside dimensions: 980 mm x 960 mm x 1600 mm, total dimensions: 1700 mm x 1320 mm x 2500 mm. Including s/s smoke trolley, 5 floors, dimensions trolley: 910 mm x 930 mm x 1550 mm.	1900
8	Loos International	Loos International steam boiler, type: DF, serial number: 97884, year of construction: 2004, steam capacity: 500 kg/h, volume: 43 liter, maximum temperature: 195 °C, Weishaupt burner, total dimensions: 2750 mm x 900 mm x 1850 mm.	2200
9	Rex	Rex vacuum filling line consisting of: Rex vacuum filling machine with lifter for 200 liter meat bins, type: RVF 420, serial number: 42030150423, year of construction: 2023, 50/60 Hz, 3x35 A, with Busch vacuum pump, type: KC 0016 E 3Z0, serial number: CZM122131393, year of construction: 2022, capacity: 19 m^3/h, total dimensions: 2000 mm x 1300 mm x 2200 mm. Rex Technologie GmbH transport belt, plastic belt, belt width: 320 mm, total dimensions: 1150 mm x 800 mm x 950 mm. Meat portioning attachment. 2 s/s 200 liter meat bins.	23000
10	Pökomat	Pökomat mobile injector, 400 V, plastic mesh belt, belt width: 260 mm, clearance: 280 mm x 170 mm, total dimensions: 1220 mm x 480 mm x 1560 mm.	1200
11	NN vacuum machine	Mobile vacuum machine, dimensions chamber: 500 mm x 500 mm, seal length: (2x) 500 mm, Busch vacuum	250

Nr	Title	Description	Start €
		pump, type: 063-112, number: 38740, capacity: 63 m^3 per hour, total dimensions: 650 mm x 580 mm x 1100 mm.	
13	TipperTie Alpina	TipperTie Alpina mobile automatic double clipper, type: Swipper 15/12, plastic outfeed belt, belt width: (2x) 75 mm, total dimensions: 1150 mm x 1000 mm x 1600 mm.	4500
14	Schröder	Schröder curing press, type: PSM500, number: PSM25499, 400 V, 50 Hz, 2.5 A, 1.2 kW, plastic belt, belt width: 650 mm, roller length: 650 mm, dimensions infeed: 665 mm x 135 mm, total dimensions: 1620 mm x 1000 mm x 1870 mm.	950
15	Schröder	Schröder injector, type: IMAX 420, number: 420.1026.03, year of construction: 2003, 400/440 V, 50/60 Hz, 18 A, 9.5 kW, walking beam, total dimensions: 2300 mm x 1100 mm x 2350 mm. With Schröder filter tub, dimensions: 1550 mm x 650 mm x 1250 mm, trolley with parts for walking beam, dimensions trolley: 2200 mm x 1000 mm x 1050 mm, and infeed slide, dimensions infeed slide: 1600 mm x 1200 mm x 1300 mm.	3500
16	Handtmann	Handtmann linking and hanging line, type linking machine: 216-22, number: 713, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 3.6 A, 2.5 kW, dimensions: 1500 mm x 750 mm x 1450 mm, type hanging line: 241-16, number: 10800735, year of construction: 2010, dimensions: 2800 mm x 740 mm x 1650 mm.	2600
17	Koruma	Koruma emulsifier, dimensions: 1300 mm x 710 mm x 1200 mm.	3900
18	TBE	TBE s/s turning table, table diameter: 1220 mm, total dimensions: Ø 1230 mm x 780 mm.	200
19	NN mixer	S/s tiltable paddle mixer, inside dimensions: 500 mm x 350 mm x 500 mm, total dimensions: 1000 mm x 500 mm x 1400 mm.	500
20	Schröter	Schröter friction smoke generator, type: RF, factory number: 214-0907, year of construction: 12/2007, 230/400 V, 9.5 kW, dimensions: 1850 mm x 1350 mm x 1930 mm. Including switch cabinet.	490
21	FAM n.v.	FAM n.v. slicer, type: CHD-3D, serial number: 6239, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 7.5 kW, weight: 475 kg, distance between knives: 15 mm, total dimensions: 1030 mm x 1760 mm x 2120 mm.	4800
22	Dorit	Dorit vacuum tumbler, type: VV4-700, serial number: 269, 380 V, 3 Ph, 50 Hz, 4.2 A, 1.8 kW, volume: 700 liter, Busch vacuum pump, type: 025-132, dimensions: 2100 mm x 1300 mm x 1800 mm.	3600
23	Seydelmann	Seydelmann cutter, type: K60 U, serial number: 95213-1, 500 V, 50 Hz, 35 A, s/s bowl, capacity: 60 liter, total dimensions: 1300 mm x 1000 mm x 1100 mm. Including 2 switch cabinets, dimensions: 750 mm x 550 mm x 250	4800

Nr	Title	Description	Start €
		mm / 330 mm x 300 mm x 200 mm, including crate with spare knives.	
24	Emsens	Emsens netting machine for small products, model: MF01, serial number: 09.17.002, year of construction: 2017, diameter up to: 100 mm, length: 280 mm, dimensions: 3000 mm x 1200 mm x 1800 mm.	4700
26	Kärcher	Kärcher high pressure washer, type: HD 7/10 CXF, serial number: 012140, year of construction: 2020, 400 V 3 Ph, 50 Hz, 3 kW, weight: 33 kg, dimensions: 360 mm x 440 mm x 940 mm.	80
27	Magurit	Magurit frozen block cutter, working width: 500 mm, clearance: 500 mm x 320 mm, total dimensions: 2400 mm x 1250 mm x 1880 mm.	2500
28	NN transport belt	Transport belt on s/s frame, plastic belt, belt width: 250 mm, total dimensions: 1850 mm x 530 mm x 1020 mm.	250
29	NN vacuum pump	Vacuum pump on mobile s/s frame, dimensions: 1260 mm x 460 mm x 1000 mm.	750
30	NN crates	Pallet with 26 Plastic crates, dimensions each crate: 400 mm x 600 mm x 200 mm.	20
31	Bupi-Golser Maschinenbau GmbH	Bupi-Golser Maschinenbau GmbH industrial cleaner, type: J 1000, serial number: 11420, 400 V, 50 Hz, 19 A, 11.3 kW, diameter washing basket: 860 mm, total dimensions: 1200 mm x 1050 mm x 1250 mm.	450
32	Edwards	Edwards vacuum pump, model: EH500IND, serial number: 066377778, 50 Hz, capacity: 505 m^3 per hour, total dimensions: 820 mm x 380 mm x 400 mm.	250
33	NN trolleys	2 trolleys, dimensions: (1x) 810 mm x 730 mm x 1750 mm, (1x) 810 mm x 700 mm x 1500 mm.	10
34	Toledo/Schember	Toledo weighing scale, model: 8139, serial number: 4120732-4SL, 120 V, 50/60 Hz, 0.15 kW with Schember indicator, type: 320-3, number: 45478, minimum / maximum weight: 5 kg / 250 kg, e=d= 100 g, scale dimensions: 1000 mm x 1000 mm, total dimensions: 1350 mm x 1000 mm x 1670 mm.	250
35	Webomatic	Webomatic mobile vacuum machine, type: SUPERMAX, serial number: 187HD422, 400 V, 3 Ph, 50 Hz, 4.0 A, 2.0 kW, seal length: (2x) 520 mm, chamber dimensions: 600 mm x 520 mm, total dimensions: 800 mm x 760 mm x 1050 mm.	700
36	Bizerba	Bizerba bandsaw, type: FK 32, serial number: 2029909, year of construction: 2002, 400 V, 3 Ph, 50 Hz, table dimensions: 650 mm x 750 mm, total dimensions: 800 mm x 750 mm x 1580 mm. Missing saw.	780
37	Maja-Maschinenfabrik GmbH	Maja-Maschinenfabrik GmbH mobile skinning machine, type: SAM 358, serial number: 317924228, working width: 290 mm, total dimensions: 680 mm x 660 mm x 1000 mm.	300
38	Handtmann		6000

Nr	Title	Description	Start €
		Handtmann vacuum filling machine with linking attachment and case holding device, type: VF608, serial number: 24570, year of construction: 2006, 420 V, 3 Ph, 50/60 Hz, 4.8 A, 3 kW, number linking attachment: 34-5/13856, number case holding device: 60-7/5375, with Busch vacuum pump, type: KB 0016 D, IZ0, serial number: 060084968, year of construction: 2006, capacity: 16 m³/h, total dimensions: 1150 mm x 870 mm x 1700 mm.	
39	Günther	Günther injector, type: PI8/16, machine number: 22520, 380 V, 8 A, plastic mesh belt, belt width: 240 mm, 16 needles, total dimensions: 1350 mm x 450 mm x 1650 mm.	400
40	Maja-Maschinenfabrik GmbH	Maja-Maschinenfabrik GmbH flake ice machine, type: SA 215 S, serial number: I-39693, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 6.7 A, 1.31 kW, refrigerant: R 404A, 1.5 kg, working width: 165 mm, total dimensions: 800 mm x 800 mm x 1560 mm.	1000
41	Dynopack Maschinenbau GmbH	Dynopack Maschinenbau GmbH mobile traysealer, type: 500 VG, machine number: D0045, year of construction: 12-99, dye: (4x) 132 mm x 95 mm, total dimensions: 750 mm x 900 mm x 1580 mm.	1100
42	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH skinning machine, type: AS 550, number: 197, 380 V, 50 Hz, 0.4 kW, working width: 500 mm, total dimensions: 750 mm x 580 mm x 980 mm.	280
43	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG vacuum machine, type: VC999 07S, machine number: 07182625, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 7 kW, seal length: (2x) 440 mm and (2x) 960 mm, dimensions chamber: 980 mm x 450 mm, VC999 vacuum pump, type: LC.205HV 9603030/10, serial number: 1800840, year of construction: 2018, capacity: 205 m³/h, total dimensions: 1280 mm x 800 mm x 1080 mm.	1500
44	K+G Wetter	K+G Wetter grinder, type: FW 114, serial number: 276/1101, diameter plates: 115 mm, total dimensions: 980 mm x 670 mm x 1180 mm.	1500
45	Bizerba	Bizerba automatic slicer on s/s frame, type: A 406 FB, serial number: 1638998, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 1.4 A, s/s mesh belt, belt width: 250 mm, total dimensions: 1600 mm x 1100 mm x 1400 mm.	1000
46	Mado	Mado bandsaw, type: MKB 651, serial number: 9630742, 230/400 V, 3 Ph, 50 Hz, 6.2/3.7 A, 1.5 kW, table dimensions: 615 mm x 780 mm, total dimensions: 780 mm x 780 mm x 1670 mm. Missing saw.	750
47	OCS Checkweighers GmbH	OCS Checkweighers GmbH checkweigher with rejector, type: HC, serial number: 1005629, year of construction: 2012, 230 V, 50 Hz, maximum weight: 1500 gram, plastic	900

Nr	Title	Description	Start €
		belt, belt width: (3x) 295 mm, clearance: 400 mm x 240 mm, total dimensions: 1350 mm x 880 mm x 1630 mm.	
48	Maja-Maschinenfabrik GmbH	Maja-Maschinenfabrik GmbH flake ice machine, type: SA 85 S, serial number: I-39567, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 4.22 A, 0.66 kW, refrigerant: R 404A, inside dimensions ice storage: 500 mm x 520 mm x 460 mm, total dimensions: 700 mm x 700 mm x 1360 mm.	700
49	Steinberg	Steinberg weighing scale, model: SBS-TW-30C, serial number: 3054 20190189, year of construction: 2020, max: 30 kg, min: 5 gram, dimensions: 270 mm x 310 mm x 120 mm.	20
50	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG traysealer, type: TS200N, machine number: 48160023, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 1.6 kW, tray dimensions: (2x) 150mm x 200 mm, total dimensions: 800 mm x 1000 mm x 1400 mm. Including crate with film roll.	1500
51	Apple Engineering Ltd	Apple Engineering Ltd mobile depositor, model: MR 150, serial number: 27712, year of construction: 2001, 5 bar, dimensions filling tub: Ø 250 mm x 450 mm, outfeed diameter: 18 mm, total dimensions: 1050 mm x 540 mm x 1570 mm.	500
52	Vendo	2 Vendo vending machines, 12 floors, dimensions: (2x) 2000 mm x 900 mm x 1850 mm. Including pallet with parts.	2900
53	Webomatic	Webomatic mobile double chamber vacuum machine, type: CD 110, serial number: 5210Li733, 400 V, 3 Ph, 50 Hz, 5.0 A, 2.2 kW, seal length: (4x) 500 mm, with Busch vacuum pump, type: RA 0100 E 541, serial number: 03031109, capacity: 100 m³/h, total dimensions: 1150 mm x 900 mm x 1100 mm	1900
54	Bizerba	Bizerba table model grinder, type: FW-N 22/2, serial number: 2071663, year of construction: 2002, 230/400 V, 3 Ph, 50 Hz, 6.9/4 A, total dimensions: 440 mm x 450 mm x 480 mm.	500
55	Bizerba	Bizerba table model bandsaw, serial number: 2071164, 400 V, 40 Hz, 2.5 A, table dimensions: 410 mm x 520 mm, total dimensions: 520 mm x 520 mm x 860 mm. Missing saw.	500
56	ENT GmbH	ENT GmbH mobile infeed hopper with vibrating gutter, type: Schwingrinne, machine number: 11 119, year of construction: 2011, hopper dimensions: 550 mm x 550 mm x 300 mm, gutter width: 200 mm, total dimensions: 1000 mm x 1000 mm x 2000 mm.	300
57	Bizerba	Bizerba weighing scale, scale type: 175, number: 167180, year of construction: 1984, scale dimensions: 500 mm x 530 mm, indicator type: ITU, number: 10212215, 230 V, 50/60 Hz, 0.18 A, total dimensions: 800 mm x 600 mm x 1650 mm.	170

Nr	Title	Description	Start €
58	Bizerba	Bizerba weighing scale with label printer, type: SW 800 G, number: 1300880, 230 V, 50 Hz, 250 mA, dimensions scale: 500 mm x 400 mm, total dimensions: 500 mm x 600 mm x 1280 mm.	50
59	Vemag	Vemag mobile transport belt, type: CRIMPER RC100, s/s frame, plastic belt, belt width: 200 mm, total dimensions: 1000 mm x 440 mm x 710 mm.	190
60	Hellmut Kühn	Hellmut Kühn vegetable slicer, type: 1/77, fabrication number: 16684, 220 V, 1 Ph, 50 Hz, 1.8 A, 0.22 kW, U/min 2700 mm, dimensions: 300 mm x 450 mm x 520 mm. Incomplete, missing knife.	150
61	TVM Maschinenbau GmbH & Co KG	TVM Maschinenbau GmbH & Co KG mobile portioning machine, type: TVM Portio 4000, serial number: 10.26844.229, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2.5 A, 4-8 bar, 380 kg, Busch vacuum pump, type: RC 0025 E 501, number: 00045179, capacity: 25 m^3 per hour, plastic outfeed belt, belt width: 200 mm, total dimensions: 1500 mm x 720 mm x 1900 mm. With trolley with parts, dimensions trolley: 820 mm x 620 mm x 1670 mm.	1200
62	Cyklop	Cyklop mobile strapping machine, type: CD80, machine number: 02302077, 230 V, 50 Hz, 1 KVA, clearance: 870 mm x 605 mm, total dimensions: 1430 mm x 600 mm x 1550 mm.	450
63	Palux	Palux deep fryer, type: 602280, number: 364519, year of construction: 2001, 400 V, 3 Ph, 50/60 Hz, 6.0 kW, inside dimensions: 340 mm x 220 mm x 150 mm, total dimensions: 600 mm x 400 mm x 300 mm.	30
64	NN au bain-marie	Au bain-marie, model: BM40, number: 32127, year of construction: 01/97, 230 V, 1 Ph, 50 Hz, 1.2 kW, inside dimensions: 500 mm x 300 mm x 140 mm, total dimensions: 600 mm x 400 mm x 330 mm.	30
65	NN grill	Grill, model: 5-S, gas heated, grill dimensions: 930 mm x 440 mm, total dimensions: 1050 mm x 650 mm x 870 mm.	30
66	Bizerba	Bizerba mobile automatic slicer, type: A 404, 230 V, 3 Ph, 50 Hz, 1.8/1.1 A, s/s mesh belt, belt width: 250 mm, total dimensions: 15080 mm x 1080 mm x 1480 mm. Including knife sharpener.	950
67	NN fryer	Double deep fryer, inside dimensions: 450 mm x 550 mm x 150 mm, total dimensions: 560 mm x 500 mm x 360 mm.	30
68	Apexa / Bartscher	Apexa / Bartscher soup kettles, Apexa type: C E 2000, number: 1000.054, 220/240 V, 475 W, Bartscher type: RDS-100, number: 100061, 230/240 V, 50/60 Hz, 400 W, dimensions: (2x) Ø 340 mm x 350 mm.	10
69	NN trolleys		100

Nr	Title	Description	Start €
		3 s/s trolleys, 18 floors each, floor dimensions: (18x) 335 mm x 570 mm, total dimensions: (3x) 480 mm x 630 mm x 1550 mm.	
70	NN foam unit	Mobile steel foam unit with spraying pistol, vessel dimensions: Ø 450 mm x 450 mm, total dimensions: 700 mm x 500 mm x 920 mm.	80
71	Busch	Busch vacuum pump, type: 160-132, number: 39312, capacity: 160 m³ per hour, dimensions: 800 mm x 500 mm x 620 mm.	500
72	NN meat bins	2 s/s meat bins, volume: 200 liter.	120
73	NN meat bins	2 s/s meat bins, volume: 200 liter.	120
74	NN meat bins	2 s/s meat bins, volume: 200 liter.	120
75	NN meat bins	2 s/s meat bins, volume: 200 liter.	120
76	NN meat bins	2 s/s meat bins, volume: 200 liter.	120
77	Leybold-Heraeus Varovac	Leybold-Heraeus Varovac vacuum pump, type: S 100 F, fabrication number: 10606 A891100011, volume flow rate: 100 m³ per hour, dimensions: 700 mm x 500 mm x 400 mm.	200
78	NN tub	S/s mobile tub, dimensions: 1970 mm x 670 mm x 820 mm.	180
79	Collischan	Collischan checkweigher with rejector, type: TC8420, number: 9614, year of construction: 2007, capacity: 2500 gram, 230 V, 50 Hz, 0.4 kW, plastic belt, belt width: 155 mm, total dimensions: 1300 mm x 600 mm x 1500 mm.	500
80	Thermo	Thermo metal detector with rejector, plastic mesh belt, belt width: 300 mm, clearance: 345 mm x 100 mm, total dimensions: 1100 mm x 900 mm x 1050 mm.	900
81	Handtmann	Handtmann case holding device, type: 60-7, number: 1490, dimensions: 340 mm x 130 mm x 450 mm.	800
82	Variovac	Variovac mobile traysealer with gas flush, type: 828 VGS, serial number: 021-121, machine number: 0139, year of construction: 1999, 400 V, 16 A, 3 kW, dye dimensions: (4x) 150 mm x 180 mm, Busch vacuum pump, type: RA 0063, capacity: 63 m³ per hour, total dimensions: 630 mm x 960 mm x 1420 mm.	1100
83	DYNO	DYNO traysealer, type: 461-3, machine number: 102, year of construction: 1977, 220 V, 50 Hz, 2 kW, diameter dye: 95 mm, total dimensions: 400 mm x 520 mm x 550 mm.	100
84	MGM	MGM traysealer, type: SAV MAXI, serial number: 13384, year of construction: 2013, 230 V, 3 A, dye: 215 mm x 165 mm, total dimensions: 350 mm x 550 mm x 510 mm.	100
85	Korimat	Korimat autoclave, year of construction: 2013, dimensions: 880 mm x 1460 mm x 1440 mm.	3500
86	Rühle		1000

Nr	Title	Description	Start €
		Rühle mobile tumbler, inside dimensions: Ø 680 mm x 450 mm, total dimensions: 1220 mm x 1000 mm x 1700 mm.	
87	NN pallet lifter	S/s pallet lifter, dimensions: 1550 mm x 550 mm x 1200 mm.	200
88	Cyklop	Cyklop mobile strapping machine, type: CD80, machine number: 00312892, year of construction: 02/2001, 230 V, 50 Hz, 1 KVA, clearance: 870 mm x 605 mm, total dimensions: 1430 mm x 600 mm x 1550 mm.	400
89	Bayha & Strackbein GmbH	Bayha & Strackbein GmbH cooking vessel, type: 9310, number: 9310/2/0115, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 12.6 kW, inside dimensions: 600 mm x 800 mm x 420 mm, total dimensions: 840 mm x 1400 mm x 1030 mm. With switch cabinet.	550
90	Grasselli	Grasselli mobile skinning machine, model: RST520-M, serial number: 01 4R04/M1280, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 2.3 A, 0.9 kW, working width: 480 mm, total dimensions: 700 mm x 700 mm x 930 mm.	1150
91	NN smoke trolleys	10 s/s smoke trolleys, 6 floors each, floor dimensions: (6x) 1000 mm x 980 mm, total dimensions: (10x) 1020 mm x 1000 mm x 1900 mm.	1000
92	Tipper Tie technopak GmbH	Tipper Tie technopak GmbH mobile double clipper, type: KDC-SV, serial number: 4701.054.324, total dimensions: 1300 mm x 850 mm x 1980 mm.	500
93	Tipper Tie technopak GmbH	Tipper Tie technopak GmbH mobile automatic clipper, dimensions: 1100 mm x 650 mm x 1840 mm.	500
94	Busch	Busch vacuum pump, type: RA 0305 D 5H3, number: C1817000806, year of construction: 2018, capacity: 360 m^3 per hour, dimensions: 1000 mm x 500 mm x 420 mm.	690
95	Herman Waldner GmbH & Co.KG	Herman Waldner GmbH & Co.KG mobile traysealer, type: VG3025, number: 16112310, year of construction: 2010, 230 V, 50 Hz, 15/16 A, dimensions dye: (6x) 110 mm x 80 mm, film width: 320 mm, built-in vacuum pump, total dimensions: 900 mm x 570 mm x 1400 mm.	600
96	Grasselli	Grasselli mobile skinning machine, model: RST520-M, serial number: T04R04IM1656, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 2.3 A, 0.9 kW, working width: 480 mm, total dimensions: 700 mm x 700 mm x 930 mm.	1350
97	NN transport belt	Mobile transport belt on s/s frame, year of construction: 2008, 230 V, 1 Ph, plastic belt, belt width: 200 mm, total dimensions: 1020 mm x 300 mm x 700 mm.	150
98	Bastra	Bastra cooking vessel, type: 2000 Plus, inside dimensions: 900 mm x 800 mm x 450 mm, total dimensions: 1200 mm x 1300 mm x 1450 mm.	750
99	Eloma	Eloma combi steamer, type: Multimax B 20-11, serial number: EL0740985 ELN115781, year of construction: 05/2013, 400 V, 3 Ph, 50 Hz, 45 kW, dimensions: 1040	1500

Nr	Title	Description	Start €
		mm x 930 mm x 1960 mm. Including s/s trolley, 20 floors, dimensions each floor: 540 mm x 330 mm,	
100	Thissen & Stecher BV	Thissen & Stecher BV autoclave, model: TSA-160 E, serial number: 442 DE 2020, year of construction: 2020, 400 V, 50 Hz, 19.5 A, 13.5 kW, maximum temperature: 121 °C, maximum pressure: 2.5 bar, capacity: 160 liter, inside dimensions: Ø 600 mm x 540 mm, total dimensions: 1100 mm x 1100 mm x 1250 mm. Including 3 autoclave baskets, dimensions: (3x) Ø 570 mm x 560 mm.	3800
101	Laska	Laska cutter, steel bowl, volume: 45 liter, dimensions: 1450 mm x 1100 mm x 1300 mm.	1300
102	Laska	Laska cutter, steel bowl, bowl dimensions: Ø 760 mm x 120 mm, total dimensions: 1380 mm x 1000 mm x 1100 mm.	1900
103	NN crates	164 E1 crates, crate dimensions: 600 mm x 400 mm x 120 mm, total dimensions: (3x) 1200 mm x 800 mm x 1800 mm.	100
104	Schröter	Schröter smoke generator, type: 50, dimensions: 800 mm x 650 mm x 1600 mm.	700
105	Townsend	Part for Townsend sausage linking and hanging line, model: NL-17, sausage length: 210 mm.	600
106	Townsend	Part for Townsend sausage linking and hanging line, model: NL-17, sausage length: 40 mm.	600
107	Townsend	Part for Townsend sausage linking and hanging line, model: NL-17, sausage length: 45 mm.	600
108	NN apron washer	S/s apron washer, dimensions: 1400 mm x 600 mm x 1800 mm.	250
109	Itec	Itec hygiene station, type: 23740, serial number: 0188, year of construction: 10/2004, dimensions: 850 mm x 700 mm x 1000 mm.	300
110	Pulsotronic	Pulsotronic metal detector, type: M-Pulse2 BD-HD 450x200 LPW MFT, serial number: 90007183, year of construction: 2020, 115/230 V, 1 Ph, 50/60 Hz, 16 A, plastic mesh belt, belt width: 410 mm, clearance: 390 mm x 170 mm, total dimensions: 1300 mm x 950 mm x 1230 mm.	2800
111	Variovac	Variovac thermoformer, type: Optimus, serial number: 511, year of construction: 2013, 400 V, 50 Hz, 21 A, 12 kW, 4 dyes, dimensions: (4x) 205 mm x 115 mm, index: 315 mm x 405 mm, total dimensions: 4050 mm x 1140 mm x 1700 mm. Including various parts, of which among others 2 dye sets, dimensions: (2x) 190 mm x 300 mm / (6x) 125 mm x 150 mm.	5900
112	Eberhardt	Eberhardt mixer with 2 mobile mixing tubs, type: Maximat, serial number: MAAN 160-2851809, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 20.96 A, 8.73 kW, inside dimensions mixing tubs: (2x) Ø 860 mm x 480 mm, total dimensions mixing tubs: (2x) 1050 mm x 900 mm x	3600

Nr	Title	Description	Start €
		840 mm, total dimensions mixer: 1500 mm x 900 mm x 1200 mm.	
113	Bizerba	Bizerba line converger, type: LCE, serial number: 10747345, 220-240 V, 50/60 Hz, 3 A, plastic belt, belt width: 550 mm, working width: 405 mm, total dimensions: 1600 mm x 800 mm x 1020 mm.	900
114	Kaeser Kompressoren GmbH	Kaeser Kompressoren GmbH screw compressor, type: SK 24, serial number: 1813, year of construction: 2008, 15.0 kW, maximum pressure: 11 bar, dimensions: 1000 mm x 700 mm x 1210 mm.	800
115	NN rack	S/s mobile rack, 4 floors, floor dimensions: (4x) 2000 mm x 400 mm, total dimensions: 2000 mm x 400 mm x 1680 mm.	100
116	Canapa	Canapa pallet wrapper, type: Jolly, serial number: KN/056037, year of construction: 2003, 230 V, 50 Hz, 1.4 kW, working width: Ø 1640 mm, total dimensions: 1640 mm x 4100 mm x 2700 mm. Including pallet with film, film width: 500 mm, total dimensions: 12000 mm x 800 mm x 1800 mm.	1000
117	NN boot rack	S/s boot rack, dimensions: 1000 mm x 700 mm x 1800 mm.	75
118	Bizerba	Bizerba slicer, type: VS 8, serial number: 1417294, 230/400 V, 50 Hz, 1.2/0.68 A, dimensions: 650 mm x 500 mm x 430 mm. Including knife sharpener.	110
119	Bizerba	Bizerba slicer, dimensions: 650 mm x 500 mm x 430 mm. Including knife sharpener.	110
120	NN weighing scale	weighing scale, dimensions: 335 mm x 260 mm x 95 mm.	25
121	Bizerba	Bizerba label printer, type: GLP-W, serial number: 10468671, 230 V, 50 Hz, 0.65 A, dimensions: 340 mm x 500 mm x 420 mm.	200
122	Rhewa	Rhewa weighing scale with Squix label printer, type: 82c², factory number: 201398, maximum capacity: 60/150 kg, minimum capacity: 0.4/1 kg, e= 0.02/0.05 kg, scale dimensions: 800 mm x 600 mm, total dimensions: 800 mm x 750 mm x 680 mm, with Cab Produktechnik GmbH & Co. KG label printer, model: Squix 4.3/300P, serial number: 0051428, 100/240 V, 1 Ph, 50/60 Hz, 2 A, dimensions: 630 mm x 370 mm x 360 mm and Datalogic hand scanner with display, dimensions: 750 mm x 550 mm x 720 mm.	190
123	Bizerba	Bizerba slicer, type: VS 12, dimensions: 540 mm x 600 mm x 450 mm. Including knife sharpener.	200
124	Bizerba	Bizerba slicer, type: VS 12, dimensions: 540 mm x 600 mm x 450 mm. Including knife sharpener.	200
125	NN tub	Mobile s/s tub, inside dimensions: 600 mm x 1450 mm x 300 mm, total dimensions: 1650 mm x 660 mm x 850 mm.	140
126	NN tub		140

Nr	Title	Description	Start €
		Mobile s/s tub, inside dimensions: 600 mm x 1820 mm x 300 mm, total dimensions: 1950 mm x 660 mm x 850 mm.	
127	NN tub	Mobile s/s tub, inside dimensions: 600 mm x 1450 mm x 300 mm, total dimensions: 1650 mm x 660 mm x 850 mm.	140
128	Vemag	Worm and housing for Vemag vacuum filling machine.	290
129	Vemag	Worm and housing for Vemag vacuum filling machine.	290
130	Junger	Junger electric sausage warmer, inside dimensions: (2x) 305 mm x 255 mm x 130 mm, total dimensions: 760 mm x 330 mm x 290 mm.	50
131	Handtmann	Handtmann case spooling device, model: 78-5, number: 196, 220/240 V, 50 Hz, 0.3 A, 0.05/0.06 kW, dimensions: 450 mm x 180 mm x 220 mm.	200
132	Vakona	Vakona injector, 1 needle, dimensions: 180 mm x 400 mm x 230 mm.	150
133	NN fryer	Double deep Fryer, model: FOE-6+6, number: 91121709, 220 V, 50 Hz, 3.5 kW, inside dimensions: (2x) 235 mm x 295 mm x 200 mm, total dimensions: 540 mm x 430 mm x 350 mm.	90
134	NN hooks for hanging line	4 plastic crates with large amount of hooks for hanging line	50
135	NN frame	S/s frame, dimensions: 400 mm x 250 mm x 1440 mm.	20
136	Sigma	Sigma cash register, model: CR 880 alpha, serial number: 15493, 230 V, 1 Ph, 50 Hz, 28 W, dimensions: 320 mm x 400 mm x 200 mm.	5
137	Soehnle	Soehnle weighing scale, type: S20-2763, serial number: D93-09-155, year of construction: 1999, maximum capacity: 60 kg, minimum capacity: 400 g, e= 20 g, dimensions: 520 mm x 400 mm x 100 mm.	70
138	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC 999 / K 3, serial number: 1201 0869, 230/220 V, 50/60 Hz, 1.3 kW, seal length: 460 mm, chamber dimensions: 490 mm x 440 mm, total dimensions: 500 mm x 600 mm x 400 mm.	240
139	WAS	2 WAS insect killers, number: 3490030, 220-240 V, 50/60 Hz, 30 W, dimensions: (2x) 510 mm x 140 mm x 310 mm.	40
140	DMP Possenti	DMP Possenti vacuum tumbler, inside dimensions: Ø 1250 mm x 1700 mm, Busch vacuum pump, type: 025-138, total dimensions: 2600 mm x 1400 mm x 2000 mm.	2100
141	NN tumbler	Vacuum tumbler, inside dimensions: Ø 1000 mm x 1600 mm, Busch vacuum pump, type: 025-138, total dimensions: 2200 mm x 1100 mm x 2000 mm. Dimensions switch cabinet: 600 mm x 400 mm x 250 mm.	2000
142	Jungheinrich	Jungheinrich gas forklift, type: TFG 2,0-A, serial number: BC 0149, year of construction: 1988, weight: 3200 kg,	1500

Nr	Title	Description	Start €
		capacity: 2000 kg, fork length: 1100 mm, total dimensions: 3300 mm x 1000 mm x 2700 mm. Technical condition unknown.	
143	HTS Ges.mbH	HTS Ges.mbH vacuum filling machine with lifter for meat bins, type: HTS 200, machine number: 1212340200, year of construction: 2012, 12 kW, dimensions: 1520 mm x 1100 mm x 2680 mm.	2500
144	Kilia	Kilia cutter, type: 651 Ex. 2000 S, machine number: 58811322, year of construction: 1988, 380 V, 32/42 A, 16/20 kW, steel bowl, volume: 65 liter, dimensions: 1400 mm x 1200 mm x 1300 mm. Dimensions switch cabinet: 600 mm x 400 mm x 250 mm.	1200
145	Kerres	Kerres cooking chamber, steam heated, inside dimensions: 950 mm x 1070 mm x 1930 mm, total dimensions: 1180 mm x 1550 mm x 2540 mm.	2400
147	Vemag	Vemag elevating belt, model: 712, serial number: 7120098, year of construction: 2016, 220-240 V, 3 Ph, 50/60 Hz, 1 A, plastic mesh belt, belt width: 1220 mm, total dimensions: 2350 mm x 1450 mm x 1080 mm.	490
148	NN platform	S/s platform, 3 steps, dimensions: 2000 mm x 500 mm x 1660 mm.	50
149	NN mixer	Double shaft paddle mixer, model: MM2700, serial number: 381/0106, year of construction: 2001, 400 V, 50 Hz, dimensions: 1680 mm x 2850 mm x 2440 mm. With switch cabinet and 2 pallets with various parts.	9500
150	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 1000 mm, distance between dividers: 540 mm, divider height: 35 mm, total dimensions: 2100 mm x 1120 mm x 170 mm.	250
151	Dorit	Dorit injector, 48 needles, clearance: 340 mm x 230 mm, total dimensions: 1600 mm x 760 mm x 1940 mm.	2800
152	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG belt vacuum machine, plastic belt, belt width: 610 mm, total dimensions: 2850 mm x 1300 mm x 1600 mm. With Inauen Maschinen AG suction device for rest film, dimensions: 1000 mm x 1000 mm x 2000 mm and mobile part for suction device.	2900
153	Busch	Busch vacuum pump, type: 400-218 24124, vacuum: 15 mbar, capacity: 400 m^3/h, dimensions: 1200 mm x 800 mm x 1000 mm.	1100
154	Anritsu	Anritsu 10-lanes linear weigher, model: KE7410AW, serial number: K089039, year of construction: 15.11.1999, 230 V, 50/60 Hz, 700 VA, capacity: 70 packs per minute, total dimensions: 2000 mm x 1000 mm x 1740 mm. Including pallet with extra parts.	750
155	Reich	Reich cooking vessel, type: KO 300 E/Ö, year of construction: 1981, 220 V, 16.2 kW, inside dimensions: 930 mm x 650 mm x 550 mm, total dimensions: 1100 mm x 1200 mm x 1100 mm.	550

Nr	Title	Description	Start €
156	Lutetia	Lutetia vacuum tumbler with steam injection, type: 40, serial number: 16544, year of construction: 2004, volume: 2200 liter, 400 V, 50 Hz, 6.6 A, total dimensions: 3300 mm x 1700 mm x 1100 mm.	5000
157	Holac Maschinenbau GmbH	Holac Maschinenbau GmbH mobile dicer, type: AUT 125, number: MS 211.01.02, 5.2 kW, dimensions chamber: 115 mm x 115 mm, total dimensions: 1820 mm x 1000 mm x 1550 mm.	700
158	Nimo KG	Nimo KG lifter for pallets, type: LP 1000 H, number: 10491, year of construction: 2007, maximum load: 1000 kg, total dimensions: 1500 mm x 1100 mm x 2370 mm.	500
159	Laska	Laska lifter for 200 liter meat bins, type: BA 27, machine number: 21229, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 1.5 kW, 3.5 A, weight: 350 kg, dimensions: 950 mm x 1300 mm x 3400 mm.	3000
160	Laska	Laska lifter for 200 liter meat bins, type: BA 27, machine number: 21227, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 1.5 kW, 3.5 A, weight: 350 kg, dimensions: 950 mm x 1300 mm x 3400 mm.	3000
161	Steiner Apparatebau GmbH	Steiner Apparatebau GmbH tiltable double jacketed cooking vessel with agitator and scrapers, machine type: HK400, machine number: 03-950, year of construction: 2003, 400 V, volume: 800 liter, volume jacket: 26 liter, temperature range: 100℃ / 183℃, total dimensions: 2750 mm x 1600 mm x 2150 mm.	3900
162	Juno	Juno frying machine, type: 5062-3, 400 V, 3 Ph, 50 Hz, dimensions: 3400 mm x 1500 mm x 1200 mm. Missing 1 cover.	900
163	Stuckenberger Maschinenbau	Stuckenberger Maschinenbau mobile transport belt with depositor, plastic belt, belt width: 190 mm, total dimensions: 1700 mm x 800 mm x 1550 mm.	1900
164	Steiner Apparatebau GmbH	Steiner Apparatebau GmbH double jacketed cooking vessel, type: SK100, number: 08-1239, year of construction: 07-2008, 400 V, volume: 140 liter, dimensions: 1550 mm x 1100 mm x 1730 mm. Missing agitator.	1200
165	Mulitivac	Multivac thermoformer, type: R 230, machine number: 2060, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 36 A, 14 kW, dye: (2x) 180 mm x 143 mm, top film width: 356 mm, total dimensions: 6800 mm x 1300 mm x 2000 mm. Including pallet with parts.	5900
166	NN tables	2 s/s tables, dimensions: 1270 mm x 890 mm x 930 mm and 910 mm x 890 mm x 930 mm.	100
167	NN forms for liver cheese	Plastic pallet box with 47 s/s forms used for liver cheese, dimensions each form: 930 mm x 100 mm x 80 mm.	600
168	Schröter GmbH & Co. KG	Schröter GmbH & Co. KG switch cabinet for smoke chamber, dimensions: 600 mm x 350 mm x 1200 mm.	200
169			500

Nr	Title	Description	Start €
	Safety-Kleen Deutschland GmbH	Safety-Kleen Deutschland GmbH industrial cleaner, type: WR-I, serial number: 300 031, year of construction: 1993, 220/380 V, 4 kW, diameter washing basket: 850 mm, total dimensions: 1400 mm x 980 mm x 1090 mm.	
170	Senking	Senking braising pan, inside dimensions: 860 mm x 660 mm x 160 mm, total dimensions: 1300 mm x 1070 mm x 870 mm.	150
171	Hayssen	Hayssen horizontal form, fill and seal machine used for cheese, model: RT-250, serial number: R85507, year of construction: 9-20-96, 380 V, 3 PH, 50 Hz, 35 A, plastic belt, belt width: 230 mm, roller width: 370 mm, total dimensions: 3800 mm x 1200 mm x 1900 mm.	500
172	Kilia	Kilia grinder, type: AW D 114 2000S, machine number: 79011854, year of construction: 1990, 380 V, 19.5/25 A, 8.5/11 kW, diameter plate: 114 mm, total dimensions: 900 mm x 1150 mm x 1550 mm. Including crate with plates.	1400
173	Hobart GmbH	Hobart GmbH industrial washing machine, model: FUX-SAF, serial number: 86008012, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 36 A, 15.2 kW, s/s belt, belt width: 550 mm, clearance: 600 mm x 500 mm, total dimensions: 5700 mm x 1000 mm x 2200 mm.	2100
174	NN waste bag holders	S/s waste bag holder, dimensions: 400 mm x 500 m x 700 mm.	20
175	Multivac	Multivac thermoformer, type: R5100, number: 462/10, year of construction: 1982, 380 V, 50 Hz, 35/36 A, 15 kW, dye: 270 mm x 200 mm, total dimensions: 4150 mm x 950 mm x 1650 mm. Including 2 crates with parts.	2500
176	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 0122701, year of construction: 1999, 400/230 V, 3 Ph, 1.5 kW, weight: 450 kg, chain conveyor with dividers, distance between dividers: 160 mm, dye: (2x) 130 mm x 160 mm, film width: 230 mm, total dimensions: 5400 mm x 950 mm x 1800 mm.	1900
177	Trinitas Trading	Trinitas Trading transport belt, s/s mesh belt, belt width: 770 mm, total dimensions: 2150 mm x 1040 mm x 1470 mm.	300
178	NN smoke trolleys	12 s/s smoke trolleys, 7 floors each, floor dimensions: (7x) 930 mm x 990 mm, total dimensions: (12x) 1020 mm x 1000 mm x 1970 mm.	1200
179	Busch	Busch vacuum pump, dimensions: 1100 mm x 500 mm x 600 mm.	50
180	Seydelmann	Seydelmann mobile elevating belt, type: Förderband K, machine number: 02157, year of construction: 2002, 400 V, 50 Hz, 0.7 A, 0.37 kW, plastic belt, belt width: 700 mm, elevating height: 950 mm, total dimensions: 5700 mm x 1000 mm x 1200 mm.	1300
181	NN transport belt		300

Nr	Title	Description	Start €
		Transport belt, plastic belt, belt width: 190 mm, total dimensions: 3000 mm x 600 mm x 900 mm.	
182	NN smoke trolleys	4 s/s smoke trolleys, 6 floors, total dimensions: (4x) 1030 mm x 1030 mm x 1980 mm. 1 trolley without wheels.	600
183	NN extraction hood	S/s extraction hood, dimensions: 2400 mm x 450 mm x 2200 mm.	250
184	Schur Packaging Systems a/s	Schur Packaging Systems a/s mobile bag sealing machine, type: 425 UR, number: 2167 F944, plastic belt, belt width: 210 mm, total dimensions: 4000 mm x 900 mm x 1620 mm.	1400
185	Bitzer Kühlmaschinenbau GmbH	3 Bitzer Kühlmaschinenbau GmbH pressure vessels on steel frame, type: (3x) FS 562, serial numbers: 15895439, 15895440, 15895441, year of construction: 2000, 28 bar, total dimensions: 1400 mm x 650 mm x 1170 mm.	1000
186	Wiesheu GmbH	Wiesheu GmbH mobile oven, type: M8E2IS600, serial number: 10121747, year of construction: 2008-06, 400 V, 3 Ph, 50 Hz, 13.3 A, 9.2 kW, 4 floors, dimensions floors: (4x) 635 mm x 370 mm, total dimensions: 1000 mm x 950 mm x 1400 mm.	450
187	NN trolley	S/s trolley, 5 floors, weight: 45 kg, dimensions: 900 mm x 900 mm x 1600 mm.	120
188	Nock	Nock mobile skinning machine, type: V460N, number: 1134380, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.75 kW, working width: 430 mm, total dimensions: 750 mm x 650 mm x 950 mm.	1200
189	Nock	Nock mobile skinning machine, type: V460, number: 3026810, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 6.3 A, 0.75 kW, working width: 430 mm, total dimensions: 750 mm x 650 mm x 950 mm.	1100
190	NN ham press	Mobile ham press, weight: 120 kg, dimensions: 1200 mm x 500 mm x 900 mm.	550
191	NN case tubing machine	Case tubing machine, dimensions: 860 mm x 600 mm x 1500 mm.	100
192	Bizerba	Bizerba automatic slicer, type: VS8 A, machine number: 461044, 280/380 V, 3 Ph, 50 Hz, 1.7/1.2 A, 0.410 kW, dimensions: 700 mm x 700 mm x 500 mm.	350
193	Mado	Mado bandsaw, type: MKB649D, machine number: 30074, dimensions table: 410 mm x 540 mm, total dimensions: 500 mm x 580 mm x 1480 mm. Including extra set of saws.	400
194	NN hose reel	Hose reel, type: ST40/10/2e, serial number: 146279, year of construction: 02/2018, temperature 100 °C, 300 bar, dimensions: 500 mm x 300 mm x 600 mm. Missing hose.	90
195	Townsend	Townsend mobile skinning machine, model: 1520, serial number: 211, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 330 mm, total dimensions: 700 mm x 610 mm x 1030 mm.	350

Nr	Title	Description	Start €
196	Linx	Linx mobile inkjet printer, model: 6200, serial number: LP72034, year of construction: 1998, dimensions: 450 mm x 500 mm x 1070 mm.	300
197	Eloma	Eloma combi steamer, weight: 150 kg, dimensions: 1000 mm x 900 mm x 1700 mm.	550
198	Cookmax	Cookmax 4-pits stove, model: 8031111412XI, serial number: BN020139298, 18.4 kW, weight: 80 kg, dimensions: 820 mm x 800 mm x 950 mm.	180
199	Boekels	Boekels metal detector with rejector, type: 25x9, number: 94.20.103, year of construction: 11/94, 220 V, 50 Hz, 156 Khz, plastic belt, belt width: 160 mm, clearance: 250 mm x 100 mm, dimensions: 2000 mm x 950 mm x 1300 mm.	300
200	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic clipper, type: SFC 700 Drilling, serial number: 136/GU 08, 220 V, 3 Ph, 50/60 Hz, 0.6 A, 0.2 kW, plastic belt, belt width: 70 mm, diameter pipe: 55, total dimensions: 1220 mm x 1200 mm x 1400 mm.	600
201	Heinrich GmbH	Heinrich GmbH mobile casing sealer, machine number: HM 041418, year of construction: 2018, 230 V, 50 Hz, weight: 50 kg, dimensions: 500 mm x 600 mm x 1300 mm.	950
202	Eloma	Eloma combi steamer on s/s cabinet, 6 floors, dimensions each floor: 535 mm x 300 mm, total dimensions: 970 mm x 850 mm x 1500 mm.	300
203	NN rollies	2 pallets with 42 rollies, dimensions rollie: (42x) 655 mm x 410 mm x 160 mm, total dimensions: 1200 mm x 800 mm x 1540 mm and 1200 mm x 800 mm x 1670 mm.	650
204	NN circular saw	Circular saw, 230 V, 50 Hz, 5.5 A, dimensions: 410 mm x 720 mm x 380 mm.	50
205	NN pressure regulator	Crate with pressure regulator Handtmann or Vemag, dimensions: 550 mm x 350 mm x 270 mm.	60
206	Bizerba	Bizerba slicer, model: VS 12, number: 2085530, year of construction: 2002, 230/400 V, 3 Ph, 50 Hz, 1.2/0.68 A, 0.270 kW, dimensions: 600 mm x 600 mm x 450 mm.	350
207	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) 600 mm x 500 mm x 950 mm.	50
208	Bizerba	Bizerba automatic slicer, model: VS 8 D, number: 1558042, year of construction: 1997, 230 V, 1 Ph, 50 Hz, 2.6 A, dimensions: 800 mm x 700 mm x 600 mm.	350
209	SysTec GmbH	SysTec GmbH weighing scale, type: IT1000, serial number: 1401182, 110-240 V, 50/60 Hz, 100 mA, dimensions: 550 mm x 580 mm x 1300 mm.	50
210	Rex	Rex linking attachment, dimensions: 320 mm x 170 mm x 110 mm.	400
211	Rex	Rex case holding device, weight: 15 kg, dimensions: 300 mm x 400 mm x 12 mm.	800

Nr	Title	Description	Start €
212	August Sauter	August Sauter weighing scale, maximum capacity: 10 kg, minimum capacity: 40 g, dimensions: 350 mm x 380 mm x 470 mm.	20
213	NN cutter knives	Cutter knives.	80
214	Vemag	Vacuum pump for Vemag Old DC vacuum fillers drive unit, type: DA 1.45/4-20, year of construction: 1997, 1.6 kW, 31 m^3/per hour, dimensions: 230 mm x 370 mm x 270 mm.	50
215	Seydelmann	4 parts for Seydelmann 300 liter cutter, diameter: 180 mm.	100
216	Maschinenfabrik Dornhan	Maschinenfabrik Dornhan wooden top grinder, type: MHR39D, serial number: 30032, 220/380 V, 3 Ph, 50 Hz, 1.5/0.9 A, 400 W, dimensions: 400 mm x 140 mm x 140 mm.	10
217	Videojet	Videojet mobile inkjet printer, model: EXCEL/100, serial number: E92K08016, 220 V, 50/60 Hz, 3.4 A, 6.0 bar, dimensions: 510 mm x 200 mm x 810 mm.	150
218	NN perforated drum	Perforated drum for Baader 696, perforations: Ø 5 mm, total dimensions: Ø 165 mm x 400 mm.	900
219	Jumo	Jumo microprocessor, type: MPF-88, factory number: 87051356/1, dimensions: 250 mm x 400 mm x 340 mm.	100
220	Handtmann	Handtmann linking attachment, type: 34-4, serial number: 803, dimensions: 340 mm x 200 mm x 130 mm.	700
221	NN pump	Pump for Germo injector, dimensions: 350 mm x 200 mm x 250 mm.	100
222	Ecochem AG	Ecochem dosing pump for smoke house, model: D3RE10, capacity: 3 m^3 per hour, dimensions: 500 mm x 200 mm x 120 mm.	150
223	Poly-Clip Systems GmbH & Co. KG	Poly-Clip Systems GmbH & Co. KG parts for GSA clipper, dimensions: (1x) 250 mm x 350 mm x 450 mm, (1x) 450 mm x 300 mm x 300 mm.	800
224	NN frequency converter	Frequency converter, dimensions: 120 mm x 140 mm x 300 mm.	80
225	Vaasa Control Oy	Vaasa Control Oy frequency converter, series: Vacon CX/CXL/CXS, serial number: 1533661, dimensions: 120 mm x 140 mm x 300 mm.	100
226	Atmos	Atmos control panel, dimensions: 330 mm x 190 mm x 450 mm.	450
227	NN cutter knives	4 cutter knives.	40
228	NN cutter knives	6 cutter knives.	80
229	NN cutter knives	5 cutter knives.	50
230	NN cutter knives	4 cutter knives.	80
231	NN cutter knives	Large amount of cutter knives.	80
232	NN drain	S/s drain, dimensions: (2x) 3000 mm x 165 mm x 120 mm / (1x) 1250 mm x 240 mm x 400 mm.	250
233	NN table	S/s table, dimensions: 1300 mm x 900 mm x 880 mm.	170
234	NN table	S/s table, dimensions: 1500 mm x 900 mm x 950 mm.	170

Nr	Title	Description	Start €
235	NN table	S/s table, dimensions: 2000 mm x 1000 mm x 850 mm.	170
236	NN table	S/s table, dimensions: 1600 mm x 1000 mm x 880 mm.	170
237	NN table	S/s table, dimensions: 1600 mm x 1000 mm x 850 mm.	170
238	NN tilting device	S/s tilting device for pallet boxes, clearance: 1040 mm x 880 mm, total dimensions: 2750 mm x 1380 mm x 2200 mm.	800
300	Laska	Laska grinder, dimensions: 600 mm x 850 mm x 1400 mm. Plates missing.	2200
301	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: 700, type: 133/190, serial number: 133 0092, 280 V, 50 Hz, 13.5 A, total dimensions: 1700 mm x 1100 mm x 1780 mm. Including linking attachment.	3500
302	Krämer + Grebe	Krämer + Grebe grinder with lifter for 200 liter meat bins, type: WW 160, serial number: 280/150, year of construction: 1991, total dimensions: 2600 mm x 1300 mm x 2900 mm. Including pallet with parts, dimensions: 1400 mm x 850 mm x 950 mm. Missing plates.	2000
303	MHS Schneidetechnik	MHS Schneidetechnik mobile slicer, type: PCE70K, serial number: 050600, year of construction: 2000, 400 V, 6 A, 2.2 kW, dimensions chamber: 210 mm x 220 mm x 740 mm, total dimensions: 1850 mm x 750 mm x 1230 mm.	1900
304	NN universal machine	Mobile universal machine, inside dimensions: Ø 500 mm x 280 mm, total dimensions: 800 mm x 600 mm x 1050 mm.	1500
305	Webomatic	Webomatic vacuum machine, type: EASY-PACK, serial number: 05EH850, 230 V, 50 Hz, 4.1 A, 0.55 kW, 16 m^3/h, chamber dimensions: 360 mm x 370 mm, seal length: 370 mm, total dimensions: 400 mm x 500 mm x 360 mm.	250
306	Laska	Laska grinder, type: W130, serial number: 15361, year of construction: 2015, 400 V, 3Ph, 50 Hz, 15.4 A, 7.5 kW, plate diameter: 130 mm, total dimensions: 1050 mm x 740 mm x 1120 mm.	4800
307	Becker	Becker vacuum pump, type: U5.165/0-06, number: A3487346, year of construction: 2020, 50/60 Hz, 3.4/4.3 kW, 165/198 m^3/h, dimensions: 510 mm x 820 mm x 400 mm.	1300
308	Hobart	Hobart dishwasher, serial number: 86507002, 400 V, 3 Ph, 50 Hz, 23.3 A, 15 kW, inside dimensions: 1200 mm x 700 mm x 550 mm, total dimensions: 1370 mm x 950 mm x 1760 mm. Including box with parts.	750
309	Bizerba	Bizerba mobile automatic slicer, type: A 406 FB, number: 10221907, year of construction: 2006, 230 V, 3 Ph, 50 Hz, 3.1 A, s/s mesh outfeed belt, belt width: 250 mm, total dimensions:1130 mm x 1560 mm x 1360 mm.	900
310	Accclavis GmbH	Accclavis GmbH casing sealer on s/s trolley, year of construction: 2020, 230 V, 50 Hz, 16 A, 0.5 kW, dimensions: 650 mm x 410 mm x 930 mm.	4500

Nr	Title	Description	Start €
311	Mado	Mado mobile grinder, type: MEW 620, serial number: 1530217, 230/400 V, 3 Ph, 50 Hz, 15.2/8.8 A, 4.0 kW, 1435 rpm, plate diameter: 97 mm, total dimensions: 1000 mm x 900 mm x 1200 mm. Including crate with parts.	2000
312	Doosan Infracore Co. Ltd.	Doosan Infracore Co. Ltd. forklift truck, model: BR16JW, serial number: C8-00057, year of construction: 2000, weight: 1826 kg, fork length: 1150 mm, total dimensions: 1200 mm x 2540 mm x 2150 mm.	1300
313	Rational	Rational combisteamer, inside dimensions: 650 mm x 850 mm x 1450 mm, total dimensions: 1100 mm x 1000 mm x 1800 mm.	1250
314	Inject Star	Inject Star tumbler, dimensions: 1450 mm x 3060 mm x 2000 mm. Technical condition unknown.	3800
315	Townsend / Marel	Townsend / Marel mobile skinning machine, working width: 430 mm, total dimensions: 800 mm x 700 mm x 1000 mm.	900
316	Tipper Tie Technopak GmbH	Tipper Tie Technopak GmbH mobile double clipper, type: DCA-E, dimensions: 1140 mm x 800 mm x 1780 mm.	950
317	Rational	Rational combisteamer, inside dimensions: 650 mm x 850 mm x 1450 mm, total dimensions: 1100 mm x 1000 mm x 1800 mm.	1250
318	Busch	Busch mobile suction device for rest film, type: SP 80, serial number 7556, year of construction: 1990, dimensions: Ø 480 mm x 1050 mm.	200
319	Convotherm	Convotherm combisteamer, model: OEB 20.20, type: FD701853000A00, serial number: FD7GJ1951, 400 V, 3 Ph, 50 Hz, 95.4 A, 68.6 kW, inside dimensions: 650 mm x 850 mm x 1500 mm, total dimensions: 1250 mm x 1070 mm x 1900 mm.	1250
320	Busch	Busch suction device for rest film, type: SR 0400 C, 208-240/360-415 V, 50 Hz, 6.8/3.9 A, dimensions: 550 mm x 500 mm x 1150 mm.	200
321	Stephan	Stephan micro cutter, type: MHC-D150, number: M05040, year of construction: 2005, 460 V, 60 Hz, 70 A, 45 kW, water cooled, dimensions: 1450 mm x 900 mm x 800 mm. Incomplete.	7500
322	Weisser Maschinenbau KG	Weisser Maschinenbau KG hamburger forming machine, type: PF95, serial number: 950615, 230 V, 370 W, Ø form: 100 mm, plastic belt, belt width: 140 mm, total dimensions: 620 mm x 850 mm x 620 mm.	1700
323	Rex-Maschinen	Rex-Maschinen cutter, type: RK 45 SN, machine number: 25752, 380 V, 50 Hz, 2.5/3.2/3.7 A, 0.65/1.1/1.5 kW, steel bowl, volume: 45 liter, dimensions: 1100 mm x 1000 mm x 1200 mm.	1900
324	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 3331, 400 V, 50	4200

Nr	Title	Description	Start €
		Hz, 17 A, 6.5 kW, dimensions: 1480 mm x 1200 mm x 2080 mm.	
325	Reich	Reich bandsaw, type: Profi 400, serial number: 400 1013, year of construction: 1996, 380 V, 3 Ph, 50 Hz, 5.3 A, 2.2 kW, table dimensions: 670 mm x 820 mm, total dimensions: 850 mm x 820 mm x 1900 mm. Missing saw.	500
326	NN depositor	S/s depositor, inside dimensions: Ø 640 mm x 740 mm, total dimensions: 1380 m x 880 mm x 1520 mm.	1400
327	TVM Maschinenbau GmbH & Co KG	TVM Maschinenbau GmbH & Co KG mobile portioning machine, type: TVM-Portio 4000, serial number: 05-00.26725218, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2.5 A, weight: 380 kg, plastic belt, belt width: 205 mm, total dimensions: 1800 mm x 1040 mm x 2320 mm. Including trolley with forms. Electrical faults with the control panel.	1800
328	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD hamburger forming machine, model: R Series Formatic M/C, serial number: R2200/19/03/085, 220/240 V, 1 Ph, 50/60 Hz, 0.55 kW, dye: Ø 100 mm, plastic belt, belt width: 120 mm, total dimensions: 800 mm x 550 mm x 600 mm. Including 3 extra forms, dye: (1x) 50 mm, (1x) 80 mm, (1x) 120 mm.	2200
329	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Falcon, machine number: 460004.61876.102351, year of construction: 2006, 400/480 V, 3 Ph, 50/60 Hz, 16 A, 11 kW, weight: 780 kg, clearance: 245 mm x 150 mm, plastic belt, belt width: 242 mm, total dimensions: 2700 mm x 1200 mm x 1820 mm. Including weighing and rejection belt, dimensions: (2x) 1100 mm x 900 mm x 1000 mm.	4500
330	Komet	Komet mobile double chamber vacuum machine, type: X 100, machine number: 274 58 94, 230/400 V, 16 A, 1.1 kW, seal length: (4x) 410 mm, dimensions chamber: (2x) 400 mm x 380 mm, Busch vacuum pump, total dimensions: 930 mm x 630 mm x 1020 mm.	900
331	Stephan	Stephan vacuum universal machine, type UM 44, serial number: 714.587.01, year of construction: 1988, 380 V, 3 Ph, 50 Hz, 10.5 / 13.8 A, 4 / 5.5 kW, with vacuum pump, inside dimensions: Ø 500 mm x 280 mm, total dimensions: 850 mm x 550 mm x 1200 mm. Including parts.	1500
332	Mado	Mado mobile grinder, type: MEW 620, serial number: 9630326, 230/400 V, 3 Ph, 50 Hz, 15.2/8.8 A, 4.0 kW, 1435 rpm, plate diameter: 97 mm, total dimensions: 1050 mm x 900 mm x 1150 mm. Including box with plates.	2000
333	Talsa	Talsa piston filler, model: H31 PAS, serial number: 223916, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 3.7 / 6.4 A, 1.49 kW, capacity: 31 liter, total dimensions: 630 mm x 400 mm x 1150 mm.	750

Nr	Title	Description	Start €
334	Suhner AG	Suhner AG vacuum tumbler, type: VT 3000 E, machine number: 863000205, 380 V, 50 Hz, volume: 3000 liter, inside dimensions: ø 1700 mm x 1500 mm, total dimensions: 2400 mm x 1800 mm x 2000 mm. Incomplete.	2500
335	NWU GmbH	NWU GmbH cooling unit, type: 50 14 VN, number: 00 07 052, year of construction: 2000, 230 V, 1 Ph, 50 Hz, 6.5 A, 0.65 kW, refrigerant: R417 a, 0.4 g, dimensions: 560 mm x 440 mm x 1070 mm.	450
336	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EVM 3000, number: 39926, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, total dimensions: 800 mm x 600 mm x 1050 mm.	650
337	Convotherm	Convotherm combisteamer, type: C4eT 20.20 EB, serial number: XB718022107, 400 V, 3 Ph, 50 Hz, 97.3 A, 67.3 kW, inside dimensions: 650 mm x 850 mm x 1500 mm, total dimensions: 1150 mm x 1100 mm x 1970 mm.	1500
338	PVS Systemtechnik GmbH	PVS Systemtechnik GmbH double shaft paddle mixer, year of construction: 2023, volume: 450 liter, dimensions: 1860 mm x 1050 mm x 1680 mm.	7500
339	NN transport belt	Mobile transport belt on s/s frame, plastic belt, belt width: 200 mm, total dimensions: 3050 mm x 650 mm x 1850 mm.	250
340	Safeline	Safeline metal detector, type: 50H, serial number: 50597, year of construction: 08/2001, 100-240 V, 50/60 Hz, 330 W, plastic belt, belt width: 480 mm, clearance: 550 mm x 75 mm, total dimensions: 1020 mm x 1150 mm x 960 mm.	750
341	Linköping Rostfria Ab	Linköping Rostfria Ab s/s tilting device for meat bins and pallet boxes, number: 6783-5, year of construction: 1995, lifting capacity: 800 kg, total dimensions: 1735 mm x 1880 mm x 2400 mm.	2900
343	Nowicki	Nowicki mobile micro cutter, model: KR-15, number: 32820011, year of construction: 2020, 400 V, 3 Ph, 50 Hz, dimensions: 1700 mm x 950 mm x 700 mm.	6500
345	Suhner AG	Suhner AG vacuum tumbler, type: VT 1500 E2, machine number: 891500229, 380 V, 50 Hz, volume: 1500 liter, inside dimensions: ø 1400 mm x 700 mm, Busch vacuum pump, type: 100-112, number: 37872, capacity: 100 m^3 per hour, total dimensions: 1870 mm x 1400 mm x 1770 mm. Missing cover.	2200
346	Knivman Bankeryd AB	Knivman Bankeryd AB bandsaw, type: BBA-I S, number: 7376, 380 V, 3 Ph, 50 Hz, 8.1 kW, 3 kW, s/s rollers, roller width: 260 mm, 660 mm and 1000 mm, total dimensions: 2400 mm x 940 mm x 1810 mm.	800
347	NN smoke trolleys	3 smoke trolleys, 8 floors, floor dimensions: 1000 mm x 1020 mm, total dimensions: 1000 m x 1040 mm x 1920 mm.	480

Nr	Title	Description	Start €
348	Multivac	Multivac double chamber vacuum machine, model: C 450, seal length: (4x) 470 mm, chamber: (2x) 625 mm x 470 mm, with Rietschle vacuum pump, type: VCH 140 (05), capacity: 140 m³ per hour, total dimensions: 1230 mm x 950 mm x 1020 mm,	4000
349	NN smoke trolleys	5 smoke trolleys, 6 floors, floor dimensions: 1000 mm x 1000 mm, total dimensions: 1000 m x 1020 mm x 1920 mm.	800
350	Laska	Laska double shaft Z-arm vacuum mixer with lifter for meat bins, type: ME-250, serial number: F-1230, 380 V, 50 Hz, 13 A, 2.5 A, capacity: 250 liter, dimensions: 1500 mm x 1300 mm x 1900 mm. Dimensions switch cabinet: 800 mm x 300 mm x 800 mm.	6500
351	Ziegra	Ziegra ice machine, type: UBE 125, number: 883636, dimensions: 700 mm x 980 mm x 600 mm.	300
352	PVS Systemtechnik GmbH	PVS Systemtechnik GmbH casing sealer on s/s trolley, 230 V, 50 Hz, 16 A, 0.5 kW, dimensions: 700 mm x 400 mm x 1000 mm.	4500
353	NN smoke trolleys	8 smoke trolleys, 7 floors, floor dimensions: 1000 mm x 1000 mm, total dimensions: 1000 m x 1020 mm x 1860 mm.	1200
354	Stephan	Stephan mobile universal machine, type: BB 100, number: 4558760, year of construction: 1986, 380 V, 50 Hz, 28 A, 12.5 kW, volume: 100 liter, total dimensions: 1200 mm x 950 mm x 1400 mm.	800
355	Stephan	Stephan micro cutter, type: MC 12, machine number: 35492, year of construction: 1984, 380 V, 3 Ph, 50 Hz, 17.8 A, 8.8 kW, dimensions: 700 mm x 620 mm x 950 mm.	4500
356	Kerres	Kerres drying- smoking- and cooking chamber, type: CS 350, serial number: 15.056, year of construction: 09-1985, on sawdust or liquid smoke, 6 floors, dimensions floor: (6x) 540 mm x 445 mm, total dimensions: 830 mm x 680 mm x 1750 mm.	1300
357	Ekomex	Ekomex double Z-arm mixer with lifter for 200 liter meat bins, type: MZ 500, number: 0514090012, year of construction: 2015, 400 V, 50 Hz, 16 kW, weight: 1950 kg, volume: 500 liter, dimensions mixer: 1900 mm x 1210 mm x 1620 mm, dimensions lifter: 920 mm x 1120 mm x 2530 mm.	14500
358	Baader	Baader separator, type: 696, machine number: 12 1866 0696, year of construction: 1984, 380 V, 50 Hz, 3.7 A, 1.5 kW, weight: 130 kg, dimensions: 1200 mm x 900 mm x 1300 mm.	2000
359	Tipper Tie Technopack	Tipper Tie Technopack mobile clipper, model: KDCV, number: 4282.424.486, 6 bar, 130 kg, dimensions: 1200 mm x 650 mm x 2000 mm.	1700
360	Palmia		3500

Nr	Title	Description	Start €
		Palmia grinder, type: P207520, number: 4421750 kg, dimensions: 1500 mm x 1200 mm x1800 mm.	
361	Tipper Tie Technopack	Tipper Tie Technopack micro cutter, model: TT Cut 125V, serial number: A1004.099.266, year of construction: 2016, 400 V, 50 Hz, 20.4 A, 11 kW, 230 kg, dimensions: 1000 mm x 800 mm x 1200 mm.	6500
362	PVS Systemtechnik GmbH	PVS Systemtechnik GmbH micro cutter, type: PVS Cut 180 HD, number: 180.HD.169.2023 3, year of construction: 2023, 400 V, 50 Hz, 19.3 A, 11 kW, weight: 1100 Kg, dimensions: 2400 mm x 1220 mm x 1000 mm.	35000
363	NN smoke sticks	Pallet box with approximately 400 smoke sticks, stick length: 1000 mm, total weight: 200 kg.	250
364	Magurit	Magurit flaker, 400 V, 50 Hz, 5.5 kW, clearance: 400 mm x 220 mm, weight: 450 kg, total dimensions: 1700 mm x 750 mm x 1600 mm.	4500
365	Laska	Laska grinder with lifter for 200 liter meat bins, type: WW 160 1G, serial number: 12301, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 70 A, 35 kW, total dimensions: 2700 mm x 1400 mm x 3000 mm.	12500
366	NN smoke trolleys	3 s/s smoke trolleys, 7 floors, dimensions: (3x) 1000 mm x 1020 mm x 2000 mm.	350
367	NN cooking trolleys	2 s/s cooking trolleys, 9 floors, dimensions: (2x) 1000 mm x 1030 mm x 2000 mm.	250
368	Ekomex	Ekomex Z-arm mixer, type: MZ 500, serial number: 0511090005, year of construction: 2012, weight: 1900 kg, dimensions: 2200 mm x 1200 mm x 1700 mm. Including lifter for meat bins, type: ZM 200, serial number: 10111030154, weight: 300 kg, dimensions: 1000 mm x 1000 mm x 2800 mm.	12500
369	PVS	PVS automatic can sealing machine, model: LPE-FHV50E, serial number: LEVA20230507A-W, year of construction: 2023, 380 V< 50/60 Hz, 2100 W, 6 A, 350 kg, capacity: 45/min, diameter cans: 73 mm, dimensions: 1000 mm x 1000 mm x 2000 mm.	15000
370	NN smoke trolleys	42 smoke trolleys, 7 floors, floor dimensions: (7x) 1000 mm x 1000 mm, total dimensions: (42x) 1000 mm x 1000 mm x 2000 mm.	4800
371	NN apron washer	S/s apron washer, weight: 100 kg, dimensions: 1500 mm x 700 mm x 1800 mm.	100
372	Itec	Itec s/s wall-mounted sink, weight: 15 kg, dimensions: 500 mm x 500 mm x 700 mm.	60
373	NN sink	S/s sink, weight: 15 kg, dimensions: 500 mm x 500 mm x 600 mm.	50
374	Itec	Itec sink, weight: 15 kg, dimensions: 500 mm x 500 mm x 600 mm.	50
375	Itec	Itec s/s sole cleaner, type: 23821, serial number: 1820, year of construction: 12/2008, 400 V, 3 Ph, 50 Hz, 0.25	50

Nr	Title	Description	Start €
		kW, weight: 50 kg, dimensions: 600 mm x 600 mm x 1200 mm.	
376	NN apron washer	S/s apron washer, weight: 50 kg, dimensions: 1200 mm x 600 mm x 1800 mm.	120
378	Itec	Itec sole cleaner, model: Solo Traditio, type: 23821, serial number: 23821-4699, year of construction: 05/2023, 400 V, 3 Ph, 50 Hz, 0.25 kW, weight: 70 kg, dimensions: 500 mm x 450 mm x 1200 mm.	200
379	Itec	Itec s/s sink, year of construction: 07/2019, 230 V, 50/60 Hz, 0.1 kW, weight: 15 kg, dimensions: 500 mm x 500 mm x 700 mm.	50
380	Maja-Maschinenfabrik	Maja-Maschinenfabrik flake ice machine, type: RVH 6000, serial number: I-46665, year of construction: 2016, 400 V, 3 Ph, 50 hz, 1.98 A, 0.52 kW, capacity: 6.000 kg, dimensions: 1900 mm x 1500 mm x 700 mm. Including chiller, dimensions: 2200 mm x 1350 mm x 1800 mm.	5500

General terms of the online auction

Article 1. Definitions
Delivery: the actual delivery of the lot to the buyer or to his authorized representative;
Bid: each by a user in the auction (for a lot) bid amount;
User: the one who has registered on the website;
User Agreement: the agreement between Industrial Auctions and the user;
Lot: an article, or a number of articles that are auctioned together (under one number);
Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;
Purchase Agreement: the purchase agreement between buyer and seller;
Buyer: the user to whom the lot is allocated;
Registration: registration of the user on the website by completing the registration form found on the website;
Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;
Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);
Auction: internet sales organized by Industrial Auctions of movable goods;
Seller: the person(s) a lot is being auctioned in whom/whose commission;
Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability
2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.
2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use
3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.
3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.
3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.
3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.
3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.
3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.
3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction
4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.
4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.
4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.
4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:
- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;

- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;
4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security
5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.
5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.
5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots
6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.
6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or aplied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation
7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annuled clause, as far as possible the scope of the invalid/annuled clause shall be respected.
7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.
7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.
7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions
8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.
8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:
- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement
9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.
9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.
9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.
9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).
9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.
9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.
9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.
9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.
9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities
10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial

Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.
10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.
10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.
10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer
11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.
11.2. The buyer is not entitled to any settlement or suspension.
11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.
11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.
11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days
12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery
13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions

can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.
13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.
13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).
13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.
13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination
14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.
14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.
14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability
15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herselve is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law

and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.
15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.
15.3 Industrial Auctions and the seller are not liable for:
- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;
15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.
15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law
16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.
16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.
16.3 In the event of a dispute, the competent court within the district of “Oost-Brabant” has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

Notes

Notes

CONTACT

info@industrial-auctions.com

+31 (0)40 240 9208

