

Industrial Auctions

2367: Online auction machinery for the food industry in Ystad (SE)

END DATE
02 December 2026 14:00

General terms and conditions of the online auction

End date	02 December 2026 from 14:00 hrs.
Viewing days	01 December 2026 from 09:00 till 16:00 hrs.
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	25% over the highest bid including premium
Pick up days	09 December 2026 from 09:00 till 16:00 hrs.
Pick up address	Kronoholmsvägen 4 27151 Ystad Sweden
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.

Nr	Title	Description	Start €
1	Marel / Townsend	Marel / Townsend mobile forming machine, model: THV 630, type: 440765 serial number: 10394082, year of construction: 2017, total dimensions: 2400 mm x 1200 mm x 2130 mm. Including 2 tool trolleys for plates, dimensions: (1x) 1020 mm x 1450 mm x 1900 mm, (1x) 1250 mm x 760 mm x 1400 mm. Including Form plates, dimensions: 2 plates with (4x) 30 mm x 95 mm, thickness: 10.5 mm. 2 plates with (7x) 70 mm x 44 mm, thickness: 28.3 mm. 1 plate with (5x) 120 mm x 70 mm, thickness: 10 mm. 2 plates with (5x) 70 mm x 47 mm, thickness: 35 mm. 1 plate with (22x) Ø 30 mm, thickness: 28.7 mm. 1 plate with (9x) Ø 35 mm, thickness: 33.9 mm. 1 plate with (20x) Ø 26 mm, thickness: 28 mm.	20000
2	FPT Food Progess Technology	FPT Food Progess Technology dubbler, type: 450-1000, serial number: DB61092-2, year of construction: 2017, plastic belt, belt width: 610 mm and 910 mm, total dimensions: 1750 mm x 2000 mm x 1520 mm.	2000
3	FPT	FPT teflon grill belt, serial number: BC 240111, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 175 kW, machine weight: 2400 kg, teflon belt, belt width: 1000 mm, (4x) top grill plates: (4x) 950 mm x 590 mm, (5x) bottom grill plates: (4x) 950 mm x 590 mm, plastic mesh belt, belt width: 990 mm, total dimensions: 4450 mm x 1700 mm x 2400 mm. Including switch cabinet, dimensions: 1250 mm x 440 mm x 2340 mm.	12000
4	FPT	FPT teflon bottom grill and top steam belt, model: MC10-24, year of construction: 2008-01, teflon belt, belt width: 1000 mm, total dimensions: 4000 mm x 1500 mm x 2400 mm. Including switch cabinet, dimensions: 1150 mm x 350 mm x 2350 mm.	9500
5	Vemag	Vemag vacuum filling machine with linking attachment, model: ROBBY, type: 136, number: 136 0075, year of construction: 2004, 400-460 V, 3 Ph, 50/60 Hz, 20 A, dimensions: 700 mm x 850 mm x 1650 mm.	3500
6	Tiromat Krämer + Grebe	Tiromat Krämer + Grebe thermoformer, type: 680, serial number: 685/0191, 220/24 V, 3Ph, 36/50 A, dye: (8x) 120 mm x 100 mm, 4-lanes: 100 mm, index: 380 mm, total dimensions: 6650 mm x 1200 mm x 2070 mm. Including pallet box with parts. Without vacuum pump.	3000
7	Solbern	Solbern folding machine for taco's, model: BF95X (BF-1), serial number: 36074, dye: 330 mm x 320 mm, clearance: 330 mm x 80 mm, wire belt, belt width: 185 mm, total dimensions: 8800 mm x 900 mm x 1790 mm.	5000
8	Safeline	Safeline metal detector, clearance: 460 mm x 170 mm, plastic mesh belt, belt width: 400 mm, total dimensions: 1200 mm x 950 mm x 1100 mm.	600
9	Kilia	Kilia cutter with lifter for 200 liter meat bins and ejector, year of construction: 2010, diameter bowl: 1650 mm, volume: 500 liter, total dimensions: 4100 mm x 2800 mm x 2300 mm.	11500

Nr	Title	Description	Start €
		Switch cabinet, dimensions: 1500 mm x 600 mm x 2300 mm. Including pallet box with parts.	
10	NN motor	Motor, dimensions: 1100 mm x 380 mm x 600 mm. Overhaul.	600
11	KEB COMBIVERT F5	KEB COMBIVERT F5 Frequency Inverter, model: 27F5H1U-900A, serial number: 302209565/1425260, 400 V, 3 Ph, 50/60 Hz, 160 kW, dimensions: 360 mm x 330 mm x 800 mm.	1500
12	Kilia	Kilia cutter with lifter for 200 liter meat bins and ejector, year of construction: 2000, diameter bowl: 1650 mm, volume: 500 liter, total dimensions: 4100 mm x 2800 mm x 2300 mm. Switch cabinet, dimensions: 1500 mm x 600 mm x 2300 mm.	7500
13	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH mobile automatic double clipper, model: SV 4603, number: 4603.302.031, 380 V, 3 Ph, 50/60 Hz, minimum: 5 bar, maximum: 6 bar, pipe: Ø 50 mm, plastic belt, belt width: 250 mm, total dimensions: 2080 mm x 1100 mm x 2000 mm.	3500
14	Henkelman	Henkelman mobile vacuum machine, type: Marlin 52, serial number: H0M30240513, year of construction: 2024, 400 V, 3 Ph, 50 Hz, 1.8 kW, seal length: (2x) 530 mm, dimensions chamber: 540 mm x 530 mm, Busch vacuum pump, type: RA 0063 F 4K3, serial number: DEM124210539, capacity: 63 m³/h, total dimensions: 670 mm x 670 mm x 1000 mm.	2500
15	Sancini	Sancini product pump, machine: CP88.1/06/1.1, serial number: 9368, dimensions: 1700 mm x 980 mm x 2650 mm.	400
16	Henkelman	Henkelman mobile vacuum machine, type: Polar 110, serial number: H0P70240064, year of construction: 2024, 400 V, 3 Ph, 50 Hz, 4 kW, seal length: (1x) 1100 mm, (1x) 620 mm, Busch vacuum pump, type: RD 0200 A 5H1, serial number: DEM124340353, capacity: 200 m³/h, total dimensions: 1200 mm x 900 mm x 1150 mm.	3000
17	Promax	Promax mobile double chamber vacuum machine, model: PC650-FB-H, serial number: PF12031506, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 15 A, seal length: (4x) 640 mm, dimensions chamber: (2x) 760 mm x 640 mm, Busch vacuum pump, type: RA0100.E5Z3.1002, serial number: U121202385, capacity: 100 m³/h, total dimensions: 1600 mm x 950 mm x 1150 mm.	1900
18	Maja	Maja flake ice machine, type: SA 3100 SW, working width: 700 mm, Bitzer cooling compressor, type: 4PCS-102&-40P, serial number: 1674807552, 380/420 V, 3 Ph, 50/60 Hz, capacity: 58.5 m³/h, dimensions: 1320 mm x 980 mm x 1870 mm. Missing cover.	2000
19	Stridhs	Stridhs organ washer, type: ORGAN TVÄTT, serial number: 8035 /76, drum dimensions: Ø 500 mm x 980 mm, perforations: Ø 20 mm, total dimensions: 1400 mm x 8200 mm x 1650 mm.	600
20	Nimo-KG		1000

Nr	Title	Description	Start €
		Nimo-KG s/s lifter for 200 liter meat bins, lifting height: 2200 mm, total dimensions: 1340 mm x 1700 mm x 3200 mm.	
21	Red Arrow	Red Arrow liquid smoke generator, consisting of s/s tank, inside dimensions: 900 mm x 900 mm x 770 mm, total dimensions: 1100 mm x 1100 mm x 1250 mm and Protech Food Machinery AB liquid smoke generator, type: Conti Speedsmoke, serial number: 0546, year of construction: 2005, 400 V, 50 Hz, 16 A, dimensions: 1650 mm x 750 mm x 1700 mm.	1000
22	NN tumbler	S/s tumbler with Scanvaegt indicator, indicator type: SV10, serial number: 60144260, inside dimensions: Ø 1550 mm x 2050 mm, total dimensions: 2550 mm x 2550 mm x 2200 mm.	3000
23	Packaging Machinery Co. LTD	Packaging Machinery Co. LTD vertical bag-, form-, fill-, and seal machine, infeed belt with trays, each tray: 160 mm x 110 mm x 50 mm, filling pipe: Ø 80 mm, vertical seal length: 260 mm, horizontal seal length: 170 mm, film width: 340 mm, total dimensions: 2180 mm x 830 mm x 1620 mm. Including extra filling pipe.	1000
24	Carnitech	Carnitech double shaft paddle mixer-grinder with lifter, type: 3203.01, serial number: 12-0171, year of construction: 2012, plate diameter: 200 mm, infeed clearance: 1200 mm x 880 mm, total dimensions: 2300 mm x 1850 mm x 2500 mm. Carnitech lifter for 200 liter meat bins, year of construction: 2012, lifting height: 2400 mm, total dimensions: 1450 mm x 1150 mm x 3260 mm, S/s trolley for tools, dimensions: 1600 mm x 700 mm x 1100 mm.	17500
25	BG Pack Spa	BG Pack Spa vertical bag-, form-, fill-, and seal machine, model: VETTA 3348, serial number: COMM 99170, year of construction: 10-07-2003, 380 V, 3 Ph, 50 HZ, 10 kW, filling pipe: Ø 180 mm, vertical seal length: 480 mm, horizontal seal length: 360 mm, total dimensions: 2360 mm x 1600 mm x 1930 mm. Including various parts, among others: Busch vacuum pump.	3000
26	NN suction device for rest film	S/s suction device for rest film, total dimensions: 930 mm x 800 mm x 1400 mm.	80
27	Cryovac	Cryovac belt vacuum machine, model: VS90, serial number: A03302009, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 20 A, 6 bar, 15 Nm^3/h, plastic belt, belt width: 660 mm, plastic rollers, roller width: 660 mm, total dimensions: 1300 mm x 1420 mm x 1850 mm.	2500
28	Cryovac	Cryovac shrink tunnel, model: ST77LHS, serial number: A51601009, year of construction: 2007, 380/415 V, 50 Hz, 16 A, 4 kW, air: 6 bar, water: 2-6 bar, steam: 2-4 bar, clearance: 860 mm x 300 mm, s/s mesh belt, belt width: 700 mm, total dimensions: 1300 mm x 1420 mm x 1850 mm.	3000
29	Vemag		12500

Nr	Title	Description	Start €
		Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP10E, number: 1610495, year of construction: 2011, 400/460 V, 3 Ph, 50/60 Hz, 21 A, 14 kW, dimensions: 2100 mm x 1400 mm x 1960 mm.	
30	Foss Analytical A/S	Foss Analytical A/S mobile analyser, model: MeatMaster TM, type: 78010, serial number: 91714896, year of construction: 31/10-2011, 420/480 V, 3 Ph, 50/60 Hz, plastic belt, belt width: 630 mm, clearance: 670 mm x 260 mm, total dimensions: 3700 mm x 1350 mm x 2600 mm.	8000
31	Reepack	Reepack traysealer, model: REEMATIC 150, serial number: 1421001, year of construction: 2021, 400 V, 3 Ph, 50 Hz, denester clearance: (2x) 210 mm x 120 mm, dimensions plastic trays: 210 mm x 120 mm x 42 mm, dye: (2x) 180 mm x 140 mm, plastic mesh belt, belt width: 500 mm, total dimensions: 5100 mm x 1060 mm x 1820 mm. including Busch vacuum pump, type: RD 0360 A 503, serial number: CHM120510184, capacity: 360 m³/hour. Pallet box with parts, dimensions: 1200 mm x 800 mm x 500 mm.	12000
32	Risco	Risco vacuum filling machine with lifter for 200 liter meat bins, machine model: RS 4001 CP, serial number: 0200015, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 6.3 kW, weight: 885 kg, dimensions: 1950 mm x 1350 mm x 1900 mm.	2500
33	Risco	Risco vacuum filling machine with lifter for 200 liter meat bins, dimensions: 2200 mm x 1150 mm x 2060 mm.	1300
34	Handtmann	Handtmann mobile AL linking machine, type: 226-01, number: 504, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 9 A, 5 kW, dimensions: 1700 mm x 800 mm x 1380 mm.	3000
35	Handtmann	Handtmann mobile hanging line, type: 242-16, number: 748, year of construction: 2007, total dimensions: 3450 mm x 700 mm x 1370 mm.	1500
36	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile sausage cutter, model: TM 203, number: 2030277, year of construction: 2008, 220/240 V, 3 Ph, 50/60 Hz, 5/16 A, 2.5 kW, clearance: 50 mm x 50 mm, total dimensions: 710 mm x 620 mm x 1590 mm.	4000
37	Linak	Linak frame for scale and labeling system, item number: DL261CAF2500645, year of construction: 2019.05.09, 230 V, 50 Hz, 300 W, maximum load: Push 1000 N, height electric adjustable, dimensions: 1500 mm x 820 mm x 1940 mm.	100
38	Cryovac	Cryovac bag blower, model: BL 19, serial number: A50200310, year of construction: 2000, 230 V, 50 Hz, 04 A, 0.1 kW, air: 4-6 bar, 6/10 Nm³/h, belt width: 265 mm, total dimensions: 630 mm x 450 mm x 910 mm.	100
39	Ishida	Ishida X-ray scanner, model: IX-G2-4027-H, serial number: 100025967, year of constructions: OCT 2013, 240 V, 50/60 Hz, 7.5 A, clearance: 540 mm x 45 mm, plastic belt, belt width: 430 mm, total dimensions: 1400 mm x 1300 mm x 2200 mm.	3500

Nr	Title	Description	Start €
40	Ishida	Ishida rejector, serial number: 16531 101B, year of construction: 04 16, plastic mesh belt, belt width: (2x) 255 mm, total dimensions: 840 mm x 930 mm x 1570 mm.	2000
41	Rühle	Rühle dicer with lifter for crates, model: SR 2T, serial number: 40050304G, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 10.6 A, 5.1 kW, dimensions chamber: 480 mm x 120 mm x 120 mm, plastic belt, belt width: 260 mm, total dimensions: 1550 mm x 1400 mm x 1600 mm.	7500
42	Multivac	Multivac thermoformer, type: R145, serial number: 139737, year of construction: 2010, 220 V, 3 Ph, 50 Hz, 74/100 A, 13.5 kW, dye: (3x) 190 mm x 110 mm, plastic mesh outfeed belt, belt width: 380 mm, Busch vacuum pump, type: CB 0220 D 1, capacity: 220 m^3 per hour, total dimensions: 4500 mm x 1100 mm x 2200 mm. Including pallet with parts, dimensions: 1200 mm x 800 mm x 750 mm.	11500
43	Meca Plastic	Meca Plastic traysealer, type: MECA 2003, number: 5669, year of construction: 06.04, film width: 411 mm, dimensions dye: (3x) 145 mm x 110 mm, plastic outfeed rollers, roller width: 470 mm, total dimensions: 4250 mm x 970 mm x 1960 mm.	2900
44	CFS	CFS forming machine, type: MLF 600, machine number: 759, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 46.37 A, 22.84 kW, weight: 1782 kg, dye: (39x) Ø 30 mm, s/s mesh belt, belt width: 600 mm, total dimensions: 2900 mm x 1700 mm x 2550 mm. Including pallet with extra forms, dye: (6x) 165 mm x 45 mm, total dimensions: 1200 mm x 800 mm x 600 mm.	20000
45	Weber	Weber slicer, type: SLC 902, number: 1601, 400 V, 50 Hz, 10 kW, plastic outfeed belt, belt width: 300 mm, clearance: 300 mm x 130 mm, plastic string belt, belt width: 400 mm, total dimensions: 2900 mm x 1500 mm x 2250 mm. Without rollies.	5000
46	Weber	Weber slicer with mobile outfeed belt, clearance: 380 mm x 120 mm, plastic outfeed belt, belt width: 370 mm, total dimensions slicer: 2500 mm x 1200 mm x 2300 mm, total dimensions outfeed belt: 2600 mm x 800 mm x 1100 mm.	1900
47	NN hamburger stacker	Hamburger stacker, 4-lanes, plastic mesh belt, belt width: (2x) 220 mm, total dimensions: 2500 mm x 1300 mm x 2500 mm. Including tool trolley with screws.	1500
48	Grasselli SpA	Grasselli SpA mobile slicer, model: SL 600-BI, working width: 600 mm, 24 knives, distance between knives: 12.5 mm, plastic belt, belt width: 570 mm, total dimensions: 1200 mm x 1150 mm x 1870 mm.	2500
49	NN grill	S/s grill, 35 kW, electric heated, dimensions: 3200 mm x 800 mm x 900 mm. Transport rollies not included.	200
50	Stein	Stein drying belt, s/s mesh belt, belt width: 360 mm, total dimensions: 1330 mm x 800 mm x 1380 mm. Incomplete.	300
51	A-.B. Separator		350

Nr	Title	Description	Start €
		A-.B. Separator double jacketed brine tank with agitator, number: 4400-52, inside dimensions: Ø 1430 mm x 1040 mm, total dimensions: Ø 1430 mm x 1040 mm.	
52	Multivac	Multivac thermoformer, type: R530, number: 3673, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 41 A, 15.5 kW, film width: 622 mm, dye: (2x) 367 mm x 265 mm, MR Etikettiertechnik labeller and 2 Busch vacuum pumps, total dimensions: 10200 mm x 1250 mm x 2000 mm. Including film unwinding device, dimensions: 1500 mm x 1500 mm x 1800 mm and rest film suction devices.	12500
53	Mado	Mado grinder, type: MEW 725, serial number: 30215, year of construction: 2006, 230 V, 3 Ph, 50 Hz, infeed clearance: 1000 mm x 880 mm, plate dimensions: Ø 130 mm, total dimensions: 1460 mm x 1040 mm x 1900 mm. Including lifter for meat bins, lifting height: 1950 mm, total dimensions: 900 mm x 1100 mm x 2870 mm and tool trolley with plates and knives, dimensions: 600 mm x 600 mm x 1100 mm.	7000
54	Wolfking	Wolfking spiral mixer, capacity: 1500 liter, inside dimensions: 2100 mm x 900 mm x 1000 mm, total dimensions: 2850 mm x 1400 mm x 1950 mm.	4900
55	Nordreco AB	Nordreco AB coating drum, drum dimensions: Ø 900 mm x 1300 mm, total dimensions: 1800 mm x 1550 mm x 2100 mm.	1250
56	Kilia	Kilia cutter with lifter for 200 liter meat bins and ejector, steel bowl, diameter bowl: 1250 mm, height: 150 mm, total dimensions: 3200 mm x 2600 mm x 2700 mm (lid open), s/s switch cabinet, dimensions: 1200 mm x 1300 mm x 400 mm.	7500
57	Seydelmann	Seydelmann grinder with lifter for 200 liter meat bins, type: AE 130 3/B, machine number: 07658-1, year of construction: 2007, 400 V, 50 Hz, 43 A, 22 kW, 10 bar, plate diameter: 130 mm, total dimensions: 2600 mm x 1850 mm x 2050 mm.	9000
58	Fritsch	Fritsch mobile dough moulder, BWWM 900-L, machine number: 05210-000034, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 6 A, 6 bar, 3.5 kW, cloth belt, belt width: 850 mm, roll width: 880 mm, total dimensions: 2400 mm x 1600 mm x 1570 mm.	700
59	Palmia	Palmia vacuum paddle mixer, volume: 500 liter, with Busch vacuum pump, type: 025-132, dimensions: 1700 mm x 950 mm x 2200 mm. Without rollies.	6500
60	Ilpra S.p.A.	Ilpra S.p.A. traysealer, model: SpeedyVG, number: FP 6494, year of construction: 2005, 380 V, infeed conveyor with dividers, conveyor width: 475 mm, distance between dividers: 350 mm, film width: 400 mm, dye: (2x) 175 mm x 135 mm, total dimensions: 2900 mm x 950 mm x 1800 mm.	2500
61	Multivac	Multivac mobile traysealer, type: T300, serial number: 177341, year of construction: 2013, 400/230 V, 3 Ph, 50 Hz, 21/50 A, 5.5 kW, dye: (2x) 170 mm x 130 mm, plastic rollers, roller width: 470 mm, Busch vacuum pump, type: RA 0100 F	9000

Nr	Title	Description	Start €
		503, capacity: 100 m³ per hour, total dimensions: 2350 mm x 1150 mm x 1650 mm. Including 2 s/s tool trolleys and box with large amount of plastic trays.	
62	Seal-O-Matic / Weitek	Seal-O-Matic / Weitek bag forming, filling and closing machine used for 1 liter paper bags, model bag forming machine: 340 ULE, serial number: 73-340-2409, dimensions bag forming machine: 2000 mm x 950 mm x 1970 mm, type batcher, sealer and labeller: BDV 1300, number: 96/029/1, maximum capacity batcher: 1500 mm, minimum capacity batcher: 150 g, d= 2g, seal length: 115 mm, plastic outfeed belt, belt width: 115 mm, total dimensions: 2800 mm x 1750 mm x 2450 mm.	3000
63	Hydropress	Hydropress filter press, bunker dimensions: 1430 mm x 580 mm x 730 mm, s/s belt, belt width: 475 mm, dividers height: 30 mm, distance between dividers: 80 mm, elevating height: 1250 mm, total dimensions: 2650 mm x 950 mm x 1800 mm.	1000
64	NN linear weigher	Linear weigher, 2-lanes, infeed clearance: 420 mm x 410 mm, gutter width: 120 mm, total dimensions: 1100 mm x 1000 mm x 2050 mm.	400
65	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP20E, number: 1631104, year of construction: 2017, 400-460 V, 3 Ph, 50/60 Hz, 38 A, 23 kW, weight: 1314 kg, with Busch vacuum pump, type: KC 0016, total dimensions: 2250 mm x 1450 mm x 2050 mm. Including 2 trolleys with tools, dimensions: (2x) 1200 mm x 900 mm x 1030 mm.	30000
66	Vemag	Vemag mobile meat ball forming machine, model: BC236, number: 2360171, year of construction: 2017, 400-460 V, 3 Ph, 50/60 Hz, 9 A, 6.5 kW, weight: 825 kg, diameter forms: (12x) 30 mm, plastic belt, belt width: 600 mm, total dimensions: 1250 mm x 1000 mm x 1600 mm. Including trolley with parts, diameter forms: (6x) 70 mm, dimensions trolley: 1250 mm x 1000 mm x 1200 mm.	19000
67	Multivac	Multivac thermoformer, type: R240, machine number: 101006, year of construction: 2005, 400 V, 3 Ph, 50 Hz, dye: (10x) 200 mm x 50 mm, 5-lanes: (5x) 55 mm, index: 490 mm, plastic belt, belt width: 370 mm, total dimensions: 7580 mm x 1250 mm x 2170 mm.	8000
68	Variovac	Variovac thermoformer, type: PRIMUS, serial number: 420.489.04, year of construction: 2004, 230/400 V, 32/19.6 A, 10.1 kW, 6 bar, bottom film width: 420 mm, dye: (2x) 280 mm x 176 mm, top film width: 420 mm, plastic outfeed belt, belt width: 380 mm, total dimensions: 5600 mm x 1100 mm x 1900 mm. Including pallet with extra parts, dye: (3x) 205 mm x 112 mm, total dimensions: 1200 mm x 800 mm x 500 mm.	2500
69	Hillerslev		350

Nr	Title	Description	Start €
		Hillerslev transport belt, number: 1864-2007, s/s movable frame, 4 plastic belts, belt width: (4x) 110 mm, total dimensions: 1200 mm x 720 mm x 980 mm.	
70	Straight-O-Matic	Straight-O-Matic mobile 2 head depositor, infeed clearance: 380 mm x 140 mm, dye: (2x) 110 mm x 60 mm, total dimensions: 1270 mm x 1230 mm x 1900 mm.	600
71	Straight-O-Matic	Straight-O-Matic mobile 2 head depositor, infeed clearance: 380 mm x 140 mm, dye: (2x) 110 mm x 60 mm, total dimensions: 1270 mm x 1230 mm x 1900 mm.	600
72	Rühle	Rühle mobile injector, type: PR 15, number: 920, 380 V, 3 Ph, 50 Hz, 1.1 kW, 15 needles, s/s belt, belt width: 260 mm, clearance: 285 mm x 190 mm, total dimensions: 850 mm x 460 mm x 1560 mm.	700
73	Safeline	Safeline metal detector, model number: 100203, clearance: 460 mm x 160 mm, plastic mesh belt, belt width: 400 mm, total dimensions: 1200 mm x 940 mm x 1110 mm.	600
74	Safeline	Safeline metal detector with rejector, clearance: 450 mm x 115 mm, plastic mesh belt, belt width: 400 mm, total dimensions: 2470 mm x 1150 mm x 1320 mm.	800
75	Varlet	Varlet mobile skinning machine, type: V580, number: 114, year of construction: 2004, 0.75 kW, working width: 480 mm, total dimensions: 850 mm x 780 mm x 1000 mm.	500
76	Maass+Partner GmbH Hamburg	Maass+Partner GmbH Hamburg knife sharpener, model: GHB 1098, fabrication number: AL-012-1098, dimensions: 500 mm x 600 mm x 380 mm.	150
77	Linköpings Rostfria AB	Linköpings Rostfria AB lifter, lifting height: 1150 mm, platform: 375 mm x 580 mm, total dimensions: 1260 mm x 550 mm x 1540 mm.	100
78	Pack leader	Pack leader labeling machine, model: PL-211D, serial number: 04707PL211D0010807, year of construction: 2019, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 360 mm, label width: 90 mm, total dimensions: 2600 mm x 1170 mm x 1650 mm.	750
79	Weber	Weber mobile skinning machine, type: AVH 400, number: 552, year of construction: 2002, 400 V, 50 Hz, 0.37 kW, weight: 200 kg, working width: 380 mm, total dimensions: 700 mm x 600 mm x 1000 mm.	750
80	Teltek	Teltek checkweigher, type: Teltek 800, serial number: 99051, year of construction: 1999, 230 V, 50/60 Hz, plastic belt, belt width: 450 mm, total dimensions: 850 mm x 920 mm x 1350 mm.	300
81	Katko	Katko extrudation with press roll for dough, working width: 550 mm, plastic belt, belt width: 500 mm, total dimensions: 1150 mm x 780 mm x 1400 mm.	500
82	Detectronic	Detectronic mobile pipe line metal detector with rejector, type: 606-212-1403-3, dimensions: 600 mm x 600 mm x 1500 mm.	500
83	Carnitech		1750

Nr	Title	Description	Start €
		Carnitech band saw, type: Rib-Sav, number: 820013, year of construction: 2003, plastic belts, belt width: 35 mm / 100 mm, total dimensions: 1900 mm x 1000 mm x 1900 mm.	
84	I-Tech Labelling AB	I-Tech Labelling AB labelling machine, model: ME-1221-4610-017, number: 18-040, year of construction: 2018, 400 V, 50 Hz, 16 A, plastic belt, belt width: 155 mm, total dimensions: 2160 mm x 1400 mm x 1900 mm.	3000
85	Teltek AB	Teltek AB checkweigher, type: C20, serial number: 112290, 230 V, 50/60 Hz, maximum capacity: 6000 g, minimum capacity: 125 g, e= 2.0 g, plastic belt, belt width: 450 mm, total dimensions: 2000 mm x 1000 mm x 900 mm.	1250
86	Krebeck	Krebeck elevating drying tunnel, s/s mesh belt, belt width: 500 mm, elevating height: 1500 mm, total dimensions: 4200 mm x 650 mm x 1600 mm. Without rollies.	1500
87	Holac	Holac dicer, type: AUT 125 P, machine number: 201.01.01, 5.2 kW, dimensions chamber: 115 mm x 115 mm, total dimensions: 2150 mm x 1140 mm x 1600 mm.	1500
88	Schröder	Schröder meat press, type: HAMAX 800, number: HA 822 06, year of construction: 2006, 400 V, 50 Hz, 10 A, 4 kW, chamber dimensions: 800 mm x 150 mm, total dimensions: 2900 mm x 900 mm x 1600 mm.	6500
89	Cabinplant	Cabinplant 14 heads linear weigher, type: 950030, year of construction: 1993, dimensions head: 70 mm x 95 mm, s/s working platform, working height: 840 mm, total dimensions: 2400 mm x 1550 mm x 2000 mm. Missing 1 bucket.	1900
90	Fuji Machinery LTD.	Fuji Machinery LTD. flowpacker, infeed belt with dividers, belt width: 150 mm, seal length: 300 mm, plastic outfeed belt, belt width: 230 mm, total dimensions: 4750 mm x 900 mm x 1600 mm. Without rollies.	2000
92	NN film unwinding device	S/s film unwinding device, maximum film width: 500 mm, total dimensions: 1600 mm x 900 mm x 750 mm.	300
93	NN transport belt	Mobile transport belt, plastic mesh belt, belt width: 500 mm, total dimensions: 3800 mm x 900 mm x 2100 mm.	750
94	Multivac / Carsø	Multivac traysealer with infeed belt, type: T800, serial number: 135589, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 26/50 A, 7.5 kW, plastic mesh belt, belt width: 200 mm, plastic belt, belt width: 250 mm, film width: 292 mm, dye: (5x) 215 mm x 167 mm x 142 mm, total dimensions: 4600 mm x 1050 mm x 2150 mm, dimensions: infeed belt: 3500 mm x 550 mm x 1100 mm. Carsø transport belt with denester, type: Denester, number: P9322, year of construction: 2010, 8 bar, plastic belt, belt width: 340 mm, dye: 205 mm x 165 mm, total dimensions: 2450 mm x 600 mm x 800 mm. Including s/s trolley to change dyes, dye: (5x) 236 mm x 186 mm, dimensions: 1450 mm x 1100 mm x 1350 mm. Without vacuum pump.	15000
95	Multivac		15000

Nr	Title	Description	Start €
		Multivac thermoformer for skin packs, type: R570, machine number: 114744, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 55 A, 16 kW, dye: (6x) 210 mm x 160 mm, plastic mesh outfeed belt, belt width: 520 mm, total dimensions: 12300 mm x 1300 mm x 2250 mm.	
96	Rotopack	Rotopack mobile traysealer, model: Turn, number: 500, year of construction: 1 2019, 220 V, 50/60 Hz, 3000 W, dye: (2x) 175 mm x 135 mm, film width: 390 mm, total dimensions: 1280 mm x 700 mm x 1370 mm.	1900
97	ABM company SRL	ABM company SRL hamburger form machine, model: F2000PLUS, serial number: 8987, year of construction: 11/2024, 230 V, 1 Ph, 50 Hz, 3.5 A, foot control, infeed: Ø 360 mm, plastic belt, belt width: 145 mm, total dimensions: 1000 mm x 680 mm x 630 mm. Without form.	1900
98	Meat Machines Sweden AB	Meat Machines Sweden AB turning table, type: Ø1500 mm H-850/950, number: 33/08/2026, 400 V, 0.25 kW, speeds: 3.100 1/min, machine weight: 120 kg, dimensions: Ø 1500 mm x 850 mm.	2300
99	Meat Machines Sweden AB	Meat Machines Sweden AB turning table, type: Ø1250 mm H-850, number: 06/04/2022, 400 V, 0.25 kW, speeds: 3.100 1/min, machine weight: 90 kg, dimensions: Ø 1250 mm x 850 mm.	1900
100	Kilia	Kilia cutter with ejector, type: 65 1 Ex 3000RS, machine number: 49011794, year of construction: 1990, 34/39.5 A, bowl: Ø 820 mm, total dimensions: 1650 mm x 1200 mm x 1640 mm.	2900
101	Ishida	Ishida X-ray scanner, model: IX-GN-4043-S, serial number: 100280370, 07/2017, 240 V, 1 Ph, 50/60 Hz, 5.0 A, clearance: 530 mm x 160 mm, plastic belt, belt width: 440 mm, total dimensions: 1500 mm x 1200 mm x 2000 mm. Including s/s switch cabinet, dimensions: 1350 mm x 550 mm x 350 mm.	9900
102	Baader	Baader infeed bunker, type: 515, serial number: 24-5710-0515, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 13.0 A, infeed clearance: 880 mm x 750 mm, outfeed height: 1250 mm, screw: Ø 150 mm, total dimensions: 1260 mm x 1150 mm x 2550 mm.	500
103	Baader	Baader separator, type: 603 C, number: 120592, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 13.0 A, infeed clearance: 480 mm x 400 mm, drum: Ø 270 mm, perforations: Ø 2 mm, plastic belt, belt width: 200 mm, total dimensions: 980 mm x 1200 mm x 1480 mm.	7500
104	BG Pack	BG Pack vertical form-fill- and seal machine, model: ETTA/ 3348-R-90, serial number: 99082, year of construction: 30-06-1999, 380 V, 3 Ph, 50 Hz, 10 KVA, diameter filling pipe: 110 mm, film width: 370 mm, vertical seal length: 500 mm, horizontal seal length: 370 mm, total dimensions: 2300 mm x 1850 mm x 2000 mm.	1750
105	Baader		5000

Nr	Title	Description	Start €
		Baader separator, type: 603 C, number: 24-5440-1903, drum: Ø 260 mm, perforations: Ø 3 mm, plastic belt, belt width: 200 mm, total dimensions: 950 mm x 1200 mm x 1230 mm. Including parts, pallet dimensions: 1200 mm x 800 mm x 580 mm, Tool trolley, dimensions: 1350 mm x 550 mm x 1000 mm.	
106	KG Nimo	KG Nimo s/s lifter for 200 liter meat bins, lifting height: 1780 mm, total dimensions: 1100 mm x 2170 mm x 1340 mm.	200
107	KG Lyften AB	KG Lyften AB lifter for 200 liter meat bins, type: SKV 200, number: 6419, lifting height: 2100 mm, total dimensions: 590 mm x 570 mm x 2250 mm.	200
108	Nimo-KG	Nimo-KG lifter for 200 liter meat bins, lifting height: 2300 mm, total dimenisons: 1100 mm x 1300 mm x 3170 mm.	700
109	Marel Limited	Marel Limited vertical buffer belt, model: vertical buffer, serial number: 1970012, year of construction: 26-10-2011, 400 V, 3 Ph, 50 Hz, 6/10 A, weight: 410 mm, plastic belts, belt width: 380 mm, total dimensions: 1900 mm x 1200 mm x 1750 mm.	1000
110	NN lifter with stunning device	Lifter with stunning device, dimensions: 1050 mm x 550 mm x 2500 mm.	200
111	NN lifter	S/s lifter, lifting height: 1200 mm, total dimensions: 870 mm x 1040 mm x 2400 mm.	200
112	Scanio	Scanio lifter for 200 liter meat bins, type: L7, serial number: 3510, year of construction: 1993, 220 V, 3 Ph, 50 Hz, 1.5 kW, lifting height: 2000 mm, total dimensions: 1180 mm x 850 mm x 2820 mm.	200
113	Sealpac GmbH	Sealpac GmbH traysealer with denester and infeed conveyor, type denester: AS-LS1200, serial number: ZAS-0880, year of construction: 2017, 400/230 V, 3 Ph, 50/60 Hz, 2.2 kW, weight: 300 kg, tray dimensions: 210 mm x 157 mm, type traysealer, type: A7, serial number: A7-01-3275, year of construction: 2017, 400/230 V, 3 Ph, 50/60 Hz, 8 kW, weight: 1800 kg, film width: 391 mm, dye: (6x) 195 mm x 145 mm, total dimensions: 9300 mm x 1500 mm x 2090 mm. Including Busch vacuum pump, type: RA 0250 D 561 CUXX, capacity: 250 m^3 per hour, and s/s trolley to change dyes, dimensions: 1400 mm x 950 mm x 1350 mm.	19000
114	Linköpings Rostfria AB	Linköpings Rostfria AB lifter for crates, year of construction: 1991, lifting height: 1250 mm, total dimensions: 1130 mm x 550 mm x 1480 mm.	200
115	NN roller conveyor	Mobile table with plastic roller conveyor, roller width: 75 mm, total dimensions: 800 mm x 600 mm x 900 mm.	100
116	Lydotec	Lydotec lifter for crates, type: IL100P, serial number: 184, year of construction: 2005, maximum lifting capacity: 100 kg, clearance: 450 mm x 750 mm, lifting height: 700 mm, total dimensions: 550 mm x 750 mm x 1800 mm	50
117	Kalix Dupuy	Kalix Dupuy filling machine for aluminum tubes, 12 stations, type: KX 600, number: 7275, 380 V, 50 Hz, 20 A, 3.25 kVa,	300

Nr	Title	Description	Start €
		clearance: Ø 40 mm, total dimensions: 900 mm x 1100 mm x 1750 mm. Including crate with parts and extra infeed tub.	
118	NN lifter	Lifter for crates, lifting height: 1170 mm, total dimensions: 750 mm x 500 mm x 2300 mm.	50
119	Sabalpack s.r.l.	Sabalpack s.r.l. vertical bag form- fill- and sealing machine, type: Jaguar Plus, serial number: 07147, year of construction: 2007, 400 V, 50/60 Hz, 4 kW, 6/7 bar, film width: 142 mm, vertical seal length: 400 mm, horizontal seal length: 350 mm, total dimensions: 2300 mm x 1350 mm x 2300 mm. Including pallet with extra parts and filling pipe, pipe diameter: 40 mm, total dimensions: 1200 mm x 800 mm x 500 mm.	7500
120	Lynotec	Lynotec lifter for crates, lifting height: 820 mm, total dimensions: 780 mm x 540 mm x 1800 mm.	100
121	Becker	Becker vacuum pump, type: VT 4 40, number: A 2227035, year of construction: 2007, capacity: 40/48 m³ per hour, dimensions: 560 mm x 450 mm x 600 mm.	250
122	NN netting machine	Mobile netting machine, clearance: Ø 280 mm, total dimensions: 600 mm x 450 mm x 2050 mm.	200
123	NN lifter for tumblers	S/s lifter for tumblers, maximum dimensions tumbler: Ø 450 mm x 560 mm, lifting height: 1100 mm, total dimensions: 800 mm x 700 mm x 1740 mm.	100
124	Alfa Laval	S/s processing unit with Alfa Laval centrifugal pump, type: GM-1A95, serial number: 060235, year of construction: 2004, 0.55 kW, dimensions: 1100 mm x 600 mm x 1500 mm.	750
125	Possenti	Possenti meat press with Gardner Denver vacuum pump, dimensions: 1100 mm x 1000 mm x 2050 mm.	400
126	KG Lyften AB	KG Lyften AB lifter for 200 liter meat bins, type: SKV200M1PKVRVLB, number: 7217, lifting height: 1900 mm, total dimensions: 1240 mm x 1250 mm x 2570 mm.	1200
127	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 3350 mm x 800 mm x 560 mm.	250
128	Multivac	Multivac infeed conveyor for traysealer, chain belt with dividers, belt width: 155 mm, dividers height: 15 mm, distance between dividers: 180 mm, total dimensions: 3240 mm x 710 mm x 1010 mm.	400
129	NN film unwinding device	S/s film unwinding device, maximum film width: 500 mm, total dimensions: 1600 mm x 900 mm x 750 mm.	300
130	Svenska Pump Development AB	Svenska Pump Development AB pump on s/s frame, type: F2 1X RM10, serial number: 97 1338, dimensions: 1150 mm x 1050 mm x 1770 mm.	750
131	Dotec	Dotec transport belt, s/s frame, plastic belt, belt width: (3x) 350 mm, total dimensions: 2600 mm x 610 mm x 1080 mm.	200
132	Schur Packaging Systems a/s	Schur Packaging Systems a/s horizontal sealing machine, type: 2040-BG, plastic belt, belt width: 200 mm, seal length: 300 mm, total dimensions: 5000 mm x 1100 mm x 1900 mm. Incomplete.	1500
133	Meateq		4900

Nr	Title	Description	Start €
		Meateq grinder, plate diameter: 210 mm, total dimensions: 2000 mm x 900 mm x 2000 mm.	
134	Richard Niescher	Richard Niescher mobile dough forming machine, type: MA 650, number: 4046, plastic belt, belt width: 600 mm, total dimensions: 1400 mm x 1400 mm x 1730 mm.	500
135	Gram	Gram refrigerator, type: Twin K 660 LSG 5N, serial number: 037, 230 V, 50 Hz, 1.01 A, 211 Watt, refrigerant: R404A, 5 floors, floor dimensions: 650 mm x 530 mm, total dimensions: 800 mm x 760 mm x 2160 mm.	100
136	Porkka Finland Oy	Porkka Finland Oy refrigerator, model: TDUR722CFSS FUTURE DCF/CF 722 R/R-HH, number: 200615-152305.001, 230 V, 50 Hz, 2200 W, refrigerant: R-404A, 1000 g, 4 floors, floor dimensions: 645 mm x 530 mm, total dimensions: 750 mm x 850 mm x 2030 mm.	200
137	Beijing	Beijing refrigerator, serial number: 3016512108, 5 floors with rows, floor dimensions: 500 mm x 140 mm, total dimensions: 1220 mm x 920 mm x 2220 mm.	200
138	Accona	Accona refrigerator, type: CA 500, number: 45785, 230 V, 0.38 kW, refrigerant: R-134a, 260 g, 3 floors, floor dimensions: 520 mm x 450 mm, total dimensions: 620 mm x 730 mm x 2100 mm.	150
139	Tefcold	Tefcold mobile refrigerator, model: RK710, 240 V, 50 Hz, 350 W, weight: 134 kg, temperature: -2/+8 °C, refrigerant: R134a, 300 gram, adjustable floors, floor dimensions: 660 mm x 530 mm, total dimensions: 800 mm x 740 mm x 2000 mm. Technical condition unknown.	50
140	Nimo-KG	Nimo-KG lifter for bins, model: SKV200M1PKHR, number: 1470, lifting height: 2200 mm, total dimensions: 1100 mm x 1350 mm x 3100 mm.	750
141	Tefcold	Tefcold mobile refrigerator, model: RK710, 240 V, 50 Hz, 350 W, weight: 134 kg, temperature: -2/+8 °C, refrigerant: R134a, 300 gram, adjustable floors, floor dimensions: 660 mm x 530 mm, total dimensions: 800 mm x 740 mm x 2000 mm.	100
142	Serman & Tripsmark A/S	Serman & Tripsmark A/S transport belt, number: 301069, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 16 A, chain conveyor with dividers, maximum width: 230 mm, divider height: 15 mm, distance between dividers: 215 mm, total dimensions: 4450 mm x 800 mm x 2100 mm.	350
143	Edmolift	Edmolift mobile electric pallet lifter, capacity: 1000 kg, clearance: 1250 mm x 850 mm, lifting height: 700 mm, total dimensions: 1700 mm x 1050 mm x 1700 mm.	500
144	NN mixing tank	Plastic tank with mixing arm, inside dimensions: Ø 1000 mm x 800 mm, total dimensions: Ø 1100 mm x 2100 mm.	500
145	NN storage tank	S/s storage tank, inside dimensions: 1400 mm x 1250 mm x 1650 mm, total dimensions: 1550 mm x 1400 mm x 2000 mm.	1500
146	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 335 mm, total dimensions: 2500 mm x 640 mm x 1800 mm.	300

Nr	Title	Description	Start €
147	Stein INC	Stein INC s/s mobile all prupose applicator, model: APB-24, serial number: 292, 380 V, 3 Ph, 50 Hz, 9.8 A, s/s mesh belt, belt width: (3x) 610 mm, blower working width: 610 mm, total dimensions: 2200 mm x 1200 mm x 1170 mm.	2900
148	NN mixing tub	S/s tub with agitator, inside dimensions: Ø 900 mm x 1100 mm, total dimensions: 1150 mm x 1000 mm x 2200 mm.	500
149	Danfotech/ Nutridan	Danfotech/Nutridan mobile tumbler, type: MA 250 T, serial number: 287, 380 V, 3 Ph, 50 Hz, 0.37 kW, 1.1 A, volume: 250 liter, dimensions: 1100 mm x 900 mm x 1300 mm.	800
150	NN schuttle conveyor	S/s shuttle conveyor, plastic belt, belt width: 700 mm, total dimensions: 2500 mm x 1000 mm x 1300 mm.	400
151	Arenco. KM AB	Arenco. KM AB slicer for fish, type: SL, number: 1538, year of construction: 1974, 9 knives, distance between knives: 105 mm, total dimensions: 1450 mm x 1500 mm x 1480 mm.	1000
152	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 3430, number: 160, year of construction: 05, 400 V, 3 Ph, 50/60 Hz, 6 A, pipe: Ø 60 mm, total dimensions: 1550 mm x 1200 mm x 1920 mm. Missing outfeed belt.	3500
153	Alexanderwerk	Alexanderwerk cutter, bowl: Ø 850 mm, volume: 65 liter, total dimensions: 1240 mm x 1110 mm x 1220 mm.	2500
155	BT Products AB	BT Products AB pallet lifter, type: HLE 10 l/3, year of construction: 2002-04, fork length: (2x) 1180 mm, total dimensions: 1550 mm x 570 mm x 1300 mm.	250
156	BT Products AB	BT Products AB pallet lifter, type: HLE 10 l/3, year of construction: 2002-03, fork length: (2x) 1180 mm, total dimensions: 1550 mm x 570 mm x 1300 mm.	250
157	Castel Mac	Castel Mac ice machine with bunker, model: N25L W, serial number: 000 603 00008, year of construction: 06, 220/240 V, 50 Hz, 1.6 A, 200 W, refrigerant: R134A / 0.17 g, bunker volume: 25 liter, total dimensions: 600 mm x 450 mm x 700 mm.	400
158	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 80 mm, total dimensions: 1200 mm x 330 mm x 1000 mm.	200
159	NN curve conveyor	90° curve conveyor, plastic mesh belt, belt width: 60 mm, total dimensions: 1000 mm x 1000 mm x 1320 mm.	100
160	Marel	Marel sorting belt with two stations, type: G300/750, serial number: A011042, year of construction: 2002, 3x230 V, 0.37 kW, belt type: Intralox S1100FTPP, plastic mesh belt, belt width: 305 mm, total dimensions: 2400 mm x 800 mm x 1270 mm.	500
161	Klämrisk	Klämrisk mobile elevating belt, plastic belt, belt width: 590 mm, elevating height: 1030 mm, total dimensions: 2000 mm x 820 mm x 1150 mm.	250
162	Foodco	Foodco smoke generator, dimensions: 900 mm x 1550 mm x 1770 mm.	300
163	Foodco	Foodco smoke generator, dimensions: 950 mm x 1350 mm x 1840 mm.	300

Nr	Title	Description	Start €
164	Hounö	Hounö combi steamer, 9 floors, floor dimensions: 550 mm x 330 mm, total dimensions: 900 mm x 900 mm x 1600 mm.	500
165	Meateq	Meateq fresh / frozen meat grinder, type: 6300-S55, number: 0039, year of construction: 2016, plate diameter: 330 mm, total dimensions: 2750 mm x 1100 mm x 2450 mm. Including large amount of knives and plates.	12500
166	Meateq	Meateq mobile elevating screw, diameter screw: 300 mm, tier: 250 mm, elevating height: 1720 mm, total dimensions: 3300 mm x 1100 mm x 2450 mm.	4500
167	Meateq	Meateq grinder, type: G2030 L, number: 0006, year of construction: 2004, plate diameter: 210 mm, total dimensions: 1800 mm x 900 mm x 1720 mm. Including knifes and plates.	6500
168	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt with dividers, belt width: 550 mm, dividers height: 8 mm, distance between dividers: 100 mm, total dimensions: 1900 mm x 760 mm x 1100 mm.	100
169	NN multihead weigher	10 heads multihead weigher, dimensions: 1100 mm x 1100 mm x 1150 mm. Missing trays.	500
170	G.Mondini S.p.a.	G.Mondini S.p.a. traysealer, model: CVS/PT-VG-S+I, number: 1813/00, year of construction: 26/02/01, 400 V, 3 Ph, 50 Hz, 60 A, 30 kW, dye: (3x) Ø 135 mm, plastic belts, belt width: (1x) 270 mm x (2x) 210 mm, total dimensions: 3000 mm x 950 mm x 2300 mm.	2500
171	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 80 mm, total dimensions: 1200 mm x 450 mm x 1000 mm.	100
172	Linköpings Rostfria AB	Linköpings Rostfria AB mobile lifter for crates, platform dimensions: 580 mm x 370 mm, lifting height: 1100 mm, total dimensions: 1100 mm x 550 mm x 1550 mm	200
173	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimension: 2720 mm x 590 mm x 760 mm.	200
174	Baader	Baader mobile fish stomach cleaner, type: 653, machine number: 11 1839 0653, year of construction: 1978, 220 V, 50 Hz, 1.1 kW, inside dimensions: Ø 790 mm x 430 mm, total dimensions: 1200 mm x 1150 mm x 1730 mm.	500
175	Teltek AB	Teltek AB checkweigher, type: C20, serial number: 109430, year of construction: 09, 230 V, 50/60 Hz, temperature range: +5 to +40°C, maximum preset tare: 500 g, minimum capacity: 100 g, maximum capacity: 500 g, maximum speed: 30m/min, e=: 1.0 g, plastic belt, belt width: (4x) 160 mm, total dimensions: 1950 mm x 600 mm x 900 mm.	500
176	Kontron Embedded Computers GmbH	Kontron Embedded Computers GmbH control panel, type: PowerPAC PanelPC 17-A, serial number: 2-D154-0011, 100/240 V, 50/60 Hz, 1.6 A, dimensions: 550 mm x 220 mm x 1930 mm.	200
177	Kaeser Kompressoren GmbH	Kaeser Kompressoren GmbH compressor system, consisting of: Screw compressor, type: ASD 47, serial number: 1073, year of construction: 2012, 25.0 kW, motor: 2945 1/min,	4500

Nr	Title	Description	Start €
		maximum: 8.0 bar, temperature: 3°C/45°C, dimensions: 1300 mm x 900 mm x 1510 mm. Desiccant dryer, type: DC 50 E, serial number: 9.5485.00010 - 1181, year of construction: 01/2012, 230 V, 1 Ph, 50/60 Hz, 0.2 A, operating temperature: 50°C / 122°F, ambient temperature: +2°C / +45°C / +36°F / +113°F, dimensions: 1200 mm x 800 mm x 2000 mm.	
179	NN lifting table	Lifting table, s/s frame, dimensions: 1350 mm x 850 mm x 920 mm.	50
180	Granuldisk	Granuldisk granulate washer, type: GD 900, number: 1310, year of construction: 06-11-23, 400 V, 50 Hz, 40 A, 16 kW, weight: 480 kg, total dimensions: 1400 mm x 1060 mm x 2070 mm.	950
181	Wexiödisl AB	Wexiödisl AB dishwasher, type: WD-754, number: 032400, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 16 A, 1.1/10.8/10.1 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 700 mm x 750 mm x 1510 mm.	400
182	NN heated tub	Heated tub, inside dimensions: 650 mm x 370 mm x 480 mm, total dimensions: 860 mm x 440 mm x 1300 mm.	100
183	Stephan	Stephan universal machine, type: UMB25, number: 2350028, 380 V, 3 Ph, 50 Hz, 10/19 A, 4/3.3 kW, volume: 25 liter, dimensions: 700 mm x 650 mm x 1200 mm.	400
184	A. Stephan u. Söhne GmbH & Co.	A. Stephan u. Söhne GmbH & Co. mobile micro cutter, type: MCH-D60, machine number: 30274, number: 136690, year of construction: 1979, 380 V, 50 Hz, 5.1 kW, infeed clearance: 840 mm x 950 mm, plate: Ø 250 mm, total dimensions: 2100 mm x 1000 mm x 1160 mm. Including tool trolley with pates, dimensions: 660 mm x 500 mm x 850 mm.	3500
185	NN lifter	S/s lifter for pallet boxes, lifting height: 1750 mm, total dimensions: 2600 mm x 1350 mm x 3300 mm.	450
186	Trepko A/S	Trepko A/S cup filling and sealing machine with depositor used for mayonnaise, type: 222-1K, machine number: 3773, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 4.6 kVa, 7.0/4.5 A, 6-8 bar, diameter cups: 160 mm, weight: 1300 kg, plastic outfeed belt, total dimensions: 3600 mm x 2800 mm x 2400 mm. Including switch cabinet, dimensions: 1400 mm x 600 mm x 2250 mm, Processing cavity pump with infeed hoper and spare parts and extra dye, dye; (2x) 85 mm.	12500
187	Baader	Baader automatic loader for sausages, type: BA780, machine number: WB30/005, year of construction: 1998, 230/400 V, 50 Hz, 2.7 A, 1.5 kW, plastic mesh belt, belt width: 630 mm, s/s mesh belt with dividers, belt width: 1220 mm, dividers height: 20 mm, distance between dividers: 30 mm, brush width: 1230 mm, total dimensions: 1450 mm x 1750 mm x 2400 mm.	2500
188	NN outfeed belt	Mobile s/s outfeed belt, s/s belt with dividers, belt width: (2x) 200 mm, dividers height: 20 mm, distance between	700

Nr	Title	Description	Start €
		dividers: 30 mm, outfeed clearance: (6x) 110 mm x 140 mm, total dimensions: 2650 mm x 1350 mm x 1510 mm.	
190	KG Lyften AB	KG Lyften AB lifting and tilting device for pallet boxes, type: SK 800 MK, number: 5744, clearance: 1100 mm x 860 mm, lifting height: 1550 mm, total dimensions: 1950 mm x 1600 mm x 2750 mm.	750
192	AH Automation AB	AH Automation AB mobile 4 head ice cream depositor, infeed dimensions: (2x) 300 mm x 230 mm x 200 mm, outfeed dimensions: (4x) 85 mm x 60 mm, total dimensions: 1500 mm x 1000 mm x 1900 mm. Including crate with parts.	1500
193	Amana	Amana refrigerator / freezer with ice cube depositor, dimensions: 1250 mm x 700 mm x 2140 mm. Without covers.	750
194	Pinium	Pinium climate chamber, inside dimensions: 600 mm x 650 mm x 1680 mm, total dimensions: 1140 mm x 870 mm x 2350 mm.	1600
195	Nimo KG	Nimo KG s/s lifter for pallet boxes, model: 2591, number: 80 09 01, clearance: 1150 mm x 850 mm, lifting height: 1950 mm, total dimensions: 1850 mm x 1300 mm x 3200 mm.	1300
196	KG Lyften AB	KG Lyften AB lifter, type: LP500P60, number: 6522, clearance: 850 mm x 800 mm, lifting height: 1000 mm, total dimensions: 1050 mm x 1000 mm x 3350 mm.	200
197	Bodijn	Bodijn transport belt, type: TRA, serial number: 216053/2, year of construction: 2016, 0.25 kW, weight: 170 kg, plastic belt, belt width: 500 mm, total dimensions: 3200 mm x 750 mm x 800 mm.	950
199	Bodijn	Bodijn elevating belt, type: TRA, serial number: 216053/3, year of construction: 2016, 0.25 kW, weight: 310 kg, plastic belt with dividers, belt width: 450 mm, divider height: 75 mm, distance between dividers: 300 mm, total dimensions: 3000 mm x 700 mm x 1130 mm. Without rollies.	950
200	NN roller conveyor	Driven roller conveyor, plastic rollers, roller width: 700 mm, total dimensions: 2950 mm x 1150 mm x 1500 mm.	400
202	NN mesh belt	Mobile s/s mesh belt, belt width: 710 mm, total dimensions: 2950 mm x 1150 mm x 1500 mm.	400
203	NN cooking trolley	S/s cooking trolley, 36 floors, floor dimensions: 980 mm x 480 mm, total dimensions: 1080 mm x 1000 mm x 1980 mm.	400
209	The Woodman Company	The Woodman Company vertical bag form- fill- and sealing machine, model: POLARIS E, serial number: PLBA125LN14516-KD, 230 V, 1 Ph, 60 Hz, 30 A, vertical seal length: 430 mm, horizontal seal length: 330 mm, total dimensions: 2300 mm x 1600 mm x 1850 mm. Without filling pipe.	1000
210	NN transport belt	Mobile transport belt, plastic belt, belt width: 500 mm, total dimensions: 1850 mm x 800 mm x 1150 mm.	400
212	NN gloves	4 plastic crates with s/s gloves and aprons.	100
214	Ishida	Ishida X-ray scanner with rejection belt, model: IX-GN-4043-S, number: 100020784, clearance: 500 mm x 50 mm, plastic	6000

Nr	Title	Description	Start €
		belt, belt width: 430 mm, total dimensions X-ray scanner: 1400 mm x 1300 mm x 2450 mm, rejection belt, belt width: (2x) 250 mm, (1x) 500 mm, total dimensions rejection belt: 1350 mm x 900 mm x 1800 mm.	
215	Linde	Linde nitrogen spiral freezer, type: Cryoline CS 080, 380/460 V, 3 Ph, 50/60 Hz, 63 A, 24.2 kW, weight: 3900 kg, s/s belt, belt width: 320 mm, maximum product diameter: 60 mm, total dimensions: 4000 mm x 2600 mm x 3200 mm. Including switch cabinet, dimensions: 2300 mm x 1050 mm x 550 mm.	10000
217	Nimo-KG	Nimo-KG lifter for 200 liter meat bins with protection frame, type: SKV200MK, number: 9120, lifting height: 3100 mm, total dimensions: 1500 mm x 1350 mm x 4000 mm.	750
218	KÅ-GE Lyften	KÅ-GE Lyften lifter for (2x) 200 liter meat bins, type: SKV200MKD, number: 4406, lifting height: 4400 mm, total dimensions: 2050 mm x 1350 mm x 5200 mm.	750
222	NN curve conveyor	90° curve conveyor, plastic mesh belt, belt width: 250 mm, total dimensions: 1700 mm x 1300 mm x 950 mm.	400
223	NN elevating belt	Mobile elevating belt, plastic mesh belt, belt width: 265 mm, elevating height: 1600 mm, total dimensions: 3600 mm x 600 mm x 1800 mm.	400
228	Koppens	Koppens mesh belt, type: TG 2000/400, machine number: 219, 380 V, 3 Ph, 50 Hz, 0.44 A, 0.09 kW, weight: 145 kg, s/s mesh belt, belt width: 400 mm, 2050 mm x 600 mm x 1000 mm.	750
230	NN coating machine	Mobile coating machine, s/s mesh belt, belt width: 200 mm, total dimensions: 1400 mm x 900 mm x 2050 mm.	750
231	Mettler Toledo	Mettler Toledo weighing scale, model: SPI-A15, serial number: 2712710, maximum capacity: 6/15 kg, minimum capacity: 40/100 g, e= 2/5 g, scale dimensions: 300 mm x 240 mm, total dimensions: 920 mm x 850 mm x 1670 mm.	250
233	Selo-Gjerstrup A/S	Selo-Gjerstrup A/S mobile coating belt, s/s mesh belt, belt width: 350 mm, total dimensions: 2000 mm x 1050 mm x 1380 mm.	750
234	Tetra Laval Food	Tetra Laval Food mobile coating and breading line, type coating machine: ER 200, machine number: 1233, 380 V, 3 Ph, 50 Hz, 1.1 A, 0.27 kW, 67 kg, s/s mesh belts, belt width: 200 mm, total dimensions: 1600 mm x 600 mm x 1320 mm, type breading machine: PR 200, machine number: 1109, 380 V, 3 Ph, 50 Hz, 1.75 A, 0.47 kW, weight: 100 kg, s/s mesh belts, belt width: 200 mm, total dimensions: 1650 mm x 600 mm x 1650 mm.	1400
235	Sam Stein Associates	Sam Stein Associates mobile coating machine, model: MB 2B, serial number: 437, s/s belts, belt width: 200 / 300 mm, total dimensions: 1500 mm x 550 mm x 1450 mm.	500
236	WIAB	WIAB au bain-marie, type: WP-5016T, 230 V, 1 Ph, 2.1 kW, inside dimensions: (3x) 510 mm x 300 mm x 240 mm, total dimensions: 1200 mm x 650 mm x 800 mm.	75
238	Trans Lyft		250

Nr	Title	Description	Start €
		Trans Lyft s/s lifting platform, type: TL 1000 B, number: 96101151, year of construction: 1998, dimensions: 1300 mm x 800 mm x 960 mm.	
239	Wodschow & co	Wodschow & co mixer, type: 1987 R 20, number: 19599, 380 V, 3 Ph, 50 Hz, 1.5 A, bowl dimensions: ⌀ 310 mm x 300 mm, total dimensions: 630 mm x 430 mm x 1370 mm.	300
240	NN trolley	S/s trolley, dimensions: 920 mm x 660 mm x 540 mm.	50
241	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 465 mm, total dimensions: 2750 mm x 530 mm x 830 mm.	150
242	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 400 mm, total dimensions: 1500 mm x 460 mm x 820 mm.	100
250	Safeline	Safeline metal detector head, 100/240 V, 1 Ph, 50/60 Hz, 330 W, clearance: 450 mm x 120 mm, total dimensions: 980 mm x 400 mm x 1150 mm.	300
251	NN stove	Stove, 4 pits, dimensions pits: (4x) 220 mm x 220 mm, total dimensions: 600 mm x 600 mm x 300 mm.	75
252	Stephan	Stephan combi steamer, type: 4-5416-3, number: 801, year of construction: 1982, 380/220/220 V, 3 Ph, 50 Hz, 10000 W, weight: 110 kg, 8 floors, floor dimensions: 530 mm x 330 mm, total dimensions: 860 mm x 900 mm x 900 mm.	400
253	NN stove	Stove, 4 pits, dimensions: 780 mm x 780 mm x 930 mm.	75
254	NN work table with 2-zone induction hob	S/s work table with 2-zone induction hob, dimensions: 1100 mm x 650 mm x 950 mm.	50
255	NN water softener	Water softener, dimensions: 560 mm x 310 mm x 1150 mm.	100
256	Electrolux	Electrolux oven, type: K11U, model: EK 6176X, serial number: 11402707, 400 V, 2/3 Ph, 50 Hz, 13666 W, 3 and 9 floors, dimensions floors: (3x) 320 mm x 280 mm and (9x) 320 mm x 460 mm, total dimensions: 660 mm x 600 mm x 900 mm.	100
257	Svenema AB	Svenema AB mobile lifter, model: Lyftvagn MIDI mod 90 004, serial number: 30502-01, year of construction: 2005/09/19, maximum capacity: 80 kg, dimensions lifting platform: 500 mm x 500 mm, lifting height: 1300 mm, total dimensions: 770 mm x 500 mm x 1650 mm.	150
258	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale with indicator, type scale: SPIDER 1S-15S/M, serial number: 2338585, maximum weight: 15 kg, dimensions: 300 mm x 300 mm x 150 mm.	100
259	Bakon B.V.	Bakon B.V. mobile jelly machine, model: Jelly Satellite Eco, serial number: 1-57-12-07-051, year of construction: 2007, 230 V, 50 Hz, 1650 W, dimensions: 620 mm x 500 mm x 1380 mm.	500
260	Migel	Migel ice machine with bunker, model: KF145, dimensions: 680 mm x 590 mm x 1020 mm.	250
261	NN pipe line metal detector		200

Nr	Title	Description	Start €
		S/s mobile pipe line metal detector, pipe: Ø 55 mm, total dimensions: 450 mm x 800 mm x 1530 mm. Missing lid / Technical condition unknown.	
262	Italiana Macchine srl	Italiana Macchine srl mixer, s/s bowl, dimensions bowl: Ø 500 mm x 250 mm, total dimensions: 820 mm x 520 mm x 700 mm.	300
263	NN griddle	S/s griddle, dimensions: 1000 mm x 600 mm x 380 mm.	100
264	Leybold-Heraeus	Leybold-Heraeus vacuum pump, type: SV280, fabrication number: 39713, dimensions: 1000 mm x 550 mm x 400 mm.	100
265	Best for	Best For proofing cabinet, model: LV 16T 40/46, serial number: 09151924, 230 V, 50 Hz, 1.2 kW, 8 floors, dimensions each floor: 850 mm x 650 mm, total dimensions: 850 mm x 880 mm x 880 mm.	450
266	Carpigiani	Carpigiani ice cream machine, type: 211/P, number: 288848, 220 V, 3 Ph, 50 Hz, 11.8 A, 2.5 kW, refrigerant: R.12, 0.95 kg, dimensions: 900 mm x 400 mm x 1550 mm.	400
267	Digi	Digi weighing scale, model: DS-516, serial number: 98349692, 100/240 V, 50/60 Hz, 6 W, 0.1 A, maximum: 150 kg, minimum: 1 kg, T=150 kg, e=: 50 g, scale dimensions: 520 mm x 415 mm, total dimensions: 650 mm x 415 mm x 1400 mm.	80
268	Mainca	Mainca bandsaw, table dimensions: 450 mm x 480 mm, total dimensions: 600 mm x 500 mm x 1000 mm. Missing saw.	150
269	NN tub	Mobile s/s tub with drain, inside dimensions: 930 mm x 550 mm x 280 mm, total dimensions: 1000 mm x 620 mm x 870 mm.	75
270	Electrolux	Electrolux mixer, type: BM 20 AS, serial number: 15138 0111 001, 240 V, 1 Ph, 50 Hz, 0.75 kW, dimensions: 750 mm x 530 mm x 1400 mm. Without tub and whisk.	150
271	Maren	Maren mixer, 2 s/s tubs, tub dimensions: (1x) 400 mm x 400 mm, (1x) 500 mm x 540 mm, total dimensions: 950 mm x 700 mm x 1550 mm. Including flat beater, 2 whisks and 2 hooks.	1000
272	A/S Wodschow & Co.	A/S Wodschow & Co. mixer, type: AR100/MK1L, serial number: 100000463, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 7.5 A, dimensions: 1100 mm x 650 mm x 1580 mm. Without bowl and mixing arm.	200
273	Primax	Primax combi steamer on s/s frame, model: PDE-406-HD/KP, serial number: 150710010, 400 V, 3 Ph, 50 Hz, 13.60 A, 9.40 kW, 6 floors, floor dimensions: 600 mm x 410 mm x 830 mm x 900 mm x 1390 mm.	750
274	NN dishwasher belt	S/s belt for dishwasher, inside: 1400 mm x 510 mm, total dimensions: 1470 mm x 600 mm x 680 mm.	50
275	NN sinks	Pallet box with large amount of s/s sinks, each sink dimensions: 350 mm x 300 mm, total dimensions: 350 mm x 300 mm x 900 mm.	200
276	NN table	S/s table with plastic work top, dimensions: 1000 mm x 600 mm x 870 mm.	200

Nr	Title	Description	Start €
277	NN table	S/s table, dimensions: 1800 mm x 800 mm x 1100 mm.	100
278	FKI Fast Food Teknik a/s	FKI Fast Food Teknik a/s grill plate, model: GL11025, serial number: 05-0159, 230 V, 50 Hz, 2.25 kW, dimensions: 1100 mm x 260 mm x 105 mm.	100
279	NN table	S/s table, dimensions: 1730 mm x 720 mm x 980 mm.	100
280	NN table	S/s table, dimensions: 600 mm x 500 mm x 620 mm.	50
281	Atos	Atos hydraulic unit, type: DKU-1714/8XX/21, dimensions: 700 mm x 370 mm x 500 mm.	20
282	AEW Delford Systems Ltd	AEW Delford Systems Ltd knife sharpener, model: H13, serial number: 1790073, year of construction: 20-10-2009, weight: 100 kg, dimensions: 930 mm x 830 mm x 1450 mm.	750
283	NN pump	S/s trolley with pump, dimensions: 1400 mm x 530 mm x 2020 mm.	100
284	Hydrovoima OY	Hydrovoima OY mobile dough divider, model: SPL 100, serial number: 1414, working width: 590 mm, total dimensions: 1000 mm x 750 mm x 1370 mm.	100
285	Multivac	Multivac mobile suction device for rest film, type: ASE500, serial number: 20118939, year of construction: 2014, 230 V, 50/60 Hz, 10/16 A, 2.3 kW, dimensions: 700 mm x 700 mm x 1650 mm.	700
286	Videojet	Videojet mobile inkjet printer, model: EXCEL/170iUHS, serial number: 992640008WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 500 mm x 200 mm x 1900 mm.	50
287	NN strapping trolley	Strapping trolley, dimensions: 650 mm x 380 mm x 1050 mm.	100
288	NN strapping trolley	Strapping trolley, dimensions: 650 mm x 480 mm x 1080 mm.	100
289	Marel	Trolley with Marel weighing scale and printers, dimensions: 920 mm x 680 mm x 1570 mm.	400
290	Carsoe	Carsoe mobile denester, type: ANYTRAY DENESTER, serial number: SO-10318, year of construction: 2013, dimensions: 810 mm x 650 mm x 1600 mm.	400
291	Carsoe	Carsoe mobile denester, dimensions: 810 mm x 650 mm x 1600 mm.	400
292	NN weighing scale	Weighing scale for pallets, dimensions: 1200 mm x 840 mm x 900 mm.	50
293	Hoegger Alpina AG	Control panel for Hoegger Alpina AG, model: KVA 1140, dimensions: 850 mm x 450 mm x 550 mm.	50
294	Josef Kihlberg	Josef Kihlberg stapler, type: B56 I PN, serial number: 1402437, foot control, dimensions: 950 mm x 750 mm x 1250 mm.	50
295	Stephan u. Söhne GmbH & Co	Stephan u. Söhne GmbH & Co universal machine, type: UM12, machine number: 33518, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 3.7 / 4.5 A, 1.5 / 1.9 kW, dimensions: 550 mm x 480 mm x 580 mm. Including Busch vacuum pump, type: 010-118.56814.	500
296	PWS		900

Nr	Title	Description	Start €
		PWS water purification unit, type: Mini Cubo, model: 50, serial number: 2011,240 V, 1 Ph, 50/60 Hz, 10 A, water pressure: 2/5 bar, capacity: 50 liter per hour, weight: 100 kg, dimensions: 600 mm x 600 mm x 1320 mm.	
297	NN table	S/s table, dimensions: 1200 mm x 800 mm x 860 mm.	100
298	Ekeby Rostfria prod. AB	Ekeby Rostfria prod. AB mobile tumbler for spices, number: S0596, year of construction: 2006, 380 V, 3 Ph, 50 Hz, inside dimensions: Ø 420 mm x 400 mm, total dimensions: 800 mm x 700 mm x 1100 mm.	500
299	Ekeby Rostfria prod. AB	Ekeby Rostfria prod. AB tumbler for spices, 380 V, 3 Ph, 50 Hz, dimensions tub: Ø 415 mm x 430 mm, total dimensions: 760 mm x 710 mm x 1080 mm.	500
300	AutoJet	AutoJet mobile inkjet printer, serial number: AJ-AT5UCLW9-E1, year of construction: 17-06-2004, 100/240 V, 6 A, dimensions: 590 mm x 600 mm x 1430 mm.	100
301	Fomaco	Fomaco dosing machine, model: DPD-SA, machine number: 11242-2007, 230 V, 50 Hz, 4.0 A, infeed clearance: 240 mm x 250 mm, total dimensions: 700 mm x 720 mm x 1740 mm.	400
302	Hans Jensen Engineering	Hans Jensen Engineering mobile dosing machine, infeed clearance: 445 mm x 250 mm, total dimensions: 910 mm x 540 mm x 1620 mm.	400
303	Viking Professional	Viking Professional mobile s/s barbecue, model: EBQC410T1SS, serial number: 052009V00009760, grill plate dimensions: 900 mm x 600 mm, total dimensions: 1300 mm x 850 mm x 1400 mm.	450
304	NN tank	S/s tank, capacity: 500 liter, dimensions: 950 mm x 800 mm x 1500 mm.	250
305	NN tub	S/s tub, capacity: 125 liter, dimensions: 600 mm x 600 mm x 900 mm.	100
306	NN tub	S/s tub, capacity: 180 liter, dimensions: 850 mm x 650 mm x 1250 mm.	200
307	NN tub	S/s tub, capacity: 80 liter, dimensions: 600 mm x 500 mm x 850 mm.	100
308	NN film holder	S/s trolley for film rolls.	50
309	NN table	S/s table, dimensions: 1370 mm x 610 mm x 450 mm.	100
310	Videojet	Videojet mobile inkjet printer, model: EXCEL/170iUHS, serial number: 992440017WD, 100/240 V, 1 Ph, 50/60 Hz, 2/1 A, capacity: 3.4 m^3 per hour, dimensions: 600 mm x 500 mm x 1850 mm.	100
311	Walki Westpak	Walki Westpak film, type: WESTflow 208 R, film width: 380 mm. Length: 500 meter.	50
312	Walki Westpak	7 Walki Westpak film rolls, type: WESTWEB 2075 BKM, film width: 420 mm, length: 550 meter.	50
313	Scan-Pack Norge AS	12 Scan-Pack Norge AS film rolls, type: VAKPAK, film width: 422 mm, length: 300 meter.	100
314	NN platform	S/s platform, 4 steps, working height: 890 mm, total dimensions: 3400 mm x 1100 mm x 1820 mm.	200

Nr	Title	Description	Start €
315	NN shoes rack	S/s shoe rack, 80 hooks, dimensions: 1200 mm x 800 mm x 2010 mm.	100
316	NN shoes rack	S/s shoe rack, 80 hooks, dimensions: 1200 mm x 800 mm x 2010 mm.	100
317	NN table	S/s table, dimensions: 3300 mm x 1000 mm x 970 mm.	500
318	NN table	S/s mobile table, dimensions: 940 mm x 660 mm x 550 mm.	500
319	NN platform	S/s platform, 4 steps, working height: 845 mm, total dimensions: 2000 mm x 1250 mm x 1940 mm.	100
320	NN platform	S/s platform, 4 steps, working height: 840 mm, total dimensions: 2100 mm x 600 mm x 1900 mm.	100
321	NN platform	S/s platform, 4 steps, working height: 840 mm, total dimensions: 2100 mm x 600 mm x 1900 mm.	100
322	NN table	S/s table, dimensions: 1800 mm x 700 mm x 850 mm.	200
323	NN table	S/s table, dimensions: 2860 mm x 860 mm x 870 mm.	200
324	NN table	S/s table, dimensions: 2400 mm x 1000 mm x 900 mm.	200
325	NN table	S/s table, dimensions: 3000 mm x 1000 mm x 900 mm.	200
326	NN table	S/s table, dimensions: 2000 mm x 1000 mm x 900 mm.	200
327	NN table	S/s table, dimensions: 2700 mm x 1000 mm x 900 mm.	250
328	NN table	S/s table, dimensions: 1500 mm x 1000 mm x 900 mm.	200
329	NN table	S/s table, dimensions: 2000 mm x 1000 mm x 900 mm.	250
330	Telfa	Telfa pump, type: 1 AV 1, serial number: 1649, dimensions: 300 mm x 170 mm x 250 mm.	300
331	Schmid & Wezel EFA	Schmid & Wezel EFA circular saw, type: EFA17, number: 227, 880 W, 1800 rpm, saw diameter: 200 mm, total dimensions: 500 mm x 260 mm x 300 mm.	150
332	Schmid & Wezel EFA	Schmid & Wezel EFA circular saw, type: EFA17, number: 234, 880 W, 1800 rpm, saw diameter: 200 mm, total dimensions: 500 mm x 260 mm x 300 mm.	150
333	Ersöz	Ersöz vegetable slicer, serial number: 20.09.235, year of construction: 2020, 220 V, 50 Hz, 370 W, 2800 RPM, dimensions bowl: Ø 280 mm x 140 mm, total dimensions: 500 mm x 280 mm x 340 mm.	50
334	NN trolley	S/s trolley, 5 floors, dimensions: 900 mm x 650 mm x 1530 mm.	50
335	Perima	Perima sausage warmer, product name: CVV 1, product code number: 2000000000152, year of construction: 04-2017, 230 V, 50 Hz, 1 Ph, 1000 W, dimensions: 360 mm x 320 mm x 290 mm.	50
336	NN tub	S/s mobile tub, dimensions: 1220 mm x 500 mm x 920 mm.	50
337	NN table	S/s table with plastic work top, dimensions: 1670 mm x 1040 mm x 1020 mm.	100
338	Arenco	Arenco skinning machine for fish, type: CUS, year of construction: 1980, overhauled in 1995, working width: 380 mm, total dimensions: 2200 mm x 900 mm x 1100 mm. Including additional parts.	2400
339	Mafo Industrial Washers	Mafo Industrial Washers crate washer, working width: 560 mm, total dimensions: 3200 mm x 1100 mm x 1600 mm.	2500

Nr	Title	Description	Start €
340	Chicago Pneumatic / Pneumatech	Chicago Pneumatic screw compressor, type: CPVS40, serial number: API124114, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 30 kW, weight: 810 kg, 3555 RPM, capacity: 5.52 m³/min, 10 bar, dimensions: 1450 mm x 1070 mm x 1750 mm. Including Pneumatech air dryer, type: PH 210 HE, serial number: API094939, year of construction: 2015, dimensions: 1100 mm x 350 mm x 1850 mm.	1900
341	Safeline	Safeline mobile metal detector, type: Signature, model: 50 H, serial number: 100244, 100-240 V, 50/60 Hz, 330 W, plastic mesh belt, clearance: 460 mm x 170 mm, total dimensions: 1200 mm x 950 mm x 1080 mm.	800
342	Handtmann	Handtmann vacuum filling machine, type: VF300B, serial number: 2864, year of construction: 1997, 400 V, 50 Hz, 23.6 kW, with Becker vacuum pump, type: U 1.16SA-31, serial number: B 2440744, capacity: 16/19 m³/h, dimensions: 1800 mm x 1300 mm x 2000 mm. Including linking attachment and case holding device.	2900
343	Nimo-KG	Nimo-KG lifter for palletboxes, capacity: 1000 kg, clearance: 1200 mm x 1040 mm, lifting height: 830 mm, total dimensions: 1700 mm x 1850 mm x 3000 mm.	1500
344	Sanovo Engineering A/S	Sanovo Engineering A/S seperation line for raw eggs, model: SBS 3001, serial number: 3172, year of construction: 2004, 200/220/380 V, 3 Ph, 50/60 Hz, 1.1 kW, water supply: 10-32 l/m, air supply: 480 l/m by 4.5 bar, plastic infeed belt with infeed rollers, total length: 2900 mm, dimensions breaker: 2295 mm x 2230 mm.	7500
345	Cryovac	Cryovac shrink tunnel, model: ST 98 STEAM, serial number: A54300708, year of construction: 2002, 400 V, 50 Hz, 7 A, water: 2-6 bar, steam: 2-4 bar, s/s mesh belt, belt width: 600 mm, total dimensions: 1450 mm x 900 mm x 1900 mm.	1900
346	Meca	Meca mobile traysealer, model: 501, number: 5124, year of construction: 12.01, Busch vacuum pump, type: RO 0040 E 501, number: 01035338, capacity: 40 m³/h,	800
347	MHS Schneidetechnik	MHS Schneidetechnik mobile slicer, type: PCE65T, serial number: 120210, year of construction: 2010, 400 V, 6.5 A, 2.6 kW, dimensions: 1550 mm x 700 mm x 1250 mm.	1200

General terms of the online auction

Article 1. Definitions
Delivery: the actual delivery of the lot to the buyer or to his authorized representative;
Bid: each by a user in the auction (for a lot) bid amount;
User: the one who has registered on the website;
User Agreement: the agreement between Industrial Auctions and the user;
Lot: an article, or a number of articles that are auctioned together (under one number);
Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;
Purchase Agreement: the purchase agreement between buyer and seller;
Buyer: the user to whom the lot is allocated;
Registration: registration of the user on the website by completing the registration form found on the website;
Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;
Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);
Auction: internet sales organized by Industrial Auctions of movable goods;
Seller: the person(s) a lot is being auctioned in whom/whose commission;
Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability
2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.
2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use
3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.
3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.
3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.
3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.
3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.
3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.
3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction
4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.
4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.
4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.
4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:
- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;

- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;
4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security
5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.
5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.
5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots
6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.
6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or aplied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation
7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annuled clause, as far as possible the scope of the invalid/annuled clause shall be respected.
7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.
7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.
7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions
8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.
8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:
- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement
9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.
9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.
9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.
9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).
9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.
9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.
9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.
9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.
9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities
10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial

Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.
10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.
10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.
10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer
11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.
11.2. The buyer is not entitled to any settlement or suspension.
11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.
11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.
11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days
12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery
13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions

can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.
13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.
13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).
13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.
13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination
14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.
14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.
14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability
15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herselve is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law

and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.
15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.
15.3 Industrial Auctions and the seller are not liable for:
- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;
15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.
15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law
16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.
16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.
16.3 In the event of a dispute, the competent court within the district of “Oost-Brabant” has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

Notes

Notes

CONTACT

info@industrial-auctions.com

+31 (0)40 240 9208

