

Industrial Auctions

# 2369: Online auction machinery for the food industry in Tegelen (NL)

**END DATE**
03 December 2026 14:00

# General terms and conditions of the online auction

| | |
|---|---|
| End date | 03 December 2026 from 14:00 hrs. |
| Viewing days | 01 December 2026 from 09:00 till 13:00 hrs. |
| Organising company | Industrial Auctions BV<br>Looyenbeemd 11<br>5652 BH Eindhoven, Netherlands<br>Tel.: +31 (0)40 2409 208<br>E-mail: info@industrial-auctions.com |
| Buyers premium | 18% over the highest bid |
| VAT | 21% over the highest bid including premium |
| Pick up days | 10 December 2026 from 09:00 till 16:00 hrs. |
| Pick up address | Kaldenkerkerweg 5<br>5932 CS Tegelen<br>Netherlands |
| Pick up instructions | You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place. |
| Payment details | Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number. |
| General terms and conditions of sale | On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions. |
| Combinations | All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable. |
| Prolongation | If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed. |

| Nr | Title | Description | Start € |
|---|---|---|---|
| 1 | Nesto | Nesto frozen block cutter, type: CUT MAX, serial number: 2069, year of construction: 2026, 400 V, 3 Ph, 50 Hz, 5 kW, weight: 530 kg, working width: 470 mm, total dimensions: 2100 mm x 800 mm x 1800 mm. Damaged. | 6000 |
| 2 | Ilapak S.p.A | Ilapak S.p.A flowpacker, type: UNO, serial number: 018 97, year of construction: 04/1997, 380 V, 50 Hz, 5 kW, film width: 405 mm, seal width: 255 mm, plastic outfeed belt, belt width: 220 mm, total dimensions: 2950 mm x 1350 mm x 2200 mm. Including infeed belt with dividers, working width: 75 mm, divider height: 45 mm, divider width: 75 mm, distance between dividers: 400 mm, total dimensions: 4450 mm x 600 mm x 980 mm. | 1000 |
| 3 | Cryovac | Cryovac flowpacker, model: CJ55 MD, serial number: A91600214, year of construction: 2003, 400 V, 50 Hz, 8 A, 5 kW, plastic belt, belt width: (3x) 200 mm, seal width: approximately 245 mm, clearance: 235 mm x 140 mm, total dimensions: 5000 mm x 930 mm x 2050 mm. Including cooling compressor and side channel vacuum pump. Missing seal, without transport rollies. | 1000 |
| 4 | Cryovac | Cryovac flowpacker, model: CJ55, 400 V, 50 Hz, 8 A, 5 kW, plastic belt, belt width: (3x) 200 mm, seal width: 245 mm, clearance: 235 mm x 140 mm, total dimensions: 5000 mm x 930 mm x 2050 mm. Including cooling compressor and side channel vacuum pump. Without transport rollies. | 1000 |
| 5 | Lantech | Lantech box closing machine, type: CS-1000, serial number: SM20154743, year of construction: 18/05/2016, 400 V, 3 Ph, 50 Hz, 0.38 kW, clearance: 540 mm x 590 mm, plastic rollers, roller width: 90 mm, total dimensions: 2000 mm x 1100 mm x 2170 mm. | 4000 |
| 6 | Lantech / Rembrandt Packaging | Lantech / Rembrandt Packaging carton erector, type: C-1000, serial number: 20044242, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 6 kW, clearance: 380 mm x 480 mm, with Becker vacuum pump, type: VT 4.16, serial number: 1972717, year of construction: 2005, capacity: 16 $m^3$ per hour with Robatech glue unit, type: Concept 4/2 KPC12, serial number: 04-23-03, total dimensions: 2400 mm x 2400 mm x 2200 mm. | 4000 |
| 7 | Lantech | Lantech lid applicator, type: LF-1000, serial number: 20074030, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 4.7 kW, dimensions nest: 470 mm x 390 mm, clearance: 605 mm x 360 mm, total dimensions: 2400 mm x 1250 mm x 2300 mm. Including outfeed roller conveyor, type: BARM, year of construction: 2007, steel rollers, roller width: 590 mm, total dimensions: 1950 mm x 1000 mm x 500 mm. | 1000 |
| 8 | SIAT | SIAT box closing machine, type: SM116, serial number: SEB000177050001, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 1.10 A, 323 W, total dimensions: 2800 mm x 1300 mm x 1870 mm. | 4000 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| 9 | Lantech | Lantech carton erector, type: TE-2000, serial number: SM20114395, year of construction: 12/12/2011, 400 V, 3 Ph, 50 Hz, 4.26 kW, Nordson glue unit, type: Problue 4, serial number: SA11L80434, total dimensions: 3050 mm x 1700 mm x 2220 mm. | 4000 |
| 10 | Kuka | Kuka robot arm, type: KR C4, serial number: 273984, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, 22 A, weight: 152 kg, total dimensions robot: 1150 mm x 650 mm x 1200 mm, total dimensions control unit: 800 mm x 600 mm x 950 mm. Including box with cables, dimensions: 600 mm x 400 mm x 750 mm. Without loading attachment. | 2500 |
| 11 | Loma Systems | Loma Systems metal detector, type: Blue IQ3+ ST, serial number: QPB35-15-35671D, year of construction: 22/11/2016, 110-240 V, 1 Ph, 50/60 Hz, 0.5-1.0 A, clearance: 350 mm x 120 mm, plastic belt, belt width: 260 mm, total dimensions: 850 mm x 830 mm x 1200 mm. | 2500 |
| 12 | Cintex | Cintex metal detector, model: Sentry, serial number: 17141, plastic mesh belt, belt width: 305 mm, clearance: 350 mm x 125 mm, total dimensions: 1600 mm x 930 mm x 1430 mm. | 1000 |
| 13 | Mettler Toledo | Mettler Toledo metal detector with double rejector, type: V48, serial number: 128786, year of construction: 2016, 400 V, 3 Ph, 10 A, 2 kW, plastic belt, belt width: 170 mm, clearance: 165 mm x 95 mm, total dimensions: 1880 mm x 1170 mm x 1735 mm. | 2500 |
| 14 | Cintex | Cintex metal detector, model: Sentry, type: KH 30, serial number: 83141, year of construction: 2003, 220 V, 1 Ph, 50/60 Hz, plastic mesh belt, belt width: 305 mm, clearance: 350 mm x 120 mm, total dimensions: 1590 mm x 850 mm x 1620 mm. | 1000 |
| 15 | Leich + Mehl | Leich + Mehl checkweigher with labeller, type: PAW2000, serial number: 9005, year of construction: 2003, 230 V, 50 Hz, weighing range: 40-3.000 g, plastic belt, belt width: 200 mm, clearance: 250 mm x 190 mm, total dimensions: 2000 mm x 770 mm x 1900 mm. Incomplete, technical condition unknown. | 500 |
| 16 | Multivac | Multivac labelling machine, type: MR393, serial number: 153627, year of construction: 2011, 230 V, 50 Hz, working width: 100 mm, total dimensions: 1300 mm x 820 mm x 1830 mm. | 750 |
| 17 | Multivac | Multivac labelling machine, type: MR393, serial number: 267901, year of construction: 2018, 230 V, 50 Hz, working width: 100 mm, total dimensions: 1350 mm x 930 mm x 1680 mm. | 1000 |
| 18 | Leich + Mehl | Leich + Mehl labelling machine, type: UET 2000-S, serial number: 11409, year of construction: 2015, 230 V, plastic belt, belt width: (2x) 195 mm, total dimensions: 1230 mm x 530 mm x 1100 mm. | 750 |
| 19 | Optiband | | 1000 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | Optiband transport belt on s/s frame, plastic mesh belt, belt width: 460 mm, working width: 320 mm / 440 mm, total dimensions: 4200 mm x 750 m x 1370 mm. | |
| 20 | Robatech | Robatech glue unit, type: Concept Stream S, serial number: 1183454-001, year of construction: 2019-05, 400/230 V, 3 Ph, 50/60 Hz, 16 A, dimensions: 600 mm x 340 mm x 760 mm. | 1500 |
| 21 | NN transport belt | Transport belt on s/s frame, plastic belt, belt width: 400 mm, total dimensions: 2500 mm x 950 mm x 1150 mm. | 500 |
| 22 | Création Technique | Création Technique carton erector, model: MULTIBOX, type: M06 XL TR, serial number: 1847, year of construction: 01/2008, 400 V, 50 Hz, 5 kW, plastic wire outfeed belt, belt width: 250 mm, dimensions cartons: 695 mm x 435 mm, total dimensions: 2900 mm x 1800 mm x 1780 mm. | 1500 |
| 23 | AmbaFlex | AmbaFlex spiral conveyor, type: Spiralveyor SV, serial number: 10468-02, year of construction: 2010, plastic belt, belt width: 405 mm, infeed height: 800 mm, outfeed height: 2680 mm, total dimensions: 1800 mm x 1800 mm x 3350 mm. | 1500 |
| 24 | NN pallet destacker | Pallet destacker, type: BPD, year of construction: 2006, working width: 600 mm x 400 mm, total dimensions: 1700 mm x 1100 mm x 2900 mm. | 500 |
| 25 | NN transport belt | Transport belt, plastic belt, belt width: 550 mm, total dimensions: 5350 mm x 900 mm x 200 mm. | 300 |
| 26 | NN transport belt | Transport belt with rejector on s/s frame, plastic belt, belt width: 140 mm, total dimensions: 630 mm x 670 mm x 1100 mm. Technical condition unknown. | 100 |
| 27 | EME | EME labeller, type: EME Series 2000, year of construction: 2024, 230 V, 50/60 Hz, 250 W, dimensions: 850 mm x 380 mm x 730 mm. | 500 |
| 28 | EME | EME labeller, type: EME Series 2000, year of construction: 2024, 230 V, 50/60 Hz, 250 W, dimensions: 850 mm x 380 mm x 730 mm. | 500 |
| 29 | NN transport belt | Transport belt, plastic belt, belt width: 550 mm, total dimensions: 2200 mm x 850 mm x 200 mm. | 200 |
| 30 | NN wheelbarrow | S/s wheelbarrow, inside dimensions: 1120 mm x 820 mm x 150 mm, total dimensions: 1750 mm x 870 mm x 560 mm. | 250 |
| 31 | Holac Maschinenbau GmbH | Holac Maschinenbau GmbH mobile dicer, serial number: 21045 05, chamber dimensions: 85 mm x 85 mm x 350 mm, dice dimensions: 20 mm x 20 mm, total dimensions: 1040 mm x 600 mm x 1050 mm. | 750 |
| 32 | Rühle | Rühle mobile dicer, chamber dimensions: 85 mm x 85 mm x 305 mm, total dimensions: 950 mm x 530 mm x 940 mm. Including crate with grids. Technical condition unknown, door defect. | 500 |
| 33 | Mettler-Toledo Garvens GmbH | Mettler-Toledo Garvens GmbH checkweigher with rejector, type: S3, serial number: 33005001, year of construction: 2006, weight range: 5-600 gram, plastic belt, belt width: | 500 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | 150 mm, total dimensions: 1400 mm x 1220 mm x 1460 mm. Missing rejectors, damaged. | |
| 34 | Ulma | Ulma transport belt, s/s frame, plastic belt, belt width: 245 mm, total dimensions: 2070 mm x 800 mm x 980 mm. Including parts. | 500 |
| 35 | Ulma | Ulma transport belt, s/s frame, plastic belt, belt width: 245 mm, total dimensions: 2070 mm x 850 mm x 930 mm. Including box with plastic rollers, roller width: 220 mm. | 500 |
| 36 | Ulma | Ulma transport belt, s/s frame, plastic belt, belt width: 245 mm, total dimensions: 2140 mm x 800 mm x 990 mm. Including parts and box with plastic rollers, roller width: 220 mm. | 500 |
| 37 | Ulma | Ulma transport belt, s/s frame, plastic belt, belt width: 245 mm, total dimensions: 2140 mm x 800 mm x 990 mm. Including parts. | 500 |
| 38 | NN air compressor | Air compressor, type: QW-0.36, serial number: 3690004, year of construction: 2010/04/13, 380 V, 50 Hz, 3 kW, weight: 175 kg, working pressure: 12.5 kg, dimensions: 800 mm x 730 mm x 980 mm. | 400 |
| 39 | NN locker | S/s locker, dimensions: 940 mm x 500 mm x 2180 mm. | 100 |
| 40 | Sorma s.p.a. | Pallet with various roller conveyors of various brands of which among others (1x) Sorma s.p.a roller conveyor, model: Rulliera 600x1500, serial number: 1029408, year of construction: 2004, roller width: 400 mm / 500 mm / 600 mm, total dimensions: 2100 mm x 800 mm x 1160 mm. | 500 |
| 41 | NN elevating belt | Mobile elevating belt, plastic belt, belt width: 550 mm, elevating height: 650 mm, total dimensions: 2250 mm x 900 mm x 1200 mm. | 400 |
| 42 | Ohaus | Ohaus weighing scale with indicator, model: T32XW, serial number: B805382493, 100-240 V, 50/60 Hz, 1 A, scale dimensions: 600 mm x 450 mm, total dimensions: 600 mm x 450 mm x 160 mm. | 50 |
| 43 | Hematec | Hematec control panel, type: HIPEC-PRO-3840, serial number: B15V221116001, year of construction: 2016, dimensions: 400 mm x 330 mm x 200 mm. | 50 |
| 44 | NN worktops | Pallet with various plastic worktops. | 100 |
| 45 | Contimeta/ Robopac | Contimeta/Robopac mobile pallet wrapper, model: ROBOT S6 PDS, serial number: 30141496, year of construction: 2015, 230 V, 1.7 A, total dimensions: 1750 mm x 1250 mm x 2550 mm. | 2500 |
| 46 | NN platform | S/s platform with steel gratings, dimensions: 2100 mm x 1000 mm x 1780 mm. | 150 |
| 47 | IGLOO | IGLOO refrigerated counter, type: GASTROLINE 1.5, serial number: NS-152970, year of construction: 09 2013, 230 V, 50 Hz, 1.7 A, refrigerant: R134a, 0.27 kg, dimensions: 1500 mm x 800 mm x 1270 mm. | 50 |
| 48 | NN crate destacker | | 2500 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | Mobile automatic crate destacker for E2 crates, plastic belt, belt width: 450 mm, total dimensions: 2700 mm x 1200 mm x 2500 mm. | |
| 49 | NN transport screw | S/s transport screw with sieve, diameter screw: 300 mm, total dimensions: 2550 mm x 600 mm x 900 mm. Without compensator. | 1500 |
| 50 | NN table | S/s table with plastic work top, dimensions: 1580 mm x 740 mm x 800 mm. | 50 |
| 51 | NN shelve | S/s wall mounted shelve, dimensions: 1520 mm x 350 mm x 435 mm. | 25 |
| 52 | Endress+Hauser | Endress+Hauser flowmeter, type: 4X, dimensions: 710 mm x 440 mm x 250 mm. | 200 |
| 53 | Leventi | Leventi oven with hood, serial number: 989110022, inside dimensions: 550 mm x 620 mm x 820 mm, 6 floors, floor dimensions: 410 mm x 600 mm, total dimensions: 980 mm x 800 mm x 2080 mm. On s/s frame with 10 floors. | 150 |
| 54 | Leventi | Leventi oven, inside dimensions: 550 mm x 640 mm x 770 mm, 12 floors, floor dimensions: (12x) 410 mm x 555 mm, total dimensions: 980 mm x 850 mm x 1800 mm. On s/s frame with 10 floors. | 150 |
| 55 | Samson | Samson valve, serial number: 1014313939, dimensions: 530 mm x 240 mm x 120 mm. | 100 |
| 56 | Herma | Herma labeller, type: Herma 500, serial number: 50507985/388, year of construction: 2023, 100-240 V, 50-60 Hz, 400 Watt, dimensions: 1200 mm x 800 mm x 400 mm. | 500 |
| 57 | Suevia | Suevia plastic tank with Pedrollo pump, type: PLURIJETm 4/80X, capacity: 5-80 liter per minute, total dimensions: 940 mm x 310 mm x 1100 mm. | 300 |
| 58 | Netsch | Netsch mobile pump, dimensions: 700 mm x 300 mm x 1300 mm. | 100 |
| 59 | NN machine parts | Pallet with various machines parts. | 300 |
| 60 | Virobuster | Virobuster mobile air purifier, dimensions: 1700 mm x 1000 mm x 1420 mm. | 500 |
| 61 | NN infeed bunker | Mobile s/s infeed bunker, dimensions: 550 mm x 600 mm x 1770 mm. | 200 |
| 62 | NN switch cabinet | Mobile switch cabinet, dimensions: 600 mm x 400 mm x 1230 mm. | 100 |
| 63 | Inventum | 2 vessels on steel frame, dimensions each vessel: 500 mm x 500 mm x 1050 mm, total dimensions: 1150 mm x 920 mm x 1800 mm. | 250 |
| 64 | Ocean Blowers | Ocean Blowers blower, type: SCL40SH-COR, fabrication number: A42447, year of construction: 1996, capacity: 2.4 $m^3$ per minute, dimensions: 800 mm x 680 mm x 1200 mm. | 250 |
| 65 | NN Incubators for fermentation cans | Mobile incubators for fermentation cans, total dimensions: 750 mm x 930 mm x 1880 mm. | 300 |
| 66 | | | 15000 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | GEA Westfalia Separator Group GmbH | GEA Westfalia Separator Group GmbH beer separator - clarifier, self-cleaning. Including bowl, bowl speed: 7.250 rpm, motor cover, solids cyclone with a Seipec eccentric screw pulp outfeed pump, 3 x centrifugal pump, piping, co2 injection valve for blanketing, turbidity sensor, pressure transmitter, Vibro sensor. GEA seperator, type: GSE 75-06-177, machine number: 1730-658, year of construction: 2011. Flow transmitter, flow control valves, bypass valve, sampler on in and outlet. Maneuvering water valves. Set of needed tools with ring key and pressing tool. Free standing control panel with PLC Siemens Simatic S7-300 controls and frequency controllers of 2 pumps and separator. Centrifugal pump 1: GEA TP2050-200-2-E-K-E-GO-DN65/50-J-J, impellor 200 mm, connections In: 3,0" Din - Out: 2,5" Din. Centrifugal pump 2: GEA TP3050-150-2-E-K-E-GO-DN65/50-J-J, impellor 150 mm, connections In: 3,0" Din - Out: 2,5" Din. Centrifugal pump 3: NN, impellor 120 mm, connections In: 2 "Din - Out: 2" Din. Capacity: 10hl to 20hl/h. With documentation. Excluding: touchscreen in control panel, precooler PHE. Dimensions separator: 2300 mm x 1350 mm x 1450 mm, dimensions platform with valves: 1850 mm x 1800 mm x 700 mm, dimensions centrifugal pumps: (2x) 760 mm x 330 mm x 450 mm and (1x) 440 mm x 240 mm x 300 mm, dimensions pallet with parts: 1200 mm x 800 mm x 700 mm, dimensions pallet with pipes and valves: 1800 mm x 800 mm x 700 mm, dimensions pallet box with pipes: 1200 mm x 1000 mm x 760 mm and dimensions switch cabinet: 1200 mm x 600 mm x 2240 mm. | |
| 67 | NN computer cabinet | Mobile s/s computer cabinet, dimensions: 1160 mm x 630 mm x 1880 mm. | 50 |
| 68 | Nikodan | Nikodan transport belt with dividers, type: INDEX-BAND, number: 15340-1000, year of construction: 2015, plastic belt, belt width: (9x) 50 mm, distance between dividers: 300 mm, divider height: 50 mm, total dimensions: 4100 mm x 850 mm x 1220 mm. | 400 |
| 69 | Nikodan | Nikodan transport belt with dividers, type: INDEX-BAND, number: 15340-2000, year of construction: 2015, plastic belt, belt width: (9x) 50 mm, distance between dividers: 300 mm, divider height: 50 mm, total dimensions: 4100 mm x 850 mm x 1220 mm. | 600 |
| 70 | Herzog Langen | Herzog Langen heating stand, type: 165, number: +610, 220 V, 50 Hz, 2,7 A, 0,6 kW, dimensions: 350 mm x 350 mm x 880 mm. | 50 |
| 71 | Brema | Brema ice machine, model: CB 425A-Q, number: 2008060411315, year of construction: 2008, 220-240 V, 50 Hz, 500 W, inside dimensions: 450 mm x 260 mm, total dimensions: 500 mm x 580 mm x 800 mm. | 200 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| 72 | Combisteel | Combisteel blender, Model: MASTER PROFESSIONAL BLENDER, number: PCBM, 1500 W, 220 V, 50 Hz, dimensions: 230 mm x 260 mm x 520 mm. | 100 |
| 73 | Tecnodom S.P.A. | Tecnodom S.P.A. oven, model: FEDL05NEMIDVH20, serial number: 201946451G, year of construction: 2019, 220-240 V, 50/60 Hz, 6450 W, 5 floors, floors dimensions: (5x) 600 mm x 440 mm, total dimensions: 830 mm x 860 mm x 770 mm. | 200 |
| 74 | W.V.S. Bvba | W.V.S. Bvba vertical bag form-, fill-, and seal machine, type: R08B175, serial number: 033R08B1750501, year of construction: 2005, pipe diameter: 150 mm, seal length: 265 mm, film width: 540 mm, total dimensions: 1400 mm x 1800 mm x 2400 mm. Including transport belt width dividers, plastic belt, belt width: 330 mm, divider height: 50 mm, distance between dividers: 95 mm / 195 mm, total dimensions: 1550 mm x 800 mm x 700 mm. Also including elevating belt with dividers, plastic belt, belt width: 315 mm, divider height: 100 mm, distance between dividers: 300 mm, elevating height: 2650 mm, total dimensions: 3600 mm x 650 mm x 1700 mm. | 500 |
| 75 | Quasar-C | Quasar-C ice machine, model: Q 30 C AIRE INOX, number: 2822575, 220-240 V, 50 Hz, 1,7 A, 270 W, inside dimensions: 330 mm x 170 mm, total dimensions: 400 mm x 500 mm x 750 mm. | 250 |
| 76 | Nuova Simonelli | Nuova Simonelli dishwasher, model: KIARA 4 CF, serial number: 98 25772, 230 V, 50 Hz, 3100 W, 15 A, inside dimensions: 400 mm x 350 mm, total dimensions: 480 mm x 520 mm x 740 mm. | 200 |
| 77 | NN trolley | S/s trolley, 10 floors, floors dimensions: (10x) 410 mm x 600 mm, total dimensions: 470 mm x 600 mm x 1800 mm. | 50 |
| 78 | NN trolley | S/s trolley, 15 floors, floors dimensions: (15x) 610 mm x 350 mm, total dimensions: 660 mm x 450 mm x 1680 mm. | 100 |
| 79 | Record | Record flowpacker, model: Panda 1000, serial number: 03.96/196, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 4000 W, plastic outfeed belt, belt width: 200 mm, infeed belt with dividers, divider height: 40 mm, distance between dividers: 320 mm, total dimensions: 7500 mm x 1450 mm x 1700 mm. | 1000 |
| 80 | NN trolley | S/s trolley, 24 floors, floors dimensions: (24x) 530 mm x 660 mm, total dimensions: 600 mm x 680 mm x 1860 mm. | 100 |
| 81 | NN cage | S/s cage, dimensions: 1220 mm x 930 mm x 950 mm. | 75 |
| 82 | Altech | Altech labeller, model: Alstep M, serial number: 2009000325007, year of construction: 2020, 110-230 V, 50/60 Hz, 300 W, dimensions: 530 mm x 320 mm x 600 mm. | 50 |
| 83 | NN part of labelling machine | Part of labelling machine, dimensions: 350 mm x 480 mm x 1220 mm. | 20 |
| 84 | NN part of labelling machine | Part of labelling machine, dimensions: 250 mm x 340 mm x 180 mm. | 20 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| 85 | Labelmate | Labelmate part of labelling machine, dimensions: 250 mm x 250 mm x 280 mm. | 20 |
| 86 | NN part of labelling machine | Part of labelling machine, dimensions: 660 mm x 380 mm x 680 mm. | 20 |
| 87 | HFE vacuum systems bv | HFE vacuum systems bv traysealer, type: TPS-2000, serial number: 412009, year of construction: 2011, 380-400 V, 50 Hz, 25 A, plastic infeed roller belt, belt width: 540 mm, dimensions dye: (2x) 210 mm x 160 mm, dimensions dye: (1x) 290 mm x 230 mm, total dimensions: 4820 mm x 900 mm x 1550 mm. | 1000 |
| 88 | Ulma | Ulma flowpacker, model: FM 200, number: 1222044, year of construction: 2019, 400 V, 50 Hz, 19 A, 13,2 kW, chain infeed belt with plastic dividers, divider width: 20 mm, divider height: 35 mm, distance between dividers: 240 mm, seal length: 300, plastic outfeed belt, belt width: 280 mm, total dimensions: 9500 mm x 1150 mm x 2300 mm. | 15000 |
| 89 | Webomatic | Webomatic thermoformer, type: ML-C 2600, machine number: 16513WI133, 400 V, 3 Ph, 50 Hz, film width: 420 mm, (4x) dye: 175 mm x 120 mm, total dimensions: 3500 mm x 1500 mm x 2020 mm. With pallet dyes and various parts. | 10000 |
| 90 | MK Gilze bv | MK Gilze bv inliner, plastic mesh belt, belt width: 420 mm, plastic belt width: (2x) 140 mm, total dimensions: 1900 mm x 770 mm x 1800 mm. | 500 |
| 91 | Frigovent | Frigovent air curtain, type: FLC-AC 275, serial number: 44 983, 230 V, 5.2 A, 1.2 kW, dimensions: 3000 mm x 600 mm x 400 mm. | 150 |
| 92 | PFM | PFM flowpacker, model: 300 superinox, infeed belt width dividers, divider height: 40 mm, distance between dividers: 250 mm, plastic outfeed belt, belt width: 150 mm, total dimensions: 3350 mm x 1000 mm x 1800 mm. | 800 |
| 93 | TBS-Pack GmbH | TBS-Pack GmbH mobile flow packer, model: FWH-400, serial number: 160229, 220 V, 3.2 kW, seal width: 200 mm, plastic belt, belt width: 180 mm, total dimensions: 3000 mm x 850 mm x 1520 mm. | 800 |
| 94 | Moor Filtertechniek | Moor FiltertechCal number: 17171817, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 35 A, weight: 3000 kg, maximum operating temperature: 40 °C, maximum water temperature: 25 °C, water pressure min/max: 1.0-3.0 bar, total dimensions: 3900 mm x 1840 mm x 2250 mm. | 2000 |
| 95 | Moor Filtertechniek | Moor Filtertechniek sodium removal system for water, type: Poseidon 8-2, serial number: 20171070-1, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 35 A, weight: 3000 kg, maximum operating temperature: 40 °C, maximum water temperature: 25 °C, water pressure min/max: 1.0-3.0 bar, total dimensions: 3900 mm x 1840 mm x 2250 mm. | 2000 |
| 96 | NN compensator | S/s compensator, dimensions: 350 mm x 350 mm x 250 mm. | 100 |
| 97 | Treif | | 1500 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | Treif dicer, model: Felix 100-CE, machine number: 271012,70161,106493, year of construction: 2009, 400 V, 50/60 Hz, 3 Ph, 10 A, 1 kW, chamber dimensions: 95 mm x 95 mm, total dimensions: 1000 mm x 600 mm x 1020 mm. | |
| 98 | Vakona GmbH | Vakona GmbH mobile cooled vacuum tumbler, Busch vacuum pump, type: KC 0010 D, number: 060095249, capacity per hour: 10 $m^3$ per hour, inside dimensions: 690 mm x 570 mm, total dimensions: 1400 mm x 850 mm x 1390 mm. | 2000 |
| 99 | Kilia | Kilia cutter, type: 65 Ex. 2000 S, machine number: 59613426, year of construction: 1996, 400 V, 51 A, 22 kW, s/s bowl, volume: 65 liter, dimensions: 1350 mm x 900 mm x 1120 mm. Including extra knife. | 2000 |
| 100 | Kronen | Kronen mobile vegetable slicer, type: SPIRELLO S021-1001, serial number: 021-023, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 0.3 kW, dimensions: 1000 mm x 600 mm x 1200 mm. | 1500 |
| 101 | Eillert B.V. | Eillert B.V. mobile slicer, type G3300, plastic belt, belt width: 240 mm, total dimensions: 2100 mm x 900 mm x 2250 mm. Kronen control system. | 600 |
| 102 | NN cabinet for rejector | S/s cabinet for rejector, clearance: 295 mm x 245 mm, total dimensions: 450 mm x 330 mm x 1100 mm. | 5 |
| 103 | MPE | MPE mobile traysealer, model: SL 1200, serial number: 1109, year of construction: 2013, 415 V, 3 Ph, 50 Hz, dimensions dye: 190 mm x 145 mm, total dimensions: 2750 mm x 780 mm x 1230 mm. Damaged. | 150 |
| 104 | Rühle | Rühle mobile traysealer, type: VR 1, number: 0149, year of construction: 2005, 230 V, 50 Hz, 1.5 kW, dye: 300 mm x 250 mm, total dimensions: 700 mm x 600 mm x 1700 mm. | 400 |
| 105 | Beelonia | Beelonia cooking vessel, dimensions inside: 1100 mm x 700 mm x 400 mm, total dimensions: 1530 mm x 1100 mm x 1150 mm. | 300 |
| 106 | Turbovac | Turbovac mobile vacuum machine, type: H 1900 H L, machine number: 199123740, 380 V, 3 Ph, 50 Hz, 9 A, 3.8 kW, seal length: 600 mm, chamber dimensions: 600 mm x 450 mm, Busch vacuum pump, type: RA 0063 B 5Z1, capacity: 63 $m^3$ per hour, total dimensions: 700 mm x 600 mm x 1050 mm. | 400 |
| 107 | Blanco | Blanco double sink, dimensions: 700 mm x 500 mm x 900 mm. | 100 |
| 108 | NN frame | S/s frame used for weighing and labelling system, table dimensions: 580 mm x 480 mm, total dimensions: 700 mm x 680 mm x 1440 mm. | 10 |
| 109 | NN frame | S/s frame, dimensions: 400 mm x 580 mm x 950 mm. | 5 |
| 110 | NN frame | S/s frame, dimensions: 630 mm x 1000 mm x 1060 mm. | 25 |
| 111 | DEBAG | DEBAG double stacked oven, type: Dila 5, serial number: D 301967/D 301968, year of construction: 01/2014, 400 V, 50 Hz, 14.5/16 A, 9.5 kW, inside dimensions: (2x) 700 mm x | 100 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | 440 mm x 440 mm, total dimensions: 1150 mm x 950 mm x 2100 mm. | |
| 112 | La Minerva | La Minerva grinder, type: C/E660, serial number: 95E1282, year of construction: 1995, 380/220 V, 3 Ph, 50 Hz, 9.4/16.3 A, total dimensions: 900 mm x 600 mm x 1400 mm. | 650 |
| 113 | Meiko | Meiko dishwasher, type DV 120 B, machine number: 58.795, 220 V, 3 Ph, 50 Hz, 38 A, 14 kW, inside dimensions: 520 mm x 520 mm, total dimensions: 850 mm x 800 mm x 1375 mm. Missing back panel. | 80 |
| 114 | Pökomat | Pökomat mobile injector, plastic belt, belt width: 260 mm, 9 needles, total dimensions: 1300 mm x 500 mm x 1700 mm. | 300 |
| 115 | Townsend | Townsend mobile skinning machine, type: SK11-320, 380 V, 3 Ph, 50 Hz, working width: 500 mm, total dimensions: 830 mm x 750 mm x 1000 mm. | 400 |
| 116 | Townsend | Townsend mobile skinning machine, year of construction: 2004, 380 V, 3 Ph, 50 Hz, working width: 505 mm, total dimensions: 950 mm x 600 mm x 980 mm. | 100 |
| 117 | DEBAG | DEBAG double stacked oven, type: Dila 5, serial number: D 317091, year of construction: 11/2012, 400 V, 50 Hz, 14.5/16 A, 9.5 kW, inside dimensions: (2x) 700 mm x 440 mm x 440 mm, total dimensions: 1150 mm x 950 mm x 2100 mm. | 100 |
| 118 | Wiesheu GmbH | Wiesheu GmbH mobile oven with hood, type: B8E2TS200, serial number: 98098, year of construction: 2004-06, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.4 kW, 8 floors, floor dimensions: 600 mm x 400 mm, total dimensions: 1150 mm x 950 mm x 2050 mm. | 100 |
| 119 | Cintex | Cintex metal detector, model: Sentry, serial number: CXMD01-05960D, year of construction: 06-2007, 85-265 V, 50-60 Hz, clearance: 350 mm x 115 mm, plastic mesh belt, belt width: 305 mm, total dimensions: 1250 mm x 1000 mm x 1510 mm. | 600 |
| 120 | Empac | Empac netting machine, type: GIRPLUS, serial number: 1614507, year of construction: 1999, 230/380 V, diameter pipe: 200 mm, film width: 90 mm, total dimensions: 2000 mm x 1050 mm x 2060 mm. Including crate with large amount of nets, dimensions crate: 1100 mm x 1000 mm x 1950 mm and pallet with parts. | 1000 |
| 121 | Comenda | Comenda plate washer, type: LAV 1000, model: P1 13931/11/00, 380 V, 3 Ph, 50 Hz, 43 A, 28.84 kW, clearance: 385 mm x 35 mm, total dimensions: 2460 mm x 900 mm x 1950 mm. | 200 |
| 122 | Nowicki | Nowicki injector, type: MH-280, number: 00501014, year of construction: 2001, 400 V, 3 Ph, 1.05 kW, weight: 1260 kg, clearance: 595 mm x 270 mm, s/s walking beam, total dimensions: 2800 mm x 1200 mm x 2150 mm. Including Nowicki filter tub, type: FBN-28012, number: 91601014, year of construction: 2001, 400 V, 3 Ph, weight: 185 kg, | 1000 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | dimensions: 1880 mm x 800 mm x 850 mm and switch cabinet, dimensions: 1120 mm x 350 mm x 820 mm. | |
| 123 | Reepack | Reepack traysealer, model: REEFLEX, serial number: 0400050, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 21 A, dye: (1x) 290 mm x 225 mm, plastic rollers, roller width: 480 mm, total dimensions: 2300 mm x 900 mm x 1780 mm. | 500 |
| 124 | NN separator | Mobile separator, 380-480 V, mould dimensions: Ø 45 mm x 155 mm, total dimensions: 1200 mm x 525 mm x 1090 mm. | 500 |
| 125 | Mado | Mado mobile mixer-grinder, type: MEW 621, number: 30620, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 12.4 A, 5.5 kW, dimensions: 1100 mm x 800 mm x 1550 mm. | 1000 |
| 126 | Winterhalter | Winterhalter dishwasher, type: GR 62-3, serial number: 2990, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, water temperature: maximum 60 °C, inside dimensions: 650 mm x 570 mm x 480 mm, total dimensions: 780 mm x 720 mm x 1600 mm. Technical condition unknown. | 50 |
| 127 | Treif Maschinenbau GmbH | Treif Maschinenbau GmbH dicer, model: Mustang, type: 0721, machine number: 072104.73231.0450, year of construction: 1987, 220/380 V, 50 Hz, 1.1/26 A, dimensions chamber: 105 mm x 105 mm, total dimensions: 1750 mm x 920 mm x 1150 mm. | 500 |
| 128 | Zomerdam | Zomerdam inliner, serial number: 9264-100-L-4X3, year of construction: 2005, 380 V, 5 A, 1.9 kW, plastic belts, belt width: (4x) 105 mm / (4x) 80 mm, (1x) 560 mm, total dimensions: 2300 mm x 700 mm x 1200 mm | 400 |
| 129 | Webomatic | Webomatic traysealer, type: TL 500, machine number: F 9015UI144, 400 V, 3 Ph, 50 Hz, 14.5 A, 7.5 kW, plastic belt, belt width: 550 mm, dye: (2x) 245 mm x 175 mm, total dimensions: 2500 mm x970 mm x 1600 mm. | 5000 |
| 130 | NN transport belt | Mobile transport belt, s/s frame, plastic belt, belt width: 245 mm, total dimensions: 2150 mm x 950 mm x 990 mm. | 500 |
| 131 | Stephan | Stephan universal machine, machine number: 721497.01, year of construction: 1995, volume: 72 liter, dimensions: 1100 mm x 800 mm x 1700 mm. | 1500 |
| 132 | Küppersbusch | Küppersbusch mobile cooking vessel, type: KSV 0247, 400 V, 3 Ph, 50 Hz, 23.1 kW, inside dimensions: Ø 700 mm x 440 mm, total dimensions: 1000 mm x 1000 mm x 1000 mm. | 700 |
| 133 | Ecoma / Handtmann | Ecoma dosing system, type: GPT6HS, serial number: 204455, year of construction: 2022, 400V, 50 Hz, 1 A, 0.5 kW, plastic belt, belt width: 80 mm, clearance: 120 mm x 200 mm, working width: approximately Ø 55 mm, with Handtmann external power supply unit, type: Externe Versorgungseinheit, model: 718, serial number: 23100210, year of construction: 2021, total dimensions: 2900 mm x 900 mm x 1740 mm. Including additional parts. | 25000 |
| 134 | NN bin | S/s bin, inside dimensions: 1185 mm x 950 mm x 720 mm, total dimensions: 1250 mm x 1020 mm x 880 mm. | 100 |
| 135 | NN tub | | 100 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | S/s tub, inside dimensions: 1200 mm x 960 mm x 720 mm, total dimensions: 1270 mm x 1010 mm x 870 mm. | |
| 136 | DIGI / Teraoka | DIGI / Teraoka weighing scale with label printer, type: SM-5500 EV, serial number: 12916379, 220-240 V, 50/60 Hz, weighing range: 40-6.000/15.000 gram, scale dimensions: 370 mm x 285 mm , total dimensions: 400 mm x 450 mm x 580 mm. Screen broken, technical condition unknown. | 5 |
| 137 | DIGI / Teraoka | DIGI / Teraoka weighing scale with label printer, type: SM-5500P , serial number: 15907298, 220-240 V, 50/60 Hz, weighing range: 40-6.000/15.000 gram, scale dimensions: 370 mm x 285 mm , total dimensions: 500 mm x 380 mm x 590 mm. Label printer defect. | 5 |
| 138 | DIGI / Teraoka | DIGI / Teraoka weighing scale with label printer, type: SM-5500P , serial number: 16903861, 220-240 V, 50/60 Hz, weighing range: 40-6.000/15.000 gram, scale dimensions: 370 mm x 285 mm , total dimensions: 500 mm x 380 mm x 590 mm. Technical condition unknown. | 5 |
| 139 | NN table | S/s table with plastic work top, dimensions: 1400 mm x 600 mm x 880 mm. | 100 |
| 140 | NN vacuum tumbler | Mobile vacuum tumbler, type: VSM 300, serial number: 1524, inside dimensions: Ø 740 mm x 680 mm, total dimensions: 1400 mm x 950 mm x 1750 mm. Without vacuum pump. | 500 |
| 141 | Spako | Spako cooking kettle, type: R2001, serial number: 12939, year of construction: 1989, fuel: gas, inside dimensions: Ø 700 mm x 520 mm, total dimensions: 1250 mm x 950 mm x 1030 mm. | 300 |
| 142 | Robot Coupe S.A. | Robot Coupe S.A. blender, type: R201, number: 2/4974, year of construction: 1993, 220 V, 50 Hz, 3.5 A, 750 Watt, dimensions: 280 mm x 200 mm x 500 mm. | 10 |
| 143 | Bauknecht | Bauknecht build-in oven, dimensions: 600 mm x 560 mm x 590 mm. Inside glass broken. | 10 |
| 144 | NN tub | S/s tub, inside dimensions: 1200 mm x 960 mm x 720 mm, total dimensions: 1270 mm x 1010 mm x 870 mm. | 100 |
| 145 | Kern | Kern weighing scale, type: WTB 1L-4NM, serial number: WF19018230, maximum weight: 1500 gram, minimum weight: 10 gram, e= 0.5 gram, dimensions: 315 mm x 280 mm. | 25 |
| 146 | Kern | Kern weighing scale, type: WTB 1L-4NM, serial number: WF20018390, maximum weight: 1500 gram, minimum weight: 10 gram, e= 0.5 gram, dimensions: 315 mm x 280 mm. | 25 |
| 147 | NN table | S/s table, dimensions: 2000 mm x 1000 mm x 830 mm. | 150 |
| 148 | Zanolli | Zanolli mobile tunnel oven, model: Synthesis 12/100 VE/MC DIG, serial number: 16074668, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 73 A, 44.8 kW, weight: 468 kg, s/s belt, | 1900 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | belt width: 1000 mm, clearance: 1000 mm x 70 mm, total dimensions: 2500 mm x 1800 mm x 1250 mm. | |
| 149 | CombiSteel | CombiSteel electric Fry Top, model: 7455.1060, serial number: 202403006, 380 V, 3 Ph, 50 Hz, 5 kW, net weight: 33 kg, dimensions grill: 590 mm x 400 mm, total dimensions: 600 mm x 520 mm x 315 mm. | 40 |
| 150 | Mado | Mado sharpening machine, type: MNS 630 D, number: 50 528 88, 220/380 V, 50 Hz, 1.7/1.0 A, 510 W, 1130 rpm, width grinding stone: 30, width sand grinder: 50 mm, total dimensions: 500 mm x 350 mm x 320 mm. | 100 |
| 151 | Carrier | Carrier outside airco unit with inside unit, model: 38QHG018D8S, dimensions: 900 mm x 320 mm x 550 mm and 800 mm x 270 mm x 200 mm. | 50 |
| 152 | DIGI / Teraoka | DIGI / Teraoka weighing scale with label printer, type: SM-5500EV, serial number: 12916400, 220-240 V, 50/60 Hz, weighing range: 40-6.000/15.000 gram, scale dimensions: 370 mm x 285 mm , total dimensions: 400 mm x 450 mm x 580 mm. | 5 |
| 153 | DIGI / Teraoka | DIGI / Teraoka weighing scale with label printer, type: SM-5500 EV, serial number: 14901043, 220-240 V, 50/60 Hz, weighing range: 40-6.000/15.000 gram, scale dimensions: 370 mm x 285 mm , total dimensions: 400 mm x 450 mm x 580 mm. Screen broken, technical condition unknown. | 5 |
| 154 | C.M.I.A. - BODSON | C.M.I.A. - BODSON mobile skinning machine, type: D112, serial number: 327, year of construction: 11-06-82, 220/380 V, working width: 440 mm, total dimensions: 710 mm x 450 mm x 1000 mm. Incomplete. | 150 |
| 155 | NN chainmail apron | S/s chainmail apron. | 25 |
| 156 | Airpress | Airpress mobile compressor, model: HL 310-25, serial number: 3850270, year of construction: 2021, 230 V, 50 Hz, 6 A, 1.5 kW, volume: 24 liter, weight: 27 kg, dimensions: 530 mm x 230 mm x 550 mm. | 200 |
| 157 | Fri-jado | Fri-jado rotisserie grill on s/s cabinet, model: STG5-P, serial number: 100060677, 230/400 V, 50/60 Hz, 9 A, 6100 W, dimensions: 850 mm x 730 mm x 1600 mm. Missing glass. | 80 |
| 158 | Eltra | Eltra mobile double jacketed cooking vessel, year of construction: 2009, 230/400 V, inside dimensions: Ø 530 mm x height: 540 mm, total dimensions: 800 mm, 700 mm, 950 mm. | 100 |
| 159 | KOBI | S/s trolley with KOBI ham moulds, dimensions: (7x) 460 mm x 190 mm x 180 mm and (24x) 350 mm x 105 mm x 100 mm, total dimensions: 1070 mm x 780 mm x 800 mm. | 150 |
| 160 | NN frame | S/s frame, dimensions: 970 mm x 500 mm x 1200 mm. | 5 |
| 161 | Alexanderwerk | Alexanderwerk skinning machine, type: ESM350 SKS, working width: 295 mm, total dimensions: 750 mm x 550 mm x 1000 mm. | 50 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| 162 | Maja | Maja skinning machine, working width: 295 mm, total dimensions: 750 mm x 550 mm x 1000 mm. | 50 |
| 163 | Caterchef | Caterchef heating lamp, type: SD800-107, model: 688250, serial number: C1842003001, year of construction: 2020.03, 230 V, 1 Ph, 50 Hz, 250 W, dimensions: 540 mm x 250 mm x 1710 mm. | 5 |
| 164 | NN grill | S/s grill, 400 V, 3 Ph, 50/60 Hz, 4.3 A, 3 kW, grill dimensions: 690 mm x 570 mm, drawer dimensions: 600 mm x 510 mm x 140 mm, total dimensions: 700 mm x 650 mm x 400 mm. | 20 |
| 165 | Torrey | Torrey weighing scale, model: L-EQ 5/10, dimensions scale: 245 mm x 295 mm, total dimensions: 250 mm x 250 mm x 130 mm. | 10 |
| 166 | Turn-O-Matic | 2 Turn-O-Matic boxes with in total 8 ticket rolls. | 5 |
| 167 | STAR 10 S.p.a. | STAR 10 S.p.a. kebab grill, model: GY-INO 10E, serial number: 246473, year of construction: 10/2007, 230 V, 1 Ph, 3 kW, diameter plate: 160 mm, total dimensions: 500 mm x 420 mm x 600 mm. | 25 |
| 168 | NN tub | Mobile s/s tub, inside dimensions: 1300 mm x 400 mm x 400 mm, total dimensions: 1400 mm x 660 mm x 850 mm. | 75 |
| 169 | NN tub | S/s tub, inside dimensions: 1300 mm x 905 mm x 700 mm, total dimensions: 1360 mm x 970 mm x 830 mm. | 75 |
| 170 | NN tub | Mobile s/s tub, inside dimensions: 1400 mm x 790 mm x 200 mm, total dimensions: 1540 mm x 840 mm x 900 mm. | 75 |
| 171 | Hobart | Hobart mixer, model: PF 401, serial number: 95-778063, 380 V, 50 Hz, 3 Ph, 2.4 A, dimensions: 850 mm x 700 mm x 1250 mm. | 500 |
| 172 | NN tub | Mobile s/s tub, inside dimensions: 1360 mm x 605 mm x 400 mm, total dimensions: 1500 mm x 680 mm x 820 mm. | 75 |
| 173 | NN tub | S/s tub, inside dimensions: 1300 mm x 905 mm x 700 mm, total dimensions: 1360 mm x 970 mm x 830 mm. | 75 |
| 174 | NN bandsaw | Bandsaw, year of construction: 2005, dimensions: 1000 mm x 900 mm x 1850 mm. | 400 |
| 175 | Imperator | Imperator mobile mixer, type: PL, serial number: 74467, bowl dimensions: Ø 360 mm x 310 mm, total dimensions: 700 mm x 650 mm x 1140 mm. Including whisk. | 200 |
| 176 | NN grill | Grill, dimensions plate: 600 mm x 340 mm, total dimensions: 870 mm x 670 mm x 1600 mm. Damaged. | 20 |
| 177 | Creemers Compressors BV | Creemers Compressors BV air dryer, model: EDU 1415, type: 406, serial number: 013/15020/57, refrigerant: R134a, 220-230 V, 1 Ph, 50 Hz, 0.28 kW, dimensions: 580 mm x 450 mm x 550 mm. | 10 |
| 178 | NN freezer | Freezer, inside dimensions: 1360 mm x 500 mm x 580 mm, total dimensions: 1530 mm x 650 mm x 900 mm. | 25 |
| 179 | Amitek | Amitek saladette, model: Saladette AK300S GN1/6, serial number: 28070379, year of construction: 2018, 230 V, 1 Ph, 50 Hz, weight: 122 kg, temperature: 2-8 °C, dimensions | 80 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | inside: (3x) 590 mm x 335 mm, total dimensions: 1370 mm x 700 mm x 1000 mm. | |
| 180 | NN table with plastic top | S/s table with plastic top, dimensions: 1500 mm x 600 mm x 880 mm. | 75 |
| 181 | NN wall frame | Wall mounted s/s frame, dimensions: 590 mm x 110 mm x 340 mm. | 5 |
| 182 | Leventi | Leventi mobile bread oven, type: bakermatic, serial number: 07110078, year of construction: 2007, 380/415 V, 3 Ph, 50/60 Hz, 6.5 kW, dimensions: 1700 mm x 850 mm x 1500 mm. | 50 |
| 183 | Moduline | Moduline mobile oven, type: RB051E, number: 130854002E, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 5 floors, dimensions each floor: 535 mm x 390 mm, total dimensions: 810 mm x 780 mm x 1640 mm. | 80 |
| 184 | Betec | Betec au bain-marie, dimensions inside: 700 mm x 510 mm x 230 mm, total dimensions: 900 mm x 850 mm x 850 mm. | 50 |
| 185 | NN rack | S/s mobile rack, 3 floors, total dimensions: 1010 mm x 810 mm x 1540 mm. | 25 |
| 186 | MHS Schneidetechnik GmbH | MHS Schneidetechnik GmbH mobile bread slicer, type: GMH450, serial number: 0508512, year of construction: 2012, 230 V, 1 Ph, 3 A, 750 W, working width: 390 mm, total dimensions: 750 mm x 680 mm x 1250 mm. | 80 |
| 187 | KOMET TS 100 | KOMET mobile traysealer, type: TS 100, machine number: 331 00220 19, year of construction: 2019, 400 V, 3Ph, 50 Hz, 3,5 kW, dye: 335 mm x 275 mm, film width: 420 mm, total dimensions: 1000 mm x 660 mm x 1500 mm. Including crate with parts. | 1250 |
| 188 | Bizerba | Bizerba slicer, type: SE 12 US, number: 10564281, year of construction: 2009, dimensions: 700 mm x 500 mm x 650 mm. Including knife sharpener. | 100 |
| 189 | MCM | MCM rotisserie grill, model: BD46, serial number: 16-34, 400 V, 50 Hz, 6.9 kW, 4 baskets, dimensions: (4x) 600 mm x 160 mm x 40 mm, dimensions: 800 mm x 940 mm x 890 mm. | 100 |
| 190 | Multivac | Multivac mobile mob dip tank, type: SE60, serial number: 104882, year of construction: 2005, 400 V, 50 Hz, 3 Ph, 9 kW, 14 A, inside dimensions: 400 mm x 600 mm x 340 mm, total dimensions: 800 mm x 720 mm x 1230 mm. | 500 |
| 191 | NN tub | S/s mobile tub, inside dimensions: 1500 mm x 700 mm x 350 mm, total dimensions: 1650 mm x 760 mm x 730 mm. | 75 |
| 192 | NN trolley | S/s trolley, total dimensions: 950 mm x 470 mm x 1000 mm. | 20 |
| 193 | Alto-Shaam | Alto-Shaam combi steamer, model: CTP6-10G, serial number: 1575191-000, year of construction: 06-05-15, 208-240 V, 3 Ph, 50/60 Hz, 1.5/1.7 A, 7 floors, dimensions each floor: 540 mm x 330 mm, total dimensions: 950 mm x 900 mm x 1650 mm. | 500 |
| 194 | NN apron washer | Apron washer with s/s apron hanger, dimensions: 600 mm x 1055 mm x 1830 mm. | 75 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| 195 | Wiesheu GmbH | Wiesheu GmbH mobile oven, 6 floors, dimensions each floor: 530 mm x 320 mm, total dimensions: 910 mm x 800 mm x 1650 mm. | 50 |
| 196 | NN table | S/s table, dimensions: 1200 mm x 600 mm x 830 mm. | 75 |
| 197 | NN hose reel | Hose reel with hose, dimensions: 800 mm x 600 mm. | 50 |
| 198 | NN ladder | Foldable ladder, 16 steps, dimensions: 1310 mm x 430 mm x 1860 mm. | 10 |
| 199 | J&J service AB | J&J service AB mobile elevating belt, number: 1080, year of construction: 2020, plastic belt with dividers, belt width: 210 mm, dividers height: 60 mm, distance between dividers: 300 mm, elevating height: 1900 mm, total dimensions: 1550 mm x 600 mm x 1960 mm. | 500 |
| 200 | NN tub | Mobile s/s tub, inside dimensions: 1290 mm x 600 mm x 380 mm, total dimensions: 1400 mm x 680 mm x 830 mm. | 75 |
| 201 | Nieros | Nieros sink with faucet, dimensions: 540 mm x 420 mm x 1200 mm. | 25 |
| 202 | Safeline/Mettler Toledo | Safeline/Mettler Toledo metal detector with rejector, model: V4-RAD, 100/240 Vac, 50/60 Hz, 350 W, plastic belt, belt width: 170 mm, clearance: 200 mm x 70 mm, total dimensions: 1600 mm x 950 mm x 1000 mm. | 400 |
| 203 | NN tub | Mobile s/s tub, inside dimensions: 1570 mm x 700 mm x 350 mm, total dimensions: 1700 mm x 750 mm x 800 mm. | 75 |
| 204 | Vakona | Vakona mobile tiltable vacuum mixer, type: 125 LBH, number: 2662, year of construction: 1984, 380 V, 50 Hz, 1.95/ 1.1 A, 0.37 kW, inside dimensions: Ø 590 mm x 470 mm, total dimensions: 920 mm x 720 mm x 1300 mm. | 100 |
| 205 | NN tub | Mobile s/s tub, inside dimensions: 1300 mm x 600 mm x 400 mm, total dimensions: 1370 mm x 660 mm x 820 mm. | 75 |
| 206 | NN tub | Mobile s/s tub, inside dimensions: 1900 mm x 800 mm x 420 mm, total dimensions: 2050 mm x 860 mm x 930 mm. | 75 |
| 207 | Bizerba | Bizerba slicer, type: VS 8 A, number: 1625229, year of construction: 1998, 230/400 V, 3 Ph, 50 Hz, 1.7/1.2 A, dimensions: 650 mm x 600 mm x 500 mm. | 75 |
| 208 | Grassair | Filter element for Grassair dryer, type: ADC-SFX, serial number: 1057367/1, year of construction: 2000, 230 V, 50-60 Hz, dimensions: 340 mm x 340 mm x 100 mm. | 10 |
| 209 | NN clipper | Clipper, total dimensions: 600 mm x 300 mm x 350 mm. | 25 |
| 210 | NN table | S/s mobile table, dimensions: 1900 mm x 1000 mm x 870 mm. | 150 |
| 211 | NN tub | Mobile s/s tub, inside dimensions: 1330 mm x 720 mm x 350 mm, total dimensions: 1400 mm x 750 mm x 920 mm. | 75 |
| 212 | NN tub | Mobile s/s tub, inside dimensions: 1430 mm x 600 mm x 300 mm, total dimensions: 1600 mm x 650 mm x 830 mm. | 75 |
| 213 | NN tub | Mobile s/s tub, inside dimensions: 1560 mm x 700 mm x 350 mm, total dimensions: 1700 mm x 750 mm x 800 mm. | 75 |
| 214 | Daikin | | 50 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | Daikin outside airco unit, model: RXM42N2V1B9, serial number: J006146, year of construction: 2019/04, dimensions: 900 mm x 370 mm x 750 mm. | |
| 215 | NN vacuum press | Vacuum press, inside dimensions: 500 mm x 400 mm x 330 mm, diameter rings: 100 mm, total dimensions: 700 mm x 500 mm x 860 mm. | 75 |
| 216 | Bizerba | Bizerba slicer on aluminium table, dimensions: 800 mm x 700 mm x 1400 mm. | 150 |
| 217 | L'unite Hermetique | L'unite Hermetique cooling compressor, model: TAJ4519T HR, 380/440 V, 3 Ph, 50/60 Hz, refrigerant: R22/R502, dimensions: 650 mm x 520 mm x 1020. | 25 |
| 218 | Hobart | Hobart mixer, model: H600, year of construction: 1997, 380 V, 3 Ph, 50 Hz, inside dimensions: 400 mm x 400 mm x 350 mm, total dimensions: 1050 mm x 700 mm x 1500 mm. | 600 |
| 219 | Nissei Freezer | Nissei Freezer mobile ice cream machine, model: NA3338WEGK, serial number: B8150019, 400 V, 3 Ph, 50 Hz, 3.6 A, refrigerant: R-404A/730 g, total dimensions: 900 mm x 600 mm x 1570 mm. | 900 |
| 220 | Ubert Gastrotechnik GmbH | Ubert Gastrotechnik GmbH warming cabinet, type: HBB10K-02, serial number: HBB10-0116-0099, year of construction: 2016, 230 V, 1 Ph, 50/60 Hz, 11.5 A, 2.65 kW, 10 floors, dimensions each floor: 600 mm x 410 mm, total dimensions: 850 mm x 750 mm x 1720 mm. | 80 |
| 221 | Sayl | Sayl showcase, model: 24 TP1052C, 230 V, 50 Hz, 1.5 A, dimensions inside: (8x) 170 mm x 150 mm, total dimensions: 800 mm x 700 mm x 250 mm. | 40 |
| 222 | Sayl | Sayl showcase, model: 24 TP1051C, 230 V, 50 Hz, 1.5 A, dimensions inside: (8x) 170 mm x 150 mm, total dimensions: 800 mm x 700 mm x 250 mm. | 40 |
| 223 | Fabbri Group | Fabbri Group packaging machine, model: Elixa21-B.283.XS, serial number: 1/765, year of construction: 2017, 230 V, 1 Ph, 50/60 Hz, 8.7+1.3 A, weight: 170 kg, plastic string belt, belt width: 300 mm, plastic belt, belt width: 335 mm, total dimensions: 1250 mm x 1000 mm x 1350 mm. | 1000 |
| 224 | NN tub | S/s tub, inside dimensions: 1300 mm x 905 mm x 700 mm, total dimensions: 1360 mm x 970 mm x 830 mm. | 75 |
| 225 | Imperial-Werke GmbH | Imperial-Werke GmbH 4-pits stove with oven, type: EHWF4010, fabrication number: 132/8310, year of construction: 1983, 380 V, 16000 Watt, electric heated, dimensions: 900 mm x 750 mm x 860 mm. | 25 |
| 226 | S.A. Tiffon | S.A. Tiffon cooled grinder, number: 322, year of construction: 1988-6, ø plate: 80 mm, total dimensions: 530 mm x 450 mm x 550 mm. Including forming attachment. | 400 |
| 227 | NN grinder | Cooled grinder, ø plate: 80 mm, total dimensions: 420 mm x 530 mm x 550 mm. Including forming attachment. | 400 |
| 228 | Tender Star | Tender Star tenderizer, number: 922457, working width: 300 mm, total dimensions: 600 mm x 390 mm x 1000 mm. Incomplete. | 20 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| 229 | Rentokil | Rentokil insect killer, dimensions: 550 mm x 160 mm x 300 mm. | 5 |
| 230 | Wiesheu | Wiesheu temperature controller, type: K4, year of construction: 05/2003, 220 V, dimensions: 250 mm x 170 mm x 200 mm | 10 |
| 231 | Tender Star | Tender Star tenderizer, number: 922456, working width: 300 mm, total dimensions: 600 mm x 390 mm x 1000 mm. | 180 |
| 232 | Pimak | Pimak chicken grill on mobile table, model: M006, year of construction: 2023, 400 V, 50/60 Hz, 7 kW, dimensions table: 1200 mm x 700 mm x 850 mm, dimensions grill: 1070 mm x 610 mm x 940 mm. | 180 |
| 233 | Canon | Canon printer, type: K30354, 100/240 V, 0.55 A, 50/60 Hz, dimensions: 460 mm x 370 mm x 160 mm. | 5 |
| 234 | Phillips | Phillips gas discharge lamp, type: HDK 400 IC, serial number: 9102 512 415, 230 V, 50 Hz, 2 A, 400 W, dimensions: Ø 525 mm x 460 mm. | 5 |
| 235 | CombiSteel | CombiSteel slicer, model: 7455.0145, serial number: 202212056, 230 V, 50 Hz, 150 W, dimensions: 500 mm x 370 mm x 400 mm. | 120 |
| 236 | Safescan | Safescan counterfeit money detector, model: 155-S, 12 V, 1 A, 10 W, dimensions: 170 mm x 130 mm 80 mm. | 5 |
| 237 | Cashmaster | Cashmaster weighing scale for money, serial number: 165/12219, dimensions: 300 mm x 180 mm x 150 mm. | 5 |
| 238 | NN sink | S/s sink with faucet, dimensions: 470 mm x 410 mm x 510 mm. | 25 |
| 239 | NN sink | S/s sink with faucet, dimensions: 470 mm x 410 mm x 510 mm. | 25 |
| 240 | NN meat bin | S/s meat bin, inside dimensions: 510 mm x 450 mm x 510 mm, total dimensions: 620 mm x 520 mm x 540 mm. | 25 |
| 241 | NN tub | Mobile s/s tub, inside dimensions: 990 mm x 700 mm x 600 mm, total dimensions: 1060 mm x 770 mm x 810 mm. | 75 |
| 242 | Neuruppin/ Heimlich/Gloria | Large amount of Neuruppin/Heimlich/Gloria fire extinguishers on pallet. | 5 |
| 243 | Burlodge | Burlodge hostess cart, serial number: BLC 104018, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 12 A, 7400 W, refrigerant: R134a/300 g, dimensions: 750 mm x 800 mm x 1450 mm. | 10 |
| 244 | Multivac | Multivac mobile traysealer, type: GALAXY, model: TS355, machine number: 879, year of construction: 1999, 380 V, 3 Ph, 50 Hz, 23 A, 8.75 kW, dye: (2x) 250 mm x 180 mm, film width: 460 mm, Busch vacuum pump, type: RA 0100, total dimensions: 1250 mm x 710 mm x 1730 mm. | 250 |
| 245 | NN grinder | Mobile s/s grinder, model: JY42, number: 250726, weight: 120 kg, 220 V, 4 kW, plate diameter: 130 mm, total dimensions: 1100 mm x 610 mm x 910mm. Never used. | 500 |
| 246 | NN grinder | | 500 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | Mobile s/s grinder, model: JY52, number: 250726, weight: 150 kg, 220 V, 5,5 Kw, plate diameter: 130 mm, total dimensions: 1100 mm x 650 mm x 960 mm. Never used. | |
| 247 | Unika | Unika grinder, model: S-32, serial number: 1999/0503, 220/380 V, 7.4 A, 3 kW, 158 RPM, plate diameter: 98 mm, total dimensions: 1100 mm x 560 mm x 600 mm. | 300 |
| 248 | ButcherBoy | ButcherBoy grinder, plate diameter: 98 mm, total dimensions: 1020 mm x 520 mm x 620 mm. | 300 |
| 249 | BBC Technologies | BBC Technologies mobile denester, model: 30581, serial number: 117538, dye: 150 mm x 120 mm, total dimensions: 1750 mm x 1040 mm x 1540 mm. | 100 |
| 250 | Berdob | Berdob grinder, plate diameter: 98 mm, total dimensions: 940 mm x 510 mm x 500 mm | 180 |
| 251 | Berdob | Berdob grinder, plate diameter: 98 mm, total dimensions: 840 mm x 450 mm x 500 mm. | 180 |
| 252 | Jac | Jac mobile bread slicer, model: SLD 450/10, machine number: 11/0154/01, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 41 knifes, distance between knifes: 11 mm, total dimensions: 700 mm x 600 mm x 1300 mm. | 200 |
| 253 | Kärcher | Kärcher floor scrubbing machine, type: BD 550, number: 014635, year of construction: 1998, 230 V, 1 Ph, 50 Hz, 1900 W, 16 A, dimensions: 1400 mm x 800 mm x 1100 mm. Missing brush. | 100 |
| 254 | Kärcher | Kärcher floor scrubbing machine, type: BD 450 BAT, number: 010343, year of construction: 1994, 24 V, 950 W, dimensions: 1100 mm x 730 mm x 900 mm. Missing brush. | 50 |
| 255 | Reima | Reima floor scrubbing machine, dimensions: 1150 mm x 500 mm x 1100 mm. | 50 |
| 256 | NN sandblaster | 10 gallon sandblaster, model: XH-T1010, serial number: T11602-023, year of construction: 2016, dimensions: 500 mm x 500 mm x 900 mm. | 10 |
| 257 | Weber | Parts for Weber thermoformer, dimensions: (3x) 800 mm x 400 mm x 470 mm. | 40 |
| 258 | Brüel | Parts for Brüel crate washer, among others 60 meters of plastic chain. | 5 |
| 259 | PI Electronique | PI Electronique label printer, type: TP16A, number: 109050501175, dimensions: 215 mm x 140 mm x 150 mm. | 5 |
| 260 | Taks Tuinbouwtechniek | Taks Tuinbouwtechniek weighing system used for crates, working width scale: 405 mm x 600 mm, plastic rollers, roller width: 405 mm, plastic belt, belt width: 400 mm, CAS weighing scale, type: BW-30, serial number: 021001789, year of construction: 10/2002, weighing range: 200 - 30.000 gram, e = 10 gram, total dimensions: 1300 mm x 950 mm x 1750 mm. | 280 |
| 261 | Taks Tuinbouwtechniek | Taks Tuinbouwtechniek weighing system used for crates, working width scale: 405 mm x 600 mm, plastic rollers, roller width: 405 mm, plastic belt, belt width: 400 mm, CAS | 280 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | weighing scale, type: BW-30, serial number: 021001785, year of construction: 10/2002, weighing range: 200 - 30.000 gram, e = 10 gram, total dimensions: 1300 mm x 950 mm x 1750 mm. | |
| 262 | Taks Tuinbouwtechniek | Taks Tuinbouwtechniek weighing system used for crates, working width scale: 405 mm x 600 mm, plastic rollers, roller width: 405 mm, plastic belt, belt width: 400 mm, CAS weighing scale, type: BW-30, serial number: 021001787, year of construction: 10/2002, weighing range: 200 - 30.000 gram, e = 10 gram, total dimensions: 1300 mm x 950 mm x 1750 mm. | 280 |
| 263 | Taks Tuinbouwtechniek | Taks Tuinbouwtechniek weighing system used for crates, working width scale: 405 mm x 600 mm, plastic rollers, roller width: 405 mm, plastic belt, belt width: 400 mm, AllScales weighing scale, weighing range: 200 - 30.000 gram, e = 10 gram, total dimensions: 1300 mm x 950 mm x 1750 mm. | 280 |
| 264 | Multivac | Multivac labelling machine, type: L300, serial number: 212455, year of construction: 2015, 230 V, 50 Hz, plastic belt, belt width: (2x) 135 mm, working width: 180 mm, with Zodiac thermal transfer overprinter, type: Zodiac HS, total dimensions: 1050 mm x 1270 mm x 1760 mm. | 1000 |
| 265 | Hydroton | Hydroton hydraulic unit, type: H100-7/7/7-180(ID16537), serial number: 18972-16537 / 100728, working pressure: 180 bar, dimensions: 1000 mm x 500 mm x 850 mm. | 400 |
| 266 | Viscon B.V. | Viscon B.V. weighing station used for crates, Ohaus / Mettler Toledo weighing scale, model: D30BR, serial number: B851948239, capacity: 30 kg, working width: 450 mm x 600 mm, plastic rollers, roller width: 450 mm, belt width: 450 mm, total dimensions: 900 mm x 1350 mm x 2200 mm. | 80 |
| 267 | Viscon B.V. | Viscon B.V. weighing station used for crates, type: Weegtafel, serial number: 62675-11-6, year of construction: 2003, Weda weighing scale, type: DEXAL, serial number: 9982542, weighing range: 100 - 15.000 gram, working width: 450 mm x 600 mm, plastic rollers, roller width: 450 mm, belt width: 450 mm, total dimensions: 900 mm x 1350 mm | 80 |
| 268 | Viscon B.V. | Viscon B.V. weighing station used for crates, type: Weegtafel, serial number: 62675-11-5, year of construction: 2003, Weda weighing scale, type: DEXAL, serial number: 9982118, weighing range: 100 - 15.000 gram, working width: 450 mm x 600 mm, plastic rollers, roller width: 450 mm, belt width: 450 mm, total dimensions: 900 mm x 1350 mm | 80 |
| 269 | Viscon B.V. | Viscon B.V. weighing station used for crates, type: Weegtafel, serial number: 62675-11-5, year of construction: 2003, Weda weighing scale, type: DEXAL, serial number: 9982118, weighing range: 100 - 15.000 gram, working | 80 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | width: 450 mm x 600 mm, plastic rollers, roller width: 450 mm, belt width: 450 mm, total dimensions: 900 mm x 1350 mm | |
| 270 | NN fire hose reel | Fire hose reel with hose, dimensions: 600 mm x 320 mm x 600 mm. | 5 |
| 271 | Viscon B.V. | Viscon B.V. weighing station used for crates, Ohaus / Mettler Toledo weighing scale, model: D30BR, serial number: B851948237, capacity: 30 kg, working width: 450 mm x 600 mm, plastic rollers, roller width: 450 mm, belt width: 450 mm, total dimensions: 900 mm x 1350 mm x 2200 mm. | 80 |
| 272 | Space | Space mobile refrigerated showcase, model: SLIM, serial number: 062609/0011, 230 V, 50 Hz, refrigerant: R404A, inside dimensions: 1210 mm x 850 mm x 250 mm, total dimensions: 1230 mm x 1050 mm x 1140 mm. | 10 |
| 273 | TKT | TKT insulated container, dimensions: 1400 mm x 1000 mm x 1900 mm. | 10 |
| 274 | PBI Dansensor | PBI Dansensor leak tester, model: LeakPointer, serial number: 71090381, year of construction: 2009, 207/253 V, 50/60 Hz, 1000 VA, chamber dimensions: 510 mm x 400 mm x 120 mm, total dimensions: 750 mm x 600 mm x 440 mm. | 200 |
| 275 | Convotherm | Convotherm oven, type: OES6.06 mini, serial number: XS8OG4769, 400 V, 3 Ph, 50/60 Hz, 11.8 A, 5.7 kW, water pressure: 200-600kPa, total dimensions: 670 mm x 520 mm x 660 mm. | 350 |
| 276 | Küppersbusch GmbH | Küppersbusch GmbH combi steamer, 10 floors, dimensions each floor: 500 mm x 330 mm, total dimensions: 950 mm x 850 mm x 1000 mm. | 200 |
| 277 | Digi/Tereoka Seiko Co. LTD | Digi/Tereoka Seiko Co. LTD mobile weigh-, wrap- and label machine, model: AW-4600 FX, serial number: 11162016, year of construction: 2011, 380/400/415/440 V, 3 Ph, 50/60 Hz, 0.9 kW, dimensions: 900 mm x 850 mm x 1370 mm. | 150 |
| 278 | Mobile Containing | Mobile Containing mobile plate dispenser, serial number: 135851, year of construction: 2008, plate dimensions: Ø 190-240 mm, total dimensions: 520 mm x 480 mm x 1020 mm. | 25 |
| 279 | Wiegand | Wiegand binding machine, type: Rollmatic, serial number: R 20 E/ 043302, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 1 kW, diameter: 190 mm, total dimensions: 625 mm x 550 mm x 1290 mm. | 450 |
| 280 | Pentair | S/s manifold with 12 Pentair valves, dimensions: 1300 mm x 1100 mm x 1100 mm. | 50 |
| 281 | Viscon B.V. | Viscon B.V. weighing station used for crates, type: Weegtafel, serial number: 62675-11-1, year of construction: 2003, Ohaus / Mettler Toledo weighing scale, model: D30BR, serial number: B720142836, weighing range: 100 - 15.000 gram, working width: 450 mm x 600 mm, plastic | 80 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | rollers, roller width: 450 mm, belt width: 450 mm, total dimensions: 900 mm x 1350 mm | |
| 282 | NN blower unit | Blower unit, diameter: 500 mm, total dimensions: 750 mm x 750 mm x 1170 mm. | 10 |
| 283 | NN tub | S/s mobile tub, dimensions: 1230 mm x 600 mm x 1050 mm. | 25 |
| 284 | Cintex | Cintex metal detector, model: KH30, serial number: 82497, year of construction: 2003, 240 V, 50/60 Hz, plastic mesh belt, belt width: 305 mm, clearance: 360 mm x 125 mm, total dimensions: 1650 mm x 850 mm x 1150 mm. | 400 |
| 285 | VWS Nederland B.V. | VWS Nederland B.V. weighing belt, model: Octopus Automatic XL, serial number: 200312, year of construction: 2020, 230 V, 50-60 Hz, 10 A, plastic belt, belt width: 455 mm, total dimensions: 1450 mm x 720 mm x 1080 mm. Without control panel. | 150 |
| 286 | Wiesheu GmbH | Wiesheu GmbH convection oven, type: B8 IS500, serial number: 96436, year of construction: 2004-03, 400 V, 3 Ph, 50/60 Hz, 26.6 A, 18.4 kW, 10 floors, dimensions each floor: 615 mm x 370 mm, total dimensions: 1050 mm x 930 mm x 2050 mm. | 100 |
| 287 | Tender Star | Tender Star tenderizer, serial number: 921890, working width: 300 mm, total dimensions: 600 mm x 380 mm x 1660 mm. | 150 |
| 288 | Giorik | Giorik oven, model: EPE04R, number: 004453/05/10, 400 V, 3 Ph, 50 Hz, 6 kW, 4 floors, dimensions each floor: 605 mm x 380 mm, total dimensions: 800 mm x 770 mm x 1520 mm. | 120 |
| 289 | NN cooling compressor | Cooling compressor in s/s frame, dimensions: 560 mm x 550 mm x 610 mm. | 50 |
| 290 | N.T.F. SRL | N.T.F. SRL ice machine with ice storage, type: GM 550A-Q, serial number: 2011010519343, year of construction: 2011,220-240 V, 50 Hz, 1.050 W, refrigerant: R404A, inside dimensions storage: 800 mm x 750 mm x 650 mm, total dimensions: 860 mm x 960 mm x 1600 mm. Technical condition unknown. | 50 |
| 291 | Scotsman | Scotsman ice storage, inside dimensions: 690 mm x 550 mm x 1070 mm, total dimensions: 770 mm x 900 mm x 1260 mm. | 50 |
| 292 | A.O. Smith | A.O. Smith water boiler, model: BFC 30 N, type: C13/C33/C43/C53/C63, serial number: 050702562802005, 30.1 kW, volume: 368 liter, dimensions: Ø 720 mm x 2000 mm. | 50 |
| 293 | NN crates | Pallet with large amount of various crates, crate dimensions among others: 600 mm x 400 mm x 130 mm, total dimensions: 1200 mm x 800 mm x 2400 mm. | 25 |
| 294 | Mewa GmbH | Mewa GmbH weighing scale, scale dimensions: 520 mm x 400 mm, minimum: 1 kg, maximum: 150 kg, e: 50 gram, total dimensions: 520 mm x 560 mm x 600 mm. | 30 |
| 295 | NN table with roller conveyor | | 100 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | S/s table with roller conveyor, table dimensions: 1200 mm x 1020 mm, plastic rollers, roller width: 240 mm, total dimensions: 1400 mm x 1280 mm x 1000 mm. | |
| 296 | NN bin | S/s bin, total dimensions: 345 mm x 345 mm x 700 mm. | 1 |
| 297 | NN tub | S/s tub, inside dimensions: 1200 mm x 960 mm x 720 mm, total dimensions: 1270 mm x 1010 mm x 870 mm. | 75 |
| 298 | Ubert Gastrotechnik GmbH | Ubert Gastrotechnik GmbH rotisserie oven and hot base cabinet, type: HB-306, serial number: 366-1005-0029, year of construction: 2006, 230 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, inside dimensions: (2x) 560 mm x 500 mm x 550 mm, 6 floors, floor dimensions: (6x) 460 mm x 430 mm, total dimensions: 660 mm x 800 mm x 1800 mm. | 50 |
| 299 | Hendi Engineering bv | Hendi Engineering bv gas heated stove, year of construction: 1996, 4.8 kW, 50 Mbar, dimensions ?: 440 mm x 395 mm, total dimensions: 440 mm x 400 mm x 860 mm. Incomplete. | 20 |
| 300 | Henkovac | Henkovac mobile vacuum machine, type: H 2000, serial number; 203067717, 220-380 V, 8.7-8.9 A, 2.5 kW, seal length: (2x) 500 mm, chamber dimensions: 500 mm x 510 mm, with Busch vacuum pump, type: 063-122, serial number: 240701, total dimensions: 690 mm x 590 mm x 1120 mm. | 450 |
| 301 | Frey | Frey mobile minced meat portioner, type: DMFB90, serial number: DMFB90 126262, plastic belt, belt width: 300 mm, diameter output: 75 mm, total dimensions: 1800 mm x 600 mm x 1300 mm. | 500 |
| 302 | Ice-Tek | Ice-Tek ice machine, model: GIM 140 / 25N a V230, type: 5340, serial number: 13120031, 220-240 V, 50 Hz, refrigerant: R452A, total dimensions: 670 m x 500 mm x 850 mm. | 25 |
| 303 | NN roller conveyor | Roller conveyor, plastic rollers, roller width: 500 mm, total dimensions: 1800 mm x 650 mm x 2800 mm. | 40 |
| 304 | Küppersbusch GmbH | Küppersbusch GmbH combi steamer, model: CCE 110, 230 V, 3 Ph, 50 Hz, 10 floors, dimensions each floor: 550 mm x 325 mm, total dimensions: 850 mm x 950 mm x 970 mm. | 200 |
| 305 | Ubert Gastrotechnik GmbH | Ubert Gastrotechnik GmbH rotisserie oven, type: RT - 303 AH, serial number: 306 - 0610 - 1063, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 9 A, 5.0 kW, inside dimensions: 550 mm x 550 mm x 480 mm, working width: 450 mm, total dimensions: 800 mm x 700 mm x 880 mm. | 25 |
| 306 | Ubert Gastrotechnik GmbH | Ubert Gastrotechnik GmbH rotisserie oven, inside dimensions: 550 mm x 580 mm x 570 mm, total dimensions: 800 mm x 780 mm x 875 mm. | 25 |
| 307 | NN cage | S/s cage, dimensions: 1250 mm x 920 mm x 950 mm. | 75 |
| 308 | Mettler Toledo | Mettler Toledo weighing scale, type: IND449, serial number: 2990083, 100-240 V, 50/60 Hz, 300 mA, scale dimensions: 600 mm x 450 mm. Including s/s cage, total dimensions: 1230 mm x 900 mm x 950 mm. | 100 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| 309 | Ice-Tek | Ice-Tek ice storage, total dimensions: 770 mm x 800 mm x 1040 mm. | 50 |
| 310 | Craftland | Thermo bodywarmer, size S and craftland safety boots. | 5 |
| 311 | GROTE | GROTE mobile slicer, model: S/A - 522, serial number: 1044653, Ø infeed: (4x) 125 mm, total dimensions: 1900 mm x 1250 mm x 2000 mm. | 250 |
| 312 | Fine Inter Korea Co., LTD | Fine Inter Korea Co., LTD automatic 2 lanes checkweigher with 2 rejectors, model: FAC-5900 W325 R225, serial number: E-194020, year of construction: 05/2019, 220 V, 260 W, minimum weight: 8g, maximum weight: 1200g, max weigh speed: 50 ea/min, plastic belt, belt width: (6x) 200 mm, dimensions rejectors: 1050 mm x 600 mm x 960 mm, total dimensions checkweigher: 1150 mm x 900 mm x 1450 mm. | 350 |
| 313 | Frey | Frey mobile linker, type: BAS02/SA, serial number: BAS02/SA/T126742, 400 V, 50/60 Hz, 7.6 kW, dimensions: 1430 mm x 900 mm x 1270 mm. Technical condition unknown. | 1000 |
| 314 | S.A Nijal | S.A Nijal mobile twisting and cutting machine for sausages, machine: Torsadeuse Coupeuse Automatique, type: T14, serial number: 1680405, year of construction: AVR-05, dimensions: 1500 mm x 1200 mm x 1770 mm. | 100 |
| 315 | S.A Nijal | S.A Nijal mobile twisting and cutting machine for sausages, machine: Torsadeuse Coupeuse Automatique, type: T14, serial number: 1490239, year of construction: 15/02/1999, dimensions: 1600 mm x 1150 mm x 1670 mm. Including pallet with parts, dimensions: 1500 mm x 1050 mm x 900 mm. | 100 |
| 316 | S.A Nijal | S.A Nijal mobile twisting and cutting machine for sausages, machine: Torsadeuse Coupeuse Automatique, type: Turbotwist P13, serial number: 128 01 98, year of construction: 10/01/1998, dimensions: 1530 mm x 1100 mm x 1730 mm. | 100 |
| 317 | Foss Analytical A/S | Foss Analytical A/S food analyser, model: FoodScan, type: 77810, serial number: 0508200504, 100-240 V, 50-60 Hz, 2.0 A, dimensions: 560 mm x 420 mm x 500 mm. | 750 |
| 318 | Weber | Weber outfeed belt, type: CGE, number: CGE01001-10104, year of construction: 2017, s/s frame, plastic belt, belt width: (18x) 20 mm, working width: 500 mm, total dimensions: 1700 mm x 1650 mm x 2070 mm. | 400 |
| 319 | Eloma | Eloma combi steamer, type: Genius 10-11, number: 141401 708071, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 17.1 kW, 11 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 950 mm x 920 mm x 1150 mm. | 300 |
| 320 | CombiSteel | Combisteel salad bar, model: 7950.0405, serial number: 75Q287495 7147 2401, 3 floors, floor dimensions: (3x) 450 mm x 300 mm, total dimensions: 810 mm x 1370 mm x 1300 mm. | 150 |
| 321 | | | 150 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | Sterling Fluid Systems | 2 Sterling Fluid Systems centrifugal pumps, model: ZLND065250(251), year of construction: 2005, dimensions: (2x) 1100 mm x 500 mm x 600 mm. | |
| 322 | Sterling Fluid Systems | 2 Sterling Fluid Systems centrifugal pumps, model: ZLND065250(251), year of construction: 2005, dimensions: (2x) 1100 mm x 500 mm x 600 mm. | 150 |
| 323 | Mouvex | Mouvex hydraulic unit, type: Hydrive, serial number: 2038000, year of construction: 2021, total dimensions: 1200 mm x 800 mm x 900 mm. | 25 |
| 324 | Tesy | Tesy boiler, model: TESY EV 9 S 200 65 A, capacity: 195 liter, maximum temperature: 95 °C, weight: 75 kg, dimensions: Ø 700 mm x 1270 mm. | 25 |
| 325 | LUMEN GmbH/ LUNA | LUMEN GmbH/LUNA mobile milkshake machine, model: L 12 HL-S (SB), number: 7813, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 8.5 A, 3.5 kW, refrigerant: R404A, dimensions: 7700 mm x 580 mm x 1500 mm. | 400 |
| 326 | Carrier | Carrier refrigerated showcase, model: MC17, year of construction: 2009, refrigerant: R404A / 0.8 kg, dimensions: 1710 mm x 850 mm x 2090 mm. | 25 |
| 327 | KBS Kältechnik GmbH | KBS Kältechnik GmbH saladette, model: S903, serial number: 369386, year of construction: 04-2013, refrigerant: R134a, 230 V, 50 Hz, 1.6 A, weight: 107 kg, dimensions inside: (3x) 570 mm x 320 mm, total dimensions: 1370 mm x 700 mm x 850 mm. | 50 |
| 328 | Parker | Parket plastic hose, total dimensions: 1200 mm x 800 mm x 300 mm. | 50 |
| 329 | Brema | Brema ice storage, model: BIN200*G160-280-510-TM, year of construction: 2014, dimensions: 870 mm x 790 mm x 1130 mm. | 50 |
| 330 | Bastra | Bastra smoke generator, type: 150, serial number: 15010335, year of construction: 2006, 400 V, 3 Ph, 50 Hz, total dimensions: 760 mm x 600 mm x 1300 mm. | 150 |
| 331 | Minerva Omega Group s.r.l | Minerva Omega Group s.r.l hamburger forming machine, type: Hamburgatrice, model: C/E653, serial number: 12E2117, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 2.1 A, 0.75 kW, weight: 59 kg, diameter form: 90 mm, total dimensions: 1400 mm x 1000 mm x 1070 mm. Incomplete. | 150 |
| 332 | Haulotte Group | Haulotte Group lifting platform, type: STAR 6, serial number: ME109818, year of construction: 2012, 0.9 kW, weight: 810 kg, dimensions: 1550 mm x 750 mm x 1750. Technical condition unknown. | 100 |
| 333 | Ned Air b.v. | Pallet with 3 fans, of which among others Ned Air b.v., dimensions fans: (2x) Ø 1100 mm x 250 mm, and (1x) Ø 1000 mm x 550 mm, total dimensions: 720 mm x 750 mm x 400 mm. Including s/s frame, dimensions: 720 mm x 750 mm x 400 mm. | 5 |
| 334 | Cryovac | Cryovac vacuum machine, type: VC 14 LH, serial number: CVC1412069, year of construction: 1996, 380 V, 50 Hz, 40 A, | 150 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | 13 kW, seal length: 940 mm and 650 mm, chamber dimensions: 975 mm x 610 mm, plastic belt, belt width: 480 mm, total dimensions: 1180 mm x 860 mm x 1150 mm. Incomplete, technical condition unknown. | |
| 335 | NN frames | Pallet with frames of which some are s/s, dimensions: 1200 mm x 800 mm x 1100 mm. | 25 |
| 336 | Combisteel BV | Combisteel BV saladette, model: 7950.0100, serial number: 170800083, year of construction: 09-2017, refrigerant: R600a, 230 V, 50 Hz, weight: 120 kg, dimensions inside: (3x) 345 mm x 580 mm, total dimensions: 1380 mm x 700 mm x 1000 mm. | 80 |
| 337 | DEBAG | DEBAG double stacked oven, type: DiLa 5 and DiLa 10, number: D 320962 and D 320963, year of construction: 07/2012, 400 V, 50 Hz, 31.5/32 A, 20.5 kW, dimensions inside: 695 mm x 415 mm, total dimensions: 1100 mm x 920 mm x 2120 mm. | 100 |
| 338 | Nagema | Nagema lifter for meat bins, type: LFW1000, serial number: 13351310, year of construction: 1990, 380 V, 50 Hz, 3.2 A, 2.11 kVA, lifting height: 1300 mm, total dimensions: 1450 mm x 950 mm x 1900 mm. | 150 |
| 339 | NN labelling machine | Mobile labelling machine, belt width: 155 mm , total dimensions: 1700 mm x 1000 mm x 1830 mm. Missig belt. | 220 |
| 340 | KA-GE-Lyften | KA-GE-Lyften lifter for 200 liter meat bins, type: SKY 200 MKRT, serial number: 2565, elevating height: 1250 mm, total dimensions: 1550 mm x 1260 mm x 2500 mm. | 400 |
| 342 | Bosch | Bosch refrigerator-freezer, inside dimensions: 540 mm x 450 mm x 780 mm and 480 mm x 450 mm x 620 mm, total dimensions: 600 mm x 600 mm x 1700 mm. | 1 |
| 343 | Whirlpool | Whirlpool refrigerator, type: ART 491/A+/2, 220-240 V, 50 Hz, 1.35 A, dimensions: 540 mm x 470 mm x 1800 mm. Door is missing. | 1 |
| 344 | NN office drawer | Office drawer, dimensions: 260 mm x 780 mm x 540 mm. | 1 |
| 345 | NN fork guard kerb barriers | Pallet with large amount of fork guard kerb barriers, dimensions: 165 mm x 100 mm, various lengths, total dimensions: 2000 mm x 1200 mm x 700 mm. Including crate with plugs, dimensions: 600 mm x 400 mm x 300 mm. | 220 |
| 346 | Siat | Siat box closing machine, type: SK2-S, serial number: 50982, year of construction: 2006, 380 V, 3 Ph, 50 Hz, 1.08 A, 260 W, plastic belt, belt width (2x) 75 mm, total dimensions: 1100 mm x 750 mm x 1500 mm. Incomplete. | 100 |
| 347 | Easy Conveyors | Easy Conveyors roller conveyor, roller width: 410 mm, total dimensions: 3160 mm x 550 mm x 1100 mm. | 50 |
| 348 | NN curve conveyor | Curve conveyor on s/s frame, plastic mesh belt, belt width: 225 mm, total dimensions: 2450 mm x 1670 mm x 1100 mm. | 100 |
| 349 | AHT Cooling Systems GmbH | AHT Cooling Systems GmbH freezer, type: B 845, serial number: 295398 00000042, year of construction: 08-2010, | 5 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | 220-240 V, 50 Hz, 3.50 A, 510 W, refrigerant: R404A, dimensions: 1000 mm x 900 mm x 2100 mm. | |
| 350 | NN roller conveyor | Roller conveyor, roller width: 420 mm, total dimensions: 4350 mm x 500 mm x 1150 mm. | 150 |
| 351 | Heinrich Frey Maschinenbau GmbH | Heinrich Frey Maschinenbau GmbH mobile sausage cutter, type: WS 400, year of construction: 2012, diameter infeed: 40 mm, total dimensions: 580 mm x 600 mm x 1400 mm. | 500 |
| 352 | Wiesheu GmbH | Wiesheu GmbH double stacked oven with hood, type: B4-E2, serial number: 10213737, year of construction: 2012-08, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, and type: B8-R2, serial number: 10213717, year of construction: 2012-08, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.24 kW, dimensions: 1100 mm x 930 mm x 2140 mm. | 350 |
| 353 | KOMET | Komet thermoformer, type: quickvac 2000, number: 399 00040 05, 400 V, 3 Ph, 50 Hz, 6 kW, film width: 315 mm, index: 260 mm, dimensions dye: (2x) 230 mm x 145 mm, built-in Busch vacuum pump, total dimensions: 3050 mm x 800 mm x 1760 mm. Including pallet with film rolls and crate with parts. | 3000 |
| 354 | Meiko | Meiko dishwasher, type: KA 15, machine number: GG 104817, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 55 A, 35 kW, clearance: 540 mm x 420 mm, belt width: 420 mm, roller width: 480 mm, total dimensions: 3660 mm x 1000 mm x 1970 mm. | 250 |
| 355 | Frey | Frey vacuum filling machine, type: Konti C50, serial number: 80880, dimensions: 670 mm x 770 mm x 1600 mm. Incomplete, technical condition unknown. | 500 |
| 356 | IL | IL shock freezer, type: 20 T 2/1 POS/NEG REMO, serial number: 1022.0154, 400 V, 3 Ph, 50 Hz, refrigerant: R 404 A, inside dimensions: 960 mm x 670 mm x 2000 mm, total dimensions: 1350 mm x 1250 mm x 2300 mm. | 3000 |
| 357 | Wiesheu GmbH | Wiesheu GmbH double stacked oven, type top oven: B4-E2, serial number: 10220913, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, type bottom oven: B4-E2, serial number: 10220914, year of construction: 10/2012, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, total dimensions: 1100 mm x 940 mm x 2140 mm. | 250 |
| 358 | Record | Record flowpacker, model: scorpion E, serial number: 09-02-120, year of construction: 2002, 380 V, 3 Ph, 50/60 Hz, 4000 W, plastic outfeed belt, belt width: 180 mm, infeed belt with dividers, divider height: 30 mm, distance between dividers: 340 mm, total dimensions: 5100 mm x 1400 mm x 2100 mm. Including box with parts. | 1250 |
| 359 | Smits Techniek | Smits Techniek dosing and weighing unit, type: EWM120, serial number: 18-13-2011-7, year of construction: 2011, dimensions: 900 mm x 920 mm x 2730 mm. | 120 |
| 360 | NN Fan | Isolated frame with fan, dimensions: 1200 mm x 1000 mm x 940 mm. Technical condition unknown. | 10 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| 361 | NN switch cabinet | Switch cabinet, dimensions: 2000 mm x 900 mm x 410 mm and 400 mm x 500 mm x 250 mm. | 50 |
| 362 | NN transport belt | Transport belt, belt width: 510 mm, total dimensions: 3800 mm x 780 mm x 670 mm. Without belt. | 150 |
| 363 | Hidros | Hidros water chiller, model: 1WSK.015S-1A, serial number: 739/100822/06, year of construction: 29/12/06, 400 V, 3 Ph, 50 Hz, 14.1 A, refrigerant: R407C, total dimensions: 1050 mm x 700 mm x 1550 mm. | 300 |
| 364 | Lips | Lips vault, dimensions: 800 mm x 950 mm x 1500 mm. No key, damaged. | 50 |
| 366 | Variovac | Variovac labelling machine, dimensions: 4800 mm x 1700 mm x 1920 mm. | 500 |
| 367 | NN transport belts | Transport belts (3x), belt width: 640 mm, total dimensions: 5800 mm x 1120 mm x 2000 mm. | 500 |
| 368 | BBC Technologies | BBC Technologies transport belt, s/s frame, plastic belt, (2x) belt width: 300 mm, model: 50571, serial number: 115057, total dimensions: 5100 mm x 750 mm x 1350 mm. | 500 |
| 369 | MUER Packaging | MUER Packaging plastic pallet boxes, dimensions: (4x) 1200 mm x 1000 mm x 870 mm. | 100 |
| 370 | Townsend | Townsend mobile sausage peeler with suction unit, diameter: 65 mm, dimensions peeler: 550 mm x 680 mm x 1450 mm, dimensions suction unit: 1290 mm x 740 mm x 1250 mm. Including box with parts. | 1500 |
| 371 | Townsend | Townsend mobile sausage peeler, diameter: 65 mm, total dimensions: 650 mm x 650 mm x 1500 mm. | 1000 |
| 372 | Henneken GmbH | Henneken GmbH mobile steaker, type: HT 520, serial number: HT-520-3119, year of construction: 2014, 400 V, 50 Hz, 1.5 kW, weight: 500 kg, plastic belt, belt width: 510 mm, working width: 540 mm, total dimensions: 1650 mm x 980 mm x 1410 mm. Including box with parts. | 2500 |
| 373 | Kramer Grebe | Kramer Grebe cutter, type: SM 65, machine number: 178/556/1, year of construction: 1981, steel bowl, volume: 65 liter, dimensions: 1500 mm x 1000 mm x 1360 mm. | 1500 |
| 374 | Treif | Treif dicer, type: 1322, machine number: 132200.67921.0365, year of construction: 1992, 380 V, 50 Hz, 10 A, clearance: 80 mm x 85 mm, total dimensions: 1080 mm x 520 mm x 990 mm. | 1000 |
| 375 | Kramer Grebe | Kramer Grebe cutter, number: 4276, 220 V, 50 Hz, 4 A, steel bowl, dimensions: 1450 mm x 1000 mm x 1150 mm. | 1000 |
| 376 | Treif | Treif slicer, model: PUMA CE 700 EB, machine number: 194303.614147.0173, year of construction 1997, 400/230 V, 3 Ph, 50 Hz, 8.2/16 A, 3.4 kW, chamber dimensions: 220 mm x 250 mm, total dimensions: 1900 mm x 890 mm x 1430 mm. | 1000 |
| 377 | Sealpac | Sealpac control panel, dimensions: 530 mm x 180 mm x 600 mm. | 50 |
| 378 | Waldys S.A. | Waldys S.A. stretch wrapping machine, model: 33, serial number: 279, year of construction: 1996, 380 V, 3 Ph, 50 Hz, | 250 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | 2.6 kW, 310 kg, plastic roller belt, belt width: 255 mm, film width: 580 mm, clearance: 270 mm x 170 mm, total dimensions: 2050 mm x 1400 mm x 1430 mm. | |
| 380 | Hobart | Hobart mobile bone dust remover, model: ABR-IU, serial number: 31-464-435, 220 V, 50 Hz, 1 Ph, 3.8 A, s/s mesh belt, belt width: 330 mm, working width: 335 mm, total dimensions: 1350 mm x 870 mm x 1390 mm. | 500 |
| 381 | Hobart | Hobart mobile bone dust remover, model: ABR-IU, serial number: 31-533-640, 115 V, 60 Hz, 1 Ph, 6,9 A, s/s mesh belt, belt width: 330 mm, working width: 370 mm, total dimensions: 1350 mm x 870 mm x 1400 mm. Including 2 boxes with parts. | 500 |
| 382 | Torrex | Torrex X-Ray scanning system, model: Torrex 2, serial number: Z058 / B041032, year of construction: 06/1991, inside dimensions: 740 mm x 630 mm x 330 mm, total dimensions: 960 mm x 790 mm x 1855 mm. | 100 |
| 400 | NN actuators | 2 boxes with electric actuators, dimensions: 210 mm x 130 mm x 300 mm. | 180 |
| 401 | NN control panel | Control panel used for thermoformer, dimensions: 400 mm x 250 mm x 300 mm. | 40 |
| 402 | Witt-Gasetechnik GmbH & Co. KG | Witt-Gasetechnik GmbH & Co. KG gas mixing station, type: KM100-3MEM, serial number: 57573, year of construction: 2003, gas: c02/02/n2, pn/max: 5 bar, dimensions: 400 mm x 320 mm x 200 mm. | 40 |
| 403 | Multivac | Multivac sous vide device, type: MV1-27, serial number: 10209183, 230 V, 50-60 Hz, 9.2 A, inside dimensions: 365 mm x 300 mm x 200 mm, total dimensions: 570 mm x 330 mm x 430 mm. | 40 |
| 404 | Kanon Loading Equipment B.V. | Kanon Loading Equipment B.V. steel cable reel, type: CR01, serial number: CR010734, year of construction: 2019, dimensions: 300 mm x 250 mm x 350 mm. | 20 |
| 405 | Kanon Loading Equipment B.V. | Kanon Loading Equipment B.V. steel cable reel, type: CR01, serial number: CR010733, year of construction: 2019, dimensions: 300 mm x 250 mm x 350 mm. | 20 |
| 406 | Pandl Systems | Pandl Systems insect killer, model: FTC40, serial number: WV-0514000162, 230 V, 50 Hz, 50 W, dimensions: 700 mm x 180 mm x 350 mm. | 5 |
| 407 | Multivac | Multivac gas mixing station, type: KM100-2M, number: 12610, year of construction: 1990, dimensions: 360 mm x 320 mm x 260 mm. | 40 |
| 408 | Thermo Allen Coding | Thermo Allen Coding coding machine, dimensions: 550 mm x 200 mm x 200 mm. | 20 |
| 409 | Bizerba | Bizerba slicer, model: VS 12, number: 2203346, year of construction: 2005, 230/400 V, 3 Ph, 50 Hz, 1.2/0.68 A, 0.270 kW, dimensions: 600 mm x 540 mm x 420 mm. Defect. | 20 |
| 410 | Witt-Gasetechnik GmbH & Co. KG | Witt-Gasetechnik GmbH & Co. KG gas mixing station, type: KM 100-2 M, serial number: 28070, year of construction: | 40 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | 1997, gas: CO2/N2, dimensions: 400 mm x 310 mm x 300 mm. | |
| 411 | Avery Dennison | Avery Dennison label printer, type: 6405, serial number: 0831631001-6405, 100-240 V, 50-60 Hz, 3.2 A, dimensions: 500 mm x 320 mm x 310 mm. | 5 |
| 412 | Armour & Danforth | Armour & Danforth impact drill, type: TMX675-017, 230 V, 50 Hz, 820 Watt dimensions: 275 mm x 70 mm x 250 mm. | 20 |
| 413 | Armour & Danforth | Armour & Danforth impact drill, type: TMX675-017, 230 V, 50 Hz, 820 Watt dimensions: 275 mm x 70 mm x 250 mm. | 20 |
| 414 | Digi | Digi weighing scale & printer, type: SM-500EP, serial number: 09903694, 230 V, 50/60 V, 0.4 A, minimum weight: 40 gram, maximum weight: 6/15 kg, e=d=2/5 gram, scale dimensions: 360 mm x 255 mm, total dimensions: 450 mm x 400 mm x 600 mm. | 40 |
| 415 | CWZ | CWZ floor scrubbing machine, type: X2d, working width: approximately 500 mm, dimensions: 1250 mm x 550 mm x 960 mm. Incomplete, technical condition unknown. | 40 |
| 416 | CWZ | CWZ floor scrubbing machine, type: X2d, working width: approximately 500 mm, dimensions: 1250 mm x 550 mm x 960 mm. Incomplete, technical condition unknown. | 50 |
| 417 | CWZ | CWZ floor scrubbing machine, type: X2d, working width: approximately 500 mm, dimensions: 1250 mm x 550 mm x 960 mm. Incomplete, technical condition unknown. | 50 |
| 418 | CWZ | CWZ floor scrubbing machine, type: X2d, working width: approximately 500 mm, dimensions: 1250 mm x 550 mm x 960 mm. Incomplete, technical condition unknown. | 50 |
| 419 | Welland | Welland scrubbing machine, dimensions: 720 mm x 1600 mm x 1350 mm. | 50 |
| 420 | CWZ | CWZ floor scrubbing machine, type: X2d, dimensions: 1200 mm x 450 mm x 950 mm. Incomplete, technical condition unknown. | 50 |
| 421 | NN floor scrubbing machine | Floor scrubbing machine, type: X6, working width: approximately 550 mm, dimensions: 1350 mm x 600 mm x 1070 mm. Technical condition unknown. | 50 |
| 422 | Minerva Omega | Minerva Omega ice machine, type: compressor, model: GIM 270N / NEK2168GK, serial number: P21 15843, year of construction: 2021, 230 V, 1 Ph, 50 Hz, 3 A, 0.9 kW, weight: 85 KG, dimensions: 620 mm x 510 mm x 640 mm. | 300 |
| 423 | Garant | Garant injector, type: Garant 2000, year of construction: 1995/1996/1997, 380 V, 50 Hz, dimensions: 400 mm x 150 mm x 2250 mm. | 50 |
| 424 | NN control panel | Control panel, dimensions: 380 mm x 200 mm x 400 mm. | 50 |
| 425 | Busch | Busch vacuum pump, type: WP 1000 D 2HI MXII, number: C0611000013, year of construction: 2006, capacity: 1000 $m^3$ per hour, dimensions: 950 mm x 500 mm x 320 mm. | 250 |
| 426 | Becker | Becker vacuum pump, type: U4.165F / K HI-0XY, serial number: H2763129, year of construction: 2014, 50/60 Hz, | 200 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | 4.0/4.8 kW, 162/190 m³ per hour, dimensions: 920 mm x 550 mm x 750 mm. | |
| 427 | Nilfisk | Nilfisk floor scrubbing machine, model: Scrubber-Dryer BA 611D, serial number: 3510131101235, 100-240 Vac, 50-60 Hz, 1.3 kW, dimensions: 1400 mm x 800 mm x 1080 mm. | 150 |
| 428 | Busch | Busch vacuum pump, dimensions: 800 mm x 380 mm x 400 mm. | 50 |
| 429 | Busch | Busch vacuum pump, model: RA 0160 D 5Z1 GQZZ, serial number: C1018000557, year of construction: 2010, capacity: 160 m³ per hour, dimensions: 780 mm x 500 mm x 400 mm. | 150 |
| 430 | Multivac | Multivac vacuum pump, serial number: 2229568, year of construction: 2022, capacity: 106/127 m³ per hour, dimensions: 720 mm x 380 mm x 280 mm. | 100 |
| 431 | Busch | Busch vacuum pump, dimensions: 980 mm x 350 mm x 630 mm. | 50 |
| 432 | Busch | Busch vacuum pump, type: RA 0100 F 503, serial number: DEM120421621, year of construction: 2020, capacity: 100 m³ per hour, dimensions: 700 mm x 400 mm x 280 mm. | 150 |
| 433 | Mouvex | Mouvex hydraulic unit, type: Hydrive, serial number: 2032016, year of construction: 2021, total dimensions: 1200 mm x 800 mm x 900 mm. | 300 |
| 434 | Busch | Busch vacuum pump, dimensions: 820 mm x 340 mm x 330 mm. | 100 |
| 435 | Busch | Busch vacuum pump, type: RA 0100 B5M, number: 195004154, capacity: 100 m³ per hour, dimensions: 800 mm x 350 mm x 400 mm. | 50 |
| 436 | ADE | ADE slicer, dimensions: 700 mm x 550 mm x 500 mm. | 50 |
| 437 | GGG | GGG conveyor toaster, model: TCT-01, serial number: CKGGG202105N1-029, 220-240 V, 50 Hz, 1940 W, s/s mesh belt, belt width: 250 mm, total dimensions: 520 mm x 440 mm x 420 mm. | 100 |
| 438 | Hameg AG | Hameg AG oscilloscope, type: HM 312, dimensions: 400 mm x 200 mm x 300 mm. | 10 |
| 439 | Roxell | Roxell dosing unit, serial number: 351745, diameter pipe: 100 mm and 85 mm, total dimensions: 810 mm x 250 mm x 390 mm. | 25 |
| 440 | Roxell | Roxell dosing unit, diameter pipe: 85 mm, total dimensions: 1060 mm x 250 mm x 210 mm. | 25 |
| 441 | Busch | Busch vacuum pump, model: RA 0063 E 5Z1, serial number: 070012646, year of construction: 2007, capacity: 63 m³ per hour, dimensions: 620 mm x 380 mm x 270 mm. | 100 |
| 442 | Carrier | Carrier air-conditioning unit with condenser, dimensions air-conditioning: 970 mm x 970 mm x 300 mm, condenser dimensions: 940 mm x 680 mm x 350 mm, total dimensions: 1200 mm x 970 mm x 800 mm. | 50 |
| 443 | Brema | | 300 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | Brema ice machine, dimensions: 640 mm x 470 mm x 560 mm. Missing cover. | |
| 444 | Rietschle | Rietschle vacuum pump, type: VSH 201 (01), capacity: 200 m³ per hour, dimensions: 950 mm x 320 mm 570 mm. | 250 |
| 445 | Aquaforte | 4 Aquaforte sieves, model: UltraSieve, dimensions: (2x) 680 mm x 380 mm x 950 mm and (2x) 370 mm x 640 mm x 1100 mm. | 200 |
| 446 | Rietschle | Rietschle vacuum pump, type: VFS 201 (01), number: 2182775, capacity: 200 m³ per hour, dimensions: 1100 mm x 300 mm x 600 mm. | 50 |
| 447 | Rietschle | Rietschle vacuum pump, type: VFS 220.80 (01), capacity: 220/80 m³ per hour, dimensions: 1050 mm x 330 mm x 600 mm. | 250 |
| 448 | Alfaco | Alfaco steel server cabinet, dimensions: 1000 mm x 800 mm x 2000 mm. | 20 |
| 449 | Busch | Busch vacuum pump with s/s cabinet, type: RA 0250 D 572 DCXX, serial number: C051600010B, capacity: 250 m³ per hour, dimensions: 1320 mm x 620 mm x 610 mm. | 150 |
| 450 | Variovac | Variovac control panel, dimensions: 440 mm x 160 mm x 450 mm. | 50 |
| 451 | WITT-Gasetechnik GmbH | WITT-Gasetechnik GmbH gas mixing system, Type: KM 100-2 MEM, serial number: 76090, 230 V, 50 Hz, dimensions: 330 mm x 210 mm x 440 mm. | 20 |
| 452 | Variovac | Variovac control panel, dimensions: 420 mm x 200 mm x 350 mm. | 50 |
| 453 | Busch | Busch vacuum pump, type RA 0100 F 5R3, serial Number 070058952, year of construction: 2007, capacity: 100 m³ per hour, dimensions: 980 mm x 350 mm x 630 mm. | 150 |
| 454 | Brüel | Pallet box with parts for Brüel crate washer. | 10 |
| 455 | Vepabins | 24 Vepabins self-extinguishing wastepaper basket, dimensions: Ø 340 mm x 470 mm. | 120 |
| 456 | Vepabins | 18 Vepabins self-extinguishing wastepaper basket, dimensions: Ø 340 mm x 470 mm. | 90 |
| 457 | NN trolley | Steel trolley, dimensions: 950 mm x 600 mm x 1080 mm. | 5 |
| 458 | NN trolley | Steel trolley, dimensions: 950 mm x 600 mm x 1080 mm. | 5 |
| 459 | Bizerba | Bizerba weighing scale with indicator, model indicator: KF II, serial number: 11387841, 120-240 V, 50/60 Hz, 0.7-0.35 A, type weighing scale: 18 K D97-09-027, number: 1881255, maximum weight: 6 kg, minimum weight: 40 gram, e= 2 gram, dimensions scale: 370 mm x 300 mm and dimensions indicator: 440 mm x 300 mm x 130 mm. | 50 |
| 460 | Busch | Busch vacuum pump, type: RA 0063 E 5Z1, number: 060102583, year of construction: 2006, capacity: 63 m³ per hour, dimensions: 600 mm x 400 mm x 260 mm. | 50 |
| 461 | NN trolley | Trolley, dimensions: 360 mm x 880 mm x 1300 mm. | 10 |
| 462 | Busch | | 100 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | Busch vacuum pump, CB 0220 D 1, number: 070005001, capacity: 220 m³ per hour, dimensions: 1100 mm x 300 mm x 600 mm. | |
| 463 | NN trolley | Trolley, dimensions: 360 mm x 880 mm x 1300 mm. | 10 |
| 464 | Odink & Koenderink | Odink & Koenderink fuse box, serial number: 30B21089, year of construction: 28/10/1992, dimensions: 980 mm x 840 mm x 240 mm. Including additional fuse box, dimensions: 900 mm x 330 mm x 190 mm. Technical condition unknown. | 100 |
| 465 | NN showcase | Showcase for bread, 4 floors, floor dimensions: (4x) 920 mm x 600 mm, total dimensions: 1030 mm x 900 mm x 1950 mm. | 50 |
| 466 | Nordson | Nordson hot melt unit, model 1022231A, serial number: SA0722579, 200–240 V, 50/60 Hz, 26 A, dimensions: 1250 mm x 550 mm x 450 mm. | 500 |
| 467 | Frymaster | Frymaster universal holding cabinet, model: UHCP4TP, serial number: 0802UH0388, 230 V, 1 Ph, 50/60 Hz, 13.3 A, 3050 W, 4 floors, dimensions each floor: 600 mm x 450 mm x 60 mm, total dimensions: 645 mm x 550 mm x 645 mm. | 50 |
| 468 | Hoppecke | 3 Hoppecke battery chargers, model: Trak air, type: E230 G24/50 B-F14 HO-HF, serial number: 53205245, year of construction: 04/2011, 230 V, 50/60 Hz, dimensions: (3x) 600 mm x 370 mm x 340 mm, total dimensions: 1200 mm x 1000 mm x 600 mm. | 300 |
| 469 | NN pressure vessel for foam | Pressure vessel for foam, number: 405564, year of construction: 2004, dimensions: 340 mm x 250 mm x 1000 mm. | 40 |
| 470 | Frigoblock | Pallet with various parts, of which among others a Frigoblock alternator, type: G17, dimensions: 1200 mm x 800 mm x 600 mm. | 50 |
| 471 | NN parts for thermoformer | Pallet with 2 presses for thermoformer, dimensions: (2x) 1000 mm x 720 mm x 130 mm. Never used. | 100 |
| 472 | Hoshizaki | Hoshizaki ice machine, model: FM-251AFE, serial number: M01102, 220-240 V, 900 W, weight: 86 kg, refrigerant: R404A, dimensions: 720 mm x 560 mm x 940 mm. | 150 |
| 473 | Rietschle | Rietschle vacuum pump, type: VCH 140 (05), serial number: 2363164, year of construction: 2003, capacity: 140 m³ per hour, dimensions: 700 mm x 400 mm x 300 mm. Incomplete. Technical condition unknown. | 25 |
| 474 | Bell-Mark | Bell-Mark coding attachment for thermoformer, type: EasyPrint mlp, dimensions: 500 mm x 300 mm x 595 mm. | 50 |
| 475 | Rietschle | Rietschle vacuum pump, type: VFS 201 (01), number: 1211506, year of construction: 1989, 220/380 V, 3 Ph, 50 Hz, 5.5 kW, capacity: 200 m³/h, 0.5 mbar, 1450 rpm, dimensions: 1060 mm x 650 mm x 500 mm. | 150 |
| 476 | Gefra | Gefra mobile conical rounder, type: RCSR, number: 8193550007, 380 V, 50 Hz, dimensions: 1000 mm x 1000 mm x 1600 mm. | 100 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| 477 | NN dosing unit | Dosing unit, diameter pipe: 75 mm and (6x) 90 mm, total dimensions: 880 mm x 450 mm x 980 mm. | 90 |
| 478 | Hydac | Hydac hydraulic pump, type: 71B4 3287255, serial number: 08-2753090, dimensions: 420 mm x 300 mm x 220 mm. | 80 |
| 479 | Rietschle | Thomas Rietschle vacuum pump, type: VC 150 (20), serial number: 046007772170005, 4.0/4.8 kW, capacity: 150/180 m³ per hour, dimensions: 750 mm x 440 mm x 450 mm. | 100 |
| 480 | Busch | Busch vacuum pump, type: CB 0220 D, number: 110041131, year of construction: 2011, capacity: 220 m³ per hour, 0.5 mbar, dimensions: 1100 mm x 250 mm x 580 mm. | 150 |
| 481 | Busch | Busch vacuum pump, type: 100-131, number: 70661, capacity: 100 m³ per hour, vacuum: 0.5 mbar, dimensions: 850 mm x 650 mm x 350 mm. | 100 |
| 482 | Rietschle | Rietschle vacuum pump, type: VFS 201 (01), serial number: 2072761, year of construction: 1999, 230/400 V, 50 Hz, 19.7/11.4 A, 5.5 kW, rates per minute: 1250, capacity: 200 m³ per hour, dimensions: 1100 mm x 300 mm x 570 mm. | 150 |
| 483 | Aquafil | Aquafil filter, model: SmartpondFilter, filter width: 755 mm, total dimensions: 1200 mm x 1000 mm x 700 mm. Including extra filter rolls. | 400 |
| 484 | Denios AG | 2 Denios AG drip trays, type: FK 20, serial number: 110011991-000100-001, year of construction: 2002, dimensions: (2x) 1650 mm x 430 mm x 350 mm. | 20 |
| 485 | Denios AG | 2 Denios AG drip trays, type: FK 20, serial number: 110011991-000100-002, year of construction: 2002, volume: 200 liter, dimensions: (2x) 1650 mm x 430 mm x 350 mm. | 20 |
| 486 | WEDA | WEDA mobile weighing scale, type: 529, fabrication number: 8513, maximum weight: 25 kg, minimum weight: 2.5 kg, e=d= 50 gram, dimensions scale: 520 mm x 480 mm, total dimension: 800 mm x 520 mm x 1700 mm. | 40 |
| 487 | Bizerba | Bizerba hook weighing scale with indicator, maximum weight: 150 kg, minimum weight: 5 kg, e= 0.1 kg, dimensions: 600 mm x 700 mm x 1400 mm. | 150 |
| 488 | NN transport belts | Plastic crate with various plastic belts, belt width: (2x) 150 mm and (3x) 130 mm. | 20 |
| 489 | Busch | Busch vacuum pump, type: RA 0100 F 503, number: 110042761, year of construction: 2011, capacity: 100 m³ per hour, dimensions: 680 mm x 380 mm x 270 mm. | 100 |
| 490 | Multivac | Multivac vacuum pump, type: MR150, serial number: 2125692, year of construction: 2021, capacity: 106/127 m³ per hour, dimensions: 700 mm x 350 mm x 230 mm. | 100 |
| 491 | Busch | Busch vacuum pump, dimensions: 730 mm x 400 mm x 240 mm. Broken. | 20 |
| 492 | Busch | Busch vacuum pump, type: WV 0500 B 001 KAAA, number: C9906000568, capacity: 1000 m³ per hour, dimensions: 900 mm x 500 mm x 450 mm. | 200 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| 493 | Variovac | Variovac control panel, dimensions: 440 mm x 480 mm x 150 mm. | 50 |
| 494 | NN control panel | Control panel, dimensions: 460 mm x 340 mm x 120 mm. | 50 |
| 495 | Siemens | Siemens control panel, dimensions: 430 mm x 520 mm x 140 mm. | 50 |
| 496 | NN control panel | Control panel, dimensions: 420 mm x 540 mm x 130 mm. | 50 |
| 497 | Busch | Busch vacuum pump, dimensions: 1030 mm x 520 mm x 500 mm. | 200 |
| 498 | Busch | Busch vacuum pump, type: WA IG00 D 2V1 MYXX, number: C0349000053, capacity: 1000 m³ per hour, dimensions: 950 mm x 350 mm x 400 mm. | 200 |
| 499 | Busch | Busch vacuum pump, type: WV 0500 B 001 KAXX, number: C0229000239, capacity: 500 m³ per hour, dimensions: 810 mm x 350 mm x 400 mm. | 100 |
| 500 | Nash Elmo | Nash Elmo side channel vacuum pump, type: 2FC4402-1NE00, serial number: 000006, 400/500 V, 50/60 Hz, 9,5 A, dimensions: 560 mm x 500 mm x 450 mm. | 100 |
| 501 | Talsa | Talsa mobile mixer, model: MIX275, serial number: 121355, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 5.6/9.8 A, 2 kW, s/s bowl: Ø 900 mm x 450 mm, total dimensions: 1200 mm x 900 mm x 1500 mm. | 1000 |
| 502 | Cretel | Cretel mobile skinning and derinding machine, type: 562H, serial number: E5620003, year of construction: 2013, 220/380 V, 3 Ph , 50 Hz, plastic mesh belt, belt width: 500 mm, derinding roll, roller width: 540 mm, working width: 540 mm, total dimensions: 2300 mm x 1000 mm x 1470 mm. | 2000 |
| 503 | Kolbe | Kolbe mobile grinder, type: AWE 130/I, serial number: 132 254, year of construction: 2002, 400 V, 50 Hz, 21.5 A, 11.0 kW, diameter plate: 130 mm, total dimensions: 950 mm x 1200 mm x 1550 mm. | 3000 |
| 504 | Treif | Treif mobile slicer, model: FOX-CE/RS, chamber: 190 mm x 180 mm, knive: Ø 450 mm, total dimensions: 1800 mm x 780 mm x 1300 mm. | 500 |
| 505 | Marel | Marel weighing scale, type: hop, serial number: A055383, year of construction: 2008, scale: 540 mm x 160 mm, total dimensions: 1000 mm x 870 mm x 1440 mm. | 1500 |
| 506 | Townsend | Townsend mobile skinning machine, model: K 11 320, type: 9828351, serial number: 10145350, year of construction: 2016, 380/415 V, 3 Ph, 50 Hz, 5.1 A, working width: 510 mm, total dimensions: 800 mm x 600 mm x 890 mm. | 1500 |
| 507 | Townsend | Townsend mobile skinning machine, model: SK11-350, serial number: 9916, year of construction: 2008, 400 V, 1 Ph, 3.0 A, working width: 510 mm, total dimensions: 770 mm x 770 mm x 890 mm. | 1000 |
| 508 | DEBAG | DEBAG oven, type: DiLa 5, number: D 313984, year of construction: 03/2011, 400 V, 50 Hz, 16 A, 9.5 kW, dimensions: 1000 mm x 930 mm x 2100 mm. Broken glas. | 500 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| 509 | Wiesheu GmbH | Wiesheu GmbH oven, serial number: 10179919, year of construction: 2011-09, 400 V, 3 Ph, 50 Hz, 17.4 A, 12.5 kW, 10 floors, floor dimensions: 350 mm x 620 mm, totla dimensions: 930 mm x 930 mm x 1860 mm. | 500 |
| 510 | DEBAG | DEBAG oven, type: DiLa 5, number: D 313984, year of construction: 03/2011, 400 V, 50 Hz, 16 A, 9.5 kW, dimensions: 1000 mm x 930 mm x 2100 mm. | 300 |
| 512 | Pantex | Pantex clothing steamer, model: PA - 1238 - 116, serial number: 25735596, year of construction 1996, 400 V, 3 Ph, 50 Hz, 14,2 Kw, max air pressure: 6 bar, dimensions 1150 mm x 680 mm x 1360 mm. | 500 |
| 513 | Hobart | Hobaert dishwasher, dimensions: 610 mm x 600 mm x 820 mm. Missing front cover. | 500 |
| 514 | NN oven | Oven, inside dimensions: 300 mm x 360 mm x 170 mm, total dimensions: 800 mm x 580 mm x 590 mm. | 500 |
| 515 | Merrychef | Merrychef high speed oven, item number: e3NXX305BDU2P3EU, serial number: 1409213090090, inside dimensions: 330 mm x 330 mm x 310 mm, total dimensions: 630 mm x 590 mm x 550 mm. | 500 |
| 516 | Merrychef | Merrychef high speed oven, item number: e3NXX305BDU2P3EU, serial number: 1312213090380, inside dimensions: 330 mm x 330 mm x 310 mm, total dimensions: 630 mm x 590 mm x 550 mm. | 500 |
| 517 | Merrychef | Merrychef high speed oven, inside dimensions: 330 mm x 330 mm x 310 mm, total dimensions: 630 mm x 590 mm x 550 mm. | 500 |
| 518 | MANITOWOC | MANITOWOC icemachine with bunker, model: B400, serial number: 1120350098, 200 V, 50 Hz, 6.7 A, refrigerant: R404A, bunker dimensions: 750 mm x 680 mm x 520 mm, total dimensions: 840 mm x 800 mm x 1520 mm. | 500 |
| 519 | NN frame | Isolated frame, ø 500 mm, dimensions: 900 mm x 800 mm x 970 mm, | 500 |
| 520 | Ata | Ata stove, 4 pits, dimensions: 1000 mm x 800 mm x 1180 mm. | 500 |
| 521 | Gram | Gram blast chiller, model: KPS42H - ONE51, serial number: 03017173001, 400 V, 50/60 Hz, 6.5/6.8 A, 4000/4400 W,refrigerant: R452A, floor dimensions: (10x) 390 mm x 540 mm, total dimensions: 830 mm x 800 mm x 1840 mm. | 500 |
| 522 | Alliance international | Alliance dryer, model: AF80 H, serial number: 80FX006862FY, year of construction: 2016, 380-415 V, 50/60 Hz, 6.7 kW, capacity: 7.5 kg, dimensions: 850 mm x 710 mm x 1120 mm. | 500 |
| 523 | Alliance laundry systems | Alliance dryer, model FX80 H, serial number: 80FX012847KW, year of construction: 2018, 200-240 V, 50/60 Hz, 0.85 kW, capacity: 7.5 kg, dimensions: 750 mm x 710 mm 1200 mm. | 500 |
| 524 | Miele professional | | 500 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | Miele dryer, type: PW 6101 EL, number: 40 / 46950841, 380-415 V, 50-60 Hz, 2x4 A, 2,2 kW, capacity: 10 kg, dimensions: 850 mm x 800 mm x 1250 mm. | |
| 525 | NN stobve | Stove, 4 pits, dimensions: 650 mm x 800 mm x 980 mm. | 500 |
| 526 | Miele | Miele dryer, type: T 6251 EL, machine number: 4597840, number: 46705849, 380-415 V, 50 Hz, 24 A, 13,2-15,5 kW, capacity: 10 kg, dimensions: 900 mm x 830 mm x 1400 mm. | 500 |
| 527 | Rational | Rational combi steamer, model: SCC WE 61G, serial number: G61SH11112277708, year of construction: 2011, 230 V, 50-60-Hz, 13 kW, 400 W, floor dimensions: (6x) 540mm x 330 mm, total dimensions: 840 mm x 850 mm x 850 mm. | 500 |
| 528 | Rational | Rational combi steamer, model: SCC 61, serial number: E61SE04072008248, year of construction: 2004, 10 kW, 150-600 kPa, floor dimensions: (6x) 530 mm x 330 mm, on s/s rack mobile rack, total dimensions: 830 mm x 850 mm x 1570 mm. | 500 |
| 529 | EKU-Metallbau | EKU-Metallbau cooking kettle, model: 750-KIG-60, fabric number: 7DB B 58271. id number: CE-0085BM0283, year of construction: 2011, 50 Hz, 13,7 kW, inside dimensions: 400 mm x 470 mm, total dimensions: 900 mm x 600 mm x 1040 mm. | 500 |
| 530 | Talsa | Talsa mobile mixer, model: MIX 80E, serial number: 236661, year of construction: 2003, 225-400 V, 50 Hz, 1.5-2.5 A, 0.55 kW, bowl: ø 560 mm x 350 mm. | 500 |
| 531 | Mado | Mado mobile grinder, model: MEW 620, number: 31121, year of construction: 2005, 230-400 V, 50Hz, 15.2-8.8 A, 4.0 kW, plate diameter: 100 mm, total dimensions: 800 mm x 1000 mm x 1360 mm. Missing knifes and plates. | 500 |
| 532 | NN mixer | Mobile mixer, bowl dimensions: ø 720 mm x 350 mm, total dimensions: 1200 mm x 850 mm x 1250 mm. | 500 |
| 533 | Talsa | Talsa mobile mixer, model: MIX80P, serial number: 1506633. year of construction: 2015, 400 V, 3Ph, 50 Hz, 0.8 kW, bowl dimensions: ø 565 mm x 350 mm, total dimensions: 900 mm x 670 mm x 1140 mm. | 500 |
| 534 | Talsa | Talsa mobile mixer, model: MIX150P, serial number: 285133, year of construction: 2008, 220-400 V, 5-8.7 A, 50 Hz, 1.8 kW, bowl dimensions: ø 720 mm x 400 mm, total dimensions: 1080 mm x 780 mm x 1200 mm. | 500 |
| 535 | Talsa | Talsa mobile mixer, model: MIX100, serial number: 1608095, year of construction: 2016, 400 V 2.35 A, 50 hz, 0.8 kW, bowl dimensions : ø 600 mm x 350 mm, total dimensions: 900 mm x 600 mm x 1130 mm. | 500 |
| 536 | Talsa | Talsa mobile grinder, model: W 32, serial number: 247886. year of construction: 2004, 225-390 V, 5.5-9.5 A, 50 Hz, 2.2 kW plate diameter: 80 mm, total dimensions: 900 mm x 560 mm x 1200 mm. Missing knifes and plates. | 500 |
| 537 | Unika | | 500 |

| Nr | Title | Description | Start € |
|---|---|---|---|
| | | Unika grinder, model: S-32, number: 1999/0504, 220-380 V, 7.4 A, 3 kW, plate diameter: 100 mm, total dimensions: 1250 mm x 1200 mm x 1600 mm. | |
| 538 | Mado | Mado mobile grinder, model : MEW 723, number: 108535, year of construction: 2010, 400 V, 14.6 A, 50 Hz, 6.6 kW, plate diameter: 100 mm, total dimensions: 880mm x 1030 mm x 1200 mm. | 500 |
| 539 | Mado | Mado mobile grinder, model: MEW 620, number: 31274, year of construction: 2008, 230-400 V, 21.0-12.1 A, 50 hz, 5,5 kW, plate diameter: 100 mm, total dimensions: 880 mm x 1030 mm x 1200 mm. | 500 |
| 540 | Wiesheu GmbH | Wiesheu GmbH oven, serial number: 10133650, year of construction: 2009, serial number: 10133650, 400 V, 17.4 A, 50 Hz, 12.5 kW, floor dimensions: (10x) 340 mm x 600 mm, total dimensions: 930 mm x 930 mm x 2040 mm. | 500 |
| 541 | ALPFRIGO | ALFRIGO freezer, model: CN 1400 SS R290, serial number: 24190, year of construction: 2017, 220-240 V, 50Hz, 3.4 A, 1069 W, capacity: -18°- -24°, refrigerant: R290, (2x) 4 plates, dimensions: 1400 mm x 800 mm x 2000 mm. | 500 |
| 542 | ALPFRIGO | ALFRIGO freezer, model: CN 1400 SS R290, serial number: 24188, year of construction: 2017, 220-240 V, 50Hz, 3.4 A, 1069 W, capacity: -18°- -24°, refrigerant: R290, (2x) 4 plates, dimensions: 1400 mm x 800 mm x 2000 mm. | 500 |

# General terms of the online auction

**Article 1. Definitions**
Delivery: the actual delivery of the lot to the buyer or to his authorized representative;
Bid: each by a user in the auction (for a lot) bid amount;
User: the one who has registered on the website;
User Agreement: the agreement between Industrial Auctions and the user;
Lot: an article, or a number of articles that are auctioned together (under one number);
Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;
Purchase Agreement: the purchase agreement between buyer and seller;
Buyer: the user to whom the lot is allocated;
Registration: registration of the user on the website by completing the registration form found on the website;
Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;
Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);
Auction: internet sales organized by Industrial Auctions of movable goods;
Seller: the person(s) a lot is being auctioned in whom/whose commission;
Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

**Article 2. Applicability**
2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.
2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

**Article 3. Registration on the website and the use**
3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.
3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.
3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.
3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.
3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.
3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.
3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

**Article 4. The auction**
4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.
4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.
4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.
4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:
- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the supporting system;
- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;

- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;
4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

**Article 5. Security**
5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.
5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.
5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

**Article 6. Description lots**
6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.
6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or aplied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

**Article 7. Adjustments; operation**
7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annuled clause, as far as possible the scope of the invalid/annuled clause shall be respected.
7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.
7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.
7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

**Article 8. Auction organization by Industrial Auctions**
8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.
8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:
- Not to recognize a bid as such;
- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

**Article 9. Bid; Purchase Agreement**
9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.
9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.
9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.
9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).
9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.
9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.
9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.
9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.
9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

**Article 10. Guarantees, claims and indemnities**
10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial

Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.
10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.
10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.
10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

**Article 11. Payment obligations of the buyer**
11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.
11.2. The buyer is not entitled to any settlement or suspension.
11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.
11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.
11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

**Article 12. Viewing days, auction days, pick-up days**
12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

**Article 13. Delivery**
13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions

can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.
13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.
13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).
13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.
13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

**Article 14. Termination**
14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.
14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.
14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

**Article 15. Liability**
15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herselve is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law

and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.
15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.
15.3 Industrial Auctions and the seller are not liable for:
- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;
15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.
15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

**Article 16. Applicable law**
16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.
16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.
16.3 In the event of a dispute, the competent court within the district of “Oost-Brabant” has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

**Notes**

**Notes**

**Notes**

**Notes**

## CONTACT

info@industrial-auctions.com

+31 (0)40 240 9208

